Name: Jhona Mae Cartoja BSIT2-A

Worksheet-1 in R

Worksheet for R Programming

Instructions:

- Use RStudio or the RStudio Cloud accomplish this worksheet. + Save the R script as RWorksheet lastname#1.R.
- Create your own *GitHub repository* and push the R script as well as this pdf worksheet to your own repo.

Accomplish this worksheet by answering the questions being asked and writing the code manually.

Using functions:

```
seq(), assign(), min(), max(), c(), sort(), sum(), filter()
```

- 1. Set up a vector named age, consisting of 34, 28, 22, 36, 27, 18, 52, 39, 42, 29, 35, 31, 27, 22, 37, 34, 19, 20, 57, 49, 50, 37, 46, 25, 17, 37, 42, 53, 41, 51, 35, 24, 33, 41.
 - a. How many data points?

Answer: 34

b. Write the R code and its output.

```
Answer: age <- c(34, 28, 22, 36, 27, 18, 52, 39, 42, 29, 35, 31, 27, 22, 37, 34, 19, 20, 57, 49, 50, 37, 46, 25, 17, 37, 42, 53, 41, 51, 35, 24, 33, 41) > length(age)
[1] 34
```

2. Find the reciprocal of the values for age.

Write the R code and its output.

Answer:

rec_age

```
[1] 0.02941176 0.03571429 0.04545455 0.02777778 0.03703704 0.05555556 0.01923077
```

[8] 0.02564103 0.02380952 0.03448276 0.02857143 0.03225806 0.03703704 0.04545455

[15] 0.02702703 0.02941176 0.05263158 0.05000000 0.01754386 0.02040816 0.02000000

[22] 0.02702703 0.02173913 0.04000000 0.05882353 0.02702703 0.02380952 0.01886792

[29] 0.02439024 0.01960784 0.02857143 0.04166667 0.03030303 0.02439024

3. Assign also new_age <- c(age, 0, age).

What happened to the new age?

Answer: there is a 0 between the 2 set age of numbers

new age

[1] 34 28 22 36 27 18 52 39 42 29 35 31 27 22 37 34 19 20 57 49 50 37 46 25 17 37 42 53 41

[30] 51 35 24 33 41 0 34 28 22 36 27 18 52 39 42 29 35 31 27 22 37 34 19 20 57 49 50 37 46

[59] 25 17 37 42 53 41 51 35 24 33 41

4. Sort the values for age.

Write the R code and its output.

Answer:

sort(age)

[1] 17 18 19 20 22 22 24 25 27 27 28 29 31 33 34 34 35 35 36 37 37 37 39 41 41 42 42 46 49

[30] 50 51 52 53 57

5. Find the minimum and maximum value for age.

Write the R code and its output.

Answer:

min(age)

[1] 17

> max(age)

[1] 57

6. Set up a vector named data, consisting of 2.4, 2.8, 2.1, 2.5, 2.4, 2.2, 2.5, 2.3, 2.5, 2.3, 2.4, and 2.7.

Answer:

a. How many data points?

Answer: 12 data points

length(data)

[1] 12

b. Write the R code and its output.

Answer:

```
data <- c(2.4, 2.8, 2.1, 2.5, 2.4, 2.2, 2.5, 2.3, 2.5, 2.3, 2.4, 2.7) > length(data)
[1] 12
```

7. Generates a new vector for data where you double every value of the data. | What happens to the data?

Answer: The data value is double

data * 2

[1] 4.8 5.6 4.2 5.0 4.8 4.4 5.0 4.6 5.0 4.6 4.8 5.4

- 8. Generate a sequence for the following scenario:
 - 8.1 Integers from 1 to 100.

Answer:

seq(1, 100)

- [1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
- [22] 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42
- [43] 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63
- [64] 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84
- [85] 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
- 8.2 Numbers from 20 to 60

Answer:

seq(20,60)

[1] 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

[30] 49 50 51 52 53 54 55 56 57 58 59 60

*8.3 Mean of numbers from 20 to 60 *Answer:* mean(20,60) [1] 20

*8.4 Sum of numbers from 51 to 91 **Answer:**

sum(51,91) [1] 142

*8.5 Integers from 1 to 1,000

Answer:

```
seq(1, 1000)
[1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17
[18] 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34
[35] 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51
[52] 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68
[69] 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85
[86] 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102
[103] 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119
[120] 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136
[137] 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153
[154] 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170
[171] 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187
[188] 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204
[205] 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221
[222] 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238
[239] 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255
[256] 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272
[273] 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289
[290] 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306
[307] 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323
[324] 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340
[341] 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357
[358] 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374
[375] 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391
[392] 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408
[409] 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425
[426] 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442
[443] 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459
[460] 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476
```

a. How many data points from 8.1 to 8.4?_____

Answer:

8.1 = 100 data points

 $8.2 = 41 \, data \, points$

8.3 = 1 data points

8.4 = 1 data points

Total of 143 data points

b. Write the R code and its output from 8.1 to 8.4.

Answer:

8.1

seq(1,100)

```
[1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
```

[22] 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42

[43] 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63

[64] 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84

[85] 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

8.2

seq(20,60)

[1] 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

[30] 49 50 51 52 53 54 55 56 57 58 59 60

8.3

mean(20,60)

[1] 20

8.4

sum(51,91)

[1] 142

c. For 8.5 find only maximum data points until 10.

Answer:

seq(1, 1000, 100)

[1] 1 101 201 301 401 501 601 701 801 901

9. *Print a vector with the integers between 1 and 100 that are not divisible by 3, 5 and 7 using filter option.

filter(function(i) { all(i %% c(3,5,7) != 0) }, seq(100)) Write the R code and its output.

Answer:

Filter(function(i) { all(i %% c(3,5,7) != 0) }, seq(100))

[1] 1 2 4 8 11 13 16 17 19 22 23 26 29 31 32 34 37 38 41 43 44 46 47 52

53 58 59 61 62

[30] 64 67 68 71 73 74 76 79 82 83 86 88 89 92 94 97

10. Generate a sequence backwards of the integers from 1 to 100.

Write the R code and its output.

```
Answer:
```

```
seq(100, 1)
[1] 100 99 98 97 96 95 94 93 92 91 90 89 88 87 86 85 84 83 82 81 80
[22] 79 78 77 76 75 74 73 72 71 70 69 68 67 66 65 64 63 62 61 60 59
[43] 58 57 56 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38
[64] 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17
[85] 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
```

11. List all the natural numbers below 25 that are multiples of 3 or 5.

Find the sum of these multiples.

Answer:

```
num3 <- c(3, 6, 9, 12, 15, 18, 21, 24)
> num5 <- c(5, 10, 15, 20, 25)
> sum(num3)
[1] 108
> sum(num5)
[1] 75
> sum(num3, num5)
[1] 183
```

a. How many data points from 10 to 11?

Answer:

```
10 = 100
length(seq(100, 1))
[1] 100
```

```
11. sum(num3) =1
sum(num5) =1
sum(num3, num5) =1
```

Total of 103 data points

b. Write the R code and its output from 10 and 11.

10. length(seq(100, 1)) [1] 100 11. num3 <- c(3, 6, 9, 12, 15, 18, 21, 24) > num5 <- c(5, 10, 15, 20, 25) > sum(num3) [1] 108 > sum(num5)

Answer:

[1] 75

[1] 183

> sum(num3, num5)

12. Statements can be grouped together using braces '{' and '}'. A group of statements is sometimes called a **block**. Single statements are evaluated when a new line is typed at the end of the syntactically complete statement. Blocks are not evaluated until a new line is entered after the closing brace.

```
Enter this statement:  \{x <-0+x+5+\}  Describe the output.  \textbf{Answer:} \text{ The output is error } \{x <-0+x+5+\}  Error: unexpected '}' in "\{x <-0+x+5+\}" >
```

13. *Set up a vector named score, consisting of 72, 86, 92, 63, 88, 89, 91, 92, 75, 75 and 77. To access individual elements of an atomic vector, one generally uses the x[i] construction.

Find x[2] and x[3]. Write the R code and its output.

Answer:

```
score <- c(72, 86, 92, 63, 88, 89, 91, 92, 75, 75, 77)
> score[2]
[1] 86
> score[3]
[1] 92
```

- 14. *Create a vector a = c(1,2,NA,4,NA,6,7).
 - a. Change the NA to 999 using the code print(a,na.print="-999").

Answer:

```
print(a,na.print="-999")
[1] 1 2 -999 4 -999 6 7
```

b. Write the R code and its output. Describe the output.

Answer:

```
a = c(1,2,NA,4,NA,6,7)
> print(a,na.print="-999")
[1] 1 2-999 4-999 6 7
>
The NA change to a value of -999
```

15. A special type of function calls can appear on the left hand side of the assignment operator as in > class(x) <- "foo".

Follow the codes below:

```
name = readline(prompt="Input your name: ") age = readline(prompt="Input your age: ") print(paste("My name is",name, "and I am",age ,"years old.")) print(R.version.string)
What is the output of the above code?
```

Answer:

```
name = readline(prompt="Input your name: ")
Input your name: Jhona Mae Cartoja
> age = readline(prompt="Input your age: ")
Input your age: 19
> print(paste("My name is",name, "and I am",age ,"years old."))
[1] "My name is Jhona Mae Cartoja and I am 19 years old."
> print(R.version.string)
[1] "R version 4.2.1 (2022-06-23 ucrt)"
```