



(FULL text from server console and gui console is at bottom of pdf)


After starting Server and ClientGUI, snapshot before adding Mary into server:




Snapshot After clicking submit which adds Mary to the server: (displaying gui console)




(now displaying server console after adding Mary)




Snapshot after adding two more employees to server:




Snapshot after clicking print (prints out sorted server-side directory):




Display on webpage after sending a displayresults http request to our server(prints contents of its directory to webpage):




Snapshot after adding Thurston and then clicking print:




Snapshot after clicking clear and then print:



Snapshot after clearing directory and then proceeding to add/print out another employee:



Snapshot of displayresults webpage after adding last employee:



Console output from Server:

Starting Server...

response: ADD

```
[{"_lastName":"Smith","_firstName":"Mary","_phone":"4147665644","_department":"ACCT","_gender":"Female","_title":"Mrs."}]
```

response: ADD

```
[{"_lastName":"Smith","_firstName":"Bob","_phone":"4142024000","_department":"ACCT","_gender":"Male","_title":"Mr."}]
```

response: ADD

```
[{"_lastName":"Atkinson","_firstName":"Bill","_phone":"4149909899","_department":"ENG","_gender":"Male","_title":"Mr."}]
```

response: PRINT

Mr. Atkinson, Bill (Sex: Male) in ENG has phone number of 4149909899

Mr. Smith, Bob (Sex: Male) in ACCT has phone number of 4142024000

Mrs. Smith, Mary (Sex: Female) in ACCT has phone number of 4147665644

response: ADD

```
[{"_lastName":"Howell","_firstName":"Thurston","_phone":"4135567877","_department":"EXEC","_gender":"Male","_title":"Dr."}]
```

response: PRINT

Mr. Atkinson, Bill (Sex: Male) in ENG has phone number of 4149909899

Dr. Howell, Thurston (Sex: Male) in EXEC has phone number of 4135567877

Mr. Smith, Bob (Sex: Male) in ACCT has phone number of 4142024000

Mrs. Smith, Mary (Sex: Female) in ACCT has phone number of 4147665644

response: CLEAR

response: PRINT

<Directory is Empty>

response: ADD

```
[{"_lastName":"Davidson","_firstName":"Bob","_phone":"3456167687","_department":"COMP","_gender":"Other","_title":"Col."}]
```

response: PRINT

Col. Davidson, Bob (Sex: Other) in COMP has phone number of 3456167687

Console output from ClientGUI:

Employee Added
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
ADD
[{"_lastName":"Smith","_firstName":"Mary","_phone":"4147665644","_department":"ACCT","_gender":"Female","_title":"Mrs."}]
Employee Added
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
ADD
[{"_lastName":"Smith","_firstName":"Bob","_phone":"4142024000","_department":"ACCT","_gender":"Male","_title":"Mr."}]
Employee Added
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
ADD
[{"_lastName":"Atkinson","_firstName":"Bill","_phone":"4149909899","_department":"ENG","_gender":"Male","_title":"Mr."}]
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
Employee Added
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
ADD
[{"_lastName":"Howell","_firstName":"Thurston","_phone":"4135567877","_department":"EX EC","_gender":"Male","_title":"Dr."}]
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
Employee Added
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED
ADD
[{"_lastName":"Davidson","_firstName":"Bob","_phone":"3456167687","_department":"COM P","_gender":"Other","_title":"Col."}]
in the client
Done sent to server
Return String: ROGER MESSAGE RECEIVED