

```
Selectioner MINGW32/x86_64/depot
MINGW32-MSYS /F:/3MGN/depot (master)
$ ls -p
Gemfile README.md app/ config/ db/ log/ public/ tmp/
Gemfile.lock Rakefile bin/ config.ru lib/ package.json test/ vendor/

MINGW32-MSYS /F:/3MGN/depot (master)
$ rails generate scaffold Product title:string description:text image_url:string price:decimal
invoke active_record
create db/migrate/20180611225337_create_products.rb
create app/models/product.rb
invoke test_unit
create test/models/product_test.rb
create test/fixtures/products.yml
invoke resource_route
route resources :products
create app/controllers/products_controller.rb
create app/views/products
create app/views/products/index.html.erb
create app/views/products/edit.html.erb
create app/views/products/show.html.erb
create app/views/products/new.html.erb
create app/views/products/_form.html.erb
invoke test_unit
create test/controllers/products_controller_test.rb
create app/helpers/products_helper.rb
invoke test_unit
create app/helpers/products_helper_test.rb
create app/views/products/index.json._builder
create app/views/products/show.json._builder
create app/views/products/_product.json._builder
invoke test_unit
create test/system/products_test.rb
invoke assets
create app/assets/javascripts/products.coffee
create app/assets/stylesheets/products.scss
create app/assets/stylesheets/scaffolds.scss
invoke scss
create app/assets/stylesheets/scaffolds.scss
MINGW32-MSYS /F:/3MGN/depot (master)
$
```

```
Selectioner MINGW32/x86_64/depot
MINGW32-MSYS /F:/3MGN
$ bundle install
Could not locate Gemfile or .bundle/ directory

MINGW32-MSYS /F:/3MGN
$ cd depot

MINGW32-MSYS /F:/3MGN/depot (master)
$ bundle install
Using rake 12.3.1
Using concurrent-ruby 1.0.5
Using minitest 5.11.3
Using thread_safe 0.3.6
Using builder 3.2.3
Using erubi 1.7.1
Using mini_portile2 2.3.0
Using rails 5.0.4
Using rack 2.0.5
Using nio4r 2.3.1
Using websocket-extensions 0.1.3
Using mini_mime 1.0.0
Using arel 8.0.0
Using public_suffix 3.0.2
Using bindata 0.5.0
Using byebug 10.0.2
Using ffi 1.9.25
Using coffee-script-source 1.12.2
Using execjs 2.7.0
Using method_source 0.9.0
Using thor 0.20.0
Using multi_json 1.13.1
Using puma 3.11.4
Using bundler 1.13.7
Using rb-fsevent 0.10.3
Using rdoc 4.2.1
Using tilt 2.0.8
Using salted 1.3.13
Using turbolinks-source 5.1.0
Using libsass 3.2.1
Using truffle 1.2.5
Using nokogiri 1.8.2
Using rack-test 1.0.0
Using sprockets 3.7.1
Using websocket-driver 0.6.5
Using mail 2.7.0
Using addressable 2.5.2
Using childprocess 0.9.0
Using rb-inotify 0.9.10
Using coffee-script 2.4.1
Using uglifier 4.1.11
Using turbolinks 5.1.1
Using activesupport 5.1.6
Using tzinfo-data 1.2018.5
Using loofah 2.2.2
Using xpath 3.1.0
Using selenium-webdriver 3.12.0
Using sass-listen 4.0.0
Using rails-dom-testing 2.0.3
Using glisten 4.0.1
Using activemodel 5.1.6
Using builder 2.7.0
```

```
Selectioner MINGW32/x86_64/depot
MINGW32-MSYS /F:/3MGN
$ cd F:/3MGN

MINGW32-MSYS /F:/3MGN
$ rails new depot
create
create README.md
create Rakefile
create config.ru
create gitignore
create Gemfile
run git init from "."
Initialized empty Git repository in F:/3MGN/depot/.git/
create app
create app/assets/config/manifest.js
create app/assets/javascripts/application.js
create app/assets/javascripts/cable.js
create app/assets/stylesheets/application.css
create app/channels/application_cable/channel.rb
create app/channels/application_cable/connection.rb
create app/controllers/application_controller.rb
create app/helpers/application_helper.rb
create app/jobs/application_job.rb
create app/mailers/application_mailer.rb
create app/models/application_record.rb
create app/views/layouts/application.html.erb
create app/views/layouts/mailer.html.erb
create app/views/layouts/mailer.text.erb
create app/assets/images/.keep
create app/assets/javascripts/channels
create app/assets/javascripts/channels/.keep
create app/controllers/concerns/.keep
create app/models/concerns/.keep
create bin
create bin/bundle
create bin/rails
create bin/setup
create bin/update
create bin/yarn
create config/routes.rb
create config/application.rb
create config/environment.rb
create config/secrets.yml
create config/cable.yml
create config/puma.rb
create config/environments
create config/environments/development.rb
create config/environments/production.rb
create config/environments/test.rb
create config/initializers
create config/initializers/application_controller_renderer.rb
create config/initializers/assets.rb
create config/initializers/backtrace_silencers.rb
create config/initializers/cookies_serializer.rb
create config/initializers/cors.rb
create config/initializers/filter_parameter_logging.rb
create config/initializers/inflections.rb
create config/initializers/mime_types.rb
create config/initializers/new_framework_defaults_5_1.rb
create config/initializers/wrap_parameters.rb
```

```
Selectioner MINGW32/x86_64/depot
MINGW32-MSYS /F:/3MGN/depot (master)
$ rails db:migrate
-- 20180611225337 CreateProducts: migrating (0.000000s) -----
-- create_table(:products)
--
-- 20180611225337 CreateProducts: migrated (0.00033s) -----

MINGW32-MSYS /F:/3MGN/depot (master)
$
```

```

app/controllers/products_controller.rb:67:in 'set_product'
Started GET "/products/new" for 127.0.0.1 at 2018-06-11 18:15:04 -0500
Processing by ProductsController#new as HTML
Rendering products/new.html.erb within layouts/application
Rendered products/_form.html.erb (211.0ms)
Rendered products/new.html.erb within layouts/application (278.0ms)
Completed 500 Internal Server Error in 1189ms (ActiveRecord: 0.0ms)

ActionView::Template::Error (TypeError: El objeto no acepta esta propiedad o método):
  4: <title>Depot</title>
  5: <%= csrf_meta_tags %>
  6:
  7: <%= stylesheet_link_tag 'application', media: 'all', 'data-turbolinks-track': 'reload' %>
  8: <%= javascript_include_tag 'application', 'data-turbolinks-track': 'reload' %>
  9: </head>
 10:
 11:
app/views/layouts/application.html.erb:7:in '_app_views_layouts_application_html_erb__225238486_46696284'
Started GET "/products/new" for 127.0.0.1 at 2018-06-11 18:16:23 -0500
Processing by ProductsController#new as HTML
Rendering products/new.html.erb within layouts/application
Rendered products/_form.html.erb (2.0ms)
Rendered products/new.html.erb within layouts/application (67.2ms)
Completed 500 Internal Server Error in 182ms (ActiveRecord: 0.0ms)

ActionView::Template::Error (TypeError: El objeto no acepta esta propiedad o método):
  4: <%= csrf_meta_tags %>
  5:
  6:
  7:
  8: <%= javascript_include_tag 'application', 'data-turbolinks-track': 'reload' %>
  9: </head>
 10:
 11: <body>
app/views/layouts/application.html.erb:8:in '_app_views_layouts_application_html_erb__225238486_75823828'
Started GET "/products/new" for 127.0.0.1 at 2018-06-11 18:16:36 -0500
Processing by ProductsController#new as HTML
Rendering products/new.html.erb within layouts/application
Rendered products/_form.html.erb (2.0ms)
Rendered products/new.html.erb within layouts/application (68.2ms)
Completed 200 OK in 312ms (Views: 263.1ms | ActiveRecord: 0.0ms)

Started GET "/products" for 127.0.0.1 at 2018-06-11 18:19:41 -0500
Processing by ProductsController#index as HTML
Rendering products/index.html.erb within layouts/application
Product Load (1.0ms)
Rendered products/index.html.erb within layouts/application (2.4ms)
Completed 200 OK in 250ms (Views: 190.4ms | ActiveRecord: 1.0ms)

```

```

8: <%= data-turbolinks-track: 'reload' %>
9: <%= javascript_include_tag 'application', 'data-turbolinks-track': 'reload' %>
10: </head>

ActionView::Template::Error (TypeError: El objeto no acepta esta propiedad o método):
app/views/layouts/application.html.erb:7:in '_app_views_layouts_application_html_erb__257804186_42968264'
  4: <title>Depot</title>
  5: <%= csrf_meta_tags %>
  6:
  7: <%= stylesheet_link_tag 'application', media: 'all',
  8: <%= data-turbolinks-track: 'reload' %>
  9: <%= javascript_include_tag 'application', 'data-turbolinks-track': 'reload' %>
 10: </head>
app/views/layouts/application.html.erb:7:in '_app_views_layouts_application_html_erb__257804186_42968264'
Started GET "/products" for 127.0.0.1 at 2018-06-11 18:47:18 -0500
Processing by ProductsController#index as HTML
Rendering products/index.html.erb within layouts/application
Product Load (0.0ms)
Rendered products/index.html.erb within layouts/application (4.0ms)
Completed 500 Internal Server Error in 1187ms (ActiveRecord: 1.0ms)

ActionView::Template::Error (TypeError: El objeto no acepta esta propiedad o método):
  4: <title>Depot</title>
  5: <%= csrf_meta_tags %>
  6:
  7: <%= stylesheet_link_tag 'application', media: 'all', 'data-turbolinks-track': 'reload' %>
  8: <%= javascript_include_tag 'application', 'data-turbolinks-track': 'reload' %>
  9: </head>
 10: <body class=<%= controller.controller_name %>
app/views/layouts/application.html.erb:7:in '_app_views_layouts_application_html_erb__257804186_186725324'
Started GET "/products" for 127.0.0.1 at 2018-06-11 18:47:30 -0500
Processing by ProductsController#index as HTML
Rendering products/index.html.erb within layouts/application
Product Load (1.0ms)
Rendered products/index.html.erb within layouts/application (4.0ms)
Completed 500 Internal Server Error in 850ms (ActiveRecord: 1.0ms)

ActionView::Template::Error (TypeError: El objeto no acepta esta propiedad o método):
  4: <%= csrf_meta_tags %>
  5:
  6:
  7: <%= javascript_include_tag 'application', 'data-turbolinks-track': 'reload' %>
  8: </head>
  9: <body class=<%= controller.controller_name %>
app/views/layouts/application.html.erb:8:in '_app_views_layouts_application_html_erb__257804186_186725324'
Started GET "/products" for 127.0.0.1 at 2018-06-11 18:47:41 -0500
Processing by ProductsController#index as HTML
Rendering products/index.html.erb within layouts/application
Product Load (1.0ms)
Rendered products/index.html.erb within layouts/application (4.0ms)
Completed 200 OK in 312ms (Views: 221.0ms | ActiveRecord: 1.0ms)

```

```

Miguel@DESKTOP-9A03H1M /c/Sites/depot (master)
$ rails test
Migrations are pending. To resolve this issue, run:
  bin/rails db:migrate RAILS_ENV=test
Miguel@DESKTOP-9A03H1M /c/Sites/depot (master)
$ rails db:migrate
Miguel@DESKTOP-9A03H1M /c/Sites/depot (master)
$

```

```

Miguel@DESKTOP-9A03H1M /c/Sites/depot1 (master)
$ rails test
Run options: --seed 41365

# Running:

DEPRECATION WARNING: Time columns will become time zone aware in Rails 5.1. This
still causes `String`s to be parsed as if they were in `Time.zone`,
and `Time`s to be converted to `Time.zone`.

To keep the old behavior, you must add the following to your initializer:

  config.active_record.time_zone_aware_types = [:datetime]

To silence this deprecation warning, add the following:

  config.active_record.time_zone_aware_types = [:datetime, :time]
(called from block (2 levels) in inherited at c:/RailsInstaller/Ruby2.3.3/lib/ruby/gems/2.3.0/gems/activerecord-5.0.2.1
lib/active_record/attribute_methods/time_zone_conversion.rb:78)

```

```

Miguel@DESKTOP-9A03H1M /c/Sites/depot (master)
$ rails test
Run options: --seed 48525

# Running:

E

Error:
ProductsControllerTest#test_should_get_new:
ActionView::Template::Error: TypeError: El objeto no acepta esta propiedad o método
  app/views/layouts/application.html.erb:8:in `_app_views_layouts_application_html_erb__738280610_45830916'
  test/controllers/products_controller_test.rb:14:in `block in <class:ProductsControllerTest>'

bin/rails test test/controllers/products_controller_test.rb:13

.E

Error:
ProductsControllerTest#test_should_get_edit:
ActionView::Template::Error: TypeError: El objeto no acepta esta propiedad o método
  app/views/layouts/application.html.erb:8:in `_app_views_layouts_application_html_erb__738280610_45830916'
  test/controllers/products_controller_test.rb:32:in `block in <class:ProductsControllerTest>'

bin/rails test test/controllers/products_controller_test.rb:31

```

```

bin/rails test test/controllers/products_controller_test.rb:31
E
Error:
ProductsControllerTest#test_should_show_product:
ActionView::Template::Error: TypeError: El objeto no acepta esta propiedad o método
  app/views/layouts/application.html.erb:8:in `__app_views_layouts_application_html_erb__738280610_45830916'
  test/controllers/products_controller_test.rb:27:in `block in <class:ProductsControllerTest>'

bin/rails test test/controllers/products_controller_test.rb:26
.E
Error:
ProductsControllerTest#test_should_get_index:
ActionView::Template::Error: TypeError: El objeto no acepta esta propiedad o método
  app/views/layouts/application.html.erb:8:in `__app_views_layouts_application_html_erb__738280610_45830916'
  test/controllers/products_controller_test.rb:9:in `block in <class:ProductsControllerTest>'

bin/rails test test/controllers/products_controller_test.rb:8
.

Finished in 43.040931s, 0.1626 runs/s, 0.1162 assertions/s.
7 runs, 5 assertions, 0 failures, 4 errors, 0 skips

```

```

Miguel@DESKTOP-9A03H1M /c/Sites/depot (master)
$ bin/rails db:migrate RAILS_ENV=test
== 20180611225337 CreateProducts: migrating =====
-- create_table(:products)
   -> 0.0062s
== 20180611225337 CreateProducts: migrated (0.0077s) =====

```

```

Miguel@DESKTOP-9A03H1M /c/Sites/depot1 (master)
$ rails test
Run options: --seed 18827

# Running:

DEPRECATION WARNING: Time columns will become time zone aware in Rails 5.1. This
still causes `String`s to be parsed as if they were in `Time.zone`,
and `Time`s to be converted to `Time.zone`.

To keep the old behavior, you must add the following to your initializer:

  config.active_record.time_zone_aware_types = [:datetime]

To silence this deprecation warning, add the following:

  config.active_record.time_zone_aware_types = [:datetime, :time]
(called from block (2 levels) in inherited at c:/RailsInstaller/Ruby2.3.3/lib/ruby/gems/2.3.0/gems/activerecord-5.0.2/lib/active_record/attribute_methods/time_zone_conversion.rb:78)

```

```

Miguel@DESKTOP-9A03H1M /c/Sites/depot1 (master)
$ rails test
Run options: --seed 21547

# Running:

DEPRECATION WARNING: Time columns will become time zone aware in Rails 5.1. This
still causes `String`s to be parsed as if they were in `Time.zone`,
and `Time`s to be converted to `Time.zone`.

To keep the old behavior, you must add the following to your initializer:

  config.active_record.time_zone_aware_types = [:datetime]

To silence this deprecation warning, add the following:

  config.active_record.time_zone_aware_types = [:datetime, :time]
(called from block (2 levels) in inherited at c:/RailsInstaller/Ruby2.3.3/lib/ruby/gems/2.3.0/gems/activerecord-5.0.2/lib/active_record/attribute_methods/time_zone_conversion.rb:78)

```