





正視圖





背視圖






AUO PROPERTY
Parryjhliu 1509003
20210809 09:10:09
Layout Room

<Core Design>

AUO


Model Name	SGM 30"
Size C	Document Number <Doc> Rev 2
Date:	Friday, July 23, 2021 Sheet 1 of 14



<Core Design>

Model Name: SGM 30"		
Size: Custom<Doc>	Document Number	Rev: 2
Date: Friday, July 23, 2021	Sheet 2 of 14	

AUO PROPERTY 1509003 Parryjhliu 20210809 09:10:09 Layout Room




AUO PROPERTY
Parryjhliu 1509003
20210809 09:10:09
Layout Room

<Core Design>

Model Name
SGM 30"

Size	Document Number	Rev
A	<Doc>	2


Date: Friday, July 23, 2021 Sheet 3 of 14




AUO PROPERTY
Parryjhliu 1509003
20210809 09:10:09
Layout Room

<Core Design>

Model Name: SGM 30"		
Size: Custom<Doc>	Document Number	Rev: 2
Date: Friday, July 23, 2021	Sheet 4 of 14	



I2C_SCL_DES_1
I2C_SDA_DES_1
PAD
PDB0
LOCK0
I2C_SCL_DES_Slave
I2C_SDA_DES_Slave
R426
R427
0ohm
I2C_SCL_TP_R
I2C_SDA_TP_R
U401
DS90UH984WRURTQ1
eDP0_0P
eDP0_0N
eDP0_1P
eDP0_1N
eDP0_2P
eDP0_2N
eDP0_3P
eDP0_3N
eDP0_AUX_P
eDP0_AUX_N
eDP0_HPD
C439 100nF
C440 100nF
C441 100nF
C442 100nF
C443 100nF
C444 100nF
C445 100nF
C446 100nF
C447 100nF
X7R 50V 0402
R423 100Kohm
R424 100Kohm
R425 100Kohm
P3V3
VDD18_TX
VDD18_RX0
VDD18_D
VDD18_RX1
VDD11_eDP_P3
VDD11_eDP_P13
VDD11_TX1
VDD11_TX0
VDD11_RX1
VDD11_RX0
VDD11_D
VDD11_CML
VDD11_RXPLL
GPIO0
GPIO1
GPIO2
GPIO3
GPIO4
GPIO5
GPIO6
GPIO7
GPIO8
GPIO9
GPIO10
GPIO11
GPIO12
GPIO13
R404 1
R405 1
R406 1
R407 1
R408 1
2 0ohm
INT_TP_R0
MCU_INT0
LOCK0
MCU_DETECT00
MCU_DETECT10
I2C_SDA0
I2C_SCL0
I2C_SDA_Slave
I2C_SCL_DES_Slave
R409
R410
2.20Kohm
I2C_SDA_DES
I2C_SCL_DES
R411
R412
I2C_SDA1/SYNC_OUT1
I2C_SCL1/SYNC_OUT0
I2C 4.7kΩ resistors to 3.3V
For CS3.0 Can support 3.3V
IDx
IDX
RIN0_P
RIN0_N
RIN1_P
RIN1_N
MODE_SEL
PDB0
INTB_IN
R401 100Kohm
R402 10Kohm
RES1
RES2
R428 0ohm
R429 0ohm
R430 0ohm
R431 0ohm
R413 4.70Kohm
R414 4.70Kohm
R415 0ohm
Y401
XTL571500-A250-053
27MHz
C449 18pF C0G 50V 0402
C450 18pF C0G 50V 0402
R416 28.7Kohm
R417 38.3Kohm
R418 10Kohm
R419 4.70Kohm
C451 100nF X7R 25V 0402
C452 2.2uF X7R 25V 0805
C453 100nF X7R 25V 0402
C454 100nF X7R 25V 0402
R420 100ohm
R421 10Kohm
R422 10Kohm
C455 100nF X7R 25V 0402
Receivers = FPD 3
Daisy-chain = OFF
PDB= H (normal operation)
PDB= L (powered down)
Link to MCU Control
IDX = Pull H
I2C Voltage Level = 3.3V
7-BIT ADDRESS I2C Slave 1 = 0x38
P1V1
L401
L402
L403
L404
L405
L406
L407
L408
BLM18SG121TZ1D
VDD11_D
VDD11_RXPLL
VDD11_CML
VDD11_eDP_P3
VDD11_eDP_P13
VDD11_RX0
VDD11_TX0
VDD11_RX1
VDD11_TX1
C401 1uF X7R 16V 0603
C402 100nF X7R 25V 0402
C403 100nF X7R 25V 0402
C404 1uF X7R 16V 0603
C405 100nF X7R 25V 0402
C406 1uF X7R 16V 0603
C407 100nF X7R 25V 0402
C408 1uF X7R 16V 0603
C409 100nF X7R 25V 0402
C410 100nF X7R 25V 0402
C411 1uF X7R 16V 0603
C412 100nF X7R 25V 0402
C413 100nF X7R 25V 0402
C414 100nF X7R 25V 0402
C415 1uF X7R 16V 0603
C416 100nF X7R 25V 0402
C417 100nF X7R 25V 0402
C418 1uF X7R 16V 0603
C419 100nF X7R 25V 0402
C420 100nF X7R 25V 0402
C421 1uF X7R 16V 0603
C422 100nF X7R 25V 0402
C423 100nF X7R 25V 0402
C424 1uF X7R 16V 0603
C425 100nF X7R 25V 0402
C426 100nF X7R 25V 0402
C401, C402, C403 close to VDD11_D
C404, C405 close to VDD11_RXPLL
C406, C407 close to VDD11_CML
C408, C409, C410 close to VDD11_eDP_P3
C411, C412, C413 close to VDD11_eDP_P13
C415, C416, C417 close to VDD11_RX0
C418, C419, C420 close to VDD11_TX0
C421, C422, C423 close to VDD11_RX1
C424, C425, C426 close to VDD11_TX1
P1V8
P1V8_0
L409
BLM18SG121TZ1D
VDD18_D
VDD18_RX0
VDD18_TX
VDD18_RX1
C427 1uF X7R 16V 0603
C428 100nF X7R 25V 0402
C429 100nF X7R 25V 0402
C430 10uF X7R 10V 0805
C431 1uF X7R 16V 0603
C432 100nF X7R 25V 0402
C433 100nF X7R 25V 0402
C434 1uF X7R 16V 0603
C435 100nF X7R 25V 0402
C436 100nF X7R 25V 0402
C437 1uF X7R 16V 0603
C438 100nF X7R 25V 0402
C427, C428 , C429 Close to VDD18_D
C430, C431, C432, C433 Close to VDD18_RX0
C434, C435, C436 Close to VDD18_TX
C437, C438 Close to VDD18_RX1
<Core Design>
Model Name
SGM 30"
Size
Custom<Doc>
Document Number
Rev
2
Date:
Friday, July 23, 2021
Sheet
5
of
14




AUO PROPERTY
Parryjhliu 1509003
20210809 09:10:09
Layout Room

<Core Design>

Model Name: SGM 30"		
Size: Custom<Doc>	Document Number	Rev: 2
Date: Friday, July 23, 2021	Sheet 6 of 14	






<Core Design>


Model Name: SGM 30"		
Size: B	Document Number: <Doc>	Rev: 2
Date: Friday, July 23, 2021	Sheet 7 of 14	

AUO PROPERTY 1509003 Parryjhliu 20210809 09:10:09 Layout Room



<Core Design>


Model Name: SGM 30"		
Size: A	Document Number: <Doc>	Rev: 2
Date: Friday, July 23, 2021	Sheet 8 of 14	




AUO PROPERTY
Parryjhliu 1509003
20210809 09:10:09
Layout Room

<Core Design>

Model Name: SGM 30"			
Size: Custom<Doc>	Document Number		Rev: 2
Date: Friday, July 23, 2021	Sheet 9 of 14		



C908 Close to VDDIN Pin 92
C902 Close to VDDIO pin 25
C903 Close to VDDIO pin 36
C904 Close to VDDIO pin 51
C905 Close to VDDIO pin 63
C907 Close to VDDIO Pin 77
Close to VDD3
Close to VDD4
MCU_P3V3
VDDANA
R971 0ohm
L901
BLM18EG601SZ1
C906 10uF X7R 10V 0805
C906 Close to VDDIN
VDDCORE
C909 1uF X7R 16V
C910 100nF X7R 25V 0402
Close to VDDCORE
U901
ATSAMC21N17A-AZT
Microchip MCU 100pin
J_DIO
J_CLK
JTAG_SWD_DIO_Debug1
JTAG_SWD_CLK_Debug
MCU_Reset_Debug
D902
D903
D904
D905
D906
D907
D901
AZ9313-01F.R7G
OSC
Y901
CSTNE12M0GH5C000R0
EXTAL
XTAL
I2C
R953 4.70Kohm
R955 4.70Kohm
R957 4.70Kohm
R959 2.20Kohm
R954 4.70Kohm
R956 4.70Kohm
R958 4.70Kohm
R960 2.20Kohm
ROMCODE_SDA
ROMCODE_SCL
TCON_I2C_SDA
TCON_I2C_SCL
I2C_SDA_MCU
I2C_SCL_MCU
I2C_SDA_DES_M
I2C_SCL_DES_M
I2C_SDA_DES_Slave
I2C_SCL_DES_Slave
PCBA Part Number
R976 10Kohm
R977 10Kohm
R963 10Kohm
R964 10Kohm
R965 10Kohm
R966 10Kohm
R967 10Kohm
R968 10Kohm
PCBA_A3
PCBA_A2
PCBA_A1
PCBA_A0
Non Local Dimming PCBA_A3=H
Local Dimming PCBA_A3=L
PCBA 5530C01M04 A3-A0 0010
MCU connector
J901
DEBUG_RX
DEBUG_TX
JTAG_SWD_DIO
JTAG_SWD_CLK
MCU_P3V3
I2C_SDA_MCU
I2C_SCL_MCU
MCU_Reset
<Core Design>
Model Name
SGM 30"
Size
Custom<Doc>
Document Number
Rev
2
Date:
Friday, July 23, 2021
Sheet
10
of
14



AUO PROPERTY
Parryjhliu 1509003
20210809 09:10:09
Layout Room

<Core Design>

Model Name	SGM 30"
Size: Custom<Doc>	Document Number
Rev	2
Date: Friday, July 23, 2021	Sheet 11 of 14



AUO PROPERTY
Parryjhliu 1509003
20210809 09:10:09
Layout Room

<Core Design>

Model Name	SGM 30"
Size	Custom<Doc>
Document Number	
Rev	2
Date:	Friday, July 23, 2021
Sheet	12 of 14

Check and Revision

C304RAM01.1 Versions: V0	Check		Review	
	Name	Date	Name	Date
AUO				
Vender:				
Vender:				
Vender:				

Versions	Revise
V0	First release_55.30C01.M04 (20210723)

AUO PROPERTY Parryjhliu 1509003 20210809 09:10:09 Layout Room

<Core Design>

AUO

Model Name
SGM 30"

Size	Document Number	Rev
A	<Doc>	2

Date: Friday, July 23, 2021 Sheet 14 of 14