




* Assisted USB rectangle. Names shown only for evaluation. No inference cutoff; no probability normalization.




* Assisted USB rectangle. Names shown only for evaluation. No inference cutoff; no probability normalization.




* Assisted USB rectangle. Names shown only for evaluation. No inference cutoff; no probability normalization.

qwen3.5:4b: features-only association | state_303

| Target identity (evaluation only; not sent to model) | Large gear | Medium gear | Small gear | Waterproof connector | M12 hex nut | M16 hex nut | 16 mm round pin | 12 mm round pin | 8 mm round pin | USB connector + cable * | DSUB connector |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Large gear | 0.796 | 0.883 | 0.928 | 0.014 | 0.848 | 0.700 | 0.038 | 0.027 | 0.020 | 0.004 | 0.006 |
| Medium gear | 0.796 | 0.883 | 0.928 | 0.014 | 0.848 | 0.700 | 0.038 | 0.027 | 0.020 | 0.004 | 0.006 |
| Small gear | 0.796 | 0.883 | 0.928 | 0.014 | 0.848 | 0.700 | 0.038 | 0.027 | 0.020 | 0.004 | 0.006 |
| Waterproof connector | 0.073 | 0.145 | 0.744 | 0.919 | 0.835 | 0.755 | 0.046 | 0.024 | 0.029 | 0.655 | 0.800 |
| M12 hex nut | 0.016 | 0.019 | 0.099 | 0.019 | 0.756 | 0.810 | 0.111 | 0.085 | 0.044 | 0.287 | 0.044 |
| M16 hex nut | 0.016 | 0.019 | 0.099 | 0.019 | 0.756 | 0.810 | 0.111 | 0.085 | 0.044 | 0.287 | 0.044 |
| 16 mm round pin | 0.078 | 0.094 | 0.167 | 0.029 | 0.635 | 0.458 | 0.966 | 0.955 | 0.959 | 0.081 | 0.013 |
| 12 mm round pin | 0.078 | 0.094 | 0.167 | 0.029 | 0.635 | 0.458 | 0.966 | 0.955 | 0.959 | 0.081 | 0.013 |
| 8 mm round pin | 0.078 | 0.094 | 0.167 | 0.029 | 0.635 | 0.458 | 0.966 | 0.955 | 0.959 | 0.081 | 0.013 |
| USB connector + cable | 0.035 | 0.028 | 0.155 | 0.122 | 0.411 | 0.433 | 0.038 | 0.038 | 0.056 | 0.868 | 0.103 |
| DSUB connector | 0.015 | 0.016 | 0.287 | 0.322 | 0.788 | 0.606 | 0.017 | 0.026 | 0.027 | 0.129 | 0.924 |

Raw P(A)

1.0
0.8
0.6
0.4
0.2
0.0

Candidate identity (evaluation only)

* Assisted USB rectangle. Names shown only for evaluation. No inference cutoff; no probability normalization.