

$$p(x_i \mid \theta) = \sum_{c=1}^{3} p(x_i \mid t_i = c, \theta) p(t_i = c \mid \theta)$$

$$\max_{\theta} \quad p(X \mid \theta)$$

$$\max_{\theta} \log p(X \mid \theta)$$

$$\max_{\theta} \log p(X \mid \theta) = \log \prod_{i=1}^{N} p(x_i \mid \theta)$$

$$\max_{\theta} \log p(X \mid \theta) = \log \prod_{i=1}^{N} p(x_i \mid \theta)$$
$$= \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$
$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} p(x_i, t_i = c \mid \theta)$$

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} p(x_i, t_i = c \mid \theta) \ge \mathcal{L}(\theta)$$
Jensen's inequality

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} p(x_i, t_i = c \mid \theta) \ge \mathcal{L}(\theta)$$

$$\log p(X \mid \theta)$$

$$\theta^*$$

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} p(x_i, t_i = c \mid \theta) \ge \mathcal{L}(\theta)$$

$$\log p(X \mid \theta)$$

$$\mathcal{L}(\theta) \qquad \widehat{\theta} \qquad \theta^*$$

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$
$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} p(x_i, t_i = c \mid \theta)$$

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} \frac{q(t_i = c)}{q(t_i = c)} p(x_i, t_i = c \mid \theta)$$

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} \frac{q(t_i = c)}{q(t_i = c)} p(x_i, t_i = c \mid \theta)$$

Jensen's inequality

$$\log\left(\sum_{c}\alpha_{c}v_{c}\right)\geq\sum_{c}\alpha_{c}\log(v_{c})$$

$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} \frac{q(t_i = c)}{q(t_i = c)} p(x_i, t_i = c \mid \theta)$$

$$\geq \sum_{i=1}^{N} \sum_{c=1}^{3} q(t_i = c) \log \frac{p(x_i, t_i = c \mid \theta)}{q(t_i = c)}$$

Jensen's inequality

$$\log\left(\sum_{c}\alpha_{c}v_{c}\right)\geq\sum_{c}\alpha_{c}\log(v_{c})$$


$$\log p(X \mid \theta) = \sum_{i=1}^{N} \log p(x_i \mid \theta)$$

$$= \sum_{i=1}^{N} \log \sum_{c=1}^{3} \frac{q(t_i = c)}{q(t_i = c)} p(x_i, t_i = c \mid \theta)$$


$$\geq \sum_{i=1}^{N} \sum_{c=1}^{3} q(t_i = c) \log \frac{p(x_i, t_i = c \mid \theta)}{q(t_i = c)}$$

$$= \mathcal{L}(\theta, q)$$


$$\log p(X \mid \theta) \ge \mathcal{L}(\theta, \mathbf{q})$$
 for any q



$$\log p(X \mid \theta) \ge \mathcal{L}(\theta, \mathbf{q})$$
 for any q



$$\log p(X \mid \theta) \ge \mathcal{L}(\theta, \mathbf{q})$$
 for any q



$$\log p(X \mid \theta) \ge \mathcal{L}(\theta, q) \text{ for any q}$$

$$q^{k+1} = \arg \max_{q} \mathcal{L}(\theta^k, q)$$

$$\log p(X \mid \theta)$$

$$\mathcal{L}(\theta, q)$$

$$\log p(X \mid \theta) \ge \mathcal{L}(\theta, q) \text{ for any q}$$

$$q^{k+1} = \arg \max_{q} \mathcal{L}(\theta^k, q)$$

$$\log p(X \mid \theta)$$

$$\mathcal{L}(\theta, q^{k+1})$$

$$\log p(X \mid \theta) \ge \mathcal{L}(\theta, q) \text{ for any q}$$

$$q^{k+1} = \arg \max_{q} \mathcal{L}(\theta^k, q)$$

$$\log p(X \mid \theta)$$

$$\log p(X \mid \theta) \ge \mathcal{L}(\theta, q) \text{ for any q}$$

$$q^{k+1} = \arg \max_{q} \mathcal{L}(\theta^k, q)$$

$$\log p(X \mid \theta)$$

$$\theta^{k+2}$$

$$\mathcal{L}(\theta, q^{k+2})$$

Summary of Expectation Maximization

$$\log p(X \mid \theta) \geq \mathcal{L}(\theta,q) \text{ for any q}$$
 Variational lower bound

$$q^{k+1} = \arg\max_{q} \mathcal{L}(\theta^k, q)$$

$$\theta^{k+1} = \underset{\theta}{\operatorname{arg\,max}} \mathcal{L}(\theta, q^{k+1})$$