$$p(x) = \int p(x \mid t) p(t) dt$$

$$p(x) = \int p(x \mid t) p(t)dt$$
$$p(t) = \mathcal{N}(0, I)$$

$$p(x) = \int p(x \mid t) p(t) dt$$
$$p(t) = \mathcal{N}(0, I)$$
$$p(x \mid t) = \mathcal{N}(\mu(t), \Sigma(t))$$

$$p(x) = \int p(x \mid t) p(t) dt$$
$$p(t) = \mathcal{N}(0, I)$$
$$p(x \mid t) = \mathcal{N}(\mu(t), \Sigma(t))$$


If
$$\mu(t)=Wt+b, \Sigma(t)=\Sigma_0$$
 get PPCA (see week 2)

$$p(x) = \int p(x \mid t) p(t)dt$$
$$p(t) = \mathcal{N}(0, I)$$
$$p(x \mid t) = \mathcal{N}(\mu(t), \Sigma(t))$$

If
$$\mu(t) = Wt + b, \Sigma(t) = \Sigma_0$$
 get PPCA (see week 2)

But if
$$x$$
 is image, why not $\mu(t) = \mathrm{CNN}_1(t)$
$$\Sigma(t) = \mathrm{CNN}_2(t)$$


$$p(x) = \int p(x \mid t) p(t) dt$$
$$p(t) = \mathcal{N}(0, I)$$
$$p(x \mid t) = \mathcal{N}(\mu(t), \Sigma(t))$$




$$p(x \mid \mathbf{w}) = \int p(x \mid t, \mathbf{w}) p(t) dt$$

$$p(t) = \mathcal{N}(0, I)$$

$$p(x \mid t, \mathbf{w}) = \mathcal{N}(\mu(t, \mathbf{w}), \Sigma(t, \mathbf{w}))$$




$$p(x \mid w) = \int p(x \mid t, w) p(t) dt$$
$$p(t) = \mathcal{N}(0, I)$$
$$p(x \mid t, w) = \mathcal{N}(\mu(t, w), \Sigma(t, w))$$



$$p(x \mid w) = \int p(x \mid t, w) p(t) dt$$

$$p(t) = \mathcal{N}(0, I)$$

$$p(x \mid t, w) = \mathcal{N}(\mu(t, w), \operatorname{diag}(\sigma^{2}(t, w)))$$



$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM!

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM!

$$\log p(X \mid w) \ge \mathcal{L}(w, q)$$

$$\max_{w, q} \text{maximize} \quad \mathcal{L}(w, q)$$

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM! But E-step is intractable

Need to compute
$$p(T \mid X, w)$$

$$\log p(X \mid w) \ge \mathcal{L}(w, q)$$

$$\underset{w,q}{\text{maximize}} \quad \mathcal{L}(w,q)$$

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM! But E-step is intractable

MCMC?

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM! But E-step is intractable

MCMC?

$$\mathbb{E}_q \log p(X, T \mid w) \approx \frac{1}{M} \sum_{s=1}^{M} \log p(X, T_s \mid w)$$
$$T_s \sim q(T)$$

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM! But E-step is intractable

MCMC? An option, but we can do better

$$\mathbb{E}_q \log p(X, T \mid w) \approx \frac{1}{M} \sum_{s=1}^{M} \log p(X, T_s \mid w)$$
$$T_s \sim q(T)$$

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM! But E-step is intractable

MCMC? An option, but we can do better

Then Variational EM!

$$\log p(X \mid w) \ge \mathcal{L}(w, q)$$

$$\underset{w, q}{\text{maximize}} \quad \mathcal{L}(w, q)$$

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM! But E-step is intractable

MCMC? An option, but we can do better

Then Variational EM!

$$\log p(X \mid w) \ge \mathcal{L}(w, q)$$

$$\text{maximize} \quad \mathcal{L}(w, q)$$

$$\text{subject to} \quad q_i(t_i) = \widetilde{q}(t_{i1}) \dots \widetilde{q}(t_{im})$$

$$\max_{w} p(X \mid w) = \int p(X \mid T, w) p(T) dt$$

Latent Variable model — use EM! But E-step is intractable

MCMC? An option, but we can do better

Then Variational EM! But again intractable.

$$\log p(X \mid w) \ge \mathcal{L}(w, q)$$

$$\text{maximize} \quad \mathcal{L}(w, q)$$

$$\text{subject to} \quad q_i(t_i) = \widetilde{q}(t_{i1}) \dots \widetilde{q}(t_{im})$$