






(a/b) start 0 H0 (success): Final 0.842
GT points at t=100 by who covered them; dots = camera (colour = step)
covered by both (0.479)
covered by neither (0.295)
covered only by H3 (0.031)
covered only by H0 (missing in H3) (0.195)
x
z


(a/b) start 0 H3 (low plateau): Final 0.637
GT points at t=100 by who covered them; dots = camera (colour = step)
covered by both (0.479)
covered by neither (0.295)
covered only by H3 (0.031)
covered only by H0 (missing in H3) (0.195)
x
z


(c/d) H3 s0 at t=30: predicted novel cells of the executed view, top view x-z
predicted value 601, true value (GT-surface part) 1; true one-step gain 0.02 pp
star = camera, triangles = legal candidates
observed S10 points (t<=30)
pred novel: hit (0)
pred novel: seen (481)
pred novel: empty (1208)
x
z


(c/d) H3 s0 at t=30: predicted novel cells of the executed view, side view z-y
predicted value 601, true value (GT-surface part) 1; true one-step gain 0.02 pp
star = camera, triangles = legal candidates
observed S10 points (t<=30)
pred novel: hit (0)
pred novel: seen (481)
pred novel: empty (1208)
y (up)
z


(e) side view z-y: missing region of the plateau
covered by H0, not by H3 (0.195 of GT)
H3 cameras
H0 cameras
y (up)
z


(f) predicted vs true value of the executed view; dotted = plateau onset
H0: predicted value of executed view
H0: true value (GT-surface part)
H3: predicted value of executed view
H3: true value (GT-surface part)
value (weighted novel cells)
step