A Flower's Smile, V-Functions Arise

— Answering Lyapunov's Centennial Question

中文:拈花一笑，V 函数自来 ——回应李亚普诺夫百年之问

Trusted Timestamp: TSA-01-20260310601956345

Author: Jiang Wenjia (Shenzhen, China)
ORCID: 0009-0000-3850-7286
Correspondence: jiangwenjiaszx@outlook.com

THE DAO OF CDEQ

五稚童儿，环转无尽；
孤竿自立，灵蛟相伴；
刚柔共生，循环不息；
心观万象，道成乾坤。

Five children hand in hand spin endlessly.
A lone pole stands, a Jiao coils around.
Firm and yielding intertwine, cycling without cease.
The heart observes all, and the Dao is fulfilled.

Jiao: In Chinese mythology, the Jiao is the precursor of the Dragon. Like a caterpillar transforming into a butterfly, it follows the Dao by coiling around the bamboo, and eventually evolves into a Dragon.

ABSTRACT

In 1892, Lyapunov posed the fundamental question: What is stability? He answered with a theorem, but left unanswered how to implement stability in real hardware. For 134 years, this gap between theory and engineering remained unbridged.

This paper presents CDEQ V1.1, a complete framework for implementing Lyapunov stability in deterministic hardware. The framework is built upon the **CDEQ Mathematical Charter V3.2-FINAL**, which defines three foundational theorems: **PCTT-CW**, the five-node clockwise topology; **CENHE-LEX**, the 3×3 grid with fixed center; and **GCVT-10**, the ten-step engineering convergence criterion. All operations use **Q14 fixed-point arithmetic**, with values ranging from 0 to 16383, where 1.0 is represented as 16384. The system enforces strict causality, hard clipping, and uses 64-bit intermediate variables to prevent overflow.

The Mathematical Charter establishes clear boundaries for mathematical tools:

· **Discrete mathematics:** permitted for structural validation and axiom reference, but forbidden for proving stability, convergence, or optimality.
· **Topology:** permitted for excluding bad structures and explaining rationality, but forbidden for proving stability, convergence speed, or timing.
· **Continuous calculus:** absolutely forbidden; no derivatives, limits, or asymptotic arguments are allowed.
· **Discrete calculus:** permitted for energy decay analysis and error bounding.
· **Fixed-point arithmetic:** used for range validation and overflow protection.
· **Engineering testing:** including ten-step verification and scenario testing, is the ultimate validation method.

Cross-domain validation has been successfully conducted in audio synthesis and generative visual art. The framework's core logic is domain-independent and ready for engineering deployment.

Keywords: Lyapunov stability, discrete system, fixed-point, FPGA, chaotic control, five-element topology, mathematical charter, tool boundaries.

1. THE QUESTION

Lyapunov's second method answers what stability is: if a positive definite function V of x exists with a negative semi-definite derivative along system trajectories, the system is stable. This answered the theoretical question but left the engineering question unanswered: how to implement it in real hardware.

For 134 years, this gap remained irreducible:

· Lyapunov gave existence proofs, not construction methods.
· Lyapunov gave continuous mathematics, not discrete approximation.
· Lyapunov gave asymptotic guarantees, not finite-time bounds.
· Lyapunov gave theoretical conditions, not engineering rules.

CDEQ V1.1 closes this gap by construction. We do not derive stability. We build it into the system's topology, timing, and arithmetic, with all foundations formally defined in the CDEQ Mathematical Charter V3.2-FINAL.

2. THE FOUNDATION: CDEQ MATHEMATICAL CHARTER V3.2-FINAL

The **CDEQ Mathematical Charter** is the supreme mathematical constitution of the entire framework. It is fuse-locked, permanently effective, and unmodifiable.

2.1 Format Declaration

· **Unified global fixed-point format:** Q14 (UQ0.14, 0 integer bits, 14 fractional bits). Storage range 0～16383. Real value = storage / 16384. Reference 1.0 = 16384.
· **Q12 is permanently abolished.**
· Overflow is strictly controlled via 64-bit intermediate variables and hard clipping.
· No mixed precision, no ambiguous statements, no false validation, no exaggerated claims.

2.2 Dual-Track System

The framework uses an E/P dual-track system:

· **E (Engineering):** low-cost, integer truncation division, dimensionally inconsistent, engineering-ready.
· **P (Perfect):** high-precision, round-to-nearest division, dimensionally consistent; verification responsibility lies with the user.

All rules, costs, and liabilities are fully transparent and non-confusable.

2.3 Global Unified Base (Common to Both Tracks)

· **Global time base:** 167 ms
· **Golden ratio coefficient S:** 10124 (≈0.618041 in Q14)
· **Golden ratio coefficient C:** 6258 (≈0.381958 in Q14)
· **Nine-palace center anchor:** 5461 (≈0.3333 in Q14)
· **Nine-palace row/column/diagonal sum target:** 16384
· **Convergence criterion:** 10 consecutive steps (GCVT-10)

Uniqueness Declaration: Under Q14, the only integer pair satisfying $|S/16384 - 0.618| < 1/16384$ and $|C/16384 - 0.382| < 1/16384$ is $(S,C) = (10124,6258)$.

3. TRAOXMEGA: THE FOUNDATIONAL ENGINEERING PHILOSOPHY OF CDEQ

The CDEQ framework is grounded in a foundational engineering philosophy codified as TRAOXMEGA (Trajectory-Anchored Cross-Origin Megaton Engine). This philosophy embodies five core tenets that govern all design decisions, ensuring that stability is not merely analyzed but constructed into every layer of the system. These tenets are not metaphors; they are encoded in the CDEQ Mathematical Charter, CDEQ Global Coding Charter, and CDEQ Engineering Charter.

3.1 Deterministic Execution: The “One Road, No Detours” Principle

The system follows a single, unidirectional execution path with no conditional branches in business logic. Branching constructs (if, ternary operators) are permitted only in three strictly defined safety-critical scenarios: numerical clipping (IF_LOCK_01), life-or-death convergence judgment (IF_LOCK_02), and hardware fuse triggering (IF_LOCK_03). All other conditional behavior is realized through arithmetic masking, guaranteeing predictability and verifiability.

This principle is directly implemented in the CDEQ Global Coding Charter (Section 14: IF Fuse Lock) and enforced by the clip mechanism in all core modules.

3.2 Bounded-Resource Philosophy: Finite over Infinite

All operations are constrained to finite, countable resources: finite steps (80-cycle bound), fixed-point arithmetic (0–16383), bounded state spaces, and a rigid 167 ms time lattice. This stands in deliberate contrast to continuous mathematics, which deals with uncountable infinities and asymptotic limits. The CDEQ Mathematical Charter explicitly prohibits continuous calculus, derivatives, and limits, mandating discrete tools for energy analysis and error bounding.

3.3 Arithmetic over Branching: The “Hammer” over the “Cleaver”

Conditional logic is replaced by arithmetic masking whenever possible. This transforms decisions into deterministic computations: a mask derived from a condition directly selects between values without branching. The result is a control flow that is as straightforward as a hammer striking a nail—one blow, one outcome, no hesitation.

This tenet is encoded in the CDEQ Global Coding Charter's “Iron Hammer” rules and is visible in every PCTT-CW update loop, where the update order is fixed and all values are computed from historical snapshots.

3.4 Minimalist Reliability: Simplicity as a Design Criterion

The simplest solution that meets requirements is the preferred solution. Complexity is not added without demonstrable necessity. This principle is reflected in the choice of the five-node topology (the minimal dimension achieving both reinforcement and restraint), the 3×3 constraint grid (the smallest structure with a unique center), and the ten-step

convergence criterion (the minimal finite proof). The CDEQ Engineering Charter explicitly states “minimalism” as a core design philosophy.

3.5 Survival First: Preserving System Integrity under Anomaly

Above all deterministic rules, survival is the highest priority. Pre-loop defensive initialization resets contaminated state variables to safe defaults before the main cycle begins. Hardware fuses and watchdog timers ensure that even under abnormal conditions (e.g., power loss, sensor failure), the system either continues safe operation or restarts cleanly—never hangs, never deadlocks.

This principle is instantiated in the CDEQ Governance Charter (L1 independent survival) and the CDEQ Engineering Charter (defensive initialization, fuse privilege).

Together, these five tenets form the “hammer” that drives CDEQ's constructive approach to stability: instead of asking whether a system might be stable, we build it to be stable by design. TRAOXMEGA is the engineering soul of the framework—the iron will that guarantees every system converges, every rocket returns, and every mission succeeds.

4. CDEQ FIRST PRINCIPLES & PARADIGM INNOVATIONS

4.1 Three Core Essences

目标即零点，偏离即能量，收敛即稳定。
Target is Zero, Deviation is Energy, Convergence is Stability.

1. **Target is Zero:** For any system, uniquely define the target state Achievement and set $V = 0$ at that state.
2. **Deviation is Energy:** Define $V = \Sigma(\text{ current state} - \text{target state })^2$. $V \geq 0$, and $V = 0$ if and only if at the target.
3. **Convergence is Stability:** If V decreases monotonically toward 0, the system is stable. No derivatives, only trend.

4.2 The Eight-Character Method

设好目标，反推路径。
Set the goal, reverse-design the path.

This is the meta-methodology of CDEQ. It applies universally across domains:

· For drawing a cat: set the goal of a uniform image, then reverse-design PCTT, CENHE-LEX, and GCVT.
· For controlling an engine: set the goal of stable thrust, then reverse-design five working phases.
· For generating music: set the goal of five-parameter harmony, then reverse-design parameter evolution.

4.3 Two Original Paradigm Innovations

Innovation 1: Reverse Construction from Result to Cause

CDEQ breaks traditional forward design. Starting from the final target state, it reverse-derives dynamics, constraints, and validation conditions for deterministic construction.

Innovation 2: Constraints Carry Inherent V-Function, No External Construction

In modern control theory, constructing a Lyapunov function V is often extremely difficult for nonlinear, coupled systems.

CDEQ solves this via CENHE-LEX: the constraint structure natively generates a positive definite quadratic deviation function:

$$V_CENHE = [\ \Sigma_i(R_i-16384)^2 + \Sigma_j(C_j-16384)^2 + (D_0-16384)^2 + (D_1-16384)^2\ ] \div 16384$$

Properties:

· **Positive definite:** V_CENHE ≥ 0, zero only at perfect balance.
· **Measurable:** directly quantifies deviation.
· **Endogenous:** defined by constraints, not guessed or derived.

This is the paradigm shift: Traditional control theory asks "Is the system stable?" and tries to find a V. CDEQ asks "How do we build a system that is stable?" and constructs V from the goal.

5. THREE CORE THEOREMS (Unicode Formulas Only)

5.1 PCTT-CW: Five-Node Clockwise Topological Theorem

Node set: $V = \{ P_0, P_1, P_2, P_3, P_4 \}$ (Q14 storage values)

Topology (mod-5 rigid closed loop):

· Direct predecessor: P_{i-1}
· Indirect predecessor: P_{i-2}
· Boundary closure: $P_{-1} \equiv P_4$, $P_{-2} \equiv P_3$, $P_5 \equiv P_0$

State update rule (strictly causal, Q14 fixed-point):

$$P_i = \text{clip}(\ P_i + (S\cdot P_{i-1} - C\cdot P_{i-2}) \div 16384\ ,\ 0,\ 16383\ )$$

Theoretical deviation function:

$$V_PCTT = \Sigma_i\ (\ P_i^2 - (S/16384)\cdot P_i\cdot P_{i-1} + (C/16384)\cdot P_i\cdot P_{i-2}\ )$$

Engineering Q14 deviation (normalized):

$$V_PCTT_Q14 = \Sigma_i\ (\ P_i^2 - (S\cdot P_i\cdot P_{i-1})\div 16384 + (C\cdot P_i\cdot P_{i-2})\div 16384\ ) \div 16384$$

Mathematical Properties:

· **Strict causality:** uses only historical states—no future data.
· **Mod-5 closed loop:** rigid topology with boundary closure.
· **Global boundedness:** guaranteed by hard clipping.
· **Coefficient uniqueness:** (S,C) = (10124,6258) is the only integer pair satisfying the golden ratio bounds.
· **Positive dissipation:** V_PCTT is positive definite and decreases monotonically (engineering approximation).

Why Five Is Optimal:

· n=3 (triangle): only reinforcement, no restraint → unstable, exponential divergence.
· n=4 (square): splits into opposing pairs → permanent oscillation, deadlock.
· n=5 (pentagon): each node has one reinforcing neighbor and one restraining interval partner → stable, natural balance.
· n≥6: relational complexity explodes, inefficiency.

Five is the minimal dimension achieving both reinforcement and restraint without deadlock—the unique optimal topology.

5.2 CENHE-LEX: Central-Holding Nine-Domain Constraint Theorem

Nine-palace matrix E: 3×3 Q14 state matrix, elements in [0,16383].

Center anchor (fixed, never updated):
E[1][1] = 5461 (Q14 value, corresponding to 1/3 of 16384, derived from Luoshu magic square center 5)

Balance constraints: All row sums, column sums, and both diagonal sums tend to 16384 (Q14 value for 1.0).

Definitions:

· Row sums: $R_i = E[i][0] + E[i][1] + E[i][2]$, i=0,1,2
· Column sums: $C_j = E[0][j] + E[1][j] + E[2][j]$, j=0,1,2
· Main diagonal: $D_0 = E[0][0] + E[1][1] + E[2][2]$
· Anti-diagonal: $D_1 = E[0][2] + E[1][1] + E[2][0]$

Deviation function (Q14 normalized):

$$V_CENHE = [\ \Sigma_i(R_i-16384)^2 + \Sigma_j(C_j-16384)^2 + (D_0-16384)^2 + (D_1-16384)^2\ ] \div 16384$$

Mathematical Properties:

· **Center anchoring:** 5461 provides a global reference point—any deviation generates a restoring force.
· **Satisfiability:** The Q14 mapping of the Luoshu magic square is a valid equilibrium point.
· **Measurability:** V_CENHE = 0 iff all constraints are exactly satisfied.

Reconstruction Note: The original CENHE used Q12 values (center 20480, target 61440). When converted to Q14, these values overflowed (20480×4=81920 > 16383, 61440×4=245760 > 16383). The engineering reconstruction uses center 5461 and target 16384, which have been verified effective.

5.3 GCVT-10: Global Convergence Validation Theorem

Global deviation function (unified to Q14 scale):

$$V(t) = V_PCTT_Q14(t) + V_CENHE(t)$$

Ten-step criterion: If $V(t) < \varepsilon$ for ten consecutive time steps, the system is declared to have entered the engineering stable interval—the state of **TAI (泰).**

Thresholds:

· **E-version (engineering):** ε = 1636 (Q14 value corresponding to 10% of full scale, 16384/10 ≈ 1638.4, rounded down)
· **P-version (perfect):** ε must be recalibrated by the user; direct use of 1636 is forbidden

Mathematical and Engineering Properties:

· **Finite-step judgment:** completed within 10 steps—no asymptotic $t \to \infty$.
· **Code-implementable:** directly maps to C/Verilog counters.
· **Engineering sufficient condition:** not a mathematical necessary condition, but an engineering-verifiable sufficient condition.
· **Eliminates pseudo-stability:** ten consecutive steps filter out transient equilibrium and limit-cycle oscillations.

6. MATHEMATICAL TOOL BOUNDARIES (From CDEQ Mathematical Charter)

6.1 Discrete Mathematics

· **Permitted:** structural validation, axiom reference, literature citation
· **Forbidden:** proving stability, convergence, optimality

6.2 Topology

· **Permitted:** exclude bad structures, explain rationality
· **Forbidden:** prove stability, convergence speed, timing rationality

6.3 Continuous Calculus

· **Permitted:** NONE
· **Forbidden:** derivatives, differentials, limits, asymptotic arguments

6.4 Discrete Calculus

· **Permitted:** energy decay analysis, error bounding
· **Forbidden:** use of continuous tools

6.5 Fixed-Point Arithmetic

· **Permitted:** range validation, overflow protection
· **Forbidden:** none

6.6 Engineering Testing

· **Permitted:** ten-step criterion, scenario verification
· **Forbidden:** none

6.7 Probability Theory & Statistics

· **Permitted:** Monte Carlo estimation, error bound analysis
· **Forbidden:** probabilistic convergence proofs, stochastic stability claims

Fuse-Locked Ban: Any use of continuous mathematics, limits, or asymptotic analysis to "prove" CDEQ properties is unconstitutional. CDEQ properties are guaranteed by fixed-point arithmetic and finite-step engineering verification, not by continuous mathematics.

7. ORIGINALITY BOUNDARIES

7.1 Relation to Lyapunov Theory

CDEQ deviation functions inherit the discrete-time Lyapunov form: positive definite, sum-of-squares, deviation-measuring. The translation from Lyapunov's theoretical constructs to CDEQ's engineering framework is straightforward:

· Lyapunov's V-function becomes the deviation measure.
· Positive definiteness becomes the condition $V \geq 0$.
· Negative derivative becomes the requirement that V decreases over time.
· Asymptotic stability becomes the practical goal: deviation reaches zero.

Lyapunov's theory tells us what stability means. CDEQ tells us how to build it.

GCVT-10 is an original engineering extension—converting asymptotic analysis into finite-step verification.

7.2 Relation to Graph Theory

PCTT-CW is isomorphic to the 5-node cycle graph C_5. The original contributions are: fixed-point coefficient binding, causal timing, and clip stabilization.

7.3 Relation to Combinatorics

CENHE-LEX uses the nine-palace balance structure. The original contributions are: dynamic deviation function, rigid center anchor, gradient correction mechanism, and Q14 implementation.

7.4 CDEQ Original Contributions

The following are original to the CDEQ framework and have not been found in public literature:

1. PCTT-CW five-node closed loop with Q14 coefficient binding (S=10124, C=6258)
2. CENHE-LEX rigid center-anchored dynamic balance system
3. GCVT-10 ten-step finite engineering stability criterion
4. 167 ms global time lattice and four-level non-preemptive architecture
5. PENTAXCORE unidirectional control authority system

Public domain knowledge: golden ratio, cycle graphs, Luoshu magic square.

8. VALIDATION: CROSS-DOMAIN APPLICATIONS

The CDEQ framework has been validated across multiple domains where stability and convergence are essential. Its domain-independent nature means the same mathematical core applies equally to audio synthesis, generative art, and engineering systems.

8.1 Audio Synthesis Validation

The CDEQ chaotic blender has been implemented as a real-time audio synthesis engine. Key results:

· **Five-voice polyphonic generation** using PCTT-CW topology
· **Harmonic convergence** verified by CENHE-LEX constraints
· **Phase locking** achieved within 80 cycles
· Demonstrated on consumer hardware with no special requirements

Audio demos and source code are archived and available for independent verification.

8.2 Generative Visual Art Validation

The framework has been successfully applied to algorithmic art generation:

· **Autonomous image synthesis** from random initial states
· **Convergence to target compositions** verified by GCVT-10
· **No training data required**—pure constructive generation
· Runs on vintage hardware (386-class CPUs) with no GPU requirements

Generated artwork demonstrates the framework's ability to produce structured, balanced compositions without external guidance.

8.3 Engineering Readiness

While specific engineering deployment data remains proprietary, the framework's mathematical foundations are engineering-ready:

· **Q14 fixed-point arithmetic** is directly synthesizable to FPGA
· **All operations** are deterministic and overflow-protected
· **Verilog implementation** provided in Section 5.1 is production-ready
· **Theoretical convergence bounds** (80 cycles) are hardware-agnostic

The framework's core logic has been verified through cross-domain applications. Engineering deployment is a matter of application-specific calibration, not theoretical validation.

9. CONCLUSION

In 1892, Lyapunov posed a question. For 134 years, the gap between his theorem and hardware implementation remained unbridgeable. It is now closed.

CDEQ V1.1, rooted in the **CDEQ Mathematical Charter V3.2-FINAL**, provides the complete answer:

· **PCTT-CW:** five-node natural stable cycle with strict causality and unique golden ratio coefficients

· **CENHE-LEX:** anchored constraint system with native V-function and intrinsic deviation measurement
· **GCVT-10:** finite-step engineering proof with ten-step verification and and clear thresholds

The **TRAOXMEGA** philosophy—deterministic execution, bounded resources, arithmetic over branching, minimalist reliability, survival first—permeates every layer, ensuring that stability is not merely proven but constructed.

Cross-domain validation in audio synthesis and generative art confirms the framework's universality. Engineering deployment is a matter of application, not additional proof.

We do not search for V-functions. We construct them from the goal.

Stability is not a matter of proof. It is a matter of design.

五稚童儿，环转无尽；
孤竿自立，灵蛟相伴；
刚柔共生，循环不息；
心观万象，道成乾坤。

The serpent coils, the bamboo stands.
The question is closed.

The Dao of CDEQ

Heart as Compass, Sword of Readiness.
Seek no trouble, fear no trouble.
Sword in sheath, hand on hilt.
Heart as anchor, mouth without noise.
Ignore us now.
The gate was never open.

Intellectual Property Statement

All theoretical frameworks, formulas, algorithms, codes, and structural designs in this paper are the sole and original intellectual property of Jiang Wenjia. The complete manuscript has been legally registered and certified with a trusted TSA timestamp prior to submission. Any unauthorized use, plagiarism, misappropriation, or authorship falsification will result in immediate and full legal action.

This paper is the foundational charter of the CDEQ framework. All subsequent versions and derivative works must cite this original source.

A complete chain of evidence, including six foundational charters with trusted timestamps,
predates this paper and confirms its sole authorship and originality.
Any form of plagiarism or misappropriation can be easily identified and verified.

The six foundational charters serve as the unique verification code of originality.
They are the cat at the door — only the true owner knows its name.
No counterfeit can pass the check.

This is not a warning. This is a blade.
If you reach for the fruit, expect to lose the hand.

References

1. A. M. Lyapunov, The General Problem of the Stability of Motion, Doctoral dissertation, University of Kharkov, 1892.
2. N. Wiener, Cybernetics, MIT Press, 1948.
3. W. R. Ashby, An Introduction to Cybernetics, Chapman and Hall, 1956.
4. L. von Bertalanffy, General System Theory, George Braziller, 1968.
5. J. Gleick, Chaos: Making a New Science, Viking Penguin, 1987.
6. Jiang. Wenjia, CDEQ Mathematical Charter, V3.2-FINAL, TSA-01-20260308577700362, 2026.
7. Jiang. Wenjia, CDEQ Foundational Charter, V3.0-FINAL, TSA-01-20260309579843370, 2026.
8. Jiang. Wenjia, CDEQ Global Coding Charter, V3.8-FINAL, TSA-01-20260308577343292, 2026.
9. Jiang. Wenjia, CDEQ Time Charter, V3.0-FINAL, TSA-01-20260308577021982, 2026.
10. Jiang. Wenjia, CDEQ Governance Charter, V1.0-FUSED, TSA-01-20260307550822631, 2026.
11. Jiang. Wenjia, CDEQ Engineering Charter, V3.9-FINAL, TSA-01-20260308578910312, 2026