Female File :: Section R :: Section A

AGER(4853-4854)

Variable Type : Recode

Description : R's age at interview (RECODE)

value	label	Total
15	15 YEARS	432
16	16 YEARS	425
17	17 YEARS	447
18	18 YEARS	487
19	19 YEARS	493
20	20 YEARS	414
21	21 YEARS	413
22	22 YEARS	426
23	23 YEARS	431
24	24 YEARS	414
25	25 YEARS	456
26	26 YEARS	480
27	27 YEARS	492
28	28 YEARS	469
29	29 YEARS	469
30	30 YEARS	468
31	31 YEARS	459
32	32 YEARS	398
33	33 YEARS	341
34	34 YEARS	381
35	35 YEARS	363
36	36 YEARS	365
37	37 YEARS	360
38	38 YEARS	345
39	39 YEARS	365

40	40 YEARS	356
41	41 YEARS	309
42	42 YEARS	339
43	43 YEARS	357
44-45	44 YEARS	325
	Total	**12279**

Universe : Applicable for all respondents

Notes : Respondents age 45 were 44 at screener

FMARITAL(4855-4855)

Variable Type : Recode

Description : Formal (legal) marital status (RECODE)

value	label	Total
1	MARRIED	3971
2	WIDOWED	57
3	DIVORCED	1009
4	SEPARATED	497
5	NEVER MARRIED	6745
	Total	**12279**

Universe : Applicable for all respondents

RMARITAL(4856-4856)

Variable Type : Recode

Description : Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED	3971
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	1451

3	WIDOWED	43
4	DIVORCED	786
5	SEPARATED FOR REASONS OF MARITAL DISCORD	431
6	NEVER BEEN MARRIED	5597
	Total	**12279**

Universe : Applicable for all respondents

EDUCAT(4857-4858)

Variable Type : Recode

Description : Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	1674
10	10TH GRADE	856
11	11TH GRADE	925
12	12TH GRADE	2946
13	1 YEAR OF COLLEGE/GRAD SCHOOL	1263
14	2 YEARS OF COLLEGE/GRAD SCHOOL	1345
15	3 YEARS OF COLLEGE/GRAD SCHOOL	577
16	4 YEARS OF COLLEGE/GRAD SCHOOL	1438
17	5 YEARS OF COLLEGE/GRAD SCHOOL	429
18	6 YEARS OF COLLEGE/GRAD SCHOOL	431
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	395
	Total	**12279**

Universe : Applicable for all respondents. (This variable was bottomcoded for public use.)

HIEDUC(4859-4860)

Variable Type : Recode

Description : Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	1541
6	10TH GRADE	814
7	11TH GRADE	861
8	12TH GRADE, NO DIPLOMA (NOR GED)	197
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	2982
10	SOME COLLEGE BUT NO DEGREE	2472
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	867
12	BACHELOR'S DEGREE	1853
13	MASTER'S DEGREE	543
14	DOCTORATE DEGREE	62
15	PROFESSIONAL DEGREE	87
	Total	**12279**

Universe : Applicable for all respondents. (This variable was recoded for public use.)

HISPANIC(4861-4861)

Variable Type : Recode

Description : Hispanic origin of respondent (RECODE)

value	label	Total
1	HISPANIC	2723
2	NON-HISPANIC	9556
	Total	**12279**

Universe : Applicable for all respondents

NUMRACE(4862-4862)

Variable Type : Intermediate

Description : Intermediate variable for multiple race reporting (used for HISPRACE2)

value	label	Total

1	SINGLE RACE REPORTED	11787
2	2 OR MORE RACES REPORTED	492
	Total	**12279**

Universe : Applicable for all respondents

RACE(4863-4863)

Variable Type : Recode

Description : Race of respondent (RECODE)

value	label	Total
1	BLACK	2722
2	WHITE	8082
3	OTHER	1475
	Total	**12279**

Universe : Applicable for all respondents

HISPRACE(4864-4864)

Variable Type : Recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (RECODE)

value	label	Total
1	Hispanic	2723
2	Non-Hispanic White	6301
3	Non-Hispanic Black	2535
4	Non-Hispanic Other	720
	Total	**12279**

Universe : Applicable for all respondents

HISPRACE2(4865-4865)

Variable Type : Recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (RECODE)

value	label	Total
1	Hispanic	2723
2	Non-Hispanic White, Single Race	6156
3	Non-Hispanic Black, Single Race	2412
4	Non-Hispanic Other or Multiple Race	988
	Total	**12279**

Universe : Applicable for all respondents

NUMKDHH(4866-4867)

Variable Type : Recode

Description : Number of bio/adopt/related/legal children under age 18 in household (RECODE)

value	label	Total
0	NO CHILDREN	5983
1	1 CHILD	2368
2	2 CHILDREN	2321
3	3 CHILDREN	1048
4	4 CHILDREN	387
5	5 CHILDREN OR MORE	172
	Total	**12279**

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

NUMFMHH(4868-4868)

Variable Type : Recode

Description : Number of family members in household (RECODE)

value	label	Total

0	NO FAMILY MEMBERS	1449
1	1 FAMILY MEMBER	2575
2	2 FAMILY MEMBERS	2893
3	3 FAMILY MEMBERS	2872
4	4 FAMILY MEMBERS	1448
5	5 FAMILY MEMBERS	627
6	6 FAMILY MEMBERS	252
7	7 FAMILY MEMBERS OR MORE	163
	Total	**12279**

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

HHFAMTYP(4869-4869)

Variable Type : Recode

Description : Type of household/family structure (RECODE)

value	label	Total
1	No spouse/partner and no child(ren) (of R) 18 or younger	4601
2	Spouse/partner, but no child(ren) (of R) 18 or younger	1554
3	Spouse and R's child(ren) 18 or younger	2912
4	Cohabiting partner and R's child(ren) 18 or younger	853
5	No spouse/partner, but child(ren) of R, 18 or younger	2359
	Total	**12279**

Universe : Applicable for all respondents

HHPARTYP(4870-4870)

Variable Type : Recode

Description : Type of parental situation in household (RECODE)

value	label	Total
1	Both biological or both adoptive parents	1609

2	Biological and step-or adoptive parent	411
3	Single parent (biological, adoptive, or stepparent)	1482
4	Other	8777
	Total	**12279**

Universe : Applicable for all respondents

NCHILDHH(4871-4871)

Variable Type : Recode

Description : Number of R's bio or non-bio children (18 or younger) living in household (RECODE)

value	label	Total
0-2	Number of respondent's children 18 or younger in the household	10735
3	3 or more of respondent's children 18 or younger in the household	1544
	Total	**12279**

Universe : Applicable for all respondents

HHKIDTYP(4872-4872)

Variable Type : Recode

Description : Whether R has children (18 or younger), and whether bio or non-bio, living in the household (RECODE)

value	label	Total
0	No child(ren) 18 or younger in HH or only older child(ren)	6155
1	At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	5875
2	Any non-biological child (of R's) 18 or younger in HH	249
	Total	**12279**

Universe : Applicable for all respondents

CSPBBHH(4873-4873)

Variable Type : Recode

Description : Number of R's biological children (18 or younger) with current spouse/cohabiting partner who live in household (RECODE)

value	label	Total
.	INAPPLICABLE	6857
0	No joint biological children	2040
1	1 joint biological child	1346
2	2 joint biological children	1306
3	3 or more joint biological children	730
	Total	**12279**

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2. (This variable was topcoded for public use.)

CSPBSHH(4874-4874)

Variable Type : Recode

Description : Number of R's biological children (18 or younger) in household who are the not the biological children of her current husband/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	6857
0	No such child	4821
1	1 or more such children	601
	Total	**12279**

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2. (This variable was topcoded for public use.)

CSPOKDHH(4875-4875)

Variable Type : Recode

Description : Number of all other children (18 or younger) living in household with R and current

spouse/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	6857
0	No such child	5006
1	1 or more such children	416
	Total	**12279**

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2. (This variable was topcoded for public use.)

INTCTFAM(4876-4876)

Variable Type : Recode

Description : Intact status of childhood family (RECODE)

value	label	Total
1	TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	6694
2	ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	5585
	Total	**12279**

Universe : Applicable for all respondents

PARAGE14(4877-4877)

Variable Type : Recode

Description : Parental living situation at age 14 (RECODE)

value	label	Total
1	R LIVED WITH BOTH BIOLOGICAL PARENTS AT AGE 14	7479
2	R LIVED WITH BIOLOGICAL MOTHER AND STEPFATHER AT AGE 14	1291
3	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION AT AGE 14	3509
	Total	**12279**

Universe : Applicable for all respondents. (This variable was recoded for public use.)

EDUCMOM(4878-4879)

Variable Type : Recode

Description : Mother's (or mother-figure's) education (RECODE)

value	label	Total
1	Less than high school	2991
2	High school graduate or GED	3949
3	Some college, including 2-year degrees	2903
4	Bachelor's degree or higher	2339
95	No mother-figure identified	97
	Total	**12279**

Universe : Applicable for all respondents. (This variable was recoded for public use.)

AGEMOMB1(4880-4881)

Variable Type : Recode

Description : Age of mother (or mother-figure) at first birth (RECODE)

value	label	Total
1	LESS THAN 18 YEARS	2099
2	18-19 YEARS	2397
3	20-24 YEARS	4553
4	25-29 YEARS	2210
5	30 OR OLDER	848
96	MOTHER-FIGURE HAD NO CHILDREN	172
	Total	**12279**

Universe : Applicable for all respondents. (This variable was recoded for public use.)

AGER_I(4882-4882)

Variable Type : Imputation flag

Description : AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

FMARITAL_I(4883-4883)

Variable Type : Imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMARITAL_I(4884-4884)

Variable Type : Imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

EDUCAT_I(4885-4885)

Variable Type : Imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12273
1	MULTIPLE REGRESSION IMPUTATION	6
	Total	**12279**

Universe : Applicable for all respondents

HIEDUC_I(4886-4886)

Variable Type : Imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
2	LOGICAL IMPUTATION	8
	Total	**12279**

Universe : Applicable for all respondents

HISPANIC_I(4887-4887)

Variable Type : Imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

RACE_I(4888-4888)

Variable Type : Imputation flag

Description : RACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

HISPRACE_I (4889-4889)

Variable Type : Imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

HISPRACE2_I (4890-4890)

Variable Type : Imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

NUMKDHH_I (4891-4891)

Variable Type : Imputation flag

Description : NUMKDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

NUMFMHH_I (4892-4892)

Variable Type : Imputation flag

Description : NUMFMHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

HHFAMTYP_I (4893-4893)

Variable Type : Imputation flag

Description : HHFAMTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

HHPARTYP_I (4894-4894)

Variable Type : Imputation flag

Description : HHPARTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

NCHILDHH_I (4895-4895)

Variable Type : Imputation flag

Description : NCHILDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

HHKIDTYP_I (4896-4896)

Variable Type : Imputation flag

Description : HHKIDTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

CSPBBHH_I (4897-4897)

Variable Type : Imputation flag

Description : CSPBBHH Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

CSPBSHH_I (4898-4898)

Variable Type : Imputation flag

Description : CSPBSHH Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

CSPOKDHH_I (4899-4899)

Variable Type : Imputation flag

Description : CSPOKHH Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

INTCTFAM_I (4900-4900)

Variable Type : Imputation flag

Description : INTCTFAM Imputation Flag

value label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	12279

Universe : Applicable for all respondents

PARAGE14_I (4901-4901)

Variable Type : Imputation flag

Description : PARAGE14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	12279

Universe : Applicable for all respondents

EDUCMOM_I (4902-4902)

Variable Type : Imputation flag

Description : EDUCMOM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12120
1	MULTIPLE REGRESSION IMPUTATION	159
	Total	12279

Universe : Applicable for all respondents

AGEMOMB1_I (4903-4903)

Variable Type : Imputation flag

Description : AGEMOMB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12099
1	MULTIPLE REGRESSION IMPUTATION	180
	Total	**12279**

Universe : Applicable for all respondents

Female File :: Section R :: Section B

RCURPREG(4904-4904)

Variable Type : Recode

Description : Whether R is currently pregnant (RECODE)

value	label	Total
1	YES (CURRENTLY PREGNANT)	516
2	NO (NOT CURRENTLY PREGNANT)	11763
	Total	**12279**

Universe : Applicable for all respondents

PREGNUM(4905-4906)

Variable Type : Recode

Description : CAPI-based total number of pregnancies (RECODE)

value	label	Total
0	NONE	4741
1	1 PREGNANCY	1928
2	2 PREGNANCIES	2095
3	3 PREGNANCIES	1616
4	4 PREGNANCIES	957
5	5 PREGNANCIES	465
6	6 PREGNANCIES	242

value	label	Total
7-95	7 OR MORE PREGNANCIES	235
	Total	**12279**

Universe : Applicable for all respondents

COMPREG(4907-4908)

Variable Type : Recode

Description : CAPI-based total number of completed pregnancies (RECODE)

value	label	Total
0	NONE	4880
1	1 PREGNANCY	1920
2	2 PREGNANCIES	2076
3	3 PREGNANCIES	1568
4	4 PREGNANCIES	924
5	5 PREGNANCIES	455
6	6 PREGNANCIES	230
7-95	7 OR MORE PREGNANCIES	226
	Total	**12279**

Universe : Applicable for all respondents

LOSSNUM(4909-4910)

Variable Type : Recode

Description : CAPI-based total number of spontaneous pregnancy losses (RECODE)

value	label	Total
.	INAPPLICABLE	4880
0	NONE	5070
1	1 PREGNANCY	1665
2	2 PREGNANCIES	434
3-95	3 OR MORE PREGNANCIES	230

	Total	12279

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

ABORTION(4911-4912)

Variable Type : Recode

Description : CAPI-based total number of induced abortions (RECODE)

value	label	Total
.	INAPPLICABLE	4880
0	NONE	5799
1	1 PREGNANCY	1152
2	2 PREGNANCIES	311
3-95	3 OR MORE PREGNANCIES	137
	Total	**12279**

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

LBPREGS(4913-4914)

Variable Type : Recode

Description : CAPI-based total number of pregs ending in live birth (RECODE)

value	label	Total
.	INAPPLICABLE	4880
0	NONE	716
1	1 PREGNANCY	2268
2	2 PREGNANCIES	2385
3	3 PREGNANCIES	1296
4-95	4 OR MORE PREGNANCIES	734
	Total	**12279**

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

PARITY(4915-4916)

Variable Type : Recode

Description : CAPI-based total number of live births (accounting for mult birth) (RECODE)

value	label	Total
0	0 BABIES	5596
1	1 BABY	2214
2	2 BABIES	2360
3	3 BABIES	1313
4	4 BABIES	496
5-95	5 OR MORE BABIES	300
	Total	**12279**

Universe : Applicable for all respondents

BIRTHS5(4917-4917)

Variable Type : Recode

Description : Number of live births in last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	4880
0	0 BIRTHS	3834
1	1 BIRTH	2648
2	2 BIRTHS	822
3-95	3 OR MORE BIRTHS	95
	Total	**12279**

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

OUTCOM01(4918-4918)

Variable Type : Recode

Description : Outcome of pregnancy - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4741
1	LIVE BIRTH	5283
2	INDUCED ABORTION	999
3	STILLBIRTH	52
4	MISCARRIAGE	991
5	ECTOPIC PREGNANCY	74
6	CURRENT PREGNANCY	139
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OUTCOM02(4919-4919)

Variable Type : Recode

Description : Outcome of pregnancy - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6669
1	LIVE BIRTH	4121
2	INDUCED ABORTION	469
3	STILLBIRTH	49
4	MISCARRIAGE	777
5	ECTOPIC PREGNANCY	63
6	CURRENT PREGNANCY	131
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OUTCOM03(4920-4920)

Variable Type : Recode

Description : Outcome of pregnancy - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8764
1	LIVE BIRTH	2479
2	INDUCED ABORTION	345
3	STILLBIRTH	28
4	MISCARRIAGE	498
5	ECTOPIC PREGNANCY	53
6	CURRENT PREGNANCY	112
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OUTCOM04(4921-4921)

Variable Type : Recode

Description : Outcome of pregnancy - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10380
1	LIVE BIRTH	1290
2	INDUCED ABORTION	211
3	STILLBIRTH	17
4	MISCARRIAGE	269
5	ECTOPIC PREGNANCY	48
6	CURRENT PREGNANCY	64
	Total	**12279**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OUTCOM05(4922-4922)

Variable Type : Recode

Description : Outcome of pregnancy - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11337
1	LIVE BIRTH	596
2	INDUCED ABORTION	120
3	STILLBIRTH	7
4	MISCARRIAGE	171
5	ECTOPIC PREGNANCY	17
6	CURRENT PREGNANCY	31
	Total	**12279**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OUTCOM06(4923-4923)

Variable Type : Recode

Description : Outcome of pregnancy - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11802
1	LIVE BIRTH	277
2	INDUCED ABORTION	59
3	STILLBIRTH	6
4	MISCARRIAGE	102
5	ECTOPIC PREGNANCY	12
6	CURRENT PREGNANCY	21
	Total	**12279**

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OUTCOM07(4924-4924)

Variable Type : Recode

Description : Outcome of pregnancy - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12044
1	LIVE BIRTH	117
2	INDUCED ABORTION	39
3	STILLBIRTH	4
4	MISCARRIAGE	61
5	ECTOPIC PREGNANCY	5
6	CURRENT PREGNANCY	9
	Total	**12279**

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OUTCOM08(4925-4925)

Variable Type : Recode

Description : Outcome of pregnancy - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12157
1	LIVE BIRTH	66
2	INDUCED ABORTION	20
3	STILLBIRTH	2
4	MISCARRIAGE	27
5	ECTOPIC PREGNANCY	4
6	CURRENT PREGNANCY	3
	Total	**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OUTCOM09(4926-4926)

Variable Type : Recode

Description : Outcome of pregnancy - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	12222
1	LIVE BIRTH	27
2	INDUCED ABORTION	11
4	MISCARRIAGE	14
5	ECTOPIC PREGNANCY	1
6	CURRENT PREGNANCY	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OUTCOM10(4927-4927)

Variable Type : Recode

Description : Outcome of pregnancy - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	12244
1	LIVE BIRTH	15
2	INDUCED ABORTION	6
4	MISCARRIAGE	11
5	ECTOPIC PREGNANCY	1
6	CURRENT PREGNANCY	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OUTCOM11(4928-4928)

Variable Type : Recode

Description : Outcome of pregnancy - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
1	LIVE BIRTH	9
2	INDUCED ABORTION	5
4	MISCARRIAGE	8
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OUTCOM12(4929-4929)

Variable Type : Recode

Description : Outcome of pregnancy - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
1	LIVE BIRTH	7
2	INDUCED ABORTION	3
4	MISCARRIAGE	5
	Total	**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OUTCOM13(4930-4930)

Variable Type : Recode

Description : Outcome of pregnancy - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
1	LIVE BIRTH	4
2	INDUCED ABORTION	2
4	MISCARRIAGE	3
	Total	**12279**

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OUTCOM14(4931-4931)

Variable Type : Recode

Description : Outcome of pregnancy - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	INDUCED ABORTION	2
4	MISCARRIAGE	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OUTCOM15(4932-4932)

Variable Type : Recode

Description : Outcome of pregnancy - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	LIVE BIRTH	1
2	INDUCED ABORTION	1
4	MISCARRIAGE	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OUTCOM16(4933-4933)

Variable Type : Recode

Description : Outcome of pregnancy - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
2	INDUCED ABORTION	1
4	MISCARRIAGE	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

OUTCOM17(4934-4934)

Variable Type : Recode

Description : Outcome of pregnancy - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
2	INDUCED ABORTION	1
3	STILLBIRTH	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

OUTCOM18(4935-4935)

Variable Type : Recode

Description : Outcome of pregnancy - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
2	INDUCED ABORTION	1
4	MISCARRIAGE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

OUTCOM19(4936-4936)

Variable Type : Recode

Description : Outcome of pregnancy - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
4	MISCARRIAGE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

DATEND01(4937-4940)

Variable Type : Recode

Description : CM date when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4880
740-1278	BEFORE JULY 2006	6675
1279-1290	JULY 2006-JUNE 2007	328
1291-1308	JULY 2007-DEC 2008	329
1309-1326	JAN 2009-JUN 2010	67
	Total	**12279**

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

DATEND02(4941-4944)

Variable Type : Recode

Description : CM date when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6800
740-1278	BEFORE JULY 2006	4782
1279-1290	JULY 2006-JUNE 2007	277

1291-1308	JULY 2007-DEC 2008	312
1309-1326	JAN 2009-JUN 2010	108
	Total	**12279**

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

DATEND03(4945-4948)

Variable Type : Recode

Description : CM date when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8876
740-1278	BEFORE JULY 2006	2875
1279-1290	JULY 2006-JUNE 2007	232
1291-1308	JULY 2007-DEC 2008	231
1309-1326	JAN 2009-JUN 2010	65
	Total	**12279**

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

DATEND04(4949-4952)

Variable Type : Recode

Description : CM date when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10444
740-1278	BEFORE JULY 2006	1521
1279-1290	JULY 2006-JUNE 2007	129
1291-1308	JULY 2007-DEC 2008	134
1309-1326	JAN 2009-JUN 2010	51
	Total	**12279**

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

DATEND05(4953-4956)

Variable Type : Recode

Description : CM date when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11368
740-1278	BEFORE JULY 2006	726
1279-1290	JULY 2006-JUNE 2007	75
1291-1308	JULY 2007-DEC 2008	87
1309-1326	JAN 2009-JUN 2010	23
	Total	**12279**

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

DATEND06(4957-4960)

Variable Type : Recode

Description : CM date when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11823
740-1278	BEFORE JULY 2006	357
1279-1290	JULY 2006-JUNE 2007	42
1291-1308	JULY 2007-DEC 2008	37
1309-1326	JAN 2009-JUN 2010	20
	Total	**12279**

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

DATEND07(4961-4964)

Variable Type : Recode

Description : CM date when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12053
740-1278	BEFORE JULY 2006	160
1279-1290	JULY 2006-JUNE 2007	30
1291-1308	JULY 2007-DEC 2008	27
1309-1326	JAN 2009-JUN 2010	9
	Total	**12279**

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

DATEND08(4965-4968)

Variable Type : Recode

Description : CM date when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12160
740-1278	BEFORE JULY 2006	82
1279-1290	JULY 2006-JUNE 2007	12
1291-1308	JULY 2007-DEC 2008	20
1309-1326	JAN 2009-JUN 2010	5
	Total	**12279**

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

DATEND09(4969-4972)

Variable Type : Recode

Description : CM date when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	12226

740-1278	BEFORE JULY 2006	41
1279-1290	JULY 2006-JUNE 2007	5
1291-1308	JULY 2007-DEC 2008	5
1309-1326	JAN 2009-JUN 2010	2
	Total	**12279**

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

DATEND10(4973-4976)

Variable Type : Recode

Description : CM date when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	12246
740-1278	BEFORE JULY 2006	25
1279-1290	JULY 2006-JUNE 2007	3
1291-1308	JULY 2007-DEC 2008	4
1309-1326	JAN 2009-JUN 2010	1
	Total	**12279**

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

DATEND11(4977-4980)

Variable Type : Recode

Description : CM date when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
740-1278	BEFORE JULY 2006	16
1279-1290	JULY 2006-JUNE 2007	1
1291-1308	JULY 2007-DEC 2008	4
1309-1326	JAN 2009-JUN 2010	1

	Total	12279

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

DATEND12(4981-4984)

Variable Type : Recode

Description : CM date when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
740-1278	BEFORE JULY 2006	10
1291-1308	JULY 2007-DEC 2008	4
1309-1326	JAN 2009-JUN 2010	1
	Total	12279

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

DATEND13(4985-4988)

Variable Type : Recode

Description : CM date when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
740-1278	BEFORE JULY 2006	6
1279-1290	JULY 2006-JUNE 2007	1
1291-1308	JULY 2007-DEC 2008	1
1309-1326	JAN 2009-JUN 2010	1
	Total	12279

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

DATEND14(4989-4992)

Variable Type : Recode

Description : CM date when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
740-1278	BEFORE JULY 2006	4
	Total	**12279**

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

DATEND15(4993-4996)

Variable Type : Recode

Description : CM date when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
740-1278	BEFORE JULY 2006	4
	Total	**12279**

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

DATEND16(4997-5000)

Variable Type : Recode

Description : CM date when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
740-1278	BEFORE JULY 2006	3
	Total	**12279**

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

DATEND17(5001-5004)

Variable Type : Recode

Description : CM date when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
740-1278	BEFORE JULY 2006	2
	Total	**12279**

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

DATEND18(5005-5008)

Variable Type : Recode

Description : CM date when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
740-1278	BEFORE JULY 2006	1
1279-1290	JULY 2006-JUNE 2007	1
	Total	**12279**

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

DATEND19(5009-5012)

Variable Type : Recode

Description : CM date when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
740-1278	BEFORE JULY 2006	1
	Total	**12279**

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

AGEPRG01(5013-5016)

Variable Type : Recode

Description : Age when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4880
0-1999	UNDER 20 YEARS	3234
2000-2499	20-24 YEARS	2329
2500-2999	25-29 YEARS	1165
3000-4499	30-44 YEARS	671
	Total	**12279**

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

AGEPRG02(5017-5020)

Variable Type : Recode

Description : Age when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6800
0-1999	UNDER 20 YEARS	1097
2000-2499	20-24 YEARS	2153
2500-2999	25-29 YEARS	1272
3000-4499	30-44 YEARS	957
	Total	**12279**

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

AGEPRG03(5021-5024)

Variable Type : Recode

Description : Age when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8876
0-1999	UNDER 20 YEARS	272
2000-2499	20-24 YEARS	1245
2500-2999	25-29 YEARS	1013
3000-4499	30-44 YEARS	873
	Total	12279

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

AGEPRG04(5025-5028)

Variable Type : Recode

Description : Age when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10444
0-1999	UNDER 20 YEARS	66
2000-2499	20-24 YEARS	568
2500-2999	25-29 YEARS	610
3000-4499	30-44 YEARS	591
	Total	12279

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

AGEPRG05(5029-5032)

Variable Type : Recode

Description : Age when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11368

0-1999	UNDER 20 YEARS	19
2000-2499	20-24 YEARS	241
2500-2999	25-29 YEARS	306
3000-4499	30-44 YEARS	345
	Total	**12279**

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

AGEPRG06(5033-5036)

Variable Type : Recode

Description : Age when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11823
0-1999	UNDER 20 YEARS	7
2000-2499	20-24 YEARS	82
2500-2999	25-29 YEARS	168
3000-4499	30-44 YEARS	199
	Total	**12279**

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

AGEPRG07(5037-5040)

Variable Type : Recode

Description : Age when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12053
0-1999	UNDER 20 YEARS	5
2000-2499	20-24 YEARS	32
2500-2999	25-29 YEARS	82
3000-4499	30-44 YEARS	107

	Total	12279

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

AGEPRG08(5041-5044)

Variable Type : Recode

Description : Age when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12160
0-1999	UNDER 20 YEARS	3
2000-2499	20-24 YEARS	16
2500-2999	25-29 YEARS	39
3000-4499	30-44 YEARS	61
	Total	**12279**

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

AGEPRG09(5045-5048)

Variable Type : Recode

Description : Age when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	12226
2000-2499	20-24 YEARS	8
2500-2999	25-29 YEARS	17
3000-4499	30-44 YEARS	28
	Total	**12279**

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

AGEPRG10(5049-5052)

Variable Type : Recode

Description : Age when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	12246
2000-2499	20-24 YEARS	4
2500-2999	25-29 YEARS	11
3000-4499	30-44 YEARS	18
	Total	12279

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

AGEPRG11(5053-5056)

Variable Type : Recode

Description : Age when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
2000-2499	20-24 YEARS	2
2500-2999	25-29 YEARS	7
3000-4499	30-44 YEARS	13
	Total	12279

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

AGEPRG12(5057-5060)

Variable Type : Recode

Description : Age when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
2000-2499	20-24 YEARS	2

2500-2999	25-29 YEARS	4
3000-4499	30-44 YEARS	9
	Total	**12279**

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

AGEPRG13(5061-5064)

Variable Type : Recode

Description : Age when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	2
3000-4499	30-44 YEARS	6
	Total	**12279**

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

AGEPRG14(5065-5068)

Variable Type : Recode

Description : Age when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2000-2499	20-24 YEARS	1
3000-4499	30-44 YEARS	3
	Total	**12279**

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

AGEPRG15(5069-5072)

Variable Type : Recode

Description : Age when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	3
	Total	**12279**

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

AGEPRG16(5073-5076)

Variable Type : Recode

Description : Age when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
3000-4499	30-44 YEARS	3
	Total	**12279**

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

AGEPRG17(5077-5080)

Variable Type : Recode

Description : Age when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
3000-4499	30-44 YEARS	2
	Total	**12279**

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

AGEPRG18(5081-5084)

Variable Type : Recode

Description : Age when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
3000-4499	30-44 YEARS	2
	Total	**12279**

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

AGEPRG19(5085-5088)

Variable Type : Recode

Description : Age when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
3000-4499	30-44 YEARS	1
	Total	**12279**

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

DATCON01(5089-5092)

Variable Type : Recode

Description : CM date when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4741
740-1278	BEFORE JULY 2006	6904
1279-1290	JULY 2006-JUNE 2007	301
1291-1308	JULY 2007-DEC 2008	273

	1309-1326 JAN 2009-JUN 2010	60
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

DATCON02(5093-5096)

Variable Type : Recode

Description : CM date when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6669
740-1278	BEFORE JULY 2006	4967
1279-1290	JULY 2006-JUNE 2007	272
1291-1308	JULY 2007-DEC 2008	300
1309-1326	JAN 2009-JUN 2010	71
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

DATCON03(5097-5100)

Variable Type : Recode

Description : CM date when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8764
740-1278	BEFORE JULY 2006	3020
1279-1290	JULY 2006-JUNE 2007	225
1291-1308	JULY 2007-DEC 2008	213
1309-1326	JAN 2009-JUN 2010	57
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

DATCON04(5101-5104)

Variable Type : Recode

Description : CM date when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10380
740-1278	BEFORE JULY 2006	1601
1279-1290	JULY 2006-JUNE 2007	121
1291-1308	JULY 2007-DEC 2008	136
1309-1326	JAN 2009-JUN 2010	41
	Total	**12279**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

DATCON05(5105-5108)

Variable Type : Recode

Description : CM date when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11337
740-1278	BEFORE JULY 2006	765
1279-1290	JULY 2006-JUNE 2007	76
1291-1308	JULY 2007-DEC 2008	79
1309-1326	JAN 2009-JUN 2010	22
	Total	**12279**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

DATCON06(5109-5112)

Variable Type : Recode

Description : CM date when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11802
740-1278	BEFORE JULY 2006	379
1279-1290	JULY 2006-JUNE 2007	42
1291-1308	JULY 2007-DEC 2008	41
1309-1326	JAN 2009-JUN 2010	15
	Total	12279

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

DATCON07(5113-5116)

Variable Type : Recode

Description : CM date when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12044
740-1278	BEFORE JULY 2006	179
1279-1290	JULY 2006-JUNE 2007	19
1291-1308	JULY 2007-DEC 2008	28
1309-1326	JAN 2009-JUN 2010	9
	Total	12279

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

DATCON08(5117-5120)

Variable Type : Recode

Description : CM date when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12157
740-1278	BEFORE JULY 2006	87
1279-1290	JULY 2006-JUNE 2007	13

1291-1308 JULY 2007-DEC 2008		19
1309-1326 JAN 2009-JUN 2010		3
Total		**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

DATCON09(5121-5124)

Variable Type : Recode

Description : CM date when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	12222
740-1278	BEFORE JULY 2006	42
1279-1290	JULY 2006-JUNE 2007	6
1291-1308	JULY 2007-DEC 2008	8
1309-1326	JAN 2009-JUN 2010	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

DATCON10(5125-5128)

Variable Type : Recode

Description : CM date when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	12244
740-1278	BEFORE JULY 2006	27
1279-1290	JULY 2006-JUNE 2007	2
1291-1308	JULY 2007-DEC 2008	4
1309-1326	JAN 2009-JUN 2010	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

DATCON11(5129-5132)

Variable Type : Recode

Description : CM date when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
740-1278	BEFORE JULY 2006	17
1279-1290	JULY 2006-JUNE 2007	1
1291-1308	JULY 2007-DEC 2008	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

DATCON12(5133-5136)

Variable Type : Recode

Description : CM date when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
740-1278	BEFORE JULY 2006	10
1279-1290	JULY 2006-JUNE 2007	1
1291-1308	JULY 2007-DEC 2008	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

DATCON13(5137-5140)

Variable Type : Recode

Description : CM date when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
740-1278	BEFORE JULY 2006	7
1291-1308	JULY 2007-DEC 2008	1
1309-1326	JAN 2009-JUN 2010	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

DATCON14(5141-5144)

Variable Type : Recode

Description : CM date when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
740-1278	BEFORE JULY 2006	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

DATCON15(5145-5148)

Variable Type : Recode

Description : CM date when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
740-1278	BEFORE JULY 2006	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

DATCON16(5149-5152)

Variable Type : Recode

Description : CM date when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
740-1278	BEFORE JULY 2006	3
	Total	**12279**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

DATCON17(5153-5156)

Variable Type : Recode

Description : CM date when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
740-1278	BEFORE JULY 2006	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

DATCON18(5157-5160)

Variable Type : Recode

Description : CM date when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
740-1278	BEFORE JULY 2006	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

DATCON19(5161-5164)

Variable Type : Recode

Description : CM date when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
740-1278	BEFORE JULY 2006	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

AGECON01(5165-5168)

Variable Type : Recode

Description : Age when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4741
0-1999	UNDER 20 YEARS	3688
2000-2499	20-24 YEARS	2107
2500-2999	25-29 YEARS	1149
3000-4499	30-44 YEARS	594
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

AGECON02(5169-5172)

Variable Type : Recode

Description : Age when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6669

0-1999	UNDER 20 YEARS	1389
2000-2499	20-24 YEARS	2118
2500-2999	25-29 YEARS	1231
3000-4499	30-44 YEARS	872
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

AGECON03(5173-5176)

Variable Type : Recode

Description : Age when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8764
0-1999	UNDER 20 YEARS	391
2000-2499	20-24 YEARS	1315
2500-2999	25-29 YEARS	1016
3000-4499	30-44 YEARS	793
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

AGECON04(5177-5180)

Variable Type : Recode

Description : Age when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10380
0-1999	UNDER 20 YEARS	92
2000-2499	20-24 YEARS	625
2500-2999	25-29 YEARS	627
3000-4499	30-44 YEARS	555

	Total	12279

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

AGECON05(5181-5184)

Variable Type : Recode

Description : Age when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11337
0-1999	UNDER 20 YEARS	26
2000-2499	20-24 YEARS	268
2500-2999	25-29 YEARS	320
3000-4499	30-44 YEARS	328
	Total	12279

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

AGECON06(5185-5188)

Variable Type : Recode

Description : Age when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11802
0-1999	UNDER 20 YEARS	11
2000-2499	20-24 YEARS	106
2500-2999	25-29 YEARS	164
3000-4499	30-44 YEARS	196
	Total	12279

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

AGECON07(5189-5192)

Variable Type : Recode

Description : Age when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12044
0-1999	UNDER 20 YEARS	6
2000-2499	20-24 YEARS	35
2500-2999	25-29 YEARS	90
3000-4499	30-44 YEARS	104
	Total	**12279**

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

AGECON08(5193-5196)

Variable Type : Recode

Description : Age when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12157
0-1999	UNDER 20 YEARS	4
2000-2499	20-24 YEARS	18
2500-2999	25-29 YEARS	43
3000-4499	30-44 YEARS	57
	Total	**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

AGECON09(5197-5200)

Variable Type : Recode

Description : Age when pregnancy began - 9th (RECODE)

value	label	Total

value	label	Total
.	INAPPLICABLE	12222
0-1999	UNDER 20 YEARS	2
2000-2499	20-24 YEARS	7
2500-2999	25-29 YEARS	19
3000-4499	30-44 YEARS	29
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

AGECON10(5201-5204)

Variable Type : Recode

Description : Age when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	12244
2000-2499	20-24 YEARS	4
2500-2999	25-29 YEARS	13
3000-4499	30-44 YEARS	18
	Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

AGECON11(5205-5208)

Variable Type : Recode

Description : Age when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
2000-2499	20-24 YEARS	2
2500-2999	25-29 YEARS	7
3000-4499	30-44 YEARS	13
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

AGECON12(5209-5212)

Variable Type : Recode

Description : Age when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
2000-2499	20-24 YEARS	2
2500-2999	25-29 YEARS	4
3000-4499	30-44 YEARS	9
	Total	**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

AGECON13(5213-5216)

Variable Type : Recode

Description : Age when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	2
3000-4499	30-44 YEARS	6
	Total	**12279**

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

AGECON14(5217-5220)

Variable Type : Recode

Description : Age when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	2
	Total	12279

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

AGECON15(5221-5224)

Variable Type : Recode

Description : Age when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	3
	Total	12279

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

AGECON16(5225-5228)

Variable Type : Recode

Description : Age when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
3000-4499	30-44 YEARS	3
	Total	12279

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

AGECON17(5229-5232)

Variable Type : Recode

Description : Age when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
3000-4499	30-44 YEARS	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

AGECON18(5233-5236)

Variable Type : Recode

Description : Age when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
3000-4499	30-44 YEARS	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

AGECON19(5237-5240)

Variable Type : Recode

Description : Age when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
3000-4499	30-44 YEARS	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

MAROUT01(5241-5241)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4880
1	Married	2635
2	Divorced	122
3	Widowed	5
4	Separated	18
5	Never married	4619
	Total	**12279**

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

MAROUT02(5242-5242)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6800
1	Married	2607
2	Divorced	241
3	Widowed	5
4	Separated	34
5	Never married	2592
	Total	**12279**

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

MAROUT03(5243-5243)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8876
1	Married	1692
2	Divorced	245
3	Widowed	11
4	Separated	53
5	Never married	1402
	Total	**12279**

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

MAROUT04(5244-5244)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10444
1	Married	880
2	Divorced	172
3	Widowed	8
4	Separated	47
5	Never married	728
	Total	**12279**

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

MAROUT05(5245-5245)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11368
1	Married	404
2	Divorced	95
3	Widowed	3
4	Separated	31
5	Never married	378
	Total	**12279**

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

MAROUT06(5246-5246)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11823
1	Married	184
2	Divorced	53
3	Widowed	1
4	Separated	18
5	Never married	200
	Total	**12279**

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

MAROUT07(5247-5247)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12053

1	Married	82
2	Divorced	31
3	Widowed	1
4	Separated	8
5	Never married	104
	Total	**12279**

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

MAROUT08(5248-5248)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12160
1	Married	47
2	Divorced	11
3	Widowed	1
4	Separated	10
5	Never married	50
	Total	**12279**

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

MAROUT09(5249-5249)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	12226
1	Married	22
2	Divorced	7

4	Separated	2
5	Never married	22
	Total	**12279**

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

MAROUT10(5250-5250)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	12246
1	Married	11
2	Divorced	8
4	Separated	3
5	Never married	11
	Total	**12279**

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

MAROUT11(5251-5251)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
1	Married	8
2	Divorced	4
4	Separated	2
5	Never married	8
	Total	**12279**

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

MAROUT12(5252-5252)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
1	Married	7
2	Divorced	1
4	Separated	2
5	Never married	5
	Total	**12279**

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

MAROUT13(5253-5253)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
1	Married	7
5	Never married	2
	Total	**12279**

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

MAROUT14(5254-5254)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Married	2
5	Never married	2
	Total	**12279**

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

MAROUT15(5255-5255)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 15th (RECODE) (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Married	2
5	Never married	2
	Total	**12279**

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

MAROUT16(5256-5256)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
1	Married	2
5	Never married	1
	Total	**12279**

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

MAROUT17(5257-5257)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	Married	1
5	Never married	1
	Total	**12279**

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

MAROUT18(5258-5258)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	Married	1
5	Never married	1
	Total	**12279**

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

MAROUT19(5259-5259)

Variable Type : Recode

Description : Formal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
1	Married	1
	Total	**12279**

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

RMAROUT01(5260-5260)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4880
1	Married	2635
2	Divorced	73
3	Widowed	2
4	Separated	18
5	Cohabiting	1653
6	Never married, not cohabiting	3018
	Total	**12279**

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

RMAROUT02(5261-5261)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6800
1	Married	2607
2	Divorced	143
3	Widowed	4
4	Separated	34
5	Cohabiting	1361
6	Never married, not cohabiting	1330
	Total	**12279**

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

RMAROUT03(5262-5262)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8876
1	Married	1692
2	Divorced	123
3	Widowed	5
4	Separated	53
5	Cohabiting	875
6	Never married, not cohabiting	655
	Total	**12279**

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

RMAROUT04(5263-5263)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10444
1	Married	880
2	Divorced	103
3	Widowed	3
4	Separated	47
5	Cohabiting	472
6	Never married, not cohabiting	330
	Total	**12279**

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

RMAROUT05(5264-5264)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11368
1	Married	404
2	Divorced	52
3	Widowed	1
4	Separated	31
5	Cohabiting	246
6	Never married, not cohabiting	177
	Total	**12279**

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

RMAROUT06(5265-5265)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11823
1	Married	184
2	Divorced	28
4	Separated	18
5	Cohabiting	131
6	Never married, not cohabiting	95
	Total	**12279**

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

RMAROUT07(5266-5266)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12053
1	Married	82
2	Divorced	17
3	Widowed	1
4	Separated	8
5	Cohabiting	60
6	Never married, not cohabiting	58
	Total	**12279**

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

RMAROUT08(5267-5267)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12160
1	Married	47
2	Divorced	10
3	Widowed	1
4	Separated	10
5	Cohabiting	28
6	Never married, not cohabiting	23
	Total	**12279**

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

RMAROUT09(5268-5268)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	12226
1	Married	22
2	Divorced	5
4	Separated	2
5	Cohabiting	12
6	Never married, not cohabiting	12
	Total	**12279**

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

RMAROUT10(5269-5269)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	12246
1	Married	11
2	Divorced	7
4	Separated	3
5	Cohabiting	6
6	Never married, not cohabiting	6
	Total	**12279**

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

RMAROUT11(5270-5270)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
1	Married	8
2	Divorced	4
4	Separated	2
5	Cohabiting	5
6	Never married, not cohabiting	3
	Total	**12279**

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

RMAROUT12(5271-5271)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
1	Married	7
2	Divorced	1
4	Separated	2
5	Cohabiting	1
6	Never married, not cohabiting	4
	Total	**12279**

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

RMAROUT13(5272-5272)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
1	Married	7
6	Never married, not cohabiting	2
	Total	**12279**

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

RMAROUT14(5273-5273)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Married	2
6	Never married, not cohabiting	2
	Total	**12279**

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

RMAROUT15(5274-5274)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Married	2
6	Never married, not cohabiting	2
	Total	**12279**

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

RMAROUT16(5275-5275)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
1	Married	2
6	Never married, not cohabiting	1
	Total	**12279**

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

RMAROUT17(5276-5276)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	Married	1
6	Never married, not cohabiting	1
	Total	**12279**

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

RMAROUT18(5277-5277)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	Married	1
5	Cohabiting	1
	Total	**12279**

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

RMAROUT19(5278-5278)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
1	Married	1
	Total	**12279**

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

MARCON01(5279-5279)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4741
1	Married	2171
2	Divorced	122
3	Widowed	5
4	Separated	11
5	Never married	5229
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

MARCON02(5280-5280)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6669
1	Married	2490
2	Divorced	228
3	Widowed	5
4	Separated	34
5	Never married	2853
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

MARCON03(5281-5281)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8764
1	Married	1673
2	Divorced	257
3	Widowed	11
4	Separated	48
5	Never married	1526
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

MARCON04(5282-5282)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10380

1	Married	880
2	Divorced	179
3	Widowed	7
4	Separated	44
5	Never married	789
	Total	**12279**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

MARCON05(5283-5283)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11337
1	Married	415
2	Divorced	96
3	Widowed	4
4	Separated	29
5	Never married	398
	Total	**12279**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

MARCON06(5284-5284)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11802
1	Married	185
2	Divorced	57

value	label	Total
3	Widowed	1
4	Separated	19
5	Never married	215
	Total	**12279**

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

MARCON07(5285-5285)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12044
1	Married	82
2	Divorced	34
3	Widowed	1
4	Separated	8
5	Never married	110
	Total	**12279**

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

MARCON08(5286-5286)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12157
1	Married	43
2	Divorced	13
3	Widowed	1
4	Separated	10

value	label	Total
5	Never married	55
	Total	**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

MARCON09(5287-5287)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	12222
1	Married	22
2	Divorced	7
4	Separated	3
5	Never married	25
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

MARCON10(5288-5288)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	12244
1	Married	11
2	Divorced	8
4	Separated	3
5	Never married	13
	Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

MARCON11(5289-5289)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
1	Married	8
2	Divorced	4
4	Separated	2
5	Never married	8
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

MARCON12(5290-5290)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
1	Married	7
2	Divorced	1
4	Separated	2
5	Never married	5
	Total	**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

MARCON13(5291-5291)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
1	Married	7
5	Never married	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

MARCON14(5292-5292)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Married	2
5	Never married	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

MARCON15(5293-5293)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Married	2
5	Never married	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

MARCON16(5294-5294)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
1	Married	2
5	Never married	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

MARCON17(5295-5295)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	Married	1
5	Never married	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

MARCON18(5296-5296)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	Married	1
5	Never married	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

MARCON19(5297-5297)

Variable Type : Recode

Description : Formal marital status when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
1	Married	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

RMARCON01(5298-5298)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	4741
1	Married	2171
2	Divorced	63
3	Widowed	3
4	Separated	11
5	Cohabiting	1581
6	Never married, not cohabiting	3709
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

RMARCON02(5299-5299)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	6669
1	Married	2490
2	Divorced	129
3	Widowed	4
4	Separated	34
5	Cohabiting	1471
6	Never married, not cohabiting	1482
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

RMARCON03(5300-5300)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	8764
1	Married	1673
2	Divorced	119
3	Widowed	6
4	Separated	48
5	Cohabiting	953
6	Never married, not cohabiting	716
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

RMARCON04(5301-5301)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	10380
1	Married	880
2	Divorced	100
3	Widowed	2
4	Separated	44
5	Cohabiting	518
6	Never married, not cohabiting	355
	Total	**12279**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

RMARCON05(5302-5302)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	11337
1	Married	415
2	Divorced	53
3	Widowed	1
4	Separated	29
5	Cohabiting	274
6	Never married, not cohabiting	170
	Total	**12279**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

RMARCON06(5303-5303)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	11802
1	Married	185
2	Divorced	28
4	Separated	19
5	Cohabiting	148
6	Never married, not cohabiting	97
	Total	**12279**

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

RMARCON07(5304-5304)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	12044
1	Married	82
2	Divorced	21
3	Widowed	1
4	Separated	8
5	Cohabiting	63
6	Never married, not cohabiting	60
	Total	**12279**

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

RMARCON08(5305-5305)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	12157
1	Married	43
2	Divorced	9
3	Widowed	1
4	Separated	10
5	Cohabiting	34
6	Never married, not cohabiting	25
	Total	**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

RMARCON09(5306-5306)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	12222
1	Married	22
2	Divorced	5
4	Separated	3
5	Cohabiting	16
6	Never married, not cohabiting	11
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

RMARCON10(5307-5307)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 10th (RECODE)

value	label	Total

value	label	Total
.	INAPPLICABLE	12244
1	Married	11
2	Divorced	7
4	Separated	3
5	Cohabiting	7
6	Never married, not cohabiting	7
	Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

RMARCON11(5308-5308)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	12257
1	Married	8
2	Divorced	4
4	Separated	2
5	Cohabiting	5
6	Never married, not cohabiting	3
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

RMARCON12(5309-5309)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	12264
1	Married	7

2	Divorced	1
4	Separated	2
5	Cohabiting	2
6	Never married, not cohabiting	3
	Total	**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

RMARCON13(5310-5310)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	12270
1	Married	7
6	Never married, not cohabiting	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

RMARCON14(5311-5311)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Married	2
6	Never married, not cohabiting	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

RMARCON15(5312-5312)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Married	2
6	Never married, not cohabiting	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

RMARCON16(5313-5313)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	12276
1	Married	2
6	Never married, not cohabiting	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

RMARCON17(5314-5314)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	Married	1
6	Never married, not cohabiting	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

RMARCON18(5315-5315)

Variable Type : Recode

Description : Informal marital status when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	Married	1
5	Cohabiting	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

RMARCON19(5316-5316)

Variable Type : Recode

Description : Informal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	12278
1	Married	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

CEBOW(5317-5318)

Variable Type : Recode

Description : Number of children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	5596

0	NONE	2724
1	1 CHILD	2029
2	2 CHILDREN	1099
3-95	3 OR MORE CHILDREN	831
	Total	**12279**

Universe : Applicable if R has ever had a live birth (PARITY > 0)

CEBOWC(5319-5319)

Variable Type : Recode

Description : Number of children born in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	5596
0	NONE	4338
1	1 CHILD	1507
2	2 CHILDREN	550
3-95	3 OR MORE CHILDREN	288
	Total	**12279**

Universe : Applicable if R has ever had a live birth (PARITY > 0)

DATBABY1(5320-5323)

Variable Type : Recode

Description : CM date of 1st live birth (RECODE)

value	label	Total
.	INAPPLICABLE	5596
740-1278	BEFORE JULY 2006	6001
1279-1290	JULY 2006-JUNE 2007	318
1291-1308	JULY 2007-DEC 2008	307
1309-1326	JAN 2009-JUN 2010	57

	Total	12279

Universe : Applicable if R has ever had a live birth (PARITY > 0)

AGEBABY1(5324-5327)

Variable Type : Recode

Description : Age at 1st live birth (RECODE)

value	label	Total
.	INAPPLICABLE	5596
0-1999	UNDER 20 YEARS	2424
2000-2499	20-24 YEARS	2253
2500-2999	25-29 YEARS	1218
3000-4499	30-44 YEARS	788
	Total	12279

Universe : Applicable if R has ever had a live birth (PARITY > 0)

LIVCHILD01(5328-5328)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 1st pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	6996
1	Child lives with R	4900
2	Child is dead	38
3	Child lives with adoptive parents/family	42
4	Child lives with biological father	112
5	Child lives with other relatives	140
6	Child's living arrangements are other or unknown	51
	Total	12279

Universe : Applicable if R has ever had a live birth (PARITY > 0)

LIVCHILD02(5329-5329)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 2nd pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	8158
1	Child lives with R	3810
2	Child is dead	40
3	Child lives with adoptive parents/family	27
4	Child lives with biological father	99
5	Child lives with other relatives	103
6	Child's living arrangements are other or unknown	42
	Total	**12279**

Universe : Applicable if R's 2nd pregnancy resulted in live birth (OUTCOM02 = 1)

LIVCHILD03(5330-5330)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 3rd pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	9800
1	Child lives with R	2279
2	Child is dead	26
3	Child lives with adoptive parents/family	18
4	Child lives with biological father	70
5	Child lives with other relatives	55
6	Child's living arrangements are other or unknown	31
	Total	**12279**

Universe : Applicable if R's 3rd pregnancy resulted in live birth (OUTCOM03 = 1)

LIVCHILD04(5331-5331)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 4th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	10989
1	Child lives with R	1172
2	Child is dead	20
3	Child lives with adoptive parents/family	11
4	Child lives with biological father	41
5	Child lives with other relatives	33
6	Child's living arrangements are other or unknown	13
	Total	**12279**

Universe : Applicable if R's 4th pregnancy resulted in live birth (OUTCOM04 = 1)

LIVCHILD05(5332-5332)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 5th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	11683
1	Child lives with R	543
2	Child is dead	3
3	Child lives with adoptive parents/family	4
4	Child lives with biological father	20
5	Child lives with other relatives	19
6	Child's living arrangements are other or unknown	7
	Total	**12279**

Universe : Applicable if R's 5th pregnancy resulted in live birth (OUTCOM05 = 1)

LIVCHILD06(5333-5333)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 6th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12002
1	Child lives with R	237
2	Child is dead	6
3	Child lives with adoptive parents/family	7
4	Child lives with biological father	11
5	Child lives with other relatives	11
6	Child's living arrangements are other or unknown	5
	Total	**12279**

Universe : Applicable if R's 6th pregnancy resulted in live birth (OUTCOM06 = 1)

LIVCHILD07(5334-5334)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 7th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12162
1	Child lives with R	105
3	Child lives with adoptive parents/family	5
4	Child lives with biological father	2
5	Child lives with other relatives	4
6	Child's living arrangements are other or unknown	1
	Total	**12279**

Universe : Applicable if R's 7th pregnancy resulted in live birth (OUTCOM07 = 1)

LIVCHILD08(5335-5335)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 8th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12213
1	Child lives with R	54
2	Child is dead	3
3	Child lives with adoptive parents/family	2
4	Child lives with biological father	1
5	Child lives with other relatives	5
6	Child's living arrangements are other or unknown	1
	Total	**12279**

Universe : Applicable if R's 8th pregnancy resulted in live birth (OUTCOM08 = 1)

LIVCHILD09(5336-5336)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 9th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12252
1	Child lives with R	19
3	Child lives with adoptive parents/family	2
4	Child lives with biological father	3
5	Child lives with other relatives	1
6	Child's living arrangements are other or unknown	2
	Total	**12279**

Universe : Applicable if R's 9th pregnancy resulted in live birth (OUTCOM09 = 1)

LIVCHILD10(5337-5337)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 10th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12264
1	Child lives with R	13
4	Child lives with biological father	1
6	Child's living arrangements are other or unknown	1
	Total	**12279**

Universe : Applicable if R's 10th pregnancy resulted in live birth (OUTCOM10 = 1)

LIVCHILD11(5338-5338)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 11th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12270
1	Child lives with R	8
3	Child lives with adoptive parents/family	1
	Total	**12279**

Universe : Applicable if R's 11th pregnancy resulted in live birth (OUTCOM11 = 1)

LIVCHILD12(5339-5339)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 12th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12272
1	Child lives with R	7
	Total	**12279**

Universe : Applicable if R's 12th pregnancy resulted in live birth (OUTCOM12 = 1)

LIVCHILD13(5340-5340)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 13th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12275
1	Child lives with R	4
	Total	**12279**

Universe : Applicable if R's 13th pregnancy resulted in live birth (OUTCOM13 = 1)

LIVCHILD14(5341-5341)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 14th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12279
	Total	**12279**

Universe : Applicable if R's 14th pregnancy resulted in live birth (OUTCOM14 = 1)

LIVCHILD15(5342-5342)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 15th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12278
1	Child lives with R	1
	Total	**12279**

Universe : Applicable if R's 15th pregnancy resulted in live birth (OUTCOM15 = 1)

LIVCHILD16(5343-5343)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 16th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12279
	Total	**12279**

Universe : Applicable if R's 16th pregnancy resulted in live birth (OUTCOM16 = 1)

LIVCHILD17(5344-5344)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 17th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12279
	Total	**12279**

Universe : Applicable if R's 17th pregnancy resulted in live birth (OUTCOM17 = 1)

LIVCHILD18(5345-5345)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 18th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12279
	Total	**12279**

Universe : Applicable if R's 18th pregnancy resulted in live birth (OUTCOM18 = 1)

LIVCHILD19(5346-5346)

Variable Type : Recode

Description : Living arrangements of 1st liveborn child from 19th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	12279
	Total	**12279**

Universe : Applicable if R's 19th pregnancy resulted in live birth (OUTCOM19 = 1)

RCURPREG_I(5347-5347)

Variable Type : Imputation flag

Description : RCURPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

PREGNUM_I(5348-5348)

Variable Type : Imputation flag

Description : PREGNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12268
2	LOGICAL IMPUTATION	11
	Total	**12279**

Universe : Applicable for all respondents

COMPREG_I (5349-5349)

Variable Type : Imputation flag

Description : COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12268
2	LOGICAL IMPUTATION	11
	Total	**12279**

Universe : Applicable for all respondents

LOSSNUM_I (5350-5350)

Variable Type : Imputation flag

Description : LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

ABORTION_I (5351-5351)

Variable Type : Imputation flag

Description : ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12273
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	5

	Total	12279

Universe : Applicable for all respondents

LBPREGS_I (5352-5352)

Variable Type : Imputation flag

Description : LBPREGS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

PARITY_I (5353-5353)

Variable Type : Imputation flag

Description : PARITY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

BIRTHS5_I (5354-5354)

Variable Type : Imputation flag

Description : BIRTHS5 Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM01_I (5355-5355)

Variable Type : Imputation flag

Description : OUTCOM01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM02_I (5356-5356)

Variable Type : Imputation flag

Description : OUTCOM02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM03_I (5357-5357)

Variable Type : Imputation flag

Description : OUTCOM03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM04_I (5358-5358)

Variable Type : Imputation flag

Description : OUTCOM04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM05_I (5359-5359)

Variable Type : Imputation flag

Description : OUTCOM05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM06_I (5360-5360)

Variable Type : Imputation flag

Description : OUTCOM06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM07_I (5361-5361)

Variable Type : Imputation flag

Description : OUTCOM07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM08_I (5362-5362)

Variable Type : Imputation flag

Description : OUTCOM08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM09_I (5363-5363)

Variable Type : Imputation flag

Description : OUTCOM09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM10_I (5364-5364)

Variable Type : Imputation flag

Description : OUTCOM10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM11_I (5365-5365)

Variable Type : Imputation flag

Description : OUTCOM11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM12_I (5366-5366)

Variable Type : Imputation flag

Description : OUTCOM12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM13_I (5367-5367)

Variable Type : Imputation flag

Description : OUTCOM13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM14_I (5368-5368)

Variable Type : Imputation flag

Description : OUTCOM14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM15_I (5369-5369)

Variable Type : Imputation flag

Description : OUTCOM15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM16_I (5370-5370)

Variable Type : Imputation flag

Description : OUTCOM16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM17_I (5371-5371)

Variable Type : Imputation flag

Description : OUTCOM17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM18_I (5372-5372)

Variable Type : Imputation flag

Description : OUTCOM18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OUTCOM19_I (5373-5373)

Variable Type : Imputation flag

Description : OUTCOM19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATEND01_I (5374-5374)

Variable Type : Imputation flag

Description : DATEND01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12259
1	MULTIPLE REGRESSION IMPUTATION	20
	Total	**12279**

Universe : Applicable for all respondents

DATEND02_I (5375-5375)

Variable Type : Imputation flag

Description : DATEND02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12268
1	MULTIPLE REGRESSION IMPUTATION	11
	Total	**12279**

Universe : Applicable for all respondents

DATEND03_I (5376-5376)

Variable Type : Imputation flag

Description : DATEND03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12266
1	MULTIPLE REGRESSION IMPUTATION	13
	Total	**12279**

Universe : Applicable for all respondents

DATEND04_I (5377-5377)

Variable Type : Imputation flag

Description : DATEND04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND05_I (5378-5378)

Variable Type : Imputation flag

Description : DATEND05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND06_I (5379-5379)

Variable Type : Imputation flag

Description : DATEND06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND07_I (5380-5380)

Variable Type : Imputation flag

Description : DATEND07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND08_I (5381-5381)

Variable Type : Imputation flag

Description : DATEND08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND09_I (5382-5382)

Variable Type : Imputation flag

Description : DATEND09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

DATEND10_I (5383-5383)

Variable Type : Imputation flag

Description : DATEND10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278

1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND11_I (5384-5384)

Variable Type : Imputation flag

Description : DATEND11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATEND12_I (5385-5385)

Variable Type : Imputation flag

Description : DATEND12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATEND13_I (5386-5386)

Variable Type : Imputation flag

Description : DATEND13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278

value	label		Total
1	MULTIPLE REGRESSION IMPUTATION		1
	Total		**12279**

Universe : Applicable for all respondents

DATEND14_I (5387-5387)

Variable Type : Imputation flag

Description : DATEND14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND15_I (5388-5388)

Variable Type : Imputation flag

Description : DATEND15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND16_I (5389-5389)

Variable Type : Imputation flag

Description : DATEND16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATEND17_I (5390-5390)

Variable Type : Imputation flag

Description : DATEND17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATEND18_I (5391-5391)

Variable Type : Imputation flag

Description : DATEND18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATEND19_I (5392-5392)

Variable Type : Imputation flag

Description : DATEND19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG01_I (5393-5393)

Variable Type : Imputation flag

Description : AGEPRG01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12259
1	MULTIPLE REGRESSION IMPUTATION	20
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG02_I (5394-5394)

Variable Type : Imputation flag

Description : AGEPRG02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12268
1	MULTIPLE REGRESSION IMPUTATION	11
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG03_I (5395-5395)

Variable Type : Imputation flag

Description : AGEPRG03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12266
1	MULTIPLE REGRESSION IMPUTATION	13
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG04_I (5396-5396)

Variable Type : Imputation flag

Description : AGEPRG04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG05_I (5397-5397)

Variable Type : Imputation flag

Description : AGEPRG05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG06_I (5398-5398)

Variable Type : Imputation flag

Description : AGEPRG06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG07_I (5399-5399)

Variable Type : Imputation flag

Description : AGEPRG07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG08_I (5400-5400)

Variable Type : Imputation flag

Description : AGEPRG08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG09_I (5401-5401)

Variable Type : Imputation flag

Description : AGEPRG09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG10_I (5402-5402)

Variable Type : Imputation flag

Description : AGEPRG10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG11_I (5403-5403)

Variable Type : Imputation flag

Description : AGEPRG11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG12_I (5404-5404)

Variable Type : Imputation flag

Description : AGEPRG12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG13_I (5405-5405)

Variable Type : Imputation flag

Description : AGEPRG13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG14_I (5406-5406)

Variable Type : Imputation flag

Description : AGEPRG14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG15_I (5407-5407)

Variable Type : Imputation flag

Description : AGEPRG15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG16_I (5408-5408)

Variable Type : Imputation flag

Description : AGEPRG16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG17_I (5409-5409)

Variable Type : Imputation flag

Description : AGEPRG17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG18_I (5410-5410)

Variable Type : Imputation flag

Description : AGEPRG18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGEPRG19_I (5411-5411)

Variable Type : Imputation flag

Description : AGEPRG19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATCON01_I (5412-5412)

Variable Type : Imputation flag

Description : DATCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12254
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

DATCON02_I (5413-5413)

Variable Type : Imputation flag

Description : DATCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12267
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

DATCON03_I (5414-5414)

Variable Type : Imputation flag

Description : DATCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12263
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

DATCON04_I (5415-5415)

Variable Type : Imputation flag

Description : DATCON04 Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

DATCON05_I (5416-5416)

Variable Type : Imputation flag

Description : DATCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

DATCON06_I (5417-5417)

Variable Type : Imputation flag

Description : DATCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

DATCON07_I (5418-5418)

Variable Type : Imputation flag

Description : DATCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATCON08_I (5419-5419)

Variable Type : Imputation flag

Description : DATCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATCON09_I (5420-5420)

Variable Type : Imputation flag

Description : DATCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

DATCON10_I (5421-5421)

Variable Type : Imputation flag

Description : DATCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATCON11_I (5422-5422)

Variable Type : Imputation flag

Description : DATCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATCON12_I (5423-5423)

Variable Type : Imputation flag

Description : DATCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATCON13_I (5424-5424)

Variable Type : Imputation flag

Description : DATCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATCON14_I (5425-5425)

Variable Type : Imputation flag

Description : DATCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATCON15_I (5426-5426)

Variable Type : Imputation flag

Description : DATCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1

	Total	12279

Universe : Applicable for all respondents

DATCON16_I (5427-5427)

Variable Type : Imputation flag

Description : DATCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

DATCON17_I (5428-5428)

Variable Type : Imputation flag

Description : DATCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

DATCON18_I (5429-5429)

Variable Type : Imputation flag

Description : DATCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279

	Total	12279

Universe : Applicable for all respondents

DATCON19_I (5430-5430)

Variable Type : Imputation flag

Description : DATCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGECON01_I (5431-5431)

Variable Type : Imputation flag

Description : AGECON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12254
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

AGECON02_I (5432-5432)

Variable Type : Imputation flag

Description : AGECON02 Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12267
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

AGECON03_I (5433-5433)

Variable Type : Imputation flag

Description : AGECON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12263
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

AGECON04_I (5434-5434)

Variable Type : Imputation flag

Description : AGECON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

AGECON05_I (5435-5435)

Variable Type : Imputation flag

Description : AGECON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

AGECON06_I (5436-5436)

Variable Type : Imputation flag

Description : AGECON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

AGECON07_I (5437-5437)

Variable Type : Imputation flag

Description : AGECON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGECON08_I (5438-5438)

Variable Type : Imputation flag

Description : AGECON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGECON09_I (5439-5439)

Variable Type : Imputation flag

Description : AGECON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

AGECON10_I (5440-5440)

Variable Type : Imputation flag

Description : AGECON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278

1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGECON11_I (5441-5441)

Variable Type : Imputation flag

Description : AGECON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGECON12_I (5442-5442)

Variable Type : Imputation flag

Description : AGECON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGECON13_I (5443-5443)

Variable Type : Imputation flag

Description : AGECON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278

value	label	Total
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGECON14_I (5444-5444)

Variable Type : Imputation flag

Description : AGECON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGECON15_I (5445-5445)

Variable Type : Imputation flag

Description : AGECON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGECON16_I (5446-5446)

Variable Type : Imputation flag

Description : AGECON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

AGECON17_I (5447-5447)

Variable Type : Imputation flag

Description : AGECON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGECON18_I (5448-5448)

Variable Type : Imputation flag

Description : AGECON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

AGECON19_I (5449-5449)

Variable Type : Imputation flag

Description : AGECON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAROUT01_I (5450-5450)

Variable Type : Imputation flag

Description : MAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12266
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

MAROUT02_I (5451-5451)

Variable Type : Imputation flag

Description : MAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

MAROUT03_I (5452-5452)

Variable Type : Imputation flag

Description : MAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12269
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

MAROUT04_I (5453-5453)

Variable Type : Imputation flag

Description : MAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT05_I (5454-5454)

Variable Type : Imputation flag

Description : MAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT06_I (5455-5455)

Variable Type : Imputation flag

Description : MAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT07_I (5456-5456)

Variable Type : Imputation flag

Description : MAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

MAROUT08_I (5457-5457)

Variable Type : Imputation flag

Description : MAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT09_I (5458-5458)

Variable Type : Imputation flag

Description : MAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT10_I (5459-5459)

Variable Type : Imputation flag

Description : MAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAROUT11_I (5460-5460)

Variable Type : Imputation flag

Description : MAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAROUT12_I (5461-5461)

Variable Type : Imputation flag

Description : MAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAROUT13_I (5462-5462)

Variable Type : Imputation flag

Description : MAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT14_I (5463-5463)

Variable Type : Imputation flag

Description : MAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT15_I (5464-5464)

Variable Type : Imputation flag

Description : MAROUT15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT16_I (5465-5465)

Variable Type : Imputation flag

Description : MAROUT16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MAROUT17_I (5466-5466)

Variable Type : Imputation flag

Description : MAROUT17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAROUT18_I (5467-5467)

Variable Type : Imputation flag

Description : MAROUT18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAROUT19_I (5468-5468)

Variable Type : Imputation flag

Description : MAROUT19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT01_I (5469-5469)

Variable Type : Imputation flag

Description : RMAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12268
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT02_I(5470-5470)

Variable Type : Imputation flag

Description : RMAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT03_I(5471-5471)

Variable Type : Imputation flag

Description : RMAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12269
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT04_I(5472-5472)

Variable Type : Imputation flag

Description : RMAROUT04 Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT05_I (5473-5473)

Variable Type : Imputation flag

Description : RMAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT06_I (5474-5474)

Variable Type : Imputation flag

Description : RMAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT07_I (5475-5475)

Variable Type : Imputation flag

Description : RMAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT08_I (5476-5476)

Variable Type : Imputation flag

Description : RMAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT09_I (5477-5477)

Variable Type : Imputation flag

Description : RMAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT10_I (5478-5478)

Variable Type : Imputation flag

Description : RMAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT11_I (5479-5479)

Variable Type : Imputation flag

Description : RMAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT12_I (5480-5480)

Variable Type : Imputation flag

Description : RMAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT13_I (5481-5481)

Variable Type : Imputation flag

Description : RMAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT14_I (5482-5482)

Variable Type : Imputation flag

Description : RMAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT15_I (5483-5483)

Variable Type : Imputation flag

Description : RMAROUT15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT16_I (5484-5484)

Variable Type : Imputation flag

Description : RMAROUT16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT17_I(5485-5485)

Variable Type : Imputation flag

Description : RMAROUT17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT18_I(5486-5486)

Variable Type : Imputation flag

Description : RMAROUT18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMAROUT19_I(5487-5487)

Variable Type : Imputation flag

Description : RMAROUT19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MARCON01_I (5488-5488)

Variable Type : Imputation flag

Description : MARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12249
1	MULTIPLE REGRESSION IMPUTATION	25
2	LOGICAL IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

MARCON02_I (5489-5489)

Variable Type : Imputation flag

Description : MARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12255
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

MARCON03_I (5490-5490)

Variable Type : Imputation flag

Description : MARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12255
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

MARCON04_I (5491-5491)

Variable Type : Imputation flag

Description : MARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12264
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON05_I (5492-5492)

Variable Type : Imputation flag

Description : MARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	7

	Total	12279

Universe : Applicable for all respondents

MARCON06_I (5493-5493)

Variable Type : Imputation flag

Description : MARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON07_I (5494-5494)

Variable Type : Imputation flag

Description : MARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	7
	Total	**12279**

Universe : Applicable for all respondents

MARCON08_I (5495-5495)

Variable Type : Imputation flag

Description : MARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

MARCON09_I (5496-5496)

Variable Type : Imputation flag

Description : MARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

MARCON10_I (5497-5497)

Variable Type : Imputation flag

Description : MARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON11_I (5498-5498)

Variable Type : Imputation flag

Description : MARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON12_I (5499-5499)

Variable Type : Imputation flag

Description : MARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON13_I (5500-5500)

Variable Type : Imputation flag

Description : MARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON14_I (5501-5501)

Variable Type : Imputation flag

Description : MARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON15_I (5502-5502)

Variable Type : Imputation flag

Description : MARCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON16_I (5503-5503)

Variable Type : Imputation flag

Description : MARCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARCON17_I (5504-5504)

Variable Type : Imputation flag

Description : MARCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MARCON18_I (5505-5505)

Variable Type : Imputation flag

Description : MARCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MARCON19_I (5506-5506)

Variable Type : Imputation flag

Description : MARCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMARCON01_I (5507-5507)

Variable Type : Imputation flag

Description : RMARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12250
1	MULTIPLE REGRESSION IMPUTATION	24
2	LOGICAL IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

RMARCON02_I (5508-5508)

Variable Type : Imputation flag

Description : RMARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12257
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMARCON03_I (5509-5509)

Variable Type : Imputation flag

Description : RMARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12256
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

RMARCON04_I (5510-5510)

Variable Type : Imputation flag

Description : RMARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12265
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

RMARCON05_I (5511-5511)

Variable Type : Imputation flag

Description : RMARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	7
	Total	**12279**

Universe : Applicable for all respondents

RMARCON06_I (5512-5512)

Variable Type : Imputation flag

Description : RMARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272

value	label		Total
1	MULTIPLE REGRESSION IMPUTATION		7
	Total		**12279**

Universe : Applicable for all respondents

RMARCON07_I (5513-5513)

Variable Type : Imputation flag

Description : RMARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	7
	Total	**12279**

Universe : Applicable for all respondents

RMARCON08_I (5514-5514)

Variable Type : Imputation flag

Description : RMARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

RMARCON09_I (5515-5515)

Variable Type : Imputation flag

Description : RMARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

RMARCON10_I (5516-5516)

Variable Type : Imputation flag

Description : RMARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMARCON11_I (5517-5517)

Variable Type : Imputation flag

Description : RMARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMARCON12_I (5518-5518)

Variable Type : Imputation flag

Description : RMARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMARCON13_I (5519-5519)

Variable Type : Imputation flag

Description : RMARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMARCON14_I (5520-5520)

Variable Type : Imputation flag

Description : RMARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMARCON15_I (5521-5521)

Variable Type : Imputation flag

Description : RMARCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMARCON16_I (5522-5522)

Variable Type : Imputation flag

Description : RMARCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

RMARCON17_I (5523-5523)

Variable Type : Imputation flag

Description : RMARCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMARCON18_I (5524-5524)

Variable Type : Imputation flag

Description : RMARCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RMARCON19_I (5525-5525)

Variable Type : Imputation flag

Description : RMARCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

CEBOW_I (5526-5526)

Variable Type : Imputation flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	6
	Total	**12279**

Universe : Applicable for all respondents

CEBOWC_I (5527-5527)

Variable Type : Imputation flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12259
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	7
	Total	**12279**

Universe : Applicable for all respondents

DATBABY1_I (5528-5528)

Variable Type : Imputation flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

AGEBABY1_I (5529-5529)

Variable Type : Imputation flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD01_I (5530-5530)

Variable Type : Imputation flag

Description : LIVCHILD01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD02_I (5531-5531)

Variable Type : Imputation flag

Description : LIVCHILD02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD03_I (5532-5532)

Variable Type : Imputation flag

Description : LIVCHILD03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD04_I (5533-5533)

Variable Type : Imputation flag

Description : LIVCHILD04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD05_I (5534-5534)

Variable Type : Imputation flag

Description : LIVCHILD05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD06_I (5535-5535)

Variable Type : Imputation flag

Description : LIVCHILD06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD07_I (5536-5536)

Variable Type : Imputation flag

Description : LIVCHILD07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD08_I (5537-5537)

Variable Type : Imputation flag

Description : LIVCHILD08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD09_I (5538-5538)

Variable Type : Imputation flag

Description : LIVCHILD09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD10_I (5539-5539)

Variable Type : Imputation flag

Description : LIVCHILD10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD11_I (5540-5540)

Variable Type : Imputation flag

Description : LIVCHILD11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD12_I (5541-5541)

Variable Type : Imputation flag

Description : LIVCHILD12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD13_I (5542-5542)

Variable Type : Imputation flag

Description : LIVCHILD13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD14_I (5543-5543)

Variable Type : Imputation flag

Description : LIVCHILD14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD15_I (5544-5544)

Variable Type : Imputation flag

Description : LIVCHILD15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

LIVCHILD16_I (5545-5545)

Variable Type : Imputation flag

Description : LIVCHILD16 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

LIVCHILD17_I (5546-5546)

Variable Type : Imputation flag

Description : LIVCHILD17 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

LIVCHILD18_I (5547-5547)

Variable Type : Imputation flag

Description : LIVCHILD18 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

LIVCHILD19_I (5548-5548)

Variable Type : Imputation flag

Description : LIVCHILD19 Imputation Flag

value label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

Female File :: Section R :: Section C

FMARNO(5549-5549)

Variable Type : Recode

Description : Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	6745
1	1 TIME	4788
2	2 TIMES	631
3	3 TIMES	103
4	4 TIMES	8
5	5 TIMES	3
6	6 TIMES	1
	Total	**12279**

Universe : Applicable for all respondents

CSPBIOKD(5550-5551)

Variable Type : Recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	8279
0-10	Number of biological children R has had with her current husband or cohabiting partner	4000
	Total	**12279**

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

MARDAT01(5552-5555)

Variable Type : Recode

Description : CM date of R's 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	6745
740-1278	BEFORE JULY 2006	5001
1279-1290	JULY 2006-JUNE 2007	242
1291-1308	JULY 2007-DEC 2008	231
1309-1326	JAN 2009-JUN 2010	60
	Total	**12279**

Universe : Applicable if R has been married at least once (FMARNO > 0)

MARDAT02(5556-5559)

Variable Type : Recode

Description : CM date of R's 2nd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	11533
740-1278	BEFORE JULY 2006	659
1279-1290	JULY 2006-JUNE 2007	40
1291-1308	JULY 2007-DEC 2008	37
1309-1326	JAN 2009-JUN 2010	10
	Total	**12279**

Universe : Applicable if R has been married at least 2 times (FMARNO > 1)

MARDAT03(5560-5563)

Variable Type : Recode

Description : CM date of R's 3rd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	12164
740-1278	BEFORE JULY 2006	96
1279-1290	JULY 2006-JUNE 2007	5
1291-1308	JULY 2007-DEC 2008	11
1309-1326	JAN 2009-JUN 2010	3
	Total	**12279**

Universe : Applicable if R has been married at least 3 times (FMARNO > 2)

MARDAT04(5564-5567)

Variable Type : Recode

Description : CM date of R's 4th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	12267
740-1278	BEFORE JULY 2006	9
1279-1290	JULY 2006-JUNE 2007	2
1309-1326	JAN 2009-JUN 2010	1
	Total	**12279**

Universe : Applicable if R has been married at least 4 times (FMARNO > 3)

MARDAT05(5568-5571)

Variable Type : Recode

Description : CM date of R's 5th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	12275
740-1278	BEFORE JULY 2006	3
1279-1290	JULY 2006-JUNE 2007	1
	Total	**12279**

Universe : Applicable if R has been married at least 5 times (FMARNO > 4)

MARDAT06(5572-5575)

Variable Type : Recode

Description : CM date of R's 6th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	12278
740-1278	BEFORE JULY 2006	1
	Total	**12279**

Universe : Applicable if R has been married at least 6 times (FMARNO > 5)

MARDIS01(5576-5579)

Variable Type : Recode

Description : CM date when R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	10232
740-1278	BEFORE JULY 2006	1735
1279-1290	JULY 2006-JUNE 2007	122
1291-1308	JULY 2007-DEC 2008	136
1309-1326	JAN 2009-JUN 2010	54
	Total	**12279**

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MARDIS02(5580-5583)

Variable Type : Recode

Description : CM date when R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	11950
740-1278	BEFORE JULY 2006	261
1279-1290	JULY 2006-JUNE 2007	20
1291-1308	JULY 2007-DEC 2008	33
1309-1326	JAN 2009-JUN 2010	15
	Total	**12279**

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MARDIS03(5584-5587)

Variable Type : Recode

Description : CM date when R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	12226
740-1278	BEFORE JULY 2006	39
1279-1290	JULY 2006-JUNE 2007	2
1291-1308	JULY 2007-DEC 2008	9
1309-1326	JAN 2009-JUN 2010	3
	Total	**12279**

Universe : Applicable if R has been married more than 3 times (FMARNO > 3) or R's 3rd marriage is not intact (FMARNO =3 and FMARITAL NE 1)

MARDIS04(5588-5591)

Variable Type : Recode

Description : CM date when R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	12270

740-1278	BEFORE JULY 2006	7
1279-1290	JULY 2006-JUNE 2007	1
1309-1326	JAN 2009-JUN 2010	1
	Total	**12279**

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MARDIS05(5592-5595)

Variable Type : Recode

Description : CM date when R's 5th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	12277
740-1278	BEFORE JULY 2006	2
	Total	**12279**

Universe : Applicable if R has been married more than 5 times (FMARNO > 5) or R's 5th marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

MARDIS06(5596-5599)

Variable Type : Recode

Description : CM date when R's 6th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	12278
1291-1308	JULY 2007-DEC 2008	1
	Total	**12279**

Universe : Applicable if R has been married more than 6 times (FMARNO > 6) or R's 6th marriage is not intact (FMARNO = 6 and FMARITAL NE 1)

MAREND01(5600-5600)

Variable Type : Recode

Description : How R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	10232
1	DIVORCED OR ANNULLED	1574
2	SEPARATED	405
3	WIDOWED	68
	Total	**12279**

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MAREND02(5601-5601)

Variable Type : Recode

Description : How R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	11950
1	DIVORCED OR ANNULLED	241
2	SEPARATED	77
3	WIDOWED	11
	Total	**12279**

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MAREND03(5602-5602)

Variable Type : Recode

Description : How R's 3rd marriage ended (RECODE)

value	label	Total

value	label	Total
.	INAPPLICABLE	12226
1	DIVORCED OR ANNULLED	39
2	SEPARATED	11
3	WIDOWED	3
	Total	**12279**

Universe : Applicable if R has been married more than 3 times (FMARNO >3) and R's 3rd marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

MAREND04 (5603-5603)

Variable Type : Recode

Description : How R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	12270
1	DIVORCED OR ANNULLED	5
2	SEPARATED	3
3	WIDOWED	1
	Total	**12279**

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) and R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MAREND05 (5604-5604)

Variable Type : Recode

Description : How R's 5th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	12277
1	DIVORCED OR ANNULLED	2
	Total	**12279**

Universe : Applicable if R has been married more than 5 times (FMARNO > 5) and R's 5th marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

MAREND06(5605-5605)

Variable Type : Recode

Description : How R's 6th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	12278
2	SEPARATED	1
	Total	**12279**

Universe : Applicable if R has been married more than 6 times (FMARNO > 6) and R's 6th marriage is not intact (FMARNO = 6 and FMARITAL NE 1)

FMAR1AGE(5606-5607)

Variable Type : Recode

Description : Age at first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	6745
0-19	UNDER 20 YEARS	1180
20-24	20-24 YEARS	2320
25-29	25-29 YEARS	1453
30-34	30-34 YEARS	443
35-44	35-44 YEARS	138
	Total	**12279**

Universe : Applicable if R has ever been married (FMARITAL NE 5)

AGEDISS1(5608-5609)

Variable Type : Recode

Description : Age at dissolution of first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	10232
0-19	UNDER 20 YEARS	147
20-24	20-24 YEARS	646
25-29	25-29 YEARS	611
30-34	30-34 YEARS	407
35-44	35-44 YEARS	236
	Total	**12279**

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE blank))

AGEDD1(5610-5611)

Variable Type : Recode

Description : Age at divorce or death: 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	10637
0-19	UNDER 20 YEARS	71
20-24	20-24 YEARS	443
25-29	25-29 YEARS	551
30-34	30-34 YEARS	342
35-44	35-44 YEARS	235
	Total	**12279**

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

MAR1DISS(5612-5614)

Variable Type : Recode

Description : Months btw/1st marriage & dissolution (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	6745
0-12	1 YEAR OR LESS	570
13-24	13-24 MONTHS	518
25-36	25-36 MONTHS	476
37-48	37-48 MONTHS	465
49-60	49-60 MONTHS	397
61-995	MORE THAN 5 YEARS	3108
	Total	**12279**

Universe : Applicable if R has ever been married (FMARITAL NE 5)

DD1REMAR(5615-5617)

Variable Type : Recode

Description : Months btw/divorce or death (1st marriage) and remarriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	10637
0-12	1 YEAR OR LESS	339
13-24	13-24 MONTHS	216
25-36	25-36 MONTHS	230
37-48	37-48 MONTHS	144
49-60	49-60 MONTHS	128
61-995	MORE THAN 5 YEARS	585
	Total	**12279**

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

MAR1BIR1(5618-5620)

Variable Type : Recode

Description : Months btw/1st marriage & 1st birth (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	4537
0	LESS THAN 1 MONTH	27
1-12	1-12 MONTHS	1101
13-24	13-24 MONTHS	810
25-36	25-36 MONTHS	559
37-887	MORE THAN 3 YEARS	1599
888	FIRST BIRTH OCCURRED BEFORE FIRST MARRIAGE	3646
	Total	**12279**

Universe : Applicable if R has ever been married (FMARITAL NE 5) or ever had a live birth (PARITY > 0)

MAR1CON1(5621-5623)

Variable Type : Recode

Description : Months btw/1st marriage & 1st conception (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	4021
0	LESS THAN 1 MONTH	107
1-12	1-12 MONTHS	926
13-24	13-24 MONTHS	538
25-36	25-36 MONTHS	369
37-994	MORE THAN 3 YEARS	1089
995	FIRST CONCEPTION BEFORE FIRST MARRIAGE	2505
996	HAS BEEN PREGNANT, BUT HAS NEVER BEEN MARRIED	2724
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

CON1MAR1(5624-5626)

Variable Type : Recode

Description : Months btw/1st conception & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	4021
0	LESS THAN 1 MONTH	1
1-12	1-12 MONTHS	864
13-24	13-24 MONTHS	492
25-36	25-36 MONTHS	462
37-994	MORE THAN 3 YEARS	3410
995	FIRST CONCEPTION AFTER OR IN SAME MONTH AS FIRST MARRIAGE	2309
996	HAS BEEN MARRIED, BUT HAS NEVER BEEN PREGNANT	720
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

B1PREMAR(5627-5627)

Variable Type : Recode

Description : Whether R's first birth was premarital (RECODE)

value	label	Total
.	INAPPLICABLE	5596
1	YES	3646
2	NO	3037
	Total	**12279**

Universe : Applicable if R has ever had a live birth (PARITY > 0)

COHEVER(5628-5628)

Variable Type : Recode

Description : Whether R ever cohabited outside of marriage (RECODE)

value	label	Total
1	YES, EVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	6450
2	NO, NEVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	5829

Total	**12279**

Universe : Applicable for all respondents

EVMARCOH(5629-5629)

Variable Type : Recode

Description : Whether R ever married or cohabited (RECODE)

value	label	Total
1	YES, EVER MARRIED OR COHABITED	8310
2	NO, NEVER MARRIED OR COHABITED	3969
	Total	**12279**

Universe : Applicable for all respondents

PMARRNO(5630-5631)

Variable Type : Recode

Description : Number of premarital cohabitations (RECODE)

value	label	Total
0	None	8942
1	One	3016
2	Two	282
3-HIGH	Three or more	39
	Total	**12279**

Universe : Applicable for all respondents

NONMARR(5632-5633)

Variable Type : Recode

Description : Number of nonmarital cohabitations (RECODE)

value	label	Total
0	None	8098
1	One	2915
2	Two	934
3-HIGH	Three or more	332
	Total	**12279**

Universe : Applicable for all respondents

TIMESCOH(5634-5635)

Variable Type : Recode

Description : Total number of cohabitations (RECODE)

value	label	Total
0	None	5829
1	One	4235
2	Two	1544
3-HIGH	Three or more	671
	Total	**12279**

Universe : Applicable for all respondents

COHAB1(5636-5639)

Variable Type : Recode

Description : Date of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	5829
740-1278	BEFORE JULY 2006	5757
1279-1290	JULY 2006-JUNE 2007	349
1291-1308	JULY 2007-DEC 2008	272
1309-1326	JAN 2009-JUN 2010	72

	Total	12279

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

COHSTAT(5640-5640)

Variable Type : Recode

Description : Cohabitation experience relative to 1st marriage (RECODE)

value	label	Total
1	NEVER COHABITED OUTSIDE OF MARRIAGE	5829
2	FIRST COHABITED BEFORE FIRST MARRIAGE	5988
3	FIRST COHABITED AFTER FIRST MARRIAGE	462
	Total	12279

Universe : Applicable for all respondents

COHOUT(5641-5641)

Variable Type : Recode

Description : Outcome of 1st cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	5829
1	INTACT COHABITATION	875
2	INTACT MARRIAGE	1604
3	DISSOLVED MARRIAGE	1077
4	DISSOLVED COHABITATION	2894
	Total	12279

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

COH1DUR(5642-5644)

Variable Type : Recode

Description : Duration (in months) of R's first cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	5829
0-12	1 YEAR OR LESS	2249
13-24	13-24 MONTHS	1368
25-36	25-36 MONTHS	902
37-48	37-48 MONTHS	560
49-60	49-60 MONTHS	372
61-995	MORE THAN 5 YEARS	999
	Total	**12279**

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

HADSEX(5645-5645)

Variable Type : Recode

Description : Whether R has ever had sexual intercourse with a male (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	10605
2	NO, R NEVER HAD INTERCOURSE	1674
	Total	**12279**

Universe : Applicable for all respondents

SEXONCE(5646-5646)

Variable Type : Recode

Description : Whether R has had sex only once (RECODE)

value	label	Total
.	INAPPLICABLE	1674
1	YES (R HAS HAD SEX ONLY ONCE)	150

| 2 | NO (R HAS HAD SEX MORE THAN ONCE) | 10455 |
| | **Total** | **12279** |

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEXEVER(5647-5647)

Variable Type : Recode

Description : Whether R has ever had sexual intercourse with a male since menarche (RECODE)

value	label	Total
1	YES (R HAS HAD SEX AFTER 1ST PERIOD)	10598
2	NO (NO PERIOD, NO SEX AT ALL, OR NO SEX SINCE 1ST PERIOD)	1681
	Total	**12279**

Universe : Applicable for all respondents

VRY1STAG(5648-5649)

Variable Type : Recode

Description : Age at first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	1674
0-14	UNDER 15 YEARS	1796
15-17	15-17 YEARS	4885
18-19	18-19 YEARS	2116
20-44	20 YEARS OR OLDER	1808
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1AGE(5650-5651)

Variable Type : Recode

Description : Age at first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	1681
0-14	UNDER 15 YEARS	1691
15-17	15-17 YEARS	4954
18-19	18-19 YEARS	2141
20-44	20 YEARS OR OLDER	1812
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

VRY1STSX(5652-5655)

Variable Type : Recode

Description : CM date of first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	1666
522-1278	BEFORE JULY 2006	9876
1279-1290	JULY 2006-JUNE 2007	360
1291-1308	JULY 2007-DEC 2008	291
1309-1326	JAN 2009-JUN 2010	78
9996	RESPONDED SHE NEVER HAD INTERCOURSE (SEE USER'S GUIDE)	8
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

DATESEX1(5656-5659)

Variable Type : Recode

Description : CM date of first intercourse since menarche (RECODE)

value	label	Total

.	INAPPLICABLE	1681
522-1278	BEFORE JULY 2006	9867
1279-1290	JULY 2006-JUNE 2007	359
1291-1308	JULY 2007-DEC 2008	294
1309-1326	JAN 2009-JUN 2010	78
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

FSEXPAGE(5660-5662)

Variable Type : Recode

Description : Age of R's first sexual partner at time of first sex (RECODE)

value	label	Total
.	INAPPLICABLE	1674
0-14	UNDER 15 YEARS	409
15-17	15-17 YEARS	3447
18-19	18-19 YEARS	2541
20-95	20 YEARS OR OLDER	4052
900-995	ESTIMATED AGE	156
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEXMAR(5663-5665)

Variable Type : Recode

Description : Mos btw/1st intercourse (even if before menarche) & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1674
0	FIRST INTERCOURSE IN SAME MONTH AS MARRIAGE	705
1-12	1-12 MONTHS	715

13-24	13-24 MONTHS	718
25-36	25-36 MONTHS	763
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE	7644
996	FIRST INTERCOURSE AFTER FIRST MARRIAGE	60
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1FOR(5666-5668)

Variable Type : Recode

Description : Mos btw/1st intercourse since menarche & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1681
0	SAME MONTH AS MARRIAGE	707
1-12	1-12 MONTHS	722
13-24	13-24 MONTHS	725
25-36	25-36 MONTHS	769
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE AFTER MENARCHE	7613
996	AFTER FIRST MARRIAGE	62
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

SEXUNION(5669-5671)

Variable Type : Recode

Description : Months between 1st intercourse and 1st coresidential union (marriage or cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	1674
000	First intercourse in same month as marriage or cohabitation	929
001-995	1 or more months after first intercourse	9367

996	First intercourse after first marriage or cohabitation	309
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEXOUT(5672-5672)

Variable Type : Recode

Description : Outcome of 1st sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	1674
1	Intact cohabitation	247
2	Intact marriage	1428
3	Dissolved marriage	611
4	Dissolved cohabitation	677
5	Never married or cohabited with 1st sexual partner	7642
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

FPDUR(5673-5675)

Variable Type : Recode

Description : Months between 1st and last/most recent intercourse with 1st partner ever (RECODE)

value	label	Total
.	INAPPLICABLE	1674
0-995	Number of months between first and most recent sex with 1st partner	9407
997	Only had sex once with first partner	1198
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTS1YR(5676-5677)

Variable Type : Recode

Description : Number of opposite-sex partners in last 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	1674
0	NONE	1094
1	1 PARTNER	7940
2	2 PARTNERS	993
3	3 PARTNERS	300
4-95	4 OR MORE PARTNERS	278
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1).

LSEXDATE(5678-5681)

Variable Type : Recode

Description : CM date of last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	1674
740-1278	BEFORE JULY 2006	979
1279-1290	JULY 2006-JUNE 2007	2470
1291-1308	JULY 2007-DEC 2008	3509
1309-1326	JAN 2009-JUN 2010	3647
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

LSEXRAGE(5682-5683)

Variable Type : Recode

Description : R's age at last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	1674
0-17	UNDER 18 YEARS	505
18-19	18-19 YEARS	686
20-24	20-24 YEARS	1946
25-34	25-34 YEARS	4281
35-45	35-44 YEARS	3187
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

lsexpage(5684-5686)

Variable Type : Computed

Description : R's partner's age at last sexual intercourse (for partners in last 12 mos)

value	label	Total
.	INAPPLICABLE	1674
0-14	UNDER 15 YEARS	1
15-17	15-17 YEARS	93
18-19	18-19 YEARS	67
20-95	20 YEARS OR OLDER	135
900-995	ESTIMATED AGE	9750
997	997	559
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide

PARTDUR1(5687-5689)

Variable Type : Recode

Description : Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	1674
0-995	Number of months between first and most recent sex with this partner	10403
997	Only had sex once with partner	202
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTDUR2(5690-5692)

Variable Type : Recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	10708
0-995	Number of months between first and most recent sex with this partner	1490
997	Only had sex once with partner	81
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTDUR3(5693-5695)

Variable Type : Recode

Description : Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	11697
0-995	Number of months between first and most recent sex with this partner	556
997	Only had sex once with partner	26
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP1(5696-5696)

Variable Type : Recode

Description : Relationship at time of 1st sex with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	2768
1	Married to him	748
2	Engaged to him	448
3	Living together in a sexual relationship, but not engaged	456
4	Going out with him or going steady	5335
5	Going out with him once in a while	1051
6	Just friends	1013
7	Had just met him	343
8	Something else	117
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP2(5697-5697)

Variable Type : Recode

Description : Relationship at time of 1st sex with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	10704
1	Married to him	4
2	Engaged to him	17
3	Living together in a sexual relationship, but not engaged	34
4	Going out with him or going steady	595
5	Going out with him once in a while	309
6	Just friends	453

7	Had just met him	111
8	Something else	52
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP3(5698-5698)

Variable Type : Recode

Description : Relationship at time of 1st sex with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	11703
1	Married to him	1
2	Engaged to him	1
3	Living together in a sexual relationship, but not engaged	9
4	Going out with him or going steady	159
5	Going out with him once in a while	113
6	Just friends	201
7	Had just met him	63
8	Something else	29
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

LIFPRTNR(5699-5700)

Variable Type : Recode

Description : Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	NONE	1674
1	1 PARTNER	2264
2	2 PARTNERS	1230

3	3 PARTNERS	1194
4	4 PARTNERS	1003
5	5 PARTNERS	1088
6	6 PARTNERS	641
7	7 PARTNERS	512
8	8 PARTNERS	362
9	9 PARTNERS	195
10-19	10-19 PARTNERS	1338
20-49	20-49 PARTNERS	622
50	50 OR MORE PARTNERS	156
	Total	**12279**

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

FMARNO_I (5701-5701)

Variable Type : Imputation flag

Description : FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

CSPBIOKD_I (5702-5702)

Variable Type : Imputation flag

Description : CSPBIOKD Impuation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
2	LOGICAL IMPUTATION	1

Total	**12279**

Universe : Applicable for all respondents

MARDAT01_I (5703-5703)

Variable Type : Imputation flag

Description : MARDAT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12252
1	MULTIPLE REGRESSION IMPUTATION	27
	Total	**12279**

Universe : Applicable for all respondents

MARDAT02_I (5704-5704)

Variable Type : Imputation flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

MARDAT03_I (5705-5705)

Variable Type : Imputation flag

Description : MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARDAT04_I (5706-5706)

Variable Type : Imputation flag

Description : MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARDAT05_I (5707-5707)

Variable Type : Imputation flag

Description : MARDAT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MARDAT06_I (5708-5708)

Variable Type : Imputation flag

Description : MARDAT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MARDIS01_I (5709-5709)

Variable Type : Imputation flag

Description : MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12250
1	MULTIPLE REGRESSION IMPUTATION	25
2	LOGICAL IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

MARDIS02_I (5710-5710)

Variable Type : Imputation flag

Description : MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

MARDIS03_I (5711-5711)

Variable Type : Imputation flag

Description : MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

MARDIS04_I (5712-5712)

Variable Type : Imputation flag

Description : MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARDIS05_I (5713-5713)

Variable Type : Imputation flag

Description : MARDIS05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

MARDIS06_I (5714-5714)

Variable Type : Imputation flag

Description : MARDIS06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAREND01_I (5715-5715)

Variable Type : Imputation flag

Description : MAREND1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

MAREND02_I (5716-5716)

Variable Type : Imputation flag

Description : MAREND2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAREND03_I (5717-5717)

Variable Type : Imputation flag

Description : MAREND3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAREND04_I (5718-5718)

Variable Type : Imputation flag

Description : MAREND4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAREND05_I (5719-5719)

Variable Type : Imputation flag

Description : MAREND5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

MAREND06_I (5720-5720)

Variable Type : Imputation flag

Description : MAREND6 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

FMAR1AGE_I(5721-5721)

Variable Type : Imputation flag

Description : FMAR1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12253
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	10
	Total	**12279**

Universe : Applicable for all respondents

AGEDISS1_I(5722-5722)

Variable Type : Imputation flag

Description : AGEDISS1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12251
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	14
	Total	**12279**

Universe : Applicable for all respondents

AGEDD1_I (5723-5723)

Variable Type : Imputation flag

Description : AGEDD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12243
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	6
	Total	**12279**

Universe : Applicable for all respondents

MAR1DISS_I (5724-5724)

Variable Type : Imputation flag

Description : MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12241
1	MULTIPLE REGRESSION IMPUTATION	38
	Total	**12279**

Universe : Applicable for all respondents

DD1REMAR_I (5725-5725)

Variable Type : Imputation flag

Description : DD1REMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12238
1	MULTIPLE REGRESSION IMPUTATION	39
2	LOGICAL IMPUTATION	2

	Total
Total	**12279**

Universe : Applicable for all respondents

MAR1BIR1_I (5726-5726)

Variable Type : Imputation flag

Description : MAR1BIR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12250
2	LOGICAL IMPUTATION	29
	Total	**12279**

Universe : Applicable for all respondents

MAR1CON1_I (5727-5727)

Variable Type : Imputation flag

Description : MAR1CON1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12248
2	LOGICAL IMPUTATION	31
	Total	**12279**

Universe : Applicable for all respondents

CON1MAR1_I (5728-5728)

Variable Type : Imputation flag

Description : CON1MAR1 Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12230
1	MULTIPLE REGRESSION IMPUTATION	36
2	LOGICAL IMPUTATION	13
	Total	**12279**

Universe : Applicable for all respondents

B1PREMAR_I (5729-5729)

Variable Type : Imputation flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12260
2	LOGICAL IMPUTATION	19
	Total	**12279**

Universe : Applicable for all respondents

COHEVER_I (5730-5730)

Variable Type : Imputation flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

EVMARCOH_I (5731-5731)

Variable Type : Imputation flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

PMARRNO_I (5732-5732)

Variable Type : Imputation flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

NONMARR_I (5733-5733)

Variable Type : Imputation flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

TIMESCOH_I (5734-5734)

Variable Type : Imputation flag

Description : TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	8
	Total	**12279**

Universe : Applicable for all respondents

COHAB1_I (5735-5735)

Variable Type : Imputation flag

Description : COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12257
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

COHSTAT_I (5736-5736)

Variable Type : Imputation flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12258
2	LOGICAL IMPUTATION	21
	Total	**12279**

Universe : Applicable for all respondents

COHOUT_I (5737-5737)

Variable Type : Imputation flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12259
1	MULTIPLE REGRESSION IMPUTATION	20
	Total	**12279**

Universe : Applicable for all respondents

COH1DUR_I (5738-5738)

Variable Type : Imputation flag

Description : COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12216
1	MULTIPLE REGRESSION IMPUTATION	59
2	LOGICAL IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

HADSEX_I (5739-5739)

Variable Type : Imputation flag

Description : HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

SEXEVER_I (5740-5740)

Variable Type : Imputation flag

Description : SEXEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12247
1	MULTIPLE REGRESSION IMPUTATION	32
	Total	**12279**

Universe : Applicable for all respondents

VRY1STAG_I (5741-5741)

Variable Type : Imputation flag

Description : VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12225
1	MULTIPLE REGRESSION IMPUTATION	38
2	LOGICAL IMPUTATION	16
	Total	**12279**

Universe : Applicable for all respondents

SEX1AGE_I (5742-5742)

Variable Type : Imputation flag

Description : SEX1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12196
1	MULTIPLE REGRESSION IMPUTATION	74
2	LOGICAL IMPUTATION	9
	Total	**12279**

Universe : Applicable for all respondents

VRY1STSX_I (5743-5743)

Variable Type : Imputation flag

Description : VRY1STSX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12110
1	MULTIPLE REGRESSION IMPUTATION	38
2	LOGICAL IMPUTATION	131
	Total	**12279**

Universe : Applicable for all respondents

DATESEX1_I (5744-5744)

Variable Type : Imputation flag

Description : DATESEX1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12061
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	191
	Total	**12279**

Universe : Applicable for all respondents

SEXONCE_I (5745-5745)

Variable Type : Imputation flag

Description : SEXONCE Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

FSEXPAGE_I (5746-5746)

Variable Type : Imputation flag

Description : FSEXPAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12080
1	MULTIPLE REGRESSION IMPUTATION	199
	Total	**12279**

Universe : Applicable for all respondents

SEXMAR_I (5747-5747)

Variable Type : Imputation flag

Description : SEXMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12152
1	MULTIPLE REGRESSION IMPUTATION	127
	Total	**12279**

Universe : Applicable for all respondents

SEX1FOR_I (5748-5748)

Variable Type : Imputation flag

Description : SEX1FOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12100
1	MULTIPLE REGRESSION IMPUTATION	172
2	LOGICAL IMPUTATION	7
	Total	**12279**

Universe : Applicable for all respondents

SEXUNION_I(5749-5749)

Variable Type : Imputation flag

Description : SEXUNION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12133
1	MULTIPLE REGRESSION IMPUTATION	139
2	LOGICAL IMPUTATION	7
	Total	**12279**

Universe : Applicable for all respondents

SEXOUT_I(5750-5750)

Variable Type : Imputation flag

Description : SEXOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

FPDUR_I(5751-5751)

Variable Type : Imputation flag

Description : FPDUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	11933
1	MULTIPLE REGRESSION IMPUTATION	259
2	LOGICAL IMPUTATION	87
	Total	**12279**

Universe : Applicable for all respondents

PARTS1YR_I (5752-5752)

Variable Type : Imputation flag

Description : PARTS1YR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12267
1	MULTIPLE REGRESSION IMPUTATION	12
	Total	**12279**

Universe : Applicable for all respondents

LSEXDATE_I (5753-5753)

Variable Type : Imputation flag

Description : LSEXDATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12209
1	MULTIPLE REGRESSION IMPUTATION	51
2	LOGICAL IMPUTATION	19
	Total	**12279**

Universe : Applicable for all respondents

LSEXRAGE_I (5754-5754)

Variable Type : Imputation flag

Description : LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12209
1	MULTIPLE REGRESSION IMPUTATION	70
	Total	**12279**

Universe : Applicable for all respondents

PARTDUR1_I (5755-5755)

Variable Type : Imputation flag

Description : PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	11803
1	MULTIPLE REGRESSION IMPUTATION	461
2	LOGICAL IMPUTATION	15
	Total	**12279**

Universe : Applicable for all respondents

PARTDUR2_I (5756-5756)

Variable Type : Imputation flag

Description : PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12220
1	MULTIPLE REGRESSION IMPUTATION	31
2	LOGICAL IMPUTATION	28

Total		**12279**

Universe : Applicable for all respondents

PARTDUR3_I (5757-5757)

Variable Type : Imputation flag

Description : PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12245
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	14
	Total	**12279**

Universe : Applicable for all respondents

RELATP1_I (5758-5758)

Variable Type : Imputation flag

Description : RELATP1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	11928
1	MULTIPLE REGRESSION IMPUTATION	351
	Total	**12279**

Universe : Applicable for all respondents

RELATP2_I (5759-5759)

Variable Type : Imputation flag

Description : RELATP2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12250
1	MULTIPLE REGRESSION IMPUTATION	29
	Total	**12279**

Universe : Applicable for all respondents

RELATP3_I(5760-5760)

Variable Type : Imputation flag

Description : RELATP3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12256
1	MULTIPLE REGRESSION IMPUTATION	23
	Total	**12279**

Universe : Applicable for all respondents

LIFPRTNR_I(5761-5761)

Variable Type : Imputation flag

Description : LIFPRTNR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12194
1	MULTIPLE REGRESSION IMPUTATION	85
	Total	**12279**

Universe : Applicable for all respondents

Female File :: Section R :: Sections D&E

STRLOPER(5762-5762)

Variable Type : Recode

Description : Type of sterilization operation "in effect" (RECODE)

value	label	Total
1	TUBAL LIGATION OR STERILIZATION	1609
2	HYSTERECTOMY	205
3	VASECTOMY	466
4	OTHER OPERATION OR TYPE UNKNOWN	45
5	NOT SURGICALLY STERILE	9954
	Total	**12279**

Universe : Applicable for all respondents

tubs(5763-5763)

Variable Type : Intermediate

Description : R currently sterile from tubal ligation

value	label	Total
1	Yes	1650
2	No	10629
	Total	**12279**

Universe : Applicable for all respondents

vasect(5764-5764)

Variable Type : Intermediate

Description : R's H/P currently sterile from vasectomy

value	label	Total
.	INAPPLICABLE	6857
1	Yes	511
2	No	4911

Total	**12279**	

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

hyst(5765-5765)

Variable Type : Intermediate

Description : R currently sterile from hysterectomy

value	label	Total
1	Yes	341
2	No	11938
	Total	**12279**

Universe : Applicable for all respondents

ovarect(5766-5766)

Variable Type : Intermediate

Description : R currently sterile from ovary removal

value	label	Total
1	Yes	134
2	No	12145
	Total	**12279**

Universe : Applicable for all respondents

othr(5767-5767)

Variable Type : Intermediate

Description : R currently sterile from other sterilizing operation

value	label	Total

1	Yes	84
2	No	12195
	Total	**12279**

Universe : Applicable for all respondents

othrm(5768-5768)

Variable Type : Intermediate

Description : R's H/P curr sterile from operation other than vasectomy

value	label	Total
.	INAPPLICABLE	6857
1	Yes	4
2	No	5418
	Total	**12279**

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

FECUND(5769-5769)

Variable Type : Recode

Description : Fecundity status (RECODE)

value	label	Total
1	SURGICALLY STERILE, CONTRACEPTIVE	2177
2	SURGICALLY STERILE, NONCONTRACEPTIVE	148
3	STERILE, NONSURGICAL	227
4	SUBFECUND	1072
5	LONG INTERVAL (INFERTILE FOR 36+ MONTHS)	61
6	FECUND	8594
	Total	**12279**

Universe : Applicable for all respondents

anybc36(5770-5770)

Variable Type : Intermediate

Description : Any method use in 36 months before interview

value	label	Total
1	yes, at least one month of method use	9754
2	no, no months of method use	2525
	Total	**12279**

Universe : Applicable for all respondents

Notes : see recode FECUND for definition of this variable

nosex36(5771-5771)

Variable Type : Intermediate

Description : Any months of NONintercourse in 36 months before interview

value	label	Total
1	no months of non-intercourse (intercourse in all months)	3476
2	one or more months of nonintercourse	8803
	Total	**12279**

Universe : Applicable for all respondents

Notes : see recode FECUND for definition of this variable

INFERT(5772-5772)

Variable Type : Recode

Description : Infertility status (RECODE)

value	label	Total

.	INAPPLICABLE	6857
1	SURGICALLY STERILE	1564
2	INFERTILE	340
3	FECUND	3518
	Total	**12279**

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

anybc12(5773-5773)

Variable Type : Intermediate

Description : Any method use in 12 months before interview

value	label	Total
1	yes, at least one month of method use	9037
2	no, no months of method use	3242
	Total	**12279**

Universe : Applicable for all respondents

Notes : see recode INFERT for definition of this variable

ANYMTHD(5774-5774)

Variable Type : Recode

Description : Ever used any method for any reason (RECODE)

value	label	Total
1	YES	10781
2	NO	1498
	Total	**12279**

Universe : Applicable for all respondents

NOSEX12(5775-5776)

Variable Type : Recode

Description : Number of months of nonintercourse in the 12 months prior to interview (RECODE)

value	label	Total
0	NONE	5212
1	1 MONTH	731
2	2 MONTHS	554
3	3 MONTHS	458
4	4 MONTHS	422
5	5 MONTHS	392
6	6 MONTHS	318
7	7 MONTHS	329
8	8 MONTHS	327
9	9 MONTHS	284
10	10 MONTHS	265
11	11 MONTHS	332
12	12 MONTHS	981
95	NEVER HAD INTERCOURSE	1674
	Total	**12279**

Universe : Applicable for all respondents

SEXP3MO(5777-5777)

Variable Type : Recode

Description : Whether R had sex in past 3 months (from months of nonintercourse series) (RECODE)

value	label	Total
.	INAPPLICABLE	1674
1	YES	8635
2	NO	1970
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX3MO(5778-5778)

Variable Type : Recode

Description : Whether R had sex in past 3 months (from sexual partner dates) (RECODE)

value	label	Total
.	INAPPLICABLE	1674
1	YES	8365
2	NO	2240
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

CONSTAT1(5779-5780)

Variable Type : Recode

Description : Current contraceptive status (1st priority code) (RECODE)

value	label	Total
01	Female sterilization	1809
02	Male sterilization	524
03	Norplant or Implanon implant	44
04	Lunelle (injectable)	12
05	Depo-Provera (injectable)	377
06	Pill	1963
07	Contraceptive Patch	81
08	Contraceptive Ring	174
09	Morning-after pill	8
10	IUD	460
11	Diaphragm (with or w/out jelly or cream)	7
12	(Male) Condom	1338
14	Foam	2
16	Today(TM) Sponge	1
17	Suppository or insert	7

18	Jelly or cream (not with diaphragm)	3
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	14
20	Periodic abstinence: calendar rhythm	79
21	Withdrawal	385
22	Other method	16
30	Pregnant	516
31	Seeking Pregnancy	452
32	Postpartum	104
33	Sterile--nonsurgical--female	188
34	Sterile--nonsurgical--male	37
35	Sterile--surgical--female (noncontraceptive)	49
36	Sterile--surgical--male (noncontraceptive)	1
38	Sterile--unknown reasons-male	1
40	Other nonuser--never had intercourse since first period	1498
41	Other nonuser--has had intercourse, but not in the 3 months prior to interview	1139
42	Other nonuser--had intercourse in the 3 months prior to interview	990
	Total	**12279**

Universe : Applicable for all respondents

CONSTAT2(5781-5782)

Variable Type : Recode

Description : 2nd priority code for current contraceptive status (RECODE)

value label		Total
02	Male sterilization	43
03	Norplant or Implanon implant	1
05	Depo-Provera (injectable)	17
06	Pill	70
07	Contraceptive Patch	2
08	Contraceptive Ring	3
09	Morning-after pill	4
10	IUD	13

11	Diaphragm (with or w/out jelly or cream)	2
12	(Male) Condom	623
13	Female condom/vaginal pouch	3
14	Foam	2
16	Today(TM) Sponge	1
17	Suppository or insert	3
18	Jelly or cream (not with diaphragm)	9
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	14
20	Periodic abstinence: calendar rhythm	52
21	Withdrawal	316
22	Other method	7
33	Sterile--nonsurgical--female	29
34	Sterile--nonsurgical--male	10
38	Sterile--unknown reasons-male	8
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	11047
	Total	**12279**

Universe : Applicable for all respondents

CONSTAT3(5783-5784)

Variable Type : Recode

Description : 3rd priority code for current contraceptive status (RECODE)

value	label	Total
02	Male sterilization	2
06	Pill	1
12	(Male) Condom	14
14	Foam	5
17	Suppository or insert	1
18	Jelly or cream (not with diaphragm)	1
20	Periodic abstinence: calendar rhythm	6
21	Withdrawal	59
22	Other method	1

88	Inapplicable (no 2nd, 3rd, or 4th method reported)	12189
	Total	**12279**

Universe : Applicable for all respondents

CONSTAT4(5785-5786)

Variable Type : Recode

Description : 4th priority code for current contraceptive status (RECODE)

value	label	Total
18	Jelly or cream (not with diaphragm)	4
21	Withdrawal	3
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	12272
	Total	**12279**

Universe : Applicable for all respondents

PILLR(5787-5787)

Variable Type : Recode

Description : Ever used the pill for any reason (RECODE)

value	label	Total
1	YES	8660
2	NO	3619
	Total	**12279**

Universe : Applicable for all respondents

CONDOMR(5788-5788)

Variable Type : Recode

Description : Ever used condom (RECODE)

value	label	Total
.	INAPPLICABLE	1674
1	YES	9857
2	NO	748
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1MTHD1(5789-5790)

Variable Type : Recode

Description : Contraceptive method used at first sex, if any: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	1674
1	Pill	2038
2	Condom	4545
3	Partner's vasectomy	9
5	Withdrawal	437
6	Depo-Provera, injectables	83
7	Implant (Norplant or Implanon)	2
8	Rhythm or safe period by calendar	17
9	Safe period by temperature or cervical mucus test, natural family planning	6
10	Diaphragm	4
11	Female condom, vaginal pouch	1
12	Foam	10
13	Jelly or cream	4
15	Suppository, insert	8
16	Today sponge	15
17	IUD, coil, loop	5
18	Emergency contraception	16
19	Other method	3
20	Respondent sterile (aside from sterilizing operation above)	1
22	Lunelle injectable	2

23	Contraceptive patch	32
24	Contraceptive ring	9
95	Never used a method	106
96	Did not use a method at 1st intercourse	3252
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1MTHD2(5791-5792)

Variable Type : Recode

Description : Contraceptive method used at first sex, if any: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	7670
1	Pill	88
2	Condom	976
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	81
6	Depo-Provera, injectables	30
8	Rhythm or safe period by calendar	7
9	Safe period by temperature or cervical mucus test, natural family planning	4
10	Diaphragm	2
12	Foam	17
13	Jelly or cream	13
15	Suppository, insert	3
16	Today sponge	10
17	IUD, coil, loop	1
18	Emergency contraception	5
21	Respondent's partner sterile (aside from vasectomy above)	1
22	Lunelle injectable	2
23	Contraceptive patch	7
24	Contraceptive ring	2
95	Never used a method	106

| 96 | Did not use a method at 1st intercourse | 3252 |
| | **Total** | **12279** |

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a second method at first sex (mthfstsx2 not blank)

SEX1MTHD3(5793-5794)

Variable Type : Recode

Description : Contraceptive method used at first sex, if any: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	8875
1	Pill	3
2	Condom	3
3	Partner's vasectomy	1
5	Withdrawal	24
6	Depo-Provera, injectables	4
8	Rhythm or safe period by calendar	2
9	Safe period by temperature or cervical mucus test, natural family planning	1
10	Diaphragm	1
12	Foam	2
13	Jelly or cream	1
17	IUD, coil, loop	1
18	Emergency contraception	1
23	Contraceptive patch	2
95	Never used a method	106
96	Did not use a method at 1st intercourse	3252
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a third method at first sex (mthfstsx3 not blank)

SEX1MTHD4(5795-5796)

Variable Type : Recode

Description : Contraceptive method used at first sex, if any: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	8916
8	Rhythm or safe period by calendar	3
13	Jelly or cream	1
18	Emergency contraception	1
95	Never used a method	106
96	Did not use a method at 1st intercourse	3252
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a fourth method at first sex (mthfstsx4 not blank)

MTHUSE12(5797-5798)

Variable Type : Recode

Description : Whether used any contraceptive method at last sex in past 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	2768
1	USED A METHOD	7510
2	DID NOT USE A METHOD	1929
95	NEVER USED A METHOD	72
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 months (PARTS1YR > 0)

METH12M1(5799-5800)

Variable Type : Recode

Description : Contraceptive method used at last sex past 12 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4769
1	Pill	1782
2	Condom	2194
3	Partner's vasectomy	530
4	Female sterilizing operation/tubal ligation	1246
5	Withdrawal	640
6	Depo-Provera injectable	284
7	Implant (Norplant or Implanon)	36
8	Rhythm or safe period by calendar	76
9	Safe period by temperature or cervical mucus test, natural family planning	12
10	Diaphragm	9
11	Female condom, vaginal pouch	1
12	Foam	3
13	Jelly or cream	4
15	Suppository, insert	12
16	Today sponge	2
17	IUD, coil, loop	422
18	Emergency contraception	7
19	Other method	14
20	Respondent sterile (aside from sterilizing operation above)	20
21	Respondent's partner sterile (aside from vasectomy above)	5
22	Lunelle injectable	10
23	Contraceptive patch	67
24	Contraceptive ring	134
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used a method at last sex in the past 12 mons (MTHUSE12 = 1)

METH12M2(5801-5802)

Variable Type : Recode

Description : Contraceptive method used at last sex past 12 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	11084
1	Pill	46
2	Condom	512
3	Partner's vasectomy	37
4	Female sterilizing operation/tubal ligation	149
5	Withdrawal	207
6	Depo-Provera injectable	66
7	Implant (Norplant or Implanon)	4
8	Rhythm or safe period by calendar	42
9	Safe period by temperature or cervical mucus test, natural family planning	9
11	Female condom, vaginal pouch	3
12	Foam	4
13	Jelly or cream	13
15	Suppository, insert	8
16	Today sponge	1
17	IUD, coil, loop	28
18	Emergency contraception	9
19	Other method	3
20	Respondent sterile (aside from sterilizing operation above)	5
21	Respondent's partner sterile (aside from vasectomy above)	2
23	Contraceptive patch	11
24	Contraceptive ring	36
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than one method at last sex in the past 12 mons (mthfstsx2 not blank or EF-2 LSTMTHP2 not blank)

METH12M3(5803-5804)

Variable Type : Recode

Description : Contraceptive method used at last sex past 12 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	12237
2	Condom	2
3	Partner's vasectomy	2
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	21
6	Depo-Provera injectable	1
8	Rhythm or safe period by calendar	9
9	Safe period by temperature or cervical mucus test, natural family planning	1
10	Diaphragm	1
12	Foam	1
15	Suppository, insert	2
24	Contraceptive ring	1
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than two methods at last sex in the past 12 mons (mthfstsx3 not blank or EF-2 LSTMTHP3 not blank)

METH12M4(5805-5805)

Variable Type : Recode

Description : Contraceptive method used at last sex past 12 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	12279
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than three methods at last sex in the past 12 mons (mthfstsx4 not blank or EF-2 LSTMTHP4 not blank)

MTHUSE3(5806-5807)

Variable Type : Recode

Description : Whether used any contraceptive method at last sex in past 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	3907
1	USED A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	6627
2	DID NOT USE A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	1689
95	NEVER USED A METHOD	56
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 months (SEX3MO = 1)

METH3M1(5808-5809)

Variable Type : Recode

Description : Contraceptive method used last sex past 3 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5652
1	Pill	1600
2	Condom	1769
3	Partner's vasectomy	501
4	Female sterilizing operation/tubal ligation	1153
5	Withdrawal	576
6	Depo-Provera, injectables	248
7	Implant (Norplant or Implanon)	33
8	Rhythm or safe period by calendar	73
9	Safe period by temperature or cervical mucus test, natural family planning	11
10	Diaphragm	8
12	Foam	3
13	Jelly or cream	4
15	Suppository, insert	12
16	Todaytm sponge	1
17	IUD, coil, loop	397

18	Emergency contraception	4
19	Other method	14
20	Respondent sterile (aside from sterilizing operation above)	18
21	Respondent's partner sterile (aside from vasectomy above)	5
22	Lunelle injectable	9
23	Contraceptive patch	62
24	Contraceptive ring	126
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a method at last sex in the past 3 mons (MTHUSE3 = 1)

METH3M2(5810-5811)

Variable Type : Recode

Description : Contraceptive method used last sex past 3 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	11281
1	Pill	41
2	Condom	433
3	Partner's vasectomy	31
4	Female sterilizing operation/tubal ligation	122
5	Withdrawal	177
6	Depo-Provera, injectables	50
7	Implant (Norplant or Implanon)	2
8	Rhythm or safe period by calendar	38
9	Safe period by temperature or cervical mucus test, natural family planning	9
11	Female condom, vaginal pouch	2
12	Foam	4
13	Jelly or cream	12
15	Suppository, insert	6
16	Todaytm sponge	1
17	IUD, coil, loop	20

18	Emergency contraception	5
19	Other method	2
20	Respondent sterile (aside from sterilizing operation above)	4
21	Respondent's partner sterile (aside from vasectomy above)	2
23	Contraceptive patch	9
24	Contraceptive ring	28
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a second method at last sex in the past 3 mons (mthfstsx2 not blank or EF-2 LSTMTHP2 not blank)

METH3M3(5812-5813)

Variable Type : Recode

Description : Contraceptive method used last sex past 3 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	12243
2	Condom	1
3	Partner's vasectomy	1
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	19
6	Depo-Provera, injectables	1
8	Rhythm or safe period by calendar	7
9	Safe period by temperature or cervical mucus test, natural family planning	1
10	Diaphragm	1
12	Foam	1
15	Suppository, insert	2
24	Contraceptive ring	1
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a third method at last sex in the past 3 mons (mthfstsx3 not blank or EF-2 LSTMTHP3 not blank)

METH3M4(5814-5814)

Variable Type : Recode

Description : Contraceptive method used last sex past 3 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	12279
	Total	**12279**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a fourth method at last sex in the past 3 mons (mthfstsx4 not blank or EF-2 LSTMTHP4 not blank)

NUMP3MOS(5815-5815)

Variable Type : Recode

Description : Number of male partners in last 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	1674
0	NONE	2247
1	1 PARTNER	7892
2-95	2 OR MORE PARTNERS	466
	Total	**12279**

Universe : Applicable for all respondents

FMETHOD1(5816-5817)

Variable Type : Recode

Description : First method ever used: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	1500

1	Pill	4250
2	Condom	5171
3	Partner's vasectomy	8
4	Female sterilizing operation/tubal ligation	28
5	Withdrawal	547
6	Depo-Provera, injectables	399
7	Implant (Norplant or Implanon)	22
8	Rhythm or safe period by calendar	28
9	Safe period by temperature or cervical mucus test, natural family Planning	12
10	Diaphragm	12
11	Female condom, vaginal pouch	1
12	Foam	14
13	Jelly or cream	7
15	Suppository, insert	14
16	Todaytm sponge	23
17	IUD, coil, loop	89
18	Emergency contraception	21
19	Other method	12
20	Respondent sterile (aside from sterilizing operation above)	4
22	Lunelle injectable	24
23	Contraceptive patch	76
24	Contraceptive ring	17
	Total	**12279**

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1)

FMETHOD2(5818-5819)

Variable Type : Recode

Description : First method ever used: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	11509
1	Pill	74

2	Condom	507
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	96
6	Depo-Provera, injectables	17
7	Implant (Norplant or Implanon)	1
8	Rhythm or safe period by calendar	10
9	Safe period by temperature or cervical mucus test, natural family Planning	4
10	Diaphragm	2
12	Foam	23
13	Jelly or cream	16
15	Suppository, insert	2
16	Todaytm sponge	7
17	IUD, coil, loop	1
18	Emergency contraception	4
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	1
24	Contraceptive ring	2
	Total	**12279**

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 2nd method the first time (EB-1 FIRSMETH2 not blank)

FMETHOD3(5820-5821)

Variable Type : Recode

Description : First method ever used: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	12215
1	Pill	5
2	Condom	5
3	Partner's vasectomy	1
5	Withdrawal	35
6	Depo-Provera, injectables	5

8	Rhythm or safe period by calendar	5
9	Safe period by temperature or cervical mucus test, natural family Planning	1
13	Jelly or cream	2
16	Todaytm sponge	2
17	IUD, coil, loop	1
23	Contraceptive patch	1
24	Contraceptive ring	1
	Total	**12279**

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 3rd method the first time (EB-1 FIRSMETH3 not blank)

FMETHOD4(5822-5823)

Variable Type : Recode

Description : First method ever used: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	12269
2	Condom	1
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	1
8	Rhythm or safe period by calendar	3
12	Foam	1
16	Todaytm sponge	1
18	Emergency contraception	2
	Total	**12279**

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 4th method the first time (EB-1 FIRSMETH4 not blank)

DATEUSE1(5824-5828)

Variable Type : Recode

Description : Date R used first method for the first time (RECODE)

value	label	Total
.	INAPPLICABLE	1780
522-1278	BEFORE JULY 2006	9658
1279-1290	JULY 2006-JUNE 2007	363
1291-1308	JULY 2007-DEC 2008	280
1309-1326	JAN 2009-JUN 2010	84
90000-99999	DATE ESTIMATED	114
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and has ever used a contraceptive method (ANYMTHD = 1)

SOURCEM1(5829-5830)

Variable Type : Recode

Description : Source of method used in month prior to interview (1st method) (RECODE)

value	label	Total
.	INAPPLICABLE	8764
1	Clinic: Title X=yes; health department=yes	184
2	Clinic: Title X=yes; health department=no	230
3	Clinic: Title X=no; health department=yes	8
4	Clinic: Title X=no; health department=no	251
6	Clinic: Title X=no; agency unknown	8
7	Employer or company clinic	9
8	Private doctor's office or HMO	1524
9	Hospital emergency room/regular room/urgent care	29
10	Some other place	84
11	Friend	31
12	Partner or spouse	331
13	Drug store	812
14	Mail order / internet	14

	Total	12279

Universe : Applicable if R was not currently pregnant (currpreg NE 1), R had sex in the month of interview (EC-8 MONSX for month of interview NE 5), R is not sterile (rstrstat NE 1 or 2 and CURRMETHx NE 6) and R used a method in the month before interview that was a drug or device (any lastmonmeth1 = 3,4,6,8,9,12,13,14,15,16,17,18,19,20,24,25, or 26)

SOURCEM2(5831-5832)

Variable Type : Recode

Description : Source of method used in month prior to interview (2nd method) (RECODE)

value	label	Total
.	INAPPLICABLE	11835
1	Clinic: Title X=yes; health department=yes	18
2	Clinic: Title X=yes; health department=no	23
4	Clinic: Title X=no; health department=no	22
6	Clinic: Title X=no; agency unknown	1
7	Employer or company clinic	1
8	Private doctor's office or HMO	70
9	Hospital emergency room/regular room/urgent care	2
10	Some other place	11
11	Friend	4
12	Partner or spouse	87
13	Drug store	202
14	Mail order / internet	3
	Total	**12279**

Universe : Applicable if R was not currently pregnant (currpreg NE 1), R had sex in the month of interview (EC-8 MONSX for month of interview NE 5), R is not sterile (rstrstat NE 1 or 2 and CURRMETHx NE 6) and R used a second method in the month before interview that was a drug or device (any lastmonmeth2 = 3,4,6,8,9,12,13,14,15,16,17,18,19,20,24,25, or 26)

SOURCEM3(5833-5834)

Variable Type : Recode

Description : Source of method used in month prior to interview (3rd method) (RECODE)

value	label	Total
.	INAPPLICABLE	12260
2	Clinic: Title X=yes; health department=no	5
8	Private doctor's office or HMO	4
12	Partner or spouse	2
13	Drug store	8
	Total	**12279**

Universe : Applicable if R was not currently pregnant (currpreg NE 1), R had sex in the month of interview (EC-8 MONSX for month of interview NE 5), R is not sterile (rstrstat NE 1 or 2 and CURRMETHx NE 6) and R used a third method in the month before interview that was a drug or device (any lastmonmeth3 = 3,4,6,8,9,12,13,14,15,16,17,18,19,20,24,25, or 26)

SOURCEM4(5835-5836)

Variable Type : Recode

Description : Source of method used in month prior to interview (4th method) (RECODE)

value	label	Total
.	INAPPLICABLE	12276
13	Drug store	3
	Total	**12279**

Universe : Applicable if R was not currently pregnant (currpreg NE 1), R had sex in the month of interview (EC-8 MONSX for month of interview NE 5), R is not sterile (rstrstat NE 1 or 2 and CURRMETHx NE 6) and R used a fourth method in the month before interview that was a drug or device (any lastmonmeth4 = 3,4,6,8,9,12,13,14,15,16,17,18,19,20,24,25, or 26)

OLDWP01(5837-5837)

Variable Type : Recode

Description : Wantedness of 1st pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4741
1	LATER, OVERDUE	406
2	RIGHT TIME	3051
3	TOO SOON, MISTIMED	1784
4	DIDN'T CARE, INDIFFERENT	115
5	UNWANTED	1631
6	DON'T KNOW, NOT SURE	551
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OLDWP02(5838-5838)

Variable Type : Recode

Description : Wantedness of 2nd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6669
1	LATER, OVERDUE	325
2	RIGHT TIME	2931
3	TOO SOON, MISTIMED	999
4	DIDN'T CARE, INDIFFERENT	93
5	UNWANTED	980
6	DON'T KNOW, NOT SURE	282
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OLDWP03(5839-5839)

Variable Type : Recode

Description : Wantedness of 3rd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	8764
1	LATER, OVERDUE	209
2	RIGHT TIME	1766
3	TOO SOON, MISTIMED	558
4	DIDN'T CARE, INDIFFERENT	48
5	UNWANTED	744
6	DON'T KNOW, NOT SURE	190
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OLDWP04(5840-5840)

Variable Type : Recode

Description : Wantedness of 4th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	10380
1	LATER, OVERDUE	84
2	RIGHT TIME	907
3	TOO SOON, MISTIMED	294
4	DIDN'T CARE, INDIFFERENT	29
5	UNWANTED	471
6	DON'T KNOW, NOT SURE	114
	Total	**12279**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OLDWP05(5841-5841)

Variable Type : Recode

Description : Wantedness of 5th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	11337
1	LATER, OVERDUE	43
2	RIGHT TIME	419
3	TOO SOON, MISTIMED	123
4	DIDN'T CARE, INDIFFERENT	18
5	UNWANTED	269
6	DON'T KNOW, NOT SURE	70
	Total	**12279**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OLDWP06(5842-5842)

Variable Type : Recode

Description : Wantedness of 6th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	11802
1	LATER, OVERDUE	21
2	RIGHT TIME	224
3	TOO SOON, MISTIMED	60
4	DIDN'T CARE, INDIFFERENT	9
5	UNWANTED	131
6	DON'T KNOW, NOT SURE	32
	Total	**12279**

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OLDWP07(5843-5843)

Variable Type : Recode

Description : Wantedness of 7th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12044
1	LATER, OVERDUE	12
2	RIGHT TIME	98
3	TOO SOON, MISTIMED	28
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	76
6	DON'T KNOW, NOT SURE	16
	Total	**12279**

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OLDWP08(5844-5844)

Variable Type : Recode

Description : Wantedness of 8th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12157
1	LATER, OVERDUE	5
2	RIGHT TIME	57
3	TOO SOON, MISTIMED	14
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	34
6	DON'T KNOW, NOT SURE	11
	Total	**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OLDWP09(5845-5845)

Variable Type : Recode

Description : Wantedness of 9th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12222
2	RIGHT TIME	24
3	TOO SOON, MISTIMED	4
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	22
6	DON'T KNOW, NOT SURE	6
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OLDWP10(5846-5846)

Variable Type : Recode

Description : Wantedness of 10th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12244
2	RIGHT TIME	14
3	TOO SOON, MISTIMED	2
5	UNWANTED	13
6	DON'T KNOW, NOT SURE	6
	Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OLDWP11(5847-5847)

Variable Type : Recode

Description : Wantedness of 11th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total

value	label	Total
.	INAPPLICABLE	12257
1	LATER, OVERDUE	1
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	3
5	UNWANTED	8
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OLDWP12(5848-5848)

Variable Type : Recode

Description : Wantedness of 12th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12264
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	1
5	UNWANTED	5
	Total	**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OLDWP13(5849-5849)

Variable Type : Recode

Description : Wantedness of 13th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12270
2	RIGHT TIME	5
3	TOO SOON, MISTIMED	1
5	UNWANTED	1

| 6 | DON'T KNOW, NOT SURE | 2 |
| | **Total** | **12279** |

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OLDWP14(5850-5850)

Variable Type : Recode

Description : Wantedness of 14th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	RIGHT TIME	3
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OLDWP15(5851-5851)

Variable Type : Recode

Description : Wantedness of 15th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	RIGHT TIME	3
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OLDWP16(5852-5852)

Variable Type : Recode

Description : Wantedness of 16th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12276
2	RIGHT TIME	3
	Total	**12279**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

OLDWP17(5853-5853)

Variable Type : Recode

Description : Wantedness of 17th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12277
2	RIGHT TIME	1
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

OLDWP18(5854-5854)

Variable Type : Recode

Description : Wantedness of 18th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12277
2	RIGHT TIME	1
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

OLDWP19(5855-5855)

Variable Type : Recode

Description : Wantedness of 19th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12278
2	RIGHT TIME	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

OLDWR01(5856-5856)

Variable Type : Recode

Description : Wantedness of 1st pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4741
1	LATER, OVERDUE	476
2	RIGHT TIME	2649
3	TOO SOON, MISTIMED	3236
4	DIDN'T CARE, INDIFFERENT	62
5	UNWANTED	1093
6	DON'T KNOW, NOT SURE	22
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OLDWR02(5857-5857)

Variable Type : Recode

Description : Wantedness of 2nd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	6669
1	LATER, OVERDUE	345
2	RIGHT TIME	2680
3	TOO SOON, MISTIMED	1621
4	DIDN'T CARE, INDIFFERENT	47
5	UNWANTED	905
6	DON'T KNOW, NOT SURE	12
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OLDWR03(5858-5858)

Variable Type : Recode

Description : Wantedness of 3rd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	8764
1	LATER, OVERDUE	208
2	RIGHT TIME	1680
3	TOO SOON, MISTIMED	805
4	DIDN'T CARE, INDIFFERENT	42
5	UNWANTED	772
6	DON'T KNOW, NOT SURE	8
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OLDWR04(5859-5859)

Variable Type : Recode

Description : Wantedness of 4th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	10380
1	LATER, OVERDUE	97
2	RIGHT TIME	842
3	TOO SOON, MISTIMED	380
4	DIDN'T CARE, INDIFFERENT	19
5	UNWANTED	552
6	DON'T KNOW, NOT SURE	9
	Total	**12279**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OLDWR05(5860-5860)

Variable Type : Recode

Description : Wantedness of 5th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	11337
1	LATER, OVERDUE	49
2	RIGHT TIME	387
3	TOO SOON, MISTIMED	206
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	284
6	DON'T KNOW, NOT SURE	8
	Total	**12279**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OLDWR06(5861-5861)

Variable Type : Recode

Description : Wantedness of 6th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	11802
1	LATER, OVERDUE	18
2	RIGHT TIME	198
3	TOO SOON, MISTIMED	81
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	169
6	DON'T KNOW, NOT SURE	6
	Total	**12279**

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OLDWR07(5862-5862)

Variable Type : Recode

Description : Wantedness of 7th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12044
1	LATER, OVERDUE	10
2	RIGHT TIME	99
3	TOO SOON, MISTIMED	40
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	80
6	DON'T KNOW, NOT SURE	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OLDWR08(5863-5863)

Variable Type : Recode

Description : Wantedness of 8th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12157
1	LATER, OVERDUE	7
2	RIGHT TIME	48
3	TOO SOON, MISTIMED	20
5	UNWANTED	43
6	DON'T KNOW, NOT SURE	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OLDWR09(5864-5864)

Variable Type : Recode

Description : Wantedness of 9th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12222
1	LATER, OVERDUE	3
2	RIGHT TIME	23
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	24
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OLDWR10(5865-5865)

Variable Type : Recode

Description : Wantedness of 10th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total

value	label	Total
.	INAPPLICABLE	12244
1	LATER, OVERDUE	1
2	RIGHT TIME	14
3	TOO SOON, MISTIMED	5
5	UNWANTED	14
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OLDWR11(5866-5866)

Variable Type : Recode

Description : Wantedness of 11th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12257
1	LATER, OVERDUE	1
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	3
5	UNWANTED	8
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OLDWR12(5867-5867)

Variable Type : Recode

Description : Wantedness of 12th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12264
2	RIGHT TIME	8

value	label	Total
3	TOO SOON, MISTIMED	1
5	UNWANTED	6
	Total	**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OLDWR13(5868-5868)

Variable Type : Recode

Description : Wantedness of 13th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12270
2	RIGHT TIME	6
3	TOO SOON, MISTIMED	1
5	UNWANTED	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OLDWR14(5869-5869)

Variable Type : Recode

Description : Wantedness of 14th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OLDWR15(5870-5870)

Variable Type : Recode

Description : Wantedness of 15th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	1
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OLDWR16(5871-5871)

Variable Type : Recode

Description : Wantedness of 16th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12276
2	RIGHT TIME	1
5	UNWANTED	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

OLDWR17(5872-5872)

Variable Type : Recode

Description : Wantedness of 17th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12277
2	RIGHT TIME	1
5	UNWANTED	1

	Total	12279

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

OLDWR18(5873-5873)

Variable Type : Recode

Description : Wantedness of 18th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12277
3	TOO SOON, MISTIMED	1
5	UNWANTED	1
	Total	12279

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

OLDWR19(5874-5874)

Variable Type : Recode

Description : Wantedness of 19th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	12278
5	UNWANTED	1
	Total	12279

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

WANTRP01(5875-5875)

Variable Type : Recode

Description : Wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4741
1	LATER, OVERDUE	476
2	RIGHT TIME	2649
3	TOO SOON, MISTIMED	3240
4	DIDN'T CARE, INDIFFERENT	62
5	UNWANTED	1089
6	DON'T KNOW, NOT SURE	22
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

WANTRP02(5876-5876)

Variable Type : Recode

Description : Wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	6669
1	LATER, OVERDUE	345
2	RIGHT TIME	2680
3	TOO SOON, MISTIMED	1623
4	DIDN'T CARE, INDIFFERENT	47
5	UNWANTED	903
6	DON'T KNOW, NOT SURE	12
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

WANTRP03(5877-5877)

Variable Type : Recode

Description : Wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	8764
1	LATER, OVERDUE	208
2	RIGHT TIME	1680
3	TOO SOON, MISTIMED	805
4	DIDN'T CARE, INDIFFERENT	42
5	UNWANTED	772
6	DON'T KNOW, NOT SURE	8
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

WANTRP04(5878-5878)

Variable Type : Recode

Description : Wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	10380
1	LATER, OVERDUE	97
2	RIGHT TIME	842
3	TOO SOON, MISTIMED	380
4	DIDN'T CARE, INDIFFERENT	19
5	UNWANTED	552
6	DON'T KNOW, NOT SURE	9
	Total	**12279**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

WANTRP05(5879-5879)

Variable Type : Recode

Description : Wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	11337
1	LATER, OVERDUE	49
2	RIGHT TIME	387
3	TOO SOON, MISTIMED	206
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	284
6	DON'T KNOW, NOT SURE	8
	Total	**12279**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

WANTRP06(5880-5880)

Variable Type : Recode

Description : Wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	11802
1	LATER, OVERDUE	18
2	RIGHT TIME	198
3	TOO SOON, MISTIMED	81
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	169
6	DON'T KNOW, NOT SURE	6
	Total	**12279**

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

WANTRP07(5881-5881)

Variable Type : Recode

Description : Wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12044
1	LATER, OVERDUE	10
2	RIGHT TIME	99
3	TOO SOON, MISTIMED	40
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	80
6	DON'T KNOW, NOT SURE	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

WANTRP08(5882-5882)

Variable Type : Recode

Description : Wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12157
1	LATER, OVERDUE	7
2	RIGHT TIME	48
3	TOO SOON, MISTIMED	20
5	UNWANTED	43
6	DON'T KNOW, NOT SURE	4
	Total	**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

WANTRP09(5883-5883)

Variable Type : Recode

Description : Wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total

value	label	Total
.	INAPPLICABLE	12222
1	LATER, OVERDUE	3
2	RIGHT TIME	23
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	24
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

WANTRP10(5884-5884)

Variable Type : Recode

Description : Wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12244
1	LATER, OVERDUE	1
2	RIGHT TIME	14
3	TOO SOON, MISTIMED	5
5	UNWANTED	14
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

WANTRP11(5885-5885)

Variable Type : Recode

Description : Wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12257

1	LATER, OVERDUE	1
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	3
5	UNWANTED	8
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

WANTRP12(5886-5886)

Variable Type : Recode

Description : Wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12264
2	RIGHT TIME	8
3	TOO SOON, MISTIMED	1
5	UNWANTED	6
	Total	**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

WANTRP13(5887-5887)

Variable Type : Recode

Description : Wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12270
2	RIGHT TIME	6
3	TOO SOON, MISTIMED	1
5	UNWANTED	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

WANTRP14(5888-5888)

Variable Type : Recode

Description : Wantedness of 14th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	2
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

WANTRP15(5889-5889)

Variable Type : Recode

Description : Wantedness of 15th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	1
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

WANTRP16(5890-5890)

Variable Type : Recode

Description : Wantedness of 16th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12276
2	RIGHT TIME	1
5	UNWANTED	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

WANTRP17(5891-5891)

Variable Type : Recode

Description : Wantedness of 17th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12277
2	RIGHT TIME	1
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

WANTRP18(5892-5892)

Variable Type : Recode

Description : Wantedness of 18th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12277
3	TOO SOON, MISTIMED	1
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

WANTRP19(5893-5893)

Variable Type : Recode

Description : Wantedness of 19th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	12278
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

WANTP01(5894-5894)

Variable Type : Recode

Description : Wantedness of 1st pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	4741
1	LATER, OVERDUE	406
2	RIGHT TIME	3053
3	TOO SOON, MISTIMED	1787
4	DIDN'T CARE, INDIFFERENT	119
5	UNWANTED	1632
6	DON'T KNOW, NOT SURE	541
	Total	**12279**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

WANTP02(5895-5895)

Variable Type : Recode

Description : Wantedness of 2nd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	6669

value	label	Total
1	LATER, OVERDUE	326
2	RIGHT TIME	2933
3	TOO SOON, MISTIMED	1000
4	DIDN'T CARE, INDIFFERENT	94
5	UNWANTED	980
6	DON'T KNOW, NOT SURE	277
	Total	**12279**

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

WANTP03(5896-5896)

Variable Type : Recode

Description : Wantedness of 3rd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	8764
1	LATER, OVERDUE	209
2	RIGHT TIME	1767
3	TOO SOON, MISTIMED	558
4	DIDN'T CARE, INDIFFERENT	49
5	UNWANTED	745
6	DON'T KNOW, NOT SURE	187
	Total	**12279**

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

WANTP04(5897-5897)

Variable Type : Recode

Description : Wantedness of 4th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	10380

value	label	Total
1	LATER, OVERDUE	84
2	RIGHT TIME	908
3	TOO SOON, MISTIMED	294
4	DIDN'T CARE, INDIFFERENT	30
5	UNWANTED	472
6	DON'T KNOW, NOT SURE	111
	Total	**12279**

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

WANTP05(5898-5898)

Variable Type : Recode

Description : Wantedness of 5th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	11337
1	LATER, OVERDUE	43
2	RIGHT TIME	419
3	TOO SOON, MISTIMED	123
4	DIDN'T CARE, INDIFFERENT	19
5	UNWANTED	270
6	DON'T KNOW, NOT SURE	68
	Total	**12279**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

WANTP06(5899-5899)

Variable Type : Recode

Description : Wantedness of 6th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	11802

value	label	Total
1	LATER, OVERDUE	21
2	RIGHT TIME	224
3	TOO SOON, MISTIMED	61
4	DIDN'T CARE, INDIFFERENT	10
5	UNWANTED	131
6	DON'T KNOW, NOT SURE	30
	Total	**12279**

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

WANTP07(5900-5900)

Variable Type : Recode

Description : Wantedness of 7th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12044
1	LATER, OVERDUE	13
2	RIGHT TIME	99
3	TOO SOON, MISTIMED	28
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	77
6	DON'T KNOW, NOT SURE	13
	Total	**12279**

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

WANTP08(5901-5901)

Variable Type : Recode

Description : Wantedness of 8th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12157

value	label	Total
1	LATER, OVERDUE	6
2	RIGHT TIME	58
3	TOO SOON, MISTIMED	14
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	34
6	DON'T KNOW, NOT SURE	9
	Total	**12279**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

WANTP09(5902-5902)

Variable Type : Recode

Description : Wantedness of 9th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12222
2	RIGHT TIME	24
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	22
6	DON'T KNOW, NOT SURE	5
	Total	**12279**

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

WANTP10(5903-5903)

Variable Type : Recode

Description : Wantedness of 10th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12244
2	RIGHT TIME	14

	3	TOO SOON, MISTIMED	2
	4	DIDN'T CARE, INDIFFERENT	1
	5	UNWANTED	13
	6	DON'T KNOW, NOT SURE	5
		Total	**12279**

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

WANTP11(5904-5904)

Variable Type : Recode

Description : Wantedness of 11th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12257
1	LATER, OVERDUE	1
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	3
5	UNWANTED	8
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

WANTP12(5905-5905)

Variable Type : Recode

Description : Wantedness of 12th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12264
2	RIGHT TIME	9
3	TOO SOON, MISTIMED	1
5	UNWANTED	5

Total		**12279**

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

WANTP13(5906-5906)

Variable Type : Recode

Description : Wantedness of 13th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12270
2	RIGHT TIME	5
3	TOO SOON, MISTIMED	1
5	UNWANTED	1
6	DON'T KNOW, NOT SURE	2
	Total	**12279**

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

WANTP14(5907-5907)

Variable Type : Recode

Description : Wantedness of 14th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	RIGHT TIME	3
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

WANTP15(5908-5908)

Variable Type : Recode

Description : Wantedness of 15th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12275
2	RIGHT TIME	3
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

WANTP16(5909-5909)

Variable Type : Recode

Description : Wantedness of 16th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12276
2	RIGHT TIME	3
	Total	**12279**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

WANTP17(5910-5910)

Variable Type : Recode

Description : Wantedness of 17th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12277
2	RIGHT TIME	1
5	UNWANTED	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

WANTP18(5911-5911)

Variable Type : Recode

Description : Wantedness of 18th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12277
2	RIGHT TIME	1
6	DON'T KNOW, NOT SURE	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

WANTP19(5912-5912)

Variable Type : Recode

Description : Wantedness of 19th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	12278
2	RIGHT TIME	1
	Total	**12279**

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

WANTP5(5913-5913)

Variable Type : Recode

Description : Number of wanted pregnancies in the last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	7797
0	No wanted pregnancies in last 5 years	643
1-20	1-20 wanted pregnancies in Last 5 years	3839

Total	**12279**

Universe : Applicable if R is currently pregnant (RCURPREG recode = 1) or she has had at least 1 pregnancy within the past 5 years (DATENDnn for R's last completed pregnancy is within 60 months of cmintvw)

STRLOPER_I(5914-5914)

Variable Type : Imputation flag

Description : STRLOPER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

FECUND_I(5915-5915)

Variable Type : Imputation flag

Description : FECUND Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

INFERT_I(5916-5916)

Variable Type : Imputation flag

Description : INFERT Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12258
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	17
	Total	**12279**

Universe : Applicable for all respondents

ANYMTHD_I (5917-5917)

Variable Type : Imputation flag

Description : ANYMTHD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

NOSEX12_I (5918-5918)

Variable Type : Imputation flag

Description : NOSEX12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12201
1	MULTIPLE REGRESSION IMPUTATION	75
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

SEXP3MO_I (5919-5919)

Variable Type : Imputation flag

Description : SEXP3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12219
1	MULTIPLE REGRESSION IMPUTATION	60
	Total	**12279**

Universe : Applicable for all respondents

SEX3MO_I (5920-5920)

Variable Type : Imputation flag

Description : SEX3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12209
1	MULTIPLE REGRESSION IMPUTATION	40
2	LOGICAL IMPUTATION	30
	Total	**12279**

Universe : Applicable for all respondents

CONSTAT1_I (5921-5921)

Variable Type : Imputation flag

Description : CONSTAT1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12251
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	22
	Total	**12279**

Universe : Applicable for all respondents

CONSTAT2_I (5922-5922)

Variable Type : Imputation flag

Description : CONSTAT2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12252
1	MULTIPLE REGRESSION IMPUTATION	27
	Total	**12279**

Universe : Applicable for all respondents

CONSTAT3_I (5923-5923)

Variable Type : Imputation flag

Description : CONSTAT3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12252
1	MULTIPLE REGRESSION IMPUTATION	27
	Total	**12279**

Universe : Applicable for all respondents

CONSTAT4_I (5924-5924)

Variable Type : Imputation flag

Description : CONSTAT4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12252
1	MULTIPLE REGRESSION IMPUTATION	27
	Total	**12279**

Universe : Applicable for all respondents

PILLR_I (5925-5925)

Variable Type : Imputation flag

Description : PILLR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

CONDOMR_I (5926-5926)

Variable Type : Imputation flag

Description : CONDOMR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

SEX1MTHD1_I (5927-5927)

Variable Type : Imputation flag

Description : SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12196
1	MULTIPLE REGRESSION IMPUTATION	40

value	label	Total
2	LOGICAL IMPUTATION	43
	Total	**12279**

Universe : Applicable for all respondents

SEX1MTHD2_I (5928-5928)

Variable Type : Imputation flag

Description : SEX1MTHD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12196
1	MULTIPLE REGRESSION IMPUTATION	34
2	LOGICAL IMPUTATION	49
	Total	**12279**

Universe : Applicable for all respondents

SEX1MTHD3_I (5929-5929)

Variable Type : Imputation flag

Description : SEX1MTHD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12196
1	MULTIPLE REGRESSION IMPUTATION	46
2	LOGICAL IMPUTATION	37
	Total	**12279**

Universe : Applicable for all respondents

SEX1MTHD4_I (5930-5930)

Variable Type : Imputation flag

Description : SEX1MTHD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12196
1	MULTIPLE REGRESSION IMPUTATION	46
2	LOGICAL IMPUTATION	37
	Total	**12279**

Universe : Applicable for all respondents

MTHUSE12_I (5931-5931)

Variable Type : Imputation flag

Description : MTHUSE12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12264
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

METH12M1_I (5932-5932)

Variable Type : Imputation flag

Description : METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12259
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	10
	Total	**12279**

Universe : Applicable for all respondents

METH12M2_I(5933-5933)

Variable Type : Imputation flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12259
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

METH12M3_I(5934-5934)

Variable Type : Imputation flag

Description : METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12259
1	MULTIPLE REGRESSION IMPUTATION	20
	Total	**12279**

Universe : Applicable for all respondents

METH12M4_I(5935-5935)

Variable Type : Imputation flag

Description : METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12259
1	MULTIPLE REGRESSION IMPUTATION	20
	Total	**12279**

Universe : Applicable for all respondents

MTHUSE3_I (5936-5936)

Variable Type : Imputation flag

Description : MTHUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12244
1	MULTIPLE REGRESSION IMPUTATION	32
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

METH3M1_I (5937-5937)

Variable Type : Imputation flag

Description : METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12243
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	6
	Total	**12279**

Universe : Applicable for all respondents

METH3M2_I (5938-5938)

Variable Type : Imputation flag

Description : METH3M2 Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12243
1	MULTIPLE REGRESSION IMPUTATION	35
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

METH3M3_I (5939-5939)

Variable Type : Imputation flag

Description : METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12243
1	MULTIPLE REGRESSION IMPUTATION	36
	Total	**12279**

Universe : Applicable for all respondents

METH3M4_I (5940-5940)

Variable Type : Imputation flag

Description : METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12243
1	MULTIPLE REGRESSION IMPUTATION	36
	Total	**12279**

Universe : Applicable for all respondents

NUMP3MOS_I (5941-5941)

Variable Type : Imputation flag

Description : NUMP3MOS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12213
1	MULTIPLE REGRESSION IMPUTATION	65
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

FMETHOD1_I (5942-5942)

Variable Type : Imputation flag

Description : FMETHOD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12265
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	9
	Total	**12279**

Universe : Applicable for all respondents

FMETHOD2_I (5943-5943)

Variable Type : Imputation flag

Description : FMETHOD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12265
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	6
	Total	**12279**

Universe : Applicable for all respondents

FMETHOD3_I (5944-5944)

Variable Type : Imputation flag

Description : FMETHOD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12265
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	6
	Total	**12279**

Universe : Applicable for all respondents

FMETHOD4_I (5945-5945)

Variable Type : Imputation flag

Description : FMETHOD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12265
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	6
	Total	**12279**

Universe : Applicable for all respondents

DATEUSE1_I (5946-5946)

Variable Type : Imputation flag

Description : DATEUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12161
1	MULTIPLE REGRESSION IMPUTATION	94

value	label	Total
2	LOGICAL IMPUTATION	24
	Total	**12279**

Universe : Applicable for all respondents

SOURCEM1_I (5947-5947)

Variable Type : Imputation flag

Description : SOURCEM1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12166
1	MULTIPLE REGRESSION IMPUTATION	63
2	LOGICAL IMPUTATION	50
	Total	**12279**

Universe : Applicable for all respondents

SOURCEM2_I (5948-5948)

Variable Type : Imputation flag

Description : SOURCEM2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12273
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

SOURCEM3_I (5949-5949)

Variable Type : Imputation flag

Description : SOURCEM3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

SOURCEM4_I (5950-5950)

Variable Type : Imputation flag

Description : SOURCEM4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP01_I (5951-5951)

Variable Type : Imputation flag

Description : OLDWP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12251
1	MULTIPLE REGRESSION IMPUTATION	28
	Total	**12279**

Universe : Applicable for all respondents

OLDWP02_I (5952-5952)

Variable Type : Imputation flag

Description : OLDWP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12266
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

OLDWP03_I (5953-5953)

Variable Type : Imputation flag

Description : OLDWP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	9
	Total	**12279**

Universe : Applicable for all respondents

OLDWP04_I (5954-5954)

Variable Type : Imputation flag

Description : OLDWP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

OLDWP05_I (5955-5955)

Variable Type : Imputation flag

Description : OLDWP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OLDWP06_I (5956-5956)

Variable Type : Imputation flag

Description : OLDWP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

OLDWP07_I (5957-5957)

Variable Type : Imputation flag

Description : OLDWP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OLDWP08_I (5958-5958)

Variable Type : Imputation flag

Description : OLDWP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP09_I (5959-5959)

Variable Type : Imputation flag

Description : OLDWP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP10_I (5960-5960)

Variable Type : Imputation flag

Description : OLDWP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP11_I (5961-5961)

Variable Type : Imputation flag

Description : OLDWP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP12_I(5962-5962)

Variable Type : Imputation flag

Description : OLDWP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP13_I(5963-5963)

Variable Type : Imputation flag

Description : OLDWP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP14_I(5964-5964)

Variable Type : Imputation flag

Description : OLDWP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP15_I (5965-5965)

Variable Type : Imputation flag

Description : OLDWP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP16_I (5966-5966)

Variable Type : Imputation flag

Description : OLDWP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP17_I (5967-5967)

Variable Type : Imputation flag

Description : OLDWP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP18_I (5968-5968)

Variable Type : Imputation flag

Description : OLDWP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWP19_I (5969-5969)

Variable Type : Imputation flag

Description : OLDWP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR01_I (5970-5970)

Variable Type : Imputation flag

Description : OLDWR01 Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12268
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

OLDWR02_I (5971-5971)

Variable Type : Imputation flag

Description : OLDWR02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OLDWR03_I (5972-5972)

Variable Type : Imputation flag

Description : OLDWR03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

OLDWR04_I (5973-5973)

Variable Type : Imputation flag

Description : OLDWR04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

OLDWR05_I (5974-5974)

Variable Type : Imputation flag

Description : OLDWR05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

OLDWR06_I (5975-5975)

Variable Type : Imputation flag

Description : OLDWR06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OLDWR07_I (5976-5976)

Variable Type : Imputation flag

Description : OLDWR07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

OLDWR08_I (5977-5977)

Variable Type : Imputation flag

Description : OLDWR08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR09_I (5978-5978)

Variable Type : Imputation flag

Description : OLDWR09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR10_I (5979-5979)

Variable Type : Imputation flag

Description : OLDWR10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR11_I (5980-5980)

Variable Type : Imputation flag

Description : OLDWR11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR12_I (5981-5981)

Variable Type : Imputation flag

Description : OLDWR12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR13_I (5982-5982)

Variable Type : Imputation flag

Description : OLDWR13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR14_I (5983-5983)

Variable Type : Imputation flag

Description : OLDWR14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR15_I (5984-5984)

Variable Type : Imputation flag

Description : OLDWR15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

OLDWR16_I (5985-5985)

Variable Type : Imputation flag

Description : OLDWR16 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

OLDWR17_I (5986-5986)

Variable Type : Imputation flag

Description : OLDWR17 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

OLDWR18_I (5987-5987)

Variable Type : Imputation flag

Description : OLDWR18 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

OLDWR19_I (5988-5988)

Variable Type : Imputation flag

Description : OLDWR19 Imputation Flag

value label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP01_I (5989-5989)

Variable Type : Imputation flag

Description : WANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12268
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

WANTRP02_I (5990-5990)

Variable Type : Imputation flag

Description : WANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12272
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

WANTRP03_I (5991-5991)

Variable Type : Imputation flag

Description : WANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

WANTRP04_I (5992-5992)

Variable Type : Imputation flag

Description : WANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

WANTRP05_I (5993-5993)

Variable Type : Imputation flag

Description : WANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

WANTRP06_I (5994-5994)

Variable Type : Imputation flag

Description : WANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

WANTRP07_I (5995-5995)

Variable Type : Imputation flag

Description : WANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

WANTRP08_I (5996-5996)

Variable Type : Imputation flag

Description : WANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP09_I (5997-5997)

Variable Type : Imputation flag

Description : WANTRP09Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP10_I (5998-5998)

Variable Type : Imputation flag

Description : WANTRP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP11_I (5999-5999)

Variable Type : Imputation flag

Description : WANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP12_I (6000-6000)

Variable Type : Imputation flag

Description : WANTRP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP13_I (6001-6001)

Variable Type : Imputation flag

Description : WANTRP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP14_I (6002-6002)

Variable Type : Imputation flag

Description : WANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP15_I (6003-6003)

Variable Type : Imputation flag

Description : WANTRP15 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

WANTRP16_I (6004-6004)

Variable Type : Imputation flag

Description : WANTRP16 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

WANTRP17_I (6005-6005)

Variable Type : Imputation flag

Description : WANTRP17 Imputation Flag

value label	Total
0 QUESTIONNAIRE DATA (NOT IMPUTED)	12279
Total	**12279**

Universe : Applicable for all respondents

WANTRP18_I (6006-6006)

Variable Type : Imputation flag

Description : WANTRP18 Imputation Flag

value label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTRP19_I (6007-6007)

Variable Type : Imputation flag

Description : WANTRP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP01_I (6008-6008)

Variable Type : Imputation flag

Description : WANTP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12241
1	MULTIPLE REGRESSION IMPUTATION	38
	Total	**12279**

Universe : Applicable for all respondents

WANTP02_I (6009-6009)

Variable Type : Imputation flag

Description : WANTP02 Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12261
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

WANTP03_I (6010-6010)

Variable Type : Imputation flag

Description : WANTP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12267
1	MULTIPLE REGRESSION IMPUTATION	12
	Total	**12279**

Universe : Applicable for all respondents

WANTP04_I (6011-6011)

Variable Type : Imputation flag

Description : WANTP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12271
1	MULTIPLE REGRESSION IMPUTATION	8
	Total	**12279**

Universe : Applicable for all respondents

WANTP05_I (6012-6012)

Variable Type : Imputation flag

Description : WANTP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

WANTP06_I (6013-6013)

Variable Type : Imputation flag

Description : WANTP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

WANTP07_I (6014-6014)

Variable Type : Imputation flag

Description : WANTP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12275
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	**12279**

Universe : Applicable for all respondents

WANTP08_I (6015-6015)

Variable Type : Imputation flag

Description : WANTP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

WANTP09_I (6016-6016)

Variable Type : Imputation flag

Description : WANTP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

WANTP10_I (6017-6017)

Variable Type : Imputation flag

Description : WANTP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12278
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	**12279**

Universe : Applicable for all respondents

WANTP11_I (6018-6018)

Variable Type : Imputation flag

Description : WANTP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP12_I (6019-6019)

Variable Type : Imputation flag

Description : WANTP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP13_I (6020-6020)

Variable Type : Imputation flag

Description : WANTP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP14_I (6021-6021)

Variable Type : Imputation flag

Description : WANTP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP15_I (6022-6022)

Variable Type : Imputation flag

Description : WANTP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP16_I (6023-6023)

Variable Type : Imputation flag

Description : WANTP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP17_I (6024-6024)

Variable Type : Imputation flag

Description : WANTP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP18_I (6025-6025)

Variable Type : Imputation flag

Description : WANTP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP19_I (6026-6026)

Variable Type : Imputation flag

Description : WANTP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

WANTP5_I (6027-6027)

Variable Type : Imputation flag

Description : WANTP5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12221
1	MULTIPLE REGRESSION IMPUTATION	41
2	LOGICAL IMPUTATION	17
	Total	**12279**

Universe : Applicable for all respondents

Female File :: Section R :: Section F

FPTIT12(6028-6028)

Variable Type : Recode

Description : Type of clinic used for fp services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	10580
1	TITLE X CLINIC	852
2	NON-TITLE X CLINIC	847
	Total	**12279**

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-5 BC12PLCX thru BC12PLCX6 =3,4,6,7 or BC12PLCX14 =3,4,6,7)

FPTITMED(6029-6029)

Variable Type : Recode

Description : Type of clinic used for medical services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	9815
1	TITLE X CLINIC	1156
2	NON-TITLE X CLINIC	1308
	Total	**12279**

Universe : Applicable if R received any medical service from a medical care provider in the last 12 months at a clinic (FA-5 BC12PLCX7 thru BC12PLCX13 = 3,4,6,7 or (FA-4 NUMBCVIS = 1 and BC12PLCX =3,4,6,7)

FPTITSTE(6030-6031)

Variable Type : Recode

Description : Source of services in last 12 months: Sterlization operation (RECODE)

value	label	Total
.	INAPPLICABLE	12081
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	2
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	9
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	35
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	4
8	PRIVATE DOCTOR'S OFFICE OR HMO	38
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	105
10	SOME OTHER PLACE	5
	Total	**12279**

Universe : Applicable if R received a sterilizing operation from a medical care provider in the last 12 months (FA-1e STEROP12 = 1)

FPTITBC(6032-6033)

Variable Type : Recode

Description : Source of services last 12 mos: Method of BC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	8055
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	259
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	383
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	21
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	517
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	19

6	CLINIC: TITLE X=NO AGENCY UNKNOWN	36
7	EMPLOYER OR COMPANY CLINIC	15
8	PRIVATE DOCTOR'S OFFICE OR HMO	2841
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	82
10	SOME OTHER PLACE	51
	Total	**12279**

Universe : Applicable if R received a method of birth control or a prescription for birth control from a medical care provider in the last 12 months (FA-1b BTHCON12 = 1)

FPTITCHK(6034-6035)

Variable Type : Recode

Description : Source of services in last 12 mos: Check-up or test re: BC (RECODE)

value	label	Total
.	INAPPLICABLE	9420
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	202
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	267
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	9
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	352
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	8
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	19
7	EMPLOYER OR COMPANY CLINIC	9
8	PRIVATE DOCTOR'S OFFICE OR HMO	1928
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	42
10	SOME OTHER PLACE	23
	Total	**12279**

Universe : Applicable if R received a check-up or medical test related to using birth control from a medical care provider in the last 12 months (FA-1c MEDTST12 = 1)

FPTITCBC(6036-6037)

Variable Type : Recode

Description : Source of services in last 12 mos: Counseling re BC (RECODE)

value	label	Total
.	INAPPLICABLE	9958
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	172
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	268
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	25
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	349
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	15
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	25
7	EMPLOYER OR COMPANY CLINIC	16
8	PRIVATE DOCTOR'S OFFICE OR HMO	1375
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	40
10	SOME OTHER PLACE	36
	Total	**12279**

Universe : Applicable if R received counseling about birth control from a medical care provider in the last 12 months (Fa-1d BCCNS12 = 1)

FPTITCST(6038-6039)

Variable Type : Recode

Description : Source of services in last 12 mos: Counseling re sterilization (RECODE)

value	label	Total
.	INAPPLICABLE	11887
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	13
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	33
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	55
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	1
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	6
7	EMPLOYER OR COMPANY CLINIC	2
8	PRIVATE DOCTOR'S OFFICE OR HMO	253
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	24

| 10 | SOME OTHER PLACE | 5 |
| | **Total** | **12279** |

Universe : Applicable if R received counseling about getting sterilized from a medical care provider in the last 12 months (FA-1f STCNS12 = 1)

FPTITEC(6040-6041)

Variable Type : Recode

Description : Source of service in last 12 months: EC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	11968
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	25
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	94
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	4
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	55
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	3
7	EMPLOYER OR COMPANY CLINIC	3
8	PRIVATE DOCTOR'S OFFICE OR HMO	64
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	6
10	SOME OTHER PLACE	57
	Total	**12279**

Universe : Applicable if R received emergency contraception from a medical care provider in the last 12 months (FA-1g EMCON12 = 1)

FPTITCEC(6042-6043)

Variable Type : Recode

Description : Source of service in last 12 mos: Counseling or info on EC (RECODE)

value	label	Total
.	INAPPLICABLE	11761

1	CLINIC: TITLE X=YES HEALTH DEPT=YES	52
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	147
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	7
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	113
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	1
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	4
7	EMPLOYER OR COMPANY CLINIC	4
8	PRIVATE DOCTOR'S OFFICE OR HMO	155
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	9
10	SOME OTHER PLACE	26
	Total	**12279**

Universe : Applicable if R received counseling about emergency contraception from a medical care provider in the last 12 months (FA-1h ECCNS12 = 1)

FPTITPRE(6044-6045)

Variable Type : Recode

Description : Source of service in last 12 mos: Pregnancy test (RECODE)

value	label	Total
.	INAPPLICABLE	9773
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	167
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	222
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	26
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	358
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	8
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	32
7	EMPLOYER OR COMPANY CLINIC	19
8	PRIVATE DOCTOR'S OFFICE OR HMO	1400
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	164
10	SOME OTHER PLACE	110
	Total	**12279**

Universe : Applicable if R received a pregnancy test from a medical provider in the last 12 months (FA-3a PRGTST12 = 1)

FPTITABO(6046-6047)

Variable Type : Recode

Description : Source of service in last 12 mos: Abortion (RECODE)

value	label	Total
.	INAPPLICABLE	12142
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	4
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	76
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	4
7	EMPLOYER OR COMPANY CLINIC	1
8	PRIVATE DOCTOR'S OFFICE OR HMO	31
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	6
10	SOME OTHER PLACE	15
	Total	**12279**

Universe : Applicable if R received an abortion from a medical care provider in the last 12 months (FA-3b ABORT12 = 1)

FPTITPAP(6048-6049)

Variable Type : Recode

Description : Source of service in last 12 mos: Pap smear (RECODE)

value	label	Total
.	INAPPLICABLE	4830
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	359
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	510
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	41
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	864
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	29

6	CLINIC: TITLE X=NO AGENCY UNKNOWN	61
7	EMPLOYER OR COMPANY CLINIC	40
8	PRIVATE DOCTOR'S OFFICE OR HMO	5321
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	157
10	SOME OTHER PLACE	67
	Total	**12279**

Universe : Applicable if R received a pap smear from a medical care provider in the last 12 months (FA-3c PAP12 = 1)

FPTITPEL(6050-6051)

Variable Type : Recode

Description : Source of service in last 12 mos: Pelvic exam (RECODE)

value	label	Total
.	INAPPLICABLE	5578
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	283
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	440
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	24
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	736
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	22
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	48
7	EMPLOYER OR COMPANY CLINIC	32
8	PRIVATE DOCTOR'S OFFICE OR HMO	4885
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	175
10	SOME OTHER PLACE	56
	Total	**12279**

Universe : Applicable if R received a pelvic exam from a medical care provider in the last 12 months (FA-3d PELVIC12 = 1)

FPTITPRN(6052-6053)

Variable Type : Recode

Description : Source of service in last 12 mos: Prenatal care (RECODE)

value	label	Total
.	INAPPLICABLE	11350
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	47
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	58
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	3
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	120
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	3
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	4
7	EMPLOYER OR COMPANY CLINIC	2
8	PRIVATE DOCTOR'S OFFICE OR HMO	657
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	25
10	SOME OTHER PLACE	10
	Total	**12279**

Universe : Applicable if R received prenatal care from a medical care provider in the last 12 months (FA-3e PRENAT12 = 1)

FPTITPPR(6054-6055)

Variable Type : Recode

Description : Source of service in last 12 mos: Post-pregnancy care (RECODE)

value	label	Total
.	INAPPLICABLE	11510
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	32
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	44
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	2
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	99
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	1
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	7
7	EMPLOYER OR COMPANY CLINIC	2
8	PRIVATE DOCTOR'S OFFICE OR HMO	532

9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	40
10	SOME OTHER PLACE	10
	Total	**12279**

Universe : Applicable if R received post-pregnancy care from a medical care provider in the last 12 months (FA-3f PARTUM12 = 1)

FPTITSTD(6056-6057)

Variable Type : Recode

Description : Source of service in last 12 mos: Counseling/ test/treat STD (RECODE)

value	label	Total
.	INAPPLICABLE	10049
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	145
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	253
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	12
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	398
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	8
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	20
7	EMPLOYER OR COMPANY CLINIC	21
8	PRIVATE DOCTOR'S OFFICE OR HMO	1260
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	81
10	SOME OTHER PLACE	32
	Total	**12279**

Universe : Applicable if R received counseling for, or been tested or treated for a sexually trasmitted disease by a medical care provider in the last 12 months (FA-3g STDSVC12 = 1)

FPREGFP(6058-6058)

Variable Type : Recode

Description : Title X clinic used for FP svcs: Regular place for care (RECODE)

value	label	Total
.	INAPPLICABLE	11442
1	YES	549
2	NO	288
	Total	**12279**

Universe : Applicable if R received any family planning service at a Title X clinic in the last 12 months (FPTITBC = 1,2,5 or FPTITCHK = 1,2,5 or FPTITCBC = 1,2,5 or FPTITSTE = 1,2,5 or FPTITCST = 1, 2,5 or FPTITEC = 1,2,5 or FPTITCEC = 1, 2,5).

FPREGMED(6059-6059)

Variable Type : Recode

Description : Title X clinic used for med svcs: Regular place for care (RECODE)

value	label	Total
.	INAPPLICABLE	11167
1	YES	731
2	NO	381
	Total	**12279**

Universe : Applicable if R received any medical service at a Title X clinic in the last 12 months (FPTITPRE = 1,2,5 or FPTITABO = 1,2,5 or FPTITPAP = 1, 2,5 or FPTITPEL = 1, 2,5 or FPTITPRN = 1,2,5 or FPTITPPR = 1, 2,5 or FPTITSTD = 1,2,5).

FPTIT12_I(6060-6060)

Variable Type : Imputation flag

Description : FPTIT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

FPTITMED_I(6061-6061)

Variable Type : Imputation flag

Description : FPTITMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

FPTITSTE_I(6062-6062)

Variable Type : Imputation flag

Description : FPTITSTE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12268
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	8
	Total	**12279**

Universe : Applicable for all respondents

FPTITBC_I(6063-6063)

Variable Type : Imputation flag

Description : FPTITBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12113
1	MULTIPLE REGRESSION IMPUTATION	75
2	LOGICAL IMPUTATION	91
	Total	**12279**

Universe : Applicable for all respondents

FPTITCHK_I(6064-6064)

Variable Type : Imputation flag

Description : FPTITCHK Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12174
1	MULTIPLE REGRESSION IMPUTATION	36
2	LOGICAL IMPUTATION	69
	Total	**12279**

Universe : Applicable for all respondents

FPTITCBC_I(6065-6065)

Variable Type : Imputation flag

Description : FPTITCBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12177
1	MULTIPLE REGRESSION IMPUTATION	36
2	LOGICAL IMPUTATION	66
	Total	**12279**

Universe : Applicable for all respondents

FPTITCST_I(6066-6066)

Variable Type : Imputation flag

Description : FPTITCST Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12260
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	12
	Total	**12279**

Universe : Applicable for all respondents

FPTITEC_I(6067-6067)

Variable Type : Imputation flag

Description : FPTITEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12269
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

FPTITCEC_I(6068-6068)

Variable Type : Imputation flag

Description : FPTITCEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12254
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	12
	Total	**12279**

Universe : Applicable for all respondents

FPTITPRE_I(6069-6069)

Variable Type : Imputation flag

Description : FPTITPRE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12147
1	MULTIPLE REGRESSION IMPUTATION	40
2	LOGICAL IMPUTATION	92
	Total	**12279**

Universe : Applicable for all respondents

FPTITABO_I(6070-6070)

Variable Type : Imputation flag

Description : FPTITABO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12246
2	LOGICAL IMPUTATION	33
	Total	**12279**

Universe : Applicable for all respondents

FPTITPAP_I(6071-6071)

Variable Type : Imputation flag

Description : FPTITPAP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12047
1	MULTIPLE REGRESSION IMPUTATION	87
2	LOGICAL IMPUTATION	145
	Total	**12279**

Universe : Applicable for all respondents

FPTITPEL_I(6072-6072)

Variable Type : Imputation flag

Description : FPTITPEL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12101
1	MULTIPLE REGRESSION IMPUTATION	49
2	LOGICAL IMPUTATION	129
	Total	**12279**

Universe : Applicable for all respondents

FPTITPRN_I(6073-6073)

Variable Type : Imputation flag

Description : FPTITPRN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12224
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	50
	Total	**12279**

Universe : Applicable for all respondents

FPTITPPR_I(6074-6074)

Variable Type : Imputation flag

Description : FPTITPPR Imputation Flag

value	label	Total

		value label	Total
0		QUESTIONNAIRE DATA (NOT IMPUTED)	12246
1		MULTIPLE REGRESSION IMPUTATION	8
2		LOGICAL IMPUTATION	25
		Total	**12279**

Universe : Applicable for all respondents

FPTITSTD_I(6075-6075)

Variable Type : Imputation flag

Description : FPTITSTD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12176
1	MULTIPLE REGRESSION IMPUTATION	29
2	LOGICAL IMPUTATION	74
	Total	**12279**

Universe : Applicable for all respondents

FPREGFP_I(6076-6076)

Variable Type : Imputation flag

Description : FPREGFP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12242
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	36
	Total	**12279**

Universe : Applicable for all respondents

FPREGMED_I(6077-6077)

Variable Type : Imputation flag

Description : FPREGMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12257
2	LOGICAL IMPUTATION	22
	Total	**12279**

Universe : Applicable for all respondents

Female File :: Section R :: Section G

INTENT(6078-6078)

Variable Type : Recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R INTENDS TO HAVE (MORE) CHILDREN	6320
2	R DOES NOT INTEND TO HAVE (MORE) CHILDREN	5780
3	R DOES NOT KNOW HER INTENT	179
	Total	**12279**

Universe : Applicable for all respondents

ADDEXP(6079-6081)

Variable Type : Recode

Description : Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	5524
5	.5 ADDITIONAL BIRTHS	46
10	1 ADDITIONAL BIRTH	2342

15	1.5 ADDITIONAL BIRTHS	56
20	2 ADDITIONAL BIRTHS	2732
25	2.5 ADDITIONAL BIRTHS	15
30	3 ADDITIONAL BIRTHS	1030
35	3.5 ADDITIONAL BIRTHS	7
40	4 ADDITIONAL BIRTHS	367
45	4.5 ADDITIONAL BIRTHS	1
50	5 ADDITIONAL BIRTHS	84
55	5.5 ADDITIONAL BIRTHS	1
60	6 ADDITIONAL BIRTHS	46
70	7 ADDITIONAL BIRTHS	4
80	8 ADDITIONAL BIRTHS	8
90	9 ADDITIONAL BIRTHS	5
100-995	10 OR MORE ADDITIONAL BIRTHS	11
	Total	**12279**

Universe : Applicable for all respondents

INTENT_I (6082-6082)

Variable Type : Imputation flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12277
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	**12279**

Universe : Applicable for all respondents

ADDEXP_I (6083-6083)

Variable Type : Imputation flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12241
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	8
	Total	**12279**

Universe : Applicable for all respondents

Female File :: Section R :: Section H

ANYPRGHP(6084-6084)

Variable Type : Recode

Description : Any medical help to become pregnant (RECODE)

value	label	Total
.	INAPPLICABLE	902
1	YES	874
2	NO	10503
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

ANYMSCHP(6085-6085)

Variable Type : Recode

Description : Any medical help to prevent miscarriage (RECODE)

value	label	Total
.	INAPPLICABLE	902
1	YES	534
2	NO	10843
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

INFEVER(6086-6086)

Variable Type : Recode

Description : Ever used infertility services of any kind (RECODE)

value	label	Total
.	INAPPLICABLE	902
1	YES	1243
2	NO	10134
	Total	**12279**

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

OVULATE(6087-6087)

Variable Type : Recode

Description : Infertility services: drugs to improve ovulation (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	368
2	NOT REPORTED	506
	Total	**12279**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

TUBES(6088-6088)

Variable Type : Recode

Description : Infertility services: surgery to correct blocked tubes (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	80
2	NOT REPORTED	794
	Total	**12279**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INFERTR(6089-6089)

Variable Type : Recode

Description : Infertility services: Infertility testing on R (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	438
2	NOT REPORTED	436
	Total	**12279**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INFERTH(6090-6090)

Variable Type : Recode

Description : Infertility services: Infertility testing on H/P (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	362
2	NOT REPORTED	512
	Total	**12279**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

ADVICE(6091-6091)

Variable Type : Recode

Description : Infertility services: Advice (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	655
2	NOT REPORTED	219
	Total	**12279**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INSEM(6092-6092)

Variable Type : Recode

Description : Infertility services: Artificial insemination (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	113
2	NOT REPORTED	761
	Total	**12279**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INVITRO(6093-6093)

Variable Type : Recode

Description : Infertility services: In vitro fertilization or other assisted reproduction (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	49
2	NOT REPORTED	825
	Total	**12279**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

ENDOMET(6094-6094)

Variable Type : Recode

Description : Infertility services: Surgery or drug treatment for endometriosis (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	29
2	NOT REPORTED	845
	Total	12279

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

FIBROIDS(6095-6095)

Variable Type : Recode

Description : Infertility services: Surgery for uterine fibroids (RECODE)

value	label	Total
.	INAPPLICABLE	11405
1	REPORTED	12
2	NOT REPORTED	862
	Total	12279

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

PIDTREAT(6096-6096)

Variable Type : Recode

Description : Ever been treated for PID (RECODE)

value	label	Total

1	YES	572
2	NO	11707
	Total	**12279**

Universe : Applicable for all respondents

EVHIVTST(6097-6097)

Variable Type : Recode

Description : HIV testing experience (RECODE)

value	label	Total
0	NO HIV TEST REPORTED	3345
1	YES, ONLY AS PART OF BLOOD DONATION	1368
2	YES, ONLY OUTSIDE OF BLOOD DONATION	5208
3	YES, IN BOTH CONTEXTS	2358
	Total	**12279**

Universe : Applicable for all respondents

FPTITHIV(6098-6099)

Variable Type : Recode

Description : Source of service in the last 12 mos: HIV test (RECODE)

value	label	Total
.	INAPPLICABLE	9487
01	Clinic: Title X=yes; health department=yes	208
02	Clinic: Title X=yes; health department=no	233
03	Clinic: Title X=no; health department=yes	28
04	Clinic: Title X=no; health department=no	414
05	Clinic: Title X=yes; agency unknown	6
06	Clinic: Title X=no; agency unknown	22
07	Employer or company clinic/worksite	46

08	Private Doctor's office or HMO	1340
09	Hospital emergency room/regular room/urgent care	193
10	Home	68
11	Military site	26
12	Lab or blood bank	149
13	Some other place	59
	Total	**12279**

Universe : Applicable if R received an HIV test (outside of blood donation) in the last 12 months (HE-2 HIVTEST = 1 and cmhivtst GT CMLSTYR)

ANYPRGHP_I(6100-6100)

Variable Type : Imputation flag

Description : ANYPRGHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

ANYMSCHP_I(6101-6101)

Variable Type : Imputation flag

Description : ANYMSCHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

INFEVER_I (6102-6102)

Variable Type : Imputation flag

Description : INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

OVULATE_I (6103-6103)

Variable Type : Imputation flag

Description : OVULATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

TUBES_I (6104-6104)

Variable Type : Imputation flag

Description : TUBES Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

INFERTR_I(6105-6105)

Variable Type : Imputation flag

Description : INFERTR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

INFERTH_I(6106-6106)

Variable Type : Imputation flag

Description : INFERTH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

ADVICE_I(6107-6107)

Variable Type : Imputation flag

Description : ADVICE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3

	Total	12279

Universe : Applicable for all respondents

INSEM_I (6108-6108)

Variable Type : Imputation flag

Description : INSEM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

INVITRO_I (6109-6109)

Variable Type : Imputation flag

Description : INVITRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

ENDOMET_I (6110-6110)

Variable Type : Imputation flag

Description : ENDOMET Imputation Flag

value	label	Total

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

FIBROIDS_I(6111-6111)

Variable Type : Imputation flag

Description : FIBROIDS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12276
1	MULTIPLE REGRESSION IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

PIDTREAT_I(6112-6112)

Variable Type : Imputation flag

Description : PIDTREAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12270
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	3
	Total	**12279**

Universe : Applicable for all respondents

EVHIVTST_I(6113-6113)

Variable Type : Imputation flag

Description : EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12190
1	MULTIPLE REGRESSION IMPUTATION	89
	Total	**12279**

Universe : Applicable for all respondents

FPTITHIV_I(6114-6114)

Variable Type : Imputation flag

Description : FPTITHIV Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12133
1	MULTIPLE REGRESSION IMPUTATION	33
2	LOGICAL IMPUTATION	113
	Total	**12279**

Universe : Applicable for all respondents

Female File :: Section R :: Section I

CURR_INS(6115-6115)

Variable Type : Recode

Description : Current health insurance status

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	6804
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	2464
3	Currently covered by Medicare, military health care, or other government health care	449
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	2562
	Total	**12279**

Universe : Applicable for all respondents

METRO(6116-6116)

Variable Type : Recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	MSA, CENTRAL CITY	5145
2	MSA, OTHER	5296
3	NOT MSA	1838
	Total	**12279**

Universe : Applicable for all respondents

RELIGION(6117-6117)

Variable Type : Recode

Description : Current religious affiliation (RECODE)

value	label	Total
1	NO RELIGION	2351
2	CATHOLIC	3135
3	PROTESTANT	5756
4	OTHER RELIGIONS	1037
	Total	**12279**

Universe : Applicable for all respondents

LABORFOR(6118-6118)

Variable Type : Recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	4871
2	Working part-time	2310
3	Working, but on vacation, strike, or had temporary illness	431
4	Working - maternity or family leave	89
5	Not working but looking for work	723
6	In school	1298
7	Keeping house	1982
8	Caring for family	189
9	Other	386
	Total	**12279**

Universe : Applicable for all respondents. (This variable was recoded for public use.)

CURR_INS_I (6119-6119)

Variable Type : Imputation flag

Description : CURR_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12139
1	MULTIPLE REGRESSION IMPUTATION	140
	Total	**12279**

Universe : Applicable for all respondents

METRO_I (6120-6120)

Variable Type : Imputation flag

Description : METRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12279
	Total	**12279**

Universe : Applicable for all respondents

RELIGION_I (6121-6121)

Variable Type : Imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12250
1	MULTIPLE REGRESSION IMPUTATION	29
	Total	**12279**

Universe : Applicable for all respondents

LABORFOR_I (6122-6122)

Variable Type : Imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12274
1	MULTIPLE REGRESSION IMPUTATION	5
	Total	**12279**

Universe : Applicable for all respondents

Female File :: Section R :: Section J

POVERTY (6123-6125)

Variable Type : Recode

Description : Poverty level income (RECODE)

value	label	Total

000-099 0-99 percent of poverty level		3361
100-199 100-199 percent of poverty level		2994
200-299 200-299 percent of poverty level		2162
300-399 300-399 percent of poverty level		1768
400-499 400-499 percent of poverty level		1145
500 500 percent of poverty level or greater		849
Total		**12279**

Universe : Applicable for all respondents. (This variable was recoded for public use.)

TOTINCR(6126-6127)

Variable Type : Recode

Description : Total income of R's family (RECODE)

value	label	Total
1	Under $5000	660
2	$5000-$7499	502
3	$7500-$9999	527
4	$10,000-$12,499	630
5	$12,500-$14,999	707
6	$15,000-$19,999	758
7	$20,000-$24,999	881
8	$25,000-$29,999	917
9	$30,000-$34,999	823
10	$35,000-$39,999	797
11	$40,000-$49,999	1005
12	$50,000-$59,999	1084
13	$60,000-$74,999	996
14	$75,000 or more	1992
	Total	**12279**

Universe : Applicable for all respondents

PUBASSIS(6128-6128)

Variable Type : Recode

Description : Whether R received public assistance in last calendar year (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR-1])	4503
2	No (did not receive public assistance in [INTERVIEW YEAR-1])	7776
	Total	**12279**

Universe : Applicable for all respondents

POVERTY_I (6129-6129)

Variable Type : Imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10975
1	MULTIPLE REGRESSION IMPUTATION	1304
	Total	**12279**

Universe : Applicable for all respondents

TOTINCR_I (6130-6130)

Variable Type : Imputation flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	10975
1	MULTIPLE REGRESSION IMPUTATION	1304
	Total	**12279**

Universe : Applicable for all respondents

PUBASSIS_I(6131-6131)

Variable Type : Imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	11890
1	MULTIPLE REGRESSION IMPUTATION	389
	Total	**12279**

Universe : Applicable for all respondents