PG 26 OF

PG 270F

									:		,		, [
VESSEL NOAA Ship MILLER FREEMAN	FREEMAN		<u>r</u> z	PROJECT & LEG MF-00-06	EG	DSDB I.D.	31.D.		STATIC	STATION DESIGNATION	NATION		
CONSC LATTITION		JG ECNO	TAC	<u>ا</u> غ	TIME	DRY BULB	34U823A4	SEA STATE YTUBISILITY	ONIW ONE	NEATHER	BOTTOM	STA.	٥
18		╢╼╟	:	¥ Q	H M	<u></u>		1.1	(s/m) (beb)	L .	╢╄		, T
0275654	654.34N169	6948.13W	3 W D T	MAY 0 0	01245	<u>0</u>	1.5	0 2 2 1	01507	798	80		
SBE 9+ 01660	560 TIMES	L/Or	JD/TIME		(1)	Õ	DATA LOCATION	NO		REMARKS	S		
PRESS SN 29772	72. DATA ON.	z		ı	Tape/Diskette ID	QI ette	File N	File Name/Header	ler	South States	2 - M	Dottom - 50 - 40 - 30	ļ
PRITEMP SN 889	START DOWN	NWOC	,				TO TO	GTD 627		-29	-0-11	-20/-0-10 Due to	to Deck oni
SEC TEMP SN 884		E		1		, ;				Clean	ed air bl	Cleaned air bleed valve	
PRI COND SN 480	10 AT SURFACE	-ACE							1	MAX. DEPTH =	PTH =	p12	i,
SEC COND SN 5	530 PAR	PAR S/N 4242		FLUOR S/N 153	S/N 153		Chiam S/N 109	S/N 109		·			(s
POS TRIP		യാ	NVERTE	CTD CONVERTED MONITOR VALUES	NALUES .			SAMPL	SAMPLE BOTTLE	SAM	LE BOTT	SAMPLE BOTTLE NUMBER	50
DEPTH							:	Ω	DATA	ļ	90		3) H
	PPESSURE	PRI.TEMP	EMP.	SEC	SEC. TEMP	SA	SALINITY	SAI	SALINITY	SAL.	NUTR.	CHL	WHIT'S WILL CO
1 EDITOR	. 129					***				90		151	150r
2 50												149	2
3 40	^											7.	1486
4 30							,					<i>h'</i>	724
5 20					•							79/1	7
9		,		SIV.		\(\frac{1}{2}\)	- X					ž	7
7 0	*					20	i J					144	_1
8													
6	ži.											3	
10													_
-		4											
12									E			,	\neg
								-					

PG 280F

											1			-		
VESSEL	ቯ				<u>t</u>	PROJECT & LEG	ប្ដ	O'I BOSO	3 i.D.		<u>.s.</u>	STATION DESIGNATION	SIGNA	NO NO NO		
\$ 0	4 Ship MILL	NOAA Ship MILLER FREEMAN	7		<u>_</u> [MF-00-06										
					70					3TA1		(tms) C	님			
CAST #		LATITUDE	PIONG	LONGITUDE	DATE J	å	TIME (GMT)	ORY BULB	WET BULB	PRESSI SEA ST	WIND WIND DIRN. SPD.	_	WEATH	ВОТТОМ	STA. NAME/ID	4 U
	(5	MIN	980	H	卜	W Y	NEW PER	(j)			1 1		1.1	Œ	-	
20	495820	41.05N	101	2.40 W Q	1	MAY 0 0	1494	2.	S	18273	3050	999	7	101		
SBE 9+	'	91660	TIMES	JD/TIME	ME			۵	DATA LOCATION	NOL		REM	REMARKS			4
PRESS SN	ı	29772	DATA ON.				Tape/Diskette ID	otte ID	File J	File Name/Header	ıder	. !				
PRIT	PRI TEMP SN	889	START DOWN	N.			10		J	TDGZ	07					
SECT	SEC TEMP SN 884	384	АТ ОЕРТН									\ <u>\\\</u> \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	leaned	Cleaned air bleed valve	d valve	
7	PRI COND SN	480	AT SURFACE	ا س		· \						MAX	MAX. DEPTH =	P = 4	h	٤
SEC.	SEC COND SN	530 %	PAR S/N 4242	1 4242		FLUOR S/N 153	S/N 153		Chiam	ChiAM S/N 109		·				
ষ্	TIFIT			വാ	WEATE	CTD CONVERTED MONITOR VALUES	VALUES			SAME	SAMPLE BOTTLE		AMPLE	SAMPLE BOTTLE NUMBER	NUMBE	e:
	SEPTH SEPTH			:	:	:			:		DATA		0	IJ		
		PRESSURE	3.RE	PRI. TEMP.	Œ.	SEC. TEMP	EMP	SAI	SALINITY	<i>ග</i>	SALINITY	SAL		NUTR. CHL		WHIT'S NUTR.
1.	Batton					+6						20	10		//	1881
2	.5														8	753
ဗ	50					¥		-					\dashv		*	79.5
4	40			٨			33 -	-				İ				556
ß	33											_			-	7 4.5
9	20		ं ई	2		<i>P</i>				· i		-	_		λ	237
7.	(0				•	I									Λ,	52 4
8	0													_	4.	1151
6			,		·						*				-	
10													1			T
Ξ				ii e									\dashv	\dashv	1	
12													\dashv	\dashv	-	

1000															
VESSEL NOAA Ship MILLER FREEMAN	ER FREEMAN			<u>-</u> -	MF-00-06	5	USDB I.D.	31.D.		.,	STATION	STATION DESIGNATION	NATION		
CONSC CAST # LA	LATITUDE	CONGITUDE		DATE	=Or	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE VISIBILITY	WIND V	WIND CLOUD (amt)	A3HTA3W	ВОТТОМ	STA. NAME/ID	A. E/ID
83	NIN.	╽┟	_	DAY	W OW	HP MIN	္မ	(S)	I.	(deg)	. (s/m)		(m)	-	
029562	2 	1001	3.25w	=1	MAY 0 0	8011	ν) •	1.5	176	300	09	896			
SBE 9+		TIMES	JD/TIME	ME.			۵	DATA LOCATION	NOL		<u> </u>	REMARKS	10		
PRESS SN	29772	DATA ON.				Tape/Diskette ID	itte ID	File	File Name/Header	ader	<u>.</u> .				ļ
PRITEMP SN 889	889	START DOWN	z					CT	D029	6	·				
SEC TEMP SN 884	384	АТ ОЕРТН								<u> </u>	ر د	Cleane	Cleaned air bleed valve	ed valve	6
PRI COND SN	480	AT SURFACE									_≥	MAX. DEPTH =	_	901	٤
SEC COND SN	530	PAR S/N 4242	4242		V FLUOR S/N 153	S/N 153		CHIAM S/N 109	S/N 109						
POS TRIP DEPTH			CID COD	WERTE	CTD CONVERTED MONITOR VALUES	VALUES			SAN	SAMPLE BOTTLE DATA	<u> </u>	SAMP	SAMPLE BOTTLE NUMBER	NOWB	8
-)		
	ad issaed		PRI TEMP.	ئے	SEC. TEMP	d	SA	SALINITY		SALINITY		IAS	- E	유 	WHIT'S NOTR.
T. Bottem	-											0	ļ		7 291
2 100														7	7 991
8 2														1/6	7 591
4 N						Ìχ								7	7 49
5 40														79	636
6 30		.69			Ē	7 1 2003 1000	K							2	1779
02 1															7 191
8										125				2/	70)
0								2						**	1596
10												,			
11									\$1 					\dashv	
12	25040		,		ļ										

<u> </u>	····				-				1		Mis Les	#					, 1		.1	>	lower t	神
	STA. NAME/ID					lve	ε		MBER	WHIT'S NUTR.	1786	7+41	176 6	175 L	1416	173 L	1726	171	120 L	7691	168F	
				3		leed va	234		TLENU	됨												ı
NATION	воттом рертн	(m)	S	0/2 = 0/M	1	ed air t	PTH = °		SAMPLE BOTTLE NUMBER	NUTR												
STATION DESIGNATION	WEATHER TYPE TYPE TYPE TYPE TYPE TYPE TYPE TYPE	. 2	REMARKS	M	. \	Cleaned air bleed valve	MAX. DEPTH = 23		SAME	SAL.	8											
STATION	WIND CHES	© 00	<u>«</u>	, i			_≥_		2													
0,	WIND 1	(g) (Z)		der	6				SAMPLE BOTTLE DATA	SALINITY										:		
	SEA STATE VISIBILITY	. 2)	-	File Name/Header	050 (4 109	SAMP	3				,								
	3HUSS3HH	Q 6	САТІОР	ile Nar	95			ChIAM S/N 109														
DSDB I.D.	WET BULB	(C) (A)	DATA LOCATION	ш.		 	` 	\ <u>\$</u>		SALINITY												
osa	DRY BULB	S 3.5 5.5	Ω	D et						8						75						
PROJECT & LEG		MIN 4		Tape/Diskette ID			:	, p	ဖွ							7	•					
	TIME (GMT)	£ 5		Tape/				S/N 15	VALUE	SEC. TEMP												
		Y 0 0				`	\	V FLUOR S/N 153	CTD CONVERTED MONITOR VALUES	SE						<i>;</i> .						
	DATE JD=	7 MAY	ŀ					2	RIEDM													
	[AG	7 w G 7	JD/TIME				:		CONVE	PRI. TEMP.				!							- 4	
	ZOE		7	ļ	START DOWN	AT DEPTH	ļ 	4242	E E	<u>8</u>				,								ĺ
	LONGITUDE	9 4 1	S	DATA ON.			AT SURFACE	PAR S/N 4242								18		-	,			
- 3		N - BB	TIMES	DAT,	STA	ATD	ATS	3	1	PRESSURE												
VESSEL NOAA Ship MILLER FREEMAN	UDE	MN DEG 1 5.6 4 N 1 6 9 4	09	.72	3		0	530		E												
WILLER	LATITUDE		91660	29772	988 N	SEC TEMP SN 884	SN 4R0		르른	<u> </u>	ş	0	٥		75	Ö		0	0	~	<i>⊈</i>	
SEL A Ship I	CAST#	03056	+6	PRESS SN	PRI TEMP SN	TEMP	PRI COND SN	SEC COND SN	PETER	, . <u>.</u>	Bollan	200	150	100	1 2	50	0h	30	20	10	9	+1 _{1/2+1}
VESSEL NOAA S	CAST #	0	SBE 9+	PR	PH	SEC	<u>P</u>	SEC	& S		; <u> </u>	8	က	4	2	9	7	ھ	6	10	=	1.0