ことと

VESSEL CTD CAST# POS. SEC COND SN SEC TEMP SN PRI COND SN PRI TEMP SN PRESS SN NOAA R/V OSCAR DYSON TYPE & SN 00656 12 10 o) ဟ 9 œ w DEPTH (m) TRIP 4C S/N 2489 9+ S/N 0772 3+ S/N 2786 4C S/N 2985 3+ S/N 2376 LATITUDE SAMPLE BOTTLE NUMBER Nove. 43 N 16238.86W05 JUN07 START DOWN DATA ON AT DEPTH TIMES AT SURFACE DEG × LONGITUDE WETSTAR WS3S-869P PRI. TEMP. S Z CTD CONVERTED MONITOR VALUES 080 0803 JD/TIME 080 DAY SEC. TEMP. DATE JD= MO PROJECT & LEG FIX SMAD 쏬 080305. Tape/Diskette ID HR MIN PRI. SALINITY TIME (GMT) OD0707 Leg ( AIR TEMP ြင္ပ 00997 DATA LOCATION SEC. SALINITY PRESSURE File Name/Header 0707\_06 **SEA STATE** VISIBILITY SALINITY 0 TRUE WIND DIRN. (deg) STATION DESIGNATION TRUE WIND SPD. SAMPLE BOTTLE DATA (Kts) \$ MAX. DEPTH CTD = REMARKS MORDY's CLOUD Cleaned air bleed valve (amt) **TYPE** 유 **WEATHER** BOTTOM DEPTH NUTR. 3

F CF

12 11	10	9	œ	7	6	) (	ហ	4	C.S	2	- 1 2 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3		POS. TRIP DEPTH (m)	SEC COND SN 4C	SEC TEMP SN 3+	PRI COND SN 4C	PRI TEMP SN 3+	PRESS SN 9+	TYPE & SN	СТВ	010565	חבה	CONSC	VESSEL NOAA R/V OSCAR DYSON
											2	SAMPLE BOTTLE		4C S/N 2489	3+ S/N 2786	4C S/N 2985 A	3+ S/N 2376 A	9+ S/N 0772 S	0	Т	10 00 00 00 00 00 00 00 00 00 00 00 00 0	MIN	7	DYSON
											0.0144	LE PRI. TEMP.	СТО	WETSTAR WS3S-869P		AT SURFACE	AT DEPTH _	START DOWN _	DATA ON	TIMES	6403.7	DEG MIN		C
								:			27100	SEC. TEMP.	CTD CONVERTED MONITOR VALUES	S3S-869P		0354	035		0348	JD/TIME	Z Z	DAY MO YR	DATE ID:	PROJECT & LEG
							,				Callon Silver	PRI. SALINITY	RVALUES					OD0707 Leg I	Tape/Diskette ID		03511 5.	HR MIN	TIME (GMT) AIR TEMP	LEG
											313,34	SEC. SALINITY						0707_10.	File Nan	DATA LOCATION	4 91		PRESSURE SEA STATE	
												SALINITY						ō	File Name/Header		066	* (deg)	VISIBILITY TRUE DIRN.	S
												MORDY'S NUTR.	SAMPLE BOTTLE DATA	Clea		MAX. DEPIH CID =		07-8		REMARKS	<u>-</u> ع	*	WIND (ami	STATION DESIGNATION
	+		+	1								CH	LE DATA	Cleaned air bleed valve		IH CID =		2-58				*	TYPE WEATHER	NATION
			+									WHIT'S NUTR.		ed valve		60	$\hat{\hat{\mathbf{p}}}$	A THE RESIDENCE OF THE PARTY OF	meen		7	(E)	воттом рертн	

PG JE UT

10 9 8 7 6 5	φ α ¬ σ σ	8 7 6 5	7 6 5	7 6 5	<b>Б</b> Ол	5	4	4	3	2	1 None		POS. TRIP DEPTH (m)	SEC COND SN		SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	CTD	01256	DEG.	CAST#	VESSEL	
										-	ve	SAMPLE BOTTLE NUMBER	1 (m)	4C S/N 2409		3+ S/N 2786	4C S/N 2985	3+ S/N 2376	9+ S/N 0772				_	ATITUDE	VESSEL NOAA R/V OSCAR DYSON	
			_									TLE PRI. TEMP.	CTD C	WE STAN WA	Y WETSTAR WS3S-R69P	j	AT SURFACE (	AT DEPTH	START DOWN	DATA ON	TIMES JD	40.	DEG MIN	LONGITUDE	! I	Need to
	-				 							SEC. TEMP.	CTD CONVERTED MONITOR VALUES	50000	35-869P		0813	3011	2009	0808	JD/TIME	ر_ ا	DAY MO YR	DATE JD=	PROJECT & LEG	correct SNI
			77									PRI. SALINITY	RVALUES						OD0707 Leg l	Tape/Diskette ID		081103.	HR MIN	TIME (GMT) AIR TEMP	LEG	SMAP File
												SEC. SALINITY							0707_	File Na	DATA LOCATION	61003	(mb) *	PRESSURE SEA STATE		
												SALINITY							2	File Name/Header		2811	(deg)	VISIBILITY DIRN.		
_												MORDY's	SAMPLE BOTTLE DATA	Clean			MAX. DEPTH CTD =		1		REMARKS	. 80	(kts)	SPO TRUE CLOUD (amt	STATION DESIGNATION	
												CHL	E DATA	ed air ble			H CTD =					-		WEATHER		
_												WHIT'S NUTR.		Cleaned air bleed valve			m go	2				78	(E)	BOTTOM		

		PROJECT & LEG  OD0707  TIME  LONGITUDE  DATE JD=  (GMT)  AIR TEMP  (GMT)  AIR TEMP  (GMT)  AIR TEMP  (GMT)  AIR TEMP  (C)  TIMES  JD/TIME  DATA ON  OD0707 Leg I  START DOWN  AT SURFACE  OPSG  AT SURFACE  OPSG  AT SURFACE  OPSG  Tape/Diskette ID  OD0707 Leg I  CTD CONVERTED MONITOR VALUES  CTD CONVERTED MONITOR VALUES	CONGITUDE   DATE JD=   COMT)   AIR TEMP   CONTINES   JD/TIME   TIME   CONTINE   CONT	PROJECT & LEG	PROJECT & LEG	PROJECT & LEG
	PROJECT & LEG OD0707  TIME OMT OF TOPE OD0707  Tape/Disk	PROJECT & LEG  OD0707  TIME  TIME  (GMT) AIR TEMP  (GMT) VR HR MIN (°C)  Tape/Diskette ID  OD0707 Leg I	PROJECT & LEG  OD0707  TIME  TIME  (GMT)  J U N 0 7 0 4 7 0 4 7 0 4 . 7 10 10 10 10 10 10 10 10 10 10 10 10 10	PROJECT & LEG	PROJECT & LEG  PROJECT & LEG  TIME TIME TIME TIME TIME TOURN	PROJECT & LEG
AR NOOL IN TO DE	TIME (GMT) R MIN R MIN OD07	TIME GMT) AIR TEMP (°C) R MIN (°C) R MIN (°C) DD0707 Leg I	TIME GMT) AIR TEMP PRESSURE DATA LOC OD0707 Leg	TIME   RE   TRUE   SS   ST   TRUE   ST   ST	TIME REMIN (°C) (mb) TRUE TRUE SPD.    A	TIME TIME COMT) AIR TEMP P COMTO COM
			DATA LOC (mb) PRESSURE	MP PRESSURE STATE TRUE SUND STATE TRUE SIBILIT TRUE WIND DIRN.  DATA LOCATION  File Name/Header  0707_13	TRUE TRUE TRUE TRUE TRUE TRUE WIND WIND SPD.    OTHER CONTROL	DATA LOCATION File Name/Header    TRUE   TRUE   TRUE   TRUE   WIND   WIND   WIND   SPD.

12	11	10	9	00	7	6	л	4	3	2	1 Surface		POS. TRIP DEPTH (m)	SEC COND SN 4C	SEC TEMP SN 3+	PRI COND SN 4C	z	PRESS SN 9+	TYPE & SN		01656	200	CONSC	VESSEL NOAA RIV OSCAR DYSON
											9 10?	SAMPLE BOTTLE NUMBER		4C S/N 2489	3+ S/N 2786	4C S/N 2985 AT	3+ S/N 2376 AT	9+ S/N 0772 ST	D	-	9 . 59 N	-		DYSON
												PRI. TEMP.	стр сс	X WETSTAR WS3S-869P	]	AT SURFACE 0	AT DEPTH	START DOWN DY	DATA ON 0	TIMES JD/I	-	DEG MIN	LONGITUDE	
												SEC. TEMP.	CTD CONVERTED MONITOR VALUES	5-869P		918	8	80X	0807	JD/TIME	J U N 0 7	DAY MO YR	DATE JD=	PROJECT & LEG
												PRI. SALINITY	VALUES					OD0707 Leg I	Tape/Diskette ID		O	즤	TIME   AIR TEMP	EG
												SEC. SALINITY						0707_[(p	File Na	DATA LOCATION	3 101 2		PRESSURE SEA STATE	
												SALINITY						16	File Name/Header		79 2 1	* (deg)	VISIBILITY DIRN. DIRN.	S
												MORDY's NUTR.	SAMPLE BOTTLE DATA	Cleane		MAX. DEPIH CID =	Y	MA A STATE OF THE		REMARKS	7.3	(Kts) *	SPD TRUE CLOUD (ami	STATION DESIGNATION
												유	E DATA	Cleaned air bleed valve		4CID=	}		:			*	WEATHER	ATION
											, ele	WHIT'S NUTR.		ed valve		9	9				0	(m)	BOTTOM DEPTH	

12	11	10	9	8	7	6	,	5	4	3	2	1 46		POS. TRIP DEPTH (m)		SEC COND SN 4C	SEC TEMP SN 3+	PRI COND SN 4C	PRI TEMP SN 3+	PRESS SN 9+	TYPE & SN	CTD	7 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	בב	CONSC	VESSEL NOAA R/V OSCAR DYSON
													SAMPLE BOTTLE NUMBER			4C S/N 2489	3+ S/N 2786	4C S/N 2985	3+ S/N 2376	9+ S/N 0772			3. \@\	Mile		RDYSON
												1.9661	TLE PRI. TEMP.	CTD C		X WETSTAR WS3S-869P		AT SURFACE	AT DEPTH(	START DOWN	DATA ON(	TIMES JD.	4511.89	DEG MIN	ONGITUDE	() X
					:							1.2650	SEC. TEMP.	CTD CONVERTED MONITOR VALUES		3S-869P		06 9	06 15		0611	JD/TIME		DAY MO YR	DATE JD=	PROJECT & LEG
									A CONTRACTOR OF THE CONTRACTOR			CO111.PC	PRI. SALINITY	T VALUES						OD0707 Leg I	Tape/Diskette ID		0615 4.	Z	TIME (GMT) AIR TEMP	EG
			,									02.1061	ıς							0707_	File Nam	DATA LOCATION	51016	(mb)	PRESSURE SEA STATE	
													SALINITY	(0)						4	File Name/Header		291		VISIBILITY TRUE DIRN.	
			1										MORDY's NUTR.	SAMPLE BOTTLE DATA	Lieane			MAX. DEFINCIO-	<b>X</b>	The second secon	of the second se	REMARKS	9.01	ভ	SPD. TRUE CLOUD (am	STATION DESIGNATION
													CHL. NUTR.	$\dashv$	Cleaned air bleed valve			CIO W		de, de seus mas may emprépaya é ésant a se seuse de file-te minimo primer (e. 18 de			21	· (3)	WEATHER BOTTOM	ATION

12	<u> </u>	10	9	œ	7	σ	n	5	4	ω	2			POS.	SEC C	SEC T	PRI CO	PRI TE	PRESS SN	TYPE	CTD	0 2		CONSC	VESSEL NOAA R
												ا د		TRIP DEPTH (m)	SEC COND SN _	SEC TEMP SN 3	PRI COND SN 4	PRI TEMP SN	_	TYPE & SN		<del>-</del> 55		**C	EL R/V OSC/
												7	SAMPLE BOTTLE NUMBER	n)	4C S/N 2489	3+ S/N 2786	4C S/N 2985 A	3+ S/N 2376 A	9+ S/N 0772 S	Ó	1	75 <sub>N</sub>	-	LATITUDE	VESSEL NOAA RV OSCAR DYSON
													LE PRI. TEMP.	CTD C	X WETSTAR WS3S-869P		AT SURFACE 0	AT DEPTH C	START DOWN	DATA ON	TIMES JD.	6800.02w1	DEG MIN	LONGITUDE	
													SEC. TEMP.	CTD CONVERTED MONITOR VALUES	3S-869P		848	0837	1780	97.80	JD/TIME	W 1 6 J U N 0 7	DAY MO YR	DATE JD=	PROJECT & LEG
													PRI. SALINITY	RVALUES					OD0707 Leg I	Tape/Diskette ID		0837	HR MIN		LEG
			-	_	+	1			-			+							Leg I	5	D <sub>A</sub>	6.41	(°C)	AIR TEMP	
													SEC. SALINITY						07	File	DATA LOCATION	034	(dmb)	PRESSURE  SEA STATE	
_				+	+					<u> </u>	+	$\frac{1}{1}$		· · · · · · · · · · · · · · · · · · ·					0707_21	File Name/Header	Ž		_	VISIBILITY	<b>-</b>   i
							i						SALINITY							ader		278	(deg)	TRUE WIND DIRN.	
		<u> </u> 	<u> </u>	<u> </u>				<u> </u> T	<u> </u>	 	<u> </u>	<u> </u>  -		SAMPLE BOTTLE DATA			MAX		may yely on man		REA	 	S)	TRUE WIND SPD.	STATION DESIGNATION
													MORDY'S NUTR.	вотти	Cleane		MAX. DEPIH CID =				REMARKS		+	<ul><li>CLOUD (am</li><li>TYPE</li></ul>	DESIGNA
													CHL	DATA	Cleaned air bleed valve		1CID=							• WEATHER	NOIT
													WHIT'S NUTR.		ed valve			L 9	many colory of grades and a second At A is it is manual.			<u>0</u>		BOTTOM	

12	11	10	9	œ	<u></u>	1 0	6	5	4	U	3 r	J.	1			POS.	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	СТО	0 2	CONSC CAST #		VESSEL	
													Mone		(m)	TRIP DEPTH						NS	;	3565			VESSEL NOAA R/V OSCAR DYSON	
														SAMPLE BOTTLE NUMBER			4C S/N 2489	3+ S/N 2786	4C S/N 2985	3+ S/N 2376	9+ S/N 0772			4.70 N	LATITUDE		NOSY	
		-	_		+	-			-		+			TLE			×	]	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 6 8				
														PRI, TEMP.		СТВ	WETSTAR WS3S-869P		ACE 0	±	lo		JD/TIME	47.16w	LONGITUDE			
												-		SEC. TEMP.		CTD CONVERTED MONITOR VALUES	69P		937	934	CX.	121	7 III	1 7 J U N C	DATE JD=		PROJECT & LEG ODO707	
														PRI. SALINITY		RVALUES					000707 Leg I	Tape/Diskette ID		093403	TIME (GMT) AIR TEMP		EG	Need
-														SEC. SALINITY								File Na	DATA LOCATION		PRESSU			to correct
														SALINITY							0707_45	File Name/Header	•	275	* VISIBII TRUE DIRN. (deg)			MOA again
														MORDY'S NUTR.		SAMPLE BOTTLE DATA	Cleane		MAX. DEPIH CID =		# THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF THE PERSON NAMED IN COLUMN TO		KEMAKKU	- W	TRUE WIND UD  * CLOUD  * TYPE	(amt)	A I ON DESIGNATION	STATION DESIGNATION
				T										CHL.		DATA	Cleaned air bleed valve		CID= 1						* WEATH		1 3	Š
														WHIT'S NUTI			valve		=	7	many photo in the tentions could be proposed to the common to the	H VA MAR I TO VI TO THE REAL PROPERTY OF THE PARTY OF THE		00	BOTTOM DEPTH (m)			

12	11	10	9	8	7	6	Ų	n	4	ω	2	1 63-5			POS. TRIP DEPTH	SEC COND SN 40	SEC TEMP SN 3-		Z	PRESS SN 9-	TYPE & SN	CTD	024575	DEG	CAST #		NOAA R/V OSCAR DYSON	VECCE!
												6	SAMPLE BOTTLE NUMBER			4C S/N 2489	3+ S/N 2786	4C S/N 2985 A	3+ S/N 2376 A	9+ S/N 0772 S	D	1	. 38 N	MIN	ATITUDE		DYSON	ų.
													E PRI. TEMP.		СП	X WETSTAR WS3S-869P		AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES JC	6854.11	1	LONGITUDE			
													SEC. TEMP.		CTD CONVERTED MONITOR VALUES	3-869P		_9		9	0 2	JD/TIME	WUJUNO	DAY MO	DATE JD=		OD0707	PROJECT & LEG
													PRI. SALINITY		R VALUES					0D0707 Leg I	Tape/Diskette ID			- 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	TIME (GMT) AIF			EG
													SEC. SALINITY								•	DATA LUI	CATALOGATIO	رم 	(mb)	RESSURE SEA STAT		
-													SALINITY							0,0,1	File Natile/Treader	Tamp / Hooder		764	*	VISIBILIT WIND		
													NUTR.	MORDY's	SAMPLE BOTTLE DATA	Cleans			MAX. DEPTH CTD =		2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	ACS NO.	REMARKS	11.2	* (	TRUE WIND CLOUD (at	mt)	STATION DESIGNATION
													CHL. WHIT'S NUT		DATA	Cleaned air bleed valve		- 1	CTD = (6.7) m	7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	The same	Sousors askew date		7	*	WEATHER BOTTOM DEPTH	₹	ON

3	=	10	9	8	7	6	6	رم د	4	u	2	9.7			POS. TRI	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	CTD	Q)		CONSC	VESSEL NOAA R/V OSCAR DYSON
			ļ									35		(m)	TRIP DEPTH			4C S,	3+ S	9+ S,			5751	DEG N	<u> </u>	OSCAR DY
												4	SAMPLE BOTTLE NUMBER			4C S/N 2489	3+ S/N 2786	4C S/N 2985 AT	3+ S/N 2376 AT	9+ S/N 0772 ST	D.A.		. H O N		LATITUDE	SON
												d.01007	-		C	X WETSTAR WS3S-869P		AT SURFACE	AT DEPTH	START DOWN -	DATA ON	TIMES	685 H. 96	DEG MIN	LONGITUDE	CE
												8 01186	SEC. TI		CTD CONVERTED MONITOR VALUES	\\$-869P		747	900	9006	2035	JD/TIME	VON NITH MOD Y	Mo - 1≍	DATE JD=	PROJECT & LEG
												3	PRI. SALINITY		VALUES					ODOZOZ LEGI	Tape/Diskette ID	i	0000	N ME	(GMT) AIF	6
													SEC. SALINITY		**						0707 UN	DATA LUCATION	CATA LOCATION	7 7 7 7	PRESSURE  * SEA STAT	
				ļ									SALINITY							2	) a	/Header		च च च च च	* VISIBILIT TRUE ORN. T	
													NUTR.	ACOBDA'S	SAMPLE BOTTLE DATA	XClean			MAX. DEPTH CTD =	in the A	to brown	5	_	9		STATION DESIGNATION
						+							CHL. W		E DATA	Cleaned air bleed valve				Tary Car	test against	Condical asker			* TYPE  * WEATHER	, C.
													WHIT'S NUT			alve			7 m	Sample	and,	ll aske		74	BOTTOM DEPTH	25

12	11	10	9	00	7	6	5 4	7	4	w	2	- 6 VI		POS. TRIP DEPTH	-	SEC COND SN	SEC TEMP SN	PKI COND SN	<b>Z</b>		TYPE & SN		1 2 5 3 8	DEG	CONSC	VESSEL NOAA R/V OSCAR DYSON
												S	SAMPLE BOTTLE NUMBER	=======================================		4C S/N 2489	3+ S/N 2786	4C S/N 2985	3+ S/N 2376	9+ S/N 0772			N 6 6 . 0 6	MIN	LATITUDE	R DYSON
												-0.5968	TLE PRI. TEMP.		CT	X WETSTAR WS3S-869P		AT SURFACE	AT DEPTHC	NWO	DATA ON		16937.00	MZ	LONGITUDE	CAR
												-0.54+5	SEC. TEMP.		CTD CONVERTED MONITOR VALUES	-869P		0007	0005	t000	1000	JD/TIME	OWINGLAMO	DAY MO Y	DATE JD=	PROJECT & LEG
												51.4467	PRI. SALINITY		VALUES					OD0707 Leg I	Tape/Diskette ID		0000	7 NO S	TIME (GMT) AIR	6
												1010	SEC. SALINITY							0707-076	File Name	DATA LUCATION	CATALOCATION	7 1025	PRESSURE  * SEA STA	TE
													SALINITY							26	File Name/Header	, Cloudor			* VISIBILIT TRUE  (deg)  TRU	
													NUTR.		SAMPI F BOTTLE DATA	Cleaned a			MAX. DEPTH CTD =	primary	Part Partson	The hour canbon	REMARKS	<u>い</u>	TRUE WIND (a	STATION DESIGNATION
					1								CHL. WHIT'S NUT		VTA	Cleaned air bleed valve			0 T	blimary construction of second	The Harman	Cahe on		7	* WEATHE BOTTOM DEPTH	R