Thompson Court # 88

dopth below heel (NO) craptures wind / Creeded

12	=	10	9	œ	7	6	5	4 ا	3 (3)	2 H O	-		POS. TRIP DEPTH	4 ()	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	DEG P	CONSC CAST #	VESSEL R/V Thomas G. Thompson	
								(ch				PRESSURE								Ψ Ψ Ω z	LATITUDE	ompson	
								Mory)				URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG DEG	LONGITUDE		
												PRI, TEMP.	CTD C						JD/TIME	. ₹	-		
													CTD CONVERTED MONITOR VALUES	Ē						DAY MO	DATE JD=	PROJECT & LEG	<i>(</i>
												SEC. TEMP	TOR VALUES	FLUOR S/N				Tape/Dis		0 YR HR	тіме (дмт)	î TEG	
																		Tape/Diskette ID		- (°C)	MT) DRY BULB	DSD	
											,	SALINITY				 		Ð	DATA LOCATION	(°C)	WET BULB	DSDB I.D.	
													SAMPL					File Name/Header	NON	20 ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	PRESSURE SEA STATE VISIBILITY		
												SALINITY	SAMPLE BOTTLE DATA					7		(deg) (m/s)	WIND WIND DIRN. SPD.	STAT	
====										49		SAL:			MAX. DEPTH =	Cleane]	Snow	REMARKS	90 * 745 *	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION	
						6	2)	4	W	رو	_	NUTR	SAMPLE BOTTLE NUMBER		U	Cleaned air bleed valve		SWO	Ů,	(m)	ВОТТОМ DEPTH	C NOITA	(hor
						1	7	1	7	5	٢	오는	TLE NUMBI		3	valve			46			NI	honoo,)
												WHIT'S	別 						1	-	STA. NAME/ID)

6+

Nux 1-6

Depth is total (wheelth linked) # 201-

12	=	10	9	ω	7	6	C)	4	ω	2	-		Pos.	40	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+		CONSC CAST #	VESSEL R/V Thor	
						0	0	90	₩ 0	S	60		TRIP DEPTH	D SN	NS (NS e	SS	- 	1	\$ PE 2		VESSEL R/V Thomas G. Thompson	
												PRI								5 3 5′	ATITUDE	pson	
												PRESSURE		PAR S/N_	AT SURFACE	АТ ОЕРТН	START DOWN	DATA ON	TIMES	DEG 94			
														N	,CE		NWC			**************************************	LONGITUDE		
]]					PRI. TEMP.	CTD CONV						JD/TIME	W DAY	DATE		
		-	.5										CTD CONVERTED MONITOR VALUES	FLUOR S/N						M MO	D=	PROJECT & LEG TN179C	
												SEC. TEMP	OR VALUES	OR S/N				Tape/[0 5 HR	TIME (GMT)	LEG	
																		Tape/Diskette ID		4			
											,	SALINITY							DATA	\vdash	DRY BULB WET	DSDB I.D.	
												η						File Nar	DATA LOCATION	1012	PRESSURE		
						- ,						SA	SAMPLE B					File Name/Header		7 :	SEA STATE VISIBILITY		70
						:						SALINITY	SAMPLE BOTTLE DATA			} ;				<u>α'</u> <u>e</u>	WIND WIND SPD.	STATI	No Smo
	8								ì		9	SAL.			MAX. DEPTH =	Cleaned			REMARKS	. 0	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION	
			-			્રે		0 /	9 1	30	11	NUTR. C	SAMPLE BOTTLE NUMBER		60	Cleared air bleed valve				1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	BOTTOM	No	
	,		-		'	-				V	1	CHL. WHIT'S	NUMBER		з	Ve					STA. NAME/ID	ည	
									į			, F 'S								3)	ò		

12	=	10	9	œ	7	6	57	4	ω	2	-		Z Ş	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+			CONSC CAST #	VESSEL R/V Tho
		57			0	10	20	30	70	50	67		TRIP DEPTH	ND SN	NS OF	MP SN	IP SN	S.		25	DEG	# C	VESSEL R/V Thomas G. Thompson
													±)		S S	M E	LATITUDE	nompson
												PRESSURE								ي اري 2		m	
			:									ÜRE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	~	DEG		=
							_							N	ACE	I	OWN	2		w -9	>	LONGITUDE	
		-										PRI. TEMP.	g			<u> </u>	1		JD/	0 س	S.	IDE	
	17.5											EMP.	TD CONVE						JD/TIME	₹ 6	DAY	DATE	
4			9			-							CTD CONVERTED MONITOR VALUES	Z.						M A	Mo	D .	PROJECT & LEG TN179C
						3						SEC. TEMP	ITOR VAL	FLUOR S/N_			1			0 5	¥		& LEG
												MP	UES					Tape/Diskette ID		0523	₩.	TIME (GMT)	
					11001													ette ID		3-0	(°C)) DRY BULB	
												SAL							DA	-	_		DSDB I.D.
												SALINITY	131			1	!	<u></u>	DATA LOCATION	-	ී	WET BULB	
													- 10					File Name/Header	NOIT	41	(mb) *	PRESSURE	
154											=	တ	SAMPLE				·	Header		υ, Φ	*	SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA							06	(deg)	WIND DIRN.	(0)
							La .						ATA		2		1	- 6	2	800	(m/s) *	SP WIND CLOUD (amt)	STATION DESIGNATION
Ì											83	SAL			AX. DEF	Clean			REMARKS		*	TYPE WEATHER	DESIGN
					1.9	8	7	16	5	74	ũ	NUTR.	SAMPLE BOTTLE NUMBER		MAX. DEPTH - 6	Cleaned air bleed valve			/	人又	(m)	BOTTOM DEPTH	MATION
					7	1	4	1	1	1	Z	윉	ITLE NUM		m	vaive			e pomos	73		7.7	PN3
					*				<u> </u>	111	J	WHIT's NUTR.	BER						chounds, no preceip	3		STA. NAME/ID	w
															<u> </u>	<u> </u>		<u> </u>	e e	<u> ~ ~ </u>			

12	=	10	9	8	7	6	5	4	ω	2	-		PĢ,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+			CONSC CAST #	VESSEL R/V Tho
			=		0	10	20	30	10	50	68		TRIP DEPTH	NS CIV	D SN	₽ SN	PSN	ž 	ı	457410	DEG	42 (/	VESSEL R/V Thomas G. Thompson
												PRES				in				0 V 0 z	<u>S</u>	LATITUDE	noson
	ű.											PRESSURE		PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	-	DEG	LON	
ŝ												PRI. TEMP	CID			[[JD/TIME	0	<u>K</u>	LONGITUDE	
		N	2									P.	CTD CONVERTED MONITOR VALUES	72	<u>]</u>				Æ	<u>6</u> `	DAY	DATE JD#	PROJECT & LEG
												SEC. TEMP	NITOR VALUES	FLUOR S/N				Tape/D		0 5 0	¥ ₩	TIME (GMT)	% LEG
								÷										Tape/Diskette ID		0		MT) DRY BULB	DSDB I.D.
	30										*1	SALINITY	- 19			 	 	File	DATA LOCATION		ී	WET BULB	B I.D.
												Ş	SAMPLE					File Name/Header	ON.	4	(mb)	PRESSURE SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA	=				G		7	(dea) (m/s)	WIND WIND DIRN. SPD.	STATIO
					သို့	77	ę	92			_	SAL. NU	SAMPL		MAX. DEPTH =	Cleaned air			REMARKS	96	*	CLOUD (armt) TYPE WEATHER	STATION DESIGNATION
Ü					D€ /3G	7	9.6	24/25	ພ	ນ	20/21	NUTR. CHL.	SAMPLE BOTTLE NUMBER		3 (20)	Cleaned air bleed valve				72		воттом ста	2
		Ē					5					WHIT's NUTR.	BER		_							STA. NAME/ID	H

12	=	10	9	ω	7	6	S	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0 0 (n	CONSC CAST #	VESSEL R/V Tho
					<u> </u>	0	20	30	TO	50	60		TRIP DEPTH	NS GN	NS CI	NP SN	P SN	ž	ı	SIR		VESSEL R/V Thomas G. Thompson
												PRESSURE								- O S N N N N N N N N N N N N N N N N N N	HZ,69	npson '
								2				URE		PAR S/N _	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 9	LON 2	
												PRI. TEMP.	CTD CONV						JD/TIME	22.76 w 1 G	CA. 75	
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N_	110			 		MO YR	JD.	PROJECT & LEG TN179C
												MP	JES					Tape/Diskette ID		O HR	TIME (GMT)	=
The state of the s												SALINITY						File	DATA LOCATION	(°C) (°C) (mb)	DRY BULB WET BULB PRESSURE	DSDB I.D.
										8		SALINITY	SAMPLE BOTTLE DATA					Name/Header		35 62 6eg	SEA STATE VISIBILITY DRW. SPD.	STA
								2)	M		41	SAL.			MAX. DEPTH =	Cleane			REMARKS	22862	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
						، در ۲۰	3//	33	32	دی	w	NUTR.	SAMPLE BOTTLE NUMBER		교	Cleaned air bleed valve				(A)	воттом рертн	ATION
					_	(7	\	7	7	7	윤	'LE NUMBER		a	valve				00		2
												WHIT'S								(V	STA. NAME/ID	o,

12	=	10	9	00	7	თ	5	4	ω	2	-		P _Q	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	VESSEL R/V Tho
					0	١٨	20	30	40	50	60		TRIP DEPTH	ND SN	ND SN	MP SN	P SN	SN	÷	2 5 930	# 0	VESSEL R/V Thomas G. Thompson
	24							0					Ĭ							5 4 NIN	54.05	ompson
												PRESSURE								0 S z	¥ 52	
												URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 6 9		
					17									N/S	ACE	⊋	NWO	z		7	LONGITUDE	
												PRI.				1	1.		Ď	· Marie 1	(Y, 60 verrub€	
												PRI. TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	w 16	DATE	-
			J.	15				_	-			_	ERTED MO							MO MO	- Jo	PROJECT & LEG
												SEC. TEMP	NITOR VA	FLUOR S/N_		,				Y 0 YR	1	L & TEG
												TEMP	TUES				Ē	Tape/Diskette ID		HR MIN	1003 TIME (GMT)	
												18		ł				ette ID		0 6) DRY BULB	
												SAL		100					D	-41	-	DSDB I.D.
											*:	SALINITY	32.			1	1	I	DATA LOCATION	i G	WET BULB	
																		File Name/	TION	9 (mb)	PRESSURE	
(3)												SA	SAMPLE BOTTLE DATA			į		Name/Header		2 *	SEA STATE VISIBILITY	1
												SALINITY	OTTLE D							<u>₩</u>	WIND W	S
					<u> </u>						6	s	ΑTA		MAX			<u> </u>	REM	(m/s) *	SEN SEN CLOUD (amt)	STATION DESIGNATION
												SAL.	SAM		MAX. DEPTH =	Cleaned a			REMARKS	*	TYPE WEATHER	ESIGNATI
					43	42	41	40	39	36	37	NUTR.	SAMPLE BOTTLE NUMBER		1	Cleaned air bleed valve				E 2	BOTTOM DEPTH	ŌN
				į,	22							足	LE NUMBI		3	/alve				00	 	SNA
				30								WHIT'S NUTR.	R							6	STA. NAME/ID	ט`ן

12	=	10	9	æ	7	6	S	4	ω	2	_		PQS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	C Q	CONSC CAST #		VESSEL R/V Tho
					0	10	8	კ	0	G,	65		TRIP DEPTH	NS GN	ID SN	MP SN	P SN	ž		007580	# 0		VESSEL R/V Thomas G. Thomoson
										<u> </u>	5		로							0 \$	LATITUDE	=	nomoson
												PRESSURE								9 5 N	ATTITUDE		
								<u>.</u>				Sure		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	一			
						_								PAR S/N	FACE	쿺	NWO	ž		906	TONGITUDE		
				52								PRI.				1	ı	I	=	. KE	GITUBE		
												PRI. TEMP.	CTD CON						JD/TIME	₩ - ₽	DATE		
													ÆRTED M							M A MO	JD#		PROJE
												SEC	CTD CONVERTED MONITOR VALUES	FLUOR S/N	;					7 0 YR	1		PROJECT & LEG
												SEC. TEMP	ALUES	Z				Tape/D	•	ララ	11/26 TIME (GMT)	\neg	
																		Tape/Diskette ID		- N			
					1													Ū	20	<u>○</u> 6	DRY BULB		DSDB I.D.
											K	SALINITY	1						DATA LO	<u>ි</u>	95, ₹%	2	i.D.
																		File Na	DATA LOCATION	9 (mb)	PRESSURI	- 1	
			1										SAMP					File Name/Header		*	SEA STA	ΓE	
13												SALINITY	SAMPLE BOTTLE DATA					er		Q (deg)	WIND DIRN.		o:
				,							=	~	E DATA		lv,		!			(m/s)	WIND SPD.		STATIC
											h9	SAL.	S		MAX. DEPTH =	Cleane			REMARKS	*	CLOUD (a TYPE WEATHER		STATION DESIGNATION
Si					50	P)	32	£3	74	74	カイ	NUTR	SAMPLE BOTTLE NUMBER		로 •	Cleaned air bleed valve			-	£ (1-2)	BOTTOM DEPTH		ATION
					Ţ	\	7	9	7	5		윉	DETTLE NU			d valve				~			19
						`		W				WHIT'S NUTR.	MBER		3						STA. NAME/ID		+N9
											<u> </u>	P. 3		-					257	41	ð		

12	=	10	9	00	7	6	5	4	ω	2	_		P,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	P	CONSC CAST #	VESSEL R/V Tho
OK.	147	= 1			C	0)	20	<i>ئ</i> ،	ま	50	65		TRIP DEPTH	ND SN	D SN	¥P SN 	P SN	ž 	1	4 4 2 5 8 a	***	VESSEL R/V Thomas G. Thompson
		V										PRESSURE								* . 9 3 N	EA, 93	mpson.
	=		X									URE	=	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 85.8	LONG	
					24						:="	PRI, TEMP.	CTD C						JD/TIME	. MIN	58,26	
	-							-0					CTD CONVERTED MONITOR VALUES	FLL					14	DAY MO	DATE JD=	PROJECT & LEG
							-					SEC. TEMP	TOR VALUES	FLUOR S/N	9			Tape/Di	_	0 5 1 3 J	TIME (GMT)	§ LEG
												100		ļ				Tape/Diskette ID		CC (°C)	MT) DRY BULB	DSI
											63	SALINITY	15			!		्	DATA LOCATION	(°C)	B WET BULB	O.I BOSO
		-											SAMPL					File Name/Header	TION	9 (mb) *	PRESSURE SEA STATE VISIBILITY	
				153				×				SALINITY	SAMPLE BOTTLE DATA					7		(deg) (m/s)	wind wind dirn. SPD.	STATI
7											77	SAL.	* 		MAX. DEPTH =	Cleane			REMARKS	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
					45	56	55	54	53	52	51	NUTR.	SAMPLE BOTTLE NUMBER		*	Cleaned air bleed valve				(m)	HEDTTOM DEPTH	ATION
												얼	TLE NUMBE		3	vaive			92	2	 	8119
									Ē			WHIT'S	20							α	STA. NAME/ID	

12	=	10	9	00	7	6	C.	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	VESSEL R/V Tho
		30			0	5	26	36	र्ट	50	63		TRIP DEPTH	ND SN	NS ON	MP SN	AP SN	SS	1	0 9 5 8 V	***	VESSEL R/V Thomas G. Thompson
												PRESSURE								- 9 O z	14.96	npson
												SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16850	LONG	
			•		(6)							PRI. TEMP.	CTD C						JD/TIME	<u>0</u>	50,16	
			2					_					CTD CONVERTED MONITOR VALUES	FU					m	DAY MO	DATE JD=	PROJECT & LEG
												SEC. TEMP	TOR VALUES	FLUOR S/N				Tape/Diskette ID		0 5 \ H H	1437 TIME (GMT)	g TEG
				ũ													,	kette ID		C (°C)	7 DRY BULB	DSDB I.D.
												SALINITY	2				 	File	DATA LOCATION	(°C)	97.7%	3 l.D.
										, , , , , , , , , , , , , , , , , , ,		S	SAMPLE					File Name/Header	Š.	(mb) · · · (PRESSURE SEA STATE VISIBILITY	- -
								337				SALINITY	SAMPLE BOTTLE DATA					,		deg) (m/s)	WIND WIND DIRN. SPD.	STATIO
											72	SAL.	Ş		MAX. DEPTH =	Cleane	<u> </u>		REMARKS	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
Œ			::		64	63	62	6	60	59	58	NUTR.	SAMPLE BOTTLE NUMBER		Ĭ	Cleaned air bleed valve				(E)	нтера Воттом С	
					(1	1	1	(-		CHL	TLE NUMB		3	valve					1	PN9
7.7										6		WHIT'S NUTR.	S		1					9	STA. NAME/ID	

12	<u>-</u>	10	9	œ	7	6	υ	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0		CAST #		VESSEL R/V Tho
		28			0	ō	20	30	ЩО	5	62		TRIP DEPTH	ND SN	D SS	NS &	PSN	ž	1	w	D G			VESSEL R/V Thomas G. Thompson
	·											7								0	Min I	LATITUDE	21,78	npson
									:			PRESSURE		PAR	AT SURFACE	АТ БЕРТН	START DOWN	DATA ON	TIMES	N	DEG			
					×				_					PAR S/N	FACE	Ŧ	DOWN	ž		<u>با</u>		LONGITUDE	મા	
												PRI, TEMP	CID		!		[JD/TIME	. \$ 2 w	<u>X</u>	吊	36.14	
													CTD CONVERTED MONITOR VALUES	÷						<u>→</u>		DATE JD=		PRO
												SEC	MONITOR V	FLUOR S/N		 	1	l		A Y	MO YR			PROJECT & LEG
	÷							!				SEC. TEMP	ALUES .	Ž				Tape/Diskette ID	·	0	HR MIN	TIME (GMT)	1637	
													-	1				cette ID		1	IN (°C)	T) DRY BULB	15	
		Š.										SALINITY			ē.				DATA	N			72	DSD8 I.D.
												7						File Na	DATA LOCATION		(°C) (mb)	WET BULB	100,4%	
													SAMPLI					File Name/Header			*		TATE	
**								·.				SALINITY	SAMPLE BOTTLE DATA					7		17	(deg) (r	DIRN. S		8
_	-								2		65	SAL.	ATA '		MAX. C	<u>ස</u>]		REMARKS	2386	(m/s) * *	SPD. SING CLOU TYPE	D (amt)	STATION DESIGNATION
					77.	った	69	83	62	33	59 65	. NUTR.	SAMPLE 8	,	MAX. DEPTH =	Cleaned air bleed valve			χς		* (m)	WEAT BOTTOM		IGNATION
,	 -					V			-			. 어.	SAMPLE BOTTLE NUMBER		3	ed valve				67		_		20
						ı						WHIT'S NUTR.	BER							ō		STA. NAME/ID	٠	DING

12	=	10	9	æ	7	6	5	4	ω	2			Ş	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	VESSEL R/V Tho
						0	ols	20	30	02	55		TRIP DEPTH	ND SN	ID SN	MP SN	P SN	ž	I.	5 BE 2		VESSEL R/V Thomas G. Thompson
												2								26.74	28,74	npson
												PRESSURE	•	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	Z DEG		
<					F15.									/N	ÇE	-	NWO			33 . MN	PS/25	
				*								PRI, TEMP.	CTD CONVI	ł					JD/TIME	G W DAY	DATE JD-	
													CTD CONVERTED MONITOR VALUES	FLJO						M A MO		PROJECT & LEG TN179C
												SEC. TEMP	R VALUES	FLUOR S/N				Tape/Di		5 × × × × × × × × × × × × × × × × × × ×	TIME (GMT)	EG
							-											Tape/Diskette ID		MIN (°C)	MT) DRY BULB	
		o									100	SALINITY	98						DATA L	2	MELL BITTER	DSDB I.D.
	BSS.	1				-												File Name/Header	DATA LOCATION	(mb)	PRESSURE	
3.0	٠											SALINITY	SAMPLE BOTTLE DATA					/Header		* * (deg)	SEA STATE VISIBILITY DR. W.	-
												Π γ	ILE DATA] .	ļ.	-	(m/s)	SPD.	STATIO
									,		8	SAL.	SA		MAX. DEPTH =	Cleaned			REMARKS		CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
					į	-	35	75	74	73	74	NUTR.	SAMPLE BOTTLE NUMBER		1	Cleaned air bleed valve				19 (m)	ВОТТОМ DEPTH	TION PRILI
		Ü				1	1)	1	1		足	E NUMBE		3	aive					STA. N	
,							^		ナ	7	4	WHIT'S NUTR.	, v							=	STA, NAME/ID	

=	_	70	9	œ	7	6	51	4	ω	2 1			POS. TR	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	2 4	CONSC CAST #	VESSEL R/V Thom
						0	ō	٥٢	رر در	01	5		TRIP DEPTH	SN	SN	SA	× ×			DEG MIN	LATITUDE	VESSEL R/V Thomas G. Thompson
												PRESSURE								. 64 _z	TUDE .	3
	0											JRE	:	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 2	- F	
					89							PRI.				i.	- I	I	5	. ¥ . ₩	LONGITUDE	
										M		PRI, TEMP.	CTD CONVER	30.4				:	JD/TIME	W DAY	DATE J	
	-					III						SE	CTD CONVERTED MONITOR VALUES	FLUOR S/N						MO YR	JD:	PROJECT & LEG
												SEC. TEMP	VALUES	S/N				Tape/Diskette ID	-	5 1 9 4 MIN	TIME (GMT)	S
																		ette ID		0 0	T) DRY BULB	DSC
		i			0				8		(r.	SALINITY	0 8						DATA LOCATION	3 (°C)	WET BULB	DSDB I.D.
													S					File Name/Header	ATION	0 (mb)	PRESSURE SEA STATE	
												SALINITY	SAMPLE BOTTLE DATA					leader		(deg)	VISIBILITY DIRN	
							<u> </u>				25	~	E DATA		N,		1	1	R	の (m/s) (m/s) ・	SS No.	STATION
										- 1	56	SAL.	SAN		MAX. DEPTH =	Cleaned			REMARKS	*	TYPE WEATHER	STATION DESIGNATION
					9	8) W	<u>ಌ</u>	18	8	64	00 T)	NÚTR.	SAMPLE BOTTLE NUMBER	(0)	-51	Cleaned air bleed valve		53		57	ВОТТОМ DEPTH	NOI
-				10.					<u>ー</u> わ	+b	ー	Ω - - - - -	E NUMBER		3	ive					STA. NAME/ID	916/2
									7)		רד	WHIT'S				7/1				12	AE/ID	

12	=	- 0	9	8	7	6	5	4	ω	2	>	Ĺ	Ş	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+		CONSC CAST #	VESSEL R/V Tho
						0	10	30	o o	Ó	4		TRIP DEPTH	ND SN	ND SN	MP SN	WP SN	SW	, 	ン DEC M		VESSEL R/V Thomas G. Thompson
									Ì.			PRESSURE								© MN O	LATITUDE	son
	\$.}											URE		PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	6 0EC	- CO	
		100			255							PRI, TEMP.	CI			1			/ar	- 6 0	LONGITUDE	
						2 3						EMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	M DAY	DATE JD=	PROJECT TN179C
												SEC. TEMP	MONITOR VAL	FLUOR S/N			1	 		A Y O S		PROJECT & LEG TN179C
												EMP	NES					Tape/Diskette ID		O MIN	TIME (GMT)	
												SAL						₽	D,	<u>o</u>	DRY BULB	DSDB I.D.
											22	SALINITY	-			, 	•	File N	DATA LOCATION	. (mb)	MET BULB	
Œ.												SA	SAMPLE E					File Name/Header	_	<u>.</u>	PRESSURE SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA]				(deg) (m/s)	WIND WIND DIRN. SPD.	STATIC
						90	95	90	on.	991	43	SAL. N	SAMPI		MAX. DEPTH =	Cleaned air	37		REMARKS	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
						1	1	7	7 98	1 5	1 40	NUTR. CHL.	SAMPLE BOTTLE NUMBER		T	Cleaned air bleed vaive				5 3	BOTTOM DEPTH ST	PN
			2.5						h	ゎ	h	WAIT'S	VIBER		3					ω	STA. NAME/ID	W

먕 ___ 야 ___

12	=	1 0	9	œ	7	6	5	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	~		CONSC CAST #	VESSEL R/V Tho
							0	0	0	W	0		TRIP DEPTH	NS CIV	D SN _	NS de	PSN	ž 	1	75849	DEG		VESSEL R/V Thomas G. Thompson
																				2	MIN	LATITUDE	npson
												PRESSURE		PΔ	AT SL	AT DEPTH	STAR	DATA ON	TIMES	9 N 1 W	DEG		
							90.							PAR S/N	AT SURFACE	HTG	START DOWN	Q.	-	6089		LONGITUDE	
												PRI.				I	I	I	5	92 w	NIN I	TUDE	
					:							PRI. TEMP.	CTD CONVI						JD/TIME		DΑΥ	DATE JD=	-
											<u> </u>	-	CTD CONVERTED MONITOR VALUES	7						Z	N O	JD =	PROJECT & LEG TN179C
												SEC. TEMP	TTOR VALL	FLUOR S/N_	15-	ı				0 5	á		& LEG
												Mp	JES					Tape/Diskette ID		ध	MIN	TIME (GMT)	
		-												•				te ID		1"	(°C)	DRY BULB	JSG DSG
											79	SALINITY			•	,			DATA L	9 -	(2)	B WET BULB	DSDB I.D.
:																		File Na	DATA LOCATION	ال	(r	PRESSURE	
													SAMP					Name/Header		6	*	SEA STATE	
W			i				!					SALINITY	SAMPLE BOTTLE DATA		,			er		0	(den)	WIND DIRN.	
													DATA		3			<u> </u>	2	74		SPD D. CLOUD (amt)	STATION
					,						ori Or	SAL	S.A.		MAX. DEPTH =	Cleaned			REMARKS		*	TYPE WEATHER	STATION DESIGNATION
						•	44	5	Q Q	2	90	NUTR.	MPLE BOT		04 -	Cleaned air bleed valve				- OO	(m)	BOTTOM DEPTH	NOIT 2
							-		-	,	_	倁	SAMPLE BOTTLE NUMBER		3	valve				00	-		h! ~
				-			,	ヤ	ゥ	1)	1)	WHIT'S NUTR.	另							7		STA. NAME/ID	4

12	=	10	9	8	7	6	s	4	ω	2			P OS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	15	CONSC CAST #	VESSEL R/V Tho
		84					0	ō	90	0	80		TRIP DEPTH	ND SN	NS GN	MP SN	AP SN	SN	1	55856		VESSEL R/V Thomas G. Thompson
																				·	LATITUDE	mpson
			:									PRESSURE		PAR S/N	AT SL	AT DEPTH	STAR	DATA ON	TIMES	2 OF		
	•													R S/N	AT SURFACE	HIG	START DOWN	ON.	•	- 0EC	LONGITUDE	
		-			88							PRI.				ŀ	ı	I	ъ	92 41	NOE .	
				:						·		PRI. TEMP.	CONVE						JD/TIME	ル W PAY	DATE	-
										i.i.			CTD CONVERTED MONITOR VALUES	Ē	į					M	D.	PROJECT & LEG
									.6			SEC. TEMP	TOR VALU	FLUOR S/N			T			0 XX		A LEG
												Þ	ES					Tape/Diskette ID		1 0 ₹	;;;	
38														•				_ E		. 6	DRY BULB	DSI
				34								SALINITY		heems					DATA	~ · · · · · ·		DSD8 i.D.
													8	d_			1	File Na	DATA LOCATION	(a)	Ē } 9 ₹	
													SAMPL	9			-2	Name/Header		*	SEA STATE	
9									gr			SALINITY	SAMPLE BOTTLE DATA					4		(deg) (m/s)	1	
								<u> </u>			S		DATA		MA				RED	50 . (S)	CLOUD (amt	STATION DESIGNATION
	_					_	-0	0	0	_	0	SAL.	SAM		MAX. DEPTH =	Cleaned a			ARY ARY	7145	WEATHER	DESIGNATIO
							99	20	46	96	1	NUTR.	PLE BOTTI		Н	Cleaned air bleed valve				144	BOTTOM DEPTH	N N
							1	1	7	7	5	욷	SAMPLE BOTTLE NUMBER		3	alve					STA. N	1001
			20						n	り	t	WHIT'S NUTR.	~							<u>-</u>	STA. NAME/ID	ν,

12	=	10	9	œ	7	6	v	4	ω	2	_		P S	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	1	CONSC CAST #	VESSEL R/V Tho
		20				=	0	ð	0	B	310		TRIP DEPTH	NS GINC	ND SN	MP SN	MP SN	SN		65903		VESSEL R/V Thomas G. Thompson
							*					PR									LATITUDE	npson
												PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 167		
					ş.							70		Ž	æ		NA		,	<u>5</u>	LONGITUDE	
Þ												PRI. TEMP.	CTD CONVE						JD/TIME	W DAY	DATE	75
													CTD CONVERTED MONITOR VALUES	FLUOR S/N						M A Y O	JD ₂	PROJECT & LEG
						G						SEC. TEMP	R VALUES	R S/N				Tape/Diskette ID		<u>~</u> ₹	TIME (
	- 10]				kette ID		401 G	DR:	DS
						9.				æ	100	SALINITY							DATA LOCATION	6		DSDB I.D.
			ļ										z,			ű.		File Name/Header	CATION	ပြ	PRESSURE	
18							×					SALINITY	SAMPLE BOTTLE DATA					eader		35 000	VISIBILITY	
											60	SAL.	DATA		MAX.	Ω			RE V	ည ရှည် (၁) (၁) (၁) (၁) (၁) (၁) (၁) (၁) (၁) (၁)	CLOUD (a	STATION DESIGNATION
							401	103	10 0	ō	00100	L. NUTR.	SAMPLE BO		MAX. DEPTH =	Cleaned air bleed valve			REMARKS	(a)	WEATHER	SIGNATION
							_				-	윉	SAMPLE BOTTLE NUMBER		3	d valve				(J)	2.	77.6
								-3		ħ	t	WHIT'S NUTR.	70							-	STA. NAME/ID	6

12	=	10	₉	œ	7	6	CJ.	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	_	CONSC CAST #	VESSEL R/V Tho
		10					0	0	3	SO	37		TRIP DEPTH	ND SN	ND SN	MP SN	MP SN	SN		759 DEG	# 0	VESSEL R/V Thomas G. Thompson
					<u> </u>	323							표							O ₹	LATITUDE	hompson
												PRESSURE								(3) 2) z	H T	
						!						SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 74		
			<u> </u>		â									S/N	ACE	Ĭ	NWO	Z		9	LONGITUDE	
												PRI, TEMP	C				I		/QL	□ □	300	
		V.										EMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	W DAY	DATE	-
			97										RTED MON	72						M A MO		PROJECT & LEG TN179C
												SEC. TEMP	ATOR VAL	FLUOR S/N	-	4				0 5		& LEG
												EMP	UES					Tape/Diskette ID		S HE	TIME (GMT)	
														1				ette ID		7 (°C)) DRY BULB	
												SAL							D.	. 0		OSDB I.D.
											94	SALINITY	2			1	' !	21	DATA LOCATION	(°C)	MEI BILB MEI SULA MEI BULB	
	×		· <u>•</u> ·- ·					I										File Name/Header	NOIT	(mb)	PRESSURE	
8.5												SAI	SAMPLE B					Header		w	SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WI	ST
										ſ.	6 h	SAL.	A	S20	MAX.	Ω			REMARKS	(s)	CLOUD (amt	ATION DES
							10	õ	G	901	9 105		SAMPL		MAX. DEPTH =	Cleaned air bleed valve			RKS	•	WEATHER	STATION DESIGNATION
							7 60	10801	40			NUTR. C	SAMPLE BOTTLE NUMBER		77	bleed valv				る 工 国	BOTTOM DEPTH	8
				5.1			/	9	(?	1	유	NUMBER		3	ê	=			\exists	STA. NAME/ID	2/5
										わ	ħ	WHIT'S NUTR.								7	ME/ID	4

12	=	10	9	œ	7	6	5	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+		CONSC CAST #	VESSEL R/V Tho
								0	0	יסב	S C		TRIP DEPTH	ND SN	NS OF	MP SN	IP SN	SK 	1	4) 5-9 PEG		VESSEL R/V Thomas G. Thompson
)					`			PRE								・ O	LATITUDE	pson
	Å											PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DE D		
					36							P		2	Ж		WN			<u>.</u> ₹	LONGITUDE	
								. *				PRI. TEMP.	CTD CONVER	•					JD/TIME	DAY DAY	DATE .	
						33						SE	CTD CONVERTED MONITOR VALUES	FLUOR S/N		ē				MO YR	JDie	PROJECT & LEG TN179C
,												SEC. TEMP	VALUES	N				Tape/Diskette iD		5 0 74 J	TIME (GMT)	
			-										A	•				tte iD		- - - - - - - -	DRY BULB	1 BOSO 1.D.
												SALINITY	54		•	 	 	I	DATA LOCATION	. G	WET BULB	į
)						<u> </u>			SAMP				,	File Name/Header	NOL	(nb)	PRESSURE SEA STATE VISIBILITY	- -
2												SALINTY	SAMPLE BOTTLE DATA					ler		3 4 5 (m)	WIND DIRN.	Si
					,						5,0	SAL.			MAX. DEPTH =	Cleane]		REMARKS	8 4 6 (m/s) * *	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
							ĸ	63 ====================================	<u> </u>	<i>ار</i>	0	NUTR.	SAMPLE BOTTLE NUMBER		D.	Cleaned air bleed valve			•	(3)	ВОТТОМ	3
	%											CHL _ W	LE NUMBER		3	alve					STA. NAME/ID	ている
												WHIT'S								40	ME/ID	

HO RC

PG __ OF __

12	=	10	9	œ	7	6	ر.	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+		CONSC CAST #	VESSEL R/V Tho
		12						Θ⁄	16	26	35		TRIP DEPTH	ND SN	ID SN	AP SN	P SN	ž	1	959 5		VESSEL R/V Thomas G. Thompson
												PRES								54.00	53,99 LATITUDE	npson
**						:						PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 1 68 2 2	LON	
					700							PRI. TEMP.	CTD CON						JD/TIME	. 96 w 1	27,96 DATE	
												SEC.	CTD CONVERTED MONITOR VALUES	FLUOR S/N						AY MO YR M A Y 0 5	TE JD=	PROJECT & LEG TN179C
				'n								SEC. TEMP	YLUES	V				Tape/Diskette ID		6917	CO) 14	
	1											SALINITY							DATA LOCATION	(°C) (°C)	DRY BULB WET BULB	DSDB I.D.
													SAME					File Name/Header	ATION	9 C t p	PRESSURE SEA STATE VISIBILITY	
8.												SALINITY	SAMPLE BOTTLE DATA					ber		(deg)	WIND WIND DIRN. SPD.	STA
											দ্র	SAL.			MAX, DEPTH =	Cleaned			REMARKS	2 7 6 * *	CLOUD (amt TYPE WEATHER	STATION DESIGNATION
			-					120	وا	311	117	NUTR CHL.	SAMPLE BOTTLE NUMBER		B	Cleaned air bleed valve				39	BOTTOM DEPTH	NON NON
												IL. WHIT'S	IUMBER		3				-	-0	STA. NAME/ID	127

12	1	10	g.	œ	7	6	ري د	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	Q 2	CONSC CAST #	VESSEL R/V Tho
		58						d	10	20	35		TRIP DEPTH	ND SN	ND SN	MP SN	AP SN	SZ 	1	φ 2 ΦS9 5	# 0	VESSEL R/V Thomas G. Thompson
												PRESSURE								5 4 . 00 z	53.99 LATTUDE	pson
	Ů,				15		11	33				SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 46	LONG	=
							:				-	PRI. TEMP.	CTD	real management depression of these			S		JD/TIME	· ₹ Q Q	T6,03	
:			7,										CTD CONVERTED MONITOR VALUES	7					m	DAY MO	DATE JD=	PROJECT & LEG
	*	_								:		SEC. TEMP	TOR VALUES	FLUOR S/N				Tape/Di	<u></u>	0 5 HR	TIME (GMT)	& LEG
																		Tape/Diskette ID		MIN (°C)	DRY BULB	DSD
											3	SALINITY	4.] 	 	File	DATA LOCATION	(°C)	WET BULB	DSD8 I.D.
110													SAMPLE					e Name/Header	NON	4 3 ·	PRESSURE SEA STATE VISIBILITY	
												SALINTY	SAMPLE BOTTLE DATA					7		(deg) (m/s)	WIND WIND DIRN. SPD.	STATI
									-	ب		SAL. NI			MAX. DEPTH =	Cleaned air			REMARKS		CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
								24	73	122	[2]	NUTR CHL.	SAMPLE BOTTLE NUMBER		3	Cleaned air bleed valve				(E)	H2 BOTTOM DEPTH STA	M MN 26
			9									WHIT'S NUTR.	BER							20	STA. NAME/ID	26

12	11	10	9	8	7	6	۲.	4	ω	2	-		g S	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CAST	CONSC	VESSEL R/V Tho
		- 5					d	4	26	3	OH		TRIP DEPTH	ND SN	ID SN	NS div	PSN	ž		59	*	· ·	VESSEL R/V Thomas G. Thompson
			<u> </u>								<u></u>		I							5 K	LATITUDE	54,00	ompson
			44						i.			PRESSURE								2		Ŏ	
))				<u>;</u>							吊		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES) 69			
					Ш			ļ 							Ж		NA			0 - M	LONGITUDE	15,60	
									K			PRI. TEMP.	CHB		ed E				JD/TIME	W	-	0	
												P	CONVERTE			2	_		È	N DAY	DATE JD=	智	Į PR
		2									-	10	CTD CONVERTED MONITOR VALUES	FLUOR S/N_						<u>></u>	_		PROJECT & LEG TN179C
								ı				SEC, TEMP	R VALUES	S/N				Tape		5 2	+	تم	_ EG .
	93																	Tape/Diskette ID		25 MN			
					1													ਰ		उ	DRY BULB		DSDB i.D.
		27									8	SALINITY							DATA L	3			3 i.p.
																		File Na	DATA LOCATION	8	-	RESSURE	$\frac{1}{2}$
							<u> </u>						SAM					Name/Header		6 °	SE	A STATE	-
3.												SALINITY	SAMPLE BOTTLE DATA					er		35 (deg)		WIND	
					= 8.5								E DATA				l			2 (m/s)		WIND	STATIC
					100						52	SAL.	Ş		MAX. DEPTH =	Cleane			REMARKS	0 ;	<u>_</u>	.OUD (amt) (PE EATHER	STATION DESIGNATION
							120)	128	127	(26	3	NUTR	SAMPLE BOTTLE NUMBER		∃ •	Cleaned air bleed valve				3	\neg	BOTTOM T	
							1	١	5	<	<	얦	TTLE NUM		3	d valve				4			MN 25
									123			WHIT'S	BER		3					4	STA. NAME/ID		5

12	=	1 0	9	œ	7	6	ر.	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	N		CONSC CAST #	VESSEL R/V Tho
		#1			W		0	0	20	30	45		TRIP DEPTH	ND SN	INS OF	MP SN	IP SN	SZ -	,	1-2-1	DEG	* 0	VESSEL R/V Thomas G. Thompson
			<u> </u>							<u> </u>	0.		<u>_</u>							L:	Z Z	5398 LATRUDE	ompson
												PRESSURE								9 9 z		98	
				;								RF.		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	169	D		
					- 1									Ž	æ		NW			<u>u</u>	S.	31.	
												PRI, TEMP.	CTD						JD/TIME	6 √	_	31,95 mude	
					:							₽.	CONVERT		:				¥		DAY	DATE JD=	- - -
													CTD CONVERTED MONITOR VALUES	FLUC							Š	Ĭ	PROJECT & LEG TN179C
												SEC. TEMP	JR VALUES	FLUOR S/N			Ι	Tap		5	ž ž	TIM	- E6
			ii.										. "					Tape/Diskette ID		91	<u>x</u>	1506 TIME (GMT)	
																=		Ē		1. 1	<u>ලී</u>	DRY BULB	DSC
											16	SALINITY							DATA	0	-		DSD8 I.D.
												 	- 1					File N	DATA LOCATION		_	WET BULB	
									<u> </u>	1			SAM		=			File Name/Header	_	(2)	*	PRESSURE SEA STATE VISIBILITY	
Ç.								123				SALINITY	SAMPLE BOTTLE DATA					der		6346		WIND DIRN.	
								Vă.				~	E DATA								(m/e)	WIND SPD.	STATIO
			i								53	SAL.	Ş		MAX. DEPTH =	Cleane		3	REMARKS		*	CLOUD (am TYPE WEATHER	STATION DESIGNATION
							HC.	i V	127	ত্য	ф С1	NUTR.	SAMPLE BOTTLE NUMBER		I	Cleaned air bleed vaive		Kewad	REMARKS LCA	5		BOTTOM DEPTH	
									1	4	ተ	유	TTLE NUM		3	J vaive		•	3				MN24
							,		-			WHIT's	BER						water	22		STA. NAME/ID	*

12	=	10	9	ω	7	6	Ŋ	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	023	CAST	CONSC	VESSEL R/V Tho
						0	12	20	30 30	40	50		TRIP DEPTH	NS CI	D SN	P SN	NS P	2	I	59 <i>5</i>			VESSEL R/V Thomas G. Thompson
W.												P								4 NIN	LATITUDE	54.00	pson
						÷						PRESSURE]	PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEC		· · · · · · · · · · · · · · · · · · ·	
	r#				12.									PAR S/N	FACE	귶	NWOO	Ž		955 MN	LONGITUDE	ol	
												PRI. TEMP	CTD						JD/TIME	- - 		55,45	=
	_											. 5	CONVERTE						ñ	ー ル MAY	<u> </u>		PRC TN1
			3	-								SEC	CTD CONVERTED MONITOR VALUES	FLUOR S/N_		1		1		A Y O 5			PROJECT & LEG
		}										SEC. TEMP	ALUES	N				Tape/Diskette ID	50) K		1644	
																		ette ID		5 - 3 (°C)	Ş		
								V			31	SALINITY		W	33				DATA	5	\dashv		DSD8 I.D.
										:		T	50			1		File N	DATA LOCATION	. 6	Ē		
												2	SAMPI					Name/Header	-	1036	SI	RESSURE EA STATE ISIBILITY	
E.												SALINITY	SAMPLE BOTTLE DATA		:			æ		3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	DININ.	WIND	
											(=	S	DATA		MAX			<u> </u>	REM	27 % (un/s)	CI	B E LOUD (amt)	STATION DESIGNATION
							_	_		-	54 1	-	SAMP		MAX. DEPTH =	Cleaned al			REMARKS		W	PEATHER	ESIGNATIO
						₹ 	ري ود	138	137	136€	135 (SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				5 6	, one	56 BOTTOM	
			_	T.		•	~	<	<	ر	<	무 .	NUMBER		3	Ve	2				STA. NAME/ID		MN 23
												WHIT'S NUTR.								23	AME/ID	i i	

11		10 22	9	œ	7	თ	5	4	3	2	_		POS. TRII	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	Ø24	CAST #		VESSEL R/V Thomas
				,		0	0	26	36	45	55		TRIP DEPTH	ž	2	ž				5954	LATITUDE	5.2	VESSEL R/V Thomas G. Thompson
												PRESSURE			.A1	AI	SI	Į,	1	0 0 z	IDE J	54.00	
													ļ	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 1 8	LONGITUDE	~	
			:									PRI. TEMP	CTD						JD/TIME	MIN C	1UDE	<u>∞</u>	
										10		P.	CTD CONVERTED MONITOR VALUES	·					W.	DAY MO	DATE JD=		PROJECT TN179C
									:			SEC. TEMP	ONITOR VALU	FLUOR S/N	13	, ,	1	। ਜ		Y 0 5			PROJECT & LEG TN179C
												MP	JES					Tape/Diskette ID		0 MN	TIME (GMT)	hcs(
	i								:			\S						ō	-	-3. 6	DRY BULB	4	DSDB I.D.
												SALINITY	7				 	File	DATA LOCATION	(°C)	WET BULB	78.3%	
										i			SAMPI					File Name/Header	ON.	4 5 0 · · · · · · · · · · · · · · · · · ·	SEA	SURE STATE BILITY	
												SALINITY	SAMPLE BOTTLE DATA	,				ц		(deg) (m	DIRN. S		ST
											ţe	SAL.			MAX. DEPTH =	Clean			REMARKS	(m/s) * * *	TYPE	JD (amt)	STATION DESIGNATION
					Ţ	146) 5hı	A hh!	143 4	1424	7 IHI	NUTR.	SAMPLE BOTTLE NUMBER		TH =	Cleaned air bleed valve			•	(E)	DEPTH		
				,						-		CH. N	É NUMBER		m	alve					STA, NAME/ID		MN 22
												WHIT'S NUTR.	j							2 4	Ē/iD	•	

see Blocked parts - this is a d'a mi 5. of position

12	=	10	9	œ	7	6	Ŋ	4	з	2	-		Š	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	¢25		CONSC	VESSEL R/V Tho
		72*				0	9	20	رب م	らて	62		TRIP DEPTH	NS GN	ID SN	AP SN	PSN	ž	1	5 5 9°		# ()	VESSEL R/V Thomas G. Thompson
															27.					- <u>*</u>		ATTI IDE	ompson
					ľ							PRESSURE			1		6			7 1			
												m		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	0 20		5	
					100							-					~			· M			
												PRI. TEMP.	CTD CO						JD/TIME	*	, 1	2	-
			0										CTD CONVERTED MONITOR VALUES	V,						× × ×		DATE ID=	PROJECT TN179C
												SEC.	ONITOR VA	FLUOR S/N		- N	•	•		Y 0 5	_		PROJECT & LEG
												SEC. TEMP	LUES					Tape/Diskette ID		9) 9) 9) 8) 9) 8) 9)		TIME (GMT)	
																		tte ID		N 3	_	DRY BULB	
												SALINITY							DATA	0	\dashv		DSDB I.D.
												γ .				1		File Z	DATA LOCATION		_	76,3% WET BULB	
~													SAME					File Name/Header	-	0	-	PRESSURE SEA STATE VISIBILITY	
141												SALINITY	SAMPLE BOTTLE DATA					ē		3 deg		DIRN.	
													DATA		M.	•		1	200	8 6 1 (s/w)		S E CLOUD (amt)	STATION
-					-						9	SAL.	SAI		MAX. DEPTH =	Cleaned	3		REMARKS	×	<u> </u>	CYPE WEATHER	STATION DESIGNATION
						25.5	57	156	146	8h)	FH-	NUTR	SAMPLE BOTTLE NUMBER		60	Cleaned air bleed valve				<u>69</u>		BOTTOM DEPTH	
				Sale:		7	1	7	7	5	5	윉	LE NUMBE		3	alve						STA. N	MN 2
-						カ	1	カ	כל	6/	ħ	WHIT'S	20							22		STA, NAME/ID	

CONSCIENT LATITICAE LONGTITURE DAY MO PR HR MIN CERT	VESSEL R/V Thomas	VESSEL R/V Thomas G. Thompson			PROJECT & LEG TN179C		DSDB I.D.	-		STATION DESIGNATION	1 1	3	20
DEG	CONSC CAST #	LATITUE	2		l.				SEA STATE VISIBILITY DI NI	CLOUD (amt)	WEATHER		NAME/ID
THES DOTINE DATA LOCATION Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Diskette ID Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Diskette ID	2	S SE MIN	N DEG	8	MO Y		ာ - ဝ		; (deg)	an *	*		2
START DOWN Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Diskette ID	SBE 9+		TIMES	JD/TIME			DAT	TA LOCATION		REMAI	RKS		
START DOWN	PRESS SN		DATA ON			Tape/Diskette	₽	File Na	me/Header	<u> </u>			
AT DEPTH	PRI TEMP SI		START DOV	NN	330								
AT SURFACE PAR S/N	SEC TEMP S	Ž	АТ DEPTH							<u>වූ</u>	aned air blee	d valve	
PAR SAN CITD CONVERTED MONTOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER	PRI COND SI		AT SURFAC	H) 					MAX.	DEPTH =	з ж	
CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SALINITY S	SEC COND S	ž	PAR S/I	~	FLUOR S/N								
PRESURE PRI, TEMP. SEC, TEMP SALIMITY SALIMIT		P DEPTH		CTD CON	IVERTED MONITOR VA	LUES			SAMPLE BOTTLE	DATA	SAMPLE BO	TTLE NUMBE	ER
50 146 157 157 157 157 157 157 157 157			PRESSURE	PRI, TEMP.	SEC.	TEMP	SALI	NEY	SALINITY	SAL		욷	WHIT'S NUTR.
50 46 30 10 10 10 10 1157 1157 1157 1157 1157		¥								22			1
4/6 30 10 10 10 11 11 12 13 14 15 16 17 18 18 18 18 18 18 18 18 18 18		50							N				
30	\vdash	4b									155		
9	4	30									156		
	CJ.	20									157		
	6	0							/		- 1 < S		
	7	0									159		(
	ω												
	9	<u>-</u> -											
	10					+)		::5					
	==								10.				
	12								*1				

12	=	5	9	ω	7	6	s	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	27	Ç	CONSC	VESSEL R/V Tho
		***	<u> </u>	1	0	ō	૪	30	0	50	00		TRIP DEPTH	ND SN	D SN	MP SN	PSN	ž		59 5			VESSEL R/V Thomas G. Thompson
										B		PRESSURE								* O Z	LAIIIUDE	÷.	ion
												SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	7 DEG		25	
					50							PRI.				Ī		1	Jo	. S	LONGITODE		
							,					PRI. TEMP.	OTD CONVERTE						JD/TIME	W WAY	DAIR JU		PR
												SEC.	CTD CONVERTED MONITOR VALUES	FLUOR S/N						A Y O S			PROJECT & LEG TN179C
												SEC. TEMP	TUES					Tape/Diskette ID		2) 34 ₹	<u>"</u> ا⊢	TIME (CMT)	
										5		S		,	- 80			eID		। । ।	Ē		DSDB (.D.
	•							=			148	SALINITY	12.] 	 - 	File	DATA LOCATION	. 6	WE OULD	15.69 14.84	D.
										<u>. </u>			SAMPL					Name/Header	ON.	(mo)	; P	RESSURE EA STATE ISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA					· •		3 2 7 2 0		WIND	STA
			!								Ö	SAL.			MAX. DEPTH =	Cleaned			REMARKS	90 x	, с	LOUD (amt) YPE /EATHER	STATION DESIGNATION
					166	165 "	164 .	3	90	161	60	NUTR. C	SAMPLE BOTTLE NUMBER		-E	Cleaned air bleed valve				رما الا	OET III	воттом	TION NOT
					70	₽J 	ŋ	ン	<u>لر</u>	り	n X	CHL. WHIT'S	NUMBER		3	/de				22	SIA. NAME/ID	CTA NIANE/ID	919

3
000
\$,
Loap
5

15 shop is now

PG OF

12	=	-	9	ω	7	6	5	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	2	CONSC CAST #	VESSEL R/V Tho
		int.			0	0	of	30	H _O	50	100 m		TRIP DEPTH	ND SN	NS CI	MP SN	P SN	∑ I	ı	25 9 E	***	VESSEL R/V Thomas G. Thompson
															:					MIN . 00	LATITUDE	mpson
												PRESSURE		P	AT S	AT 0	STAI	DATA ON	TIMES	Z		
		,					Þ							PAR S/N	AT SURFACE	AT DEPTH	START DOWN	NO.	S	7 1 4 9	LONGITUDE	
								!				PRI. TEMP	ß					i	/di	-9 5)		
												EMP.	CTD CONVERTED MONITOR VALUES	-					JD/TIME	W DAY	DATE JE	- P
											-	60	ED MONITO	FLUOR S/N						M MO	5	PROJECT & LEG TN179C
					•							SEC. TEMP	? VALUES	S/N_		300		Tape/[ار الار الار الار	TIME (GMT)	66
																		Tape/Diskette ID		T N		_
					<u>.</u>						,	SAL							Į.	. (c)	DRY BULB \	DSDB I.D.
												SALINITY				' · 	1	· File	DATA LOCATION	. C	PORT BULB	
				<u> </u> 				<u></u>					SAI			,		Name/Header	Ō	(mb) *	PRESSURE SEA STATE	
*												SALINITY	SAMPLE BOTTLE DATA					ader		3 (deg)	VISIBILITY DIRN.	
							!					~	E DATA		<u>*</u>	 	1		22	(s/w)	SP NO CLOUD (amt)	STATION
		,			j.	-	_		The same		101	SAL.	SAM		MAX. DEPTH =	Cleaned :	4		REMARKS	*	TYPE WEATHER	STATION DESIGNATION
					133	172	7./	170	169	09	401	NUTR.	SAMPLE BOTTLE NUMBER		60	Cleaned air bleed valve				(E)	BOTTOM	NOI
											-	었	E NUMBER		3	alve					STA. NAME/ID	ح
					Z	2	7	7	7)	+	T)	WHIT'S NUTR.								2	AME/ID	ซ

12	=	10	9	œ	7	6	5	4	ω	2	-3		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0 2	CONSC CAST #	VESSEL R/V Thon
				0	5	20	36	£	50	60	05°		TRIP DEPTH	NS (SS.	SS 	SS	1	!	5 9 S		VESSEL R/V Thomas G. Thompson
												1								<u>∪</u> <u>M</u>	SOULLY FG. ES	pson
									20			PRESSURE		P	AT SI	АТ ОЕРТН	STAR	DATA ON	TIMES	N DEG		
	<u> </u>				177					_				PAR S/N	AT SURFACE	EPTH	START DOWN	S.	•	72 1-3	LONGITUDE	
						114						PRI, TEMP,	2			I	1		JD/		13.GI	
				=								EMP.	TD CONVER						JD/TIME	▼DAY	DATE .	
													CTD CONVERTED MONITOR VALUES	FLUC						M MO	D.	PROJECT & LEG TN179C
												SEC. TEMP	OR VALUES	FLUOR S/N			T	Таре		0 5 1 ½	JMIT 12	E6
				-	_							:						Tape/Diskette ID		N MN	TIME (GMT)	
		35,	520							100		10	:			Ŷ.		D		(°C)	DRY BULB	DSDB I.D.
											Y)a	SALINITY	2.]		_	DATA LOCATION	(°C)	WET BULB	.D.
																		File Name/	ATION	(mb) *	PRESSURE	-
								83				SALINITY	SAMPLE BO					Name/Header		6 *	SEA STATE VISIBILITY DR. WIND	
												YTIV	SAMPLE BOTTLE DATA		E :					deg) (m/s) 2박 & 중	ND WIND SPD.	STAT
											102	SAL.			MAX. DEPTH =	Cleane			REMARKS	6 *	CLOUD (amt TYPE WEATHER	STATION DESIGNATION
				1	180	6t.1	261	22)	9721	175		NUTR	SAMPLE BOTTLE NUMBER		로	Cleaned air bleed valve				(m)	ж воттом рертн	
					-\$	~	*	•	+ 4	小 第.	4	CHL	TLE NUMBE		3	valve				6	·	LINE
				\	`	Ì	`	`				WHIT'S NUTR.	∺							29	STA. NAME/ID	

12	=	10	9	8	7	6	S	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	Q 3 Q	CONSC CAST #	VESSEL R/V Tho
577		8.)a	2	30	7.	50	60	20		TRIP DEPTH	ND SN	ID SN —	WP SN	IP SN	ž	1	DEG 59 5		VESSEL R/V Thomas G. Thompson
												PRES								. N N N N N N N N N N N N N N N N N N N	54,66	noson
											33	PRESSURE	j	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG N 1723	LON	
					C.							PRI. TEMP.	СТВ				1		JD/TIME	6.02 w	36.62	
						<u> </u>	n					MP.	CONVERTED MO	FLUOR S/N					ME	OO MAY	DATE JD=	PROJECT TN179C
			2									SEC. TEMP	ONITOR VALUES	FLUOR S/N	2	7	1	Тар		YR HR	- -	PROJECT & LEG TN179C
		101																Tape/Diskette ID		2 MW	1516 TIME (GMT) DR	
		A									Sa.	SALINITY							DAT.	(°C)	DRY BULB WE	DSDB I.D.
	4		والمراجع المراجع المرا									TY	Ŋ	¥				File Nam	DATA LOCATION	(°C) (mb)	WET BULB PRESSURE	-
S)												SALINITY	SAMPLE BOTTLE DATA				8	File Name/Header		+ * (deg)	SEA STATE VISIBILITY DIR. WIND	-
											-		TLE DATA		M,]	<u> </u>	Z	5 (m/s) *	SP W SP	STATION
						_					_	SAL.	SAN		MAX. DEPTH =	Cleaned	i i		REMARKS	- *	TYPE WEATHER	STATION DESIGNATION
				9	00	ナン	ナフ	5 4	7 7	3	2 4	NUTR. C	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				(E)	HIDAO WOLLOG E E	NUM MUIG
												CHL. WHIT'S	NUMBER		3	ve				ω O	STA. NAME/ID	16

12	=	ő	9	00	7	6	ы	4	ω	2			POS.	19	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	8	CAST #	CONS	VESSEL R/V Tho
		***		0	10	25	30.	HO	50	8	70		TRIP DEPTH	NS CIA	D SN	NS P.	PSN	ž	1	(5 9)	**		VESSEL R/V Thomas G. Thompson
							1													S ™N	LATITUDE	50°.00	nosom
												PRESSURE			Þ.	A.	3		=	9 6 N	1		
	N													PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	₹ 25			
					7												~			. MN	LONGITUDE	58.96	
		X										PRI. TEMP.	CLD CO		Sec.				JD/TIME	\$ W		0`	-
								- 10					CTD CONVERTED MONITOR VALUES		1					00 AY	DATE JD=		PROJECT TN179C
							:					SEC	MONITOR V	FLUOR S/N				•		O YR	ı.		PROJECT & LEG TN179C
1												SEC. TEMP	ALUES	2		1		Tape/Dis	•	<u>~</u> =	TIME (GMT)	1648	
																		Tape/Diskette ID		() ≥ 			-
							•					SA							٥	(C)	DRY BULB		DSD8 I.D.
											-	SALINITY	-			1	' 1	<u>I</u>	DATA LOCATION	. C	WET BULB	% H. E.B	
				}									(0					File Name/Header	NOF	- (i)		SSURE STATE	ii
\ <u>`</u>					<u> </u> 							SALINITY	AMPLE BO					leader		7) (deg)		IBILITY	
												NEW YEAR	SAMPLE BOTTLE DATA							(deg) (m/s)	N. SPD.		STAR
											164	SAL.			MAX. DEPTH =	Clean			REMARKS	6 *	CLC	OUD (amt) Æ	STAFFION DESIGNATION
			•	751	164	351	7 41	136	17	7 11) W	NUTR.	SAMPLE BOTTLE NUMBER		HTH-	Cleaned air bleed valve			S	(E)	DEPTH	BOTTOM 40	
				~		(1)	~		7	113		윘	OTTLE NUM	1	m	d valve				8	+	₹ 0/\	MN 15
								===				WHIT'S NUTR.	IBER		3					W	STA. NAME/ID		JI.

12	=	ö	9	00	7	o	ы	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	<i>ω</i>	CONSC CAST #	VESSEL R/V Tho
•				0	0	20	30	40	07	60	00	73	TRIP DEPTH	ND SN	INS CI	MP SN 	P SN	ž I	ı	2 5 9 3	***	VESSEL R/V Thomas G. Thompson
												PR	·	143						MIN 53.99	53.99.	mpson
	23											PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 1: 73		
	54											g		N	CE	_	NAK			. <u>№</u>	72,92	
												PRI. TEMP.	CTD CONVE	1					JD/TIME	2 W I S	DATE JD-	
												S	CTD CONVERTED MONITOR VALUES	FLUOR S/N						MO YR	<u>.</u>	PROJECT & LEG TN179C
										-	5	SEC. TEMP	VALUES	S/N			.X.	Tape/Diskette ID		5 1 8 MIN	1837 FE81	<u>ရ</u>
														_				ette ID		0 G) DRY BULB	DSD
											18	SALINITY	10A 6 (2)					71	DATA LOCATION	(°C)	₩ET BULB	DSDB I.D.
)						SAN	1				File Name/Header	NOITA	(mb)	PRESSURE SEA STATE	
7-								c	20-			SALINITY	SAMPLE BOTTLE DATA					ader		727446 (m/s)	VISIBILITY DIRN.	
						a.					70	Ş	DATA		МАХ		ļ —	<u> </u>	REM	-43 *	SP NO CLOUD (amt)	STATION DESIGNATION
3										_	_	SAL.	SAME		MAX. DEPTH =	Jeaned at			REMARKS	6.	TYPE WEATHER	ESIGNATIO
	S			25	24	23 €	22 (² ا ۲	20	19	co	NUTR.	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve	E			@ 3	HIA3D WOLLOB	
	33						. ,	•				욷	E NUMBE		3	alve					STA. I	AI NW
								Ξ				WHIT'S	70							3 2	STA. NAME/ID	

12	=	5	9	ω	7	o o	C/I	4	ω	2	_	- 1	PĢ,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	() ()	CONSC CAST #	VESSEL R/V Tho
				0	10	10	30	940	50	34	9		TRIP DEPTH	ND SN	NS CI	WP SN	IP SN	SN .	ı	59	# 0	VESSEL R/V Thomas G. Thompson
		:::										PRESSURE								53.99 v	<u>EATITUDE</u>	noson
												URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 73 H	LON	
	•											PRI. TEMP.	CTD CONVERT						JD/TIME	5.05 w 18 M	LONGITUDE DATE JD=	T P
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N		£		Tape/Di		> MO YR YR O S HR	TIME (GMT)	PROJECT & LEG TN179C
												SALINITY						Tape/Diskette ID	DATA LOCATION	MIN (°C) (°C)	MT) DRY BULB WET BULB	DSDB I.D.
Œ												SALINITY	SAMPLE BOTTLE DATA					File Name/Header	ATION	(mb) * (deg)	PRESSURE SEA STATE VISIBILITY DIR. WIND	
											901	SAL.	DATA		MAX. DEPTH =	Clea			REMARKS	0 1 0 1 0 · · · · · · · · · · · · · · · · · ·	CLOUD (amt)	STATION DESIGNATION
)-	\ \ \ \	32	31	36	29	28	_		NUTR.	SAMPLE BOTTLE NUMBER		PTH ₩	Cleaned air bleed valve			S	105 (EII)	WEATHER BOTTOM	
				2	ナケ	くり	イナ	大 力	\ _	10/c	<i>1 .</i>	CHL. WHIT'S	LE NUMBER		3	alve				3	STA. NAME/ID	MN 13

12	<u> </u>	10	9	တ	7	6	5	4	w	2 7	-		POS. TRIP	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	3459	CONSC CAST #	VESSEL R/V Thomas
				0	2	8	33	£	50	5	202		TRIP DEPTH	_		- 				N ₹	LATITUDE	VESSEL R/V Thomas G. Thompson
					ŀ					5		PRESSURE		PAR	AT SURFACE	АТ DEPTH	START DOWN	DATA ON	TIMES	DEG DEG	# 	
	!!				7.7									PAR S/N	FACE	H	DOWN	ž		A A MIN	LONGITUDE	
												PRI. TEMP.	CTD CONVE	j					JD/TIME	S W DAY	DATE JD=	
												SEC	CTD CONVERTED MONITOR VALUES	FLUOR S/N						MO YR	JD=	PROJECT & LEG TN179C
												SEC. TEMP	/ALUES	N				Tape/Diskette ID		HR MIN	тіме (смт)	-
=				=	-			=		-	-	S	=	-	_		-	te ID		+ 0.6°	DRY BULB	DSD8 I.D.
								34.	•		20	SALINITY	33			 	 	File	DATA LOCATION	(°C)	91,19	, , ,
												S	SAMPLE			•		Name/Header	ž	(mb) * *	PRESSURE SEA STATE VISIBILITY	
					97							SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s) *	WIND WIND DIRN. SPD.	STATI
				2	-ر	(M	C.MJ	1.42	لدع	س	107	SAL. N			MAX. DEPTH =	Cleaned at			REMARKS	6 ;	CLOUD (amt) TYPE WEATHER	ION DESIGNATION
	:			41 1	40	39	38	37	36	351	34 1	NUTR CHL	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				(E)	BOTTOM DEPTH ST	STATION DESIGNATION PARTS
				T)	カ	ת	a	P	カ	/	/	WHIT'S NUTR.	MBER		3					7 7	STA. NAME/ID	رو

PG ___ OF ___

12	11	10	9	0	7 10	ء ئ	S S	4 40	20	2 75	٠ م		POS. TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	35595	CONSC CAST #	VESSEL R/V Thomas G. Thompson
												PRESSURE		PAR S/N	AT SURFACE	АТ ОЕРТН	START DOWN	DATA ON	TIMES	MIN DEG PEG	LATITUDE L	pson
			88									PRI. TEMP.	CTD CONVERTE		m		¥X	¥0	JD/TIME	3/ . MIN DAY	LONGITUDE DATE JD-	TN TN
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N				Tape/Diskette ID		A Y 0 5 23 4 0	TIME (GMT)	TN179C
								100			Œ.	SALINITY			:				DATA LOCATION	0 (c)	DRY BULB WET BULB	
												SALINITY	SAMPLE BOTTLE DATA				·	File Name/Header	ž	(mb) * * (deg) (m/s)	PRESSURE SEA STATE VISIBILITY DIRN. SPD.	
				949	G.	47	94	45	44	43	eh 201	SAL. NUTR			MAX. DEPTH =	Cleaned air bleed valve			REMARKS	*	CLOUD (amt) TYPE WEATHER	SIGNION OF SIGNAL INON
				T	7	7)	ク	つ. つ	Z	7	<u>پ</u>	R. CHL. WHIT'S	SAMPLE BOTTLE NUMBER		107 m	leed valve				(3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	BOTTOM STA. NAME/ID	MUNI

Fet.

12	11	10	9	8	7 10	6 30	5 30	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN -	PRESS SN	SBE 9+	32	CONSC CAST #	VESSEL R/V Tho
				0				40	50	75	01		TRIP DEPTH	NS GN	NS div				ı	559 59	# 0	VESSEL R/V Thomas G. Thompson
																				り い ・	LATITUDE	ompson
												PRESSURE				Ĺ				_0 _0 z	<i>(a)</i>	
	81							}				ñ		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	7 7 4 C	1	
					¢										m .		Ž			. N	LONGITUDE	
	:											PRI. TEMP.	CTD C						JD/TIME	0		
													CTD CONVERTED MONITOR VALUES						m		DATE JD=	PRC
											23	IS	MONITOR	FLUOR S/N						A Y O YR	-	PROJECT & LEG
												SEC. TEMP						Tape/Diskette ID		O ₹	TIME	6
																				₩	TIME (GMT)	-
							3					SALINITY SA			34					ය	DRY BULB	DSD8 I.D.
																			DATA LOCATION	ී	BLINB L3M]
																		File Name	NOTTA	0 (mb)	PRESSURE	-
12																	-	Name/Header		9.5	SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA							(A)	WIND V	, vi
	-										17	S.	АТА		MAX			<u> </u>	REM.	0 6 3 ·	SP NO CLOUD (amt)	TATION DE
				ν,	5	5	v.	5	~	, a	10/9 5	SAL. N	SAMPI		MAX. DEPTH =	Cleaned air bleed valve			REMARKS	*	TYPE WEATHER _ ®	STATION DESIGNATION
				4	56	5.5	15	22	å S	5)	50	NUTR.	SAMPLE BOTTLE NUMBER							3	BOTTOM	3 ^z
				,			-				Q.	운 V			3						STA. NAME/ID	017
				/	Þ	か	ħ	/	ſ	/		WHIT'S								36	ME/ID	

12	=	10	9	8	7	6	۲۵	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	W	CONSC CAST #	VESSEL R/V Tho
Ŷ			·	0	0	9	Ş	01	50	75	- 90		TRIP DEPTH	NS GIA	D SN	₫P SN	PSN	ž	1	5 6 S £	44.0	VESSEL R/V Thomas G. Thompson
																					LATITUDE	noson
												PRESSURE			Þ.	Þ.	^{ري}		=	0 z	78	
												E		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	から		
				 													Z			. M	LONGITUDE	
												PRI. TEMP	CTD C						JD/TIME	O	_	
_		Ŷ				,				N			ONVERTED							DAY M	DATE JD=	PROJECT TN179C
												SE	CTD CONVERTED MONITOR VALUES	FLUOR S/N_			ŀ	l		A Y O	_	PROJECT & LEG
												SEC. TEMP	VALUES	S/N				Tape/[5 R 0 H ひ R	TIME (GMT)	- "
				-														Tape/Diskette ID		★		$\frac{1}{2}$
										-										<u>.</u> 6	DRY BULB	DSDB (.D.
											93	SALINITY							DATA LOCATION	(°C)	77,8% WET BULB	D.
																		File Name/Header	CATION	0 j	PRESSURE	-
					4.					10		(0	SAMPLE					e/Header		*	SEA STATE VISIBILITY	
10.0												SALINITY	SAMPLE BOTTLE DATA		ŗ					(deg) (m/s)	WIND DIRN.	10
					<u> </u> 		=.	<u> </u> 	<u> </u> 		1-1	S)ATA		MAX]	Į.	REM	- *	SS NO CLOUD (amt)	STATION DESIGNATION
				0	6	0	6	6	6	J)	0	SAL.	SAMP		MAX. DEPTH =	Cleaned at			REMARKS	*	TYPE WEATHER	ESIGNATIC
				65	40	63	60	6-	60	59	9	NUTR.	רב פסגדרו	-		Cleaned air bleed valve				<u>り</u> 3333	ВОТТОМ DEPTH	
				10.								CHL.	SAMPLE BOTTLE NUMBER		3	ve		-			STA. NAME/ID	M N 09
	,											WHIT'S NUTR.	:							37	AME/ID	
								Michelan	20	8												
) i	200	W													

13	=	70	9	00	7	6	C.	4	3	2			Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	W	CONSC CAST #	VESSEL R/V Tho
		,	0	ō	بر 0	0	07	50	54	00	にたっ		TRIP DEPTH	ND SN	ID SN	MP SN	P SN	ž	1	\$ 5 5 S	***	VESSEL R/V Thomas G. Thompson
			-										-							0 0	LATITUDE	npson
٠												PRESSURE		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEG		
-		_			28		<u> </u>							PAR S/N	FACE	丑	DOWN	ž		0 WIN	LONGITUDE	
												PRI. TEMP.	CID						JD/TIME	O ≥	_	
													CTD CONVERTED MONITOR VALUES		l N				雨	DAY	DATE JD=	PROJECT TN179C
												SEC.	MONITOR VA	FLUOR S/N		1	l	ı		MO YR		PROJECT & LEG TN179C
												SEC. TEMP	LUES	2				Tape/Diskette ID	-	9 HR MIN	TIME (GMT)	
															=			tte ID		ာ ရှိ	DRY BULB	DSD
											ā.	SALINITY							DATA LOCATION	O	WET BULB	DSD8 I.D.
																		File Name/Header	CATION	0 ⊕	PRESSURE	
ę												SAL	SAMPLE BO	-				/Header		b 6	SEA STATE VISIBILITY □ ≤	
												SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WIND DIRN. SPD.	STA
		- ; ::										SAL.			MAX. DEPTH =	Clean			REMARKS	20 S	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION NOTATS
			74	73	72	71	70	69	b O	49	66	NUTR.	SAMPLE BOTTLE NUMBER		고	Cleaned air bleed valve				129	BOTTOM DEPTH	NOITA NOITA
												윴	TLE NUMBE		3	valve	į			9	STA.	90
			-							21	51	WHIT'S NUTR.	χ;			-				23	STA. NAME/ID	
										ار ان	0											

; |-|-

CATTOOR COSTILUE CATTOON CATE LID* THE (SMT) DAY BULL SAFELE CATTOON COSTILUE CATTOON CATE LID* CATTOON CATE LID* CATTOON CATTOO	12	=	1 0	9	8	7	6	ω	4	ω	2			PĢ,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	w	CAST	CONSC	VESSEL R/V Tho
DEC			10	0	0	50	30	2	50	75	00	-32 -22		TRIP DEPTH	ND SN	NS ON	MP SN	iP SN	SK 	ı	S 95			VESSEL R/V Thomas G. Thompson
CONSIDER DATE D. TIME (SMT) DAY BILLS WET BILLS WET BILLS WAS DEFINAL CONTROL													PRE									ATITUDE	6.	pson
STUDE DATE JD TIME (GMT) DRY BULLS REAL STATE DATA LOCATION DATA LOCATION FIG. Name/Header Tape/Diskette ID FIG. CONVERTED MONTOR VALUES SEC. TEMP SALIMITY SALIMI										İ			SSURE		PAR S/N	AT SURFAC	AT DEPTH	START DOW	DATA ON	TIMES	-			
TIME (GMT) DRY BLLE WET BLLE WIND WIND DRY WAND OF WET BLLE WET BLLE WET BLLE WIND WIND DRY WAND OF WET BLLE WE						**				,			PRI			E	į	ž	I	_	<u>0</u> 3 0	ONGITUDE		
PRESIDENT WAND WINNO DEPTH BOTTLE BOT													. TEMP.	CTD CONVERT						D/TIME	9			T P
PH RECOMITY DAY BULB WET BULB PRESSURE IT AT IT YOU DIRN. SPD. CLOTTON BOTTON DATA LOCATION SALINITY SAMPLE BOTTLE DATA SAM													SEC	ED MONITOR V	FLUOR S,						A 0			PROJECT & LEG TN179C
PH SULB WET BULB WET BULB WET BULB PRESSURE STATE (CC) (CC) (mb) * * (deg) (m/s) * * * (deg) (m/s) * * * (deg) (m/s) * * * (m) PREVARKS FILE Name/Header SAMPLE BOTTLE DATA													. TEMP	ALUES	Ž 				Tape/Disket		0 = ×	IIME (GMI)		
CCATION SALINITY SALINITY SAL NUTR. C. SAUPLE BOTTLE DATA SAMPLE BOTTLE 7 SAL NUTR. C. SAUNTLE DATA SAMPLE BOTTLE 7 SAL NUTR. C. SAUNTLE DATA SAU						Si					10								te IĐ			DKY BULB		DSDB I.D.
SAMPLE BOTTLE DATA SALL NUTR. SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE OF THE SA													SALINITY				1	 	FIL	DATA LOCAT		WEI BULB	136.138 133	I.D.
BOTTLE DATA SAL NUTR. CHAPTE BOTTLE ? SAL NUTR. CHAPTE BOTTLE ? SAL NUTR. CHAPTE BOTTLE ? SAMPLE BOTTLE ? SAMPLE BOTTLE ? SAMPLE BOTTLE ?							- <u></u>				- <u>-</u>	73		SAMP] 			e Name/Head	NOE		PI SI	RESSURE EA STATE	
SAL SAL SAPLE BOTTLE? SAMPLE BOTTLE? SAMPLE BOTTLE? SAMPLE BOTTLE? SAMPLE BOTTLE?	87												SALINITY	LE BOTTLE DA					er			DIKIN.	DNIW	.TS
DEPTH COUNTRY OF The BOTTLE?													SAL.			MAX. DEPI	Cleane			REMARKS	4 ,	t ci	LOUD (amt) YPE	STATION DESIGNATION
[¥		ф (и	ჯ) 9.)	20	80	79	4	77	76	75		AMPLE BOTTLE		로	d air bleed va				1 ($\neg \Gamma$		90
TO T			-	か	カ	ナ	カ	カ	h	ح	7	7	CHL WHI	E NUMBER		3	ive					SIA. NAME	}	40 MM

12	1	<u>.</u>	9	ω	7	6	5	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	<u> </u>	CAST #		VESSEL R/V Tho
	0	0	8	30	40	50	60	75	00	125	135		TRIP DEPTH	NS CIN	ID SN	VP SN	P SN	ž I	1	0 5 DEC	* '	3	VESSEL R/V Thomas G. Thompson
																				S Min	LATITUDE	53.99	ompson
												PRESSURE	-]		Þ.	>.	S	<u></u>	=	9 z	_	-	
	4											I H		PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	PEG 2	_ 		
			_		27															· N	LONGITUDE	20.02	
				,								PRI. TEMP.	стр со	! -					JD/TIME	7 w	1_	P	 -
	_	-											CTD CONVERTED MONITOR VALUES		1					DAY MO	DATE JD=		PROJECT
												SEC	MONITOR V	FLUOR S/N		E .	'	`		0 YR			PROJECT & LEG TN179C
						_						SEC. TEMP	ALUES	Z				Tape/Diskette ID		O =	TIME (GMT)	23.30	
7																		kette iD		U M	+		-
								•				SAI							D	(C)	DRY BULB	- 0	DSDB I.D.
												SALINITY	į.			1 . }	1	Ξī.	DATA LOCATION	. G	WET BULB	21.43	
																a:		File Name/Header	NOT	(mb)		SSURE	
AT	:					- 55						SALI	SAMPLE BOTTLE DATA				:	leader		₩ *	VISII	BILITY	
							-					SALINITY	TTLE DAT.						•	(deg) (m/s)	DIRN. SPD.		STA
											1/3	SAL.	>		MAX. DEPTH -	Clean			REMARKS	1961	CLO	UD (amt)	STATION DESIGNATION
	76	93	9.2	<u>}</u>	K	89	88	87	28	ار ا		NUTR.	SAMPLE B		PTH -	Cleaned air bleed vaive			S		WEA DEPTH	THER E	NATION
	1	7	7	1	1	÷	不			T.	_	원	SAMPLE BOTTLE NUMBER			ed valve				(A) 1± (B)	+		333
				10								WHIT'S NUTR.	/BER		а					1	STA. NAME/ID		2006

12	=	10	9	œ	7	6	5	4	ω	2			Poș.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	O <u>×</u>	CONSC CAST #		VESSEL R/V Tho
	0	ō	8	30	š	G	60	35	100	27.5	133		TRIP DEPTH	ND SN	ID SN	AP SN	P SN	ž	1	5 9 5		ď	VESSEL R/V Thomas G. Thompson
				1								PRES				, II				щ	LATITUDE	ZU 02	pson
	r											PRESSURE	ē	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 1 2 6 H	LO		
					5-							PRI. TEMP	CID C			[- 		JD/TIME	W NIM	LONGITUDE I		
													CTD CONVERTED MONITOR VALUES	FLL					[FI]	DAY MO	DATE JD=		PROJECT & LEG TN179C
												SEC. TEMP	OR VALUES	FLUOR S/N	288			Tape/Diskette ID		0 5 HR MIN	TIME (GMT)	295	LEG
-												10						ette ID		2 °C	T) DRY BULB		DSDB I.D.
		:						:				SALINITY	78			 	l 	File	DATA LOCATION		WET BULB		ī.D.
39												SALINITY	SAMPLE BOTTLE DATA	2)				Name/Header	Z	(mb) * * (deg)	PRESSU SEA ST/ VISIBILI DIRN.	ATE	
												ALLA	TTLE DATA		2	<u> </u>		T	77	(a/s)	WIND SPD.	(x) ·	STATION
	1	1	میہ								HH c	SAL. N	SAMP		MAX. DEPTH =	Cleaned at			REMARKS	*	CLOUD TYPE WEATH	ER	STATION DESIGNATION
	2 50l) hal	103 +	102 (101	7001	99	9.8	97	96	20	NUTR. CH	SAMPLE BOTTLE NUMBER			Cleaned air bleed vaive				(m)	-	JHO I	l
	5	•	2	5	ζ.							CHL. WHIT'S	NUMBER		э	ra e				E	STA, NAME/ID		3005

12	11	10	9	8	7	6	5	4	ω	2	_		PS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	VESSEL R/V Tho
	Ø	0	&	024	4	50	8.	34	166	125	133		TRIP DEPTH	ND SN	ID SN	AP SN	P SN	ž	ı	2 5 9 4	***	VESSEL R/V Thomas G. Thompson
												PR								MIN 9 9	53.99	mpson
												PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N T F F		
												PRI.			m	ı	2	I	70	. 9 8	LONGITUDE 11,98	
												PRI, TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	W DAY	DATE JD=	PRC TN:
	12											SEC. TEMP	D MONITOR VAL	FLUOR S/N				1		MO YR	(1)	PROJECT & LEG TN179C
												ЕМР	.UES					Tape/Diskette ID		72 MM 0 MM	TIME (GMT)	
												SA						ē	0	(°C)	DRY BULB	DSDB I.D.
											Δ.E.	SALINITY	8				' 	File	DATA LOCATION	(°C)	WET BULB	N.
12												S	SAMPLE					File Name/Header	z	φ7 7 2 (mb) * * (dm)	PRESSURE SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA			==				(deg) (m/s)	WIND WIND DIRN. SPD.	STAT
											= 55	SAL	<u>w-</u>		MAX, DEPTH -	Cleaneo			REMARKS	* *	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
	116	± 511	を	ક્	1112 6	J 1111	+ 01)	09	8	101	8	NUTR.	SAMPLE BOTTLE NUMBER		III	Cleaned air bleed valve	N			(m)	POLLOW BOLLOW	
	_											CHL.	E NUMBER		3	live					STA. NAME/ID	HANN
												WHIT'S						×		H 2	ME/ID	

12	11	10	9	00	7	6	5	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0 E	CAST #		VESSEL R/V Tho
	0	c	20	84	£	50	8	275	8	125	735		TRIP DEPTH	NS CI	D SN	IP SN	NS	z	ı	0 43595	~		VESSEL R/V Thomas G. Thompson
																				<i>(</i>)3 ₹	LATITUDE	53,99	mpson
			į							 		PRESSURE			>	<u> </u>	S	ļ	=	9	<u> </u>		
	ų.											Е		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	2 2	15		
					2.5					×							Z			₩ N N	LONGITUDE	34,98	
:												PRI. TEMP.	CTD C	ł					JD/TIME	9 80 w		On	
=			100				-						ONVERTED							DAY N	DATE JD=		PROJECT TN179C
						ja						SE	CTD CONVERTED MONITOR VALUES	FLUOR S/N) 8. **	2	ı		A Y O			PROJECT & LEG TN179C
	-				9							SEC. TEMP	VALUES	N				Tape/E		57 	TIME (GMT)	1349	- "
			_												- 8			Tape/Diskette ID		CC ₹	+-	٩	-
								Ĥ		ļ.		s								(0)	DRY BULB		OSDB I.D.
											7.	SALINITY	120				!		DATA LOCATION	. C	WET BULB	903%	
																		Fife Name/Header	ATION	ナ (gw) 今		SSURE	
												S	SAMPLE					/Header		7 ·		STATE	-
135							•					SALINITY	SAMPLE BOTTLE DATA							2 (deg) 2 3 5	DiRN.		
	-												DATA		7		·		70	(m/s) *	SPD.		STATION
											16	SAL.	Ş		MAX. DEPTH =	Cleane	<u> </u>		REMARKS	- : 00 :	TYP	UD (amt) E ATHER	STATION DESIGNATION
	{2}	126	125	124	123	(22	121	120	1119	ગાજ	117	NUTR.	SAMPLE BOTTLE NUMBER	-	Ŧ.	Cleaned air bleed valve				1 (g)	DEPTH	OHI	
												었는	TLE NUM		3	valve				0	+		ru o3
		~	٢	-	4	•			N	-		WHIT's	BER							4 3	STA. NAME/ID		01

12	=	ō	9	8	7	თ	رب د	4	ω	2	_		Ŗ Ņ	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	40	CONSC CAST #	VESSEL R/V Tho
	0	10	4	30	40	50	66	25	100	元	Ot !		TRIP DEPTH	ND SN	NS G	MP SN	∯ SN	SN	1	0 4 4 5 9 5		VESSEL R/V Thomas G. Thompson
												PRE								53 3.99	53,99 LATITUDE	npson
			83		:							PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEG	15	
					24							PRI. TEMP.	CII			1	_		JD/TIME	. MM	58, 22	
												MP.	CTD CONVERTED MONITOR VALUES						TIME	DAY MO	DATE JD-	PROJECT TN179C
												SEC. TEMP	MONITOR VALUE	FLUOR S/N_	<i>i</i> .	· 	' 	Ta		Y 0 5	= -	PROJECT & LEG TN179C
								:				AP	S.					Tape/Diskette ID		MIN	1645	
									·			SALINITY						U	DA:	(°C)	DRY BULB W	DSDB L.D.
			9)									NITY	.0				1	File Na	DATA LOCATION	(°C) (mb)	WET BULB PRESSURE	
													SAMPLE					Name/Header		2:	SEA STATE VISIBILITY	- - -
(0).												SALINITY	SAMPLE BOTTLE DATA	Ē						(deg) (m/	WIND WIND DIRN. SPD.	ST/
					E:						たこ	SAL.			MAX. DEPTH =	Cleans			REMARKS	88 + * * * * * * * * * * * * * * * * *	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
	138	137	136	135	h21	133	132	121	136	129	120	NUTTR	SAMPLE BOTTLE NUMBER		TH =	Cleaned air bleed valve			-	(m)	BOTTOM Sh j	
												CHL 및 및	E NUMBER		3	ilve					STA. NAME/ID	740W
:										,		WHIT'S								1	Œ/B	

12	=	ö	9	œ	7	6	S	4	3	2	3		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	2110	CAST #		VESSEL R/V Tho
	0	10	12	0	4	50	60	-57 -12	[0	125	135	,	TRIP DEPTH	NS CIV	DSN	NS G	PSN	Ž I	1	5595	** `	•	VESSEL R/V Thomas G. Thompson
																				. 9 MM	LATITUDE	53,98	ompson
												PRESSURE			ΑŢ	AT	ST	D 0	=	Z	_		
	c													PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	2 8 F	- - 5		v
					M												-			. MN	LONGITUDE	24,00	
												PRI. TEMP.	CIDCC	l					JD/TIME	*	1		-
													CTD CONVERTED MONITOR VALUES							9 M MO	DATE JD=		PROJECT TN179C
												SEC	MONITOR V	FLUOR S/N		9	1	1		0 YR	+		PROJECT & LEG TN179C
			į									SEC. TEMP	ALUES	<u> </u>				Tape/Di		<u>√</u> ₹	TIME (GMT)	thel	
			_															Tape/Diskette ID		Y N		4)	-
												S							-	1. (°C)	DRY BULB		DSDB I.D.
											22	SALINITY	100]	1	-	DATA LOCATION	. CC	WET BULB	65,7%	
																		File Name/Header	NOITA	4 (mb)	PRE	SSURE	
												SA	SAMPLE BOTTLE DATA					Header		272	VIS	STATE	
												SALINITY	SOTTLE DA							(deg) (n	DIRN. S		SI
												S	ATA		MAX			<u> </u>	REM	12 h 1		UD (amt)	STATION DESIGNATION
	u		1			-		-=		-	_	SAL. N	SAMP		MAX. DEPTH -	leaned air			REMARKS	12 .		ATHER	SIGNATIO
	(ભુગ	148 148	141	J.W.	1 S	HHI	143 123	142	포	동	-	NUTR.	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				- (E)	DEPTH	MOTTO	JONE M
												운	E NUMBER		3	ive					STA. NAME/ID		A
												WHIT'S NUTR.	5							بر بر	AME/ID		

12	=	1 0	9	œ	7	6	5	4	3	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	<u>و</u>	CONSC CAST #	R/V Tho
		111		9	10	8	3	07	50	25	90		TRIP DEPTH	NS CIV	ID SN	NS div	P SN	ž		DEG 2 1	#**	VESSEL R/V Thomas G. Thompson
													=							<u>ي</u> آ	LATITUDE	ompson
												PRESSURE								0 0 z		
												JRE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 1 755		
				-	70									N 	Œ	_	NAC			. N	LONGITUDE	
												PRI. TEMP.	CI.						JO/TIME	* * * * * * * * * * * * * * * * * * *	Ĭ.	
												MP.	CTD CONVERTED MONITOR VALUES		:				ME	DAY	DATE JD=	<u> </u>
													ED MONIT	FLQ						M MO	_	TN179C
								57				SEC. TEMP	OR VALUE	FLUOR S/N		1	<u> </u>	Ta		0 5 7 0 ₊		
		,										₹	i i					Tape/Diskette ID		1 ≥ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤ ≤	TIME (GMT)	
														,				te ID		- O (C)	DRY BULB	-
											100	SALINITY							DAT/	<i>υ</i> ₁		0308 1.0.
												₽		,		1	1	File	DATA LOCATION	. °C	43.8% WET BULB	
	<u> </u>	4			<u> </u>	<u> </u>			-			·	SA				·	Name/Header	ž	<u>v</u>	PRESSURE SEA STATE	
(4)				i								SALINITY	SAMPLE BOTTLE DATA				:	ader		· (deg)	VISIBILITY DIRN.	1
											= -	₹	TLE DATA							(m/s)	O WIND	VIA
											الالالا	SAL.			MAX. DEPTH =	Clean			REMARKS	44 .	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
	- 25		;	1.57	156	155	154	153	152	181	150	NUTR	SAMPLE BOTTLE NUMBER		7 - HTP	Cleaned air bleed valve			<i>G1</i>	- (i)	BOTTOM	
				1	<	~	~	7	5		V.	얦	OTTILE NUM		0	d valve				25		\$ 7 Q
				ġ	ת	カ	カ	ク	ί	Z	7	WHIT's NUTR.	/BER		3					4	STA. NAME/ID	7

12	=	10	9	œ	7	6	5	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	H	CONSC CAST #	VESSEL R/V Tho
		,	6	to	26	دې	\$	56	8	£,	000		TRIP DEPTH	NS CIN	D SN	AP SN	P SN	ž	1	7 6 2 1		VESSEL R/V Thomas G. Thompson
											- 23										12,61	npson
												PRESSURE			AT	AT	ST/	DA:	TIMES	2		
	C													PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	ES	753	- E	
					3%							d								· · · · ·	34.62	
												PRI. TEMP.	CLD COV	i					JD/TIME	₹ 0	DATE	
			ß			_							VERTED M							DAY MO	TE JD=	PROJECT TN179C
į												SEC.	CTD CONVERTED MONITOR VALUES	FLUOR S/N		W 6	•	•		Y 0 78		PROJECT & LEG TN179C
												SEC. TEMP	YLUES					Tape/Diskette ID		D HR MIN	TIME (GMT)	
														-				kette ID		1	3	-
		ļ							9			SAL							D,	<u>, তি</u>	DRY BULB	OSDB I.D.
									10	ļ	40	SALINITY				I	' !	File	DATA LOCATION	(°C)	%.0%	
							 			<u></u>			S				***	e Name/Header	TON	0 (mb)	PRESSURE SEA STATE	
16.												SALI	AMPLE BO			•		leader		₩·	VISIBILITY	483
) 								SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WIND DIRN. SPD.	STA
						<u> </u>	1				722/	SAL			MAX. DEPTH =	Clea		4	REMARKS	60 ÷	CLOUD (am	STATION DESIGNATION
			166	165	164	63	162	16	160	159	2511	NUTR	SAMPLE B		₽TH ■	Cleaned air bleed valve	٠.	floorcomto	S	2 (m)	WEATHER 80TTOM DEPTH	NATION
			• •	≥ ≥	٦ (3 +	2 4		V)	U	ᅄ	SAMPLE BOTTLE NUMBER		1	ed valve		3		% 3		500
\dashv		90				/				Ů.		WHIT'S NUTR.	MBER		3			Jest		4	STA. NAME/ID	Ď
		(6										7 7 S						E TOM		Y	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	

12	=	-	9	00	7	6	C)	4	ω	2	-		Ŋ.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	프	CAST #	CONSC	VESSEL R/V Tho
				0	8	20	30	40	50	60	1 5		TRIP DEPTH	D SN	SN	P SS	NS.	z	1	862			VESSEL R/V Thomas G. Thompson
												PRESSURE								. 9 9 x	LATITUDE	12,00	mpson
												URE	ж	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	60561	- Fō	^	
												PRI. TEMP.	сп				1		JD/TIME	9 12 WW	LONGITUDE	09,46	
	_							57.5				MP.	D CONVERTED		า เ				IME	W 2 O M	DATE JD=		PROJECT TN179C
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N			1			A Y O S			PROJECT & LEG TN179C
							2					ЕМР	.UES					Tape/Diskette ID		(O MN	TIME (GMT)	1058	
												Ş						ë	_	- 0°C 7	DRY BULB		.a.i 808a
											i.	SALINITY	**		:]]	 	File	DATA LOCATION	(°C)	WET BULB		p.
													SAMP					Name/Header	8	22 9 € 5 € 5 € 5 € 5 € 5 € 5 € 5 € 5 € 5 €	SE.4	SSURE STATE	
												SALINITY	SAMPLE BOTTLE DATA					9		(deg) (m	DIRN. SI		ST
											224	SAL.			MAX. DEPTH =	Cleane		200	REMARKS	(m/s) * * * *	TYF	UD (amt)	STATION DESIGNATION
				イだり	173	ナマセ	ने ।स	1 221	5	168	167	NUTR.	SAMPLE BOTTLE NUMBER		TH =	Cleaned air bleed valve		andro-17		(C)	DEPTH		ATION S
				`	\	(1		•				CHL. NUTR.	E NUMBER		m	itve			High Awar at 1 45m	40	STA. NAME/ID	. ••	143
[<u> </u>	- (s	22					1	HOM	10	<u> </u>		×

12	=	10	9	ω	7	6	C.	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0 H	CONSC CAST #		VESSEL R/V Tho
				0	10	20	کې	£	50	60	73		TRIP DEPTH	ND SN	NS ON	MP SN	IP SN	SS .	1	0 4962 1	_		VESSEL R/V Thomas G. Thompson
												PRESSURE								. 99 N	LATITUDE	11.99	nosqr
	00											ÜRE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	h h h 2	LON		50
												PRI. TEMP.	CID				-		JD/TIME	ч. 97 w	LONGITUDE	たらいた	
										ŝa	W	AP.	CTD CONVERTED MONITOR VALUES						ME	DAY MO	DATE JD=		PROJECT TN179C
). !		SEC. TEMP	DNITOR VALUES	FLUOR S/N				Тар		Y 0 5 HR	MIT	<u>.</u>	PROJECT & LEG TN179C
																		Tape/Diskette ID		/ Mix	╫	الم الم	
											æ	SALINITY			:		0		DATA	0 G	DRY BULB WE	٥٥	DSD8 I.D.
												יין						File Nam	DATA LOCATION	(c) (mb)	WET BULB	97.5% URE	
ją.												SALINITY	SAMPLE BOTTLE DATA					File Name/Header		2 + (deg)	SEA S' VISIBIL DIRN.		
											2		TLE DATA		MA]	<u> </u>	RE	(s) *	SPD.) (amt)	STATION
		. :									2/8	SAL.	SAM	iic	MAX. DEPTH =	Cleaned		1129	MARKS	*	TYPE		STATION DESIGNATION
				7	1 4	1854	7 6EL	よな	> 421	7 921	175 4	NUTR. C	SAMPLE BOTTLE NUMBER		•	Cleaned air bleed valve		17.	REMARKS 7/9 List	(E)	BOTTOM DEPTH	40	S
						8						CHL. WHIT'S	NUMBER		3	Ğ		0 400		049	STA. NAME/ID		LAH

12	=	10	9	8	7	6	5	4	ω	2	-		P,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	S C	CONSC CAST #	VESSEL R/V Tho
					0	10	20	ω O	O H	52	62		TRIP DEPTH	ID SN	NS C	P SN	NS		1	\$ 6 2 ↓ 1		VESSEL R/V Thomas G. Thompson
												PRE								12 MN	12,6C	son
												PRESSURE	20	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 1 2 4		
														Z 	æ		NN			72 0 . MN	20,50	
•										<u> </u>		PRI. TEMP.	CTD CONVI	i					JD/TIME	O w 2 p	DATE	-
			- 1							<u> </u>			CTD CONVERTED MONITOR VALUES	FLUC						M MO	JD H	PROJECT & LEG TN179C
											=	SEC. TEMP	OR VALUES	FLUOR S/N				Tape/[0 YR HR	14 44	LEG
																		Tape/Diskette ID		1 - C		-
								,			29	SALINITY							DAT/	. €°	DRY BULB WE	DSDB I.D.
												ΠY	81					File Na	DATA LOCATION	(°C) (mb)	WET BULB PRESSURE	
												ç	SAMPLE					File Name/Header		72 *	SEA STATE VISIBILITY	
		: ,										SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s) (G 5 Φ 9	WIND WIND DIRN. SPD.	STA
											217	SAL.			MAX. DEPTH =	Cleane			REMARKS FOO	9 s	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
					9 (4	プト	6 4	7 2	7 4	S	NUTR.	SAMPLE BOTTLE NUMBER		[H =	Cleaned air bleed valve		(28	(E)	Д ВОТТОМ ВЕРТН	5
	:				5	7	7	7	5	7		CHL. W	LE NUMBER		3	alve		ΙΞ			STA. NAME/ID	1.45
					`							WHIT'S NUTR.								50	OI/3N	

12	=	10	9	œ	7	ø.	ر.	4	ω	2	_		Z S	40	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	20	CAST #	CONS	VESSEL R/V Tho
		53			0	10	8"	30	45	50	60		TRIP DEPTH	NS GN	ID SN	MP SN	IP SN	ž		DEG DEG	*		VESSEL R/V Thomas G. Thompson
					U		0.						<u> </u>							- MIN	LATITUDE	12.01	ompson
												PRESSURE								9 9 2	 	- 51	
	es:											URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES) 7 3		N	
	20				20			-						N	ACE	r	NWO	_		ري و	LONGITUDE	لا (5	
												PRI. TEMP.	ر ر		ļ				JD/	. 9 6	30	55.95	
	8			-								EMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	W 2 DAY	DATE		
			8.3										ERTED MO							x > 8	T D		PROJECT & LEG
												SEC. TEMP	NITOR VA	FLUOR S/N_						7 0 5			⊺ & LEG
												EMP	LUES					Tape/Diskette ID		_ ± € ±	TIME (GMT)	443	
																		kette ID		J N N	+		-
										·		S							~	. °	DRY BULB		DSDB 1.D.
										U	23	SALINITY	35				l		DATA LOCATION	. G	WET BULB	92.5%	,
																		File Nam	ATION	\$ (mb)	+	ESSURE	
													SAMPLE					Name/Header		2 *		STATE	
	y .											SALINITY	SAMPLE BOTTLE DATA					'		- (deg)	DIRN.	WIND	
													DATA		7		1	1	20	⊘ (m/s) *	SPD.		STATION
											223	SAL.	Ş		MAX. DEPTH =	Cleane	<u> </u>		REMARKS	*	TYF	OUD (amt) Æ ATHER	STATION DESIGNATION
					16	15	Ä	13	12	11	0	NUTR.	SAMPLE BOTTLE NUMBER		글 	Cleaned air bleed vaive	r.			<u>(a)</u>	DEPTH	ВОП	ATION
					4	ケ	不	木	4	4	4	오	TILE NUI			d vaive				66	+	₩ 6	21.00
\dashv						70						WHIT's	MBER		3					S	STA, NAME/ID		8
												70 °S					<u> </u>	<u> </u>		~	₽		1

12	=	10	9	co	7	6	C/I	4	ω	2	'		Z,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	VESSEL R/V Tho
					1	C	10	D	30	*	35		TRIP DEPTH	ND SN	NS OF	MP SN	IP SN	SK 	1	2 DEG		VESSEL R/V Thomas G. Thompson
												PRE								2 MM	12.60	pson
												PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEG		
												20		2	Я		NA	:		- MN	21.46	
				:								PRI. TEMP.	CTD CONVE	1					JD/TIME	# C W 2 DAY	DATE	-
												S	CTD CONVERTED MONITOR VALUES	FLUOR S/N	164					M MO	Jo	PROJECT & LEG
												SEC. TEMP	VALUES	S/N				Tape/Diskette ID		7R HR MIN	1216 TIME (GMT)	- - - -
						,								ŀ				ette ID		(°C)) DRY BULB	DSDB I.D.
											10	SALINITY	-3			 		т,	DATA LOCATION) (°C)	WET BULB	- BI.D.
		<u></u>											SAM					File Name/Header	NONT	(mb) * *	PRESSURE SEA STATE	-
a.	1											SALINITY	SAMPLE BOTTLE DATA		٠			der		7 + 1 (deg)	VISIBILITY DIRN.	- S
	-										72.7	SAL.			MAX. DEPTH =	Clear			REMARKS	(m/s) * * *	SE S	STATION DESIGNATION
)	72 K		20 €	9	100	亡	NUTR.	SAMPLE BOTTLE NUMBER		PTH=	Cleaned air bleed valve			(ri	(m)	WEATHER BOTTOM DEPTH	N
					-	,,,	1	(+	1	7	CHL. W	LE NUMBER		3	vaive					STA. NAME/ID	447
	,										,	WHIT'S NUTR.								5 2	ME/ID	

12	=	1 0	9	ω	7	6	υ,	4	ω	2	_		Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	VESSEL R/V Tho
						0	ō	29	ى 0	Ō	4		TRIP DEPTH	NS CIN	ID SN	MP SN	P SN	ž	ı	053621		VESSEL R/V Thomas G. Thompson
								,				PRE								92 §	LATITUDE	pson
	-											PRESSURE	^	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG DEG		
					8							PRI				ı	Ž I	I	۔	· N	LONGITUDE	
	10											PRI. TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	2 DAY	DATE JD-	= 2
												SEC.	ED MONITOR V	FLUOR S/N						MO YR	_	PROJECT & LEG TN179C
			la _									SEC. TEMP	ALUES	2				Tape/Diskette ID		0 ₹ 0 ₹	TIME (GMT)	
******												(0		•				te ID			DRY BULB	DSD8 i.D.
		•						:			700	SALINITY				. 	 	File	DATA LOCATION	CC)	WET BULLS	.D.
													SAMPL					File Name/Header	ON.	_O (mb)	PRESSURE SEA STATE VISIBILITY	
*	D)						i					SALINITY	SAMPLE BOTTLE DATA					74		(deg) (m/s)	WIND WIND DIRN. SPD.	STA
											UI	SAL.		-	MAX. DEPTH =	Cleaned			REMARKS 1000		CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
						3	4	2	2	نغ	8	NUTR. CI	SAMPLE BOTTLE NUMBER		-	Cleaned air bleed valve			3	(m)	ВОТТОМ	257S NOIT
						+	_				カ	CHL. NUTR.	NUMBER		3	œ				53	STA. NAME/ID	8

12	=	10	9	œ	7	6	ć,	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	54	CONSC CAST #	VESSEL R/V Thom
						0	0	20	0	20	15		TRIP DEPTH	SN) 	SN	Ž			DEG MIN	LATT	VESSEL R/V Thomas G. Thompson
										ح		PRESSURE								000	LATITUDE	Š
										C		URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 72.4	-6	
										AR		PRI.				I	I	I	ي	. ¥9 ™	LONGITUDE	
										5		PRI. TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	W DAY	DATE JI	P
										b		SE .	ED MONITOR	FLUOR S/N						M A Y O	JDa	PROJECT & LEG
										atte		SEC. TEMP	VALUES	N/N				Tape/Diskette ID		5 7 ₹	TIME (GMT)	- "
										har.								ette ID		₩ (°C)) DRY BULB	- DSC
5 34									2	20	u e	SALINITY							DATA LOCATION	C _C	WET BULB	DSDB I.D.
													S					File Name/Header	ATION	(mb) +	PRESSURE SEA STATE	
												SALINITY	SAMPLE BOTTLE DATA					eader		3) (deg)	VISIBILITY DIRN.	
											e)		E DATA		MA		!]		2	(m/s) *	SP W CLOUD (amt)	STATION
						35	35	(29	CU.	kyle.	(S)	SAL. N	SAMPL		MAX. DEPTH =	Cleaned air bleed valve		200	REMARKS	*	TYPE WEATHER	STATION DESIGNATION
					/4	13 14 6	1 45	(Z)	7	*	130 L	NUTR CI	SAMPLE BOTTLE NUMBER			bleed valv				6 €	ВОТТОМ	35
			:			小			7	<u> </u>	トカ	CHL. NUTR.	NUMBER		m	OS				54	STA. NAME/ID	90

12	=	10	9	8	7	6	5	4	ω	2		*	Ŗ,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	5	CONSC CAST #	VESSEL R/V Tho
						0	10	20	30	96	50		TRIP DEPTH	NS GN	ID SN	MP SN	P SN	ž		2 DEG	***	VESSEL R/V Thomas G. Thompson
													<u> </u>				1			9 5 ₹	LATITUDE	ompson
												PRESSURE					Ξ			0 2		
	= :											ire.		PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 プロ DEG		
						\vdash						12		2	R		W			NIW A	LONGITUDE	
												PRI. TEMP	CTD						JD/TIME	8		
			:									.₹	CONVERTE						À	W DAY	DATE JD=	
													CTD CONVERTED MONITOR VALUES	FLUOR S/N						A MO		PROJECT & LEG TN179C
										2		SEC. TEMP	R VALUES	R S/N				Таре		5	TIME	EG
					_	-						ļ	_					Tape/Diskette ID		N M M	TIME (GMT)	
																		Ö		<u>.</u>	DRY BULB	OSDB I.D.
		5									19	SALINITY	Ε						DATA L	<u>ය</u>	WEI BULB	- 3i.b.
																		File Na	DATA LOCATION	-	PRESSURE	-
#*** <u>***</u>													SAMPL					Name/Header		O 5	SEA STATE	
8												SALINITY	SAMPLE BOTTLE DATA					4		6 (deg)	WIND DIRN.	
											0)		DATA		MΔ	·		T	- R	(m/s)	CLOUD (amt)	STATION DESIGNATION
									Car		456	SAL.	SAM		MAX. DEPTH -	Cleaned :			REMARKS	*	TYPE WEATHER	DESIGNAT
						かて	41	Ö	39	8	27	NUTR	SAMPLE BOTTLE NUMBER		T	Cleaned air bleed valve				<u>5</u>	ВОТТОМ DEPTH	NOI
												욷	LE NUMBE		3	/alve						0
						\(_	_	カ	WHIT'S NUTR.	R		:					55	STA. NAME/ID	

12	=	ī0	9	ω.	7	6	5	4	ω	2	-		P,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	5	CONSC CAST #	VESSEL R/V Tho
		85					0	0	တ	ω 0	44		TRIP DEPTH	ND SN	NS CIV	MP SN	AP SN	NS.	1	C C DEG	* ñ	VESSEL R/V Thomas G. Thompson
•		!)		PRES	-							0 	LATITUDE	трѕоп
^	,										85	PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG DEG	LOW	
												PRI, TEMP.	CID						JD/TIME	<u>.</u>	LONGITUDE	
]					.P	CTD CONVERTED MONITOR VALUES	FL					m	DAY MO	DATE JD=	PROJECT & LEG
												SEC. TEMP	TOR VALUES	UOR S/N				Tape/Di		° ≈ ×	TIME (GMT)	R LEG
																		Tape/Diskette ID		. (°C)	MT) DRY BULB	DSDB I.D.
												SALINITY	-				 	File	DATA LOCATION	(°C)	RIA 61,9 WEI BULB	RI.D.
		-										SA	SAMPLE E					File Name/Header	×	(mb)	PRESSURE SEA STATE VISIBILITY	-
							TV.					SALINITY	SAMPLE BOTTLE DATA		,		ļ			(deg) (m/s)	WIND WIND SPD.	STATIO
	>										\vdash	SAL.	SAN		MAX. DEPTH =	Cleaned			REMARKS	○∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴∴<	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
							1 44	96	54	44	ا ک	NUTR.	SAMPLE BOTTLE NUMBER	•	- 44	Cleaned air bleed vaive				9	ВОТТОМ DEPTH	LION S C
							×	N	7	7	7	CHL. NUTR.	ENUMBER		m	ive				5/2	STA. NAME/ID	

12	=	10	9	œ	7	6	Ç.	4	ω	2			Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	ഗ	CONSC CAST #	VESSEL R/V Tho
					3		0	0	0	W 0	Σ,		TRIP DEPTH	ND SN	NS ON	MP SN	AP SN	NS	í I	S DEG	-	VESSEL R/V Thomas G. Thompson
												P								Q <u>₹</u>	LATITUDE	noson
			7.5									PRESSURE	33 <u> </u>	PAF	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEG		
		<u> </u>			li.									PAR S/N	FACE	Ŧ	NWOO	8		<u>ව</u> න	LONGITUDE	
					!							PRI. TEMP.	CTI]			JD/TIME	. MM	JDE.	
			-									MP.) CONVERTI	W				·	Ē	N DAY	DATE JD-	- -
						-						S	CTD CONVERTED MONITOR VALUES	FLUOR S/N						A MO	- -	PROJECT & LEG TN179C
												SEC. TEMP	VALUES	S/N				Tape/D		<u>~</u> ¾	TIME (GMT)	- 6
																		Tape/Diskette ID		-t M		-
												SAL							Đ	(°C)	DRY BULB	DSDB I.D.
											-9	SALINITY	ŧ:				' 	File	DATA LOCATION	(°C)	MET BULB	
	<i>-</i>			# 00									SAI					File Name/Header	Ö	(mb) *	PRESSURE SEA STATE	.5
												SALINITY	SAMPLE BOTTLE DATA					ader		150 (deg)	VISIBILITY DI WIN	<u>-</u>
								14				≺	E DATA		Z		1		2	(m/s) *	SP NO CLOUD (amt)	STATION
											229 1	SAL.	SAM		MAX. DEPTH =	Cleaned a			REMARKS	*	TYPE WEATHER	STATION DESIGNATION
- 12							53	51	So	2	ð	NUTR	SAMPLE BOTTLE NUMBER		1	Cleaned air bleed valve	•			6	ВОТТОМ DEPTH	175 NO
75											2000	CH.	E NUMBER		3	alve					STA. NAME/ID	છ
							St.			カ	D	WHIT'S								<u>5</u>	\$ME/ID	

12	=	10	9	œ	7	6	ر.	4	ω	2			, S	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	2	CONSC CAST #	VESSEL R/V Tho
							0	10	20	30	SH		TRIP DEPTH	ND SN	ID SN	AP SN	P SN	ž	ı	50 DEG		VESSEL R/V Thomas G. Thompson
																				9 ₹	LATITUDE	noson
			i									PRESSURE		PA	AT SURFACE	AT DEPTH	START	DATA ON	TIMES	N DEG		
			1											PAR S/N	RFACE	НТР	START DOWN	<u>Q</u>		2	LONGITUDE	
												PRI. TEMP.	C			ŀ	l		JO,	. 4 C	NDE	
												EMP.	TD CONVER						JD/TIME	4 Gw 21	DATE	
													CTD CONVERTED MONITOR VALUES	FLO]					<u>x</u> → No	JD#	PROJECT & LEG TN179C
												SEC. TEMP	OR VALUES	FLUOR S/N		6.T	<u> </u>	Тар		0 5 HR	TIM	
												1						Tape/Diskette ID		K MIN	TIME (GMT)	
													- E			·		ë		(°C)	DRY BULB	DSDB I.D.
											300	SALINITY						-	DATA LOCATION	- CC	8/4 S	, i.b
																		File Name/Header	NOTTA	(mb)	PRESSURE	
*												SAI	SAMPLE BO					Header		*	SEA STATE VISIBILITY	-
											,	SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WIND DIRN. SPD.	STA
											v30	SAL	ľΑ		MAX, DEPTH =	Clea			REMARKS	€ .	CLOUD (amt)	STATION DESIGNATION
						5	57	56	55	54) 53	NUTR	SAMPLE B		EPTH =	Cleaned air bleed valve			S	* (m)	WEATHER BOTTOM DEPTH	NOTION
						{+}	_		,		_	율	SAMPLE BOTTLE NUMBER		m	ed valve	Q.			#		L 13
			667		:		X	カ	カ	7	カ	WHIT'S	1BER					87		5	STA. NAME/ID	

7246

Du Edge- Lest attennable station

12	=	1 0	9	00	7	6	S	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	59	CONSC CAST #	VESSEL R/V Thor	
							0	10	20	30	Sh		TRIP DEPTH	NS O	SS	NS o	¥ 	- 	I	<u>೪</u>	r-	VESSEL R/V Thomas G. Thompson	
																				MIN - 64	LATITUDE	uosa	
								1		ž.		PRESSURE	- 1	PA	AT SU	AT DEPTH	STAR	DATA ON	TIMES	z			
	OX.				1				/	70				PAR S/N	AT SURFACE	НΤ	START DOWN	8	,	O	LONGITUDE		
									1			PRI. TEMP.	2				1		JQ/	• ME	G G		
												EMP.	TD CONVERT						JD/TIME	<u>ン</u> *	DATE J	<u>_</u>	
													CTD CONVERTED MONITOR VALUES	FLUO						<u>></u>	JD:	PROJECT & LEG TN179C	
		! ! !										SEC. TEMP	R VALUES	FLUOR S/N				Tape/		5 ×		EG	A
												-			: :			Tape/Diskette ID		b:	TIME (GMT)		as or
			,	86								S						U		(°C)	DAY BULB	DSDB I.D.	B
											9.	SALINITY	55			1	 	711	DATA LOCATION	(°C)	RET BULB	D,	(6)
							<u> </u>	<u> </u>					S					File Name/Header	NOIT	- (a)	PRESSURE SEA STATE		A O
(1)												SALINITY	SAMPLE BOTTLE DATA					leader		*	VISIBILITY DIR.N.		E Co
												Þ	TLE DATA								D WIND SPD.	STATIO	\$
											a 3/	SAL.	S,		MAX. DEPTH =	Cleaned			REMARKS PO	90 :	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION	
							62	6/	60	59	3	NUTR.	SAMPLE BOTTLE NUMBER		± •	Cleaned air bleed valve			9	(E)	BOTTOM DEPTH	Po Jois	
												욷	FLE NUMBER		3	vaive				30		dee	
							2	Ď	Z	ņ	רל	NUTR.	7.5							<i>5</i> 1	STA. NAME/ID		

12	Ξ	5	9	00	7	6	CI	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	60	CAST #	CONSC	R/V Thom
				۵	δ	26	30	F)	<u> </u>	8	70		TRIP DEPTH	SN	SS	¥ 	ž		1	DEG MIN	- L	~	R/V Thomas G. Thompson
																				MIN 99	LATITUDE	11,99	on
							=					PRESSURE		P	AT SI	AT DEPTH	STAR	DATA ON	TIMES	z 			\vdash
_														PAR S/N	AT SURFACE	HTH	START DOWN	Ő.	U3	7 4 4 5	LONGITUDE	-	
					***							PRI.				2.	1	1	<u>_</u>	MIN CZ	3du	14.54	
												PRI. TEMP.	CTD CONV						JD/TIME	_w 2 1	DATE		
100										ij.			ERTED MON	FLUOR S/N]]					M MO	- JD		TN179C
e pa	*											SEC. TEMP	NITOR VAL	LUOR S/N	1					0 5		Ξ.	
												EMP	UES					Tape/Diskette ID		HE MIN	TIME (GMT)	1404	
										-1				ì				tte ID) - (°)	DRY BULB		
											N.	SALINITY	¥						DATA	6	+	2%	$\frac{1}{2}$
												Ŧ	:			1	1	File	DATA LOCATION		WET BULB	263%	
-				<u> </u>			 		<u> </u>				SAI					File Name/Header	ž	(mb) * *	SEA	SSURE	
20												SALINITY	SAMPLE BOTTLE DATA					ader			VISI DIRN.	BILITY	
												7	LE DATA			}	 			(m/s)	SPD.	& S	
											237	SAL.	1/S		MAX. DEPTH =	Cleaned			REMARKS	00 *	TYP	OUD (amt) E ATHER	
		W.		75	69	86	63	66	6,5	20		NUTR.	SAMPLE BOTTLE NUMBER		¥ •	Cleaned air bleed valve				t t (w)	DEPTH	tt.	
				∃£ —	'n	1,	ales s	7	£	3	1	대.	TLE NUMB		а	valve				4	+	- 75	
			23									WHIT'S NUTR.	Ŕ							3	STA. NAME/ID		

73	=	ō	9	8	7	6	5	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	9	CAST #	CONSC	VESSEL R/V Tho
				0	10	20	36	40	50	60	70		TRIP DEPTH	NS G	D SN	IP SN	NS	z 	1	1620			VESSEL R/V Thomas G. Thompson
												PRE								. 16	LATITUDE	02,16)SON
												PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 2 1 N	_		
					9							PR				ı	ે ે I		_	39 . 9 . 31 . 31 . 31 . 31 . 31 . 31 . 3	LONGITUDE	79,94	
												PRI. TEMP.	CTD CONVE						JD/TIME	93 w 21	DATE		
			ni)										CTD CONVERTED MONITOR VALUES	FLUOI						м > З			PROJECT & LEG TN179C
												SEC. TEMP	R VALUES	FLUOR S/N				Tape/Di		5 - 5	TIME (C	1528	EG
													*					Tape/Diskette ID		2 - 3	另	60	
•											х.	SALINITY			3				DATA	6			DSDB I.D.
			:									TY	12			1		File N	DATA LOCATION	. 1	B.		
			Δ				(V) (V)						SAMPL					Name/Header			SE/	SSURE STATE IBILITY	
1.50												SALINITY	SAMPLE BOTTLE DATA			į		7		18206			S
											233	SAL.	λTΑ		MAX. DEPTH =	Cleg			REMARKS	∞	CLO	OUD (amt)	STATION DESIGNATION
				8	4	95	3£	74	73	72	77	NUTR.	SAMPLE BO		EPTH =	Cleaned air bleed valve			S	→	-	BOTTOM 77	NATION
				,	1	f ,	* •	4	ì	١	1	원	SAMPLE BOTTLE NUMBER		3	d valve				7		<u> </u>	7¢m62
							`		7			WHIT'S NUTR.	**								STA. NAME/ID		2

17914901, dat

12	=	10	9	8	7	6	6 7	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CAST #	CONSC	VESSEL R/V Tho
		-38		0	ia	26	8	£	56	60	첫		TRIP DEPTH	NS CIV	DSN	NS &	P SN	2 	1	2 DEG			VESSEL R/V Thomas G. Thompson
																				6. 5	LATITUDE	56,58	npson
												PRESSURE		PA	AT SU	АТ DEPTH	STARI	DATA ON	TIMES	R DEG			
	3				_									PAR S/N	AT SURFACE	PTH	START DOWN	N N		422	LONGITUDE	~1	
					St.							PRI.				1.	ı	1	ď	- MM	TUDE	72,63	
												PRI. TEMP.	TD CONV	:					JD/TIME	W 2 1	DATE		-
								_					CTD CONVERTED MONITOR VALUES	72						M MO	Þ		PROJECT & LEG TN179C
												SEC. TEMP	ITOR VAL	FLUOR S/N	- 11					0 5			& LEG
								=		٠		EMP	UES					Tape/Diskette ID		7 MN	TIME (GMT)	<u>1</u>	
														1				ite ID		- 3 (°C)	DRY BULB		DSI
											Ä	SALINITY							DATA	\$	B WET BULB	70	DSD8 i.D.
														·				File	DATA LOCATION	(C)			
								<u> </u>					SAI	-				Name/Header	2	(3) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	SE	ESSURE A STATE	
÷												SALINITY	SAMPLE BOTTLE DATA					ader		* (deg)	DIRN.	SIBILITY ≨	
	:							•				Ţ	TLE DAT]) (m/s)	N. SPD.		STA
											234	SAL	<u>></u>		MAX. I				REMARKS	6 8	CL	OUD (amt)	STATION DESIGNATION
							_				 		SAME		MAX. DEPTH =	saned at			RKS	*	WE	ATHER	SIGNATIC
				- 93	-53	- h3	63	82 F	₹ (%)	\$	79 4	NUTR.	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				E L	DEPTH	WOLLOR tt	1 1
				١					. 1 /	1.1		욷	E NUMB	2)	3	alve					STA.	•-	Stympt At
												WHIT'S NUTR.	æ							62	STA. NAME/ID		23

12	=	10	9	œ	7	ø.	5	4	ω	2	ن.		Z S	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	VESSEL R/V Tho
				0	ŏ	26	30	¥5	56	66	24		TRIP DEPTH	ND SN	ID SN	WP SN	IP SN	SŽ	,	⊘ DEG	# 0	VESSEL R/V Thomas G. Thompson
				V	0															7 <u>™</u>	52,68 LATITUBE	ompson
	:	a										PRESSURE								60 Z	68	
	911							ļ				R		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES) 7 4 DEG		
							-							2	M		N			0 MIN	CONGITUDE	
												PRI. TEMP.	- H						JD/TIME	57 w	20	
								it				<u>م</u>	CONVERTE						m	DAY M	DATE JD=	∃ R
													CTD CONVERTED MONITOR VALUES	FLUOR S/N_	i					> 8 ≺	_ "	PROJECT & LEG TN179C
												SEC, TEMP	R VALUES	N/S	_			Tape		5 × 5	TIME &	
																		Tape/Diskette ID		S MN S	TIME (GMT)	
							-											₽		(°C)	DRY BULB	DSDB I.D.
											86	SALINITY							DATA L	. 6	WET BULB	, j
													8					File Nar	DATA LOCATION	- a	PRESSURE	
													SAMPL					Name/Header		- * - *	SEA STATI	
(9)												SALINITY	SAMPLE BOTTLE DATA					Ψ,		(deg)	WIND DIRN.	
	12.20M			0.00					l T		- 1		DATA		×		1		R	(s/t)	SPD. WIND. CLOUD (ar	STATION
									_		235	SAL.	SAI	Q.	MAX. DEPTH =	Cleaned	1		REMARKS	*	TYPE WEATHER	STATION DESIGNATION
			150	. HG	_	92	၅	90 4	63	80	43	NUTR	SAMPLE BOTTLE NUMBER	3	Ĩ	Cleaned air bleed valve				5 £	BOTTOM NOTTOB	
				7	Ý	5	7	4	Ť	+	4	다 <u>.</u>	TLE NUMBE		3	valve				5	<u> </u>	THE WAE
							27					WHIT'S NUTR.	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;			224		×			STA. NAME/ID	للم

12	=1	10	9	œ	7	6	CT.	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	H9 0	CONSC CAST #	VESSEL R/V Tho
		\$4			0	10	90	9	40	64	600		TRIP DEPTH	ND SN	ID SN	AP SN	P SN	ž		6 -		VESSEL R/V Thomas G. Thompson
- =									<u> </u>				#							4 ¥ €	LATITUDE	ompson
					A secondario de la companio del la companio de la c							PRESSURE			ΑT	AT	A1S	DAT	TIMES	ಳ ಖ z		
					1 .									PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	ES	735		
												Je Je							Ų	. 47	LONGITUDE	
							:					PRI. TEMP.	CTD CON	•					JD/TIME	7 w 2 DAY	DATE	
			_										CTD CONVERTED MONITOR VALUES							M A M	<u> </u> ë	PROJECT TN179C
												SEC.	ONITOR VA	FLUOR S/N						Y 0 5		PROJECT & LEG TN179C
		<u> </u> 			To and designation of						-	SEC. TEMP	LUES					Tape/Diskette ID		0 ×	- :::	
												 						tte ID		و مو	됬	
					- Annual Park						*	SALINITY							DAT			OSDB I.D.
												ΥΠ				l	1	File	DATA LOCATION	. 6	E %	R1+
					Ave an artist and a second		<u> </u>			<u> </u>			SA					File Name/Header	S .	(mb)	PRESSUR	ATE
62					a depth of			-				SALINITY	SAMPLE BOTTLE DATA					ader		1 7 (deg)	VISIBILI	<u>r</u>
			,		1. İ							77	FLE DATA			1				30 6		STATK
					1						236	SAL.			MAX. DEPTH =	Cleane		4	REMARKS	k k	CLOUD ((amt) ON DESIGN
	,				101	100	9.9	90	4	26	95	NUTR	SAMPLE BOTTLE NUMBER		귚 =	Cleaned air bleed valve			J.	4 4	B0	STATION DESIGNATION 74M PS
					2	9	V	2	Q	1	,	위.	TTLE NUMB		3	valve		-		4		<u>φ</u> ωφ
					4						כד	WHIT'S	Ê							6	STA. NAME/ID	S

12	=	10	9	œ	7	6	S	4	ω	2	_		POS.	SEC CC	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	6	CONSC CAST #	VESSEL R/V Tho
					0	70	20	30	40	50	70		TRIP DEPTH	SEC COND SN	ND SN	MP SN	MP SN	SN		5 DEC	# 0	VESSEL R/V Thomas G. Thompson
													H H							S N	LATITUDE	hompson
											altim	PRES		>						ข) -	
											ည	PRESSURE		PAR	AT SURFACE	AT DEPTH	START DOWN	JDATA ON	TIMES	N DEG		
										ļ				PAR S/N	FACE	Ē	DOWN	ž		3 4 -	LONGITUDE	
					Ì							PRI.				ı	ı	I	5	· • • • • • • • • • • • • • • • • • • •	300.	
												PRI. TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	₩ DAY	DATE	
									-		<u> </u>		ERTED MC							M Mo		PROJECT & LEG
												SEC.	NITOR VA	FLUOR S/N						Υ 0 YR	-	T & LEG
						ļ						SEC. TEMP	LUES					Tape/Diskette ID		90 - ₹ - £	TIME (GMT)	
					<u> </u>		<u> </u>											kette ID		とる。	1	
												S.							-	ယ	DRY BULB	DSDB I.D.
							į	-			20	SALINITY	-						DATA LOCATION	(°C)	WET BULB	
																		File Name	ATTON	<u>– (înb)</u>	PRESSURE	
12												S	SAMPLE					Name/Header		*	SEA STATE VISIBILITY	
8					1							SALINITY	SAMPLE BOTTLE DATA							9 (deg)	WIND V	S
											بر	s	ATA		MA]	T-	REM	(m/s) ·	SS No. (armt)	TATION D
				<u> </u>		1	*****		-	-	237 1	SAL. N	SAMF		MAX. DEPTH =	Cleaned a			REMARKS	*	TYPE WEATHER	ESIGNATIO
					801	40	0.6	50	104	03	00	NUTR.	PLE BOTTI			Cleaned air bleed valve				(m)	ВОТТОМ ОЕРТН	2
												윘	SAMPLE BOTTLE NUMBER		3	aive					STA. A	O W O NOLL NOILVANDISED NOILVALS
					4						か	WHIT'S NUTR.	æ							6	STA. NAME/ID	0

12	11	70	9	œ	7	6	υ	4	ω	2	_	×	POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	6	CONSC CAST #	VESSEL R/V Tho
		01			0	10	8	20	40	50	とた		TRIP DEPTH	ND SN	NS GP	MP SN	IP SN	SK SK	ı	96 J		VESSEL R/V Thomas G. Thompson
											auta	PRESSURE							T:	40 NIN Z	LATITUDE	pson
	22										8	URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	7312	LONG	
												PRI. TEMP.	CID C						JD/TIME	. MN	ONGITUDE	
	8												CTD CONVERTED MONITOR VALUES	FLI					""	DAY MO	DATE JD=	PROJECT & LEG TN179C
					15	0%						SEC. TEMP	TOR VALUES	FLUOR S/N				Tape/Diskette ID		。 。 。 。 。 。 。 。 。 。 。 。 。 。	тіме (дмт)	rEG
Ā																		skette ID		0 N C C C C C C C C C C C C C C C C C C	DRY BULB	DSDB I.D.
											71	SALINTY				† 	! 	File I	DATA LOCATION	. (°C)	98.6%	į, į,
ä		: 										SA	SAMPLE B					Name/Header	2	(mb)	PRESSURE SEA STATE VISIBILITY	#.T.
***												SALINITY	SAMPLE BOTTLE DATA		7		7	1	7	(deg) (m/s) *	WIND WIND SPD.	STATION
					=	114	ري	(C)	=	10	238 109	SAL. NU	SAMPL		MAX. DEPTH =	Cleaned air bleed valve			REMARKS	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
					\ \ \ 		ىر	Ø)			9	NUTR. CHL.	SAMPLE BOTTLE NUMBER	•	m	bleed valve				(E)	воттом ста	8 8 8
					210	σ	h	カ	ナ	カ	T)	NUTR.	BER							66	STA. NAME/ID	40

12	=	10	9	ω	7	6	cs.	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	6	CONSC CAST #	VESSEL R/V Tho
		30			0	0	9	30	0	9	72		TRIP DEPTH	ND SN	NS GN	MP SN	AP SN	SE		7611		VESSEL R/V Thomas G. Thompson
											act	PRESSURE								9. 75 7.	LATITUDE	oson
											<u>၈</u>	SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	7 PEG	LOI	
×												PRI. TEMP	CI			I		, 	/ar	い い マ	LONGITUDE	
										3		EMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	DAY MC	DATE JD=	PROJECT TN179C
												SEC. TEMP	MONITOR VALL	FLUOR S/N_		:	1	1		Y 0 5		PROJECT & LEG TN179C
												MP	JES					Tape/Diskette ID		O HR MIN	TIME (GMT)	
							:					SAL						0	DA	0 0 4	DRY BULB W	DSDB I.D.
												SALINITY	18				· 	File Na	DATA LOCATION	(°C) (mb)	WET BULB PRESSURE	,
14												SAL	SAMPLE BO					Name/Header		- ·	SEA STATE VISIBILITY	
	:											SALINITY	SAMPLE BOTTLE DATA		>		 		-	(deg) (m/s)	WIND WIND DIRN. SPD.	STATIO
					_				_	-	239	SAL.	SAM		MAX. DEPTH =	Cleaned a			REMARKS	<i>₹</i>	CLOUD (amt) TYPE WEATHER	N DESIGNATION
					かり	101	120	119	ā	ニナ	116	NUTR CHL.	SAMPLE BOTTLE NUMBER			Cleaned air bleed vaive				(E)	BOTTOM DEPTH	STATION DESIGNATION COM
					Z	ク	ת	カ	カ	J	תל	IL. WHIT'S	NUMBER		3	113				49	STA. NAME/ID	070

5 4 4 7 6 5 4 4								_	ω	2	-		POS. TRI	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	60		CONSC CAST #	VESSEL R/V Thoma
0 ठ ठ	० ठ ठ	0 8 8	0 2 9	0 5 8	3 9	8		Ö	0	50	73		TRIP DEPTH	SS	ž 	¥ 	2		1	61	DEG	5	VESSEL R/V Thomas G. Thompson
											aut	PRESSURE								4.63 z	MIN	LATITUDE	Son
M.											U	SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	_	DEG.	50	
73												PRI, TEMP.	G			1			/dr	. 7	X.	LONGITUDE	
												ЕМР.	CTD CONVERTED MONITOR VALUES						JD/TIME	3	۸ ۲۵۲	DATE JD=	PROJECT
												SEC. TEMP	MONITOR VAL	FLUOR S/N_		31	 			Y 0 5	MO Ya		PROJECT & LEG TN179C
_		ij										EMP	UES			:		Tape/Diskette ID		5	MIN.	TIME (GMT)	
												SA						Ē		<u>.</u> <u>.</u>		DRY BULB	DSDB (.D.
											, A	SALINITY	4					File	DATA LOCATION			81.62° 8.65°	
													SAMPL					File Name/Header	ON.		*	PRESSURE SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA					4		0 1 7 1		WIND WIND DIRN. SPD.	ST/
								*			おたの	SAL.			MAX. DEPTH =	Cleane			REMARKS	95	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
-					561	120 20	1551	126	125	124	N 67	NUTR	SAMPLE BOTTLE NUMBER		구 .	Cleaned air bleed valve				76		B.O.	T NOITA
	 				~	•		ر ـ	-	۲	L-	면 N 전	E NUMBER		3	alve						STA, NAME/ID	70mor
			·		Z	4	4	, T	1)	7	ク	WHIT'S NUTR.								8		VE/ID	V

10	10		9	8	7	6	s zo	4 س	3 40	2 50	1 72		POS. TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	969 DEG	CONSC CAST #	VESSEL R/V Thomas G. Thompson
					0	ō	0	30	0	0	<u> </u>		ЕРТН								LATITUDE	. Thompson
											allum 3	PRESSURE		PAR S/N	AT SURFACE	АТ ДЕРТН	START DOWN	DATA ON	TIMES	5 9 N DEG		
				<u> </u>								PRI, TEMP	СП		CE.	1	WN		JD/TIME	44. 45 v	LONGITUDE	
•												MP.	CTD CONVERTED MONITOR VALUES	P					ME	90 DAY 30 AY 30 MO	DATE JD::	PROJECT & LEG
		25										SEC. TEMP	TOR VALUES	FLUOR S/N				Tape/Diskette ID		0 5 0 MN	TIME (GMT)	& LEG
		,							:			S/		ļ			27	ette ID	_	-9 [∞] (°C)	DRY BULB	DSDB I.D.
•												SALINITY				J ,	 	File Na	DATA LOCATION	(qu)	WET BULB PRESSURE	
												SALINITY	SAMPLE BOTTLE DATA					Name/Header		; (deg)	SEA STATE VISIBILITY DI WIND R. J. D	
					The second of the second of						ינ ינ	SAL.			MAX. DEPTH =	Cleane			REMARKS	(m/s) :	CLOUD (amt	STATION DESIGNATION
1	-				136	135	134	ري دي	132	13)	130	NUTR.	SAMPLE BOTTLE NUMBER		코 -	Cleaned air bleed valve				4 (3)	воттом	
					5	Ą	カ	カ	カ	カ	ħ	CHL. NUTR.	E NUMBER		3	ive				92	STA. NAME/ID	70m8a

12	=	10	9	œ	7	6	S	4	ω	2	_		POS.	SEC CC	PRI COND SN	SEC TE	PRI TEMP SN	PRESS SN	SBE 9+	70	CONSC CAST #	VESSEL R/V Tho
					Q	10	20	6	40	50	54		TRIP DEPTH	SEC COND SN	ND SN	SEC TEMP SN	MP SN	NS	, I	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0) # K	VESSEL R/V Thomas G. Thompson
						*					al him	PRESSURE								4 . 5 S N	LATITUDE	npson
											ß	URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 17346	LONG	
												PRI. TEMP.	CID CC	The state of the s		1			JD/TIME	. ME	LONGITUDE D	
													CTD CONVERTED MONITOR VALUES	FLUX						M MO	DATE JO=	PROJECT & LEG
					:				NP.			SEC. TEMP	OR VALUES	FLUOR S/N				Tape/Diskette ID		0 5 X	тіме (дмт)	LEG
					The state of the state of							ß						ette ID	_	+ 0 G	DRY BULB	DSDB I.D.
					and the second s							SALINITY	0.4		Œ.		 	File N	DATA LOCATION	(°C)	AS 229	D.
					The second secon							SALINITY	SAMPLE BOTTLE DATA					File Name/Header	-	(mb) * * (deg)	PRESSURE SEA STATE VISIBILITY DIR.W.	
;					And the same of the same to th						21		TLE DATA		MAX				REV	5 .	S E CLOUD (amt)	STATION D
				-	143	んた	141	140	139	138	1137	SAL. NUTR	SAMPLE		MAX, DEPTH =	Cleaned air bleed valve	<u></u>		REMARKS	*	TYPE WEATHER	TATION DISSIGNATION 7
					(J)	90	_	V		-V		R CHL	SAMPLE BOTTLE NUMBER	ć	3	eed valve				9 (3)	BOTTOM DEPTH STA	70m9
	,	v			Z	カ	q	7	カ	カ	か	WHIT'S NUTR.	BER		_					+	STA. NAME/ID	7

of in landrature with the interpolation in PG ___ OF ___

De Samples for Just mare this station PG _OF_

12	=	ō	9	8	7	6	C/I	4	ω	2	-		PQS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	41		CONSC CAST #	VESSEL R/V Tho
	المناطقة المناطقة المناطقة المناطقة المناطقة المناطقة المناطقة المناطقة المناطقة المناطقة المناطقة المناطقة ا	20.7			0	10	20	30	OHO	50	76		TRIP DEPTH	ID SN	D SN	IP SN	NS	z		9	DEG.		VESSEL R/V Thomas G. Thompson
						2					4	PRE								· -= 20		LATITUDE	pson
-												PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	2 7 3 4	DEG	E	
					4			^	902	Alu		PRI.			111	1	z ,	-	٥٤	-0	NiM	LONGITUDE	
							-	150	asp h	trient		PRI. TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	≥	DAY	DATE JD=	PRO
								ca ~	5 0/7	Sary		SEC, TEMP	D MONITOR VA	FLUOR S/N						A Y 0 5	MO YR	"	PROJECT & LEG TN179C
								2	mall	1656		TEMP	LUES					Tape/Diskette ID		Man.	MIN	TIME (GMT)	_
				,				مُنا	boot	212		S,						e D	_	+0.7	(%)	DRY BULB	DSDB I.D.
					I	:			0139 6	12/4	,	SALINITY	-] . [File	DATA LOCATION			98.6% WET BULB	,
	÷						-	<u>.</u>	76	. 2			SAMPLI			*		File Name/Header	¥	9,		PRESSURE SEA STATE VISIBILITY	-
22									1			SALINITY	SAMPLE BOTTLE DATA		i i	<u> </u> 				3		WIND WIND DIRN. SPD.	STA
			**								2/3	SAL.			MAX. DEPTH =	Cleaned			REMARKS	X)	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
					1830	i M.Đi	2 h	され	148	14.00 00	本か		SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				8	(m)	BOTTOM DEPTH	IW Z NOIT
					20	ち	カ	か	7	カ	カ	CHL. NUTR.	NUMBER		a	è				7		STA. NAME/ID	O

12	=	1 0	9	œ	7	6	v	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	7	CONSC CAST #	VESSEL R/V Tho
		1900			0	6	9	30	07	0, 6	7		TRIP DEPTH	NS GN	NS DI	MP SN	NS di	SN		72 6 0	# 0	VESSEL R/V Thomas G. Thompson
													<u> </u>							<u>,</u> L N N N N N N N N N N N N N N N N N N	LATITUDE	hompson
					I III						202	PRE							٠	4	<u> </u>	
											Ellani 3	PRESSURE		PA	AT SU	AT DEPTH	STARI	DATA ON	TIMES	N DEG		
	-2.2				Y								5	PAR S/N	AT SURFACE	HΤΑ	START DOWN	<u>N</u>		7339	LONG	
					(4)							PH								· ME	LONGITUDE	
												PRI. TEMP.	CTD CO	,					JD/TIME	9 w	- R	-
		88						- 51					CTD CONVERTED MONITOR VALUES	112						DAY MO	DATE JD=	PROJECT
												SE	MONITOR	FLUOR S/N		1	1	1		Y 0 Y		PROJECT & LEG TN179C
						70						SEC. TEMP	VALUES	N				Tape/		<u>0</u> ∓	TIME	- "
																		Tape/Diskette ID		7 MZ	TIME (GMT)	_
										- 32								₽		. 6	DRY BULB	DSD
											ty:	SALINITY			5				DATA			DSDB I.D.
							8					~	10					File	DATA LOCATION	(°C)	98,0%	
					<u> </u> 		<u> </u>					Ì	SAA	5				File Name/Header	2	(mb) *	PRESSURE SEA STATE	
ž.												SALINITY	SAMPLE BOTTLE DATA					der		1 (deg	VISIBILITY DIRN.	-
					1			•				77	TE DATA							(m/s)	WIND.	STATI
											7.0	SAL.			MAX, DEPTH =	Clear			REMARKS	٠ دو	CLOUD (amt)	STATION DESIGNATION
					157	156	155	154	153	152	15	NUTR	SAMPLE E		PIH =	Cleaned air bleed valve			tri		WEATHER BOTTOM DEPTH	NATION
				14	71	0	6	_	~	ζ,		임	SAMPLE BOTTLE NUMBER			ed valve				46		Zm
					3	· ·	÷	<u></u>	, +	1	7		UMBER		3						STA. NAME/ID	F
					. ,	7 1	/ 3	,)	, ``))	NUTR.								2	E/ID	

17916001, 125

12	=	70	9	8	7	6	5	4	ω	2	_		Š	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	17 0	CONSC CAST #	VESSEL R/V Tho
			2)	0	5 5	20	30	5	50	60	65		TRIP DEPTH	NS CIN	ID SN	MP SN	P SN	ž	ļ	60 S		VESSEL R/V Thomas G. Thompson
												PRESSURE			3	oc				9/ WW WW	37.66	pson
	75.											URE		PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	24 36 36	LON	
					**							PRI. TEMP	сто			1			JD/TIME	33 60 60 80 8	38.88	
	_		Î									MP.	CTD CONVERTED MONITOR VALUES						ME	DAY MO	DATE JD=	PROJECT TN179C
												SEC. TEMP	ONITOR VALUE	FLUOR S/N			· 	Tap		0 75 Hz	= 0	PROJECT & LEG TN179C
												P	S					Tape/Diskette ID		M M	CSUS	
											2001	SALINITY							DAT	C (c)	DRY BULB WI	DSDB (.D.
			,71									ALLA .	*					File Nar	DATA LOCATION	(°C) (mb)	WET BUILB	122
												SALINITY	SAMPLE BOTTLE DATA					File Name/Header		₩;	SEA STATE VISIBILITY	-
	121											NTY	TTLE DATA		M.]	-	2	(deg) (m/s) *	WIND SPD. CLOUD (amt)	STATION
	- 1										215	SAL.	SAM		MAX. DEPTH =	Cleaned a		to aword	EMARKS &	*	TYPE WEATHER	STATION DESIGNATION
				(65 -	164 F	163		7 12	160 {	150) €	1584		SAMPLE BOTTLE NUMBER			Cleaned air bleed valve		ماط اجع	REMARKS Statum	(a)	POTTOM DEPTH	ot NOI
				ès								CHL WHIT'S	NUMBER	200	3	Ve		٢	~ maced	2	STA. NAME/ID	70M12

17916101.42

Consentate to Tom13-ice

12	=	10	9	8	7	6	5	4	3	2			g S	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	40	CONSC CAST #	VESSEL R/V Tho
=				0	0	26	330	HO.	50	6	S		TRIP DEPTH	NS GN	ID SN	AP SN	P SN	ž	ı	16 0 1 DEG	# ()	VESSEL R/V Thomas G. Thompson
						×						PRESSURE								5 MZ	LATITUDE	nosqr
												JRE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	17333 330	LON	v
												PRI. TEMP.	CI			ļ			JD/TIME	- MM	3(35	
			8									MP.	CTD CONVERTED MONITOR VALUES						IME	W 2 2 M	DATE JD=	PROJECT TN179C
												SEC, TEMP	MONITOR VALL	FLUOR S/N_			I I	ं		MO YR		PROJECT & LEG TN179C
												MP	JES					Tape/Diskette ID		w MZ	TIME (GMT)	
							3					SAI	=					5	D.	. c	DAY BULB	DSDB I.D.
												SALINITY				' 		File	DATA LOCATION	. (C)	WET BULB	
												S	SAMPLE					File Name/Header	Z	(mb) · · · 1 6 2 7 1	PRESSURE SEA STATE VISIBILITY	- - -
								32				SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WIND DIRN. SPD.	STAT
											216	SAL.			MAX. DEPTH =	Cleaned			REMARKS	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
0.		23		133 -	- 251	7 121	\$ 0E1	169 -	168 4	1 201	166 5	NUTR C	SAMPLE BOTTLE NUMBER		•	Cleaned air bleed valve				(E)	HLA30 WOLLOW	4
	-			-				,				WHIT'S NUTR.	NUMBER		Э	õ				7 1	STA. NAME/ID	FIMO

(691641)

12	=	10	9	8	7	6	s	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	4	CONSC CAST #	VESSEL R/V Tho
			8		0	Jo	20	30	40	50	60		TRIP DEPTH	ND SN	iD SN	MP SN	PSN	ž	1	0350		VESSEL R/V Thomas G. Thompson
38							<u> </u>				2 +100	PRESSURE	<u> </u>							06.99 N	LATITUDE	ompson
	in.											SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1731		
					*						=	PRI. TEMP.	cti			1			JD/TIME	9.69 w	LONGITUDE	
			2									₩.	CTD CONVERTED MONITOR VALUES						IME	× × × ×		PROJECT
30												SEC. TEMP	ONITOR VALUES	FLUOR S/N			· 	. Tap		Y 0 5	\$	PROJECT & LEG TN179C
							_											Tape/Diskette ID		156+ 1	(GMT)	_
											想	SALINITY							DATA I	0	AM G	DSDB (.D.
		I												g	:			File Name/Header	DATA LOCATION) (mb)	PRESSURE	
10.00												SALINITY	SAMPLE BOTTLE DATA		es.			Header		4 K	VISIBILITY	
											193	SAL	DATA		MAX. [<u>Q</u>			REMARKS	84 ·	CLOUD (amt)	STATION DES
		-			180	179	178	177	176	175	174	NUTR.	SAMPLE BOTTLE NUMBER		MAX. DEPTH =	Cleaned air bleed valve			SXS	(E)	WEATHER	STATION DESIGNATION 76m 15
					0	ħ		-				CHL.	TLE NUMBER		3	valve				lus	STA. NAME/ID	5m 15
		4			70	'''	ナ	1	ħ	D	カ	WHIT'S NUTR.			ě					N -12	ME/ID	

12	Ξ	10	9	8	7	6	s	4	ω	2	_		PĢ.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	7	CONSC CAST #	VESSEL R/V Tho
					0	ō	0	30	Q 7	50	63		TRIP DEPTH	NS CIV	DSN	NS div	P SN	ž 	ı	660 B		VESSEL R/V Thomas G. Thompson
											est w	PRESSURE					9			©	LATITUDE	pson
											2)		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	/ 73 b l	LONGITUDE	
												PRI. TEMP.	ств со					İ	JD/TIME	WIN W		
													CTD CONVERTED MONITOR VALUES	FLUOR S/N						9) × 3	DATE JD=	PROJECT & LEG TN179C
												SEC. TEMP	R VALUES	R S/N				Tape/Diskette ID		YR HR MIN	тіме (GMT)	EG
												Ş		ı	1			tte ID	_	. 6	DRY BULB	DSDB i.D.
											er.	SALINITY	35			 	l 	File N	DATA LOCATION	(°C)	WET BULB	
35										÷		SAI	SAMPLE B	1				File Name/Header	z	(mb) *	PRESSURE SEA STATE VISIBILITY	 - -
												SALINITY	SAMPLE BOTTLE DATA]]			(deg) (m/s)	WIND WIND DIRN. SPD.	STATIO
											209	SAL.	Ş		MAX. DEPTH =	Cleane			REMARKS	40 *	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
					7	6	VI	7	8	ນ		NUTR.	SAMPLE BOTTLE NUMBER		T I	Cleaned air bleed valve				(a)	ВОТТОМ ДЕРТН	K 1
										9.		애	TLE NUMB		3	valve				0	+	10m 1
					210	DK	カ	מד	1	カ	4	WHIT'S NUTR.	£							76	STA. NAME/ID	6

12	=	ō	9	œ	7	6	и	4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	7	CONSC CAST #	VESSEL R/V Tho
					0	0	8	30	40	50	6,	1	TRIP DEPTH	NS GN	ND SN	MP SN	NS dy	SN	1	7 5 9	# Ö	VESSEL R/V Thomas G. Thompson
											5	PRE	I							MIN . 0 8	LATITUDE	ompson
			:								ν	PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 1724	Į.	
					139							PRI. TEMP.	CTD COI						JD/TIME	3 · 40 w	LONGITUDE DA	
	-											SEC	CTD CONVERTED MONITOR VALUES	FLUOR S/N						M MO	DATE JD=	PROJECT & LEG
											ų,	SEC. TEMP	/ALUES	N				Tape/Diskette ID		S HR HR	TIME (GMT)	
												SALINITY				,		eID	DATA	(°C)	DRY BULB WET	DSDB I.D.
										İ		Y	(0					File Name/Header	DATA LOCATION	(°C) (mb) *	PRESSURE SEA STATE	- -
**												SALINITY	SAMPLE BOTTLE DATA					leader		* (deg)	VISIBILITY DIN N	
								***			ನಿಂದ	SAL.	DATA		MAX, DEPTH =	Cles			REMARKS	(m/s) *	CLOUD (amt)	STATION DESIG
				,	7	_ ပ	Į,	11	10	5	40 40	NUTR.	SAMPLE BOTTLE NUMBER		EPTH =	Cleaned air bleed vaive			G	6 (3)	WEATHER BOTTOM DEPTH	STATION DESIGNATION TOAM
												ᅄ	TLE NUMBER		3	vaive				9	<u> </u>	7 mc
					>10	51	カ	カ	7	77.	ク	WHIT'S NUTR.	æ							77	STA, NAME/ID	•

12	=	10	9	œ	7	6	5	4	ω	2	-		Z S	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	7	CONSC CAST #	VESSEL R/V Tho
					0	0	0	30	6	50	3		TRIP DEPTH	ND SN	ID SN	MP SN	P SN	ž		859 DEG	***	VESSEL R/V Thomas G. Thompson
										<u> </u>	alt 1	PRESSURE	3			:10				S #	LATITUDE	nompson
											î	RE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 7 2 S	LONG	111
					*			i a				PRI. TEMP.	CTD		£				JD/TIME	₩ ₩	LONGITUDE	
												P.	CTD CONVERTED MONITOR VALUES						m	DAY MO	DATE JD=	PROJECT TN179C
			0.0									SEC. TEMP	ONITOR VALUE	FLUOR S/N			Τ	Tap		Y 0 5 HR	뒫	PROJECT & LEG TN179C
																		Tape/Diskette ID		© ₹	TIME (GMT) D	
							=					SALI						Ü	DA	<u>.</u> ර	DRY BULB W	DSDB I.D.
												SALINITY	13:					File Na	DATA LOCATION	(°C)	STANS LAW	
8.5												SA	SAMPLE B					File Name/Header		6 ;	PRESSURE SEA STATE VISIBILITY	- - -
										٥		SALINITY	SAMPLE BOTTLE DATA					>		(deg) (m/s) 3 4 1 7	WIND WIND DIRN. SPD.	STATK
					0 -	0.0	1				79.2	SAL.	SAM		MAX. DEPTH =	Cleaned (REMARKS	*	CLOUD (amt) TYPE WEATHER	ON DESIGNATI
					<u>۔</u>	೦	9	90	+1	16	S,	NUTR. CH	SAMPLE BOTTLE NUMBER		•	Cleaned air bleed valve				(E) W	ВОТТОМ	STATION DESIGNATION 70m
					7	7	ħ	℩	カ	4	p	CHL. NUTR.	NUMBER		3	100				7 0	STA. NAME/ID	A I M

12	=	10	9	œ	7	თ	رر د	4	ω	2	>		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PR! TEMP SN	PRESS SN	SBE 9+	24	CONSC CAST #	R/V Tho
					0	ō	ىد 0	o o	04	62	73		TRIP DEPTH	NS GN	ND SN	MP SN	NS div	SN	i	2 5 5 5 DEC		VESSEL R/V Thomas G. Thompson
											aut 3,5	PRESSURE)) (S) (D) z	LATITUDE	npson
											S	URE		PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	17 2 I	LON LON	
			×								-	PRI, TEMP.				1	-		JD/TIME	MN MN	LONGITUDE	
												MP.	CTD CONVERTED MONITOR VALUES		1				ÎME	W DAY MO	DATE JD=	PROJECT TN179C
												SEC. TEMP	MONITOR VALU	FLUOR S/N_		· ·	I	- T		Y 0 5		PROJECT & LEG TN179C
												₹	ES					Tape/Diskette ID		0 MM	TIME (GMT)	
											:	SAL						D	D _A	1 (°C)	DRY BULB V	DSDB I.D.
												SALINITY	3				· 	File Na	DATA LOCATION	(°C) (mb)	WET BULB	
				33								SA	SAMPLE B					Name/Header		*	PRESSURE SEA STATE VISIBILITY	- - -
												SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s) *	WIND WIND DIRN. SPD.	STATK
											906	SAL.	r/S		MAX. DEPTH =	Cleaned]		REMARKS	*	CLOUD (amt) TYPE WEATHER	ON DESIGNA
					ا ا	77	26	25	24	ນ	<u>၈</u>	NUTR.	SAMPLE BOTTLE NUMBER		Ŧ	Cleaned air bleed valve	fs.			(m)	воттом рертн	STATION DESIGNATION DY
				9							111	어난	LE NUMBER		3	/alve				74		180
					7	Z	7	7	7	カ	1),	WHIT'S								79	STA. NAME/ID	

12	=	10	9	8	7	6	رم د	4	ω	-2	_		Z,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	90	CONSC CAST #	VESSEL R/V Tho
		15.	ļ 	a .	0	0	ý	30	0	50	2		TRIP DEPTH	D SN	NS C	P SN	NSN	z	1	59		VESSEL R/V Thomas G. Thompson
											00° y	PRESSURE								50.76 z	LATITUDE	mpson
												SR.	-	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1720		
					63							PRI. TEMP.	сто						JD/TIME	6.26 w 23	LONGITUDE	
												÷	CONVERTE						ME	<u>ω</u> Α	DATE JD#	T PR
		121										S	CTD CONVERTED MONITOR VALUES	FLUOR S/N						> 0		PROJECT & LEG
												SEC. TEMP	VALUES	S/N				Tape/Diskette ID		5 × × × × × × × × × × × × × × × × × × ×	TIME (G
												SA		'				te ID			JLB	.0.1 80Sa
												SALINITY	9			1		File	DATA LOCATION	. 6	E 00	
12												S	SAMPLE	c A				File Name/Header	Z	(mb)	SEA STATE VISIBILITY	- - -
86												SALINITY	SAMPLE BOTTLE DATA							3 (agg)		S
											206	SAL.	AΤΑ		MAX. D	<u>유</u>			REMARKS	1 7 4 ·	CLOUD (amt)	STATION DESIGNATION
					S	34	Cv Uv	80 £)	LV.	iw O	229	NUTR.	SAMPLE BO		MAX. DEPTH =	Cleaned air bleed valve		2	EKS -	3	WEATHER	IGNATION
_		į										였	SAMPLE BOTTLE NUMBER	0.0	a	ed valve				4		70m
					I	ک	V	カ	つ	カ	カ	WHIT'S NUTR.	3ER	Ħ						90 O	STA. NAME/ID	219

12	= -	10	9	œ	7	6	رم د	4	ω	2			200	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	96	CONSC CAST #	VESSEL R/V Tho
		20			0	0	OC	3	9	50	74		TRIP DEPTH	NS GN	ID SN	AP SN	PSN	ž	1	255 DEG	# ()	VESSEL R/V Thomas G. Thompson
											alhin	PRESSURE								5 0 1 2 2	LATITUDE	npson
											'n	URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	95 1 1 1	LONGITUBE	
												PRI. TEMP.	стр со						JD/TIME	MIN W W		
			53										CTD CONVERTED MONITOR VALUES	FLUOR S/N						\(\sigma \frac{\pi}{2}\) \(\sigma \frac{\pi}{2}\) \(\sigma \frac{\pi}{2}\) \(\sigma \frac{\pi}{2}\)	DATE JD=	PROJECT & LEG
												SEC, TEMP	R VALUES	R S/N				Tape/Diskette ID		5 HR MIN	TIME (GMT)	15
							i					SA						tte ID		- G	DRY BULB	DSDB (.D.
7			v	 - -				,		=	6	SALINITY	93	- 1		I ,		File Na	DATA LOCATION	(°C) (mb)	PRESSURE	
(A)										9		SALINITY	SAMPLE BOTTLE DATA					File Name/Header		*	SEA STATE VISIBILITY DR WIND	
										,		TY .	TLE DATA		~			1	77	(m/s)		STATION
											199	SAL	SA		MAX. DEPTH =	Cleaned			REMARKS	7 .	CLOUD (amt) TYPE WEATHER	N DESIGNA
					क्र	-	40	29	₩	CV)	36	NUTR	SAMPLE BOTTLE NUMBER		I.	Cleaned air bleed valve				(E)	BOTTOM DEPTH	STATION DESIGNATION
												兒	LE NUMBE		3	valve					STA. P	1190
					7	Ð	4	7	T	1	ትን	WHIT'S	75						_	8	STA. NAME/ID	

12	Ξ	10	9	8	7	6	"	4	ω	2	-		Pos	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	20		CONSC CAST #	VESSEL R/V Tho
					0	0	20	W0	40	0	72		TRIP DEPTH	NS G	NS O	PSN I	Š	z		HU!	DEG	44. 17	VESSEL R/V Thomas G. Thompson
											altrin 2	PRESSURE								10 0 N	<u>X</u>	LATITUDE	mpson
											2,3	URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	(Proce	DEG	5	
			_	100	Two W	myca	7					PRI.				1	z , 	I	-	-	<u>s</u>	LONGITUDE	
			50	151	W W	N L	A MAGO					PRI. TEMP.	CTD CONVERTED MONITOR VALUES			į			JD/TIME	74 82 83 32 3	DAY	DATE JD=	P
			Z C	\$	Hari	ROH	and all					SEC	ED MONITOR V	FLUOR S/N						ΑΥ	MO YR	Ĭ	PROJECT & LEG TN179C
			alee	The	2000	down	Peadu					SEC. TEMP	ALUES	Z				Tape/Diskette ID		941	表 	TIME (GMT)	
			1 m	has o.	F. J. C	中公	baken											tte ID			Ĉ	DRY BULB	OTI BOSO
			140 F		W-45	50	× 434				,	SALINITY					1	File	DATA LOCATION	•	ී	93.4% WET BULB	į į,
			270		200	Û	A 4 2						SAMF					e Name/Header	NON	<u>.</u>	(mb) *	PRESSURE SEA STATE VISIBILITY	
		•	7		heles		out					SALINITY	SAMPLE BOTTLE DATA					ler			(deg) (n	WIND DIRN.	S
						100					200	SAL			MAX. DEPTH =	Clean			REMARKS	વ ડ	(m/s) * * *	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
	,			(5	50	19	200	17.4	FIL	50	NUTR.	SAMPLE BOTTLE NUMBER		71H =	Cleaned air bleed valve			V)	71.5		BOTTOM	
						7	7)	7	4	n	カ	CHL. W	E NUMBER		rs.	alve						STA. NAME/ID	Omao
					ک	Z	7 1	ח	′)		/ }	WHIT'S								30 22		AE/ID	

12	=	10	9	σο	7	6	ر.	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	<i>ا</i>	CONSC CAST #	VESSEL R/V Tho
			R	0	18	20	02	<u>ک</u> ا	Cr1	8	of P		TRIP DEPTH	ND SN	ND SN	MP SN 	AP SN	SN	ı	3 59 H		VESSEL R/V Thomas G. Thompson
					:							PRESSURE								6 MN	HG:87	noson
	:55		1		23							SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 7 1 2 7	LONG	
					100							PRI. TEMP.	CIDC						JD/TIME	. MIN	77.4.V	
													CTD CONVERTED MONITOR VALUES	FLU						2 3 M A Y	DATE JD=	PROJECT & LEG
												SEC. TEMP	TOR VALUES	FLUOR S/N				Tape/Diskette ID		0 5 1 6 0	TIME (GMT)	, LEG
						8]				kette ID		MIN (°C)	T) DRY BULB	DSD8 i.b.
											8	SALINITY					 	File	DATA LOCATION	. 6	%\$ ₽%	.D.
												Ş	SAMPLE					Name/Header	9	(mb) * * * 1 3 3 3 1	PRESSURE SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA					***		(deg) (m/s)	WIND WIND DIRN, SPD.	STATIO
											201	SAL	<i>1</i> S		MAX, DEPTH =	Cleane			REMARKS	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
				59	58	57	5%	55	54	53	52	NUTR.	SAMPLE BOTTLE NUMBER		T	Cleaned air bleed vaive				# (E)	4.5 ВОТТОМ ВОТТОВ	1
					D	3	4))	ተነ	+	앭	TLE NUMB		3	vaive				И	+	Foma
				5.1				33				WHIT's NUTR.	ER:				i.			8 3	STA. NAME/ID	~

12	=	1 0	9	ω	7	6	رن د	4	ω	2	-		Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CAST #		VESSEL R/V Tho
				٥	10	20	અ	40	0.0	8	な		TRIP DEPTH	NS CIV	D SN	PSN F	P SN	ž	1	9 H S 9 H S MIN	***	,	VESSEL R/V Thomas G. Thompson
																				•	LATITUDE	H3.15	mpson
					=							PRESSURE			AT S	AT	STAI	DAT	TIMES	ς ν			
	Œ	ļ							_					PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	i)i	801 L	LONGITUDE	0	
					*							PRI.					1		ĵg	. MIN 22	TUDE:	08.32	
			5.0									PRI. TEMP.	CTD CONVERTED MONITOR VALUES				4		JD/TIME	W Z 3	DATE JD=	·	90
													TED MONITO	FLUG						M MO	₽		PROJECT & LEG
												SEC. TEMP	OR VALUES	FLUOR S/N				Tape,		5 - #	TIME	17	LEG
																		Tape/Diskette ID		₩ N	TIME (GMT) D	1227	-
		8										Š			_			J	_	0 0	DRY BULB		DSD8 I,D.
								;	:		*3	SALINITY	Ta-			1	1	21	DATA LOCATION	CC CC	WET BULB	98.1%	
													δ					File Name/Header	MOIT	7, 1, (mp)	PRES	SSURE	
												SALINITY	SAMPLE BOTTLE DATA				:	eader		* (deg)		BILITY	
												7	LE DATA			 	ļ			(m/s)	SPD.	E	STATIO
											262	SAL.	SAI		MAX, DEPTH =	Cleaned			REMARKS	*	TYPE	UD (amt)	STATION DESIGNATION
				67 E	€ 6	3 59	199 H	63	62-	6	60 -	NUTR.	SAMPLE BOTTLE NUMBER		H	Cleaned air bleed valve				(m)	DEPTH	カナ	
				==	1,7	-				-	2,	원.	LE NUMBER		3	alve					STA. NAME/ID	~~ <i>~</i>	70M 22
												WHIT'S NUTR.								00 Z	AME/ID		

アカラ

5	1	10	9	8	7	ത	5	4	3	2			POS. TRII	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	085	_	CONSC	VESSEL R/V Thoma:
				0	<u> </u> 0	26	30	10	50	60	4	<u> </u>	TRIP DEPTH	SZ	Z	ž				56 6 5 MIN	-	OJ (VESSEL R/V Thomas G. Thompson
			:									PRESSURE				L				00 _9 z	JDE -	35,88	
												ñ		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	2 を 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
					*2							PRI.				l	I	I	ä	5	LONGITUDE	55.60	
		83										PRI. TEMP.	TD CONVERT						JD/TIME	12 DAY			1 4
											:	SE SE	CTD CONVERTED MONITOR VALUES	FLUOR S/N						M MO			PROJECT & LEG TN179C
					i							SEC. TEMP	VALUES	S/N				Tape/Diskette ID		5 1 6 5 9 MN	TIME (1856	
														ļ				ette ID		0 0	DR.		DSD8 i.D.
											0	SALINITY	(3					FI	DATA LOCATION		ΨE		3 i.D.
					<u> </u> 								SAN					File Name/Header	NOIT	- (3)	PR	ESSURE A STATE	
is.												SALINITY	SAMPLE BOTTLE DATA					der		155	DIRN	SIBILITY SIBILITY	
	-										203	SAL.	DATA		мах.	Ç			REMARKS	(m/s) * *	O.	OUD (amt)	MOE NOITANDISED NOITATS
					1	4.1	4.0	-11	41	0		-	SAMP		MAX. DEPTH =	leaned ai			ARKS	*	WI	ATHER	SIGNATIC
				4 35	少 十	₹3: \	72 -	71-	1	(g) +	+ 007	NUTR. C	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve	Ē			(m)	DEPTH	WOLLOR Ct	MOt N
	-											CHL. NUTR.	NUMBER		m =	ð				85	STA. NAME/ID		23

12	=	10	9	8	7	6	s	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	086	CONSC CAST #	VESSEL R/V Tho
					0	0	्र	φ γ	나이	50	689		TRIP DEPTH	NS CIV	D SN _	₩ SW	SN	ž Į	ı	\$ 592	***	VESSEL R/V Thomas G. Thompson
										3.3	alhas	PRESSURE									LATITUDE	mpson
											ر م الا	RE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG F 1	LONG	
=					=							PRI. TEMP.	CIL			}			JD/TIME	. 34 w	LONGITUDE {	
		92						10				MP,) CONVERTED I	FLUOR S/N	1				ME	V 23 M A	DATE JD=	PROJECT TN179C
												SEC. TEMP	VIONITOR VALU	FLUOR S/N_		i G	,	ا ا		✓O√A		PROJECT & LEG TN179C
	_											ΝP	ES					Tape/Diskette ID		O S MIN	TIME (GMT)	
								y,				SAL	·					D	D/	- €	DRY BULB V	DSDB I.D.
	16											SALINITY	î					File N	DATA LOCATION	(°C)	BTNB LAM SCE & b	
9											C.	1S	SAMPLE					File Name/Header	_	nb) *	PRESSURE SEA STATE VISIBILITY	-
												SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WIND DIRN. SPD.	STATI
==											244	SAL.			MAX. DEPTH -	Cleaned			REMARKS	% *	CLOUD (armt TYPE WEATHER	ON DESIGNA
					% L	40/	& 0	6 1	24	77	34	\vdash	SAMPLE BOTTLE NUMBER		<u>.</u>	Cleaned air bleed valve				(m) 73	ВОТТОМ DEPTH	STATION DESIGNATION 70 M
=					2	ح	か	カ	か	7)	か	CHL. NUTR.	NUMBER		3	lve				co	STA. NAME/ID	h2 m

12	=	5	9	ω	7	6	5	4	ω	2	-		Z	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	20	CONSC CAST #	VESSEL R/V Tho
		-			0	0	20	30	Oh	50	+9		TRIP DEPTH	NS GNC	ND SN	MP SN	NP SN	SN		8 75 9 DEG	* ñ	VESSEL R/V Thomas G. Thompson
											2 PT -	PRE	I							9 · 75	LATITUDE	ompson
											ک ر	PRESSURE		PAR S/N _	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 1 P OEG	- LON	
					20							PRI. TEMP	ств						JD/TIME	. MN	LONGITUDE	
			10.									AP.	CTD CONVERTED MONITOR VALUES	Ŧ					NE.	W DAY	DATE JD=	PROJECT & LEG
												SEC. TEMP	NITOR VALUES	FLUOR S/N	2			Tape/I		Y 0 5 HR	TIME (GMT)	r & LEG
	e d																	Tape/Diskette ID		6 (°C)	GMT) DRY BULB	ost
											255	SALINITY	ů.		5		 	Fik	DATA LOCATION	9 (°C)	8 WEI BULB 66.838	.a.i Basa
												S	SAMPLE	·				File Name/Header	NOI	(mb) * *	PRESSURE SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WIND DIRN. SPD.	STATIC
					9,	P	90	ഗ	00	90	3 661	SAL. N			MAX. DEPTH =	Cleaned a		2	REMARKS	40 *	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
		7			6 €	80	7	96	90,	74	80 LS	NUTR. CHL.	SAMPLE BOTTLE NUMBER		3	Cleaned air bleed valve				1 1 1	воттом с	70
					2	7	て	か	カ	か	J.	. WHIT'S	JMBER		3					8	STA. NAME/ID	mas

VESSEL R/V Thomas G. Thompson	95 	PROJECT	PROJECT & LEG	DSDB I.D.	STAT	STATION DESIGNATION	ma 3 6	0
CONSC	(4)			5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5	A STATE BIBILITY WIND WIND	OUD (arnt) PE ATHER	BOTTOM	i)
DEG	DEG	MIN DAY MO) YR HR MIN	(°C) (°C) (r	* * (deg)	* C	-+	SIA, NAME/IU
8859-5	. 55 N	6 8 9 W	γ 0 5 °		1 150	4)	72	90 F)
SBE 9+	TIMES	JD/TIME		DATA LOCATION	z	REMARKS		
PRESS SN	DATA ON		Tape/Diskette ID	File	Name/Header			
PRI TEMP SN	START DOWN							
SEC TEMP SN	AT DEPTH					Cleaned air bleed valve	ded valve	
PRI COND SN	AT SURFACE					MAX, DEPTH =	m	
SEC COND SN	PAR S/N		FLUOR S/N				,	
POS. TRIP DEPTH		CTD CONVERTED MONITOR VALUES	MONITOR VALUES		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	∺
	PRESSURE	PRI. TEMP.	SEC. TEMP	SALINITY	SALINITY	SAL. NUTR.	문 얼.	WHIT'S NUTR.
100	25 allin					- Pa	U	Ţ
2 50						1,5	\	チ
3 40						52	7	カ
w						93	3	7
5 20						46	7	ተን
6 70					81	93	5	J
7 0						96	7	1
σ					8			
9								
10								
1								
12					3.7			

12	=	10	9	8	7	6	СЛ	4	ω	2	-		POS. TRI	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	2	CONSC CAST #	VESSEL R/V Thoma
					0	ō	0	Ö	0	50	63		TRIP DEPTH	SN	Z	ž	z 			5906	-	R/V Thomas G. Thompson
											7	PRES	i							6	LATITUDE	on
											ملاه	PRESSURE		PAR S/N	AT SURFACE	АТ ОЕРТН	START DOWN	DATA ON	TIMES	7 E		
					6		_							Z	R		Ň			1 H	LONGITUDE	
		#	1=									PRI. TEMP.	CTD CO						JD/TIME	**************************************		
													CTD CONVERTED MONITOR VALUES							24 M	<u>_</u>	PROJECT TN179C
												SEC. TEMP	WITOR VAL	FLUOR S/N_	Ē					7 0 5		PROJECT & LEG TN179C
											23	MP	JES					Tape/Diskette ID		<u>0</u> =	;;;	
														,				Q e		9 5	DRY BULB	DSD
							2	Jac			795	SALINITY	. 1			i .	,		DATA LOCATION	o	₩ 20 H	DSDB i.D.
>						_ح	2	900										File Name/Header	CATION	<u> </u>	PRESSURE	
*				ľ	-	e ma	70	4				SAL	SAMPLE BC					/Header		1 000	VISIBILITY	
						<u>a</u>		4960				SALINITY	SAMPLE BOTTLE DATA	-		,						STAT
								7			196	SAL.		•	MAX. DEPTH =	Cleane			REMARKS	8	CLOUD (an	STATION DESIGNATION
			•		103	102	101	18	25	92	46	NUTR	SAMPLE BOTTLE NUMBER		# H	Cleaned air bleed valve				(a)	B80	Of NOILY
							Ì					CHL.	TLE NUMBER		m	valve						m 27
				-	1	1	1	40	1	カ	+	WHIT'S NUTR.					34			90	STA. NAME/ID	4

12	=	ī	9	œ	7	6	US.	4	ω	2	-		P S	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	9	CONSC CAST #	VESSEL R/V Tho
					0	0	20	ω ω	40	50	66		TRIP DEPTH	ND SN	NS GN	MP SN	4P SN −	SN	1	05 8 5	-	VESSEL R/V Thomas G. Thompson
						_					2044	PRES								- 06 - 06	LATITUDE	npson
											2	PRESSURE		PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG DEG	J. TO	
					٦		gramming grin familiation of the recommittee death of					PRI. TEMP.	cto						JD/TIME	3 . MIN	LONGITUDE	
												₽.	CONVERTED MO	FLUOR S/N					Æ	W 2 4 MO	DATE JD-	PROJECT & LEG
	-											SEC. TEMP	NITOR VALUES	LUOR S/N			Γ	Tape		Y 0 YR FR	TIME	T & LEG
														,	,			Tape/Diskette ID		5 MZ	TIME (GMT) DRY BULB	
											13	SALINITY	3		==				DATA LOCATION	. G	96.6%	DSD8 (.D.
													SAI	100				File Name/Header	CATION	(mb) *	PRESSURE SEA STATE	
je.		ān										SALINITY	SAMPLE BOTTLE DATA					ader		(deg) (n	VISIBILITY DIRN.	SI
		-	N/								195	SAL.			MAX. DEPTH =	Cleaned			REMARKS	* * * (s/w)	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
=					0	109	801	707	901	05	104	NUTR. C	SAMPLE BOTTLE NUMBER		I I	Cleaned air bleed valve				(E)	ВОТТОМ DEPTH	tom a
					-	}	ゎ	ተ	1	1	1	CHL NUTR.	NUMBER		3	rø				90	STA. NAME/ID	ଥ

72	=	ő	9	œ	7	6	S	4	ω	2	-		Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	a		CONSC CAST #	VESSEL R/V Tho
		Ş			0	10	y	N	0	8	68		TRIP DEPTH	ND SN	NS ON .	MP SN	₽SN	SN		(7)	DEG	# C	VESSEL R/V Thomas G. Thompson
													==							5846	<u>s</u>	LATITUDE	nosqmor
					8						i i	PRESSURE								9 80 2		i i	
	9.9										2	URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES		DEG		
					\$5)n					ž	ĆĒ	2	NWO	~		41	<u> </u>	LONGITUDE	
												PRI. TEMP	<u>대</u>				* 		JD/TIME	5	₹	M	
												MP.	CONVERT						ĬME		DAY	DATE J	
			38.			-		W					CTD CONVERTED MONITOR VALUES	FLUX						~	Š	JD#	PROJECT & LEG
					1 44							SEC. TEMP	OR VALUE	FLUOR S/N	-	<u> </u>	ļ —	Tap		101	治 丟	T ,	l E6
													V.			is.		Tape/Diskette ID		7.3	~ N	TIME (GMT)	
																		9		رو ب	(ී)	DRY BULB	DSDB (.D.
												SALINITY	8]			DATA L		 රී	SPIRE BULB	J.D.
				•											ł.			File Nar	DATA LOCATION		<u> </u>	PRESSURE	
													SAMPI					Name/Header			*	SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA					er		741	(deg)	WIND DIRN.	
											- Indian		DATA		7		1				(m/s) *	WIND SPD.	STATION
		7-6			3						46	SAL.	S.A		MAX. DEPTH =	Cleaned	ł		REMARKS	B	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
					4	<u>6</u>	5))4	こい	5	1	NUTR.	SAMPLE BOTTLE NUMBER		Ξ.	Cleaned air bleed valve			5.	5-4	<u>a</u>	BOTTOM DEPTH	IN NOT
												었	TLE NUMB		3	valve	A.			S			0 ma
				•	1	P	か	わ	ł	{	1	NATA S, LINA	Æ							15		STA. NAME/ID	20
	-	•										7	2					•		• •		•	·

PG ___ OF ___

12	=	10	9	o ₀	7	6	5	4	ω	2	-		Ş	- 0	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	٥	CONSC CAST #	VESSEL R/V Tho
		10			0	ō	o o	w O	2	0	· 1	,	TRIP DEPTH	NS O	D SN	IP SN	NS	z 	ı	5 8 3 M		VESSEL R/V Thomas G. Thompson
												PRESSURE								0, M	LATITUDE	nosak
	83								ü			URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	- 06 - 08	- FO	
					282							PRI, TEMP.	9				12		JD/	い い M M	LONGITUDE	
		*										EMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	W DAY	DATE JD-	PRC
			37		ā _{ja}							SEC. TEMP	MONITOR VAL	FLUOR S/N		×		<u> </u>		A Y O S	es ⁵⁵	PROJECT & LEG
												EMP	UES			ii S		Tape/Diskette ID		O HR MIN	TIME (GMT)	
			-			_						SA						Ö	-	<u>रु</u> १	DRY BULB	.d.1 80Sa
												SALINITY	201					File l	DATA LOCATION	(°C)	WET BULB	
													SAMPLE					Name/Header	2	mb) * *	PRESSURE SEA STATE VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WIND DIRN. SPD.	STAI
		ed.			-					-	_	SAL			MAX. DEPTH =	Cleaned		67	REMARKS	₹	CLOUD (amt TYPE WEATHER	STATION DESIGNATION
					HC:	υ W	မ ရာ	ָט) つ つ	19	1120	NUTR. CHL.	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve			i	(m) Y 7	ВОТТОМ	70
					ጎ	っ	カ	1	カ	カ	7	IL. WHIT'S	IUMBER	,.	3				,	92	STA. NAME/ID	30

12	=	1 0	9	œ	7	6	5	4	ω	2	_		Q,	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	93	CAST #	CO NS	R/V Tho
		D.		0	Ó	ماه	Ju O	94	50	60	72		TRIP DEPTH	ND SN	NS GN	₩ 82 	AP SN	NS.	1		DEG.	n ,	VESSEL R/V Thomas G. Thompson
		I									24	PR								6.83	LATITUDE		npson
				:			;					PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 170	76		
	8				100							PR	=		E E		WN			47	LONGITUDE		
Lo		88.									1	PRI. TEMP.	CTD CONVER						JD/TIME	→	DATE		
			33									SEC	CTD CONVERTED MONITOR VALUES	FLUOR S/N						۲ 0	JD.	1.0 1.0	PROJECT & LEG
												SEC. TEMP	/ALUES	N				Tape/Diskette ID		4	TIME (GMT)		
																		tte ID		ن ا ا	됬		DSDB (.D.
											9	SALINITY	la i] [뒤	DATA LOCATION		WET BULB	29.82	p.
i i													SAMP					File Name/Header	NOI		PRE:	SSURE STATE BILITY	
1			i		ā.		94 **					SALINITY	SAMPLE BOTTLE DATA					er		1400	DIRN.		ST
		19									46	SAL			MAX. DEPTH =	Cleane			REMARKS	0	CLO	UD (amt)	STATION DESIGNATION
	457			132	131	- 3 0	129) 2 2 3	ナル	126	125	NUTR C	SAMPLE BOTTLE NUMBER		II H	Cleaned air bleed vaive			10	75	0 8		ATION 7
				7	Þ	か	£	D	つ	Ť	か	CHL. NUTR.	NUMBER		з	/e				223	STA. NAME/ID		18mc

12	=	10	9	8	7	6	4	4	ω	2	-		Ş	→ 🔾	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	R/V Tho
				0	10	8	م ري	£	56	6	69		TRIP DEPTH	NS O	D SN	P SN	PSN	z 	1	94581		VESSEL R/V Thomas G. Thompson
												PRESSURE								6 Min 9 N	ATTUDE	npson
					<u> </u>				7,11			URE	332	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG	LONG	
					1							PRI, TEMP.	CTD						JD/TIME	5 MIN 2 8	OS, 28	
		N	2									/P.	CTD CONVERTED MONITOR VALUES			W.			M	DAY MO	DATE JO-	PROJECT TN179C
					10.							SEC. TEMP	ONITOR VALUE	FLUOR S/N			<u> </u>	Тар		Y 0 5	=	PROJECT & LEG TN179C
												9	5					Tape/Diskette ID			C9 10	
											14	SALINITY							DAT	(°C)	DRY BULB WE	DSDB I.D.
3												TY						File Nam	DATA LOCATION	(°C) (mb)	% 6% WET BULB PRESSURE	8
					82							SALINTY	SAMPLE BOTTLE DATA					File Name/Header		2 7 1 6 c	SEA STATE VISIBILITY REPORT OF THE PROPERTY O	
							~						TLE DATA		MA				RE	(m/s) *	V & NO	STATION
	Ng	ŝŧ		11	::	<u>;;</u>	77	21	<u> </u>		98 133	SAL. NUTR.	SAMPLI		MAX. DEPTH =	Cleaned air bleed valve			REMARKS	*	TYPE WEATHER	STATION DESIGNATION
				J OHI	_	386	7221	_	ト 561	7 4	$\overline{\Lambda}$	윤	SAMPLE BOTTLE NUMBER			bleed valve				(B)	HIGHOR WOLLOR	4
				\	\			F	7		_	WHIT'S NUTR.	MBER		3					46	STA. NAME/ID	300

12	=	10	9	8	7	6	ر.	4	ω	2	-		30		PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	095	CONSC CAST #	VESSEL R/V Thor
				0	10	B	30	£	50	8	49		TRIP DEPTH	NS C	SS 	NS.	SS	- 	ı	5 8 c		VESSEL R/V Thomas G. Thompson
												PRI								00 Min	TA'33)	pson
	ni.		:				2		į			PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEG		<u> </u>
	_				int				1			+	4.	N	CE	_	NAC	v		5 4 ·	54, 85	
												PRI. TEMP.	CID CO						JD/TIME	E 4 w 2	- K	
. <u>-</u>		2											NVERTED MC	FLUOR S/N						DAY MO	DATE JD.	PROJECT TN179C
					n,							SEC. TEMP	NITOR VALU	LUOR S/N_		1	1			Y 0 YR		PROJECT & LEG TN179C
												¥	Į Œ				!	Tape/Diskette ID		HR MIN	// 68 TIME (GMT)	
																		e ID		3.6	DRY BULB	DSD8 I.D.
	101										¥	SALINITY	-						DATA LOCATION	. 6	% o't €	, į
						1							S					File Name/Header	NOITA	1 (mb)	PRESSURE SEA STATE	-
•		8			.2							SALINITY	SAMPLE BOTTLE DATA					leader		1 (deg)	VISIBILITY DIRN.	-
												7	TE DATA		_				7	2 1 E * (s/m) (WIND SPD.	STATIO
	E.1	35		<u> </u>							-9 	 	SAM		MAX. DEPTH =	Cleaned			REMARKS	*	CLOUD (amt TYPE WEATHER	STATION DESIGNATION
				瑟	thi	146	145	ከትበ	£ክ ነ	142	1441	NSTR.	SAMPLE BOTTLE NUMBER		"	Cleaned air bleed valve				(E)	BOTTOM DEPTH	I !
1				7	4	١	V	١	1	4	1	CHL W	E NUMBER		3	ive					STA. NAME/ID	70m33
										·		NUTR.		:						95	VE/ID	

12	=	10	9	00	7	6	5	4	ω	2			Ş		PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	9	CONSC CAST #	VESSEL R/V Tho
				0	6	छ	30	48	50	60	66		TRIP DEPTH	D SN	D SN	- SS	PSN	ž		5 8 0	_	VESSEL R/V Thomas G. Thompson
							=				12.	PRESSURE								2 <u>M</u>	C2, 81	npson
				ŀ					<u> </u>			URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 6 9	LOT	
	i i				5% 5:1							PRI, TEMP	C			L.	v I		JD,	38.97	to'86	
		ź										EMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	W 2 DAY	DATE JD-	TN.
					= -		820					SEC. TEMP	MONITOR VA	FLUOR S/N						Α Y 0 5	: ::	PROJECT & LEG TN179C
												ГЕМР	LUES					Tape/Diskette ID		1 2 5 H	1249)	
												Ş						e D	_	3.6	DRY BULB	DSDB I.D.
						:					\$	SALINITY	20.				{ 	File	DATA LOCATION	(°C)	WET BULB	
													SAMPL					Name/Header	ON.	(mb) *	PRESSURE SEA STATE VISIBILITY	
					31							SALINITY	SAMPLE BOTTLE DATA					7		(deg) (m/s)	WIND WIND DIRN. SPD.	\$17
											100	SAL.			MAX, DEPTH -	Cleaned			REMARKS	9 's) * *	CLOUD (amt TYPE WEATHER	STATION DESIGNATION
				156	551	h51	เร3	152	181	(50	[원 의	NUTR	SAMPLE BOTTLE NUMBER		# 	Cleaned air bleed valve				7 3	BOTTOM BOTTOM	11
				4	Α.	Α.	*	^	+	*	7	CHL WHIT'S	NUMBER		3	Ve				96	STA, NAME/ID	70m34

12	=	10	9	8	7	6	S	4	w	2	-		Ş		PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	69	CONSC CAST #	R/V The
				8	ō	20	30	46	50	60	49		TRIP DEPTH	INS CI	D SN	IP SN	P SN	z 	1	7 CF CF CF CF CF CF CF CF CF CF CF CF CF		R/V Thomas G. Thompson
		ļ										PR								00 M	58,46	noson
												PRESSURE		PAR S/N	AT SURFACE	АТ DEPTH	START DOWN	DATA ON	TIMES	2) C PG		
	73				2020				11			-	8	N	CE	-	NAC			2 1 MN	FONCITUDIONO 1	
												PRI, TEMP.	CTO CON						JD/TIME	바 l w 2 뇌	31Vd	
			, in										CTO CONVERTED MONITOR VALUES]		M A MO	JD=	TN179C
					195		 - -					SEC. TEMP	ITOR VALU	FLUOR S/N				<u>a</u>		0 5	-	
												P	ES			84		Tape/Diskette ID		1 4 3 MIN	TIME (GMT)	3
																		e 5		H (C)	DRY BULB	0308
											9	SALINITY	33]]	File	DATA LOCATION	. 6	MET BULB	5
													SA		ì			e Name/Header	NOL	(mb)	PRESSUR SEA STA	E
** **					9			=				SALINITY	SAMPLE BOTTLE DATA					ader		(deg)	VISIBILITY DIRN.	Y
											1	:	E DATA		M.	' 		1	R	(m/s) *	SPD WIND	amt)
	-	3.3							~	,,,,,,,		SAL.	SAM		MAX. DEPTH =	Cleaned :			REMARKS	*	TYPE WEATHER	R P
				164 -	63 -	162 -	F 19	£	¥ 651	- 1	杰	SIZ.	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve			٠	E OF	BOTTOM DEPTH	amt)
				100		-						욷	E NUMBER		3	itve						35 m
			2.									WHIT'S								9 7	STA. NAME/ID	U)

	=	10	9	60	7	6	5	4	ω	2	-		POS.	10	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	P98		CAST #	VESSEL R/V Thom
		<u> </u>		0	ō	20	30	ŧо	ક્છ	60	85		TRIP DEPTH	NS	¥	¥ 	ž	1	İ	575	DEG MIN	- (λ =	VESSEL R/V Thomas G. Thompson
											ė.	PRE								ОТ ———————————————————————————————————	ME CO	54,54	ön
	17											PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	- 69	DEG.	<u> </u>	
	i i	<u>.</u>			2				-0					Ň	CE		NWO	-		3	MIN CONSTITUTION	\$3,63	
:									:			PRI, TEMP.	CID C						JD/TIME	€ 3 ₩	_	ູ່ນັ	
		==											ONVERTED !			Ī				Z	DAY MO	Ž	PROJECT TN179C
					*							SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N			•	1		<u>~</u>	y ₩		PROJECT & LEG TN179C
			喜									TEMP	LUES					Tape/Diskette !D		14	HR MIN	1.636	
														_			:	te ID			(°C)		oso
											ä	SALINITY	83						DATA LOCATION		יין אינו סטנס		DSDB I.D.
i,																		File Name/Header	CATION	1-1	-	RESSURE	
						3			1			Ş	SAMPLE BOTTLE DATA					/Header		9.	* v	EA STATE ISIBILITY	
3.5					15							SALINITY	BOTTLE							4	. PE .	ONIN GAIN	
													DATA		3		1		Z.	(3) (3)	(m) (e) 4 (c)	B N LOUD (amt)	STATION DESIGNATION
		(ii									62	SAL	S		MAX. DEPTH =	Clean			REMARKS		* т	YPE /EATHER	DESIGN
	(15)			172				166	167	166		NUTR.	SAMPLE BOTTLE NUMBER		코	Cleaned air bleed valve			- 5	£ .	\neg	MOLLOR	ATION 7
					1	4	8	ţ	4	Ť	4	윉	TLE NUME		3	valve				0	\dashv		70M36
	ž.											WHIT'S NUTR.	ĬĔŖ							9	STA. NAMEZID	, ,	, j

12	Ξ	10	9	8	7	6	o	4	ω	2	-		Ş		PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	099	CONSC CAST #	VESSEL R/V Tho
				0	6	8	33	HO	50	8	65		TRIP DEPTH	NS ON	NS GI	WP SN	IP SN	ž	1	45		VESSEL R/V Thomas G. Thompson
												PRESSURE								60 -	H3.82	npson
												SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEG	LON	
	-				777							PRI. TEMP.	CTD			1	¥		JD/TIME	× 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	St.15	
												WP.	CTD CONVERTED MONITOR VALUES						ME	DAY MO	DATE JD.	PROJECT TN179C
												SEC. TEMP	ONITOR VALU	FLUOR S/N_	_		' 	- -		7 0 5		PROJECT & LEG TN179C
									30			M₽	ES			Si.		Tape/Diskette ID		00 MM	1812- TIME (GMT)	_
												SA						₽	0	<u>()</u> • ဗိ	DRY BULB	DSDB I.D.
· ·								10				SALINITY	22			1		File I	DATA LOCATION	(°C)	WET BULB	
				1									SAMPLE					File Name/Header	Ž	(mb) + 6	PRESSURE SEA STATE VISIBILITY	
Ö												SALINITY	SAMPLE BOTTLE DATA					·		(deg) (m/s)	WIND WIND DIRN. SPD.	STA
	1/	Ē								=	163	SAL.			MAX. DEPTH =	Cleaned			REMARKS	2 S	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
	120			180 -	- 621	> 3E1	ナヒと	J 921	y Sti	y 661	+ 8 El	NUTR. C	SAMPLE BOTTLE NUMBER		<u>+</u>	Cleaned air bleed valve			4	(m) 7 2	BOTTOM DEPTH	MOL HOW
												CHL WHIT'S	NUMBER		3	ve				99	STA. NAME/ID	4 40 8

12	=	10	9	00	7	6	5	4	ω	2			Ş	40	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	9		CONSC CAST #	R/V Tho	1
		159			0	0	20	30	0.7	50	10		TRIP DEPTH	ND SN	NS OF	MP SN	IP SN	SN		057	DEG	#.0	VESSEL R/V Thomas G. Thompson	
													I							34.	MZ.	LATTTUDE	ompson	
											C)	PRESSURE				Ĺ		Ĺ		0 z				
									-		oll,	m		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16849	DEG			
					222					1	;						Ž			j.	X.	LONGITUDE		
			18									PRI. TEMP.	CID CC					ŀ	JD/TIME	30 w				
		,											ONVERTED							2 H M A	DAY	DATE JO=	PROJECT TN179C	1
												SEC	MONITOR V	FLUOR S/N			ı	1		Υ 0 5	MO YR	25	PROJECT & LEG TN179C	
												SEC. TEMP	ALUES	Ž				Tape/Di		5	돐	TIME (GMT)		
												_			[,		Tape/Diskette ID		4 4	<u>X</u>		-	
												SA			 				D	-	Ĉ	DRY BULB	DSDB (.D.	
												SALINITY	9			1	1	I !	DATA LOCATION		C	MEL BITTE 12 1/25 12 1/25 12 1/25		
Ġ.													S					File Name/Header	NOIT	11	(mb) *	PRESSURE SEA STATE		
8						2						SALINITY	AMPLE BO					teader		116	* G	VISIBILITY DIR. WIND		
												NT YE	SAMPLE BOTTLE DATA							~	(deg) (m/s)	ND WIND SPD.	STAI	
			102.1								hol	SAL			MAX. DEPTH =	Clean			REMARKS	8	*	CLOUD (arnt	STATION DESIGNATION 70 W	
				ф	7	0	S	4	(1)	2	_	NUTR	SAMPLE BC		7H =	Cleaned air bleed valve			S	0.4		WEATHER BOTTOM DEPTH	T NOITAN	
					V	1	٢	\	1	\		욷	SAMPLE BOTTLE NUMBER		3	d valve	-		•	1/4			0m 38	
					+						ŋ	WHIT'S	E		_					- 00		STA. NAME/ID	00	

12	11	10	9	8	7	6	5	4	ω •	2	-		POS. TRIP	1 ♀	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	101	CONSC CAST #	R/V Thomas
··-					0	ō	9	0	o o	0	49		TRIP DEPTH	Z						DEG MIN	LATITUDE	R/V Thomas G. Thompson
											= 1	PRESSURE			A	<u> </u>	S			z 50 T	DE ===	
	а					121			12			m	92	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	0E6	LOW	
	3											PRI. TEMP.	3]	12.		/ar	. MIM	LONGITUDE	
_		Щ										EMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	¥ V DAY x	DATE JD-	NT N
												SEC.	MONITOR VA	FLUOR S/N		1				A Y 0 5		TN179C
												SEC. TEMP	LUES	_	M	17		Tape/Diskette ID		HR MN	TIME (GMT)	
																		te ID		is G	DRY BULB	USDB I.D.
				3+1							7	SALINITY	790] 	 	I.	DATA LOCATION	. °C	WET BULB	- 5
										· · · · <u> </u>			SAM					File Name/Header	NOIT	(mb)	PRESSURE SEA STATE VISIBILITY	
ij					W			:57				SALINITY	SAMPLE BOTTLE DATA					der		(deg)	WIND DIRN.	
		13									105	SAL.	ATA		MAX. DEPTH =	Clea			REMARKS	2 (m/s)	SPD. CLOUD (amt	STATION DESIGNATION
	ų.				Ī	ري د	シ	11	Jo	9	- 1	NUTR	SAMPLE BOTTLE NUMBER		РТН =	Cleaned air bleed valve			S	(E)	WEATHER BOTTOM DEPTH	
					¥							CHL. Y	TLE NUMBER		3	vaive				<u>ک</u> -	V STA. NAME/ID	70m 3°
					5/0						T	WHIT'S								0	ME/ID	2

VESSEL R/V Thomas G. Thomason CONSC CAST # LATITI	mpson.	LONGITUDE	UDE DATE	PROJECT & LEG	TIME (GMT)	DSDB LO. DRY BULB WE	WET BULB PRESSURE		SEA STATE VISIBILITY □ ≦	VISIBILITY DIRN.	VISIBILITY DIRN.	VISIBILITY VISIBILITY STATION DESIGNATION SPD. CLOUD (amt) TYPE WEATHER DEP	VISIBILITY DIRN. STATION DESIGNAT CLOUD (amt) TYPE WEATHER
) 1 1 1 1) 	DEG D)		AND ME	' 	 	-13-1	*	* * (deg) (m/s)	* * (deg) (m/s) * *	* * (deg) (m/s) * * * (* * (deg) (m/s) * * * (m)
		5		3	1				3	3	3	3	3
PRESS SN		DATA ON			 Tape/Diskette ID			File Nan	File Name/Header	me/Header	File Name/Header	me/Header	me/Header
PRI TEMP SN		START DOWN								-			
SEC TEMP SN		AT DEPTH			, d						Cleaned	Cleaned air bleed v	Cleaned air bleed valve
PRI COND SN		AT SURFACE					1		- Aller Alle	TRE 100 (100 (100 (100 (100 (100 (100 (100	MAX. DEPT	MAX. DEPTH =	MAX. DEPTH = m
SEC COND SN		PAR S/N		FLUOR S/N	Ž .								
POS. TRIP DEPTH			CTD CON	CTD CONVERTED MONITOR VALUES	ALUES				SAMPLE BOT	SAMPLE BOTTLE DATA			SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER
	PRESSURE	RE	PRI. TEMP.	SEC	SEC. TEMP	SALI	IZ	SALINITY		NITY SALINITY		SALINITY	SALINITY SAL
1 66	alt.5				,	,					106		
2 50												_	_
3 40												41	47
30		ः										81	8/
5 20					22		()					19	19
6 10												20	D _O
7 0				1 200								رو	2
8													
9				*									
10													
=											444		
12 1							1	्					

12	=	10	9	œ	7	6	v	4	ω	2	-		Š	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	9		CAST #	VESSEL R/V Tho
					C	0	0	4	40	50	65		TRIP DEPTH	ND SN	ND SN	MP SN	^{AP SN} —	 SN	1	03573	DEG.	<u></u>	VESSEL R/V Thomas G. Thompson
											aut 6				13					. 04	MIN	ATTION	mpson
									, i			PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	51	DEG 5	<u> </u>	
		28										PRI. TEMP.	CII			ľ	& 		JD/TIME	9.03	MIN		
_												MP.	D CONVERTED N	FLUOR S/N	1				IME	₹ 0/2 × > ₹		7	PROJECT
												SEC. TEMP	ONTOR VALUE	FLUOR S/N		-	' 	Ta		Y 0 5	á		PROJECT & LEG TN179C
			200									F	S			=		Tape/Diskette ID		ラ 2 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\dashv	TIME (GMT)	-
											72	SALINITY						J	DAT	4.4	\dashv	DRY RIII B	DSD8 I.D.
3												YTTY					430	File Nar	DATA LOCATION	. 06	\rightarrow	RESSURE	-
						-				i		SALINITY	SAMPLE BOTTLE DATA					Name/Header			* s	EA STATE ISIBILITY	-
]									<u></u>		TTLE DATA		3				R	55328	90.	S No LOUD (amt)	STATION
	10	G.			ຍ	イス	26	N.	29	ر رن	10 de 12	SAL. NUTR	SAMPLE		MAX, DEPTH =	Cleaned air bleed valve			REMARKS	1	• T	YPE /EATHER	STATION DESIGNATION
					8	7	9 / 4	~	•		۲	R CHL	SAMPLE BOTTLE NUMBER		3	leed valve				<u>آ</u> دکا	\dashv	BOTTOM	70m4
					\leftarrow					_	か	WHIT'S NUTR.	93						3	: 0 3	STA. NAME/ID		

During 1st tray of statur which cut out I we had to meterly, of the suctars

=	õ	ω	8	7	6	5	4	ω	2			Š.	SEC CO	RI CON	SEC TEN	PRI TEMP SN	PRESS SN	SBE 9+	0	CAST #	200	VESSEL R/V Tho
				0	ō	0	C	40	50	8		TRIP DEPTH	ND SN	D SN	AP SN	P SN	ž		73	Pro Co	,	VESSEL R/V Thomas G. Thompson
										27,0	PRE		11					:	0 4	ATITUDE		pson
ŧŝ.		i								Um	SSURE		PAR S/I	AT SURFAC	AT DEPTH	START DOV	DATA ON	TIMES	49			
١.					1						PR	<u></u> 22		M	1	NA.		40,00	9.0	ONGITUDE		
											I. TEMP.	CTD CONVER						JD/TIME	4			
		i i									SE	TED MONITOR 1	FLUOR S		}				> 30 7		.50	PROJECT & LEG
											C. TEMP	/ALUES	N		5.7		Tape/Diske		0 7			
=											-		· i		ļ.		tte ID		<u></u>			DSDB I.D.
										W.	SALINITY	j.				 	<u> </u>	DATA LOCA				J.D.
	Į.										-	SAM					ile Name/Hea	NOIT	•	PRES	SURE STATE	
				Ħ							SALINITY	PLE BOTTLE D					der		4-3	DIRN.		8
				-						107	SAL			MAX. DE	Clear			REMARK	-0 -	CLOU TYPE	ID (amt)	STATION DESIGNATION
				S N	34	33	ري نو	8	დ 0	29	NOTE	SAMPLE BOTTI		- HIL	ed air bleed v			S.	(E)	WEA		7
				(CHL WHIT'S	LE NUMBER		3	alve	į			104	STA. NAME/ID		c my 2
									30	50 40 30 30 30 31 32 33 33 33 34 35 35 37 38 38 39 31 32 33 34 35 36 37 38 39 30 32 33 34 35 36 37 38 39 31 32 33 34 35 36 37 38 39 31 32 33 34 35 36 37 38 39 30 31	10 Sollow 107 29 30 30 31 30 32 30 33 30 33 30 33 30 33 30 33 31 32 32 33	PRESSURE PRI. TEMP. SEC. TEMP SALIMITY SALIMI	CID CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER SAMPLE NUMBER SAMPLE NUMBER SAMPLE NUMBER SAMPLE NUMBER SAMPLE NUMBER SAMPL	PAR S / PAR S / PRUSSURE	AT SURFACE FUNC SYN	AT SAFACE PRESSURE PRESS	START DOWN AT DEPTH AT DEPTH TO CONVERTED MONTOR VALUES SAMPLE BOTTLE DATA PRESSURE PRI. TEMP SEC. TEMP SALINITY SALI	DATA ON START DOWN AT DEPTH AT DEPTH Tape/Diskette ID File Name/Header AT SURFACE FILLOR S/N CID CONVERTED MONTOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NAMBE TOP 33 33 33 33 33 33 33 33 33 33	THRES	HST330.0.0H. 16749.00 HAT N N N N N N N N N	Constitute	THE DOTTON THE PART DOWN THE DOTTON THE PART DOWN THE NAME TO USE THAT

12	=	10	9	00	7	6	5	4	ω	2	-		Ş	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0		CONSC CAST #	VESSEL R/V Tho
					0	0	20	ند 0	01	0	60		TRIP DEPTH	ND SN	NS O	MP SN	1P SN	 	1	55730	DEG		VESSEL R/V Thomas G. Thompson
					3						allow	PRESSURE			į					0 . 0 I z	MIN	LATITUDE	npson
	2										53	SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	-	DEG	LON	
	2											PRI. TEMP.	CTD				: :::		JD/TIME	46	Min	LONGITUDE	
		8.1	į.									WP.	CTD CONVERTED MONITOR VALUES						ME	3		DATE JD=	PROJECT
										 		SEC. TEMP	ONITIOR VALUES	FLUOR S/N		2		Таре	·- <u>-</u>	5	YR HR	TIM	PROJECT & LEG TN179C
			_															Tape/Diskette ID		9 (\neg	TIME (GMT) DRY	
						:						SALINITY							DATA LOCATION	<u>.</u>		DRY BULB WET BULB	DSDB I.D.
													S,A				10	File Name/Header	CATION	93	(dmb)	PRESSURE SEA STATE	٠
8					12-1			5				SALINITY	SAMPLE BOTTLE DATA					eader			* (deg)	VISIBILITY DIRW	
				***							411	SAL.			MAX. DEPTH =	Clean			REMARKS		*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
	N				なって	14	のな	9	3 %		6	NUTR.	SAMPLE BOTTLE NUMBER		7TH ≈	Cleaned air bleed valve			S	7.2		DEPTH	7
												CHL. WHIT'S	E NUMBER		з	ilve				105		STA NAME/ID	0 m 43

-	= 00	10	9	8	7	6	s 20	30	3	2 50	1 66		POS. TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	65 7	CONSC	VESSEL R/V Thomas G. Thompson
												PRES	Ŧ							3 MN	LATITUDE	hompson
	100								*			PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	2 DEG	LONG	
	-											PRI, TEMP.	CTD C						JD/TIME	· M	LONGITUDE	
													CTD CONVERTED MONITOR VALUES	FLU						W P W A Y	DATE JD=	PROJECT & LEG
	,		-	!								SEC. TEMP	OR VALUES	FLUOR S/N				Tape/Diskette ID		O S HR MIN	TIME (GMT)	LEG
												ç						ette ID		3 (°C)	T) DRY BULB	0.08 1.0.
												SALINITY	8					File N	DATA LOCATION	(°C) (mb)	MET BULB	,D,
	i											SALINITY	SAMPLE BOTTLE DATA					File Name/Header	-	*	PRESSURE SEA STATE VISIBILITY DI VIN	
													TTLE DATA		MA				RED	(deg) (m/s) *	SPD. CLOUD (amt)	STATION
	- 1	41			5 h	44	47	94	15	44		SAL. NUTR	SAMPLE		MAX, DEPTH =	Cleaned air bleed valve			REMARKS	*	TYPE WEATHER	STATION DESIGNATION
					3	7 4	7	•	,	-		온	SAMPLE BOTTLE NUMBER			leed valve				7/	BOTTOM DEPTH ST	1.1
+				- :	Ł		-					WHIT'S	MBER		3					0	STA. NAME/ID	70m 44

(no borgo)

12	=	10	9	8	7	6	ر.	4	ω	2	_		ģ	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CAST#	CONS	VESSEL R/V The
		20			0	10	20	U O	Oh	0	69		TRIP DEPTH	ND SN	ID SN	WP SN	IP SN	¥ I	ì	£24		<u>ი</u>	VESSEL R/V Thomas G. Thompson
											2	PRESSURE								5 . 4 5 N	LATITUDE		mpson
	70.								=		1 hm	SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1664	DEC LON		
					58							PRI. TEMP.	CTB				[JD/TIME	&	LONGITUDE		
			15									P.	CONVERTED MC	FLUOR S/N					Ĭ.	W 2	<u>`</u>		PROJECT TN179C
					2.				Î			SEC. TEMP	NITOR VALUES	FLUOR S/N	6			Tape		Y 0 5	_		PROJECT & LEG TN179C
																Ģ.		Tape/Diskette ID		543	묫		
	**								<u>.</u>			SALINITY							DATA LOCATION	. C	¥.	50	DSDB L.D.
-							_						SAMP		l I			File Name/Header	ATTON	8	PRE	SSURE STATE BILITY	
87:					93							SALINITY	SAMPLE BOTTLE DATA					er		70 25	DIRN.		STA
							(3)	(~		1-	*	SAL.			MAX. DEPTH =	Cleaned			REMARKS	258 ·	CLO	UD (amt)	STATION DESIGNATION
					56	501	43	50	5	5		NUTR. CHL.	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				- E	= 3		70
					<							WHIT'S NUTR.	UMBER		3					107	STA. NAME/ID		345

12	11	10	9	8	7	6	S.	4	ω	2	_		Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	00	CONSC CAST #	VESSEL R/V Thor
				e	ŏ	20	84	40	50	8	65		TRIP DEPTH	D SN	NS (PSN	SN	-	1	DEG 5 7 2		VESSEL R/V Thomas G. Thompson
												PRE								<u>C</u>	26.57	pson
,			A									PRESSURE	3	PAR S/N	AT SURFACE	АТ ОЕРТН	START DOWN	DATA ON	TIMES	DEG DEG		
					5					9		PF		2	Ж	1	NZ.			ວ - MN ພ	31,39	<u> </u>
			٥									PRI. TEMP.	CTD CONVER						JD/TIME	9 w 2 7 M	DATE .	
												S	CTD CONVERTED MONITOR VALUES	FLUOR S/N_						A Y O		PROJECT & LEG TN179C
												SEC. TEMP	VALUES	S/N				Tape/Diskette ID		5 R 6 H	TIME (GMT)	<u>ရ</u>
														1				ette ID		<u>ပ</u>) DRY BULB	DSD
											\$);	SALINITY				1		.	DATA LOCATION	7 (°C)	WET BULB	DSDB (.D.
													SAA					File Name/Header	NOITY	3 th c (em)	PRESSURE SEA STATE	
3												SALINITY	SAMPLE BOTTLE DATA					der		(deg)	VISIBILITY DIRN.	
											1.17	SAL.	DATA		MAX. DEPTH =	Clea			REMARKS	72 (m/s) *	CLOUD (amt)	STATION DESIGNATION
	-			64	63	62	61	60	59	58	ちと	NUTR.	SAMPLE BOTTLE NUMBER		PTH =	Cleaned air bleed valve			Vesa	(E)	WEATHER DEPTH	C NOITANG
				;\b	-	,	١	1		. 1	١	CHL. I	TLE NUMBER		3	valve			boxim llow		STA, NAME/ID	34 MOF
												WHIT'S							XC	00	ME/ID	

12	=	1 0	9	œ	7	6	5	4	ω	2	-3		PQS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	0	CONSC CAST #	VESSEL R/V Tho
				C	0	20	30	FO.	50	60	65		TRIP DEPTH	INS OIL	NSO	P SN	NSN	z 	ı	DEG 7 (O		VESSEL R/V Thomas G. Thompson
																				- MIN	19,17 LATITUDE	npson
												PRESSURE			AT	AT	ST	D _A	1	₹0 2		
														PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 1	-50	
					<u></u>												-			- 9 - M	19,54	
				**						711.		PRI. TEMP.	CTD CO	İ					JD/TIME	Ø 8		
	_											:	CTD CONVERTED MONITOR VALUES							DAY MO	DATE JD=	PROJECT TN179C
												SEC	MONITOR V	FLUOR S/N			•	1		γ 0 s		PROJECT & LEG TN179C
												SEC. TEMP	ALUES	Z				Tape/Diskette ID		~ ₹	©9.52_	
													,					skette ID		101		
												SAI							_D	3 . 4	DRY BULB	DSOB I.D.
												SALINITY	्			, 	! !	1 1	DATA LOCATION	. C	WET BULB	
]	<u></u>						1				43		:	File Name/Header	NOIT	(mb) *	PRESSURE SEA STATE	
Se											37	SALINITY	AMPLE BO					leader		*	VISIBILITY	
		#										NITY	SAMPLE BOTTLE DATA							(deg) (m/s)	ND WIND SPD.	STAT
											=	SAL.			MAX. DEPTH =	Clear			REMARKS	7 5	CLOUD (am	TION DESIG
	51			72	15	20	62	68	42	66	65	NUTR.	SAMPLE BOTTLE NUMBER		P. HIA	Cleaned air bleed valve			S		WEATHER BOTTOM	STATION DESIGNATION 70%
				1	1	7	1	- 4	١	1	1	윋	DITTLE NUM	•	= :	ed valve				42 11 =	1_	47
				`	\				1	:		WHIT'S NUTR.	BER		3					109	STA. NAME/ID	4)

	 5	φ	8	7 0	8	²	4 Ha	3 50	2 60	1 (4		POS. TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	1 6 1 6 5 4 1 1	CONSC CAST # LATITUDE	R/V Thomas G. Thompson
											PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG DEG	LON	
											PRI. TEMP.	CTD CONVERTED						JD/TIME	MIN COW DAY	⇔, (⇔) dara saunos	INT
2			:					**************************************			SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N	3			Tape/Diskette ID		MO YR HR MIN A Y 0 5 1 L 3 4	1132_ TIME (GMT)	TN179C
المراج والمراجعة والمراجع والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة											SALINITY							DATA LOCATION	3. 7 (°C)	DRY BULB WET BULB	
											SALINITY	SAMPLE BOTTLE DATA					File Name/Header	Z	(mb) * * (deg) (m/s) 9 (3 5 2 2 6	PRESSURE SEA STATE VISIBILITY DIRN. SPD.	
			60	79	3£	たた	36	35	ht	Et 601	SAL. NUTR.			MAX. DEPTH =	Cleaned air bleed vaive			REMARKS	*	CLOUD (amt TYPE WEATHER DEPTH DEPTH	2) w 3
+			~) -	T	- 4	(1	1	!	R. CHL. NUTR.	SAMPLE BOTTLE NUMBER		a	sed vaive				1 (w)	TOM STA. NAME/ID	- CM 710

12	=	10	9	8	7	6	S	4	ω	2	_		70 <u>5</u> .	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+		CONSC CAST #	VESSEL R/V Tho
				0	10	25	84	र्ह	56	50	49	7.5	TRIP DEPTH	ND SN	ib sn 	WP SN	IP SN	¥ 	ı	DEG 1		VESSEL R/V Thomas G. Thompson
												PRESSURE								5.73 _N	TZ:72	npson
	Ю											SURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 6 5 4 4	LONG	
					i e					:		PRI, TEMP.	CTD						JD/TIME	. 8 NW	HH SCP	
							}					97,	CTD CONVERTED MONITOR VALUES	FL					m	DAY MO	DATE JD.	PROJECT & LEG TN179C
												SEC, TEMP	ITOR VALUES	FLUOR S/N			<u> </u>	Tape/E		0 5 N HR	13 oc	& LEG
																		Tape/Diskette ID		₩N (°C)	C) DRY BULB	D.
											27	SALINITY	4			<u> </u>			DATA LOCATION	(°C)	TR MEL BITR	DSDB I.D.
													SAME	a.				File Name/Header	NOITA	17 6 (mb)	PRESSURE SEA STATE VISIBILITY	-
S ₄					柯							SALINITY	SAMPLE BOTTLE DATA					ier		(deg) (m/s)	WIND WIND DIRN. SPD.	STA
											115	SAL.			MAX, DEPTH =	Cleaned			REMARKS	2 * *	CLOUD (amt) TYPE WEATHER	TION DESIGNA
				00 00	- 13	98	5.5	73) (7)	82 -	- 18	NUTR. CHL.	SAMPLE BOTTLE NUMBER		ů .	Cleaned air bleed valve				1 1 3 (3)	BOTTOM DEPTH	STATION DESIGNATION 70W49
												IL. WHIT'S	NUMBER		3					111	STA. NAME/ID	(H9

12	=	1 0	9	œ	7	6	Ċ,	4	ω	2			Pog.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+		CAST #		VESSEL R/V Tho
		13		0	10	20	30	ч0	50	60	49		TRIP DEPTH	NS OF	D SN	₽SN 	PSN	2 	1	2 5 7 6			VESSEL R/V Thomas G. Thompson
									<u> </u>											. 5	LATITUDE	Q6.5¢	npson
												PRESSURE			A ₁	AT .	श	D.	<u> </u>	₹ z	-		
	iic									!				PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 3	- FO		
													!				-			. N N N N N N N N N N N N N N N N N N N	LONGITUDE	34.38	
												PRI. TEMP.	CTD CO	i					JD/TIME	9	- P	60	
													NVERTED N							DAY MO	DATE JD=		PROJECT TN179C
		:		!								SEC.	ONITOR VA	FLUOR S/N			'	'		γ 0 5	$\frac{1}{2}$		PROJECT & LEG TN179C
				-								SEC, TEMP	ALUES					Tape/Diskette ID		- ₇	TIME (GMT)	1422	
							,					ļ		}				kette ID		C Z	T) DRY BULB	12	
											200	SAL				Dt.			DA	(°C)			DSDB I.D.
												SALINITY	111			1		File	DATA LOCATION	. (3)	WET BULB	100,4%	
											<u> </u>		S,					Name/Header	Ö	4 4 6 (alm)		SSURE].
3								CLA ba				SALINITY	SAMPLE BOTTLE DATA				7	eader		(deg)	VISI DIRN.	BILITY	
					:			battle=				TY YE	TLE DATA		!	j				(m/s)	I. SPD.		STATI
		I						205			116	SAL.	S		MAX. DEPTH =	Cleane	5(나	REMARKS	g. ,	TYP	OUD (amt) E ATHER	STATION DESIGNATION
: 10				%	95	94	93	92		96	88	NUTR	AMPLE BOT		로 "	Cleaned air bleed valve	lea	HOW b.		(m)	DEPTH		
		50		1	,	,				{	ı	읝	SAMPLE BOTTLE NUMBER		3	valve	5p. led, 0 205m	The t	ء ر	22	+	77	70 1
						4						WHIT'S NUTR.	Ŕ				36	b. The tor children huy	er.	11 2	STA. NAME/ID		54
		,	***************************************									•				!		- Oxo	_	··········			Ħ
																		OF,					

VESSEL R/V Thomas G. Thompson CONSC	ht'22	PROJECT & LEG TN179C 1553	DSDB I.D.	A STATE SIBILITY	OUD (amt) PE ATHER	MOLLOB T T NO
CAST # LATITUDE DEG MIN	LONGITUDE DATE DEG MIN DAY	DATE JD	DRY BULB WET BULB (°C) (°C) (* SE		
P 04. 00	N 16522.73w27	3	3.5	35 55	986	\vdash
SBE 9+	TIMES JD/TIME		DATA LOCATION		REMARKS	O,
PRESS SN	DATA ON	Tape/Diskette ID	File	Name/Header		
PRI TEMP SN	START DOWN					
SEC TEMP SN	AT DEPTH				Cleaned air bleed valve	50
PRI COND SN	AT SURFACE				MAX. DEPTH -	
SEC COND SN	PAR S/N	FLUOR S/N				
POS. TRIP DEPTH	сть сол	VERTED MONITOR VALUES		SAMPLE BOTTLE DATA	SAMPLE BOTTLE NUMBER	=
	PRESSURE PRI. TEMP.	SEC, TEMP	SALINITY	SALINITY	SAL.	NUTR.
1 65			415			(د (د
2 60						98
3 56						99
4 40						00
5 30	51					10
6 %						102
7 10	**			9):		603
8			-			104
9		2				
10	~					
11						'
12						

12	=	-	9	00	7	6	رى د	4	ω	2	_		Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	1	CAST #		VESSEL R/V Tho
12		15		0	10	28	30	HO	50	00	600		TRIP DEPTH	NS CIN	ID SN	NS div	IP SN	Σ.		H 2 C	#*	<u> </u>	VESSEL R/V Thomas G. Thompson
	•				6	O	0				00			1						5 3	LATITUDE	53.66	ompson
			:									PRESSURE	55		-	<u> </u>				6 5 N		56	
!	:01										5	æ		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 5 G			
					=												Ž			· ≥	LONGITUDE	08,29	
												PRI. TEMP.	CIDC]					JD/TIME	2 0 w		و	
	_												ONVERTED							DAY N	DATE JO=		PROJECT TN179C
												SEC	CTD CONVERTED MONTOR VALUES	FLUOR S/N		l	ı	ı		MO YR	-		PROJECT & LEG TN179C
										10		SEC. TEMP	/ALUES	\ <u>\</u>				Tape/Di		\(\frac{\pi}{2}\) \(\frac{\pi}{2}\)	TIME (GMT)	ا 14 19	
																		Tape/Diskette ID		7 NIN	+		
												SA		e.					•	3. K	DRY BULB		DSDB I.D.
											2.2	SALINITY	35			1		<u>-</u>	DATA LOCATION	. G	WET BULB	93.9%	
													- 10					File Name/I	MOLLY	(dm)	PRE	SSURE	
34												SAI	SAMPLE BOTTLE DATA					Name/Header		Ω *	VIS	STATE BILITY	
												SALINTY	OTTLE DA							(deg)	DIRN.		ST
					·						118	SAL	TA		MAX.	Ω			REMARKS	1/5/8/6 (m/s) :	SPD. CLC	UD (amt)	ATION DE
				1	١			_		-			SAMP	,	MAX. DEPTH =	eaned al			RKS	*	WE.	ATHER	SIGNATIC
				12		101	109 -	- 80	120	106 -	105 -	NUTR	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				(m)	DEPTH	St 75	STATION DESIGNATION 70~52
				3	١					J	_	욷	E NUMBE		3	live					STA. I		w 52
												WHIT's NUTR.	20							- - - -	STA. NAME/ID		["

12	==	10	9	œ	7	6	5	4	ω	2	-		PĢ.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	_	CONSC CAST #	VESSEL R/V Tho
8				0	(q	8	26	5	50	8	5		TRIP DEPTH	NS G	D SN	PSN]	NS	z 	1	1565	-	VESSEL R/V Thomas G. Thompson
																				CA M	54,56	npson
												PRESSURE		PAS	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEG	-	
										<u> </u>				PAR S/N	(FACE	Ŧ	NWOO	N		150	LONGITUDE	
												PRI. TEMP.	2			1			/dr	. NIN	50.29 IGITUDE	
												EMP.	'D CONVER					1	JD/TIME	w 2 7	DATE J	
													CTD CONVERTED MONITOR VALUES	FLUO						M A MO	JD <u>.</u>	PROJECT & LEG TN179Ç
												SEC. TEMP)R VALUES	FLUOR S/N		<u> </u>		Tape		0 5 1 8	TIME	- E
									_									Tape/Diskette ID		3 4	1 & 3 7 TIME (GMT)	-
								8										₽		3 60	DRY BULB	DSDB L.D.
•											25	SALINITY	88						DATA LOCATION	. C	WET BULB	Т Б
																		File Name	ATION	(mb) *	PRESSURE	
Si.							£2.					SA	SAMPLE E					Name/Header		77.	SEA STATE VISIBILITY	-
												SALINITY	SAMPLE BOTTLE DATA							(deg) (m/s)	WIND WI	SI
						<u> </u>	<u> </u>	<u> </u>			119	SAL	TA		MAX. E	<u>Q</u>			REMARKS	200 *	CLOUD (amt	STATION DESIGNATION
				(24	Ma Ma	112	# 1	9]]	NS	માા		NUTR.	SAMPLE		MAX. DEPTH =	Cleaned air bleed vaive			S	*	WEATHER BOTTOM DEPTH	GNATION
			*	ф -	-	J	1	j	1	1	1	연	SAMPLE BOTTLE NUMBER			eed valve				(E)		70m 53
												WHIT'S	MBER	3.5	3					 (51	STA, NAME/ID	53

12	=	10	9	8	7	6	S	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	=	CONSC CAST #	VESSEL R/V Tho
	:				0	5	9	w	40	0	70		TRIP DEPTH	ND SN	ID SN	MP SN	PSN	ž	1	16565	***	VESSEL R/V Thomas G. Thompson
												PRES			3.					O ME	LATITUDE	mpson
	22										3 sehin	PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 934	LONG	
					3.5						>	PRI. TEMP.	CTD						JD/TIME	- ME	LONGITUDE	
									_				CTD CONVERTED MONITOR VALUES	FLI					m	DAY MO	DATE JD*	PROJECT & LEG
												SEC. TEMP	TOR VALUES	FLUOR S/N				Tape/Diskette ID		0 5 HR	TIME (GMT)	r TEG
												S						kette ID		0 1 (°C)	סגיץ פּטורפּ	DSDB I.D.
											526	SALINITY					0	File N	DATA LOCATION	. (°C) (mb)	94,553 WET BULB	.D.
E.												SALINITY	SAMPLE BOTTLE DATA		×			File Name/Header	-	(mb) * (deg)	PRESSURE SEA STATE VISIBILITY DR WIND	
								1. N				YTY	TLE DATA							(m/s)	WIND SPD.	STATIC
							3 m				124	SAL.	SA		MAX. DEPTH -	Cleaned			REMARKS	₹ •	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
					[2]	126	25	124	23	122	[21	NUTR.	SAMPLE BOTTLE NUMBER		± #	Cleaned air bleed valve			20	(E)	ВОТТОМ DEPTH	26 NOLL
									1.			CHL	LE NUMBER		3	alve		1			STA. NAME/ID	75m54
	-				か	T	セ	4	カ	1	J	WHIT'S								16	ME/ID	

NAT Thompson NAT					.54	-5														12
													-	:		10				=
TATION TOTAL THE COLT THE									\vee										= 1	10
THE STATION BEST ALLES STATION BEST ALLES STATION BEST ALLES STATION DESCALATION DESCALATION STATION DESCALATION DESC																				မှ
PROJECT & LESS DOUBLE Double Do			254									1	_							00
PROJECT A LITTLUDE LONGTILUDE W	×	134												13			0		7	
PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL PROJECT RUES DATA DRY BALL			133															a		6
PROJECT & LEG INTITUDE LONGTIUGE DATE D- TIME (OUT) DOT NO TIME (OUT) DATA LOCATION DATA LO		20	13:															0		Çī
PROJECT & LEG DSUB ID. STATION DESIGNATION PROJECT & LEG DSUB ID. STATION DESIGNATION PROJECT & LEG DSUB ID. STATION DESIGNATION PROJECT & LEG DSUB ID. STATION DESIGNATION PROJECT & LEG DATE	_		13/			1				82										4
PROJECT & LEG TIMPSC LATITUDE LONGITUDE	カ	٥	130								Á				ļ			O	-	ω
TIME SULTAINUNE LATITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE DATE LD- TIME (GHT) DRY BULB WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WEFI BÜTS WENNUS WENNUS WEFI BÜTS WENNUS	1	73	200															0	C.P.	~
TRUDE LONGITUDE DATE JD. TIME (SMT) DEVENUES DESIGNATION TRUDE LONGITUDE DATE JD. TIME (SMT) DEVENUES DEVENUES DESIGNATION TRUDE SMAPLE BOTTOR TRUDE CONVERTED MONTOR VALUES TRUDE DESTATION DESIGNATION TRUDE (SMT) DEVENUES DEVIA SALDRITY SALDRITH STA NAME TRUDE SALDRITH SALDRITH STATION DESIGNATION TRAIN OF THE SALDRITH STAN NAME TRAIN DEPTH		90		235					25							e how	l.	O	4	_
PROJECT & LEG INTERS G. THOMPSON INTERS G. T	-	-	N.	SAL.	T	SALINI	A.	<u>.</u>	SALINITY		₹	SEC. TE		PRI. TEMP.		翮	PRESSU		5	
PROJECT & LEG PROJEC	MBER	BOTTLE NO	SAMPLE	ж.	TLE DATA		SAMP		4.0		ES	ONITOR VALU	NVERTED M	3 € CE	70,					g
PROJECT & LEG PROJEC												FLUOR S/N_				PAR S/N		_	COND SI	SEC.
PROJECT & LEG PROJEC	3		PTH =	MAX. DE												AT SURFACE			NS GNO	ž
PROJECT & LEG IN179C		eed valve	ned air bi	Clean	1							À				AT DEPTH	ien		TEMP SI	ر کور
PROJECT & LEG DSD8 i.D. STATION DESIGNATION THIN 179C STATION DESIGNATION DESIGNATION THIN 179C STATION DESIGNATION				1							1			Ž	START DOW			EMP SN	ž	
TIMES JD/TIME TIME (GMT) DRY BULB DATE JD- TIME (GMT) DRY BULB DATE JD- TIME (GMT) DRY BULB DATE JD- TIME (GMT) DRY BULB DATE JD- TIME (GMT) DRY BULB DATE JD- TIME (GMT) DRY BULB D		i				er	me/Head	File Nar		Ð	pe/Diskette	Ta				DATA ON			NS S	RES
PROJECT & LEG DSDB I.D. STATION DESIGNATION TIME (GMT) DEG MIN DEG MIN DEG MIN DEG MIN DATE JD- TIME (GMT) DATE JD- TIME (GMT) TIME (GMT) DRY BULB WET BULB W			vi	REMARK				CATION	DATA LO					JD/TIME		TIMES			9+	38E (
PROJECT & LEG PROJECT & LEG DSD8 I.D. TIN179C TIN179C TIME (GMT) DRY BULB WET BULB RE SA ISIS WIND WIND SPD. CL TY WEDETH DEPTH STATION DESIGNATION THE CONGITUDE LONGITUDE LONGITUDE DATE JD- TIME (GMT) DRY BULB RE SA ISIS WIND SPD. CL TY WE DEPTH)=== : 	1 4 K		6 *	V	(deg	35 *	-		. 0	0 -	7 0 5	7	8	. 3	1 6 H	W	6 1		-
mas G. Thompson TN179C DSDB LD. STATION DESIGNATION	TA. NAME/I			CLOUD (amt)			SEA STATE	<u> </u>	WET BE	DRY BULB	1	=		D,	ONGITUDE		JDE	LATITI	ST %SC	CAS CO
	155	For	NATION	ION DESIG	STATI				į.	DSDB		C & LEG	PROJECT TN179	-				G. Thompson	SEL.	ESS.

PG __ OF __

(I can on ot to sheet, did is money)

1/10/03

12		10	9	œ	7	°	٥٦	Δ W O	3 40	2 50	1 70		POS. TRIP DEPTH	• •	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	1 1 8 5 6 MIN	CONSC 56 52,76	VESSEL R/V Thomas G. Thompson	
	20										3 alph	PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	2 9 DEG	491	מכ	
					×						3	PRI, TEMP.	CTD CONVERTED						D/TIME	MIN DAY W Z 7 M	LONGITUDE DATE JD-	PRO	
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N		5		Tape/Diskette ID	Bane	MO YR HR MIN	TIME (GMT)	PROJECT & LEG	
												SALINITY					8	<u> </u>	HAD DATA LOCATION	(°C) (mb)	DRY BULB WET BULB	osob l.D.	Hoolm
		5									E	SALINITY	SAMPLE BOTTLE DATA					e Name/Header	1520	(deg) (m/s)	PRESSURE SEA STATE VISIBILITY DIRN. SPD.		md (14
						-		ı			72	SAL			MAX, DEPTH -	Cleaned a			REMARKS	Αυ :	CLOUD (arrit) TYPE WEATHER	STATION DESIGNATION	mile
				3.	(FF)	学的 1	35 /	13# 1	37	32 /	135	NUTR CHL	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve		9	F 73	(A)	BOTTOM DEPTH	MOE NO	
				10	3/	ر ا	<u>ر</u> ح	7	か	1	J	WHIT'S	UMBER		3				611		STA. NAME/ID	~S&	56
					247	140	139	138	137	136	28			•	<u> </u>	<u> </u>		<u> </u>			<u>ı </u>		

PG ___ OF ___