P S CAST COND SN PRESS SN TYPE & SN Sir Wilfrid Laurier TEMP SN VESSEL 12 <u>...</u> <del>-</del> 5 ထ Q ω œ 7 4 2 臼 DEP'H NEC-1-1-85 茟 650 650 SBE 19 650 146055 LATITUDE ₹ 25.000 25,000 PRESSURE DATA ON START DOWN TIMES AT SURFACE AT DEPTH 6 82 82 PAR LONGITUDE ₹ 6.5398 00HB CTD CONVERTED MONITOR VALUES PRI. TEMP. ¥ <u>ಬ</u> ೫ ೪ **JD/TIME** FLUOR 2 DAY DATE JD=233 ഗ PROJECT & JEGUNTY to make F TIMEL CTD ₹ П P 9 СЫАМ SEC. TEMP Stur PACL (300) TOS (bottom) ¥ 8 Tape/Diskette ID  $\pm$ 6 F TIME (GMT) 31.4663 31.4801 TRANSMISSOMETER BULB YAO <sub>ල</sub> SALINITY DATA LOCATION ROCKLY Chould WET BULB င္ပိ イクグクロイ File Name/Header つけんりつつく 25583200005 PRESSURE SEA STATE VISIBILITY 31,4095 SAMPLE BOTTLE Cleaned air bleed valve SALINITY DATA (deg) The second 1000 SP END (amt)
CLOUD (amt)
TYPE
WEATHER (m/s) STATION DESIGNATION MITOS CADI DIAN TO TORREST REMARKS MAX. DEPTH = 40 CT.7 @ E-981E-9 SAL. SAMPLE BOTTLE NUMBER BOTTOM NSIR 옩 STA. NAME/ID WHIT'S

TOS SEC 19 has topositioned SIN 139

CXV

PG

OF 48

\* 24 minus

2000mgs 6326 400 03 00000 Survey of 6t Engresond examinate

× 6 3/200

12	<u> </u>	10	9	œ	7	6	5		4	ယ	N			}	POS		COND SN	TEMP SN	PRESS SN	TYPE		0 0		# CA	CONSC			Sir Wilti	100
	•									ZOS		19/7 PH	~ 2 3 <b>9</b>	DEPTH	Ħ H					TYPE & SN	CTD		DEG		<u> </u>	·		VESSEL Sir Wilfrid Laurier	<u>ה</u>
																	650	650	146055	SBE19 650		49.88	S N	ATITUDE				ırier	
										37,000		37.000	PRESSURE			PAR	AT SURFACE	AT DEPTH	START DOWN	0 DATA ON	TIMES	z	DEG.						
										(G . S		6.8	PR			<b>五</b>	FACE	· 크	DOWN	ž	,	0 9 0	SE SE	LONGMUDE					
,										6.85a3		6.8500	PRI. TEMP.		CTD CONVERTED MONITOR VALUES	FLUOR			:		JD/TIME	୍	DAY	DATE	<u>.</u>			-4. <del>-</del>	
													SEC			ChIAM						EP 9	M	JD= 273			,	LA98-02	PROJECT & LEG
													SEC. TEMP		3 VALUES	Ž				Tape/Diskette ID		1	⊞ MN	(GMT)	į		*	į.	EG .
										3		() ()	S.			TRANSMIS				kette ID				BULB	2	,			
							5			98HE		.3585	SALINITY			TRANSMISSOMETER		l H	G	File	DATA LOCA	ᆈ	(°C) (	BULB E		DE	4.		
							<u> </u>					2			SAN			E00201	COOKIN	File Name/Header	CATION	8	۱b)	SEA VISII	ST	ATE			
								· ·				い現れる	SALINITY	DATA	SAMPLE BOTTLE	Cleaned a		P	The state of the s	eader		1		DIRN. S					S
									_			ນ	SAL.		$\dashv$	Cleaned air bleed valve	MAX.	9		C T D	REMARKS	3058	(m/s)[*  *	SPD. CLYP	UD	) (an	nt)		TATION DES
													NUTR.		SAMPLE BOTTLE NUMBER	alve	MAX. DEPTH =	CID SIN BOO PARIST	to memory without	TD @ F-981F-4 pun	RKS	I III	(m)	DEPTH		ER			STATION DESIGNATION
										,			운				38	5	W 7	4A		17				*****			
													WHIT'S		BER		3		S SAE19	الاعلام		e) -		NAME/ID	77A				

speripped 985 persons

6 m/men

VESSEL CONTRACT		10	PROJECT & LEG		STATI	PG 3 STATION DESIGNATION	PG 3	OF 48	
				BE -	ATE	(amt) ER		Park to the second	<del></del>
CAST			TIME	DFY WET BS	A ST.	OUD PE EATH	BOTTOM	STA.	
# LATITUDE		LONGITUDE DATE J	MD SEC (GMI)	(S)	SI VI Cited)	·   C	(m)	NAME/ID	
L	Z L	5.59 W30 S	P 9 8 2 1	رن هن و	58330	189	나 역	3	
CID	TIMES	JD/TIME	· · · · · · · · · · · · · · · · · · ·	DATA LOCATION	NOITA	REMARKS	S		
TYPE & SN SBE19	650 DATA ON	21:43:15	Tape/Diskette ID		File Name/Header	CIDO.	F-981E	C.D.O.F. 9818-5 pluss	<del></del>
PRESS SN 146055	START DOWN	NWO		C	( ( + + ) E000)	300	त्त सिक्स	4385 SOT (1) HANDSON OF	لأر
TEMP SN 650	AT DEPTH			 	05003 (Justy)	CLD SN 1030	030	the considered	1
COND SN 650	AT SURFACE	ÓE				MAX. DEPTH =	PTH =	39 m	
	PAR	FLUOR	ChIAM	TRANSMISSOMETER	Cleaned air bleed valve	eed valv	0		
POS. TRIP DEPTH		CTD CONVERTE	CTD CONVERTED MONITOR VALUES		SAMPLE BOTTLE DATA	SAMP	LE BOTTL	SAMPLE BOTTLE NUMBER	-
	FRESSURE	PRIL TEMP.	SEC. TEMP	SALINITY	SALINITY	SAL.	NUTH.	WHIT'S NUTR.	
1 2158 40 7 10	02.0 0	6.9012		3,3989	31,3969	()			
2									
ω	32.0 0	69023		31.3908			_	2	
4									
<b>У</b> 1	-		:				_		
<b>Б</b>									
7									
8	80								
9	ŧ								, .
10				,					
1									
12									

chassa 1010/1021 possess

0 9.8. 121

6 3/262

	-	-	H				-			_									12	
			+					::						į		ļ			=	
									1		-								10	
	<u> </u>						<u> </u> 							<u>.</u>					9	
	+									-				ļ					8	
	+		$\frac{1}{1}$																7	
		-					<u> </u>												6	_
	_	+		T	2.								ī						5	
	-		•					KH	71.4H6H				86	<u>क्षट्टिंग</u> ज		000	36.002		4	Τ.
,										-				į			to s		ω	
	-		+				1							1					N	
	+	+	+	I	05	31,4505	(y	F	31.4541				စ်	७.७३१३		000	36.000	8/5/00	<b>-</b>	
WHIT's		큐	NUTH.	SAL.	₹	SALINITY		SALINITY	SALI		SEC. TEMP	SE	MP.	PRI. TEMP		PRESSURE	r :	15 09		
"	NOWE	SAMPLE BOTTLE NOVIDER		Ų	. A	DATA	<u> </u>				JR VALU	MONIT	CTD CONVERTED MONITOR VALUES	CTD CO		1		DEPTH -	P <u>Q</u> ,	<del>y</del>
1			alve	)leed v	Cleaned air bleed valve	Clean		OMETER	THANSMISSOMETER		ChIAM	오	FLUOR		PAR				1	
3	II.		MAX. DEPTH =	MAX.			   		1	   		   		]	AT SURFACE	AT SL	50	N 650	COND SN	Ω
				Ī	05004 (Station)	1 H	2005	H	ļ. \$			l			HILA	AT DEPTH	50	N 650	TEMP SN	1
, (		F-981EM-1	186	71	(top)	F +	A0004	3							START DOWN	STAR	146055		PRESS SN	Ŗ
2	Necows	priceto		017	•	File Name/Header	Name/	File	ë E	Tape/Diskette ID	Tape	1	115750	15	N N	DATA ON	SBE19 650		TYPE & SN	J
			RKS	REMARKS			NOIT	DATA LOCATION	DA:		<del></del>		Š	JD/TIME	0,	TIMES		 	СТВ	
_	F	JT F		<b>⊘</b>		7.0	25 CZ CZ CZ CZ CZ CZ CZ CZ CZ CZ CZ CZ CZ	v	0	-	0	9	W O - <del>0</del> 0	ᆚ	82	2 - 6 8	0	584	0 4	0
	1	(m)	1 I	1 * 1	-		<del>5</del>	$\sqcup$	$\vdash$	-	<b>∄</b>	MO THE	DAY NO		MIN		MIN		*	
ਰੋ ਂ	STA. NAME/ID	BOTTOM		CLOUI TYPE WEATH	SPD.	DIRV.	SEA ST		BUB DRY		TIME			<b>7</b>			5	•	CAST	ΩΩ
			HER_	D (amt)			TATE	Æ												
			SIGNA	STATION DESIGNATION	STATI						EG	PROJECT & LEG LA98-02	PR LA			1 .13	<b>J</b>	VESSEL Sir Wilfrid Laurier	VESSEL Sir Wilfri	ହ ≨ା
٠,	OF 48	1	PC	, i ,,														9;		

Sorpher STE 1939 Dears

<del>B</del> CAST COND SN PRESS SN TYPE & SN 0055838.37N 10 TEMP SN **☆** 9 8 O G 4 ω N 123604 1008E1 DEPTH (HS) 돺 650 650 146055 SBE19 650 LATITUDE S RANCE PRESSURE DATA ON START DOWN TIMES AT SURFACE AT DEPTH 6833.9awo1 PAR LONGITUDE ≦ 5.6131 ひるしない CTD CONVERTED MONITOR VALUES PRI. TEMP **JD/TIME** FLUOR DAY DATE JD= 있구나 ₹ CHIAM SEC. TEMP ∌ Tape/Diskette ID 五 1 0 0 (GMT) TRANSMISSOMETER BJUB VBC 31.6351 AURO-10 ී SALINITY DATA LOCATION WET BULB File Name/Header 705005 CXDOOF (top) PRESSURE SEA STATE VISIBILITY SAMPLE BOTTLE 01.1000 رن رزا Cleaned air bleed valve SALINITY DATA DIRN. (deg) (Soct) 0 Ø MEATHER (m/s) ر ال 00 MAX. DEPTH = cra pronto REMARKS SAL. JI SAMPLE BOTTLE NUMBER NSI, BOTTOM DEPTH 3 UI 욷 STA. NAME/ID 九九 WHIT'S 3

12 50co/m

Jan + Dipped :985/900

PG TOF 48

STATION DESIGNATION

VESSEL

PROJECT & LEG

LA98-02

Sir Wilfrid Laurier

12 susal m

18E (SHE MARIOR MODE

12	11	10	9	æ	7	တ	55	4	ယ	2	1 19 38 50		POS. TRAIP DEPTH	_	COND SN	TEMP SN	PRESS SN	TYPE & SN	CID	00658	DEG	CAST #		VESSEL Sir Wilfrid Laurier	
							+		19 12		5 WE	HES.	로 <sup>™</sup>		650	650	146055	SBE19 650		N E 6-8 E		LATITUDE		aurier	31
									との。 日本のの		エン 00	PRESSURE		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16815	DEG	LONGITUDE	N	113	e,
					22				6-0155		5.97H9	PRI. TEMP.	CTD CONVER	FLUOR	]		Z	CHERDI	JD/TIME	(の) (の) (の)		TUDE DATE	0.0		
					:							SEC. TEMP	CTD CONVERTED MONITOR VALUES	ChIAM			 	<u> </u>		OCT981	& ¥	A t C = D = A t		PROJECT & LEG LA98-02	
								L	_			Nijo Orio	ALUES					Tape/Diskette ID		و د د		GMT)		85. II 9	
		il							31.5240		315413	SALINITY		TRANSMISSOMETER			 		DATA LOCATION	ま.6	(°C)	DRY WET	23	Ŕ	
									<u> </u> 		(3)		SAN		] ]	Tosoolo (	272006	File Name/Header	ATION	2 भ <u>उ</u>	<u>ē</u>	PRESSU SEA ST VISIBILI	ATE		17
	<u></u>	125									31.5081	SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve	,	(State)	(Ho)	eader		_		WIND WIND SPD.	73	STA	6 181
											6	SAL.	<u> </u>	bleed valv	MAX. DEPTH =	6	17	67.0	REMARKS	U 80 60 92	*	CLOUD TYPE WEATH		STATION DESIGNATION	
												NUTR. C	SAMPLE BOTTLE NUMBER	/e	EPTH =		3/8/2-6	Oliver to	S	괴	1 1	BOTTOM		NATION	1
				- 53			N					CHL. WHIT'S	NUMBER		₽ 2 3		5	10 1600		6, 1	-	STA. NAME/ID	¥ 88	â	OF 48

12 m/men

12	11	10	9	8	7	6	Q.	4	3	2	_		POS.		COND SN	TEMP SN	PRES	TYPE		0	CAST	3	Sir W	VESSE
											215050		DEPTH				PRESS SN 1	TYPE & SN S	_ CTD	고 양 6		3	Sir Wilfrid Laurier	֓֞֝֞֝֟֝֟֝֟֝֟֝֟֝֟֝֟֟֟֝
									5-			FRESSURE			650	650	146055	SBE19 650		9) 00 19 9) 2	LATITUDE		ier	
												Æ		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	) (6 8 3	LONG			
					6							PRI. TEMP	CTD CC		i m		<b>≩</b>		JD/I	MN WO D	LONGITUDE			
												MP.	ONVERTED	FLUOR					JD/TIME	DAY MO	DATE JD=274		LAS	PHO
						1		i				SEC. TEMP	CTD CONVERTED MONITOR VALUES	ChIAM		1	1	i 		9 <del>4</del>	#E6=		LA98-02	PROJECT & LEG
												No.	/ALUES					Tape/Diskette ID		D H	(GMT)	ii e	1 · Ya	9
1	ı											SAL		TRANSMISSOMETER				ette ID	DA	# (°C)	BULB			) A
	2								8			SALINITY	s	OWETER		105	075	File N	DATA LOCATION	(°C) (mb)	<u> </u>	URE	-	2/5
											70.	S/	SAMP	<u>Ω</u>			C75003	File Name/Header	NON	F *	SEA S VISIBII	TATE		
	200										SAMPLE	SALINITY	SAMPLE BOTTLE DATA	eaned air		Soft S	(Face)	der		(deg) (m/s)	WIND WIND DIRN. SPD.	et oi	*	STA
												SAL.		bleed	MAX. DEPTH =	6	20	CXD	REMARKS	(s) (s)	CLOU TYPE	D (amt) HER	ь Б.Да Ва	STATION DESIGNATION
										5		NUTIFI.	SAMPLE BOTTLE NUMBER	VB	EPTH =		E-7186-3	polos to	ŝ	(m)	воттом рертн			SNATION
				_					_			울			رر ال		μ̈́	3			<del>                                     </del>		725	<u>د</u>
												WHIT's	BER		3			2		1 F	STA. NAME/ID		116	a

EGE | 53E Jaguar avior

	12		10	9	80	7	თ	σı	4	ယ	2	_		PQS.		COND SN	TEMP SN	PRESS SN	TYPE & SN		0 8	CAST #	}	VESSEL Sir Wilf
			:									165535		HIABO						다 -	ऽ ऽ ऽ ऽ ऽ ऽ ऽ		) 	VESSEL Sir Wilfrid Laurier
										20,59.		29.00 29.00	PRESSURE			650	650	146055	SBE19 650		2 N 2 N 2 N	ATITUDE		er •
										00			Æ		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 40	LON		
						32			Þ	I		ELCI'H	PAI.	CIDC		Ä	_ 	WW 	1	JD	<u>v</u>	LONGITUDE		
Q)		ļ								185		E	PRI. TEMP.	ONVERTE	FLUOR				16 41 12	JD/TIME	35 WO DAY	DATE		F D
3/200													SEC	CTD CONVERTED MONITOR VALUES	ChIAM				ľ		MO YA	SEC=OL		PROJECT & LEG LA98-02
<i>g</i> .													SEC. TEMP	RVALUES	×				Tape/Dis		16 H MN	TIME (GMT)		EG
		-								31.5		31.8621	S		TRANSM				Tape/Diskette ID	_	6. 4 6. 4	BULB		
										8586		1,69	SALINITY	-	TRANSMISSOMETER		 H	? 	<b>I</b>	DATA LOC	5 (°C)	BULB		
D	-											r.>		<u>စ</u>		1	ToSoo8	SCOOK.	File Name/Header	CATION	(mb):	PRESSI SEAS VISIBIL	TATE	
shipped seaso		rii.										31.8672	SALINITY	SAMPLE BOTTLE DATA	Cleaned		<b>1</b> 00	<i>y</i>	Header		(deg)	DIAN.		* 6
	: =====		0+1												Cleaned air bleed valve	3	<u>নি</u>	<u>Q</u>	n	20	(m/s)*	SPD. CLOU	D (amt)	STATION
837/790					_							77	SAL. NI	SAMPLE	d valve	MAX. DEPTH =	FOR MAR TO BENE MERRY	3778	SOS	REMARKS	6	TYPE WEATH		DESIG
190	5.5		_		<u> </u>				<u> </u>	_		_	NUTH. C	SAMPLE BOTTLE NUMBER		TH= (	3 8 E-	SUCK WACE	Strains		E IT	BOTTOM DEPTH		1.0
	= 1				_	-		-				-	CH. L	NUMBE		10 H	4.86	3	1		00	STA. NAME/ID		1. (\$2)
								1			i		WHIT's	<u> </u>		m 5557-3		10 m	10000			A P		

1200/000

COND SN PRESS SN 0095653.11 TYPE & SN CAST TEMP SN Bottom DEP'H Ħ 쭚 650 650 SBE19 650 LATITUDE 146055 S Z 138 B 100 HO 6 N HESSUR 17.57 J DATA ON START DOWN AT SURFACE AT DEPTH MES 16404.1 8 LONGITUDE S 4,1585 F831.4 CTD CONVERTED MONITOR VALUES PRI. TEMP 2 W 0 3 O C T 9 8 0 0 1 0 JD/TIME 0005 FLUOR DAY STE JD=376 ₹ ChIAM SEC. TEMP ¥ Tape/Diskette ID ⊞ MiN TIME (GMT) TRANSMISSOMETER <u>ن</u> و 31.8613 င္ပံ 31.855 SALINITY DATA LOCATION BULB WET Į. File Name/Header 705009 620000 PRESSURE 6 H 8 O H O SEA STATE VISIBILITY 31.8647 SAMPLE BOTTLE Cleaned air bleed valve SALINITY DATA DIRN D (deg) Ø ≹ D D CLOUD (amt) TYPE WEATHER رو (m/s) MAX. DEPTH = REMARKS B. TILE Tr: 0 0021:1 SAL.  $\ll$ SAMPLE BOTTLE NUMBER BOTTOM DEPTH NUTH. 3 오 62 STA. NAME/ID 0 WHIT's OJ 3

P S S

12 10 ဖ 8

o G

**~** 

ယ

N

4

problem of

1011/1003

STATION DESIGNATION 

VESSEL

PROJECT & LEG LA98-02

Sir Wilfrid Laurier

12	11	10	9	8	7	6	ហ	4	ω	2	1 0254 33		POS. TRIP DEPTH	1	COND SN 650	TEMP SN 650	PRESS SN 14	TYPE & SN SB	CTD 	0105G	CONSC CAST # LAT	Sir Wilfrid Laurier
				***************************************					69		(63)	PRESSURE	1	PAR	0 AT SURFACE	0 AT DEPTH	146055 START DOWN	SBE19 650 DATA ON	TIMES	MIN DEG	LO	
.24									H.0829		4.0841	PRI. TEMP.	CID CONVERIE		ACE	<b>I</b>	NMOC	02 41	JD/TIME	36.14 W030	LONGITUDE DATE JD= 2	
												SEC. TEMP	CID CONVEHIED MONITOH VALUES	ChIAM				૫0 Tape/Diskette ID		MO THE MIN	JD= 있구는 (GMT)	LA98-02
	**								E986.18		31,9915	SALINITY		TRANSMISSOMETER		H	6		DATA LOCA	(°C) (°C)	BULB BULB BULB PRESSURE	
											31.9874	SALINITY	DATA	Cleaned air		205010	010010	File Name/Header	CATION	(mb): (deg) (m/s)	SEA STATE VISIBILITY DIRECTOR OF THE PROPERTY	1200
								55			٥	NUTR.	ONWITTE BOTTE WONDER	bee	MAX. DEPTH =				REMARKS	8 (S	CLOUD (amt)	63
				AS								WHIT'S NUTR.	F 20 V G		m Eg					8 9 1	M STA.	

12 mm

873/850 paige à

PG 10 OF 48

12	-1	10	9	8	7	6	57	4	ω	2	1			Pos.		COND SN	TEMP SN	PRESS SN	TYPE & SN	_	0	#	CONSC	VESSEL Sir Wilti	
											०५५न ३०		DEPTH	됥						- - -	S 1	┥	<u>' 0                                    </u>	VESSEL Sir Wilfrid Laurier	2
					V	ī			6		AMEL	PRESSURE				650	650	146055	SBE19 650			ATITUDE		rier	
									강	,	اد س	SE SE			PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16459				
									5.0735		68E0.5	PRI. TEMP.		CLD CONA	FLUOR	''' ] 		2	04-29-0	JD/TIME	© ⊗ ⊗ ¥	_	<u></u>		
			-						D(					CTD CONVERTED MONITOR VALUES					8-05	111	0 C T	رو رو		PROJECT & LEG	
												SEC. TEMP		OR VALUES	ChIAM				Tape/Diskette ID		9 8 0 H H 6	, <u>©</u>	TIME	% LEG	
									32.2735		32 2802	SAL			TRANSMISSOMETER				skette ID	DA	<u>ন</u> ত	BUB	DRY	_	
	55								35		802	SALINITY			OMETER	1	F05011	CTD011	File Na	DATA LOCATION	4.316		ESSURE		
	9.0										32.232	SALINITY	DATA	SAMPLE BOTTLE	X Cleane		0//	01/	File Name/Header	N	18040	SI VI	SIBILITY		
		83					<u> </u>		<u> </u>				11	TITE	Cleaned air bleed valve	~	<u> </u>	· 	1		9) (g	SPD.	₩ ND LOUD (amt)	STATION	1
					_		ļ		_		6	SAL.	10	SAMPL	ed valve	MAX. DEPTH =				REMARKS	andread.	*   D	PE EATHER	STATION DESIGNATION	i i
							_		<u> </u>	3		NUTH. C		ЕВОПЦ		    -  -				-	∞ 2	PEP II	воттом	VATION	
							1					WHIT's		SAMPLE BOTTLE NUMBER		m L					10	NAME/IU	STA.		

12 m/mix

Decil 1611 And Stag most

PG 11 OF 48

. '										-			-		12
			*			83									11
			č.												10
		-													9
															60
											ā		!		7
															တ
															თ
															4
,						32.4030	32			5.3119	ग		山口		ω
						1		,			· ·			0	,
		/	110	たしか たい		32.406.2	ري ري			について	Я		_	85E570	-
WHIT'S	NUTR. CI	SAL.	ATTY	SALINITY		SALINITY	SS ®	SEC. TEMP	SEC.	PRI. TEMP.	PRI.	<b>H</b>	JHPSS3HE		
		112	TA	DATA							Ç			DEPTH	Ş
NUMBER	SAMPLE BOTTLE NUMBER	SAME	BOTTLE	SAMPLE BOTTLE				VALUES	JAOHIO	CTD CONVERTED MONITOR VALUES					3
		eed valv	Cleaned air bleed valve	Clea	田	TRANSMISSOMETER	TRANSMI	X	ChIAM	FLUOR		PAR			<del></del>
m of		MAX. DEPTH =							   		l B	AT SURFACE	650		COND SN
				12	IOS012	  c			1		<u>-</u> I	AT DEPTH	650		TEMP SN
				2/2	CT0012	1			l			START DOWN	146055		PRESS SN
			<b>~</b>	File Name/Header	File Nar		kette ID	Tape/Diskette ID	þι	यम हर अव		DATA ON	SBE19 650	TYPE & SN SI	TYPE
	S	REMARKS		Ź	OCATION	DATA LC	_			JD/TIME	یی	TIMES	į	CTD 	
1111	00	761	エのみ	H80H	6	I V	ى د	0637	O C T 9 8	W C C	3.58	11652	N E &	256a	0
	(m)	*	(m/s)	(deg)	(mb)	(°C)	(°C)	<u>∃</u>		DAY	MIN	DEG	MIN	DEG	
NAME/ID	DEPTH	CL TYI	SPD.	SE VIS DIRN.	PRI	BULB	BULB	(GMT)	٩ <u>E</u> C =Qr	DATE	LONGITUDE	LON	ATITUDE		# (
STA.	ВОТТОМ	OUD	WIND	A ST/ SIBILΓ	ESSU	WET	묫	TIME						<del>7</del> 8	CAST
·		(amt) ER	0.0	ATE IY				3							
# #									LA98-02	 			ier	Sir Wilfrid Laurier	Sir W
: ( :a	NOTTANE	STATION DESIGNATION	STATIC			; *		EG	PROJECT & LEG	P				芦	VESSEL
OF 48	PG 12						3	ζ							
1000	politicated .	(6)	s paw	CT 35	73W	74501	1 3HZ	5-0 10	H708 X						

るるのの

Deans Despend 856/833

10 minuin

12	=	10	9	æ	7	മ	ഗ	4	သ	2	1 0		PQS.		COND SN	TEMP SN	PRESS SN	TYPE & SN	CTD	<u>0</u>	CAST		Sir Wilfrid Laurier
											~083815		TRIP DEPTH		N 650	N 650			ਰ 	3 6 1			id I auric
												<b>3</b>			0	Ö	146055	SBE19 650		6 3 5	LATITUDE		¥
												PHESSURE		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	Z	LON		
					¥.							PRI. TEMP	CTD C		E E	_	NW	1.	JD/		LONGITUDE		
												EMP.	ONVERTED	HUOR				08113b	JD/TIME		DATE JD=		IL <sub>A</sub>
												SEC, TEMP	CTD CONVERTED MONITOR VALUES	ChIAM		 	T	<u>'</u>		T 9 8	9 BE		LA98-02
												EMP	VALUES	<u> </u>				Tape/Diskette ID			TIME (GMT)		
												SAL		TRANSMISSOMETER				ette ID	DA	S. 6	DRY		
	27					:			Q	(1000)		SALINITY		OMETER		H	5.73	File 1	DATA LOCATION	\ <u>\</u>		RE	
									$\sim$	100	6	<u> </u>	SAN			TOSOIS	C.7.2013	File Name/Header	NOL	# ×		ATE TY	100
	77									1	selgana	SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve				eader		0402		- 54	S
		2							1	2000	e	S	<u> </u>	air blee	M/	<u> </u>			<b></b>	و رو	* CLOUD	(amt)	
							_		_		<u> </u>	SAL	SAMPL	d valve	MAX. DEPTH =				REMARKS	6	* TYPE * WEATH		
						-			0.	( nexweeded		NUTH.	SAMPLE BOTTLE NUMBER		= HTc				<b>U</b> ,	95	BOTTOM DEPTH		
									,	3	_	유	I NUM		82						.09		2
							,					WHIT's NUTR.	BEA L		را 3					<u> </u>	STA. NAME/ID	3 00	18

scance stropped 323/806

	12	=	10	9	ω	7	6	5	4	ω	2		73	PQS.		COND SN	TEMP SN	PRESS SN	TYPE & SN	СТВ	01456		# 5	CONSC	OH WAIII
· ·								100		100		( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	PRESSURE	TRIP DEPTH		N 650	V 650	N 146055	SN SBE19 650	ď	ण ० ० ३ • ७ ४	DEG MIN	LATITUDE		OIL AAIIII M LAGINGI
										9		V	SUPE 		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	<u>-</u> 6 9	DEG	LONGITUDE		N
						5				F9159.4		SEED!H	PRI. TEMP.	CTD CONVERTE	FLUOR				17-17-19	JD/TIME	0.19 wo 30c	MIN DAY	TUDE DATE JD= 2		
													SEC, TEMP	CTD CONVERTED MONITOR VALUES	ChIAM				'	J.	T 9 8		OE OE	= : 	
10 mlmin										ر ر ر		こした	S <sub>2</sub>	JES					Tape/Diskette ID	<b>5</b>	1736 5.0	MIN (°C)	(GMT) BULB		_
		,								32.7932	8	COFFEE	SALINITY	,	TRANSMISSOMETER		410 STO	CTD 014	File Nan	DATA LOCATION	3.0 \ 05 =	(°C) (mb)		SSURE	
Decora Barapac		80										32,393	SALINITY	SAMPLE BOTTLE DATA	Cleaned a		410	410	File Name/Header	Z	3 F 0	, (deg) (r	VISI DIRN.		0.00
			S										SAL. N		Cleaned air bleed valve	MAX. DEPTH =		2055300	CXU	REMARKS	೦ ⊗ ⊗ ಖ	(m/s) * * *	WE/	OUD (am E ATHER	nt)
1057/1059											,		NUTR. CHL.	SAMPLE BOTTLE NUMBER		CI = HIG		Calif @ winging 20	grian to		(N)	(m)	DEPTH NA		
													WHIT's	BER		3		(N)			3		NAME/ID	STA	=

VESSEL

Sir Wilfrid Laurier

PROJECT & LEG LA98-02

PG 14 STATION DESIGNATION

ري و	
3	
New York	

						P	PG 15 OF	OF H8
VESSEL		PA	PROJECT & LEG	6 81	STATI	STATION DESIGNATION	ATION	
Sir Wilfrid Laurier	er	I LA	LA98-02					
· · · · · · · · · · · · · · · · · · ·	u)			E	Y	(amt) R		t ti
CAST			TIME	DAY WET	A ST BILLI WIND WIND	OUD PE ATH	ВОТТОМ	STA.
	LATITUDE LON	LONGITUDE DATE JD=2	D=a국L (GMT)	BULB	VK	TY WI	DEPTH	NAME/ID
DEG	MIN DEG	MIN DAY	MO HE MIN	(°C) (°C) (m	(mb) * (deg) (m/s)	*	(m)	
0155554.1	上. 1. T N 1. 6 6 5	3.82W030CT	C T 9 8 2 1 45	び シ 5 0 9	5834025	& & Q	137	<del>-</del> <del>-</del> <del>-</del> -
CTD	TIMES	JD/TIME		DATA LOCATION	NOL	REMARKS		
TYPE & SN SI	SBE19 650 DATA ON	71-28-14	Tape/Diskette ID		File Name/Header	27		
PRESS SN 1	146055 START DOWN	NWC		CT	0015		;	
TEMP SN 6	650 AT DEPTH			To	510 50			
COND SN 650	50 AT SURFACE	CE				MAX. DEPTH =	H= 13	m
	PAR	FLUOR	ChIAM	TRANSMISSOMETER	Cleaned air bleed valve	leed valve		
POS. TRIP DEPTH		CTD CONVERTED	CTD CONVERTED MONITOR VALUES		SAMPLE BOTTLE DATA	SAMPLE 13	SAMPLE BOTTLE NUMBER	JMBER
المراجع المراج		PRI. TEMP.	SEC. TEMP	SALINITY	SALINITY	SAL N	NUTR. CHL.	WHIT's
	117	4.1233		32.8505	SS SHAS			
2				3				
ω	41163	4.1239		33.8464				
4								
5								
6								
7		5					<u> </u>	
80								12
9								
10								
=								
12							ſ.	

scans despod 1329 1314

12	11	10	9	œ	7	6	თ	4	3	2			PQs.	Γ	COND SN	TEMP SN	PRESS SN	TYPE		1 0	CAST	OI W	VESSEL	
											33 32 K		DEPTH TRIP					TYPE & SN	CID -	6 DEG		OII WILLIA LAUTEI		
									281		1 2 S	PRESSURE			650	650	146055	SBE19 650		₽ N	LATITUDE	ā		
	i											<b>R</b>		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	0.7 0.7 0.7 0.7 0.7	LONG			
									3.9902		H.0239	PRI. TEMP	CIDC		A 	ļ	Ň.	دو	JD,		LONGITUDE			
									60		39	EMP.	ONVERTE	FLUOR				23 13 56	JD/TIME	H WO3 OCT	ייין־		- P	
												SEC	CID CONVERTED MONITOR VALUES	ChIAM				5		C T 9 8	73	1000	PROJECT & LEG	₩° Nec
												SEC. TEMP	VALUES	×				Tape/Di		と の 五 の M	(£) []		EG ·	10
		ĸ							2		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	(O		TRANSM	<u> </u>			Tape/Diskette ID		ড ড 6	<u></u>		ō	Ж — Ж
	186								32.8600	11	3283796	SALINITY		THANSMISSOMETER		  H		<b>I</b> I	DATA LO	(°C)	۱۳۰۰			* <sub>18</sub>
						<u> </u>  -		<u> </u> 		<u> </u> 			γ.		     	IOS 016	CTO 016	File Name/Header	CATION	(mb).	10-00000	E	il serti	
ict.	¥				(ii)						32.8530	SALINITY	DATA	Cleane		6	6	Header		(deg) 공 포 O	VISIBILITY DAW N. O	 2002	- 1	=
											0			Cleaned air bleed valve		·	<u>,</u>			ව (m/s)	WIND SPD	716	STATIO	
						-		_			_	SAL.	14	ed valve	MAX. DEPTH =			<i>5</i> 1	REMARKS	Ø :	TYPE WEATHER	amt)	STATION DESIGNATION	
					_	-			+			NUTR. C	SAMPLE BOTTLE NUMBER		H_				V	(E)	воттом рертн		VATION	PG 16
_							-				-	의 의	E NOMBE		451					- - -	STA.		Ŋ.,	OF X8
							22					WHIT's	<u> </u>		3						J.P.		93	

Deans by Land

													12
				**									11
			791										10
								13					9
													<b>&amp;</b>
													7
			_										6
11			4										თ
													4
				:	190	32.9190			9525	မှ	811 001		3
					(9)				,				2
			F	32.9194	1	32.9345			39542	<sub>(v)</sub>	20	<b>ل</b>	
. NUTR.	R 얼L	SAL. NUTR.	10	SALINITY	SALINITY	SAL	SEC. TEMP	SEC.	PRI. TEMP.	H .	PRESSURE	-12,24	
		4		DATA						2-		DEPTH	
JMBER	OTTLEN	SAMPLE BOTTLE NUMBER	זרפ	SAMPLE BOTTLE		1	VALUES	DIMONITOR	CTD CONVERTED MONITOR VALUES	[		TAIP	POS.
		d valve	air blee	Cleaned air bleed valve	SOMETER	TRANSMISSOMET	<u> </u>	ChIAM	FLUOR	PAR			
ე ე ₃		MAX. DEPTH =	Z							AT SURFACE	650		COND SN
				<u>ئ</u> 9	Tas					AT DEPTH	650		TEMP SN
			<del></del>	4	CT 001					START DOWN	146055	PRESS SN 1	PAES
			<del>                                     </del>	File Name/Header	File Nan	kette ID	Tape/Diskette ID	<b>O</b> -	01:01:10	DATA ON	SBE19 650	TYPE & SN SI	TYPE
		REMARKS	교	Z	DATA LOCATION	D,			JD/TIME	TIMES		CTD	
16	6	8 9)	00	8340	0 10	<u>ن</u> 6		C T	О Ж	129		2 2 2 5 5 8	O .
	(m)	*	(m/s) *	t (deg)	(mb)	(°C)	<b>∃</b>		DAY	DEG MIN	<u> </u>		
STA. NAME/ID	ВОТТОМ 1	TYPE WEATI	SPD. CLOU	SEA S' VISIBIL DIRWIND	PPESS	BULB	(GMT)	FET =Or	DATE	LONGITUDE	LATITUDE		CAST
	Ef		D (amt)	INIE INY	,	Pi ki	+2					3	
53	Ş	STATION DESIGNATION	SIAIION				e F	PHOJECI & LEG			<b>e</b> q	VESSEL Sir Wilfrid Laurier	Sir Wilfr
ć	1	TAINCIST I	NOT A TO				3						
OH IX		DG.										,	

PG 17 OF 48

Pos VESSEL CAST COND SN PRESS SN 0 1 8 5532167 N 12 10 TEMP SN TYPE & SN Sir Wilfrid Laurier <u>--</u> 5 9 8 7 თ 4 ယ 2 \* 025940 台 DEPTH 井 DEG 650 650 SBE19 650 146055 LATITUDE <u>≤</u> K 101 E C PRESSURE DATA ON AT SURFACE AT DEPTH START DOWN TIMES 6745185W070CT98 PAR LONGITUDE H.1163 CTD CONVERTED MONITOR VALUES PRI. TEMP 02:46:45 1148 02:51:26 **JD/TIME** FLUOR DAY FFE = DL 3TAD PROJECT & LEG LA98-02 ₹ ChIAM SEC. TEMP Þ 0 2 5 8 Tape/Diskette ID £ TIME (GMT) ME TRANSMISSOMETER BULB VEG (°C) 33.0926 23.0889 SALINITY DATA LOCATION BULB MET (°C) File Name/Header IS 018 CT DOIS 095834023 PRESSURE SEA STATE VISIBILITY SAMPLE BOTTLE 33.0865 Cleaned air bleed valve SALINITY DATA WIND DIRN. (deg) Ø ₹ D E CLOUD (amt) TYPE WEATHER STATION DESIGNATION 08 P T T O MAX. DEPTH = REMARKS SAL. SAMPLE BOTTLE NUMBER NUTR. BOTTOM DEPTH 오 govern STA. NAME/ID | Aコ m WHIT's

PG 18 OF 48

P S CAST VESSEL COND SN TEMP SN PRESS SN TYPE & SN Sir Wilfrid Laurier 0 - 9 55 2 5 - 7 Q N 12 10 Q យ 9 8 4 ပ 2 CH CH DEPTH DEG 幸 650 650 SBE19 650 LATITUDE 146055 A mo PRESSURE <u>₹</u> 0 DATA ON START DOWN AT DEPTH AT SURFACE TIMES 16804.67W040CT98 DEG PAH LONGITUDE ₹ F 0130 E OHOO CTD CONVERTED MONITOR VALUES PRI. TEMP 04,30:55 04:23:50 JD/TIME FLUOR DAY DATE JD= 277 PROJECT & LEG LA98-02 S ChIAM SEC. TEMP ∌ ロキエの Tape/Diskette ID Ŧ TIME (GMT) <u>₹</u> TRANSMISSOMETER BINB ABO 33,3905 <u>ن</u> <u>ලී</u> 33.29.53 SALINITY DATA LOCATION BULB TEM 4-00958340 IOS019 File Name/Header CT0019 PRESSURE SEA STATE VISIBILITY SAMPLE BOTTLE 33.2867 Cleaned air bleed valve SALINITY DATA DIRN. (deg) CLOUD (amt)
TYPE
WEATHER ررو (m/s) STATION DESIGNATION 00 00 MAX. DEPTH = REMARKS SAL SAMPLE BOTTLE NUMBER NUTH. BOTTOM 3 옷 205 STA. NAME/ID WHIT's 3

PG 19 OF 48

Pos VESSEL CAST COND SN TEMP SN PRESS SN TYPE & SN Sir Wilfrid Laurier 02 45522.32N 12 Ξ 5 9 8 6 5 ω 7 4 2 OF S 385 븊 DEG 650 650 SBE19 650 146055 LATITUDE PRESURE <u>S</u> 9 385 DATA ON START DOWN AT SURFACE AT DEPTH TIMES 16810143WOYOCT98 PAR LONGITUDE S 3.7aoa CTD CONVERTED MONITOR VALUES PRI. TEMP. 3356 05:41:05 41:48:50 JD/TIME FLUOR DAY EEE =OL TAD PROJECT & LEG A98-02 ChIAM SEC. TEMP ¥ 0603 Tape/Diskette ID ₹ TIME (GMT) TRANSMISSOMETER BIJUB ABO 33.8354 33 852 ලී SALINITY DATA LOCATION BULB MET 4.00958 <u>ී</u> IOS 020 File Name/Header CTD 020 PRESSURE SEA STATE VISIBILITY SAMPLE BOTTLE 33.8396 Cleaned air bleed valve SALINITY () F O DATA WIND DIRN. (deg) © No. 10 (amt)
CLOUD (amt)
TYPE
WEATHER رن س (m/s) STATION DESIGNATION <u>တ</u> တ MAX. DEPTH = REMARKS SAL.  $\tilde{\sim}$ SAMPLE BOTTLE NUMBER NUTR. BOTTOM DEPTH S 옷 F87 STA. NAME/ID WHIT'S 3

PG 200F 48

PQS. PRESS SN 12 10 COND SN TEMP SN TYPE & SN CAST Sir Wilfrid Laurier VESSEL 5 4 9 8 O ω N # 25.80 9 DEPTH 15521.14 N 뒾 띲 650 650 SBE19 650 LATITUDE 146055 ≦ いに PRESSURE DATA ON AT DEPTH START DOWN AT SURFACE TIMES VIGISIVIZIHIA WOYIOCT 9 쯦 PAR LONGITUDE ≦ GREO H CTD CONVERTED MONITOR VALUES PRI TEMP 658HEO JD/TIME FLUOR DAY FEE = OL 3TAD PROJECT & LEG LA98-02 8 ChIAM SEC. TEMP ¥ œ 0839 Tape/Diskette ID **∃ N** TIME (GMT) TRANSMISSOMETER 33.3858 BULB VAC ී SALINITY DATA LOCATION WET BULB X.009083E0 င္ပံ File Name/Header IOS OZ PRESSURE SEA STATE VISIBILITY 23.2792 SAMPLE BOTTLE Cleaned air bleed valve SALINITY DATA DIRN. (deg) CLOUD (amt)
TYPE
WEATHER رن (m/s) STATION DESIGNATION ار اد⊗⊗ MAX. DEPTH = 于oS REMARKS SAL no pmec SAMPLE BOTTLE NUMBER NUTH. BOTTOM DEPTH CAT 0 3 0 온 SEACON 96E 0 1/1 0 STA. NAME/ID WHIT's 3

PG 21 OF 48

<u></u>				1		$\overline{}$	$\neg$	—		1	1	Τ-	T	<del></del>		_		T-	1		Γ <u>~</u>	ļ		- 1	0 -	ł
12	1	10	9	ω	7	6	-   c	5	4	ω	N	_	<u> </u>	<b>P</b>		COND SN	TEMP SN	PRESS SN	TYPE & SN	_	h 0		CAST		VESSEL Sir Wilfrid I aurier	
		,												HLABO LEAN		SN	SS	SS	% SN	G	<b>2</b> 57 <i>I</i>	DEG	<u> </u>			
						<u> </u>	_							₹ <sup>™</sup>		650	650	14	SB		_		Σ	!	aurie	
											1	H 1750				0	0	146055	SBE19		9	M	LATITUDE		•	
													HH 1						650		9 Z		m			
													PRESSURE			ΑŢ	A	4TS	DA.	TIMES	-	D.				
															PA	AT SURFACE	AT DEPTH	START DOWN	DATA ON	ß	694	DEG	CŞ.			12
-		<u> </u>				$\dagger$	$\dagger$				t				_	M M	I	N N	_		9.8	<u>M</u>	LONGITUDE			
													PRI.	CTD		<u> </u> 	2	1	اها	<u>_</u>	86	Z	R			
													PRI. TEMP	CONV	FLUOR		1245:		21:29:50	JD/TIME	6 WOHOCT	17	D			ė.
														ERIE	<del>5</del>		3		ه	Ш	<u> </u>	DAY	DATE JD= 2			
						T	1							Ď MO		 	9		50		C <sub>1</sub>	8	= a	8	PROJECT LA98-02	(C)
													SEC.	NTQ	ChIAM						9 8		EE		PROJECT & LEG LA98-02	656
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	<b> </b>				Tap	-		∌			LEG	
		=												ÜES					)e/Di		2 4 5	<u>M</u>	(GMT)			
				<del>                                     </del>	T	$\dagger$	$\dagger$				T				¥				Tape/Diskette ID				<b>B</b> D	# E		351
													ပ္တ		TRANSMISSOMETER				<u>D</u>	_	<u>্</u>	(°C)	DRY			8
										<u> </u>			SALINITY		NOSS		1	1		DATA LOCATION	Į.	(%)	8 ≷			E
	243												7					Н	1	<u> </u>	00	(°C)	BUB WEI			R (8)
						<u> </u>												S	e Na	ΑΠO	( <b>)</b>	(mb) •	PRESSUF		200 E	25.00
				2)			Ī					6		S <u>A</u>		]		TOSOZZ	File Name/Header	ž	) (7 6	*	SEA STA VISIBILIT	Y.		VX.,
												591	SALINITY	MPLE BO DATA	Clea			4	eade		3 4 0	(deg)	DIAN.			2)
	90											SALL PRIVER	T I	SAMPLE BOTTLE DATA	ned a				<del>~</del>		<u>ර</u>		1	1998	ဟ	-
		27			L	<u> </u>		_				3		F.	Cleaned air bleed valve	_	<del>,</del>	·-			তা	(m/s)	SPD.	50	STATION DESIGNATION	E 10
			-0									A	SAL.	. φ	eed \	MAX.			E	REMARKS	고 8	*	CLOUD TYPE		ON DE	
-	_		<u> </u>		+-	+	+		_	$\vdash$		318 800 3		line NPL	/alve	MAX. DEPTH			0	ARKS		*	WEATHE	R	SIGN	71
					L							Cu	NUTR.			= H			163		-9 -9	(m)	воттом рертн		ΑΠΟΙ	PG 2
													오는						6		-0	1	ΙĬ		~	1 1
	_			-	$\vdash$	+	$\dashv$	—	_	+	+-	+	.1	SAMPLE BOTTLE NUMBER		5191					رو		STA. NAME/ID		6	OF 48
													WHIT'S NUTR.	5		β 3					نبذ		P. P.			

PQS. VESSEL PRESS SN TYPE & SN 0235402.02N16933.04W0500T980543 CAST COND SN TEMP SN Sir Wilfrid Laurier 12 10 ⇉ 4 9 α ~ o ഗ ယ N 2 1 100 061655 吕 귶 DEG 650 650 SBE19 650 146055 LATITUDE Š 5000 PRESSURE DATA ON AT SURFACE AT DEPTH START DOWN TIMES DEG PAR LONGITUDE ₹ O'TRIO CTD CONVERTED MONITOR VALUES PRI. TEMP. ac: 24:40 JD/TIME RUOR DAY SEC = OL TRO PROJECT & LEG LA98-02 8 ChIAM SEC. TEMP ¥ Tape/Diskette ID ∌ TIME (GMT) TRANSMISSOMETER BULB ABG (J) (၀) SN80.48 SALINITY DATA LOCATION WET BULB 3 - 4 2 4 4 2 4 - 8 4 - 8 4 - 8 රී IOS 023 File Name/Header PRESSURE SEA STATE VISIBILITY SAMPLE BOTTLE SEE0.46 Cleaned air bleed valve SALINITY DATA DIRN. (deg) Ø ₹ D D CLOUD (amt) TYPE WEATHER STATION DESIGNATION 4 MAX. DEPTH = REMARKS SAL. Ø SAMPLE BOTTLE NUMBER 1845 BOTTOM DEPTH NST. 오 1493 STA. NAME/ID WHIT's 3

PG 23 OF 48

P Ø 7 10 COND SN PRESS SN TYPE & SN 02423H7-05N1 CAST TEMP SN Sir Wilfrid Laurier VESSEL 6 ហ 9 æ 7 ယ N 200 m sporox 1005;34 읩 470 펕 몺 650 650 SBE19 650 LATITUDE 146055 205 PHESSURE START DOWN DATA ON AT SURFACE AT DEPTH TIMES 몺 69/ PAR LONGITUDE 5-44 W05 ₹ 3.9218 CTD CONVERTED MONITOR VALUES PRI TEMP 08:25:30 21 22 80 **JD/TIME** FLUOR DAY SEC = DL STAD OCT98093 PROJECT & LEG LA98-02 ₹ ChIAM SEC. TEMP ∌ Tape/Diskette ID ¥ TIME (GMT) TRANSMISSOMETER 33.5394 BULB PROPER (°C) SALINITY DATA LOCATION BULB WET <u> 正</u> (°C) File Name/Header T08024 () ー PRESSURE (mb) アドのオロ SEA STATE VISIBILITY 33.5212 SAMPLE BOTTLE Cleaned air bleed valve SALINITY DATA DIRN. (deg) WIND CLOUD (amt)

\* CLOUD (amt)

\* TYPE

\* WEATHER

(m) STATION DESIGNATION MAX. DEPTH = در REMARKS SA L SAMPLE BOTTLE NUMBER NST. 욷 STA. NAME/ID WHEH رو WHIT's

PG 24 OF 48

12	1	10	စ	8	7	6	O1	1	4	ဒ	2	1 13/4:30		POS. TRIP DEPTH	1	COND SN	TEMP SN	PRESS SN	TYPE & SN	CTD	0 2 5 5 5 5 5	DEG.	CONSC CAST #		VESSEL Sir Wilfrid Laurier	
			<u> </u>									195	PRESSURE	<u>. T</u>		650	650	146055	SBE19_650	1030	3 5 F 0 N	MIN	LATITUDE		urier	
															PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1690	DEG	LONGITUDE			
												3.501H	PRI. TEMP.	CTD CONVE	HOUR	6140		N //50	1142:02	JD/TIME	3.8 WOS	MIN DAY	UDE DATE			
										•			SEC. TEMP	CTD CONVERTED MONITOR VALUES	Chiam	7			20		5 O C T 9 8		TE JD= 278		PROJECT & LEG	
	·												TEMP	VALUES					Tape/Diskette ID		<u>ソ</u> の	<b>∄</b>	TIME (GMT)	V E	ි ි	
										ć.		23,4008	SALINITY		TRANSMISSOMETER				ette ID	DATA L	6 L	(°C) (°	BULB BU		to	SH.
	52	e i							····			8	₹		NETER			705	File Nam	LOCATION	4-6314	(°C) (mb).	PRESSUR		53. 53.888	F1 (E) 4
	53											23.3859	SALINITY	SAMPLE BOTTLE DATA	Cleaned			025	File Name/Header	_	13340	, (deg)	VISIBILIT DIR WIND	Υ	)75 E =	: Si 
		22									-			TE	Cleaned air bleed valve	M			1	20	9) - 8	(m/s) *	SP N CLOUD	(amt)	STATION DESIGNATION	
- 1				10		 						22	SAL. NI	SAMPL	d valve	MAX. DEPTH =			**:	REMARKS	62/	*	TYPE WEATHE	R	DESIGN	-
				<u> </u>	<u> </u>	_		_					NUTR. C	EBOTTLE		H					800	(B)	BOTTOM DEPTH		IATION	PG 25
											_		WHIT'S	SAMPLE BOTTLE NUMBER		1468 m					<u>4</u>		STA. NAME/ID	11 (5)	es es es	OF H8

P S PRESS SN 0265330.89N16853.56W050CT98 CAST COND SN TEMP SN TYPE & SN Sir Wilfrid Laurier VESSEL 12 10 \_ 3 ၑ œ 6 ဟ N 7 4 1601:15 DEPTH Ħ 200 650 650 SBE19 650 LATITUDE 146055 Š 881 PESSUE DATA ON AT DEPTH START DOWN AT SURFACE TIMES 8 PAR LONGITUDE S 3.4154 CTD CONVERTED MONITOR VALUES PRI. TEMP JD/TIME 1415:32 1420.20 ROUR DAY SE C = Or SLVO PROJECT & LEG LA98-02 ₹ ChIAM SEC. TEMP ∌ -(い (ひ (ひ () Tape/Diskette ID 五 (GMT) TRANSMISSOMETER BUS BAS 89650 (°C) SALINITY DATA LOCATION BULB WET റ്റ് File Name/Header 105036 (amb) PRESSURE 47340 SEA STATE VISIBILITY SAMPLE BOTTLE 33.303 Cleaned air bleed valve SALINITY DATA DIRN. (deg) Ø ≦ D Z CLOUD (amt) TYPE WEATHER (m/s) STATION DESIGNATION MAX. DEPTH = SAL REMARKS SAMPLE BOTTLE NUMBER E S Œ 오 1452 m STA. NAME/ID 八 WHIT's NUTR.

PG 26 OF 48

PQS. PRESS SN CAST VESSEL COND SN TYPE & SN 12 11 10 TEMP SN 0275326.0 Sir Wilfrid Laurier 9 Φ O ဌာ 4 ယ N 1506:10 HHP 650 650 SBE19 650 146055 LATITUDE Š PRESSURE Z 5 DATA ON AT SURFACE AT DEPTH START DOWN TIMES 6845.4 PAR URID LONGITUDE ≦ CTD CONVERTED MONITOR VALUES PRI. TEMP. JD/TIME 1657:32 FLUOR W 0 5 0 C T 9 DAY DATE JD= 278 371108 PROJECT & LEG LA98-02 8 ChIAM SEC. TEMP ¥ 8 Tape/Diskette ID カン **∃** 0 5 F TIME (GMT) TRANSMISSOMETER BULB YAO ALAJA (°C) SALINITY DATA LOCATION WET BULB රී File Name/Header (J) PRESSURE ヤ ナ SEA STATE VISIBILITY SAMPLE BOTTLE (y F Cleaned air bleed valve SALINITY DATA WIND DIAN. (deg) Ø ₹ D D CLOUD (amt) TYPE WEATHER (m/s) STATION DESIGNATION 24 MAX. DEPTH = REMARKS SAL SAMPLE BOTTLE NUMBER BOTTOM DEPTH NS E 800 3 24 오 STA. NAME/ID £8∓ WHIT's 3

og 27 of 48

VESSEL P 028 PRESS SN CAST Sir Wilfrid Laurier COND SN TYPE & SN TEMP SN 10 12 \_ 9 6 ഗ 4 ယ N 8 # g 1950:01 DEPTH 뒾 몺 650 650 SBE19 650 LATITUDE 146055 ₹ PESSUE z DATA ON AT SURFACE START DOWN TIMES AT DEPTH 띲 PAR LONGITUDE ₹ CTD CONVERTED MONITOR VALUES PRI. TEMP \*1907:32 JD/TIME FLUOR W050CT98 DAY MO DATE JD= 278 LA98-02 PROJECT & LEG ChIAM ∌ Tape/Diskette ID 五叠 TIME (GMT) TRANSMISSOMETER BULB YAO ြိ SALINITY DATA LOCATION **WET** (၀) File Name/Header PRESSURE SEA STATE VISIBILITY SAMPLE BOTTLE ∭Cleaned air bleed valve SALINITY DATA DIRN. (deg) Ø € D E CLOUD (amt) TYPE WEATHER (m/s) STATION DESIGNATION \* REBULAR FILE 8 MAX. DEPTH = SEA CAT TURNED REMARKS SHORT FILE IN AN SAL. SAMPLE BOTTLE NUMBER NUTR. BOTTOM DEPTH 3 유 STA. NAME/ID رو لد WHIT's 3

PG 28 OF 48

DAY MO	300mm PRESSURE PRI.TEMP. 1308円 150095 4,0095
N (°C) (°C) (mb)   (deg) (m/s)   .	TASS TASS TASS TASS TASS TASS TASS TASS
N (°C) (°C) (mb)   (deg) (m/s)   .	PRESSURE WY205
N (°C) (°C) (mb) (deg) (m/s) •  DATA LOCATION  ISKette ID File Name/Header  SALINITY  SALINIT	PESSUE PASS PASS PASS PASS PASS PASS PASS PAS
N (°C) (°C) (mb) (deg) (m/s) ·  DATA LOCATION  File Name/Header  TRANSMISSOMETER  SALINITY  S	PASSURE PASSURE
IN (°C) (°C) (mb) (deg) (m/s) ·  DATA LOCATION  File Name/Header  TRANSMISSOMETER  SALINITY	TABESSAE W 205
ISKette ID File Name/Header  ISKETTE ID SALINITY  SALINI	THESSURE TAPE
IN (°C) (°C) (mb) (deg) (m/s) ·  DATA LOCATION  RE  ISKette ID File Name/Header  TRANSMISSOMETER  SAMPLE BOTTLE DATA  SALINITY  SALIN	PANSE PANSE
N (°C) (°C) (mb) (deg) (m/s) ·  DATA LOCATION  File Name/Header  TRANSMISSOMETER  SAMPLE BOTTLE DATA  SALINITY  S	TABESSHE HESSURE
ISKette ID File Name/Header  SAMPLE BOTTLE  SALINITY  SA	PRESSURE
ITRANSMISSOMETER  SALINITY  SALINITY	PESSIFE Pon ET POSS
IN (°C) (°C) (mb) (deg) (m/s)	PRESSURE
N (°C) (°C) (mb) (deg) (m/s) ·  5   G .  4    4   B  B  B  Name/Header  iskette iD File Name/Header  TRANSMISSOMETER SAMPLE BOTTLE  DATA LOCATION  RE  SAMPLE BOTTLE  DATA	
N (°C) (°C) (mb) (deg) (m/s) . 5 6.4 H.331H83300 RE  DATA LOCATION RE  ISKette ID File Name/Header  TRANSMISSOMETER Charles Form File Name And File Port File Name And File Name An	DEPTH CID CONVERTED
YR         HR         MIN         (°C)         (°C)         (mb)         . (deg)         (m/s)         . (m)           9 8 2 2 0 5         6 4 4 2 3 1 4 8 3 0 0 1 8 8 6 2 3 4 2         3 4 2 3 4 2 3 4 2         3 4 2 3 4 2 3 4 2         3 4 2 3 4 2 3 4 2         3 4 2 3 4 2 3 4 2         3 4 2 3 4 2 3 4 2         3 4 2 3 4 2 3 4 2         4 2 3 4 2         4 2 3 4 2	PAR
YR       HR       MIN       (°C)       (°C)       (mb)       (deg)       (m/s)          9 8 2 2 0 5       6       H       H       3       1       8.6.2       3         DATA LOCATION       REMARKS         Tape/Diskette ID       File Name/Header	COND SN 650 AT SURFACE
YR         HR         MIN         (°C)         (°C)         (mb)         . (deg)         (m/s)            9 8 2 2 0 5         6 . 4         4 . 3 3 1 4 8 3 0 0 18 8 6 2 3         8 6 2 3 1 4 8 3 0 0 18 8 6 2 3         8 6 2 3 1 4 8 3 0 0 18 8 6 2 3         8 6 2 3 1 4 8 3 0 0 18 8 6 2 3         REMARKS           Tape/Diskette ID         File Name/Header         REMARKS	TEMP SN 650 AT DEPTH
YR         HR         MIN         (°C)         (°C)         (mb)         . (deg)         (m/s)            9 8 2 2 0 5         6 . 4         4 . 3 3 1 4 8 3 0 0 18 8 6 2 3         8 6 2 3 1 8 8 6 2 3         8 6 2 3 1 8 8 6 2 3         8 6 2 3 1 8 8 6 2 3         8 6 2 3 1 8 8 6 2 3         8 6 2 3 1 8 8 6 2 3         9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	PRESS SN 146055 START DOWN
YR         HR         MIN         (°C)         (°C)         (mb).         .         (deg)         (m/s).         .           9 8 3 3 0 5         6.4         4.331 4 8 3 0 0 1 8 8 6 3 0         8 6 3 0	TYPE & SN SBE19 650 DATA ON
9 8 교 교 이 5 6 년 씨 씨 전 3 1 부 8 3 0 0 1 8 8 6 교 1	CTD TIMES JD/TIME
HR MIN (°C) (°C) (mb), (deg) (m/s) + +	22:14 N 16841.69 W050
	DEG MIN DEG MIN
TIME DRY WET SO STILL WIND WIND OF A BOTTOM SPD. CLY WE DEPTH	CONSC  CAST  # I ATTTI INE   LONGTH INE   DATE IN-
ATE TY	
	id Laurier
PROJECT & LEG STATION DESIGNATION	VESSEL

PG 28 OF 48

Pos. VESSEL COND SN PRESS SN CAST Sir Wilfrid Laurier TYPE & SN TEMP SN 12 10 <u>-</u> S 4 ω 9 œ တ N 7 295441 59830 (BHB) 뒾 650 650 SBE19 650 LATITUDE 146055 PRESSURE <u>₹</u> - 36 N 239 239 DATA ON START DOWN AT DEPTH AT SURFACE TIMES PAR LONGITUDE ₹ H.0537 4.0566 CTD CONVERTED MONITOR VALUES PRI. TEMP JD/TIME 7W060CT98 07 58 28 FLUOR DAY PEE =OL STAD PROJECT & LEG LA98-02 MΟ ChIAM SEC. TEMP ∌ 0833 Tape/Diskette ID ¥ (GMT) TRANSMISSOMETER 33,4335 SEON SE (°C) SALINITY DATA LOCATION BULB WET 1 - H 2 8 8 8 0 8 0 ි ර File Name/Header IOS 029 CT0029 PRESSURE SEA STATE VISIBILITY F11160 SAMPLE BOTTLE  $igtherapsymbol{igwedge}$  Cleaned air bleed valve SALINITY DATA WIND DIRN. (deg) g) (m/s) STATION DESIGNATION MAX. DEPTH = 26 REMARKS SAL. SAMPLE BOTTLE NUMBER NSI. BOTTOM DEPTH رو  $\Xi$ 옫 ELC STA. NAME/ID WHIT'S NUTR. 3

PG 29 OF 48

N.A

POS CAST PRESS SN TYPE & SN Sir Wilfrid Laurier COND SN TEMP SN 0305435.0 10 6 9 8 7 ဟ 4 ω N 염 504) 1017:08 뀙 띲 650 650 SBE19 650 LATITUDE 146055 RINEE Š 0 FOU 407 PRESSURE N 16607 START DOWN DATA ON AT SURFACE TIMES AT DEPTH 쭚 PAR LONGITUDE ⋚ HHE'S 3.3420 CTD CONVERTED MONITOR VALUES JD/TIME 0934:40 PRI. TEMP. PLUOR W060CT98 DATE JD= 279 DAY MO PROJECT & LEG LA98-02 PME2 Tape/Diskette ID ChIAM SEC. TEMP ¥ 五 三 三 020 (GMT) ||X||TRANSMISSOMETER BJUB VRQ රී 33,8360 33.8352 SALINITY DATA LOCATION WET BULB රී File Name/Header 2808280 PRESSURE SEA STATE VISIBILITY 33.8316 SAMPLE BOTTLE Cleaned air bleed valve SALINITY DIRN. (deg) Ø ₹ D D CLOUD (amt) TYPE WEATHER |(m/s) STATION DESIGNATION 8 무 있 MAX. DEPTH = REMARKS SAL. SAMPLE BOTTLE NUMBER BOTTOM DEPTH NUTR PG 30 OF 48 (m) 와. 406 NAME/ID <u>رو</u> WHIT's NUTR 3

SCE

,		_	,		<del>,</del> .	т-		<del></del>												,		34	1_	
<u>-</u>	10	9	۵	7	6	ഗ	4	ω	N	-		POS.		COND	TEMP	PRESS	TYPE	0	03/		CAST		Sir Wil	VESSEL
										205 %	4007		•	S	SS	SN	SN	ਰੋ	J.	DEG		)	frid La	-
							<u> </u> 	6	i	19 70	₹	<u></u>		650	650	1460	SBE1		رو	≦	LATII		urier	
										گررا	33				- 3	55			رو	2	E E			
								5		22	ESSUR			Αī	AT.	ST		<u> </u>	z					
											'''		PAR	SURF/	DEPTH	ART D	TA ON	ES	6	ន	5			
				-		T		13		P \				Ř		NWO			_	Δ				
14								3E		3 75	PRI. TI	)   					MEL	JD/			M			
								OU		35	MP.	NVER	EUGS.				1 '	Ĭ.	0	DAY	DATI	13		
		_	-		1	<u> </u>	+	<u> </u>				TED M					17://	7.7	0 C	Ŋ.	E JD=		LA98	PRQ
											SEC	ONITO	율				00		9	H	o>		-02	PROJECT & LEG
											TEMP	R VALL	×				Tap		-	-		-		EG
												ES					e/Disk		0	<u>S</u>	<u> </u>		(0)	
	))	į						Ŋ		Ŋ			THANS				ette I		11	(°C)	BULL PAP		OX.	
								30		5.82	SALI		MISSC				D	DAT	#	<u>]                                    </u>				
190										00	NT N		METE		1	1	<u> </u>	A LO	11		WET NET			
<u></u>								ľ				ļ	٣.				e Nar	OLLY	<u>ပ</u> ပ	(mb)			jje	i A
										S	(0	SAM	Ę				ne/He	Z	U	-	VISIBI	LITY	-	
G.										811	SALINIT	PLE BO	Зeane				ader		6	(deg)	DIAN DIAN	18	# #	
	*									I	7		d air		1					(m/s		9	93	SIA
	<del> </del>	<u> </u>			<del>                                     </del>	T	-			12	SA		blee	MA			77	REV	00	*	CLOU	D (amt)		STATION DESIGNATION
		-	╀	+		+	+	+	+	00			valve	↑ DEP				IARKS	رو	*	WEAT	HER	-	ESIGN
				_			_				SE .			Ŧ  -						(m)	DEPTH			AIION
:											오			UI r						-	.75	· · · · · · · · ·	-	_
-				<u> </u>	T	+	T	T		+	WHIT's NUTR.			Ü					j j	-	STA.			
		11 10		11 0 9 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7         8         9         10         11		5         6         7         8         9         10         111	4         5         6         7         8         9         10         11		33.830	1205 H9 1115 315 32.8318 33.811H 105 395 32405 33.8316 105 395 32406	HRESSURE   PRI.TEMP.   SEC.TEMP   SAL.NITY   SAL. NUTR. CHL.     17.05 : H9   TOS 795   3.71585   33.83(8   33.81)H   28	DEPTH  HESSURE  PRITEMP.  SEC, TEMP  SALINITY  SALINITY	THIP DEPTH CID CONVERTED MONITOR VALUES SAMPLE BOTTLE SAMPLE BOTTLE NUM  HRESSURE PRI. TEMP. SEC. TEMP SALINITY SALINITY SAL. NUTR. CHL.  1205 449 700 5 3.34555 3.34555 33.8104 28 33.8104 28 33.8104 28 33.8104 33.8104 28 33.8104 3	DSN 650   AT SUPFACE   PAR   PAR   Chana   Mithausmissometer   Chana   Mithausmissometer   Chana   Chana   Mithausmissometer   Chana   Chana	PSN   650   AT SUPFACE	148055   START DOWN	N SBE19 650 DATA ON PAGEL_1/17://O  146055 START DOWN  650 AT DEPTH  650 AT SUPFACE  PH  PH  PH  PH  PH  PH  PH  PH  PH  P	TIMES  JOYTIME  JOS - //177://  148055  START DOWN  650  AT DEPTH  650  AT SUPFACE  PHI  TEMP  TAPP/Diskette ID  File Name/Header  MAX. DEPTH = \$\frac{1}{2}\frac{1}{	H   28   3	MAN   DEG   MAN   MAN	ATTILDE   LONGTILDE   DATE JD= 23-43   Camp   DATE   DATE JD   DATE JD	TATITUDE  LONGTINDE  DATE JD= 249 (GMT)  MAN  DATE JD= 249 (GMT)  DATA LOCATION  DATA LOCATION  SEEL 9 650  AT SUPFACE  DATA ON PACE JITZIZO  TODONVERTED MONITOR VALUES  DATA  TODONVERTED MONITOR VALUES  DATA  DATA  DEPTH  MAX. DEPTH SALINITY  SA	LANTITULDE   LONGITURE   DATE .D. 274   GMT   BULB   BULB   BULB   BULB   GMD   GM

PG 3/ OF 48

5 PQS. = COND SN PRESS SN TEMP SN TYPE & SN 0325421 CAST Sir Wilfrid Laurier VESSEL œ 9 တ ഗ ω N 3 1338:13 480 m 몺 650 650 SBE19 146055 LATITUDE SWELL HOO 505 650 PRESSURE AT SURFACE AT DEPTH START DOWN DATA ON TIMES 655 ₽Ą LONGITUDE 3.7290 3 7337 CTD CONVERTED MONITOR VALUES PRI, TEMP. JD/TIME ROUE 1259:23 W 0 6 0 C T DAY PF & =Or 31VO PROJECT & LEG LA98-02 5 ChIAM SEC. TEMP 9 8 ¥ Tape/Diskette ID 五多 335 TIME (GMT) TRANSMISSOMETER 33.8492 BULB VHQ CO. SIND 1 င္ပိ SALINITY DATA LOCATION BULB WET င္ပံ 4151211-19 File Name/Header (mb) PRESSURE SEA STATE VISIBILITY CECK CC SAMPLE BOTTLE Cleaned air bleed valve SALINITY DIRN. (deg) Ø ≦ D D CLOUD (amt) TYPE WEATHER STATION DESIGNATION (m/s) \* Ò 29 MAX. DEPTH = REMARKS SAL. SAMPLE BOTTLE NUMBER NUT. BOTTOM DEPTH 3 온 F 655 STA. NAME/ID WHIT's NUTR. 3

PG 32 OF 48

				_		
	10	24				11
		1				10
						9
						8
						7
						<b>о</b>
						O1
						4
		ひか.807つ		HH62.0	137	3
						2
30	32.8519	HENS'EC		6.2283	46.1	1 1543.50 RME
SAL. NUTR. CHL. NUTR.	SALINITY	SALINITY	SEC. TEMP	PRI. TEMP.	PRESSURE	142 m.
SAMPLE BOTTE NUMBER	DATA		ONITOH VALUES	CID CONVERTED MONITOR VALUES		POS. TRIP DEPTH
ed valve	Cleaned air bleed valve	TRANSMISSOMETER	$\boxtimes$	FLUOR	PAR	
MAX. DEPTH = 144				X	AT SURFACE	COND SN 650
					AT DEPTH	TEMP SN 650
		13		WN	5 START DOWN	PRESS SN 146055
	File Name/Header		Tape/Diskette ID	PMEL 1523:36	650 DATA ON	TYPE & SN SBE 19
REMARKS		DATA LOCATION	,	Elli	TIMES	CTD
862 150 32	19	५ ७.न ३ ३	1543	15W060	⊗ Z	رو
(m)	(deg) (m/s)	(°C) (mb)	<del>Z</del>	MIN DAY NO		# DEG MIN
CLOUD (amt) MPE VEATHER DEPTH NAME/ID NAME/ID	SEA STATE //SIBILITY DEW WIND SPO	PRESSURE	TIME		.3	<u> </u>
STATION DESIGNATION	O A IA		LA98-02	LA98-02		VESSEL Sir Wilfrid Laurier
N DESIGNATION	STATIC		COT 8   EO	000		

PG 33 OF 48

		,	1	_	_	_	-		_	1		_	Τ		_				_			<del></del>		188			
12	11	10	9	8	7	0	D.	51	4	3	2	1647:35	165 m		POS. TRIP		COND SN	TEMP SN	PRESS SN	TYPE & SN	CTD	03454		CAST		Sir Wilfrid Laurier	1 7 7 7 7
							,			127		ES1 2 5		<b>4</b>	U		650	650	146055	SBE19 650		Z Z	⋝			aurier	
										ŭ		لد	PRESSURE		[	PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1651	LONGITUDE		į.		iş G
										5.927		5,9240	PRI. TEMP		CTD CONV	Пешоя			<b>≥</b>	1630:17	JD/TIMI	W O CAR					100
										<u>1</u>		0			CTD CONVERTED MONITOR VALUES	X)				1	Tos	0 C T	JD= 2			LA98-02	בייי יויין
													SEC, TEMP		OR VALUES	ChIAM				Tape/Diskette ID	Ğ	8 H 8 H 8 H	ି ଜ	TIME			7
										32 9239		رو	SALI	1	•	TRANSMISSOMETER				kette ID	DA.	# (c	BULB	<b>B</b>	¥2		
	т -									239		ESEP. EC	SALINITY			OMETER				File Na	DATA LOCATION	6-7 a3	PRE	SSUPE			
												329209	SALINITY	DATA	SAMPI F ROTTI F	Cleaned				File Name/Header	ž	# 6 0 (deg)	VIS DIRN.		E		
												3)	SAL		-	Cleaned air bleed valve	MAX.				REMARKS	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	CLC	DUD (a E		STATION DESIGNATION	מולי ואליוייייייייייייייייייייייייייייייי
											_		NUTR. C	F F	SAMPLE BOTTLE NUMBER	alve	MAX. DEPTH =				RKS	165		ATHER BOTTOM	П	OIGIVATION	FG / OF
				i,				-					CHL. NUTR.	Ī	· NI IMBER		(6) m				·	S S	NAME/ID	STA	W.	×,-	OF STO

PG 340F 48

				<b>3</b>								12
			3	9								
		1			<del></del>		-					10
												9
												8
									-			7
									52			6
+												വ
<del> </del>										1		4
				द्रष्टाम, यद	CJ CJ			न, ३३१७	11	109	200	ယ
<u> </u>										Ι.		2
	32		32,4146	32.4239	رود			3.2199		109	736:35	1 //
WHIT's	SAL. NUTR. CHL		SALINITY	SALINITY	SA	SEC. TEMP	SEC.	PRI. TEMP.		PRESSURE	130 m	/.
	SAME LE BOLLE MOMBLE		DATA			VALUES	ED MONITOR	CID CONVERTED MONITOR VALUES	G		DEPTH	POS. D
	i valve	blee	Cleanec	SOMETER	TRANSMISSOMET	<u>×</u>	ChIAM	FLUOR	PAR		 	
4	MAX. DEPTH =	MA							AT SURFACE	ATS	N 650	COND SN
		T	355	105035					AT DEPTH	ATD	650	TEMP SN
		T	0.35	CTOCKE					START DOWN		N 146055	PRESS SN
	:	ä	File Name/Header	File Na	kette ID	Tape/Diskette ID	704.44		DATA ON PMEZ	650	SN SBE19	TYPE & SN
	REMARKS	RB	ž	DATA LOCATION	D		<b>市</b> (フ) 3・3 2	Ì		TIMES		СПО
3 1	62 N30	8 6 1	46260	6.72346	الد 1	1 1 1 1 1 1 1	OCT98	08.54 W06	508.5	2 2 	D E	03551
	(m)	(m/s) *	+ + (deg)	(°C) (mb)	(°C)	<b>∄</b>	8	DAY	G MIN	DEG	DEG MIN	
STA. NAME/ID	TYPE WEAT DEPTH	SE S	SEA S VISIBIL DIN VIND	B W EB T	BLUB VAC	TIME (GMT)	JD= 2 <u>=</u> 9	DATE	LONGITUDE	<u> </u>	LATITUDE	CAST
÷ 4,	HER	D (amt)	TATE			4		-		:		5
) )	STATION DESIGNATION	STATION		1 1 1 1 1	=	EG	PROJECT & LEG LA98-02	E 7			d Laurier	VESSEL Sir Wilfrid Laurier
OF 48	PG 55 OF 48	1		100								

PG 350F 48

= Pos 12 10 COND SN PRESS SN TYPE & SN 0365426.48NI CAST VESSEL 9 ထ 6 TEMP SN Sir Wilfrid Laurier Ç ယ N 1819:54 CTD 102 면 표 표 B 650 650 **SBE 19** LATITUDE 146055 PMCL 100 <u>₹</u> 650 HESSUR H START DOWN AT SURFACE DATA ON TIMES AT DEPTH 6459.9 PAR LONGITUDE 8.2521 CTD CONVERTED MONITOR VALUES PRI. TEMP. いいいい 3 W 06 0 C T 9 **JD/TIME** HUOR DAY DATE JD= 239 PROJECT & LEG LA98-02 ₹ CHIAM SEC. TEMP ¥ 8 Tape/Diskette ID 五 | | | | 00 (GMT) 00 TRANSMISSOMETER BULB VAC (၀) 31.5353 31.5354 SALINITY DATA LOCATION BULB WET 6.7334 င္ပံ CT5036 File Name/Header 105036 (mb PRESSURE SEA STATE VISIBILITY 31.5305 SAMPLE BOTTLE Cleaned air bleed valve SALINITY DATA WIND DIRN. (deg) SPD. (m/s) STATION DESIGNATION ٥ % 6 2 CLOUD (amt) TYPE WEATHER MAX. DEPTH = S SAL. REMARKS SAMPLE BOTTLE NUMBER NUTH. BOTTOM DEPTH  $\widehat{\Xi}$ 욷 I I I STA. NAME/ID 35 WHIT'S 3

PG 36 OF 48

12	1	10	9	8	7	מ	CT.	4	ယ	2	<b>→</b>	-1. "	HILARO	POS. TRIP	 	COND SN 6	TEMP SN 6	PRESS SN 1			0 3 7 5 4		CONSC CAST		Sir Wilfrid I aurier
								5	501		PRESENT					650 A	650 A	146055 S	SBE19 650 D		<i>₽</i>	MIN			Ď,
								- 1	ρ	5				-	PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	+ 4	LONGITUDE			
							!	C 912.0 1	- 1		PAI. TEMP.			TDCONVERTE				:		JD/TIME	W O	DATE			
											SEC. TEMP			CTD CONVERTED MONITOR VALUES	Chian	 <del> </del>			 		O C T 9 8 1	120	·	LA98-02	PHOJECI & LEG
							<u> </u>												Tape/Diskette ID		9 H MN	E			<b>D</b> ,
2	NT.							31.4540		2000	SALINITY			THE PERSONNELLER		10	 	G		DATA LOC	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	BULB	WET		
											SALINITY		DATA	Clean		100000		これのアル	File Name/Header	LOCATION	(mb): . (deg) 고공૫6교6(	SE	A STATE	in	
	-										TY SAL				MAX.		1		=	REMARKS	(m/s)・・・	SPD. CLC	SUD (am)	<u></u>	STATION DE
											NUTR. CHL		SAMPLE BOTTLE NUMBER	alve	MAX. DEPTH =		MANUAK		יו ע	PKS	2 ·	WE	ATHER POTTO		STATION DESIGNATION
											WHIT'S		NUMBER		(S) ■		CANTA X	-			() ()	NAME/ID	STA	Ŋ÷	539

2	=	10	ဖ	8	7	6	5	4	ω	N	-			g g		COND SN	TEMP SN	PRESS SN	TYPE & SN		(y)	CAST	Sir Wilt
											TOM		- E	TRIP	ļ	SN 650	SN 650		. ~		<u> </u>	3	Sir Wilfrid Laurier
									0	i	3 10 page	PHESSURE				0	0	146055	SBE19 650		N S N	LATITUDE	124
										1	ſ			[	PAA	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1643	LONG	
									? 8,31		7 8.3114	PRI. TEMP.		CIDCO		m 		<b>2</b>		JD/TIME	NEW NEW	LONGITUDE	
<del> </del>			_						3134		14	₹ 		CID CONVERTED MONITOR VALUES	FLUCA			ì		IME ME	EWOGOC	700	LA9
												SEC TEMP		ADVITOR V	CHAM	· -	- 1		<u>'</u>	F	7 9 8 ∌	OFE	LA98-02
+			$\frac{1}{1}$				•		c <sub>v</sub> )			₹		L					Tape/Diskette ID		0 1 Z		
									31.48	- 1	21 4881			TI A A ACIANOCOCIATE	DANICA AICCC				ite iD	DATA	8 (°)	DAY	-
	3								OES		2	Ž		יאנו נכי		101		2	File N	TA LOCATION	(°C) (mb) 6 - 5 ධ ධ	E M E T PRESSURE	
											O <sub>A</sub> L	2	D			10505	100000	j )	File Name/Header		다 ·	SEA STATE VISIBILITY	
j.										.=	SALINIT		DATA	Cleaned air bleed valve					<b>ler</b>		(deg) (m/s)	WIND WIND SPD.	STA
					1						SAL.		INDAG	pleed valv	MAX. DEPTH =			2	112101	REMARKS	9 1	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
			+	+	-		1		<u> </u>	+	NOIH		SAMPLE BOTTLE NUMBER	•	PTH =		LIS ILNIMAK	1	É	S	(B)	BOTTOM	
		+	-	+	-	+			+	+	NUIR		NUMBEH		[] m		KINE				i L	STA.	ļ

12	=	10	9	œ	7	6	55	4	ω		-		3	COND SN	TEMP SN	PRESS SN	TYPE & SN	C	0395	CONSC CAST #	Sir Will
											12 m	HIABO		SN 650	N 650	SN 146055	SN SBE19 650	CTD	O N	<u> </u>	Sir Wilfrid Laurier
											HESSURE		L PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N		
					•					7	PRI. TEMP.	CID CONVERTE	L FLUCA				310940	JD/TIME	MIN DAY	DATE	
										U	SEC. TEMP	CID CONVERTED MONITOR VALUES	ChIAM				ļ <sup>-</sup>		MO VA HA	10= PER=01	LA98-02
										H NT R		ES	TRANSMISSOMETER				Tape/Diskette ID	D.	MN (°C)	TIME DRY (GMT) BULB	
8	*										SALINITY		SOMETER		T ^2 ^2 9	CT0039	File Nam	DATA LOCATION	(°C) (mb)・	PRESSURE	
											SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve		29	<b>9</b>	File Name/Header		- (deg) ਸ਼ੁਕ੍ਰੇਸ਼	SEA STATE VISIBILITY DIRW. SEA STATE VISIBILITY	<u> </u>
											SAL		bleed val	MAX. D			7× <	REMARKS	(m/s) · · ·	SO SO CLOUD (amt TYPE WEATHER	STATION DESIGNATION
-	-				-			-			NUTR	PLE BOTTI	Ve	MAX. DEPTH = 7					(E)	BOTTOM DEPTH	GNATION
<u> </u>	-	-		-				+			WHIT'S NUTR.	SAMPLE BOTTLE NUMBER	9					ļ		STA.	

12	=	10	9	æ	7	6	5	4	ω	2	-	12 37 37 37 37 37 37 37 37 37 37 37 37 37		POS.		COND SN	TEMP SN	PRESS SN	TYPE & SN	CID	0 1 0 5 5	DEG	** (	CAST		Sir Wilfrid Laurier
									60) 201		40°C (00)	<u></u>	₹ 	7		650 AT	650 A1	146055 SI	SBE19 650		0 2 2 8	MIN	LATITUDE			Laurier
									よりつける		6,9941	E PRI TEMP.				AT SUPEACE	AT DEPTH	START DOWN	DATA ON	TIMES JD/TIME	OWCO.HIHO		LONGITUDE			
									5			P. SEC. TEMP	TO MONITOR VALLE						Тар	VE -	OCT98	 ≸	T   פבט #DATE JD DATE			LA98-02
									14 (6	CONTRACTOR OF THE PARTY OF THE	رد	SALINITY		I HANSMISSOME					Tape/Diskette ID	DATA	\$ . 0 0	MN (°C)	(GMT) BUB BY W			_
								8					SAMPLE BOTTLE DATA			105040	C1 20HO		File Name/Header	LOCATION	ហ	F S	EA S	SURE STATE LITY		
									+		JAC.	2		Cleaned air bleed valve	MAX. DEPTH =		TOS 11			REMARKS	ン ジ 4	)	LOU YPE EAT	ID (an	nti	STATION DESIGNATION
											HION HION	2	SAMPLE BOTTLE NUMBER		로= 되 5 8		LINIMAK LINE				91 39	Ī	BOTTOM STA.			NOTTAN

Pa F

2	=	10	9	8	7	-	»	ڻ ن	4	ယ	N	-		ß	_	COND SN	TEMP SN	PRESS SN	TYPE		N 0		CONSC CAST #	Sir Wilfr
											9	(53)	HLead	暑		) SN 650	SN 650		TYPE & SN St	- CTD	<u> </u>	DEG		Sir Wilfrid Laurier
										05 20		HESSURE				0	0	146055	SBE 19 650	!	00 -/ 32 N	<u>M</u>	ATITUDE	er 
												SUFE I		FAH			AT DEPTH	START DOWN	DATA ON	TIMES	1640	DEG	LON	
									b	ر ر ر	1 2 2 2 2	PRI. TEMP				¥ ∵		¥Z	છ	JD/	5.06	MM	LONGITUDE	
										ファファ	1	Š įŠ	ALORO VALORO	FLUCA					331522	JD/TIME	6 W 0 6 0		DATE JU	LA:
												SEC. TEMP		ChiAM		-					T 9 8	δ ¥	JD= 23-9	LA98-02
												N <sub>D</sub>	7.60						Tape/Diskette ID		る 3 2 1 1	∃ Mg	TIME (GMT)	
		ļ							10/10/1	-	32.024	SAL		TRANSMISSOME					ette ID	D,A	& •	င္ပံ	BULB VRV	
									17771		246	SALINITY		OMETER		107		2 !	File I	DATA LOCATION	ট্য		E TESSURE	
										1		S	SAM	_ 		りがりより		7 ? -	File Name/Header		الد	1	SEA STATE /ISIBILITY	70
												SALINITY	SAMPLE BOTTLE DATA	eaned air					ıder		$\stackrel{\vee}{\leftarrow}$	_	WIND WIND	SI
												SAL.		Cleaned air bleed valve	MAX. D	(300)	) [			REMARKS	لد	• c	CLOUD (amt) YPE VEATHER	STATION DESIGNATION
<u> </u>	-				$\downarrow$							NUTR.	SAMPLE BOTTLE NUMBER		귀=		11 Manab		3	€ I	7	6	_	GNATION
	$\downarrow$		. (1)									울	TE NUM		ν Σ		0					十	•	<del></del>
												WHIT'S	99		3		7037	1			E 0	NAME/ID	STA.	i e

12	11	10	9	80	7	6	U	n 4	٥	3	_	•		ट्र		COND SN	TEMP SN	PRESS SN	TYPE & SN		0 H J		CAST		Sir Wil
											003513		DEPTH.	書		SN 650	SN 650				ري آل	DEG	_		Sir Wilfrid Laurier
									50	30	U	PRESSURE		0]		7	0	146055	SBE19 650		3.03N	MZ.	ATTTUDE		
												SHE.		L PAH	71 307 70		AT DEPTH	START DOWN	DATA ON	TIMES			2		
									8866.9		6.3535	PRI. TEMP				2   	_	ZWZ	]	ğ	5 9	MIN COL		ı	
1									88		55	EMP.	O SOURCE HELD WOMI OF VALUES	FLUOR						JD/TIME	0	DAY			L
			:									SEC. TEMP	N CALL	ChIAM			ļ				7	<b>1</b> 2 × 0 × 0 × 0 × 0 × 0 × 0 × 0 × 0 × 0 ×	<b>5</b>		LA98-02
												EMP	VALUES:						Tape/Diskette ID		000				
							į		32.7		32.435	SA		TRANSMISSOME					kette ID	0	Ø €		DRY		
23									8514	f	358	SALINITY		SOMETER				ł	File	DATA LOC	<b>1</b> - <b>1</b> - <b>1</b> - <b>1</b> - <b>1</b> - <b>1</b> - <b>1</b>		WEI		
<u> </u>												(0)	SAW			のようのよう	1 0 0 0 To	, 6	File Name/Header	LOCATION	の の は の は の ・	SE	ESSURE A STATE SIBILITY		•
												SALINITY	SAMPLE BOTTLE DATA	Cleaned a				;	eader		(deg) (r	_	WIND	•	
					1	-	1					SAL		Cleaned air bleed valve	MAX.		FOX.				(s/m)	CL	OUD (ar	nt)	
												<u>S</u>	SAMPLE BOTTLE NUMBER	alve	MAX. DEPTH =		Approved !	- 15	<b>)</b>		(E)		ATHER BOTTOM		OILVAIDIO
	_		_								-	울	TE NUM		2			)			2 2 2 2	÷	į		Ž
												WILL'S	BEA		3		to					NAME/ID	STA.		

12	=	10	9	8	7	6	5	4	ω	+			B B		CONDSN	TEMP SN	PRESS SN	TYPE & SN	,	O I	CONSC CAST #	Sir W
												DEPTH	TRIP						- C달 	ン <u></u> り り 上	3	Sir Wilfrid Laurier
									E6 501		HESSUE				ő	650	146055	SBE19 650		8 . O	LATITUDE	ier
											Ħ		PAH	71 001476	AT CHEE ACT	AT DEPTH	START DOWN	DATA ON	TIMES	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	LONG	
									6.5393	6.5262	PRI. TEMP				1			0	JD/TIME	W W	LONGITUDE	
									E	မီ	P P	CID CONVERTIED MONITOR VALUES	Roug					012050	Ě	DAY MO	JB _	LA98-02
											SEC. TEMP	OH VAL	ChIAM	-   		T				T 9 8 0 H	280	LA98-02
	-		_	-	_					_	-	)    -						Tape/Diskette ID		N N	TIME (GMT) E	_
									32.6145	23.6183	SALINITY		THANSMISSOME						DATA	8.5 7	DRY W	-
							2		II.	S	7		EIER		のようのよう	TOYOU !	1		LOCA	국.크웨이 H	E WESSURE	
											SALINITY	SAMPLE BOTTLE DATA	Clear		CHO	CHO	,	File Name/Header		∞ •	SEA STATE VISIBILITY  DEVIN	
	-											A A	Cleaned air bleed valve		 	 				(m/s)	SP NO	SIAIR
_	_	+	1	+		+	1		-		SAL. NI	SAMPLE	ed valve	MAX. DEPTH =		(drimale)	NO-04			_ •	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
_	-		-		+		<u> </u>	+	+	1	NUTR. CHE	SAMPLE BOTTLE NUMBER				का रेका	104		-	(E)	ВОТТОМ	NATION
			-		+		+	+		+	NOTA.	NUMBER		N I		o asol a				7	STA.	W .1.

12	=	10	9	α	,	7	o	Ch	4	ω	N	- 03	r		P06.		COND SN	TEMP SN	PHESS SN	THE Q ON	7	3	0 F F U	*	CAST		Sir Wilfrid Laurier
	,s:			+	+							032000	405	HE THE	TAIP		650	650	N 146055	, -		į.	ン   i	IATI			d Laurier
										E68 501		EBC -73913	HESSUR						055	19 650			() - Z	ATTUDE			
										الد		T.	E S			PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	MIT	6	<u></u>	3 5			
		_			i k					I	_	Į,	 		3	, F	ACE	ヹ	WV -	<b>Z</b>		0	) O V	LONGITUDE			
										T.0135		4.0271	PAI. TEMP.		CTD CONVERTED MONITOR VALUES	HUOR	į			821520	JD/TIME		W 2	DATE			
1							+			+										86		9	>   T	₽ P			LA98-02
				l									SEC TEMP		TOR VAI	CHIAM				Ta	·	0		8			×
+	+	-			-	-	1	1		_				_	L				I	Tape/Diskette ID		3/0	≦	_ >	] ME 		
									C	0		ָּבְּרְעָּ ער	<u>0</u>			TRANSMISSOME	ľ			itte (D	Þ	ď	ننا	BULB	₽ ———		
:=									991	~ I	1774								1	Ę	DATA LOCATION	11:11					
		<u> </u> 	+				+	<u> </u>	ľ	+	<u> </u>	1		y y			10044		インへへにい	File Name/Header	NOITA	3048	(m <sub>b</sub> )	SEA	STATE		
												SALINITY		DATA	Lieane	2	1			Header		3260		DIRN.	BILITY	8	
	<u> </u>	<u> </u>	<u> </u>	<u> </u>						_				F	Cleaned air bleed valve		, - 1 -	- -	<del></del>			1	(m/s)	SPD.		<u> </u>	-012
	<u> </u>	-	-	+	_			-		-	-	SAL. N		SAMP	ed valve	MAX. DEFIH #		A . W. W.		ことして	REMARKS	191	•	TYPE WEA	THER	nt)	OLY LICIA DESIGNATION
	_		-	+	4				-	-		NS A		EBOTTL		1 1 1				5		6 ၁ ဝ	(m)	DEPTH MOTION			NOITAN
		<u> </u>	_	+	+	_		_	-		-	OH N		SAMPLE BOTTLE NUMBER		612		Taio Y	_		Ī	エジ	† †	(4)		+	
												E E	WHIT's	9		3		YUNG					1	STA. NAME/ID			

12	1	10	9	8	7	σ	» (	n 4		ω	N			POS.		COND SN 6	TEMP SN 6	PRESS SN 1	TYPE & SN S		UT G	CAST L	Sir Wilfrid Laurier
												PRESSURE				650 ATSU	650 AT DEPTH	146055 STAR	SBE19 650 DATA ON	TIMES	3 MN 0 UT	LATTIUDE	ier
												PRI. TEMP.	COCCONCI		adi E	AT SURFACE	HILA	START DOWN	ON	S JD/TIME	WIN (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	LONGITUDE   DATE	
												SEC. TEMP	CID CONVERTIED MONITOR VALUES					- 11 .	Tape/D		MO MA WAR	TIME	LA98-02
==									52			SALINITY		I HANSMISSOMETER					Tape/Diskette ID F	DATA LO	. (°C)	-	
											Brund as	SALINITY	SAMPLE BOTTLE DATA						File Name/Header	OCATION	(mb) • (deg)	EASTATE SIBILITY	S
											Se .	SAL NUTR.		Cleaned air bleed valve	MAX. DEPIH =	200	T-98-8	04		REMARKS	· W	OUD (amt) PE ATHER BOTTOM	STATION DESIGNATION
												WHIT'S	SAMPLE BOTTLE NUMBER		E FOR		Manozek	my long	2		<i>F</i>   Z	TOM STA.	ON

2	=	10	9	80	7	6	cn	4	ယ	2	-		8		CONDSN	TEMP SN	PRESS SN	TYPE & SN		O I	$\lceil \rceil$	CAST	Sir W	ACOOCT
											0.42,0	HLABO	TAIP			SN 650			GB	ل <u>ب</u> رو	<u> </u>		Sir Wilfrid Laurier	7
		×												J'	Q	0	146055	SBE19 650		2	MN	LATITUDE		
								~ ~	Phi	Ŧ	37				AT SHIDE ACE	AT DEPTH	START DOWN	DATA ON	TIMES	- U F F	DEG	LONK		
									3.309b	50104	PRI. TEMP				ń 	1	¥	0	JD/	8	MIN	LONGITUDE		
									96	7	.¥9	ATOES AND	HOUH					082127	JD/TIME	0	DAY N	DATE JI	LA	<u>-</u>
									î .		SEC. TEMP		ChIAM		' 	<u> </u>				=	₹ F	55= D O L	A98-02	בות מונה מיות מיות מיות מיות מיות מיות מיות מיות
											MP	ALUES						Tape/Diskette ID			MZ .	GMT)	] '	Ġ
								ני		33.1	SAL		TRANSMISSOME					ette ID	2	•	Ĉ	DAY	_	_
.5								1417	• 1	33.1436	SALINITY		OMETER		Tos	(	7	File	DATA LOCATION		_ _	RESSURE		
									†	() ()	S.	SAMP			5 046	0676		File Name/Header	TION		S	EA STATE ISIBILITY		
]. 				q.						33.1507	SALINITY	SAMPLE BOTTLE DATA	eaned air					der		(m/s)		WIND WIND	SI	
										29	SAL.		Cleaned air bleed valve	MAX. DEPTH =	0	20	679		REMARKS	8	C	O 6 LOUD (amt) PE EATHER	STATION DESIGNATION	112:27
	-	-	<u> </u>	-		_		+			NUTR. C	TLIO8 37.	Ve	EPTH =		E-98-3	I wand	,	KS [	(a)	DEPTH	_	IGNATION	
			<u> </u>	-		-	-	-	_		WHIT'S	SAMPLE BOTTLE NUMBER		1=1			TO JUREAN	•		E N	NAME/ID	7	12	

12		10	9	8		1 6	50	ហ	4	ယ	2	-			POS. TRIP		COND SN 650	TEMP SN 650	PRESS SN 14	_		0777010	7 E G	⊸'	Ca vy illid	VESSEL
												HESSUFE							146055 SI	SBE19 650 D,		1. 5. N		<b>R</b>		
								-								PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	5504.9		LONGITUDE		
												PRI. TEMP.			CONVERTE					21:06:40	JD/TIME	9 3 W 8 0		DATE		1
												SEC. TEMP		OF CONVERTIED MONROH VALUES	Chichiam	2 -	- - T		_			CT9821		ا الاه=عاد الاه=عاد	LA98-02	PROJECT & LEG
								-						CEC						Tape/Diskette ID		30	MIN (°C)	TIME DRY (GMT) BULB		
	*3								ŭi.		20	SALINITY			HANSMISSOMETER				-1		DATA LOCATION		$\perp$	E E		
											of during to	SALINITY		SAMPLE BOTTLE DATA	Cleaned a		05 07 +		707	File Name/Header	ION		• • (deg)	SEA STATE VISIBILITY DE WEIGHT	. 11	(0)
					+						1	SAL	300	3	Cleaned air bleed valve	MAX. DEPTH =		17-78		2 - 2	REMARKS		• c	CLOUD (arr YPE VEATHER	nt)	STATION DESIGNATION
	+			+			-					NUTR. CHL.	antico orac			SCE HL		2		1		Ē	+	BOTTOM		NATION OF TX
												WHIT's		BER		χ); 3			1860	2		<u> </u>	AVANIEVID	STA.		0

12	=======================================	10	9	8	7	6	55	4	ω	N	-				3		COND SN	TEMP SN	PRESS SN	-1726		٩	Ţ.		#	CAST	0 8 8	8	Sir W	VESSEL
											23:327			Ньево	THE COLUMN		SN 650	SN 650		TYPE & SN SBE19			7 7 1	DEG A		<del>-1</del>	<u>8</u>		Sir Wilfrid Laurier	<b>P</b>
											がた	HESSURE							146055 S	650		2	لر در ح		LATITUDE					
											272	# 					ATSURFACE	AT DEPTH	START DOWN	DATA ON	IMES	00	-	표 -	LONGITUDE					
					,				S. 4915		アレカタン	PRI. TEMP		CIDCON			-		7	23,	JD/TIME	d d W	Ç.	$\exists$						
					_				SI	_	5			/EHIED MO	3			İ		23:04:41	i I	W 0 8 0 C 1		DAY M	DATE JD= 2			1,100	1 A98-02	B 5
												SEC TEMP		CTU CUNVEHTED MONITOR VALUES	ChIAM		_			Тар		8 8 3		6	×1			_		
	-			-	-				ر ر	 	۱		$\frac{1}{2}$	ĒS	L					Tape/Diskette ID		991	7	+			<u>.</u>	$\frac{1}{1}$		
5 20									2   1   2	ST TICK	T SALINITY				TRANSMISSOMETER					ō	DATA L			+	LB RIB			-		
		<u> </u>	   	<u> </u>	1	1		- 1	F	<u> </u>			<u> </u>	(0)			000	<u>"  </u>	めて ) こも )	File Name/Header	LOCATION		(mb)	P	PES	SUF				
										35,4333	SALINITY	ı		SAMPLE BOTTLE	Cleaned air bleed valve		0 10	RR	bx T	/Header			• (deg)	V			Υ			evc.
	<u> -</u>  -	<u> </u>			<u> </u>	1		<u> </u>	_	V	<b>J</b> 00				air bleed	MA	T	٤	1	?	RB		(m/s):	С	LOL	ַ סַנ	(amt)		STATION	
-										0	L. NUTR.			SAMPLE BOTTLE NUMBER	valve	MAX. DEPTH =		Second !		CTO PN	REMARKS	30		S DEPTH	_	HE	R	-	STATION DESIGNATION	PG
											율			TILE NUMB		385		- 10-	0.	Niar Ta	į	F H 7		╁╴	•			w.X	Z	7% OF 4%
											NUTR	WHIT's		9		3		_	-	<u>.</u>		<u></u>	1		STA.			+	9 5	OX.

PG 48 OF 48