



INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM9.OX.TU.CON	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-7A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 19 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
300 kHz ADCP	36	
ECOFLO	38	
SEACAT	39	
PAR	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKP-8A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 18 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013

36 METERS



TAPS-8

ARGOS BEACON

40" SYNTACTIC FLOAT

2 ea. TAPS-8 BATTERY PACK

38.25 METERS

1/2" SAS
1/2" SAS

MICROCAT

1/2" SAS

1.5 METER CHAIN

5/8" SAS
3 TON SWIVEL
5/8" SAS
5/8" SAS

ORE 8242 RELEASE

5/8" SAS


1.5 METER CHAIN

5/8" SAS



1600 POUND ANCHOR

INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	36	
MICROCAT	38.25	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-1A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 13 APRIL 2013
APPROVED BY:		DATE:



INSTRUMENT	DEPTH M	SERIAL NO.
600kHzADCP	35	
ECOFLO	37	
ISUS	38	
SEACAT	38	
PAR	38	
BOTTOM	42	

NOAA-PMEL-FOCI

7600 Sandpoint Way NE
Seattle, Wa. 98115
(206) 526-6175

MOORING: 13CKP-2A


LOCATION: CHUKCHI SEA, AK

DRAWN BY: Mike Craig

DATE:

APPROVED BY: HVM

DATE: 14 MAY 2013




INSTRUMENT	DEPTH M	SERIAL NO.
600kHzADCP	36	
ECOFLO	38	
SUNA	39	
SEACAT	39	
PAR	39	
BOTTOM	43	

NOAA-PMEL-FOCI
 7600 Sandpoint Way NE
 Seattle, Wa. 98115
 (206) 526-6175


MOORING: 13CKP-7A

LOCATION: CHUKCHI SEA, AK


DRAWN BY:	Mike Craig	DATE:	19 APRIL 2013
APPROVED BY:	HVM	DATE:	14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	36	
MICROCAT	38.25	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-5A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 18 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM9/ox/turb.cond	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-5A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	DATE:	
Mike Craig	19 APRIL 2013	
APPROVED BY:	DATE:	
HVM	14 MAY 2013	



INSTRUMENT	DEPTH M	SERIAL NO.
600kHzADCP	36	
ECOFLO	38	
ISUS	39	
SEACAT	39	
PAR	39	
BOTTOM	43	

NOAA-PMEL-FOCI


7600 Sandpoint Way NE
Seattle, Wa. 98115
(206) 526-6175

MOORING: 13CKP-5A


LOCATION: CHUKCHI SEA, AK

DRAWN BY: Mike Craig DATE: 12 APRIL 2013

APPROVED BY: DATE:




INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	36	
MICROCAT	38.25	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-7A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Crai	DATE: 18 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM9.OX.TU.CON	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 528-6175		
MOORING:	13CKIP-7A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Cralg	DATE: 19 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013

36 METERS



TAPS-8

ARGOS BEACON

40" SYNTACTIC FLOAT

2 ea. TAPS-8 BATTERY PACK

38.25 METERS

1/2" SAS
1/2" SAS

MICROCAT

1/2" SAS

1.5 METER CHAIN

5/8" SAS
3 TON SWIVEL
5/8" SAS
5/8" SAS

ORE 8242 RELEASE

5/8" SAS


1.5 METER CHAIN

5/8" SAS




1600 POUND ANCHOR

INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	36	
MICROCAT	38.25	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-6A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 18 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM9.OX.TU.CON	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-6A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Crai	DATE: 19 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
600kHzADCP	36	
ECOFLO	38	
ISUS	39	
SEACAT	39	
PAR	39	
BOTTOM	43	

NOAA-PMEL-FOCI

7600 Sandpoint Way NE
Seattle, Wa. 98115
(206) 526-6175


MOORING: 13CKP-6A

LOCATION: CHUKCHI SEA, AK

DRAWN BY: Mike Craig DATE: 12 APRIL 2013

APPROVED BY: HVM DATE: 14 MAY 2013

35.25 METERS



TAPS-8

ARGOS BEACON

40" SYNTACTIC FLOAT

2 ea. TAPS-8 BATTERY PACK

1/2" SAS
1/2" SAS
1/2" SIP
1/2" SS SAS

.5 METER SS CHAIN

38.25 METERS



1/2" SS SAS
5/8" SS SPS
RCM-9/OX/TURB/COND

5/8" SS SPS
1/2" SS SAS

1/2" SIP

1/2" SAS
1/2" SAS

39.5 METERS

MICROCAT

1/2" SAS

.5 METER CHAIN

5/8" SAS
3 TON SWIVEL
5/8" SAS
5/8" SAS

ORE 8242 RELEASE

5/8" SAS


1.5 METER CHAIN

5/8" SAS




1600 POUND ANCHOR

INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	35.25	
RCM-9/ox/turb/cond	38.25	
MICROCAT	39.5	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-8A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 19 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013




INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	35.25	
RCM-9/ox/turb/cond	38.25	
MICROCAT	39.5	
BOTTOM	43	

NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-8A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 19 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
300 kHz ADCP	36	
ISUS	39	
SEACAT	39	
PAR	39	
WETSTAR	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKP-1A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 12 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY2013



INSTRUMENT	DEPTH M	SERIAL NO.
600kHzADCP	35	
ECOFLO	37	
ISUS	38	
SEACAT	38	
PAR	38	
BOTTOM	42	

NOAA-PMEL-FOCI
 7600 Sandpoint Way NE
 Seattle, Wa. 98115
 (206) 526-6175

MOORING: 13CKP-2A


LOCATION: CHUKCHI SEA, AK

DRAWN BY: Mike Craig


DATE:

APPROVED BY: HVM


DATE: 14 MAY 2013




INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM9.OX.TU.CON	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-1A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 12 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013




INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM9.OX.TU.CON	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-1A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 12 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM-9.OX.TU.CON	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-2A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 12 APRIL 2013
APPROVED BY:		DATE:




INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	36	
MICROCAT	38.25	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-1A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 13 APRIL 2013
APPROVED BY:		DATE:



INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	35	
MICROCAT	37.25	
BOTTOM	42	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-2A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 15 APRIL 2013
APPROVED BY:		DATE:

36 METERS



TAPS-8

ARGOS BEACON

40" SYNTACTIC FLOAT

2 ea. TAPS-8 BATTERY PACK

38.25 METERS

1/2" SAS
1/2" SAS

MICROCAT

1/2" SAS

1.5 METER CHAIN

5/8" SAS
3 TON SWIVEL
5/8" SAS
5/8" SAS

ORE 8242 RELEASE

5/8" SAS

1.5 METER CHAIN


5/8" SAS



1600 POUND ANCHOR

INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	36	
MICROCAT	38.25	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-7A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 18 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013

36 METERS



TAPS-8

ARGOS BEACON

40" SYNTACTIC FLOAT

2 ea. TAPS-8 BATTERY PACK

38.25 METERS

1/2" SAS
1/2" SAS

MICROCAT

1/2" SAS

1.5 METER CHAIN

5/8" SAS
3 TON SWIVEL
5/8" SAS
5/8" SAS

ORE 8242 RELEASE

5/8" SAS

1.5 METER CHAIN


5/8" SAS



1600 POUND ANCHOR

INSTRUMENT	DEPTH M	SERIAL NO
TAPS-8	36	
MICROCAT	38.25	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKT-5A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 18 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013

36 METERS



TAPS-8

ARGOS BEACON

40" SYNTACTIC FLOAT

2 ea. TAPS-8 BATTERY PACK

38.25 METERS

1/2" SAS
1/2" SAS

MICROCAT

1/2" SAS

1.5 METER CHAIN


5/8" SAS
3 TON SWIVEL
5/8" SAS
5/8" SAS

ORE 8242 RELEASE

5/8" SAS


1.5 METER CHAIN

5/8" SAS




1600 POUND ANCHOR


INSTRUMENT		DEPTH M	SERIAL NO.
TAPS-8		36	
MICROCAT		38.25	
BOTTOM		43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175			
MOORING:		13CKT-6A	
LOCATION:		CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE:	18 APRIL 2013
APPROVED BY:	HVM	DATE:	14 MAY 2013




INSTRUMENT	DEPTH M	SERIAL NO.
600kHzADCP	36	
ECOFLO	38	
ISUS	39	
SEACAT	39	
PAR	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKP-SA	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 12 APRIL 2013
APPROVED BY:		DATE:




INSTRUMENT	DEPTH M	SERIAL NO.
600kHzADCP	36	
ECOFLO	38	
ISUS	39	
SEACAT	39	
PAR	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKP-6A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 12 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013




INSTRUMENT	DEPTH M	SERIAL NO.
600kHzADCP	36	
ECOFLO	38	
SUNA	39	
SEACAT	39	
PAR	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING: 13CKP-7A		
LOCATION: CHUKCHI SEA, AK		
DRAWN BY: Mike Craig	DATE: 19 APRIL 2013	
APPROVED BY: HVM	DATE: 14 MAY 2013	




INSTRUMENT	DEPTH M	SERIAL NO.
300 kHz ADCP	36	
ECOFLO	38	
SEACAT	39	
PAR	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING: 13CKP-8A		
LOCATION: CHUKCHI SEA, AK		
DRAWN BY:	DATE:	
Mike Craig	18 APRIL 2013	
APPROVED BY:	DATE:	
HVM	14 MAY 2013	



INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM9/ox/turb.cond	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-5A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 19 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013




INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM9.OX.TU.CON	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-6A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 19 APRIL 2013
APPROVED BY:	HVM	DATE: 14 MAY 2013



INSTRUMENT	DEPTH M	SERIAL NO.
300 kHz ADCP	36	
ISUS	39	
SEACAT	39	
PAR	39	
WETSTAR	39	
BOTTOM	43	

NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175	
MOORING:	13CKP-1A
LOCATION:	CHUKCHI SEA, AK
DRAWN BY:	Mike Craig
DATE:	12 APRIL 2013
APPROVED BY:	HVM
DATE:	14 MAY 2013

35 METERS



TAPS-8

ARGOS BEACON

40" SYNTACTIC FLOAT

2 ea. TAPS-8 BATTERY PACK

37.25 METERS

1/2" SAS
1/2" SAS

MICROCAT

1/2" SAS

1.5 METER CHAIN

5/8" SAS
3 TON SWIVEL
5/8" SAS
5/8" SAS

ORE 8242 RELEASE

5/8" SAS

1.5 METER CHAIN

5/8" SAS



1600 POUND ANCHOR

INSTRUMENT	DEPTH M	SERIAL NO.
TAPS-8	35	
MICROCAT	37.25	
BOTTOM	42	

NOAA-PMEL-FOCI


7600 Sandpoint Way NE
Seattle, Wa. 98115
(206) 526-6175

MOORING: 13CKT-2A

LOCATION: CHUKCHI SEA, AK

DRAWN BY: Mike Cralg DATE: 15 APRIL 2013

APPROVED BY: DATE:



INSTRUMENT	DEPTH M	SERIAL NO.
ASL ICE	36	
RCM-9.OX.TU.CON	39	
BOTTOM	43	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKIP-2A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 12 APRIL 2013
APPROVED BY:		DATE:

700 METERS

950 METERS

1/2" SAS
1/2" SIP
1/2" SAS STAINLESS
1/2" SAS STAINLESS
.5 METERS STAINLESS CHAIN
1/2" SAS STAINLESS
5/8" SPS STAINLESS
RCM-11
5/8" SPS STAINLESS
1/2" SAS STAINLESS
1/2" SIP
1/2" SAS
.5 METERS CHAIN
1/2" SAS
247 METERS
5/16" JACKETED WIRE ROPE
1/2" SAS
.5 METERS CHAIN
1/2" SAS
1/2" SIP
1/2" SAS STAINLESS
1/2" SAS STAINLESS
.5 METERS STAINLESS CHAIN
1/2" SAS STAINLESS
5/8" SPS STAINLESS
RCM-11
5/8" SPS STAINLESS
1/2" SAS STAINLESS
1/2" SIP
1/2" SAS
.5 METERS CHAIN
5/8" SAS
3 TON SWIVEL
5/8" SAS
5/8" SAS
ORE 8242 RELEASE
5/8" SAS
1.5 METER CHAIN
5/8" SAS
36.25 METERS
5/16" JACKETED WIRE ROPE
5/8" SAS
10 METER CHAIN
5/8" SAS

2500# DRY WT.
2175# WET WT.

400 METERS

405 METERS

406.25 METERS

4 METER CHAIN

4 METER CHAIN

4 METER CHAIN

4 METER CHAIN

75 kHz ADCP

49" SYNTACTIC FLOAT

1/2" SAS

1.75 METER CHAIN

1/2" SAS
1/2" SIP
1/2" SAS STAINLESS
1/2" SAS STAINLESS

.5 METERS STAINLESS CHAIN

1/2" SAS STAINLESS
5/8" SPS STAINLESS

RCM-9/OX/TURB/COND

5/8" SPS STAINLESS
1/2" SAS STAINLESS
1/2" SIP
1/2" SAS
1/2" SAS

MICROCAT

1/2" SAS
1/2" SAS

1/2" SAS

16 EA 17" GLASS BALLS
1.5 METERS BETWEEN BALLS

1/2" SAS

1/2" SAS

1/2" SAS

.5 METERS CHAIN

1/2" SAS
3 TON SWIVEL
1/2" SAS
1/2" SAS

274.75 METERS
5/16" JACKETED
WIRE ROPE

1/2" SAS

.5 METERS CHAIN

INSTRUMENT	DEPTH M	SERIAL NO.
300 kHz ADCP	400	
RCM-9/ox/turb/cond	405	
MICROCAT	406	
RCM-11	700	
RCM-11	950	
BOTTOM	1000	
NOAA-PMEL-FOCI 7600 Sandpoint Way NE Seattle, Wa. 98115 (206) 526-6175		
MOORING:	13CKP-9A	
LOCATION:	CHUKCHI SEA, AK	
DRAWN BY:	Mike Craig	DATE: 30 MAY 2013
APPROVED BY:	HVM	DATE: 31 MAY 2013