PG 1 OF 13

_		PROJECT & CEG	•		0	STATION DESIGNATION	PION	
		MF04-11						
				WET BULB	SEA STATE VISIBILITY DI WIND	CLOUD (amt) TYPE WEATHER		STA. NAME/ID
DEG						*		
3 N N N N N N N N N N N N N N N N N N N	2 . 29 w 2	→ S E P 0 4	7 7 0	(U)	000		رو	0 0
TIMES	JD/TIME			DATA LOCATION		REMARKS	đ O	
DATA ON			Tape/Diskette ID	File Nam	ne/Header	OH BO	30-20	10435
START DOV	WN			11.3	0001	338	NETRIE	5
AT DEPTH						FL: 12		
AT SURFAC	m					MAX. DEPTH		3 y - 90
WET	<	PAR S/N 4242		- A - D - D - D - D - D - D - D - D - D	Cleaned air ble	ed valve		
	CTD CON	VERTED MONITOR VA	LUES		SAMPLE BOTTLE DAT		LE BOTTLE N	UMBER
PRESSURE	PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL.	JUTR. CHL.	IL. NUTR.
						2)	_	
							_	
	~. ~.						~	_
							_	
							289	<u>~~~</u>
							288	99
							287	E
							1 289	ã.
							38	3
							283	W
				-				
	HECK	33.0	CASA	CHETHER		CYD		
	PRESSURE PRESSURE	TIMES TIMES DATA ON START DOWN AT SURFACE PRI. TEMP. PRESSURE PRI. TEMP.	TIMES DEG MIN DAY MO YR START DOWN AT SURFACE DATA ON START SIN 1008P PRI TEMP. PRI TEMP. SEC. TEMP. SEC. TEMP. SEC. TEMP. SEC. TEMP.	TIMES START DOWN AT SEPTH AT SURFACE PRI TEMP PRI TEMP PRI SCX TANALOS TANAL WILL CHECK TANALOS TANALOS PRI TEMP PRI TEMP PRI TEMP PRI TEMP PRI TEMP SEC. TEMP PRI SALIN PRI SALIN RESSURE PRI TEMP PRI TEMP SEC. TEMP PRI SALIN PRI TEMP PRI SALIN PRI TEMP PRI TEMP	ILONGITUDE DATE JD= TIME (OMT) DRY BULB WET BUL DEG MIN DAY MO YR HR MIN ("C") ("O) DATA ON START DOWN AT DEPTH AT SURFACE CID CONVERTED MONITOR VALUES CID CONVERTED MONITOR VALUES PRI TEMP SEC. TEMP. PRI SALINITY SEC. SAL RESSURE PRI TEMP SEC. TEMP. PRI SALINITY SEC. SAL RAAH WILL CHECK YMBANG CAST WHETHE	TIONGTIDDE DATE JD: TIME (9MT) DRY BULB WET BULB SESSISTATUTY TIME (9MT) DRY BULB WET BULB SESSISTATUTY DATA ON TO EPTH AT SUPERACE DATA ON TO CONVERTED MONITOR VALUES PRI TEMP SEC TEMP PRI SALIMITY PRI SALIMITY SEC TEMP PRI SALIMITY PRI SALIMITY PRI SALIMITY SEC TEMP PRI SALIMITY SEC TEMP PRI SALIMITY PRI SALIM	INFOATIVE IONGITUGE DATE LD- TIME (GAT) DES MIN DATE LD- TIME (GAT) DES MIN DATA ON TIME (GAT) DES MIN DATA ON TIME (GAT) DES MIN DATA ON TAPODISARIE ID TAPOD	TIME GATT DEVELOP THE GATT DEVELUE WET BULLS W

VESSEL		i	PROJECT & LEG	G .	8	STAT	STATION DESIGNATION	NATION	_ini	
NOAA R/V MILLER FREEMAN	MAN		MF04-11							
CONSEC	11				ESSURE	SIBILITY	DUD (amt)	BOTTOM		:
	LATITUDE	LONGITUDE	OATE JD=	TIME (GMT) DRY BULB	WET BULB	' s	CL TY	DEPTH	-	STA: NAME/ID
) 	~	MIN) 모	J MIN	(°C) (mb)	7 (deg)	_	_ J 3		
007565	21.13171 N	6 704.18 tw	A TSEPO4	2/5/2/6/10	1 1 N N N N N	4823023	00			
SBE 9Plus 91220A		TIMES JO/TIME	m		DATA LOCATION	,	REMARKS			
PRESS SN 80020		DATA ON		Tape/Diskette ID	File Nam	File Name/Header	RYSE R	A DERL		न्न
PRI COND 915	SI	START DOWN			7.7	002	OF TO	OHBS-2C	25-25-15	2.8-A
PRI TEMP 710	AI	AT DEPTH					77			
SEC COND 304	ΓA	AT SURFACE					יסר I	47 = H	3	
SECTEMP 884		WETStar S/N 1036P	PAR S/N 4242			Cleaned air bleed valve	d valve			
		стос	CTD CONVERTED MONITOR VALUES	ALUES		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	LE NUMBE	ER.
POS. TRIP DEPTH	PRESSURE	PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL	NOT R	유	WHIT'S NUTR.
1 5 m from bottom	49						15	*		
2 N	50									
3	39							<		
ر لن 2			*							
5 0								<		
2,00								<		
7									287	
®									288	
°									289	
5 2						•		<		
=								<		
12										

3	1	10	9	œ	7	6	υn	4	u	N	_	POS		SEG	SEC	PRI 7	PRIC	PRE	SBE	0	8 8	NO.	VESSEL
		0	٩	٥	0	= 5	20	0)	Į.	パつ	5 m frc			SECTEMP	SEC COND	PRI TEMP	PRI COND	PRESS SN	SBE 9Ptus	U E	CAST#	NOAA RIV MILLER FREEMAN	SEL
						SI					5 m from bottom	TRIP DEPTH		884	304	710	915	80020	91220A	N T		LER FRE	
												PRE						0	DA		LATITUDE	EMAN	
									-		5	PRESSURE			A	AT	37,	DA:	TIM	z	_	-	_
											3			WETS	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	20 20 E6	— ē		
											6	PRI. TEMP		WETStar S/N 1036P			2			- ME	LONGITUDE		
	 .		<u>. </u>								7	<u> </u>	CTD CON]				JD/TIME	W D	<u> </u>	-	
							e.			6	70,	SEC. TEMP	VERTED A	PAR S/N 4242						DAY MO	DATE JD=	MF04-11	PRO.
								-		,	0	EMP.	CTD CONVERTED MONITOR VALUES	1242		•	•	•		P 0 4		그	PROJECT & LEG
											7	PRI.	ALUES					Tape/Diskette ID		三 〒 9) z	TIME (GMT)		ଜ
		-					:					PRI. SALINITY						kette ID					
																			DA:		DRY BULB		
												SEC. SALINITY				1	in.	20	ATA LOCATION	(°C)	WET BULB		
												₹	S				172	File Name/Header	NOIT	(mb)	PRESSURE * SEA STATE		
						,			<u> </u>			SALI	AMPLE BO	Cie			773	leader		Q Q	* VISIBILITY	1	
												SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve		1	.[(deg) (m/s)	WIND WIND SPD.	<u> </u>	STA
1										الا		SAL.		ed valve	MAX, DEPTH =		OF	3.34	REMARKS	•	CLOUD (amt)		TION DE
+								_				NUTR.	AMPLE BO				の大めいて日	BEFORE	XS		WEATHER BOTTOM		STATION DESIGNATION
+			283	787	288							유	SAMPLE BOTTLE NUMBER		E F	: n	10	MECON		77 0		-	Ž
+		<		٣	~	<	_	~	<u> </u>	<		WHIT'S NUTR	WBER		·	3		CA CA			STA: NAME/ID		

10	9	GS.	7	o,	O.	1	3	2	1 5 m from bottom	POS. TRIP DEPTH		SECTEMP 884	SEC COND 304	PRITEMP 710	PRI COND 915	PRESS SN 80020	SBE 9Plus 91220A	00 6 5 7 9 5 MIN	Σ	NOAA RIV MILLER FREEMAN	VESSEL
										PRESSURE PRI TEMP	СТО	WETStar S/N 1036P	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES JD/TIME	0 0 N 1 C 9 H 1 . H 9 W	LONGIT		
						1				SEC. TEMP.	CTD CONVERTED MONITOR VALUES	VPAR S/N 4242					IME	NO 1 C T O 4	to:	MF04-11	PROJECT & LEG
									_	PRI. SALINITY	ALUES					Tape/Diskette ID		00469.	(GMT) DR		G P
								37		SEC. SALINITY					CTD	File Name/Header	DATA LOCATION	日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日	WET BULB		
	-									SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve			066	v/Header		(deg) (m/s)			STAT
										SAL. NUTR.		d valve	MAX. DEPTH =	R	49-419HO	380378	REMARKS	•	CLOUD (amt) TYPE WEATHER		STATION DESIGNATION
						2867	289	288		TR. CHL.	SAMPLE BOTTLE NUMBER		(\$ (n)	8-6A	S NUSSEL		6 3	BOTTOM STA		NOI
										WHIT'S	3ER					2		abded-to-100	STA: NAME/ID		

				!!!!		1		2				
	VESSEL	_			PROJECT & LEG	Ami IK		STAT	NOLLANDISED NOLLYLS	NATION		
	NOAA F	NOAA R/V MILLER FREEMAN	REEMAN		MF04-11							
				Œ			SSURE		JD (amt)			
	CAST #		LATITUDE	LONGITUDE	SEC = OF BLVO	TIME (GMT) DRY BULB	WET BULB PR			BOTTOM	STA: NAME/ID	AME/ID
,		DEG	MIZ	DEG MIN	DAY MO YR	HR MIN (°C)		(deg) (m/s)	•	(m)		
	400	4	5 5 2	16851 . 43W	000704	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ル の り り			<u> </u>		
	SBE 9Plus		91220A	TIMES JOTIME			DATA LOCATION		REMARKS			
	PRESS SN		80020	DATA ON		Tape/Diskette ID	File Name/Header	/Header	ATTER	P J	JA. 36	A
	PRI COND		915	START DOWN			FOORTS	400	270	がようないして	74	
	PR! TEMP		710	AT DEPTH								
	SEC COND		304	AT SURFACE					MAX. DEPTH =	丑 "	3	
1.40	SESTEMP	, Va	884	WETStar S/N 1036P	PAR S/N 4242			Cleaned air bleed valve	d valve			
				сто с	CTD CONVERTED MONITOR VALUES	LUES		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	E NUMBER	7
	POS.	TRIP DEPTH	PRESSURE	PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL.	NUTR.	운	WHIT'S
	_	5 m from bottom	om.						49		!	
	2	ST O										
	ω	5										
-	-	ار 5								·		
- Th	ဟ) 0										
	6	13.5										
1	7	=										
	œ	=										
	ဖ											
1	ō	0			:	*						
	==											
	12											

VESSEL	1 The second	PROJECT & LEG	9		STATI	STATION DESIGNATION
NOAA RIV MILLER FREEMAN		MF04-11				
CONSEC CAST # LATITUDE	LONGITUDE	DATE JD= 3745	TIME (GMT) DRY BULB	WET BULLS PRESSURE SEA STATE	VISIBILITY VISIBILITY DIRN. SPD.	CLOUD (amt) TYPE WEATHER DEPTH
DEG	DEG MIN	M S	_	a l	(deg) (m/s)	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
<u> </u>	134.99	\$0 00 07	9		$[\nu]$	
SBE 9Pius 91220A	TIMES JD/TIME	ME		DATA LOCATION		REMARKS
PRESS SN 80020	DATA ON		Tape/Diskette ID	File Name/Header	leader	BE 50 R. 3. 7. 2. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.
PRI COND 915	START DOWN			20002	Ď,	04F1F-1A
PRI TEMP 710	AT DEPTH			.	 	
SEC COND 304	AT SURFACE					MAX. DEPTH =
SETEMP 884	WETStar S/N 1036P	PAR S/N 4242			Cleaned air bleed volve	valve
	СТО	CTD CONVERTED MONITOR VALUES	ALUES	ξ	SAMPLE BOTTLE DATA	SAMPLE BOTTLE NUMBER
POS. TRIP DEPTH PRE	PRESSURE PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL. NUTR.
1 5 m from bottom						S.
2 19						
3						
· P						
Un .						
o o						
7						
8						
φ						
10					-	
3						

艺艺

	ı	,			т	89		K	7	,			,								
	1 0	φ	œ	7	ø,	5	4	ω	N		POS.		SECTEN	SEC CON	PRITEM	PRI CON	PRESS S	SBE 9PI		CAST	VESSEL
						<u>u</u>	- 2	5	U	5 m from	TRIP DE		7	6	ס	0	ž	ä	OT B	* 6	L
				1			<u> </u>			bottom	HIE		884	304	710	915	80020	91220/	9)	VIII	7
											PRES								Ž	-Jagu	la la
			:		:			11			SURE			AT	AT 0	STA	DAT	MIL	z		
											_		WETS	SURFACE	ЭЕРТН	RT DOWN	NON	ES	0	LON	
			:								RI. TEMP		ar S/N 103						· MIN	GITUDE	
												CID CO	⁸⁸					JD/TIME	8	Q	 -
											SEC.	VVERTED	PAR S/N						- 3	ATE JO=	PRO
							97 52				TEMP.	MONITOR	1 4242		I	ı	ļ			2 2 5	PROJECT & LEG
				<u> </u>							70	≀ VALUES					Tape/		-	TIME	LEG
											RI. SALIN						Diskette 1		F MIN		
											₹						0		1 (c)	DRY BULE	
											SEC. S							DATAL		 	
											ALINITY					G	File N	OCATION	0C	SULTER TO STATE OF THE STATE OF	
-												SAM		1		000	ame/Hea		70	PRESSURE SEA STATE	
						:					SALINIT	JE 8011	Cleanec			09	der		(deg)	1	11
15												LE DATA	f air bleed		Ι,	!			(a/s)	WIND SPD.	STAT
										6	SAL.	S	valve	MAX. DE		04	334	REMARK	•	CLOUD (amt)	ION DES
						1/1/	<	<	OK.	8	NUTR	AMPLE BO		PTH =		737	300			ì	STATION DESIGNATION
			_				ı	288			-	OTTLE NO	100			2	334	45 M3		 	2
\dashv								-\			_	MBER					1	460	Antonio Polici P	A NAME	
											5	PRESSURE PRI TEMP. SEC. TEMP. PRI SALIMITY S	CONVERTED MONITOR VALUES	CITICONVERTED MONITOR VALUES SAMPLE BOTTLE DATA CHL.	SEÉPTEND SOL AT SURFACE	PRI TEMP 7:0 AT DEPTH	PRI TEMP 710 AT DEPTH	PRESS SN 80000 DATA ON Tape/Diskette ID File Name/Heador Tape/Diskette ID Tape/Diskette ID	SEE SPHII 01220A	CO	COUNTRY COUN

1 10	ő	9	00	7	o	5	4	ω	2	_	POS.		SECTEMP	SEC COND	PRI TEMP	PRI COND	PRESS SN	SBE 9Plus	0		CONSEC	NOAA	VESSEL
										5 m from bottom	TRIP DEPTH		WP 884	ND 304	IP 710	ND 915	SN 80020	91220A	L	DEG		NOAA R/V MILLER FREEMAN	F
											PRESSURE						20	20A	리. 00 N	MIN	LATITUDE	EEMAN	
				<u> </u>				72			m	-	NAME OF THE PROPERTY OF THE PR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1691	DEG	_		
								:			PRI. TEMP.	СТВ	WETStar S/N 1036P	CE .	[W 	1	JD/TIME	42.53	MiN	LONGITUDE		
-											SE	CONVERT	PAR					IME	(ソ (ソ (ソ (ソ () ()	DAY	DATE J	~	
							7				SEC. TEMP.	CTD CONVERTED MONITOR VALUES	PAR S/N 4242						हि. • स	οMO	DEC =OL	MF04-11	PROJECT & LEG
		2									PR	R VALUES					Tape/D		0	YR HR	TIME (GMT)		LEG
											PRI. SALINITY						Tape/Diskette ID		~				İ
																		0	00		DRY BULB		
											SEC. SALINITY	-		-i	1	h	FIK	DATA LOCATION	ō		WET BULB		
						}					~	SA				700	File Name/Header	Ö	#	(mb)	PRESSURE SEA STATE		
											SALINITY	SAMPLE BOTTLE DATA	Cleane	<u> </u>	(5	ader		150	(deg)	VISIBILITY WIND DIRN.		
		 									7	TLE DATA	Cleaned air bleed valve						ا . ا	(m/s)	WIND SPD.		STATI
			•5.41					-fiir		10	SAL	SA	valve	MAX. DEPTH =		SE	73E	REMARKS		•	CLOUD (amt) TYPE WEATHER		ON DESI
											NUTR.	SAMPLE BOTTLE NUMBER		7H=		1871 0470	BETORE ASKON		2 2 3	<u>a</u>	ВОТТОМ		STATION DESIGNATION
											CHL.	TE NUMB		3		DE-2187	258A	À.					
											WHIT'S	ER				7	2	7			STA: NAME/ID		

VESSEL NOAA RV MILLER FREEMAN	MAN	PROJECT & LEG	-		STATI	STATION DESIGNATION
رد ل	73 N 53.41		C%15	SSURE STATE	IBILITY	
CAST # LATITUDE	DE LON	DATE JOE 276	TIME (GMT) DRY BULB		VIND WIND DIRN. SPD.	TYPE
DEG MIN	DEG	MO YR		(°C) (mb)	(m/s)	٠
0 		တ္တ	@	¥.9		
SBE 9Pius 91220A	TIMES JOTIME	IME		DATA LOCATION		REMARKS
PRESS SN 80020	DATA ON		Tape/Diskette ID	File Name/Header	Header	32933
PRI COND 915	START DOWN	 		673	1100	0H-818-40
PRI TEMP 710	AT DEPTH	 				
SEC COND 304	AT SURFACE					MAX. DEPTH =
SETEMP 884	WETStar S/N 1036P	VPAR S/N 4242			Cleaned air bleed valve	valve
0.00	СТВ	CTD CONVERTED MONITOR VALUES	UES		SAMPLE BOTTLE DATA	SAMPLE BOTTLE NUMBER
POS. TRIP DEPTH	PRESSURE PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL.
1 5 m from bottom					:	
2 5						
ω Ú	**					
٠ إ		11				
c,						
σ.						
7						
Cos						
9						
10					-	
1						

12	1	10	9	œ	7	6	υ ₁	4	w	2		POS	Τ	SE	SEC	PRI	PRIC	PRE	SBE	0	ς 8	NO.	VES
											5 1		1	SESTEMP	SEC COND	PRI TEMP	PRI COND	PRESS SN	SBE 9Plus	9	CONSEC CAST #	A RV	VESSEL
											5 m from bottom	TRIP DEPTH			.5					OFF OFF		NOAA R/V MILLER FREEMAN	
	<u> </u>						-	<u> </u>						884	304	710	915	80020	91220A	<u> </u>	LATITUDE	FREEM	
												PRESSURE								000	DE .	A	
												SURE			<u> </u> ≥	<u> </u>	ST/	D _A	1	Z			
								_				-		NET NET	AT SURFACE	АТ ОЕРТН	START DOWN	DATA ON	TIMES	DEG S	-15	ļ !	
	,					}						PRI. TEMP		WETStar S/N 1036P	m		Ź			· N	LONGITUDE		
												MP.	СТО	1036P		1	1		JO/TIME	2			
							<u></u>						CONVE	5				,	E N	W O DAY	DATE		
												SEC. TEMP.	CTD CONVERTED MONITOR VALUES	PAR S/N 4242	•					ψC NO	ے اور اور	MF04-11	PROJE
į												MP.	ONITOR	242						7 × × × × × × × × × × × × × × × × × × ×	-5	11	PROJECT & LEG
										·		-	VALUES					Tape/		<u>0</u> ¥	TIME		EG
						:						PRI. SALINITY						Tape/Diskette ID		MN N	TIME (GMT)		
												ll Y						ō		60	DRY BULB		
												SEC							DAT	9			
												SEC. SALINITY				I	h	Ę	DATA LOCATION	<u>01</u>	WET BULB		
												7					H	File Name/Header	Š	(n) (n)	PRESSURE		
							;					S	SAMPLE	Ω			CIOU	Header		0	SEA STATE VISIBILITY		
								:				SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve						(deg)	WIND DIRN.		
						1					<u> </u>		DATA	r bleed v	-	1	- lat-	, ,	70	(m/s)	SPD.		STATIC
					-					,	I	SAL.	S.	/alve	MAX. DEPTH =		ON	88100	REMARKS		CLOUD (amt) TYPE WEATHER)N DESI
												NUTR.	SAMPLE BOTTLE NUMBER		TH =		OH	1	vi	<u>(</u>)	воттом		STATION DESIGNATION
												CHL.	OTTLE N				R1-88	0		1 1 1	+		Ž
				i									UMBER		3		D	RECON			STA. NAME/ID		
												NUTR.						-		williament to the l	₩E/ID		