VESSEL Alpha H	VESSEL Amba Haliv				-	PROJECT & LEG	8	DSDB 1.D.	1.D.		STA	TION DE	STATION DESIGNATION $\leq r^2 G \ell$	z		
CONSC	SC	99,	TON	LONGITUDE	DATE	d,	TINE (GNT)	DRY BULB	WET	PRESSURE SEA STATE VISIBILITY	WIND WIND SPD (ami)	CLOUD (amt) TYPE MEATHER	육 의		STA. NAME/ID	
	9	2	DEG	NIN .	DAY MO	MO	HR MIN	<u></u>	<u>و</u> اي		(deg) (m/s)		<b>E</b>			
66	57	NEC	104	2 33W	0	9 0 N D C	1-5-7					‡	7	.0	7	
SBE 9+0	0 1	Ĭ.,	TIMES	ğ	JD/TIME			ă	DATA LOCATION	8		REMARKS	KS S			
PRESS SN	*	63203	DATA ON	1		-	Tape/Diskette ID	ite ID	훒	File Name/Header	der					
PRI TE	PRI TEMP SN 1771		START DOWN	NW.		1			1	ļ		 <b>[</b>				
SEC T	SEC TEMP SN 1772		АТ ОЕРТН						]			<u>\$</u>	Cleaned air bleed valve	ed valve		
PB C	l		AT SURFACE	 پېر								MAX. DEPTH =	EPIH-		٤	
	1		DAD CAN			TELUOR SA	ş		CHAM SA	ļ Ķ		TIEM	TRANS. S/N			
S S S	POS. TRIP			[]	ONVERTE	CTD CONVERTED MONITOR VALUES	VALUES			SAMPI	SAMPLE BOTTLE DATA	<u> </u>	SAMPLE BOTTLE NUMBER	LE NUME	BER	
					ļ		ļ							$\mid$	T	
		PRESSURE	JRE	PRI. TEMP	EMP.	SEC. TEMP	EMP	NS.	SALINITY	8	SALINITY	SAL	æ	동	WHIT'S NUTR.	
-	9				,			ļ						7	0 i	
2	E													T	12	
က	55								1	1				U.	ਨ ਹ	to ma
4	20						-		e e				1			The season
s	20	,									ļ		3	7	7.	Sei Open
ဖ	07								1				2		7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Coam,
7	0							The state of the s					>	<i>λ</i>	44	-
ω										_				+		
6							1.16								£ <sup>1</sup>	
9															_	
11														+-	1	
12							7			_				1	7	

Fig. 2016   Fig. 2017   Fig.		0	T	$\Box$								<u>∞</u> œ	ria.	2	<b>L</b>	1	Т	Т	$\neg$	T	ন্ত্ৰ	പ		
Figure   F		STA.	-					2	€	ļ	MBER	WHIT'S NUTR.	487	496	524	હો					<u>7</u>	432	100	
EL HORKETT EL HORGETT & LEGG   DISTOR ID.   STATION   HORGETT & LEGG   DISTOR ID.   STATION   HORGETT & LEGG   MAIN   MIN   CCC   COMM   MIN   CCC   CCCC   CCC   CCC   CCC   CCC   CCCC   CCC   C	2		+					ed val			LE NO	븅		İ	300	ł					00%	,	6	
EL HORKETT EL HORGETT & LEGG   DISTOR ID.   STATION   HORGETT & LEGG   DISTOR ID.   STATION   HORGETT & LEGG   MAIN   MIN   CCC   COMM   MIN   CCC   CCCC   CCC   CCC   CCC   CCC   CCCC   CCC   C	MATIO	EPTTO H		100	,	7			포	₹	BOTT				Ca 2		f	7	$\dashv$	- 1			7	2
EL HORKETT EL HORGETT & LEGG   DISTOR ID.   STATION   HORGETT & LEGG   DISTOR ID.   STATION   HORGETT & LEGG   MAIN   MIN   CCC   COMM   MIN   CCC   CCCC   CCC   CCC   CCC   CCC   CCCC   CCC   C	ESIG	MEATHER		$\exists$	ARKS	Pec		Barned	DEPT	ANS.	MPLE			_	-		<u>`</u>	컾	_	-	7		-	<b>3</b>
EL ATTUDE LONGITUDE DATE JD= (GMT) BULB (GMT	<u> </u>	CLOUD (amt)	•		<u> </u>			3	¥¥.	E	8	8												
EL Helikr  SC LATTUDE  LONGTIUDE  DEG MIN  SSN	STA	WIND SPO.	<u>(S)</u>								TTLE													
EL Helikr  SC LATTUDE  LONGTIUDE  DEG MIN  SSN		WIND DIRIN.	8			ge		-	ú		LE BO DATA	LINI				I						2		
EL Heibr  Se LATTUDE LONGITUDE DATE JD- GMT)  HUZZO  TIME DRY WET  GMT) BULB BULB  BULB  LONGITUDE DATE JD- GMT) BULB BULB  SSN # 6 3 523 DATA ON  THIP  THIP  DEPTH  PRESSURE PRI. TEMP SEC. TEMP SALINITY  7-0  SSN 250  SSN 250  SSN 250  SSN 250  SSN 250  TRIP  PRESSURE PRI. TEMP SEC. TEMP SALINITY  7-0  SSN 350  SSN		VISIBILITY	-	4		e/He					SAMP	3						ļ						
EL Heibr  Se LATTUDE LONGITUDE DATE JD- GMT)  HUZZO  TIME DRY WET  GMT) BULB BULB  BULB  LONGITUDE DATE JD- GMT) BULB BULB  SSN # 6 3 523 DATA ON  THIP  THIP  DEPTH  PRESSURE PRI. TEMP SEC. TEMP SALINITY  7-0  SSN 250  SSN 250  SSN 250  SSN 250  SSN 250  TRIP  PRESSURE PRI. TEMP SEC. TEMP SALINITY  7-0  SSN 350  SSN			<b>a</b>		NO.	e Nan				NS W		<u> </u>						T						
EL.  A Helix  SC  LATTUDE  LONGTLUDE  DOES  MIN  MIN  MIN  MIN  MIN  MIN  MIN  MI		ÆT JLB	S		FOCA	正	ŀ	١		CPA														
EL.  A Helix  SC  LATTUDE  LONGTLUDE  DOES  MIN  MIN  MIN  MIN  MIN  MIN  MIN  MI	.019C	× 20	1	$\exists$	DATA		1					ALIN				i		ı						
PROJECT & LEG	DSI	DRY	2	=		<u>_</u>	١					"						l	æ					
SC   A   A   A   A   A   A   A   A   A			z	v		skette						ļ		_	_		_	$\dashv$				<u> </u>	_	Ц
SC   A   A   A   A   A   A   A   A   A	ا ح	TIME (GMT)	₩.	4		ape/Di				_	ALUES										-			
SC 1ATTUDE LONGITU DEG MIN SW 1771 START DOWN EMP SN 1772 AT SURFACE OND SN 2251 AT SURFA	R LE		lacksquare	6		<u> </u>			L	%   %	TOR V	)   								'				
SC 1ATTUDE LONGITU DEG MIN SW 1771 START DOWN EMP SN 1772 AT SURFACE OND SN 2251 AT SURFA	ONEC!	אַ	H				. I				NO NO	%							-					
SC 1ATTUDE LONGITU DEG MIN SW 1771 START DOWN EMP SN 1772 AT SURFACE OND SN 2251 AT SURFA	문 포		<u> </u>			ı				<u> </u>			$\vdash$		-							<del>                                     </del>		╁┤
SC 1ATTUDE LONGITU DEG MIN SW 1771 START DOWN EMP SN 1772 AT SURFACE OND SN 2251 AT SURFA	- 14			3	ZIME				!		ONNO	Į Š			ļ	'			·					
SC 1ATTUDE LONGITU DEG MIN SW 1771 START DOWN EMP SN 1772 AT SURFACE OND SN 2251 AT SURFA	,			-	号	,			l		S				ŀ					12		,		
SC 1ATTUDE DEG MIN SN 1772 AT DE SN 8 6.3 50.1 PAR SURE TRIP DEFTH DEG MIN DEFTH DEG MIN DEFTH DEG MIN DEFTH DEFTH DEFTH DEFTH DEG MIN				Oø			NANO	<b>~</b>	Ę Ę		<b>\</b> [	ļ		L		_					<u> </u>	<u> </u>		
SC 1ATITUDE DEG MIN 1771  A 5 6 5 3 .		9	က္ည	구	ES	¥ ON	ART D	DEPTI	SURF	A B S													ľ	
SS N # 63.  SSN # 63.  TRIP DEPTH DEPTH DEPTH  OND SN 501  A C C C C C C C C C C C C C C C C C C				z	Ē			┲	┌눌					1										
S S S S S S S S S S S S S S S S S S S				1		505			]	1		ŭ												
S S S S S S S S S S S S S S S S S S S			Z S	<u>છ</u>		63	17	1 22	25.		ā			<u> </u>			-							
Apha He CONSC CAST # SEC TEMP SEC TEMP SEC CONC POS. T 10 10 11 11 11 11 11 11 11 11 11 11 11	<u> </u>			500			1 ₹	S S	। ह	1	를 E	. ** *.	1/6	175	300	3	X	Ý	1 /2	V	R	2		,
2 = 2 8 8 8 8 8 8 6 5 = 5 5 6 6 6 5 5 5 6 6 6 6 6 6 6 6 6	SEL ha He	NSC ST #		तं	0 \$	NS SS	TEMP	TEMP	ONO ONO	٤	2		1,,			<u> </u>	<u> </u>	<u>L`</u>	L	1.		7 4	- Com	
	VES	88		तं	SS SS	PR	œ.	SEC	<u>B</u>	נ	3 S		_	٠ -	۳ ۳	4	က	ص	_	·   «	· ·	, =	<u>:</u>   =	: 2

												. •											~ ~ ~
	STA. NAME/ID						9	ε		ABER	WHIT'S NUTR.	us.	492	491	490	500	487						7
Z	······································		C6 Ao				eed valv			TLE NUN	몽		>		>		>						
GNATION PG 3	BOTTOM DEPTH	1 I	Δο	S			Cleaned air bleed valve	PTH=	TRANS. SAN	SAMPLE BOTTLE NUMBER	BS:			1	7	,	>						
STATION DESIGNATION $5 \rho_{\mathcal{G}} 3$	CLOUD (amt) TYPE WEATHER			REMARKS	Oart	F		MAX. DEPTH =	TRAN	SAMP	SAL.											1	,
STAT	S S S S (1ms) QUOJO	(S/w)								E E													
	WIND				ader				!	SAMPLE BOTTLE DATA	SALINITY							=					
	SEA STATE VISIBILITY	31 e l	$\exists$	_	File Name/Header	l			_		ဖ	<u></u>				3		N.					
	PRESSURE	<del>                                     </del>		ATION	File No.				Chiam Sa		•										O.		
GI S	WET	ଥ	•	DATA LOCATION		1	,	1	<u>5</u>		SALINITY												
DSDB I.D.	DRY	<u>ي</u>	•	3	O e					   	8												ł
93	TIME	HR MIN	18 3 H		Tape/Diskette ID				. ₹	CTD CONVERTED MONITOR VALUES	EW EW												
PROJECT & LEG HX220		YR	6 8		•			<b></b>	MS ACIT	ONITOR	SEC. TEMP												
PROJE HX220	OATE .ID=	V MO	C J U N							ED M		├				<del> </del>							
	TAG	DAY	1	JOYTIME						ONVEF	PRI TEMP												
	301	MIN	. 96w	片	l	_		1		<u> </u>											۸		
	JUI LIENO		957		₹	START DOWN	E	AT SURFACE	DAD CAL		-	+	+		╀	-	-	├		-			Н
		9	16	TIMES	DATA ON	STARI	AT DEPTH	ATSU			l ä	!											
	يا ا		15 N			]					301000												
			9		# 63503	1771	122	Š	63	<u> </u>						<u> </u>							
		DEG	2235646.	0	ٰ ٟ ا	NS de	NP SN	1 NS		TRIP		17	7	200	2	8 5	C						
VESSEL Alpha Helix	CONSC	3	दि	SBE 9+ 0	PRESS SN	PRI TEMP SN	SEC TEMP SN	NS UNCO INd		POS. TRIP		1	- 6	, ,	, ·	4 4	, "	, ,	٠ «	9 0	9	=	2

ATION	BOTTOM STA. DEPTH NAMEAD	(E)					Cleaned air bleed valve	E = F	N.	SAMPLE BOTTLE NUMBER	WHIT'S Bio CHL. NUTR.	199	1498	£617	1 496	⇈	7 dan						
STATION DESIGNATION $\frac{1}{2}\int \mathcal{C}$	WEATHER	•		REMARKS			Cleaned	MAX. DEPTH =	TRANS. SAN	SAMPLE	SAL. B			7	7	2	7	1	-	$\frac{1}{1}$		+	$\dashv$
STATIO		(s/u)		Œ	b			M/		ше								1	1				=
	SEA STATE VISIBILITY VISIBILITY OIRN	(8) (8)			Header					SAMPLE BOTTLE DATA	SALINITY							9 -					
	PRESSURE SEA STATE	(qm)		NOIL	File Name/Header				ChIAM S/N	3								+	1		<u>\</u>	+	-
31.0.	WET BULB	ဦ	_	DATA LOCATION	Œ	l I	l I		ChiA		SALINITY		  - 					ļ					
DSDB 1.D.	DRY BULB	<u>ق</u>	•	۵	tte ID					i.	<b>%</b>												
93	TIME (GMT)	HR MIN	1940		Tape/Diskette ID				5	VALUES	EMP											1	
PROJECT & LEG HX220		O YR	SJUN99		<u> </u>				FLUOR SAN	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJE HX220	DATE JD=	DAY MO		, L		:				/ERITED					-								$\dashv$
		F	75	JO/TIME						D CON	PRI. TEMP						j ,						
	LONGITUDE	MIN	947.		Z	DOWN	Ŧ	FACE	<b>₹</b>	{		_	-	1	_								
		DEG	N 169	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR SAN										! !				
ŧ	LATITUDE	NIW.	0		63203	1771	1772	2251	,	8	PRESSURE			i									
Aleix		DEG	2245639		*			1	1			70	6 5	2 6	2	9	0	<u> </u>			-		
VESSEL Aloha Helix	CONSC		υ φ	SBE 9±0	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	CEC COND ON	POS.		•	- 6	7 6	<u></u>	2	9	7	<b>60</b>	6	10	11	57

I.D. STATION DESIGNATION	39YT <u>ЯЗНТАЗ</u> М ஜ С	(deg) (m/s)	DATA LOCATION REMARKS	File Name/Header		Cleaned air bleed valve	MAX. DEPTH = m	CHAM SN TRANS. SN	SAMPLE BOTTLE SAMPLE BOTTLE NUMBER DATA	SALINITY SAL. BIO CHL. NUTR.	the state of the s	(2)	2007	100	3							
PROJECT & LEG DSDB I.D. HX220	TIME DRY (GMT) BULB	DAY MO YR HR MIN (°C)		Tape/Diskette ID				FLUOR SAN	CTD CONVERTED MONITOR VALUES	SEC. TEMP SAI							•					
	LONGITUDE DATE	DEG MIN	TIMES JO/TIM		START DOWN	AT DEPTH	AT SURFACE	PARSN		PRI TEMP	1											
VESSEL Atriha Helix	CONSC CAST # LATITUDE	S S	0+0	PRESS SN # 63523	PRI TEMP SN 1771	SEC TEMP SN 1772		Ş	T == -		747	30	<u> </u>	-	-	တ	7	. 80	g.	10	=	

1771 DEG MIN 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LONGITU LONGITU DEG MI TIMES START DOWN AT DEPTH AT SURFACE PAR SAN PA	PROJECT & LEG DSDB I.D. STATION DESIGNATION HX220	TIME DRY WET SO DIEN. SPO. CITY NAMED DIEN. SPO. CITY NAMED DEPTH NAMED DIEN. SPO. CITY DEPTH NAMED DIEN. SPO. CIT	YR HR MIN (°C) (°C) (mb) · · · (deg) (m/s) · ·	DATA LOCATION REMARK	Tape/Diskette ID File Name/Header		Cleaned air bleed valve	MAX. DEPTH = m	FLUOR SN CHAM SN	/ERTED MONITOR VALUES  DATA  DATA	SEC. TEMP SALINITY SAL. BIO CHL. NUTR.									
TIME	TIME	DSD8 1.D.	WET	(2)	DATA LOCATION					CHIAM SA		SALINITY					:				
1771 DEG MIN 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1771 DEG MIN DEG MIN DEG MIN DEG MIN 170 38. 1771 TIMES 1771 START DOWN 1772 AT DEPTH 2251 AT SURFACE 501 PAR SN	CT & LEG	TIME (GMT)	YR HR MIN	20	Tape/Diskette			:	UOR S/N	NITOR VALUES	SEC. TEMP							ç		
1771 DEG MIN 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1771 DEG MIN DEG MIN DEG MIN DEG MIN 170 38. 1771 TIMES 1771 START DOWN 1772 AT DEPTH 2251 AT SURFACE 501 PAR SN	PROJE HX220	DATE		JOTIME JOIN					H	TD CONVERTED MON		_					•			
171 171 171 171 171 171 171 171 171 171	1771 1771 1771 1771 1771 1771 1771 177		TONGITUD	DEG MIN	1 FICH HIST	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR SA				÷							
	SS SN TEMP SN THEMP S		ATMIDE		<u>ö</u>	* 63503	1771	1772	2251	50		PRESS	6			1					

CASTS  CA	VESSEL Alpha Hefix					PROJECT & LEG HX220	.EG	DSDB 1.D.				STATIO	N DESIGN	STATION DESIGNATION	z	
MIN   DEG   WIN   DAY   WO   YR   Hi   MIN   YC)   YCO   (mb)   Y   YCO   YC		ATMINE	NO.	STUDE	) ATE	ď	TIME (GMT)	DRY	WET	SEA STATE	WIND DIRN.	SP WIND CLOUD (amit)	WEATHER	ВОТТОМ DEPTH		STA. Mend
The	Sac	MIN	950	N	) Ad	H	H MIN	5	<u>ဂ</u>	۱.	(deg)	(s/w)	•	Œ		
Tape Diskette ID   File Name/Header   Control	3056	4/.	169/		5	6								1		7
Tape/Diskette ID   File Name/Header   OS 7744     1772   START DOWN   Tape/Diskette ID   File Name/Header   OS 7744     1772   AT DEPTH   EAST   EAST   EAST   EAST     2551   AT SURFACE   ELUCH S/N   ENTITE BOTTLE   SAMPLE S	SBE 9+ 0		TIMES	3	)/TIME		-	ā	ATA LOCA	¥OE		<u>Œ</u>	EMARK	1/4 8	Ą	4
1771   STAFT DOWN   1772   AT DEPTH   1772   AT SURFACE   1772   AT SURFACE   1772   AT SURFACE   1774   ANY. DEPTH   1774	RESS SN	# 63503	DATA ON	l		1	Tape/Diske	ifte ID		e Name/	Header	1.1	Ç,	7	1	
T772   AT DEPTH	PRI TEMP SN	1771	START DO	·		1			1			<u>~ [</u>	200	Juk	60	1
PAR SN	C TEMP SN	1772	AT DEPTH						!			_	Cleane	d air Di	Agy Day	•
PAR SN	. NS GNOO R	2051	AT SURFA	ا پر				.1				<u> </u>	AX. DEP	HH=	I	€
PRESSURE PRI. TEMP. SEC. TEMP SALINITY SAL. Bio CHI.	NO CINCO O	l l	PAR SA			TI-LUOR (	NS.		CHIA	NS N		-	TRANS	S.S.		<b>!</b>
7 PRESSURE PRI TEMP. SEC. TEMP SALINITY SAL. Bio CHI.	SS. TRIP DEPTH			][	CONVERTE	D MONITOR	VALUES		]	3	AMPLE BO DATA	JE JE	SAMPL	£ 80TT	LE NUN	BER
		PRESS	URE	PRI. 1	TEMP.	SEC.	TEMP	§	LINITY		SALINITY		, j	BS:	CHL.	WHIT'S NUTR.
	50									+		+	+	1		
										<del> </del>		.		1		
													$\dagger$	1		
												+				
	2												$\dagger$			
												$\dagger$	$\dagger$	+		
								-		$\frac{1}{1}$			$\dagger$	1		
	_												+	$\dagger$		
												+	+	+		
	0		,							+		$\frac{1}{1}$	$\dagger$			
	1						+					<u> </u>	-			
	2		į							$\dashv$			$\exists$	1		

<del></del>											4	100	50/	600	100								
	STA. NAME/ID		5657		į		2	ε		MBER	WHIT'S NUTR.											$\prod$	
NO.		- 1	- T			135	Cleaned air bleed valve	,		SAMPLE BOTTLE NUMBER	룡												
STATION DESIGNATION $S62$	WEATHER DEPTH		44	RIKS	18		ned air	MAX. DEPTH =	TRANS. S/N	PLE BO	윮												
NE A	POUD (SIMI) COUD (SIMI) SO W	:		REMARKS	Ţ			MAX. C	TES	SAN	SF.										700	-	
STA	O WING	(m/s)				ı	ı			ОТПЕ А	ПУ	23/0/											
	VISIBILITY DIAN VISIBILITY	(geg)			Header					SAMPLE BOTTLE DATA	SALINITY	1602						ř			١		
	PRESSURE SEA STATE VISIBILITY	(mb)		NO.	File Name/Header				NS.	S		**							-			+	=
   	WET	(၁)		DATA LOCATION	達				CHAM SAN	1	, LI						ŀ						ļ
DSDB I.D.	DRY	(2)	•	DAT	te ID		•				SALINITY												
EG	TIME (GMT)	HR MIN	8200		Tape/Diskette ID				Š	VALUES	EMP												$\dashv$
PROJECT & LEG HX220	<del>ل</del>	MO YR	9 N N 6		1			 	FLUOR SAN	CONVERTED MONITOR VALUES	SEC. TEMP												
₹ ₹	DATE JO-	DAY	5 W/D ,	JD/TIME	i					ONVERTED	TEMP.										=		
	10E	Z	1.49	5	l	z	l	l 		CED	<u>E</u>	}		,									<u> </u>
	TONGILIDE	DEG	4/691	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR SAN		<u></u>	!											
	4.1	F	N J	F		<u>s</u>	<u> </u>	<u> </u>		4	PRESSURE												
	LATITUDE	Z	34.1		63203	1771	132	225.1	i s	8												, , -	
VESSEL Alpha Helix			56	0 ±	SSN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP		(3.7)	39.0	66	2.1								]
VESSEL	CONSC		23	SBE 9+0	PRESS SN	PRI T	SECT	P	CEC.	SOS.		-	2	က	4	2	မ	7	80	တ	5	11	12

VESSEL Alaba Halix				A I	PROJECT & LEG	EG	DS08 I.D.				STATI	SA DE	STATION DESIGNATION	N.		
<u> </u>						TIME	DRY	WET	BRUSSBR BIAIS AB	SIBILITY S	MIND (smit)	LOUD (amt) YPE YPE YPEATHER	BOTTOM		STA.	
CAST # L	LATITUDE		LONGITUDE	DAY MO	MO YR	HR MIN	3 5			M -	(m/s)	W - 1	(m)	+-1		
13256	N 424. X		0.B/B W	6	JUN99	22							D		2	
SBE 9+ 0		TIMES	/Qr	JD/TIME		`	0	DATA LOCATION	<u>₹</u>			REMARKS	KS KS			
PRESS SN #	63203	DATAON	ļ		1	Tape/Diskette ID	tte ID	Ť	e Nam	File Name/Header						
PRI TEMP SN	1771	START DOWN			l			1				F				
SEC TEMP SN	1772	AT DEPTH							Ì		Commi	<u>\$</u>	ed air b	Cleaned air bleed valve		
PRI COND SN	225.1	AT SURFACE	<b>ا</b> پر		 							MAX. DEPTH =	PTH=		E	
CET COMIT ON	100	MS BAG			FLUOR SA	NS.		CHIAM S/N	NS.	   		TRAN	TRANS. SAV			
POS. TRIP	8		CTD CONV	ONVERTE	ERTED MONITOR VALUES	VALUES		<u> </u> 		SAMPLE BOTTLE DATA	этс	SAM	LE BOT	SAMPLE BOTTLE NUMBER	 Eg	
×6°	PRESSURE	J. C. C.	PRI. TEMP.	EMP.	SEC.	SEC. TEMP	SA	SALINITY		SALINITY	<b>→</b>	SA.	:8	동	WHIT'S NUTR	* F
1 458										W <sub>S</sub>						n ten
2 39 4													1	7	1	after of the second
က									$\dashv$					32	B	E.
4														***	N A	4
19 5 84						7					1			+		
9									â î				_	-		
7							3		1	22						
80											1		7			
6									+		1		+	1	1	
10									+		$\dagger$	1	+	$\dagger$	T	
11									.lı			$\top$	+			
12												7	7			

CAST   LATTUCE	VESSEL Abha Helix					PROJECT & LEG HX220	LEG	DSDB I.D.	31.D.		S	STATION DESIGNATION $SGEH$	DESIGNAT	NOIL	
1		y.	2	- u	## <u>#</u>	<u>ا</u>	TIME	DRY		PHESSURE SEA STATE TSIBILITY	WIND DIRN.	S S COUD (amt) 1977	WEATHER		STA. AME/ID
1	<u> </u>	MIN	DEG	WIN			-	(2)	T	nb) • •	(ded)	; (\$ <sub>2</sub> )		Н	
TIMES   LOTTIME   LOTTIM	563	6	100	2.53	0   <b>X</b>	6	5111	•						70	
1771   START DOWN   Tape/Diskette   D   File Name/Header	SBE 9+ 0		TIMES	)Or	TIME			ã	ATA LOCATA	8		REM	ARKS		
T771   START DOWN     1772   AT DEPTH     2251   AT SURFACE     2261   PAR S.N	•		DATA ON			<b>\</b>	Tape/Diske	Ate ID	E B	Name/Hk	ader				
7772   AT DEPTH			START DO	NA N		1						_[		!	
2261 AT SURFACE  SOI  PAR SIN  CTD CONVERTED MONTOR VALUES  PRESSURE  PRI, TEMP.  SEC. TEMP  SALINITY  SAL			AT DEPTH		!							3	earned air	bleed va	2
PRESSURE PRI. TEMP. SEC. TEMP SALINITY	1		AT SURFA(	 		l						MAX	DEPTH		E
PRESSURE PRI, TEMP. SEC, TEMP SALINITY SAL, BIO CHI.	1		PAB CA			FIIOR	\ <b>S</b>		CHAM	×.		Ë	ANS. SA		
DEPTH         PRESSURE         PRI, TEMP.         SEC, TEMP         SALINITY				$\ $	NVERTE	D MONITO	3 VALUES				PLE BOTT	<u> </u>	WPLE BC	TTLEN	MBER
10.3. PRESSURE PRI, TEMP. SEC, TEMP SALINITY SALINITY SAL, Bio CHI.  55 47 20 0 0 1											DATA	. <u></u>			
25 26 20 20 20 20 20 20 20 20 20 20 20 20 20		PRESSU	#	P. I.R.	JAP.	SEC	TEMP	SA	LINITY	63	SALINITY	₹.			WHIT'S NUTR.
7 2 2	╁			75											1160
7 2 2	+														11.
2 2	┼													7	21
	╀				!				i				-	7	113
6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	-											_		7	113
7         8         9         10         11         12	9							ļ					_		
9 10 11 12											2		_		
11 12	88									_		_	_	11	
11	6									_		<u> </u>	_	-	
12	10												_ -		
12	#											<u> </u>	$\downarrow$	1	
	12								i	4			4		

VESSEL Aloha Helix				<u> </u>	PROJECT & LEG HX220	93	DSDB I.D.	(D.		STA	STATION DESIGNATION 56E5	GESIGNATIO		<u> </u>
	ATITIDE	NO	JOI ELEWO	DATE JD=	۵	TIME	DRY	WET	PRESSURE SEA STATE YTURIBIEITY	WIND WIND DIRN. SPD.	S S S S S S S S S S S S S S S S S S S	BOTTOM DEPTH	A STA. NAME/ID	
920	MIN	DEG	NIN	λ¥Ω	MO YR	HR MIN	(၁)	П			•	E		- T
1 41	7 7 N	<u>6</u> ,	34.4 W		0 0 N 0 10 1	1315		•				1		, -
SBE 9+ 0		<b>∣</b> ⊨	MITAGE	IME			Q	DATA LOCATION	<u>₹</u>	·	REMARKS	S	S. AVE Ples	is behice
<b> </b> _'	* <b>6</b> 3503	DATA ON	ļ		<u>.</u> 1	Tape/Diskette ID	te (D	File	File Name/Header Hus	der Take	37	2	Chred now	্ব
PRI TEMP SN	1771	START DOWN	MN			i				- 				
SEC TEMP SN		AT DEPTH										ed afr be	Cleaned air bleed valve	
		AT SURFACE	ا س	}							MAX. DEPTH =	PTH=	ε	1
l		PAR SAN			FLUOR SAN	¥		CHIAM SAN	SAN		TRAN	THANS. SAN		
			CTD CON	NVERTED	ERTED MONITOR VALUES	VALUES			SAMPL	SAMPLE BOTTLE DATA	SAMP	це вот	SAMPLE BOTTLE NUMBER	<del></del> -
													WHITE	1 9
	PRESSURE	E E	PRI. TEMP.	MP.	SEC. TEMP	ЕМР	₹.	SALINITY	\$	SALINITY	SAL	:8:	CHL. NUTR.	آنہ ہ
- E3								ļ	_		500		16	
2 60			    -  -					ı					(190	
												+	511	
-													7	
5 0												+	7	<u>. I''</u>
9														<del>-</del>
7									TO.			+	1	
8												十	-	
G												$\dagger$		
10												+		<u> </u>
11													+	<del></del>
12												1		_

STATION DESIGNATION	と WIND WIND STA. STA. STA. SPD. G 大学 DEPTH NAMEND	(s/w) (spp)	REMARKS	Header	Cleaned air bleed valve	MAX. DEPTH = m	THANS. S/N	SAMPLE BOTTLE SAMPLE BOTTLE NUMBER DATA	SALINITY SAL. Bio CHL. NUTR.	961	5-61	25/ 12-4	1/ 193	cei							
DSDB I.D.	TIME DRY WET SEASURE BULB PRESSURE	(cc) (mb)		Tape/Diskette ID File Name/Header	79		Chiam Sin		RP SALINITY							20					
PROJECT & LEG HX220		DAY MO YR	JOYTIME				FLUOR SA	CTD CONVERTED M	PRI, TEMP. SEC. TEMP				83								
. <u></u>	ATTINDE	DEG MIN DEG	TIMES	# 63203		2054	[C2]		PRESSURE	69	0.3	70	2	0							
VESSEL Alpha Holiv	CONSC	200	SEF	PRESS SN	PRI TEMP SN	DRI COND SN	No CINCO COS	POS.		-	. ~	╀	+	S	9	7	80	o	9	=	ţ

	ا و ر	F	7					ε		95	WHIT'S NUTR.	132	2	e G	000	-Ac	T	П	Т	$\neg$	T		
	STA. NAME/ID						valve			SAMPLE BOTTLE NUMBER		-	-	=		-	+	-	$\dashv$	$\dashv$	┪	+	<del>-</del>
NOE A	<b>₩</b> E		ls O			ŀ	Cleaned air bleed valve	ıı	Z	отте			-	_		_		_	_	4	_	$\dashv$	_
ESIGNA (2)	язнідэм 8 о	1		PIKS			amed ai	MAX. DEPTH =	TRANS. SAN	APLE B	<u>`</u>			$ \downarrow $	_			_		$\perp$			_
STATION DESIGNATION	SP (Smit)	:-	$\exists$	REMARKS		[	පී	₩.	TR	WS.	SAL												21
STA	S WING	(s/m)	=							SAMPLE BOTTLE DATA	≥							!					
	WIND DIRN.	<u> </u>			eader				ŀ	APLE BO DATA	SALINITY							Ö				-	
	SEA STATE YTER		=	æ	File Name/Header	İ			Z	¥S.	<u> </u>												
	PRESSURE	<b>E</b>		CATIO	File				CHAM SAN														
	WET	<u>ଅ</u>		DATA LOCATION		ı					SALINITY												
DSDB I.D.	DRY BULB	ଥ	•	ã	₽						8							Š.					
			17		skette						<u> </u>											_	
မ္ဘ	TIME (GMT)	HR MIN	74		Tape/Diskette ID				 	ALUES	9												
PROJECT & LEG HX220		Œ,	6						FLUOR SAN	CTD CONVERTED MONITOR VALUES	SEC TEMP							ş					
PROJE HX220	DATE JD=	<b>≩</b>	<u>0</u>		1	1			F			_	_	_									
	DATE	DAY	<u></u>	JD/TIME						NVERT	9												
	у		¥ 0 €	5	١					8   8	PRI TEMP												
	LONGITUDE	NEW T	42			N.	_	ÿ	_				_										
	9	DEG	19	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR SAN			,											
-			N	=		ST	<u> </u>	<u> </u>		]	101 100 100		Ì										
	LATITUDE		5		63503	1771	132	226.1	,	-	8												0.0
		NIN U	62		*	l		ı		R L E		0	Ž	2					<u> </u>	<del>                                     </del>		-	H
VESSEL Alpha Helix	೫ ±	DEG	236563	0 #	SSN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	CEC COND SN	TRIP DEPTH		0.01	pt.	h	20		s.						
VESSEL Alpha	CONSC CAST #		23	SBE 9+ 0	PRESS SN	PRI	SEC 1	PB 0	CEC.	S S		<u> </u>	٠	, 6	7	2	ဖ	^	. 00	6	2	=	

<del></del>			\$5/	3	<b>L</b> ist		)																K
	STA. NAME/ID	-				1	æ	٤		MBER	WHIT'S NUTR.												-33
8	<u>.</u> .	+	40				Cleaned air bleed varve			SAMPLE BOTTLE NUMBER	동												
STATION DESIGNATION	WEATHER DEPTH	<b>E</b>		HCS			med air i	MAX. DEPTH =	TRANS. SAN	PLE BO	:&												
	NE CLOUD (smt)	:		REMARKS			3	MAX. D	TR TR	SAN	SAL												-
STA						1	ı			OTTLE A	È						$ begin{array}{c} T \end{array}$						
	VISIBILITY OF WANTED	(Bep)			File Name/Header					SAMPLE BOTTLE DATA	SALINITY							č					
	PRESSURE STATE A32	(qw)		10K	e Name			:	NS V	S			1		_			+		+			=
G	WET	(2)		DATA LOCATION		!		 	CHAM SA	]	SALINITY	ŧ											
DSDB (D)	DRY BULB	(2)	-	2	te 1D			,			NS.								:				
့	TIME (GMT)	HR MIN	900cc		Tape/Diskette ID		İ		z	ALUES	dW											$\dashv$	
PROJECT & LEG HX220		ΥB	9 9		<u> </u>		L	<u>l</u> .	FLUOR SAN	CTD CONVERTED MONITOR VALUES	SEC. TEMP						I	ļ					
PROJE HX220	DATE JD=	O¥I	NOFQ													_	$\dashv$	_				$\dashv$	_
	DA1	DAY	l M	JD/TIME						SONVER	TEMP.												
	CONGITUDE	NIM	5		'	Z	•	I w		CID	PRI. TI		1	•								j	
	9NO1	DEG	1599	ES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR SN														
-			J N F	TIMES		STA	Ē	<u>¥</u>			PRESSURE						1	i					
:	LATITUDE	N.	39-744N		* <b>6</b> 3503	1771	1 2	28.	5	8	l æ												
Helix		9	37563	0	_ '	IP SN	NP SN	I NS Q	ا ا	TRIP DEPTH													
VESSEL Apha Helix	CONSC CAST #		237	SBE 9+ 0	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND.SN	SS		-	2	က	4	9	9	7	@	6	2	=	12

VESSEL Alpha Helix	elix			PROJECT & LEG HX220	LEG	DSDB LD.	LD.		STATI	ONDES	STATION DESIGNATION $\mathcal{L}\mathcal{A}\mathcal{A}$	   <sub>=</sub>	
CONSC	ATHIDE	Š	ONGITUDE	DATE .D=	TIME (GMT)	DRY	WET SSURE	SEA STATE VISIBILITY O MIN O M	CLOUD (amt)	WEATHER	BOTTOM DEPTH		STA. NAME/ID
	DEG	DEG		DAY MO YR	1 = 1	(2)	(°C) (mb)	(6ep) (	(m/s)	-	<b>E</b>		
238564	56411. 65N	166	W 6 5 . 9	e e N U C O I W F	3166	•	•				8		
SBE 9+ 0		TIMES	JOYTIME	ш		PA	DATA LOCATION	_		REMARKS	S		
PRESS SN	80589 N	DATA ON			Tape/Diskette ID	tte ID	Ele R	File Name/Header	!_				
PRI TEMP SN	SN 1771	START DOWN	NW.	ė.					L				
SEC TEMP SN		АТ ОЕРТН		[						Clean	Cleaned air bleed valve	ved valv	
PRI COND SN	285	AT SURFACE	<b>8</b>				[		2	MAX. DEPTH =	PIH=		ε
CEL COMID CN	3	PAR SA		FLUOR SAN	NS.		CHAM SAN			TRANS. SAN	S. S.N	1	ı
POS.	TRIP DEPTH		-	CTD CONVERTED MONITOR VALUES	VALUES			SAMPLE BOTTLE DATA	E E	SAMP	SAMPLE BOTTLE NUMBER	LE NUN	IBER
	HANS SHAP	in the second	PRI. TEMP.		SEC. TEMP	, in the state of	SALINITY	SALINITY		SAL.	:8	붕	WHIT'S NUTR.
1	11	!	,										136
+	70				,								135
┼	al		• - 44 - 26 - 3 - 44 - 26 - 3				i						134
1	0										-		133
2								30m C		$\dashv$			
9											1		
						×			1				
. «													
6			4. c.			٠					1	1	
2			,							1	1		
11				e, e e e						+	†	1	
12				\$4.7						$\dashv$	7		

VESSEL Alpha Helix					PROJECT & LEG HX220	& LEG	DSDB I.D.	N.D.			STATI	S S	STATION DESIGNATION $\mathcal{C}\mathcal{D}\mathcal{S}$	S,	
CONSC						TIME	DRY	WET	SSURE STATE	PILITY WIN O	gnia	OUD (amt) 34 A3HTA	BOTTOM		STA.
	LATITUDE	FONG	LONGITUDE	DATE	-OC	$\rightarrow$	BULB			ISIA	SPD.	TYP CCC		_	NAME/ID
DEG	MIN	DEG	N.	DAY	Ş	YR HR MIN	္မွ	ଥ	<u>E</u>	(Bag)	(S/W)	:	Ξ	-	-
23956	643.50N	1654	9 6	<b>9</b>	e N O C D M	90019								43	
SBE 9+ 0		TIMES	OS.	JD/TIME			3	DATA LOCATION	<u>8</u>			REMARKS	IKS		
PRESS SN	# 63503	DATA ON				Tape/Diskette ID	otte ID	Ë	Name	File Name/Header	•				
PRI TEMP SN	1771	START DOWN	ا ج								4	l			
SEC TEMP SN	N 1772	АТ БЕРТН										88	Cleaned air bleed valve	ed va	<u>ş</u>
PRI COND SN	V 2251	AT SURFACE	ш					[				MAX. D	MAX. DEPTH =		Ε
SEC COND SN	Ī	PAR S/N			FUG	FLUOR S/N		ChIAM S/N	- NS			TRA	TRANS. S/N		1
POS. TRIP DEPTH			CTD CC	NVERI	ED MONIT	CTD CONVERTED MONITOR VALUES			S	SAMPLE BOTTLE DATA	TLE	SAM	SAMPLE BOTTLE NUMBER	TLE NU	MBER
	PRESSURE	URE	PRI. TEMP.	Ā.	SE	SEC. TEMP	YS .	SALINITY		SALINITY	13	SAL.	Bio	SH.	WHIT'S NUTR.
1	Có									:					140
2 40	ρ														139
	lo														133
4 O							39								137
5									=						
9															
7				00					1						
8															
6															
10				i											
11									┿		寸				
12									=						

VESSEL Alpha H	VESSEL Alpha Helix				a I	PROJECT & LEG HX220	LEG	DSDB I.D.	31.D			STATIO	N DESK	STATION DESIGNATION	_	
CONSC CAST #		ATTIME	Š	ONGITLIDE	DATE .ID=		TIME	DRY	WET	PRESSURE STATE A30		Sins) QUOJ.	HEATHER WEATHER	BOTTOM		STA.
	DEG	NIM	DEG	NIN	DAY	MO	1-	1	1-	3 -	(ged)	(s/ш)	1	ε		
24	2405645	451.30N	THE REAL PROPERTY.			6 N N C			53 - 13 53					44		
SBE 9+0	e e		TIMES	νας	JD/TIME			õ	DATA LOCATION	NOI		æ	REMARKS	S		
PRESS SN	'	# 63503	DATAON			١	Tape/Diskette ID	offe ID	Ě	File Name/Header	Header					
PRI TEMP SN	MP SN	1771	START DOWN	N.		1						[				
SEC TE	SEC TEMP SN	1772	АТ ОЕРТН			<b> </b>							Cleane	Cleaned air bleed valve	od valve	0
PRI COND SN	NS QN	2251	AT SURFACE	<b>—</b> Ж					 <sub> </sub>			ž	MAX. DEPTH =	TH=		Ε
SEC &	SEC COND SN	501	PAR S/N			PLUOR SAN	NS		CHIAM SAN	   <u>\s</u>			TRANS. S/N	N/S		1
POS.	TRIP DEPTH			CID	NVERTE	CTD CONVERTED MONITOR VALUES	RVALUES			À	SAMPLE BOTTLE DATA	3	SAMPL	SAMPLE BOTTLE NUMBER	E NOW	BER
		PRESSURE	URE	PRI. TEMP.	MP.	SEC.	SEC. TEMP	SAI	SALINITY		SALINITY	"	SAL.	Bio	F.	WHIT'S.
1	73											16	0 40			77
2	940									_					_	43
က	ac.															47
4	0															MI
5				100								1	$\dashv$	_		
9													$\dashv$			
7																
80												**				
6													$\dashv$	$\dashv$		
9												+		$\dashv$		
=										_			$\dashv$	+		
5										_		=	$\dashv$	$\dashv$	┪	

VESSEL Alpha Helix				E X	PROJECT & LEG HX220	EG	DSDB I.D.	<u>면</u>			зтатю	N DESI	STATION DESIGNATION $\mathcal{F}$	2.	
	No.								TATE		(tms) (	HEB			
CONSC CAST #	LATITUDE	LONGITUDE		Date JD=	=	TIME (GMT)	DRY BULB	WET BULB	SEV 2 bbes	VISIBIL OIRN.	PD.CLOUI	<u>TYPE</u> TA3W	BOTTOM DEPTH		STA. NAME/ID
930	MIN	DEG N	1	DAY	MO YR	HR /MIN	(၁.)	) (၁ <sub>°</sub> )	(qm)	(ded)	* (s/m)		(m)		7
24156°	99.15N	16833	· 2000	$\subseteq$	66 N O C	2000	•	•					びと		7
SBE 9+ 0		TIMES	JD/TIME	Ę.	E .		ď	DATA LOCATION	NO.		Œ	REMARKS	s		•
PRESS SN #	# 63503	DATAON				Tape/Diskette ID	tte ID	File	File Name/Header	Header	(1)				
PRI TEMP SN	1771	START DOWN									L				
SEC TEMP SN	1772	АТ БЕРТН										Cleane	Cleaned air bleed valve	ed valv	
PRI COND SN	2251	AT SURFACE									Ž	MAX. DEPTH =	TH=		Ε
SEC COND SN		PAR S/N			FLUOR S/N	N,	l	CHIAM S/N	NS.			TRANS. SAN	NS.		1
POS. TRIP DEPTH			CTD CON	VERTED	CTD CONVERTED MONITOR VALUES	VALUES		]	ζħ	SAMPLE BOTTLE DATA	<u> </u>	SAMPI	SAMPLE BOTTLE NUMBER	E NUM	BER
									+		+	┢			
-	PRESSURE	URE	PRI. TEMP.	<u>a</u> .	SEC. TEMP	EMP	SAL	SALINITY		SALINITY	~	SAL.	Bi	占	WHII'S NUTR.
1461															44
2 35/3															146
3 7 6							i				1.21				557
4									_		_				
S.				$\neg$					$\dashv$		$\dashv$				
9									4		+	1	+		
7			*								_	7	1		
8															ľ
6			į						_						
10				$\dashv$					_		$\dashv$	1			
11									$\dashv$		$\dashv$		1		
12				$\dashv$		$\dashv$			=		$\dashv$	$\exists$	$\dashv$	ヿ	

VESSEL Alpha Helix				PROJE HX220	PROJECT & LEG HX220	9	DSDB 1.D.	.D.			STATION DESIGNATION	N DESIG	NATIO Q			
CONSC CAST #	LATITUDE	TONG	LONGITUDE	DATE JD=	-	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY PIND PIND PIND PIND PIND PIND PIND PIND	SPD. Gmt) CLOUD (amt)	TYPE MEATHER	BOTTOM DEPTH		STA. NAME/ID	
DEG	G MIN	DEG	Н	DAY MO	ΥH	HR MIN	(၃)	(၁၈)	(qui)	(deg)	(m/s)	٠	Œ			
8495648	648.7 IN		16359.39WE	NOC 13	6	5690	•						44			
SBE 9+0		TIMES	JO/TIME	₩E			ă	DATA LOCATION	NO.		æ	REMARKS				
PRESS SN	# 63503	DATA ON				Tape/Diskette ID	tte ID	ij	File Name/Header	Header	-				***************************************	
PRI TEMP SN	1771	START DOWN	¥.								[				23 14 15 15	
SEC TEMP SN	1772	АТ ОЕРТН	37							ia:		Cleaner	dair ble	Cleaned air bleed valve		
PRI COND SN		AT SURFACE	<b>—</b>		_						¥	MAX. DEPTH =	표		ε	
SEC COND SN		PAR S/N	*		FLUOR S/N	z		ChIAM S/N	<u> </u>			TRANS. S/N	NS		ŀ	
POS. TRIP DEPTH				CTD CONVERTED MONITOR VALUES	ONITOR	/ALUES			ζŝ	SAMPLE BOTTLE DATA	<u></u>	SAMPL	Е ВОТП	SAMPLE BOTTLE NUMBER	BER	
		4.											-		WHIT's	
	PRESSURE	URE	PRI. TEMP.	J.	SEC. TEMP	JAP.	SA	SALINITY	-	SALINITY	S	SAL.	Bio Bio	봉	NUTR.	
1 71	10							`				$\dashv$		5	53.7	III ,
2 40			=						<del>-</del>		<u> </u>	+	$\dashv$	93	536	Persu
3 21	· A	1								į		$\dashv$			535	Amend-
46 A	Ť,								$\dashv$			9	-	*	~ /,	ment
5 20	0,								<u> </u>	i	$\dashv$	+	4	1	234	,
01 9	0				_				1		+	-	$\dashv$	- gr ,3	533	
	)	·	·	1+1							-	$\dashv$	$\dashv$		532	
8	:								<u> </u>		<u> </u> 	$\dashv$		+		
6									<u> </u>			+	_	+		
10					_				+		$\frac{1}{1}$	+	-	$\dashv$		
11				2	_				_		$\dashv$	+	+	$\dagger$	1	
12									$\dashv$		$\dashv$	$\dashv$	$\dashv$			

TEM 000 12 12 12 12 12 12 12 12 12 12 12 12 12	930		_						_	_				
W 000 # E E	090	LONGITUDE	DATE JD=	1	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY DIPN.	SPOUD (smit) CLOUD (smit)	CLOUD (amt) TYPE ÄTHTER	ВОТТОМ DEPTH		STA. NAME/ID
	1	NIM	DAY	MO YR	HR M/N	(၃)	Г		ļ.	(m/s)	•	Έ)	Š	
	Ś	53		6 6 2	5490							12	Jano.	EXACU
	TIMES	/Qr	JD/TIME		_	ā	DATA LOCATION	<u>S</u>			REMARKS	ົ ອ		
- 1 1	ට3 DATAON			1	Tape/Diskette ID	tte ID	置	) Name	File Name/Header		X	Rho's cas	S	1
	START DOWN	NMC								<u>.</u>	Î			
	АТ ОЕРТН	_		1							Cean	Cleaned air bleed valve	eed val	9
PRI COND SN 2251	AT SURFACE	ACE.	<b>.</b>				ļ				MAX. DEPTH=	PTH=		ε
SEC COND SN 501	PAR S/N	Z		FLUOR S/N	<b>₹</b>	1	ChIAM S/N	NS.			TRAN	TRANS. S/N		1
POS. TRIP DEPTH		CTD	CTD CONVERTED MONITOR VALUES	MONITOR	VALUES			S	SAMPLE BOTTLE DATA	ПСЕ	SAMF	SAMPLE BOTTLE NUMBER	ILE NUI	<b>ABER</b>
	PRESSURE	PRI. TEMP.	EMP.	SEC. TEMP	EMP	SAI	SALINITY		SALINITY	<u> </u>	SAL.	Bio	CHL.	WHIT'S NUTR.
98 1														
2 36														
3 23								$\dashv$					Ţ	
4 23								_						
£1 5														
41 9								1						
6 4		:	OO,						E		1			
8 01								- 1						
ر د د														
5 01									ļ					
0 11					+			$\dashv$		十		十	$\top$	
12 0					$\neg$			4		$\dashv$	$\exists$			

80	STA. NAME/ID	801				valve	E		NUMBER		WHIT'S NUTR.	151 7		149) (3 heep	14.8%	. 59.7							
	ВОТТОМ	(m)	S)		r e	Cleaned air bleed valve	PTH=	TRANS. S/N	SAMPLE BOTTLE NUMBER		Bi CH.												
STATION DESIGNATION	S WIND CLOUD (amt) TYPE TYPE	• • • • • • • • • • • • • • • • • • • •	REMARKS	2.7	[	Clean	MAX. DEPTH =	TEAN			SAL								î				
ST/	SEA STATE VISIBILITY WIND DIRN. SP	(бер)		File Name/Header					SAMPLE BOTTLE DATA	W	SALINITY				<i>₹</i>								
DSDB I.D.	WET SSURE BULB PPE	(°C) (mb)	DATA LOCATION	File Na				CHIAM S/N			SALINITY												
	DRY	(2)		ette ID									,										
<u> </u>	TIME (GMT)	HR MIN		Tape/Diskette ID			-	 	VALUES		EMP					AP							
PROJECT & LEG HX220	DATE JD=	MO YR						FLUOR S/N	CTD CONVERTED MONITOR VALUES		SEC. TEMP												
		⊗ ▼	JD/TIME				1		CTD CONVER		PRI. TËMP.							0					
	LONGITUDE		TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N			URE		-			*							
	LATITUDE	MIN SO N		# 63503	1771	1772	2251				PRESSURE		i	,				!					
VESSEL Alpha Helix		9 SEG	SBE 9+ 0	PRESS SN #	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	S. TRIP DEPTH			63.9	85.9	194	2,5		-						
炎	8 8	4	SBE	<u> </u>	<u>Æ</u>	SEC	æ	SEC	POS.			-	2	ო	4	2	9	^	∞	တ	9	=	

VESSEL Alpha Helix				E E	PROJECT & LEG HX220	EG	DSDB I.D.	31.0.			STATI	ON DESI	STATION DESIGNATION	9	
	LATITUDE	TON	LONGITUDE	DATE JD=	<b>-</b> 0	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY DIRN.	WIND SPD.	CLOUD (amt) TYPE WEATHER	BOTTOM DEPTH		STA. NAME/ID
が高い	MIN S/55 N	DEC /		M DAV	MO YR	H B	(၃)	<u>ئ</u>	-	(Gep)	(s/m)	•	E	7	2
SBE 9+0	/   5 /	TIMES	a G	]   				DATA LOCATION	Se	-		REMARKS	S.		
PRESS SN #	# 63503	DATA ON				Tape/Diskette ID	offe ID	Ē	File Name/Header	Header					
PRI TEMP SN	1771	START DOWN	WN					Į i			<u></u>				
SEC TEMP SN	1772	AT DEPTH						<b> </b>   1		}	<u></u>	Clean	Cleaned air bleed valve	ed valve	4
PRI COND SN	2251	AT SURFACE	<b>.</b>	•							2	MAX. DEPTH =	₽TH =		Ε
SEC COND SN		PAR SAN			FLUOR S/N	S/N		CHIAM S/N	I SN			TRANS. S/N	NS :		
POS. TRIP DEPTH		]	CTD CO	NVERTEC	CTD CONVERTED MONITOR VALUES	VALUES			Ø	SAMPLE BOTTLE DATA	THE.	SAMPI	SAMPLE BOTTLE NUMBER	ENUM	BER
	PRESSURE	꿆	PRI. TEMP.	MP.	SEC. TEMP	TEMP	YS .	SALINITY	5	SALINITY		SAL.	Bio	OHL.	WHIT'S NUTR.
1 52 4															154
2 39 9															155
3 20.5			•											5	1,54
															(53
5														1	77
9											$\exists$	7			
7				(e)						88	7				
8															
6															
10		- 1							$\frac{1}{1}$					_	
=									_		+	7	$\dashv$	_	
12									$\dashv$		=			┪	

WHIT'S NUTR. STA. NAME/ID SAMPLE BOTTLE NUMBER E Cleaned air bleed valve WIND Gami)
SPD. CLOUD (ami)
SPD. CLOUD (ami)
SPD. CLOUD (ami) STATION DESIGNATION Ξ MAX. DEPTH = THANS. SAN . 윤 REMARKS SAL. . (s/ш) Round Island Offshore SAMPLE BOTTLE WIND DIRN. SALINITY (ded) DATA File Name/Header SEA STATE VISIBILITY (age) DATA LOCATION ChIAM S/N PRESSURE WET BULB SALINITY DSDB I.D. DRY BULB ဉ Tape/Diskette ID 24657 52 . 161 15943.69W11101199300 H H TIME (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG FLUOR S/N Ψ HX220 윷 DATE JD= DAY JD/TIME PRI. TEMP. LONGITUDE START.DOWN AT SURFACE PAR S/N AT DEPTH DATA ON DEG TIMES PRESSURE # 63503 LATITUDE 1771 1772 2251 MIN 50 TRIP DEPTH SEC TEMP SN PRI COND SN SEC COND SN 930 PRI TEMP SN Alpha Helix PRESS SN CONSC CAST # SBE 9+0 VESSEL POS. 10 Ξ N က S 9 2 ~ œ တ

VESSEL Alpha Helix					PROJECT & LEG HX220	, LEG	DSDB 1.D.	31.D.			STATIC	N DESI	STATION DESIGNATION $A_1 \neq A_2$	-14	
	LATITUDE	TON	LONGITUDE	DATE JD=	±Œ	TIME (GMT)	DRY BULB	WET BULB	PRESSURE SEA STATE YISIBILITY	WIND DIRN.	SPOUND (AIRL)	WEALHER	BOTTOM DEPTH		STA. NAME/ID
DEG	MIN	DEG	MIN	DAY	MO YR	HR MIN	(၁့)	(၁့)		(ded)	. (s/w)		(m)		
2478746	NG8 . 83N	1551	7 7	3 W ( 1	6 N D f	47666							44		
SBE 9+ 0		TIMES	g	JD/TIME			õ	DATA LOCATION	NOI		<u> </u>	REMARKS	Ś		
PRESS SN #	# 63503	DATA ON	ı		-	Tape/Diskette ID	ette ID	這	File Name/Header	-leader					
PRI TEMP SN	1771	START DOWN	- NA		1						[				
SEC TEMP SN	1772	AT DEPTH						1				Cleane	Cleaned air bleed valve	ed valv	•
PRI COND SN	2251	AT SURFACE	뜅							!	Σ	MAX. DEPTH =	TH=		E
SEC COND SN		PAR S/N	_		FLUOR SAN	N/S ?		CHIAM S/N	I S/N			TRANS. S/N	S/N		,
POS. TRIP DEPTH				ONVERTE	CTD CONVERTED MONITOR VALUES	R VALUES		  }	YS .	SAMPLE BOTTLE DATA	3	SAMPL	SAMPLE BOTTLE NUMBER	E NUM	BER
	PRESSURE	ä	PRI, TEMP.	EMP.	SEC	SEC. TEMP	KS	SALINITY		SALINITY		SAL.	:8:	동	WHIT'S NUTR.
-	2	0	Samales	7											
2			_	-											
3													7		
4									<u> </u> 				$\dashv$		
5												_			
9									$\dashv$			1	$\dashv$		
7				X											
8															
6									$\dashv$						
10												$\dashv$			
11									4		_	$\dashv$	+		
12											_	$\dashv$	$\dashv$	7	