		r	_	_	Τ.	-		Γ.	_		_		γ		· 	_		T)					0.0		
12	=	5	ဖ	8	-	7	6	ۍ د	4	ω	2			POS.		COND SN	TEMP SN	PRESS SN	TYPE & SN		00		CONSC CAST #		VESSEL NOAA Ship MILLER FREEMAN
-		၁	O	20	00	N 3	40	3	75	100	021	200		TRIP DEPTH		SN	SN	SN	SN	CTD	573	DEG	## ()		Ship N
		<u> </u>	<u> </u>		<u> </u>			<u> </u>	<u>'</u>		1	<u> </u>		로		_	_				2 3	$\overline{}$	LAT		/ILLEI
						,										: 480,	. 889.	29	9Plus		0	<u>S</u>	LATITUDE		RFRE
	•							,					PRESSURE			2: 303	2: 701	29972	91660		22 N				EMA
												-	SURE			ĮŽ Į	AT D	STA	9Plus 91660 DATA ON	TIMES		DEG		•	
												17.7			PAR	1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	START DOWN	NO A	S	151914	6	LON O		
						1										l Ĉ		N			17	M M M	LONGITUDE		
						1							PR.	CTD	X	 }	ı	i	ı		Q	2	유		
									:			-	PRI. TEMP	ONV	FLUOR					JD/TIME	7 W 2 2	O	p		
														ERTE	×					,,,			DATE .		
					T		1	*)						D MOI]]]					МАҮ	MO O	JD=	: :	ME SOE
													SEC.	VIITOR	Chiam						9 8	Ϋ́R		- 90-00	PROJECT & LEG
								· .					SEC. TEMP	CONVERTED MONITOR VALUES	Z				Таре		1923	품	TII (GI	0	e in
					-									JES]			//Disk		23	MN	TIME (GMT)		
														,	TRA				Tape/Diskette ID			()	BC D	·] i
				1									S		TRANSMISSO					_	6.8	(°C)	DRY BULB		
						•							SALINITY		SOME		l			DATA	. 5	(23)	B M		
				Ė											METER		1	b	<u> </u>	A LOCATION	0	Ω	WET BULB		
																		j	File Name/Header	NOIT		<u>ا</u> ڪا	PRESSU		
														SAN	I X			Om 1.	ne/He		47	*	SEA STA VISIBILIT	TY	
i		75:								-			SALINITY	PLE BC	Clean		,	.DAT	ader		320	(deg)	WIND DIRN.		
												,	TY	<u>SAM</u> PLE BOTTLE DATA	ed air		l	-			023	_			ST
					<u> </u>						<u> </u>			ļm	Cleaned air bleed valve	121	!	i anno	<u> </u>	70	1		SPD. CLOUD	(amt)	STATION DESIGNATION
		3	Topological				_					5	SAL.	SAN	y valv	MAX. DEPTH 3		Ped	Rosette was so	REMARKS	862	*	TYPE WEATHE		V DES
		¥433	2434	2435	4		200	24/3/7	2-138	24399	2440	1242	NUTR.	∯PLE I	0	NA P		CAST	He x	₹S	ر ا	П			Sta
	-	727	1	35	+	1	30	3	38	70	Ö	7	1	30111		Į.)	7 12		11	(E)	BOTTOM DEPTH		NOL
				_	1	>	\geq	-					CHL	ENU		201		とは	2					97	-
		~	Ŕ	7	\$	×		一				-	WAY'S	SAMPLE BOTTLE NUMBER		ä		,	incorrect		2		STA. NAME/ID	250×9	
		,											¥ 3.4				1	0	12				0 -	Ç,	

12	=	10	ø.	œ	ŀ	7	o	5 1	4	ω	2	_		POS.		COND SN	TEMP SN	PRESS SN	TYPE & SN		0	CAST#		VESSEL
		@	0	20	00	45	40	50	5£	100	150	200		TRIP DEPTH		NS (SZ	S SN	& SN	CTD	2573	DEG	<u>. </u>	EL Ship MILI
						,				l			PRESSURE			1: 480, 2: 303	1: 889, 2: 701 AT DEPTH	29972	9Plus 91660 DATA ON		80.75N	LATITUDE		VESSEL NOAA Ship MILLER FREEMAN
					:								URE		XPAR	1: 480, 2: 303 AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	146	LONGITUDE DEG MIN		
									<u> </u>				PRI. TEMP.	CTD CONVE	X FLUOR			_	7	JD/TIME	9 8 W	TUDE DATE		
													SEC	CONVERTED MONITOR VALUES	R X ChIAM						M A Y 9	TE JD=		PROJECT & LEG
									,				SEC. TEMP)R VALUES	L,				Tape/Diskette ID		0 7 8	I		-08
		-		-				:		· .	:		SALIN		TRANSMISSOMETER				ite ID	DAT	φ φ		DRY	
						:							NTY		METER		,	CTD002.	File Na	A LOCATION	0	(°C) (mb)	SSURE	
						-					1		SALINITY	SAMPLE BOTTLE DATA	Cleane]		07. PAT	File Name/Header	_	47	* SEA	STATE BILITY	
· -													7	OTTLE	Cleaned air bleed valve	-	! :		J	20		SPD. C	∑ DUD (amt)	STATIO
			P	2				7	2	12	n. 1	16	SAL.	SAMPI	d valve	MAX. DEI			F0×056	REMARKS	6 2	• TYP	E ATHER	N DESIG
		1433	14年7	2435 V	\		2436	7437 V	24 39	2439	2440	1442	NUTR.	SAMPLE BOTTLE NUMBER		MAX. DEPTH = 2_{	emphase and the distribution of the action o		136	ί	215	DEPTH (m)	BOTTOM	STATION DESIGNATION STA 9-2
					+	_					.;	1 2.	CH.	E NOM		0		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			2	NAN	က္ခ	
	*	-	*	1		~	The state of the s	1					WHIT'S NUTR.	BER		Э					9-2	NAME/ID	STA	

12	11	10	9	∞	7	6	ഗ	4	ω	2			POS		CON	TEM	PRE	TYPE		CAST #	CO	VESSEL NOAA S
		0 /	10	জ	জ :	(A)	0.0	0.50	10	50	NOW YOU		TRIP DEPTH		COND SN	TEMP SN	PRESS SN	TYPE & SN	CTD	<u>7</u> <u>6</u>	SC	SEL A Ship MILL
								,				PRESSURE			1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	29972 STAF	9Plus 91660 DATA ON	TIMES	MIN DEG		VESSEL NOAA Ship MILLER FREEMAN
			,									P	СТВ	PAR	URFACE	ЕРТН	START DOWN	NON	Ö	ONGITUDI		
												PRI. TEMP.		XFLUOR					JD/TIME	DATE DAY	· 	
Carl Supple									i			SEC. TEMP	CONVERTED MONITOR VALUES	X ChIAM				Tape/Diskette ID	- 	MO YR HR MIN	TIME	PROJECT & LEG
14. 71. 14. Common tem		,										SALINITY		TRANSMISSOMETER					DATA LOC	(°C) (°C)	DRY	
: 													SAA	X			10003	File Name/Header	LOCATION	4 * SE	ESSURE A STATE BIBILITY	
												SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve				eader			WIND WIND OUD (amt)	STAI
											0	SAL.		e e	MAX. DEPTH =			25	REMARKS	* TY	OUD (amt) PE EATHER	STATION DESIGNATION
. *							-		ļ			NUTR.	SAMPLE BOTTLE NUMBER		1			5-98-05	ک <mark>ر</mark> ک	DEPTH	воттом	GNATION
		<	~	5	<	<	<	5	<	<u></u>	1	CH.	LE NOM		Z08 .			,			 	
	٠								,			WHIT'S NUTR.			3					NAME/ID	STA.	

12	11	10	9	8		7	6	თ	4	ω	~			POS		CON	TEM	PRE	TYP		CONSC CAST#	VESSEL
11 , 4	C	10	20	5,0	3	012	ĝ/	75	100	150	200	231		DEPTH		COND SN	TEMP SN	PRESS SN	TYPE & SN	CTD	77 DEG	SEL A Ship MIL
												<u> </u>	PRESSURE			1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	29972	9Plus 91660 DATA ON		LATITUDE MIN 36.39 N	VESSEL NOAA Ship MILLER FREEMAN
								**		i			RE .		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG MIN	
			ļ						:				PRI. TEMP	CTD CONVE	X FLUOR					JD/TIME	K .	
_				-			,							CTD CONVERTED MONITOR VALUES	OR C					•••	DATE JD= DAY MO Y 2 2 M A Y 9	PROJECT & LEG MF-98-08
													SEC. TEMP	FOR VALUES	ChIAM				Tape/Diskette ID		TIME (GMT) YR HR MIN	&-08 ——
,			,										SA		TRANSMISSOMETER				kette ID	Q	DRY BULB (°C)	
													SALINITY		SOMETER			275	File↑	DATA LOCATION	WET WET PRESSURE	<u> </u>
					-	4							SALINITY	SAMPLE BOTTLE	X Cleane			CTDOOK DAT	File Name/Header	N	PRESSURE	
				<u> </u> 								2			eed	MΑ		į		R	— (m/s) S WIND SPD. * CLOUD (ami	STATION S
N	2442	2443	2444	-	3	2445	2446	5.HH2	2448	2450	2450	24 2451	SAL. NUTR.	SAMPLE BOLLE NOMBER	valve	MAX. DEPTH =			Fox 5x	REMARKS	*WEATHER (m) HTYPE *WEATHER MOTTOM	STATION DESIGNATION
6	7	3	<	T		15	7	3	8	-نج	8	-	온	רד אם סוורה אם		-182			240			- Q
	<		,		1	, n	7	_	*			0	N STAN	MBER A		ā	2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		240mire		STA. NAME/ID	

PG 5 OF __

-					926771					0	12
					-						==
	<								,	O'_	70
										10	9
					,					>/	8
	0									15/	7
										15	တ
		,								B	ა
										Z	4
	~									64	ω
										20	2
•	30									287	_
CHL. NUTR.	SAL. NUTR. C	SALINITY	SALINITY	(0)	SEC. TEMP	EMP.	PRI. TEMP	PRESSURE	PRES		
E NUMBE	SAMPLE BOTTLE NUMBER	SAMPLE BOTTLE DATA		(S)	NITOR VALUE	CONVERTED MONITOR VALUES	CTD C			TRIP DEPTH	SOd
	ed valve	Cleaned air bleed valve	TRANSMISSOMETER		ChIAM	FLUOR		PAR			
87,6m	MAX. DEPTH = 2						CE	1: 480, 2: 303 AT SURFACE	1: 480, 2: 30	NS (COND SN
							_	1: 889, 2: 701 AT DEPTH	1: 889, 2: 70	NS	TEMP SN
		1007	070		T		¥	START DOWN	29972	S SN	PRESS SN
	F98-01	File Name/Header	File Nan	Tape/Diskette ID	Tape/D		1	9Plus 91660 DATA ON	9Plus 9166	& SN	TYPE & SN
	REMARKS		DATA LOCATION			JD/TIME	JD/	TIMES		CTD	
114-	761294	7351	0		9 8 Q Z	7	14.861	N 1.551	9 4	h t5t00	0
STA. NAME/ID	* CLOUD (and TYPE * WEATHER BOTTOM DEPTH	SEA STATE VISIBILITY (deg) (m/s) CLOUD (an	(°C) (mb)	DRY BULB	TIME (GMT)	DATE JD=	LONGITUDE	LON	LATITUDE	DEG	CONSC
-	STATION DESIGNATION				MF-98-08 —	PROJE		Z	VESSEL NOAA Ship MILLER FREEMAN	EL Ship MILI	VESSEL NOAA S
	110000000000000000000000000000000000000	2		-				-			

NOAA Ship MILLER FREEMAN	ER FREEMAN					- 1	155-1
			MF-98-08		1	<u>t)</u>	
CONSC			TIME	DRY WET		OUD (amt PE ATHER	BOTTOM STA.
	LATITUDE LON	LONGITUDE DATE	JD= (GMT)	BULB BULB	SEA VISI DIRN.	TYP WE	z
DEG	MIN DEG	1 1	MO YR HR MIN	(°C))) , , (deg)	*	(m)
000574	3.25N1551	5.50w23 M	A Y 9 8 0 3 0	٩. ي ا	00237VAR	05661	18 1 89
CTD	TIMES	JD/TIME		DATA LO	A LOCATION	REMARKS	,
TYPE & SN	9Plus 91660 DATA ON		Tape/Diskette ID		File Name/Header	FOX 6)
PRESS SN	29972 START DOWN	NWC			T. 0008	•	
TEMP SN	1: 889, 2: 701 AT DEPTH						
COND SN	1: 480, 2: 303 AT SURFACE	CE	,			MAX. DEPTH =	TH= 15 6 m
	X PAR		FLUOR CHIAM	TRANSMISSOMETER		leed	
POS. TRIP DEPTH		CTD CONVERTE	D MONITOR VALUES		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER
3	PRESSURE	PRI. TEMP.	SEC. TEMP	SALINITY	SALINITY	SAL.	NUTR. CHL. NOTR.
1 156				٠			2461 ·
2 100						2	2468
3 75	,					2	2467
4 50						(A)	SALP /
5 4 <i>0</i>				·		. 2	2465 / 1
6 30			, v				1
7 20						ಖ	1 / hahe
8 10						22	2463 /
9 0		٠.				ريو	2462 V
10		·					
11				,			4
12							
12				bothes	popped	in cost ect 4 - 6	6× +
		*		ZW	ングシス	(VOTOW	too low). ("

																					(1)					
12	11	10	9	σ.	7	6	5	h .	4	ω	2	50			POS. TRIP		COND SN	TEMP SN	PRESS SN	TYPE & SN	СТВ	009 5743	DEG	CONSC CAST #		NOAA Ship M
													PRESSURE				1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	29972	9Plus 91660 DATA ON		43.0 N	ĭZ Z	LATITUDE		VESSEL NOAA Ship MILLER FREEMAN
_													URE .			XPAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	5515	DEG	LONGITUDE		:
													PRI. TEMP.		CTD CONVI						JD/TIME	7	MIN D.			
															CONVERTED MONITOR VALUES	OR XICI			ě	2		0 W 2 3 M A Y 9	МО	DATE JD=	:	PROJECT & LEG
The same of the sa					÷						8 6		SEC. TEMP	19	OR VALUES	ChIAM		A		Tape/Diskette ID		80356	YR HR MIN	TIME (GMT)		%LEG
i		20					¥				= =	Ī.	SALI			TRANSMISSOMETER	·	100		ette ID	DAT	9 2	(0°)	DRY		
			250										SALINITY			METER			270009	File Na	TA LOCATION	7.002	(°C) (mb)	BULB WET	SURE	
													SALINITY		SAMPLE BOTTLE DATA	Cleaned			09.047	File Name/Header		0237 VAR	. (deg)	SEA ST	.ITY	
<u>.</u>	-				sil.						!		Y SAL			leed	MAX.	bacs	Redid	50	REMARKS	0566	*	SPD ELOUE		STATION DESIGNATION
									+			225	NUTR.	i.e	SAMPLE BOTTLE NUMBER	ve		7	and the	so slot was u	RKS FOX 6)	1.66	\Box	WEATH BOTTOM	TEK _	SIGNATION / S
	d											1	CHL. NOTE.	MZ.	NUMBER		20 m	CID008. DAT	tc.	Mas moon sier	6	15-3		STA.		3

			Г. <u>.</u>		Ι		<u> </u>			Ι			<u>,</u>		Ω	ᆵ		ੁ		0	ု ဂ ဂ		
12	11 (10	9	8	7 40	6	ە س	4	3	2 200	12/8		POS.		COND SN	TEMP SN	PRESS SN	TYPE & SN	C	0 10	CONSC CAST #		VESSEL NOAA S
	(C)	10	20	30	0	50	St	00	50	Ö	958		TRIP DEPTH		ž	Ž	NS	SN	CTD	5 5 4	DEG		VESSEL NOAA Ship MILLER FREEMAN
_		 		<u> </u>	<u> </u>	<u> </u>		<u>.</u>	<u> </u>	<u> </u>			<u> </u>					9		4	LATITUDE		ILLER
		·										P.			480, 2	889, 2	29972	Plus 9		25	Z UDE		FREE
**				•								PRESSURE			1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH		9Pius 91660 DATA ON		z	-		MAN
												JRE	[4	AT SU	AT DE	STAR	DATA	TIMES	57 6	DEG _		
						<u> </u>								PAR	RFAC	PTH	START DOWN	2		62	LONG		
				!							·	Ti	C		Μ̈́		Ź.			•	LONGITUDE		
												PRI. TEMP.	CTD CC	文				1	ξ	2			
												MP.	CONVERTED MONITOR VALUES	FLUOR					JD/TIME	97m9	DATE		
		_					<u> </u>			_			TED I								MO ED=	<u> </u>	' - PR
				-								SE	MON	K	•	1	ı	ı		$ \prec $	<u> </u>	0	PROJECT & LEG
i de						i				¥		SEC. TEMP	OR V	& ChIAM	<u> </u>	Ι	Γ	<u> </u>		+ +	∌ -	c	% LEC
												MP P	ALUE					Tape/Diskette ID		_	TIME (GMT)		
\vdash								,					S	L,				iskett		-9	Z		
											٠			RANSI				ē		۔	BULB BULB		
ľ												SALIN		/ISSC					DATA			•	
												NTY		TRANSMISSOMETER	i				آA LO	9	(°C) WET		
												,		X i			5	File	LOCATION	0	PRESS	URE	
-						<u> </u>	<u> </u>		·				ပ္သ				10	File Name/Header	ž	4	SEA ST	ATE	
										d		SAI	AMPLI D	흥] [0	Head		5	VISIBIL □ ≦	Y	
							 		43			SALINITY	SAMPLE BOTTLE DATA	aned				역			WIND VIND (dea)		
												,	TLE	air ble						5	SPD. CLOUD		STATE
		,									$\overset{\infty}{\circ}$	SAL.	Ş	Cleaned air bleed valve	MAX			WIKE	REM.	2 Z L R	* TYPE		ON DE
-	2	2	2	\	ترو	12	4	2	2	2			AMPL!	Îve	MAX. DEPTH =			1	REMARKS)	• WEATH	ER	SIGN
	2470	747	2472	\	3473	2474	2475	2476	2477	2478	2479	NUTR.	€ BOT					2007 -	2 t	24	BOTTOM DEPTH		STATION DESIGNATION
	<	\	\									CH.	SAMPLE BOTTLE NUMBER		256			246					
-	-	-	_	\vdash	-		 `						JUMBE					3		4	STA. NAME/ID		
	*					ľ						WHIT'S NUTR.	^ښ		3		145 _		_	1-) D '		

4.6

		_					Τ		Г			1.	**1	_					_,			0.0	्र जिल्ल
12	===	6	ဖ	∞	7	6	ς,	4	ω 	2 /	1		POS.		COND SN	TEMP SN	PRESS SN	TYPE & SN	_	0/		CONSC CAST #	VESSEL
	0	0	70	30	Oth	50	st	00	05	<i>10</i> 0	226	<u></u>	TRIP DEPTH		SS	NS	NS S	SN %	CTD	150	DEG	# ±_O	VESSEL NOAA Ship MILLER FREEMAN
													로 ^고							53		<u> </u>	MILLE
								į							1: 480	1: 889	, N	9Plus		9.5	M N	LATITUDE	RFR
				,								PRES	!		2: 30	, 2: 70	29972	9166		9		m	EEMA
								٠				PRESSURE			1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	ST/	9Plus 91660 DATA ON	TIMES	Z -			Z
													ļ 	X PAR	SUR RUR	DEPT	ART D	IA ON	ES	1951	DEG	5	
			\vdash											70	ACE	Ĭ	START DOWN			ري	7	LONGITUDE	
		-										PRI	CTD			. /		1			MIN		
												PRI. TEMP.	CON	X F]] [į			JD/TIME	37WZ/			
												, P	VERT	FLUOR					m		DAY	DATE	\
			-	-									N G					-		M A	MO	JD=	PROJ
							 -					SE	ONITO	Ch Ch	<u> </u> 					Y 9	ΥR		MF-98-08
1									ļ	٠		SEC. TEMP	CONVERTED MONITOR VALUES	ChIAM				교		8	 		-08 -EE
	:				ļ.					 		₽	TUES					Tape/Diskette ID		0413	HR MIN	TIME (GMT)	
				\vdash			ļ	_						<u> </u>				skette			Z		
												·		ANS	İ			₽		9.6	ී	DRY	1/4
2												SALIN	ļ	AISSC					DAT,	0	\vdash		,
	!											YTIN	į	TRANSMISSOMETER		•	•		ΓA LO	9()	<u>ී</u>	WET BULB	
																	C7	File	A LOCATION	١٥		PRESSURE	
-			<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u>. </u>				(0)				10011	File Name/Header	ž	04	* (SEA STATE	1 1
												SA	, AMPI	<u>호</u>			1	/Heac		62	\rightarrow	VISIBILITY	
												SALINITY	SAMPLE BOTTLE DATA	eaned				ē		_	(deg)	WIND DIRN.	
												~	1	air b						0 ((m/s)	S NO CLOUD (am	STAT
			<u> </u>					<u> </u>	<u>.</u>		_	Š	<u> </u>	χ Cleaned air bleed valve	AM.	İ			RE	<u>هر</u>	* (CLOUD (am	STATION DESIGNATION
			~ `		,		-				4	SAL.	SAMPLE BOTTLE NUMBER	raive	MAX. DEPTH =			10-89	REMARKS	7		WEATHER	
	2486	2481	2482	\	2483	1842	5842	78/2	2487	2488	2489	NUTR.	 E BC		PTH =			0/	Ś	4	(m)	BOTTOM	NATIO
H	0		2	5	٠	2	101			00	<u> </u>) JIIIE		22	243				33		∄ 8	
<u> </u>												운	CA S		6	23,64				6		NAN ST	
	,	. <	١ ،	•	6	.6					, 4		TO THE REPORT OF THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN		3	}	+			1		STA.	
<u> </u>	<u> </u>	L	L		<u> </u>	1	1	<u> </u>	<u> </u>	<u> </u>		124	Miles !	<u> </u>	<u> </u>	* 2	8.4	1		-	Ш		

_	Т	1	T	1	Т		1	1	Τ	T	T			וס			ח	1		0	Т	0.0	1-	1
ડે 	=	0	9	8	7	5 - 10	5	4	ω	2	_			POS.	COND SN	TEMP SN	PRESS SN	TYPE & SN	_	77		CONSC CAST #	VOAA	VESSEL
	O	0	8	30	d O	50	75	000	150	200	botto		DEPTH	TRIP	NS	SN	SN	S SN	CTD	5542	DEG	_	Ship MILI	
												PRESSURE		∐ PAR	1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	29972 START DOWN	9Plus 91660 DATA ON	TIMES	2. 3 z	MIN DEG	LATITUDE	NOAA Ship MILLER FREEMAN	
												PRI. TEMP.			ACE	I	NWO		JD/TIME	0 9 - 9 ZW2 6 MAY	MIN DAY	LONGITUDE DATE J		¥ PF
STATE OF THE PARTY										93	W	SEC. TEMP	O MOTAL COX & OF COTO	FLUOR CONVERTED MONITOR VALUES				Tape/Diskette ID	52 11 12	DO 5 1 8 6 A V	MO YR HR MIN	JD= TIME	MF-98-08	PROJECT & LEG
		55								6	3 3	SALINITY	**	TRANSMISSOMETER	ļ.	09	0		DATA LOCATION	6.9 5.9		DRY WET		
										82	161	SALINITY	DATA	Cleaned air bleed valve		1	70012	File Name/Header	NOI	_)) , (deg)	PRESSURE SEA STATE VISIBILITY DIRN. O W		ST
			1+		1						40	SAL.		= leed	MAX. DEPTH =				REMARKS	143		CLOUD (amt) TYPE WEATHER		STATION DESIGNATION
8	2490 V	July C	26hB	/	0493 6	2484 /	2495	2496	833	N58	835	NUTR. CHL	SAMPLE BOLLE NOMBER	DIE BOTTI E N	EPTH = 205				KS	21/3		воттом		SNATION
	ĺ	N 88				-3				8		WHIT'S	CIMBELY Turk	None D	3				1	72-1		STA.		

if 21295) if 2>275 than Dur bucket to 120F_ 150, 140...

12	=	10 /0	9 20	8 30	7 40	6 50	5 75	4 100	3 150	2 200	1 86.7		POS. TRIP DEPTH	1	COND SN	TEMP SN	PRESS SN	TYPE & SN	CTD	013 55 49	DEG	CONSC	VESSEL NOAA Ship MILLER FREEMAN
												PRESSURE		MPAR	1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	29972 START DOWN	9Plus 91660 DATA ON	TIMES	951N9	DEG	LATITUDE	ER FREEMAN
				· 30								PRI. TEMP.	CTD CONVERTED		X		NZ.		JD/TIME	14.31 W26MA	DAY	LONGITUDE DATE JD=	PRO
												SEC. TEMP	CONVERTED MONITOR VALUES	<u> </u>		,	·	Tape/Diskette ID		Y981832	YR T	TIME (GMT)	PROJECT & LEG
									-			SALINITY		TRANSMISSOMETER			CT		DATA LOCATION	1 6 1 6	(°C)	DRY WET	
												SALINITY	\$AMPLE BOTTLE DATA	Cleaned air bleed valve		(0013	File Name/Header	ON	37170) . (deg)	PRESSURE SEA STATE VISIBILITY DIRN. DIRN. SPD. CLOUD (amt)	STAT
											26	SAL.		leed valv	MAX. D				REMARKS	1 1 2	*	CLOUD (amt) TYPE WEATHER	ION DES
	836	837	838	Î	839	840	841	842	843	844	845	NUTR.	SAMPLE BOTTLE NUMBER	.	MAX. DEPTH =				~KS	No.		ВОТТОМ	STATION DESIGNATION
	/	V	7	1	/	7		ै			ŕ	CHL.	TLE NUI		220								Z
	7.	7	7	1	Ţ	1			\	1	Š	¥ √ √ √ √ √ √	WBER Porc.		3	3	ts.			73-1		STA.	

PG/3 OF

12	=	1 0	g	00	7	6	Ch	4	ω	2			POS.		COND SN	TEMP SN	PRES	ТҮРЕ		0		CAST #		NOAA SI
					,								TRIP DEPTH		NS	SN	PRESS SN	TYPE & SN	СТВ	35.54	DEG			Ship MILI
												PRESSURE			1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	29972 ST	9Plus 91660 DATA ON	TIN	4/2	S Z	LATITUDE		NOAA Ship MILLER FREEMAN
												<u>ш</u>		PAR	SURFACE	DEPTH	START DOWN	TA ON	TIMES	15621	DEG MIN	LONGITUDE		
												PRI. TEMP.	CTD CONVE				<u>.</u>		JD/TIME	82W26MAY9				
						-	-					ω	RTED MON	Ř						6 MAY	DAY MO	DATE JD=	. :	PROJECT & LEG
Total Control			-	-								SEC. TEMP	CONVERTED MONITOR VALUES	ChiAM			U.	Tape/Diskette ID		8 2250	YR HR MIN	TIME (GMT)		MF-98-08
						:		,	;		:	SA		TRANSMISSOM				kette ID	D.)) 0		DRY BULB		
						<u> </u>			_	324		SALINITY		SOMETER	A.9		717	File	DATA LOCATION	6.61	(°С) (п	BULB WET	SI IDE	
			- · ·									SAL	SAMPLE D/	Clea			CTD014	File Name/Header	ON	1 4 2 1	*	SEA S VISIBII DIRN.	TATE	
										劃		SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve				*		16013			O (amt)	OÎLVIS
											40	SAL.	SAME	ed valve	MAX. DEPTH =			STA	REMARKS	872	*	CLOU TYPE WEAT)N DESI
												NUTR.	SAMPLE BOTTLE NUMBER					STA75.	ŝ	228	(m)	ВОТТОМ		STATION DESIGNATION
							1					CHL.	TLE NU		223			- He		%				
	Ž					<u>e</u>					94)	WHIT'S NUTR.	MBER		3			uf 1	>	# # # # #F#		STA. NAME/ID	-	

PG 14 OF

12	1	10	9	8	7	la	סס	Ch.	4	ω	2			POS		COND. SN	TEMP SN	PRESS SN	TYPE & SN		015		CONSC CAST #		NOAA SI
														TRIP DEPTH		SN	SN	SN	NS.	CTD	555	DEG			Ship MILL
													PRESSURE			1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	29972	9Plus 91660 DATA ON		55.78N	MIN	LATITUDE		VESSEL NOAA Ship MILLER FREEMAN
	, .											= 1	R E		ROAR AR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	15615	DEG N	LONGITUDE		
													PR! TEMP.	CTD CONVE	FLUOR			* = 14, 14,		JD/TIME	.13WZL	MIN DAY			
									,				SEC.	CONVERTED MONITOR VALUES	Ř C			<u> </u>			M A Y 9	YY MO YR	DATE JD=	MF-88-08	PROJECT & LEG
The second second second												32	C. TEMP	OR VALUES	ChIAM				Tape/Diskette ID		82335	一	TIME (GMT)	-08	ree
1111111	,	N							,				SALI		TRANSMISSOMETER		:		ette ID	DAT	6.6		DRY		
36	:					-							SALINITY		METER		· 	וממדט	File Na	DATA LOCATION	6.010	=	BULB WET	E	
i a								g.					SALINITY	SAMPLE BOTTLE DATA	Cleaned :		-	SOAT	File Name/Header	_	34148	(deg)	SEA STATI		(0
				,								35	SAL		Cleaned air bleed valve	MAX				REM	1 28	(m/s) ·	S NO SIN SIN SIN SIN SIN SIN SIN SIN SIN SIN	nt)	TATION DI
													L. NUTR.	AMPLE BOTH	ive	MAX. DEPTH =				REMARKS	5 222	•	WEATHER BOTTOM DEPTH		STATION DESIGNATION
							_					790	WHIT'S CHL. NUTR.	SAMPLE BOTTLE NUMBER		246 m	200	114			2 76-1	7	NAME/ID		-

12	=	ō	9	8	7	o	51	4	ω	2			POS.		COND SN	TEMP SN	PRESS SN	TYPE	<u> </u>	0		CONSC CAST #	NOAA SH
	0	18	20	30	40	50	75	100	125	<u>.</u>	Average a		TRIP DEPTH		NS C	SN	NS S	TYPE & SN	CTD	175623	DEG		Ship MILL
												PRESSURE			1: 480, 2: 303 AT SURFACE	1: 889, 2: 701 AT DEPTH	29972 ST	9Plus 91660 DATA ON	· III	86 Z	MN C	LATITUDE	VESSEL NOAA Ship MILLER FREEMAN
												m		PAR	SURFACE	DEPTH	START DOWN	TA ON	TIMES	15188	DEG N	LONGITUDE	
						-	:					PRI. TEMP	CTD CON	K FL∪OR					JD/TIME	~			
												ס,	CONVERTED MÖNITOR VALUES	JOR -					ñ	BENVERME	DAY MO] <u>'</u> ''	PROJE
and the same							- - - - -			2		SEC. TEMP	INITOR VAL	ChIAM		,	:	Тар	:	50 8 6.	YR HR	(G TI	MF-98-08
									<u> </u>			, T	UES	<u> </u>			E E	Tape/Diskette ID			MIN	TIME D	
			33				**				ę .	SALINITY		TRANSMISSOM				Ō	DATA	7 4 7	(°C)	DRY W	
						,			,			7		ETER		8	CT	File Na	LOCATION	+.1984	(°C) (mb)	WET PRESSURE	
				9%						·	,	SAL	SAMPLI D	A Cie			1017	File Name/Header	_	1	*	SEA STATE VISIBILITY □ ≦	
								ğ .				SALINITY	SAMPLE BOTTLE DATA	Cleaned air bleed valve	! !			4		5020		WIND WIND CLOUD (amt)	STAT
									33			SAL.	SAME	leed valve	MAX. DEPTH =			Sara H.	REMARKS	988	•	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
	0_	847	848	1	849	850	851	258	5 58	854	855	NUTR.	SAMPLE BOTTLE NUMBER		<u>:</u> РТН = 12					1129	(m)	ВОТТО М DEPTH	SNATION
	7	7	1	7	7	7					100	E ≥/	LE NUMB		6 -			0 1				STA.	
	1.	1	7	1	7	7					190		Tasc Tasc		3		16			****		A. E/ID	

ei.

12	<u> </u>	10	9	8	Ţ.	7	<u>ი</u>	5	4	ω	N	<u> </u>		POS	-	CO	TEN	PRE	7			CONSC	
				 	C	5	0	20	30	4-0	50	101		DEPTH	1	COND SN	TEMP SN	PRESS SN	TYPE & SN	CTD	DEG DEG	, 	SEL A Ship MIL
	·				-						,		PRESSURE			1: 480, 2: 303	1: 889, 2: 701 AT DEPTH	29972	9Plus 91660 DATA ON		NIW S	ATTI DE	VESSEL NOAA Ship MILLER FREEMAN
									*				URE		2 PAR	1: 480, 2: 303 AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 1	ONGITUDE	
													PRI. TEMP.	CTD CONVERTE	2 FLUOR					JD/TIME	/ w DAY	DATE	P
													SEC. TEMP	CONVERTED MONITOR VALUES	ChIAM			· 	Tape/C		MO YR +	JD= (GMT)	PROJECT & LEG
						٠.						-	SALIN	i di	TRANSMISSON				Tape/Diskette ID	DATA	J. (°C)	DRY	
							 		ı				NITY		NETER			CTDOIS	File Name/Header	TA LOCATION	(mb)	PRESSURE	
						. •							SALINITY	DATA	Cleaned air bleed valve			140 S10	/Header		. (deg)	VISIBILITY DI NIND R. D	STA
						•						19	SAL.		ed	MAX.		(Q *	REMARKS	*	CLOUD (amt) TYPE WEATHER	TION DES
						158	855	258	758	858	528	86	i .	SAMPLE BUTTLE NUMBER	e P	MAX. DEPTH =			169	RKS		BOTTOM	STATION DESIGNATION
						<u> </u>	1	7	1	1	1	**	CHI.	LE NO		0							~
						<		4	~	-	7		A STATE OF THE STA	Vol.	NDCD V	3		 			0 - 1	STA.	

PG | 8 OF _