	<u> </u>											3	೦										
											Ģ.	_			ra-milir hayana.								
	STA. NAME/ID							€	Э	SER	PAM										-		
75					Y		Cleaned air bleed valve		241dr	SAMPLE BOTTLE NUMBER	동	_											
ATTON Y	BOTTOM DEPTH	<u>E</u> -7	957				ir blee		\ \S	UTTO:		_	7	9	4	_ {	2	t	90	9	10		_
ESIGN (V)	MEATHER S	11		REMARKS			a peur	MAX. DEPTH =	TRANS. S/N_cst241dr	MPLE	NOTR			,				, , ,		7	1		
STATION DESIGNATION	(Ims) QUOJO		\exists	REN			් දී	₩ W¥	E	3	SA.			5.15).								
STA		(m/s)					1	1		TTLE	>												
	WIND DIRN.				ader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE YTIJIBISIV				File Name/Header					SAM													
	PRESSURE	(E)		ATION	Fie				CHLAM SAN														
.D.	WET	§		DATALOCATION		•			ड		SALINITY												
DSDB I.D.				DA	_			Ì	81		SALI												
	DRY	<u>ဉ</u>			cette 1D				£														
	TIME (GMT)	HR MIN	5		Tape/Diskette ID				0.2	INES													
& LEG 5 9		(()	~ ~	_	声				FLUOR S/N_	OR VAI	SEC. TEMP												
PROJECT & LEG H X 2 5 9	<u>.u</u>	OM .	O N						FILO	MONIT	W.												
PR	OATE.JD=	Δ V V	N O C							CTD CONVERTED MONITOR VALUES													
			₩ Ø	JD/TIME					9.7	SONVE	PRI. TEMP.												
	UDË			⇒	f	1	1		4 4 9	ES ES	<u>E</u>												
	LONGITUDE	2	S		Z	NMO	王	FACE	l i													_	
	ے		1	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N														
	-		P S	1	-	<u> </u>		~		,	PRESSURE												
	LATITUDE	Z _]~	9656	8 6 5 3	1771	1772	2272	2251					C&									
Ě	7	DEG N	522	26778-	8	ı						0			00	75	20	C	8	CI			
VESSEL RV Alpha Helix	S #		5/	SBE 9+ 09P.26778-0656	NS SI	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		Boo	056	541	7	1	ĺŠ.	40	. (-			
VESSEL RV Alpha	CONSC CAST #	- 3	3	SBE	PRESS SN	PRIT	SECT	을 등	SEC (POS.		-	2	ဗ	4	ഹ	9	7	æ	6	9	=	2

176 K	VESSEL RV Alpha Helix				PROJECT & LEG	ר בפ 5 9	DSDB I.D.	I.D.		STATIC	N DESK	STATION DESIGNATION SEY 13	-60			
€ 51	CONSC CAST#	LATITUDE	LONGITUDE		DATE.JD=	TIME (GMT)	DRY	WET BULB	SEA STATE SEA STATE VISIBILITY DIRN	WIND SPD.	CLOUD (amt) TYPE WEATHER	ВОТТОМ DEPTH	ST	STA.		
ıl	DEG	MIN	DEG	MIN	DAY MO YR	HR MIN	(၁၅)	(c) (mp)	*	, (s/w)	٠	(m)				
(h	5253	N 17 00	1736	. 1 Gw	() N	22346						276				
w l	SBE 9+ 09P 26778-0656	78-0656	TIMES	JD/TIME	Ä.		DA	DATA LOCATION	z	Œ	REMARKS	10				
ŭ	PRESS SN	86531	DATA ON			Tape/Diskette ID	itte ID	File N	File Name/Header				•			
	PRI TEMP SN	1771	START DOWN													
Ç	SEC TEMP SN	1772	АТ DEРТН								Cleane	Cleaned air bleed valve	d valve			
≅	PRI COND SN	2272	AT SURFACE						*	Z.	MAX. DEPTH =	TH≡		E		
Ō	SEC COND SN	2251	PAR SAN	4497	FLUOR S/N	3 S/N 0 2	182	CHLAM S/N	N/S		TRANS.	TRANS. S/N_cst241dr	241dr			
POS.	TRIP DEPTH			CTD CON	CTD CONVERTED MONITOR VALUES	IR VALUES]	SAMPLE BOTTLE DATA		SAMPL	SAMPLE BOTTLE NUMBER	ENUMB	E E		
-		PRESSURE	WRE	PRI. TEMP.		SEC. TEMP	SAL	SALINITY	SALINITY		SAL. N	NUTR. CI	CHL.	PAM C	Officer	
	500										5	1-25))	
7	250										H	ce				
60	one											~				
4	oal									เก	52	7				
2	75											∨	er Paradonia, and			
9	50											9				
7	30										\dashv	7	elatik direkteskapa		Name and the	ļ
8	30											8			-	-
တ	10											S			ap-marker	>
£	0											S	_			_ \
=											//					
12										_	\dashv					
!																

											3	3										1	5%
								v		Other	_			_				-					25
ر ا	STA.					ralve	٤	1dr	UMBER	PAM									_				₩
SNATION 6 Y	ВОТТОМ	(P) (E) (C)				Cleaned air bleed valve	畫	TRANS. SAN_cst241dr	SAMPLE BOTTLE NUMBER	NUTR. CHL.		7	est	I	15	9	7	8] :
STATION DESIGNATION SGY	- MEATHER - CLOUD (BMI)		REMARKS			Cleaned	MAX. DEPTH =	TRANS.	SAMPLE	SAL			233										
STA		(Deg) (m/s)		je.					SAMPLE BOTTLE DATA	SALINITY													
	* SEA STATE * VISIBILITY		×	File Name/Header				NS	SAMPL	SAI		===		===		_							
.D.		2	DATA LOCATION	E E				CHLAM SAN		SALINITY													
OSDB I.D.	DRY BULB	3	DA	<u>O</u> e				8 2		∏ s s				:									
6 9	TIME (GMT)	1 C		Tape/Diskette ID	:			N_021	ALUES	J.W.													
PROJECT & LEG H X 2 5 9	ax -Q	0 V		<u>,</u>				FLUOR SAN	MONITOR	SEC. TEMP													
PR	DATE JD=	3 4	JD/TIME					,	CTD CONVERTED MONITOR VALUES	.MP.		*											
	LONGITUDE	3 . 4 2W			 *		.	4497	CTD CC	PRI, TEMP.													
·	LONG	725	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		 32													
	, ODE	, d		3 1						PRESSURE													
Helix	LATITUDE	77 0	SBE 9+ 09P 26778-0656	8 6 5 N	P SN 1771	P SN 1772	D SN 2272	ID SN 2251	TRIP DEPTH		265	00	75	25	30	g	0	C					
VESSEL RV Alpha Helix	CONSC CAST#	535	SBE 9+ 0	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	Pos.		1 6	2	3	4	2	9	7	80	6	10	1	12	

								-	Other							_	L				
	. ₽	Н				_	Г	œ	PAM		-		-		_	\vdash	-	_			
	STA. NAME/ID		nii g	3	alve	E	호	SAMPLE BOTTLE NUMBER			2	_						_			
NOITION -		-			leed v		csf24	J.E.N	동												
STATION DESIGNATION SELVEN	BOTTOM DEPTH (m)		io,		Cleaned air bleed valve	표	TRANS. S/N_cst241dr	E BOT	NUTR.		4	40	-3	V	2	14	00				
N DESI	• TYPE		KEMARKS		Cleane	MAX. DEPTH =	TRANS	SAMPL	SAL.		子										
PATIO	SPOUD (amt)		<u> </u>			₹		<u></u>		_	8										
S			_			1		SAMPLE BOTTLE DATA	<u></u>												
	TIJIBISIN •		leadei			334		APLE BO DATA	SALINITY												!
	* SEA STATE		Anon File Name/Header				3	SAI													
	B PRESSURE		DATA LUCATION File Na				CHLAM S/N							į							
<u>.</u>	WET BULB		S S				<u></u>		SALINITY												
DSDB I.D.	≥ ⁸ (;						2		SAL										,	:	
	DRY BULB		ete D				1 8														
	TIME (GMT) HR MIN	00 2 g	Tape/Diskette ID				0.2	UES													
k LEG 5 9		00	<u>r</u>				FLUOR S/N_	IR VAL	SEC. TEMP												
PROJECT & LEG H X 2 5 9	₩.	0					FLUOF	ONITO	SEC												
PB0 H	DATE ~JD=	3 J U N						CTD CONVERTED MONITOR VALUES						_		_	_				
	DAY	2	JU, IIME				7	NVER	MP.												
	w _	7.3w	Ì				4 9 7	10 CO	PRI. TEMP.												
	LONGITUDE	0		WN		뜅	4_4	0													
	LON DEG	14	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N														
		and a	DATAC	STA	ATE	AT &			PRESSURE												
		7 C. N	9 -						PRES												
	MIN	可	8 6 5	1771	1772	2272	2251														
Helix	L Dec	5214.	. 20 20 20	l ∏ SS	S S	8	SN	TRIP DEPTH		165	8	75	50	30	2	5	0				
VESSEL RV Alpha Helix	CAST#	S 4	PRESS SN 8 6 5	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			1	_				· .		<u> </u>				
₩ &	88	- 2	8 %	H	SEC	a.	SEC	Pos.		_	2	က	4	ç	9	7	∞	တ	10	=	12

		-				-						Т	Т	_				_	_				
							1				<u>S</u>												
0	STA. NAME/ID			-	} ;		<u>8</u>	E	<u>.</u>	MBER	PAM												
			72	Lug (Cleaned air bleed valve		TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	동												
SIGNATI	BOTTOM	٤	17	IKS			ned air t	EPTH =	NS.SM	PLE BOT	NGTR.												
STATION DESIGNATION $\leq G \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	SP WE SMI) TYPE TYPE TYPE TYPE TYPE TYPE TYPE TYPE			REMARKS			Sea	MAX. DEPTH =	T A	SAM	SAL.												
STA	WIND SPD.	. (s/w)				Ì				II.													
	WINE	(deg)			ader			.42		SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE YTIJIBICIV	*			ne/He					SAM													
	PRESSURE	(mb)		MOLL	File Name/Header				CHLAM S/N	-													
.D.	WET BULB	(၃)	•	DATA LOCATION	ΙΞ				유		SALINITY												
DSDB I.D.	≻ 8			DAT							SALI												
	DRY	(၁.)	,		offe ID				182														
45	TIME (GMT)	HR MIN	010		Tape/Diskette ID				- 02	TUES	- d												
PROJECT & LEG H X 2 5 9		YAH	N		<u></u>				FLUOR S/N	OB VA	SEC. TEMP												
AOJECT	10	_	0 Z						FLUC	ENO)	S.												
PRC	DATE~JD=	OM /	3 J U N							TED						Н							-
	DA	DAY		JD/TIME					7	NVE	MP.												
	щ		CYW	ğ					4 9	CTD CONVERTED MONITOR VALUES	PRI. TEMP.												
	LONGITUDE	NIM W	(%			¥.		띩	4 _	0													
	P	DEG	H E£ 1	83	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N														
		ă	- Z	TIMES	<u>*</u>	STA	ATC	ATS			PRESSURE		•									_	
	щ		G3 _N		3 1						PRES												
	LATITUDE	₹ E	- 1	9-0656	9	1771	1772	2272	2251														
를 후	٦	DEG DEG	त	SBE 9+ 09P 26778-0656	∞ _	SS	- 1			ТRIР DEРТН		2	V)	V	S	4	8	S					
VESSEL RV Alpha Helix	CONSC CAST#		55	6+6	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN							Щ							
₩ &	8 8		1	88	P.H.	<u>E</u>	SEC	Æ	SEC	POS.		_	7	က	4	2	9	7	∞	6	10	Ξ	잗

								je	_					-tor-all						
A. E/ID					E		&								_					
ST	<u> </u>		à	1	d Valve	241dr	NOMB													
TTOM	E 3			1		. St	108 11108		-	6	8	7	10	~0	2	_		Н		
HEHTAEW	-	ARKS				ANS. S	MPLE	_	_							عدا				
CLOUD (amt)		REW			×	Ė	<u></u>	NS.	150											
				ı	ı		A A													
			leader		1.5		MPLE E	SALIN												
SEA STATE	*	*	Name/P			NS.	SA													
		OCATIK	File			HLAM									;					
B Wi	§	DATAL		ı	1	F		ALINIT												
DRY BULB	ĵ.	_	e C			8 2		ဟ												
# (F	<u>× (</u> 20 √6		/Disket			0 2 1	ES ES				_									
= 0			Tape			_ NS.	R VALI	TEMP												
			•			FLUO	ONITO	SEC												
TE-JD	3 S		ie.			 									_					
		D/TIME				7 (CONVE	TEMP.												
TUDE	₹ <u>.</u>	 	ı	 -	1	4 4	CID	PRI												
LONG	36		N O	T DOW	RFACE	S.N.								_			_			
		TIMES	DATA	STAR	ATSU	PA		ÜRE												
щ	Z		3 1					PRESS												
ATITUD	NIM C	9590-87		<u>1</u>	22/1	2251														
	DEG SO	39P. 267.		NS di	NS Q	NS Q	TRIP DEPTH		000	ତ ର	75	SD	30	8	2	0				
CONSC CAST #	5	3BE 9+ (PRESS (PRI TEM	'AI CON	EC CO	Pos.		1	2	3	4	2	9	7	8	9	5	=	12
	TIME DRY WET SO THE BOTTOM SPD. 公尺 BULB BULB BULB RE SO DIRN. SPD. 公尺 BUTOM	TIME DRY WET SS ST SPD ST SPD ST SPD ST SPD ST SPD S	TIME DRY WET SS SE SE SE SE SE SE	MIN DEG MIN DAY MO YR HR MIN ("C) ("D) "C) ("B) "C ("B) "C ("B) "C ("C) ("D) "C ("D)	TIME DRY WET SS SE ST DRY WIND SP SE ST DRY WIND ST ST ST ST ST ST ST S	TIME DRY WET START DOWN TATE DRY WET START DOWN TATE DATE DATE DATE DEPTH TATE DATE DATE	Time DRY WET Stress MIND DATE DRY WET Stress MIND DATE DEPTH MIN CC) CC) CMD CGMT DEPTH MIN CC) CMD CGMT DEPTH MIN CC) CMD CGMT CGMT	Time DRY WET SE	Align DRY WET Sign Converted montron value DRY WET Converted montron value DRY Converted mon	Comparison	Consiste Consiste	Comparing Comp	Time DRY WET	Time DRY WET	Time DRY WET SECTION STAND STAND	ATTIVIDE	ATTUDE	March Day March March	Chiracture Chi	ATTICLE LONGITUDE DATE_UD= TIME DRY WET STABLED MIND WAND SHEED DEPTH NAMED ATTICLE TIME DATE MIND VRI HIR MIND VCD CCD (MIND VCD CCD (MIND VCD CCD COD MIND VCD CCD COD COD COD CCD C

				-						~		-										
├-									<u> </u>	Other				_								
	STA.					<u>%</u>	٤		MBER	PAM												
VOS VDS		ત				eed va		cst241c		동		<u> </u>	-			_		-				
STATION DESIGNATION	BOTT	E 2	8			Cleaned air bleed valve	HH=	TRANS, S/N _ cst241dr	SAMPLE BOTTLE NUMBER	NOTR.	-	d	લ	2	6	9	74	\cdots				
N DES	MEATHER (Smt)		REMARKS			Clean	MAX. DEPTH =	TRAN	SAMP	SAL.		57-3										
TATIO	S WIND (SIMI)	(ans)	_=				W.		mi	တ		'n										
S		(6ab)		1 22			99		BOTT TA	ΥLIN												
	ALIZIBICILA			File Name/Header			-:-		SAMPLE BOTTLE DATA	SALINITY												
	• SEA STATE		중	Name/				S/N	4S	<u>.</u>												
			DATA LOCATION	File				CHLAM S/N		_												
31.D.	WET		ATA L		ı					SALINITY												
DSDB I.D.	DRY BULB	2	۵	<u>_</u>				8 2		SA												
		旦		skette				2 1 (
<u>5</u> 6	TIME (GMT)	1 C		Tape/Diskette ID				N_ 0	CTD CONVERTED MONITOR VALUES	MP												
2 5		2 2						FLUOR SAN	ITOR \	SEC, TEMP												
PROJE(-OP	3 U N		1	ı	١			NOM C	0,												
	DATE-JD=	⊃I I	¥						VERTE	o.												
		<u>₩</u>	JD/TIME					9 7	NOO C	PRI. TEMP.												
	TONGITUDE	ر ا			2		ш	4 4	5	#												
	ONOT	7	(A)	NO	START DOWN	PTH	AT SURFACE	PAR S/N														
	7		TIMES	DATA ON	STAR	AT DEPTH	ATSL	PA		URE	:											
	<u>.</u>	N N		3 1						PRESSURE												
	LATITUDE		999	8 6 5	1	1772	2272	2251														
elix		וטו	SBE 9+ 09P.26778-0656	•	[- 1	i		TRIP DEPTH		100	00	75/	20	30	20	Q	0				7
VESSEL RV Alpha Helix	CONSC #	17.	9+ 09F	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			77	3/	1,,	7		* 3	7					
VES Y	8 8	N)	끯	PRE	<u>E</u>	SEC	PRI	SEC	S.		-	2	က	4	ည	ဖ	7	&	တ	2	=	12

								_		Other	_			Γ								
	STA.						٤		BER	PAM			-									
0 PN	/ 	LI				ed valve		st241dr	LE NUM		_											
GNATIC	BOTTOM	(E) (1)	S			Cleaned air bleed valve	PTH=	TRANS. S.N., cst241dr	SAMPLE BOTTLE NUMBER	NUTR.	-	വ	W	5	.0	9	14				_	
STATION DESIGNATION $56 \mathrm{V}_{\mathrm{C}}$	CLOUD (amt) PPE RETHER		REMARKS			Clean	MAX. DEPTH =	TRAN	SAMP	SAL.			50°25									
STAT	SP WW SP (Smit)								этпе	≥												-
	VISIBILITY SINGLE SINGL	(deg)		leader			=		SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE	(quu)	8	File Name/Header				N/S	SA													
ĺ.	WET	<u>၍</u>	DATA LOCATION	File				CHLAM S/N		Ł												
DSDB I.D.		<u>.</u>	DATA	_				2		SALINITY												
	DRY	S /c		skette ID				2 1 8														
ပ္သု စ	TIME (GMT)	HR MIN		Tape/Diskette ID				0 _ N	VALUES	EMP					1.3							
PROJECT & LEG H X 2 5 9		K 0		•	_ •			FLUOR S/N_	NITOR	SEC. TEMP												
PROJE(DATE JD=	AY MO	7						STD CONVERTED MONITOR VALUES				_									
	O	DAY 7	1 22					9.7	CONVE	PRI. TEMP.		:										
	SITUDE	MIN 20		•	¥.	'	щ	4	СТБ	PR												
	LONGITU	DEG 723	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR SAN		111												
				<u>8</u>	ST	<u>₹</u>	¥.			PRESSURE												
	LATITUDE	MIN T	9590-	8653	1771	172	2272	2251		82												
Helix		5 5 5 2 5 4	SBE 9+ 09P 26778-0656			ı	- 1		TRIP DEPTH		15	K	20	30	8	2	0				Ħ	
VESSEL RV Alpha Helix	CONSC CAST #	50	3BE 9+ 0	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	QΙ	. G		1	2	ဗ	4	2	9	7	8	6	9	=	12

							_			Other				-		1,000,000,000		4				
	STA. NAME/ID					,	E		BER	PAM C												
70				- 3		Cleaned air bleed valve		:1241dr	SAMPLE BOTTLE NUMBER	耔	4				**************************************				Н			
NATIO V Z	ВОТТОМ DEPTH					atr blee	# #	S. N.S	BOTTL	NUTR. (-	ď	Cr.	ų	(Z)	2	T+	(%				
DESIG	MEATHER	•	REMARKS			Seamed	MAX. DEPTH =	TRANS. S/N_cs/241dr	SAMPLE	SAL. NI	-						_					
STATION DESIGNATION 664	CLOUD (amt)	(m/s) #	35		[L\ \			3	23											
S		u) (6ep)		le.			91	1	LE BOTTI DATA	SALINITY												
	SEA STATE VISIBILITY > 0	-		e/Head	İ				SAMPLE BOTTLE DATA	SAL												
	PRESSURE	QE .	HOLL	File Name/Header				CHLAM S/N					- 1					-				
D.	WET	<u></u>	DATA LOCATION	Œ	ı	ı		몽	.	ζ <u>τι</u>												
DS0B 1.D.	<u>≻</u> 49		DAT	_				2		SALINITY												
		<u> </u>		kette ID				+ 8														
9 6	TIME (GMT)	HR MIN		Tape/Diskette ID				V 0 2	ALUES	ΑP												
77 & LI 2 5		<u>د</u> کا		F				FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP			•									
PROJEC H X		3 W 5 U W		1			ļ		ED MO								***					
	DATE		JD/TIME					7	NVERT	:MP.												
	3	× ර ~	ğ					9	сто сс	PRI. TEMP												
	LONGITUDE	. MIN		z	NWOC	Ξ	FACE	4	_													
	3	DEG T	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		끮							:				٠	į
	Į, į	(C)		- 6		Ì				PRESSURE												
	LATITUDE		8-0656	8 6 5	1771	1772	2272	2251							-					-		
Helix	2	595200	9P 2677	•	NS d	- 1	NS C	NS Q	TRIP DEPTH		140	001	75	50	30	Se	0	0				
VESSEL RV Alpha Helix	CONSC CAST #	8	SBE 9+ 09P 26778-0656	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	ᄋ		Ÿ	1	2	ေ	4	က	9	7	8	О	10	=	12
<u> </u>			ဖ	<u>a</u>		Ś	<u> </u>	ळ	Δ,			<u>.</u>										ت

		·				-				Offher	_				_					_		
	STA. NAME/ID			-			ε		ZER.	PAM										_		
رر 20				7		ed valve		st241dr	E NUM	峉	_								_			\exists
GYD	ВОТТОМ DEPTH	(A)				Cleaned air bleed valve	⁄ТН=	TRANS. S/N_csf241dr	SAMPLE BOTTLE NUMBER	NUTR.	_	6	w	7	5	-9	4	O	6	_		
STATION DESIGNATION	MEATHER		REMARKS			Cleane	MAX. DEPTH =	TRANS	SAMPL	SAL.		C-09						<u> </u>				
STATI	WIND SPD.	: (uu/s)							<u> </u>			7										
	WIND DIRN.	(deg)		ader			20		SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY		_	File Name/Header				₹	SAME	S												
		(QE)	CATION	File N				CHLAM S/N						:								
DSDB I.D.	WET	(<u>)</u>	DATA LOCATION		١	ı		<u></u>] 	SALINITY												
DSO	DRY	§	-	e ID				8 2		Ś								:				
	TIME (GMT)	7 MIN		Tape/Diskette ID				0 2 1	ES										Н			\dashv
k LEG 5 9				Таре				FLUOR S/N	R VALL	SEC. TEMP												
PROJECT & LEG H X 2 5 9		AY MO YR		ı				FLUO	MONITC	SEC												
E _		<u> </u>	ш	8					CTD CONVERTED MONITOR VALUES						-							
	-	3 € W	JD/TIME					9.7	D CONV	PRI. TEMP												
	TONGITUDE	5 . 3			N.		병	4 4	CI	Æ.												
	- Po	172 3	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		HI												
		Z	F	<u>8</u> -	<u>st</u>	¥.	AT.			PRESSURE												
:	LATITUDE	605156.24	9990	8 6 5 3	1771	1772	2272	2251		P.												
elix		0EG N	SBE 9+ 09P 26778-0656		ľ	ŀ	- 1	i	TRIP DEPTH		500	380	001	15	50	30	20	0	0			=
VESSEL RV Alpha Helix	CONSC CAST #	909	± 9+ 09F	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			5	-		1 120	¥)		18	2000	dm			
₩ 2	88		8	#	<u>R</u>	SEC	8	SEC	POS.		-	8	က	4	က	9	7	80	0	9	Ξ	5

										Other												
	STA.			181			E	74	#	PAM 0										Н		
0 0				-		ed valve		st241dr	E NUME	岩												
STATION DESIGNATION	BOTTOM DEPTH	(E) (S)	S			Cleaned air Meed valve	丰	TRANS. S.N cst241dr	SAMPLE BOTTLE NUMBER	NOTR.				_								
N DESI	MEATHER		REMARKS			Cleane	MAX. DEPTH =	TRANS	SAMPL	SAL	_											
STATIC	SPD (amt)	(m/s)	<u>æ</u>		_	<u>ا</u>	Σ		<u> </u>													
	WIND DIRN.	(deg)		ader			3		SAMPLE BOTTLE DATA	SALINITY						:						
	SEA STATE YTIJIBISIV	•	z	File Name/Header				×.	SAM	co.											-	
	PRESSURE The color	(mp) (:	DATA LOCATION	File N				CHLAM S/N														
DSDB I.D.	WET	(S)	DATAL		١					SALINITY												
Sa	DRY BULB	ξ <u></u>		tte ID				182														
.	TIME (GMT)	HR MIN		Tape/Diskette ID				0 2	ALUES	MP.												
PROJECT & LEG H X 2 5 9		YR 0		<u> </u>				FLUOR SAN	IITOR V	SEC. TEMP												
PROJEC H X	DATE ~JD=	MO U							STD CONVERTED MONITOR VALUES													
	DATE	× DAY	JD/TIME					7	ONVERI	EMP.												
	UDE	MIN	5	I	_			4 4 9	CTD C	PRI. TEMP												
	LONGITUDE	9	(D	8	START DOWN	PTH	AT SURFACE	PAR S/N_				Н								Н		
		DEG N 748	TIMES	DATAON	STAR	AT DEPTH	AT SL	PA		PRESSURE												
	UDE	2 (%)	56	5 3 1	-	δı	Ş۷	72		PRES												:
<u>.</u> ≚	LATITUDE	6 MIN	SBE 9+ 09P 26778-0656	8 6 5	1771	N 1772	V 2272	N 2251			0	۵	0	(2)	0	30	0	5	0			
VESSEL RV Alpha Helix	CONSC CAST #	DEG 6115	9+ 09P	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		500	250	100	75	50	3	30	3	>			
VESSEL RV Alpha	CAS S	79	SBE	PAG	FE	SEC	PR	SEC	Pos.	- 5		7	က	4	ည	9	7	∞	6	유	Ξ	12

				_	- "				20												
				1					ēļe O				<u> </u>	Щ							
	STA. NAME/ID		ارز		9	٤	_	MBER	PAM												
×n.	1 11		1-80d		ed val		st241d	LE NO	훔												
STATION DESIGNATION	BOTTOM DEPTH (m)	1 0 H (S	7		Cleaned air bleed valve	TH=	TRANS. S.Ncst241dr	SAMPLE BOTTLE NUMBER	NGTR.					-		_					
N DESI	- MEATHER	REMARKS			Cleane	MAX. DEPTH =	TRANS	SAMPL	SAL				-								
TATIO	S AND (SWI)			[L≸		<u> </u>	ॐ												-
S	WIND W DIRN. SI		-	1				LE BOTTI DATA	Σ												
	ALIJIBISIA -		/Heade					SAMPLE BOTTLE DATA	SALINITY												
	B PRESSURE		File Name/Header				N/S I	S													=
	WET BULB (°C) ((DATA LOCATION	먎	ł			CHLAM SAN		>												
DSDB I.D.	≥ ≅ ੫	DATA		1	1				SALINITY												
	BULB (C)		<u>Ω</u>				8 2		03												
	≞ E M	709	Tape/Diskette ID				0 2 1	S													_
EG 6		Carrier .	Tape/		_		S/N _	VALUE	TEMP												
PROJECT & LEG		0 2	-				FLUOR SAN_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJEC H X	DATE JD=	3 J U N		-				LED MC			Н			Щ							
	DAY	₹						NVERI	MP.												
	8 2		l		ļ		497	370 CC	PRI. TEMP.	:											
	LONGITUDE			NMO	_	띯	N_ _ 4				Ц										
	lo Dec) 7 30 TIMES	DATA ON	START DOWN	АТ DEРТН	AT SURFACE	PAR S/N		ш												
		S F	!	<u>स</u>	<u>+</u>	<u> </u>			PRESSURE												
	J GE	αí	5 3 1	_	ي	۵	-		PR												
	LATITUDE	で 第 2 元	8 6 5	1771	1772	2272	2251	7				1.									_
VESSEL RV Alpha Helix	DEG	200 2678	SN	MP SN	MP SN	ND ON	ND SA	TRIP DEPTH		35	35	رن ,د	35	0	0	C	0				
VESSEL RV Alpha	CONSC CAST#	SBE 9+ 09P 26778-0656	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		-	2	က	4	LO.	9	7	- 80	6	10	=	12

										je je		Г	Γ		Γ	Г		_				Γ
			Γ	1	-				<u> </u>	Olher	-	\vdash		\vdash	 -	\vdash	\vdash	_				+
	STA.			-,		皇	٤	Ļ	MBER	PAM												
Z			"	Bod		sed va		_cst241dr	LENO	봉												
STATION DESIGNATION	BOTTOM DEPTH	(4) (5) (1) (1) (1) (1) (1) (1)	1 (5		Cleaned air bleed valve	뿔	NS.	SAMPLE BOTTLE NUMBER	NCTR.								_			_	t
DESIG	HEHIMEN		REMARKS			eaned	MAX. DEPTH=	TRANS. SAN	AMPLE			_	_	├	-	┝						ŀ
ATION	SPE CLOUD (amt) TYPE		Æ		[Į. Ž	E	<u> </u>	8												L
ST/						l ,	1 .		SAMPLE BOTTLE DATA	_												
	WIND DIRIN.	(deg)		ader			=		PLE BO DATA	SALINITY												
	SEA STATE VISIBILITY	4		me/He					SAM	<i>"</i>												
	PRESSURE	(mp)	ATION	File Name/Header				CHLAM SAN														Ī
l 'c	WET BULB	<u>်</u>	DATA LOCATION	ᄔ	ı	•	'	동	,													
DSDB 1.D.	<u> </u>		DAT,						•	SALINITY												
	ORY BULB	§		te ID				8 2								:						
		M &		Tape/Diskette ID				021	တ္သ				_	\vdash		_						-
EG 9	TIME (GMT)	至 一	:	Tape/					VALUE	EMP												
PROJECT & LEG H X 2 5 9		YR 0 2						FLUOR S/N	HOT!	SEC. TEMP												
PROJE(9	AY MO		1	١			<u> </u>	ON CO													
-	DATE JD=	DAY (I)	¥						/ERTE	ے ا												
		3	JD/TIME					6	CTD CONVERTED MONITOR VALUES	PRI. TEMP.												
	TUDE	MIN 28		•	z			4 4	CIL	E												
	LONGITUDE	2		NO	MOQ	PIH	PFACE	PAR SAN							\vdash		-					H
		63515 MIN DEG	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR		35											4.5	
		Z Z	-	-						PRESSURE												
	LATITUDE	NW AS	999	5	1771	1772	2272	2251														
×	3	2 5	6778-(8 6 5		- 1			o 7=	1												_
ha Heli	∪ *	DEG 25	.09P 2	S	MP SN	MP SI	ND SN	S QN(TRIP DEPTH		2	0	0	0								
VESSEL RV Alpha Helix	CONSC CAST #	Ž	SBE 9+ 09P 26778-0656	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS		-	2	8	4	2	9	7	8	6	5	=	_

								_			<i>∂</i>	<u> </u>	ŧ	芝				Γ	_				
	STA. NAME/ID				,		9	E		WBER	PAM Other												
<u>0</u> 0		╄	Tr.				Seed val		cst241d	TLE NUI	퐝	\$		3_									
STATION DESIGNATION 56 x 0	HSHIASW	1	-				Cleaned air bleed valve	MAX. DEPTH=	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	7 7 7		4	M									
ATION DI	SPOUD (smt)	. (s/w)		REMARKS			දී	¥ ¥	Ē	<u></u>	85	4-											
ST,	WIND WIN	(pep)			.			.65		BOTTLE TA	È												
	SEA STATE VISIBILITY ≥ ⊆	١.			File Name/Header					SAMPLE BOTTLE DATA	SALINITY												
	BRUSS3R9			ATION	ile Nam				CHLAM S/N							-							
3.D.	WET BULB	်		DATA LOCATION	_	1	· ·		ਲ		SALINITY												
DSDB 1.D.	DRY BULB	၌		Q	de (D				8 2		SA												
වූ ද	TIME (GMT)	HR MIN	1605		Tape/Diskette (D				N_021	ALUES	₽												
2 & LI		Ϋ́	0 2						FLUOR S/N	VITOR	SEC. TEMP												
PROJE H X	DATE JD=	V MO	ᆫᄀ							CTD CONVERTED MONITOR VALUES		_				Н					_		
ł	<u>~</u>	DAY	<u>√</u>	JD/TIME					9.7	CONVE	TEMP.												
	LONGITUDE	NIM	٠	•	•	ş	•		4 4	CID	PAI.												
	TONG	DEG	410	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		W.												
	111	_	Z		3 1	S	¥	¥			PRESSURE												
	LATITUDE	MIN	7	78-0656	8 6 55	1771	1772	2272	2251														
VESSEL RV Alpha Helix		DEG	645217.	SBE 9+ 09P.26778-0656		WP SN	SEC TEMP SN	NS QN	NS QN	TRIP DEPTH		8	50	0									
VESSEL RV Alpha	CONSC CAST#		9	SBE 9+	PRESS SN	PRI TEMP SN	SEC TE	PRI COND SN	SEC COND SN	Pos	<u></u> .	-	2	က	4	5	မှ	7	80	6	10	=	12

Cast to be endown - Learn Chasing Richards /

									Other												
	A. Eio		_			E		65	PAM								-				
Ħ	STA. NAME/ID			۲	valve		41dr	SAMPLE BOTTLE NUMBER		_							_				_
VATION	BOTTOM DEPTH (m)	A 9 F	<u> </u>	2	Cleaned air bleed valve		TRANS. S/N_cs/241dr	OTTLE S	용	_		_	_								
N Sign	· WEATHER	द	RS.	_	ned ai	HE HE	NS. SA	PLE B	NUTR.												
STATION DESIGNATION	CLOUD (amt) TYPE WEATHER		REMARKS		8	MAX. DEPTH =	Æ	SAM	SAL.												
STAT 56	TYPE (Smt)							E E													
	WIND DIRN. (deg)			ader				SAMPLE BOTTLE DATA	SALINITY												
	- SEA STATE - VISIBILITY			File Name/Header				SAMP	Š												
	B PRESSURE		ATION	ile Nar			CHLAM S/N														
0	WET BULB		DATA LOCATION	<u></u>	1		통		VITY												
OSDB I.D.	> 49 <		DAT						SALINITY												
	DRY BULB	•		ette ID			182														
	TIME (GMT) HR MIN	333 C		Tape/Diskette ID			. 0 2	.UES	۵.										_		
& LEG	K B H	2		<u>Ta</u>			FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJECT & LEG H X 2 5 9		No no		1			FLUO	MONIT	SE												
Æ _	DATE JD= DAY MO	7	ş					RITED													
-	0	₩ 9.4	JD/TIME				9.7	CONVE	PRI, TEMP.												
	TUDE	74	7	'_	1		4 4 9	CTD	PRI								:				
	ONG	82		NO NO	Ӗ	1FACE	PAR S/N												Щ		
	l DEG	8 5 E IN	TIMES	DATA ON START DOWN	AT DEPTH	AT SURFACE	PAR	1	JRE												
	111	~~		- 6					PRESSURE												
	LATITUDE	<i>S</i>	9590-	1771	1772	2272	2251		4.												
elix	LA	655A11	SBE 9+ 09P.26778-0656	٠ چ				TRIP DEPTH	-	٥	2	16	2	16	2	9					
VESSEL RV Alpha Helix I	CONSC CAST #	655	60 ±6	PRESS SN PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			٥						_					
WES	8 \$		8	<u>E</u> E	SEC	Æ	SEC	POS.		_	2	က	4	ις	9	7	∞	တ	9	=	22

										Other		Π										
	STA.						E		E	PAM			-		\vdash			_				-
7		1 1	-7	3		d valve		241dr	SAMPLE BOTTLE NUMBER	유												\vdash
NATION	BOTTOM	Ē 2	C	3		air blee	#	NS.	№	NUR.	\vdash			 - -				_				
STATION DESIGNATION	YPE REM	1-	REMARKS Don			Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N_cst241dr	AMPLE													_
NOTTATION	MINO CO (amt) (amt)	(m/s)	星				₹		<u> </u>	SAL												
S N	WIND W			5	1			1	SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE YTIJIBIEIV S O	1.		e/Head					SAMPLE D/	SAL												
	PRESSURE		NOIL	File Name/Header				CHLAM S/N														
D.	WET	ව <u>ි</u>	DATA LOCATION	Œ			ĺ	GHU		ΥIIV												
OSDB I.D.	DRY	<u>ق</u> :	PA	0				2		SALINITY												
		I [⁻] ├──		skette II				2 1 8														
ဌ စ	TIME (GMT)	HR 60		Tape/Diskette ID				N0	ALUES	JW.												
)T & L! 2 5		% 3		<u> </u>	1			FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJE(H X	DATE.JD=	AY MO							TED MO										_		_	
	DATI	DAY S	JD/TIME					7	ONVERT	EMP.												
20	3 0 r		ğ	- 1	İ	1		4497	CTD CC	PRI. TEMP	·			:								
	LONGITUDE	A 15		N	START DOWN	¥	3FACE	PAR S/N_														
68		32 N 1 7 2 54	TIMES	DATA ON	START	AT DEPTH	AT SURFACE	PAR		URE											,	
	,			3 1						PRESSURE												
	LATITUDE	MIN	78-0656	8 65	171	1772	2272	2251														
VESSEL RV Alpha Helix		DEG MI	SBE 9+ 09P.26778-0656		NS AW	MPSN	NS QN	NS QN	TRIP DEPTH		2	10	2	10	5	5	6					
VESSEL RV Alphe	CONSC CAST#	79	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	Š		-	2	က	4	5	9	7	8	6	5	=	12

	· · · · · · · · · · · · · · · · · · ·				_					-									T -	$\overline{}$		
-			_				F			ě	1	1		-	-		L					
	STA.			12		Ş.	2	<u> </u>	MBER	PAM												
ATION 6 x 0 4				1.0		eed val		csf241d	TLE NU	동	7	7	1	7	7	-						
SIGNATI	8 5		မ			Cleaned air bleed valve	PTH	TRANS. S/N _ cs/241dr	SAMPLE BOTTLE NUMBER	NCTR.	~	ce	3	4	10							
STATION DESIGNATION	LOUD (amt) YPE REATHER	1.	REMARKS		!	Clear	MAX. DEPTH=	TRAN	SAMP	SAL		1	43									
STATI	WIND	(S)	<u> </u>			II			<u>"</u>													
	WIND			<u>-</u>			a		SAMPLE BOTTLE DATA	SALINITY												
	YTIJIBISI/	 		»/Неас					AMPLI D	SAL												
	PRESSURE TATE ATE	7	NO.	File Name/Header				M S/N	0)													
_	WET	§ .	DATA LOCATION	Ē				CHLAM S/N														
DSDB I.D.			DATA							SALINITY												
ă	DRY	δ <u>.</u>		CI est				182													:	
	TIME	HR MIN		Tape/Diskette ID			:	0 2	JES													
1 LEG 5 9		王 0	_	<u>a</u>				N/S	R VAL	SEC. TEMP												
PROJECT & LEG H X 2 5 9		N O Z						FLUOR S/N_	ONITO	SEC												
PRO H	DATE~UD=	17 MO YR HR MIN		25					STD CONVERTED MONITOR VALUES					Н			_	_	_			
		_ ≥	JD/TIME					7	ONVER	EMP.												
	9	<u>/\o</u>	- - -	ı				9	CTD O	PRI. TEMP												
	LONGITUDE	(y) \(\overline{\pi}{2}\)		-	OWN	I	ACE	N _ 4				Щ										
	9	DEG 1 7.2)	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		Ш												
			F	<u> </u>	<u>\sigma</u>	<u> </u>	-			PRESSURE												
	LATITUDE	N .	356	က	_	2	2	<u>~</u>		H.												
×	LATI	MIN 98	6778-0	8 6 5	1771	1772	2272	2251						6		_						
VESSEL RV Alpha Helix	<u>S</u> #	DEG MIN	SBE 9+ 09P.26778-0656	SS	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		90	22	2	9	0							
VESSEL RV Alpha	CONSC CAST #	9	SBE 94	PRESS SN	PRI TE	SEC TE	PRI CO	SECC	So.		-	7	က	4	2	9	7	8	6	9	Ξ	51

										Otther	1	2	1	7	>							
	STA. NAME/ID					_	٤		#	PAM 0			_									
20				-		ed valve		st241dr	E NUME	GH.	7	3	~	7.	/		-					
IGNATION 56 × 03	BOTTOM DEPTH	(E)				Cleaned air bleed valve	=	TRANS. S/N_cs1241dr	SAMPLE BOTTLE NUMBER	NUTR.	-	7	N	7	5						\dashv	
STATION DESIGNATION	MEATHER		REMARKS			Cleane	MAX. DEPTH =	TRANS	SAMPLI	SAL. N		id Ž										
STATIO	S No CLOUD (amt)	(m/s)	ac.				Ž		<u> </u>	0,		3										
	WIND DIRN.	(deg)		der			::		SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE YTIJIBIRIY			File Name/Header		X.			SAMPI	NS.												
	PRESSURE	(qm)	ATION	File Na				CHLAM S/N														
J.O.	WET BULB	ඩ <u>ි</u>	DATA LOCATION		'			₹ 		SALINITY						:						
DSDB I.D.	DRY BULB	(S)	20	<u>0</u>				8 2		SAI												
95	TIME (GMT)	NIM A		Tape/Diskette ID				V_021	ALUES	MP												
ST&LI 2 5		YR 0 2		<u> </u>				FLUOR SAN_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJE(DATE JD=	MO D							red Mol								_					
	DAT	P W S	JD/TIME					9.7	ONVER	EMP.												
	TUDE	<u></u>	号	ı	_			4 4	CTD C	PRI. TEMP.												
	LONGITUDE	70		N O	START DOWN	HE	AT SURFACE	PAR S/N_												_		
		DEG N 17 A	TIMES	DATA ON	STAR	АТ ОЕРТН	AT SU	PAI		SURE												
	JOE	4.5	95	1 8 3		<u>.</u>	<u>.</u>		,	PRESSURE												
	LATITUDE	\$ -	3778-06	8 6 5	1771	1772	2272	1 2251	-		0		(_
VESSEL RV Alpha Helix	တ္က #	DEG 28 9	SBE 9+ 09P 26778-0656	SSN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		130	50	25	10	0							
VESSEL RV Alpha	CONSC CAST#	9	SBE 9	PRESS SN	PRI TE	SEC 1	<u>₽</u>	SECC	POS.		-	2	3	4	သ	မ	7	80	6	01	=	12

										-	Other	1	7	7	ý	1							
ત	STA. NAME/ID				171.		9	٤		(BER	PAM												
C 670		 _	G		1.1		eed valv		:st241dr	LE NUN	GH.	7	7	7	7	7							
GNATIC	ВОТТОМ DEPTH	Ē	150	S			Cleaned air bleed valve	PTH =	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	NUTR.	1-59	C	2	7	1							
STATION DESIGNATION $\mathcal{L}_{\mathcal{O}}$	CLOUD (amt) TYPE WEATHER	*		REMARKS			Clean	MAX. DEPTH =	TRAN	SAMP	SAL.	-69											
STATI	WIND SPD.	(S/LIII)								Ë		7											
	WIND DIRN.	(deg)			ader			-		SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY	#		_	File Name/Header					SAM	65												
	PRESSURE	(qm)		CATIO	File				CHLAM S/N														
DSDB I.D.	WET	(၁)		DATA LOCATION			 		Ö		SALINITY												
Se	DRY BULB	(၃)	•	•	Ol e				8 2		33												
	TIME (GMT)	HR MIN	35		Tape/Diskette ID				0 2 1	JES													_
8 LEG 5 9	 	YR HR	2273		Tap Agr				FLUOR S/N_	JR VAL	SEC. TEMP					1							
PROJECT & LEG H X 2 5 9	Д	MO Y	JUN02			: 1			FLUO	MONITC	SEC												
<u>R</u> _	DATE JD=	DAY N	<u>ر</u>	ш	æ					CTD CONVERTED MONITOR VALUES													\dashv
	0	ב	35 W	JD/TIME					9.7	CONV	PRI. TEMP												
	LONGITUDE	MIN	3		•	₹		щ	4 4	CII	æ												
	LONG	DEG	1424 14	S	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N														
			N S	TIMES		STA	¥	¥.			PRESSURE												1.
	LATITUDE	z	7	959	5 3 1	1771	1772	2272	51		PRE												ľ
<u>≃</u>	ITA	NIW 5	7	26778-0	8 6 5		1	İ	N 2251			(0	5	0	0			-				=
VESSEL RV Alpha Helix		DEG	695214.	SBE 9+ 09P 26778-0656	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	DEPTH		145	50	125	1	7							
VESSEL RV Alphe	CONSC CAST #		79	SBE	PRE	PRI	SEC	PRIC	SEC	POS.		-	2	က	4	2	9	7	80	6	10	=	5

			_				-	_		8		\	\	٤								
							<u> </u>	Γ		8	- 4	3	7	7	2				_			
	STA. NAME/ID			ű,		ş	ε	<u> </u>	MBER	PAM												
80						eed va		cst241c	TE NO	콩	1	ſ	L	7	1							
STATION DESIGNATION	ВОТТОМ DEPTH	E =	တ			Cleaned air bleed valve	#	TRANS. S/N_cs/241dr	SAMPLE BOTTLE NUMBER	NUTR.	~	C6	~	3-	8							
N DESI	3411		REMARKS			Cleane	MAX. DEPTH =	TRANS	SAMPL	SAL.	1-05							_				
FATIO	S S S S S S S S S S S S S S S S S S S	(s/m)	22				¥			S)	₹										-	
S	WIND W	(geb)		<u> </u>				١,	SAMPLE BOTTLE DATA	<u>}</u>			i									
	VISIBILITY			File Name/Header			100		MPLE BO DATA	SALINITY												
	PRESSURE SEA STATE	-	N.	Name/				NS.	Ŝ			Щ										_
			DATA LOCATION	E				CHLAM SAN														
DSDB 1.D.	WET	[] []	ATAL							SALINITY								:				
OSC	DRY BULB	<u>ဥ</u>	-	٥				8 2		SS.												
		2 ====		iskette				2 1	r0													
ပ္ပ ေ	TIME (GMT)	HR MIN		Tape/Diskette (D				0	CTD CONVERTED MONITOR VALUES	EMP												
PROJECT & LEG H X 2 5 9		E 0		,				FLUOR S/N	ITOR	SEC, TEMP												
PROJEC H X	=Or	AY MO Y		ı	1				ÓM G													
	DATE-JD=	ו ומו	ME	-					VERTE	o.												
		33w	JD/TIME					9.7	NOO C	PRI. TEMP.												
	LONGITUDE	MIN O			₹		'n	_ 4 4	CI	PF												
	LONG	7	Ø	NO	START DOWN	AT DEPTH	AT SURFACE	PAR S/N														
	<u>.</u>	and.	TIMES	DATAON	STAF	ATD	AT SI	PA		SURE												
	9	4 3		3 1						PRESSURE												
	LATITUDE	MIN.	78-0656	8 6 5	1771	1772	2272	2251											_			
Helix	٦	DEG 52	SBE 9+ 09P 26778-0656	'	NS S	NS C	S (NS C	TRIP DEPTH		105	50	25	10	9							
VESSEL RV Apha Helix	CONSC CAST #	DEG 7 OFG	E 9+ 09	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN							\square							
및 문	<u> </u>		8	8	E.	SE	PR	SE	POS.		-	2	က	4	.c	9	7	∞	6	우	=	4

										Offer	7	>	>	2	>	>						
	STA. NAMEAD					e	E		ABER	PAM												
NO X				10		Cleaned air bleed valve		TRANS. S/N_cs1241dr	SAMPLE BOTTLE NUMBER	윰	?	2	>	V	7	1						
SIGNATI	BOTTOM DEPTH		IKS			ned air b	MAX. DEPTH =	VS. S/N	PLE BOT	NUTR.	-	G	CC	7	\mathcal{I}	9						
STATION DESIGNATION AMX	• CLOUD (amt) • TYPE • WEATHER		REMARKS			Sea	MAX. D	TIBA	SAM	SAL			713									
STA	N. SPD. (amt)								SOTTLE A	<u>}</u>												
	WISHILTY (deg)			/Header					SAMPLE BOTTLE DATA	SALINITY												
	B PRESSURE STATE		TION	File Name/Header				CHLAM S/N	ى ا												\dashv	-
9	WET BULB	=	DATA LOCATION	ΙΞ	١			몽		SALINITY												
CT BOSOB I.D.	DRY BULB	-	DA	tte ID				182		SAL												
9 e	TIME (GMT) HR MIN	50		Tape/Diskette ID				S/N_ 0 2	CTD CONVERTED MONITOR VALUES	FEMP							_					
PROJECT & LEG H X 2 5 9	# C	U N 0 2						FLUOR S/N	ONITOR	SEC. TEMP												
PRC	DATE-JD= DAY MO	10	ш						ERTED N													
		\$ \$	JD/TIME					497	D CONV	PRI. TEMP												
	LONGITUDE	3			OWN	T	ĄČE	4 _	ଧ	<u>a.</u>					_						:	
	LO	The state of	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		#												
	ñ	N		- 6			-3.			PRESSURE												
	MIN	=	778-0656	8 6 5	1771	1772	2272	2251														
VESSEL RV Alpha Helix	DEG # SC	7 522	SBE 9+ 09P-26778-0656		PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		200	150	20	35	10	0						
VESSEL RV Alpha	CONSC CAST #	14	SBE 9.	PRESS SN	PRI TE	SEC T	PRIC	SEC C	Pos.		-	2	က	4	က	9	7	8	6	9	=	12

					_		-			T .	1	4	,	- N	1	5		_	<u> </u>	_		
					_	,				ē ē	7	7	7	7	7	7						
STA.				N.		9	ε		MBER	PAM												
	_	(Jo				leed vat		cst241d	TLE NU	琽	7	>	7	7	7	7						
		T	KS			ed air b	:PTH =	IS. SAN	LE BOT	NCTR.	-	76	લ	2		2						
CLOUD (amt) TYPE WEATHER	*		REMAR			Clean	MAX. D	TEA	SAMI	SAL.	-e£											
WIND SPD.	(m/s)			-					E E													
WIND DIRN.	(deg)			ader			E3		신E BO DATA	ALINITA												
SEA STATE VISIBILITY	#			ne/He					SAMI	S												
PRESSURE	(dm)		NOIT	ie Nar				AM SA														
WET BULB	(၁့)		NTA LOCA	<u>ш</u>				물		LINITY												
DRY BULB	(၁ _၀)	•	à	<u>Ω</u>				8 2		SAI												
	N N	0		iskette				2 1	ဟ								_					
TIMIL (GM)	HR	8		Tape/C					VALUE	EMP												
	YR	102						LUORS	NITOR	SEC. T												
-O?	OM	J O		ļ			ĺ		ED MO													
DATE	DAY	1 1	TIME					4	NVERT	MP.												
96	_	Ó	<u>g</u>	ŀ				4 9	010 02	PRI. TE												
NGITU	W	ત			NMC	_	ČE	N _ 4														
07	EG		MES	TA ON	ARTD	DEPT	SURF	PAR S		ш												
	7	Z	: ≓		SI	¥	<u> </u>			SSURI										,		
UDE	Z	11-	356	က	7	2	24	E		PRE		× 15										
	ı	G	5778-0	8 6	J	ľ	ľ		т		0	<u></u>		10	_						_	
Q #	000	10	- 09P 2	SS	MP SN	MP SN	NS QN	NS GNC	TRIP		204	100	2	C	Ý	(J						
CONS		4	SBE 9+	PRESS	PRI TE	SEC TE	PRI 83	SEC CC	Pos.		-	2	3	4	2	9	7	8	6	10	=	12
	TIME DRY WET SO THE BOTTOM OF SO THE BOULB BULB E SO DIRN. SPD. CIENTH DEPTH	TIME	TIME	LATITUDE	Fig.	TIME	TIME DEG MIN DEG MI	TIME DATE JD= CGMT BULB BULB CGMS CMS CMS CMS CMS CMS CMS CMS C	TIME DRY WET SOUR SO	TIME DRY WET S FE BUTOM SPD S FE BUTOM S FE S FE BUTOM S FE S FE BUTOM S FE S FE BUTOM S FE S FE BUTOM S FE BUTOM S FE BUTOM S FE BUTOM S FE S FE BUTOM S FE S	LATITUDE LONGITUDE DATE.JD= TIME DRY WET SOURCE CONDITION STA. CONDITION CO	LATITUDE	LANGITUDE	TIME DRY WET SEC. TEMP DRY WET SEC. TEMP DRY STALINITY STA	TIME DRY WET SEC. TEMP SEC. TEMP DRY WET SALIMITY Time DRY WET	TIME DRY WET SEC. TEMP DRY WET SALINITY TIME CRY WET SEC. TEMP DATE - DE PIN Min	TIME	MIN DEG MIN DAY MO YR HI MIN CC) CC) CC C	Min			

		-				-	<u> </u>			Other	1	1	1	1	5	7						
	STA. NAME/ID					6)	ε		BER	PAM							_	\vdash				
N 03						Cleaned air bleed valve		st241dr	SAMPLE BOTTLE NUMBER	공	1	7	7	7	7	7		_				
GNATIC	BOTTOM DEPTH	(E) CK	S			ed air bl	PTH=	TRANS. S/N _ cst241dr	LE BOTT	NOTH.	~	લ	\sim	7		9						
STATION DESIGNATION	VECUUD (simt) TYPE REATHER		REMARKS			Clean	MAX. DEPTH =	TRAN	SAMP	JAS	1-61											
STATI	W W COUD (amt)								THE													
	WIND DIRN.	(deg)		eader					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE VISIBILITY	• (qm)	Z.	File Name/Header				S/N	SAN													
	WET	(S) -	DATA LOCATION	File	į			CHLAM S/N		→												
DSDB I.D.			DATA							SALINITY												
	DRY BULB	(S)		ette ID				182														
45	TIME (GMT)	HH MIN		Tape/Diskette ID				_ 0 2	LUES	d.												
PROJECT & LEG H X 2 5 9		사 7	-					FLUOR SAN_	ITOR V#	SEC. TEMP												
PROJE(DATE~JD=	OW I		1					ED MON													
	DATE	6 V DAY	JD/TIME					7	CTD CONVERTED MONITOR VALUES	EMP.												
	UDE			J				4 4 9	CTD	PRI, TEMP												
	LONGITUDE	70		N O	START DOWN	PTH	AT SURFACE	PAR S/N	'					_	\dashv							
		DEG N 1 74	TIMES	DATA ON	STAR	AT DEPTH	AT SU	PAF		PRESSURE												
	UDE	N 69	92	5 3 1	_	2	CI			PRES	i											
	LATITUDE	DEG MIN 735233.	SBE 9+ 09P 26778-0656	8 6 5	1771	N 1772	2272	N 2251	<u>.</u> ۴		-		50	25	07	9						_
VESSEL RV Alpha Helix	CONSC CAST#	2 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9+ 09P.2	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	DEPTH		270	150	4	ď	7	-7						
VESSEL RV Alphi	CAS		SBE	PR.	PRI	SEC	PRIC	SEC (Pos.		-	2	က	4	ഹ	9	7	8	6	10	Ξ	12

																		- 1					
	· — · · · · · · · · · · · · · · · · · ·	,			,		· -			<u> </u>	Other	1		7,	•	1							
~	STA. NAME/ID				*		e e	٤	<u></u>	MBER	PAM												
N N N			7				eed val		csl241d	TLE NO	吊	>	>	5	>	>	2						
STATION DESIGNATION	BOTTOM DEPTH	Ξ	474	S			Cleaned air bleed valve	PTH=	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	NUTR.		a	S	-5	20	to						
ON DES	WEATHER	•		REMARKS			Clean	MAX. DEPTH =	TRAN	SAMP	SAL	1-14											
STATIC	SPD (SIET)	(m/s)		_Œ						<u> </u>		140											
	WIND DIRN.	(geg)			Ider				 	SAMPLE BOTTLE DATA	SALINITY												
	VISIBILITY	*			File Name/Header					SAMP	Ś												
	PRESSURE	a		VIION.	ile Nar				CHLAM S/N														
9	WET BULB	ខ្	-	DATA LOCATION	<u></u>		i (H		SALINITY											ĺ	
DSDB (.D.	DRY BULB	ဥ	•	20	E D				80		SAI												
(7)	TIME (GMT)	HR	1546		Tape/Diskette ID				021	ALUES	ΜP												
T&LEG 259		뜻	CV.	······································					FLUOR SAN	TOR V	SEC. TEMP										Ì		
PROJECT & LEG H X 2 5 9	5	Ş	O N O		ı					NOW C	S												
	DATE -JD=	DAY	5	坚						CTD CONVERTED MONITOR VALUES	<u>a</u> :												
	ш		<u>√</u>	JO/TIME					497	8 0	'RI. TEMP.												
	LONGITUDE	N.	Cο			N.A.	_	빙	4	Ö	_ 6												
	Ŏ.	DEG.	- 53	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		П												
		7	N	Ē	<u>à</u>	<u>.s</u>	<u> </u>	-FA			PRESSURE												
	LATITUDE	N	4 67	3-0656	653	1771	1772	2272	2251		PR												
VESSEL RV Alpha Helix		DEG	7-1522	SBE 9+ 09P-26778-0656	SN NS					TRIP DEPTH		460	150	So	25	Q	0						
VESSEL RV Alpha	CONSC CAST#		£	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		1	2	3	4	2	9	7	8	6	10	#	12

		-	_							_	Other	7	1	1	Ĺ	7	7		<u> </u>			Ni _c	
	- R							E		œ	PAM				-		F	_	-			- 8	
	STA. NAME/ID				٠	:	valve		41dr	SAMPLE BOTTLE NUMBER	— —		7	1	3	(_	
NOT X	ВОТТОМ DEPTH	Ē	39°				Cleaned air bleed valve	- 61	TRANS. S/N_cst241dr	OTTLE	용	_	4	3	_	7	7		_				_
STATION DESIGNATION	MERIHEK		7	HKS			aned a	MAX. DEPTH =	ANS. SV	MPLEB	NOTR.				7	/	9						
TION D	WIND (BIRI) CLOUD (BIRI) SPD:	•		REMARKS				ĭ¥i	E	<u></u>	SAL	-6±											
STA	NWN C							l		SAMPLE BOTTLE DATA	<u></u>												
	WIND DIRN.	(deg)			eader			93		IPLE BO DATA	SALINITY												
	SEA STATE VISIBILITY	ė		z	File Name/Header				ş	SAN													
	PRESSURE	(mb)		CATIO	File N				CHLAM SAN														
.i.	WET	(၁)		DATA LOCATION					<u></u>		SALINITY												
DSDB I.D.	DRY BULB	(၁)	•	2	te iD				8 2		SA												
45	TIME (GMT)	HR MIN	11653		Tape/Diskette ID				_ 0 2 1	TUES	<u> </u>												
PROJECT & LEG H X 2 5 9		YR H	0 2 1	S.	<u>re</u>				FLUOR S/N	TOR VA	SEC. TEMP												
30JEC H X	<u>.</u>	Ş	SJUN		1		l I		2	MOM	ळ												
<u>-</u>	DATE ~JD=	DAY	5,	¥						CTD CONVERTED MONITOR VALUES	0.												
			8	JD/TIME					9.7	NOOC	PRI. TEMP.												
	LONGITUDE	MIN	6.3			₹		щ	4 4	ပြ	H												
	P	DEG	4	S	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N														
		õ		TIMES	DAT	STA	AT [ATS			PRESSURE												
	JOE		7552251.50N	8	5 3	_	_	ام	_		PRE												
	21	N	4	3778-06	8 6	1771	1772	2272	2251				2	_	72								_
VESSEL RV Alpha Helix	⊘ ≉₁	DEG	52	SBE 9+ 09P 26778-0656	SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		380	150	50	25	10	0						
VESSEL RV Alpha	CONSC CAST #		7	SBE 94	PRESS SN	PRI TE	SEC TE	PRI CO	SECC	Pos.		-	2	က	4	2	9	7	8	6	10	=	12

												Other												·
	STA.							ε		BER		PAM												
N.			~	(1800		Cleaned air bleed valve		TRANS. S.N., cst241dr	SAMPLE BOTTLE NUMBER	Ų.	꿁.												
SIGNATIC	BOTTOM DEPTH	R 1	583				ed air bi	PTH=	S. SAN	LE BOT	×.	NUTR.												
STATION DESIGNATION	CLOUD (amt) TYPE RETHER	•		REMARKS			Seg	MAX. DEPTH =	TRAN	SAMP		SAL.												
STAT	D WIND	(m/s)								OTTLE		≥												
	VISIBILITY SIR	(deg)			Header					SAMPLE BOTTLE	UAIA	SALINITY												
	PRESSURE SEA STATE	• (qu.)		NOI	File Name/Header				NS W	Ŝ														
D.	WET BULB	(၃)	•	DATA LOCATION	Ē				CHLAM S/N			VITY												
DSDB I.D.	DRY BULB	(၁၃)		DAT	۵			7.	2			SALINITY												
			06		Tape/Diskette ID				0218	so.														
LEG 5 9	TIME (GMT)	HR MIN	0		Tape/D					VALUE		SEC. TEMP												
PROJECT & LEG H X 2 5 9		O YR	J U N 0 2						FLUOR SAN	AONITO		SEC.												
PRC	DATE JD=	DAY MO	ر 9	ш						OTD CONVERTED MONITOR VALUES														
			D C W	JD/TIME					497	D CONV		PRI. TEMP.												
	LONGITUDE	NW	1			NMO	_	4CE	4	ပြ		ā.												
	07	DEG	37	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N			RE											::	
	ñ		Z		9			-46,				PRESSURE												
	CATITUDE	WIN	29.	778-0656	8 6 5	1771	1772	2272	2251															
VESSEL RV Alpha Helix		DEG	765229.	SBE 9+ 09P 26778-0656	•	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP			35	35	35	35	0	C	0	0				
VESSEL RV Alpha	CONSC CAST #		7	SBE 94	PRESS SN	PRI TE	SEC TE	PRICO	SECC	Pos.		Ä	-	2	၉	4	2	9	7	80	6	0	=	12

		_		_	_	_								_				_					
			1 -					_		<u> </u>	Other												
	STA. NAME/ID						ě	ε		MBER	PAM												
8 - 1-			7		6		leed val		cst241d	TLE NU	GHL.												
STATION DESIGNATION	BOTTOM DEPTH	Ξ	408	20	Sec		Cleaned air bleed valve	PTH=	TRANS. S/N _ cst241dr	SAMPLE BOTTLE NUMBER	NUTR.												\neg
ON DE	CLOUD (amt) TYPE WEATHER	*		REMARKS			Sea	MAX. DEPTH =	TRAN	SAMF	SAL.												
STAT	SP (Smt)	(s/ur)								11													
	WIND WIND DIRN. SPD.	(deg)			ader			55.		SAMPLE BOTTLE DATA	SALINITY										e)		
	SEA STATE VISIBILITY	*			File Name/Header					SAMF	ß												
	PRESSURE	(qm)		TION	ile Nai				CHLAM SAN														
ID.	WET BULB	(၁့)		DATA LOCATION	ш	ň.		' [유		SALINITY		:										
DSDB 1.D.	DRY BULB	(၁.)		ò	<u></u>				8 2		SAI											1	
	<u>ш</u> Е	NIN	त्		Sisketti				2 1	ဟ						\vdash		_					\dashv
k LEG 5 9	TIME (GMT)	HR MIN	Cah		Tape/Diskette ID				0 _ N/S	VALUE	EMP												
<u>⊬</u> ~		YR	Y-0 2	Ĵ					FLUOR S/N_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJEC H X	DATE JD=	₽	6 M A .Y .O	Jan						ED MO						Щ							
	DATE	DAY	}	JD/TIME						NVERT	Μ.												
	Щ	_	MC Q	5					4 9 7	00 OT:	PRI. TEMP.		:										İ
	CONGITUO	MIN	<i>v</i> .			NAC		핑	S 4														
	Ö	DEG	711	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR SAN		ш												
		_	N N	<u> </u>		<u></u> 2	¥	ΑŢ		 	PRESSURE												
	LATITUDE	z	.35N	929	5 3 1	71	72	72	51		H												
		MIN	2 4 5	6778-0	8 6 5	1771	1772	2272	N 2251		<u> </u>												_
VESSEL RV Alpha Helix		DEG	7 52 5	SBE 9+ 09P 26778-0656	SSN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		2	20	S	20	S	23	8					
VESSEL RV Alpha	CONSC CAST #		4	SBES	PRESS SN	PRIT	SEC 1	<u>R</u>	SEC C	Pos.		-	2	3	4	2	9	7	8	6	10	Ξ	57

					_						Other	1	1	5	5	>		Γ.					
	STA. NAME/ID							E		E E	PAM 0				_	-		-					
					1		d valve		1241dr	SAMPLE BOTTLE NUMBER	CH.		`	>			7						
STATION DESIGNATION	BOTTOM DEPTH	E	806				Cleaned air bleed valve	표.	TRANS. S/N_csf241dr	. BOTT	NUTR. C	-	Ų	رن ب	7	_	9		_		_		
N DESIG	WEATHER	•		REMARKS			Cleaned	MAX. DEPTH =	TRANS.	SAMPLE	SAL. NI	-	76-37			_							
STATION /	CLOUD (amt)	. (s/m)		#				L₹			Ø	11-	17.							_			_
		(Geg)			der				1	SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY	*			File Name/Header					SAMPI	δS												
		(ge		NOLLY:	File Na				CHLAM S/N													0 A-	
.i.D.	WET	ရှ		DATA LOCATION		· 			퓽		SALINITY												
DSOB I.D.	DRY BULB	္ရာ_		2	<u>_</u>				23	:	SAI					•		:					
		N V	35		Tape/Diskette ID				0 2 1	ES							:				_		
1 LEG 5 9			20585		Tape					R VALU	SEC. TEMP												
PROJECT & LEG H X 2 5 9	 	≻┌	0 N D C						FLUOR SAN_	ONITO	SEC												
PR		DAY MO	2	111				Į		CTD CONVERTED MONITOR VALUES													
			≥	JD/TIME					2 6	CONV	PRI. TEMP.												
	LONGITUDE	<u> </u>	7			¥	•	щ	4 4	CTC	H.												
	TON	DEG	1725	ES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N														
			z	TIMES	- S	ST,	AT.	¥.	uL		PRESSURE												
	LATITUDE	2	4	999	86531	1771	1772	2272	2251		PRE												
elix		DEG! W	185245	SBE 9+ 09P 26778-0656	8		- 1			TRIP DEPTH		Q	2	که	عاد	Ō	_0						
VESSEL RV Alpha Helix	CONSC CAST #	0 (122	9+ 09P	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			190	150	5	(9								
₩ &	88		丄	8	H.	E.	SEC	E.	SEC	POS.		-	8	က	4	ഹ	မှ	7	6 0	G	9	=	잗

200

							1			Other	≽	\$	7	7	2	>						_
15/	STA.			. 9		lye	٤	1	JMBER	PAM												
NO F		++				bleed va		_cst241	TTLE NI	뢍		>	3	>	>	2						
ESIGNA	VEATHER POT		RKS			Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N_cs/241dr	SAMPLE BOTTLE NUMBER	NCTR.		ų	M	7		೨						
STATION DESIGNATION	MNS COUD (amt)		REMARKS			<u>දී</u>	¥ ¥ ¥	T _S		SAL.	1-64											
SI	WIND WII			75				 	SAMPLE BOTTLE DATA	È												
	SEA STATE VISIBILITY ≥ ⊆	 - -		e/Head			Ì		SAMPLE	SALINITY												
	PRESSURE	(qu)	ATION	File Name/Header				CHLAM S/N	(1755-A)													
) i.D.	WET	ઈ	DATA LOCATION		1	: !		푱		SALINITY												
DSDB I.D.	DRY	<u>ق</u>	ă	0,				Ωi ∞		SAL												
	TIME	HH MIN		Tape/Diskette 10				0 2 1	S										876			-
& LEG 5 9	F 5	WA HA MI		Tape				FLUOR S/N_	OR VALU	SEC, TEMP												
PROJECT & LEG H X 2 5 9	<u> </u>	AY MO YAY		į	1			File	MONITY	SEC												
٥	DATE JD=	IΩI	Æ						CTD CONVERTED MONITOR VALUES	ď.												
	三	N	JD/TIME					497	NOO OT:	PRI. TEMP.												
	TONGITUDE	S O		z	NWOC	E	-ACE	4 _ W	3													
	, s	PEG SP	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		URE					i							
	DE	DEG MIN 5 2 2 2 1 0 5 N	6	3.1						PRESSURE												
	LATITUDE	MIN C	778-065	865	1771	1772	2272	2251														
VESSEL RV Alpha Helix		1952	SBE 9+ 09P.26778-0656	SSN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TAIP DEPTH		200	150	8	B	0	Q						
VESSEL RV Alpha	CONSC CAST#	7	SBE 9	PRESS SN	PRI T	SECT	PRIC	SECC	Pos.		-	2	က	4	က	9	7	8	6	9	F	

								Other	¥	1	1	7	7	7						
	STA. NAME/ID		-	•	ε		BER	PAM									-			
ξM		ķ	8	sed valv		cst241dr	ILE NUN	¥	٨	7	2	7	2	7						
MYL	BOTTOM DEPTH (m)	KS 67		Cleaned air bleed valve	PTH=	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	NCTR.		~	~	7	,	9						
STATION DESIGNATION	* CLOUD (amt) * TYPE * WEATHER	REMARKS		Ces	MAX. DEPTH=	TRAN	SAMP	\$	1-08											
STAT	SPD.						тте	≻												
	WIND OIRN.		leader		Qg		SAMPLE BOTTLE DATA	SALINITY												
	BRESSURE TATE ASS •	8	File Name/Header			NS S	SA												-	
	WET (°C)	DATALOCATION	Ë			CHLAM S/N		≻												
OSDB1.D.		DATA						SALINITY												
			ette ID			182						:								
g -	TIME (GMT)	0	Tape/Diskette ID			0 2	ALUES	ΜP												
PROJECT & LEG H X 2 5 9))	<u> </u>		<u> </u>	FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP											9	
PROJE(DATE JD=	200					TED MOI			_						_				
-	DAY	=				9.7	ONVER	EMP.												
		<u> </u>	I	 		4 4 9	СТВС	PRI. TEMP.										i		
			NO	START DOWN AT DEPTH	AT SURFACE	PAR S/N										_				
	DEG L	TIMES	DATA ON	START DON	ATS			PRESSURE												
	E GE	71 I	5 3 1	77 22	72	51		PRE												
×	NSC LATITU DEG MIN	SBE 9+ 09P 26778-0656	- Φ	N 1771 NS	[SN 2251	은 돈		0	۵	0	(^	0)						
VESSEL RV Alpha Helix	CONSC CAST #	9,09	PRESS SN	PRI TEMP SN SEC TEMP SN	PRI COND SN	SEC COND SN	S. TRIP DEPTH		500	251	50	25	0/	ý						
₩ 2	88	1 8	<u>E</u>	SE SE	PR	SEC	POS.			2	က	4	က	ဖ	7	80	6	9	Ξ	12

			_	_							Other			7	7	7	/						
	STA. NAME/ID			-				E		E	PAM								_				
					3		ed valve		t241dr	E NUME	용	7	>	A	~		/			_			
NATION ()	BOTTOM DEPTH	E	584				air blee	뿔	S/N/S	:BOT	NUTR. C	_	Ġ	2	7-	_	9						
STATION DESIGNATION	WEATHER		\exists	REMARKS			Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	SAL. NI			813	_		_						H
STATION	S WING (amt)	(s/m)		뿐				L≦		<u> </u>	Ø			90					-	- 3			
, s	WIND V	(geb)			der			14	1	SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY				ne/Hea					SAMPL	S,												
	PRESSURE	(am)		ATION	File Name/Header				CHLAM S/N			-											
	WET BULB	္မွာ		DATA LOCATION			'		픙		SALINITY												
DSDB I.D.	DRY BULB	(0)		2	۵				2		SAI												
			PA,		Tape/Diskette ID				2 1 8	S													
EG 9	TIME (GMT)	HR Min	0		Tape/C				S/N 0	VALUE	SEC. TEMP												
PROJECT&LEG H X 2 5 9		뜻	N 0 2				_		FLUOR SAN	ONITOR	SEC.												
PRO H	DATE JD=	WO .	NUCD		CZ.					CTD CONVERTED MONITOR VALUES											Н		
	. YO		W CO	JD/TIME					9.7	CONVE	PRI. TEMP.												
	LONGITUDE	₹	1	7	•	<u>z</u>	•		4 4	e E S	PRI												
	FONG		1	s.	NON	START DOWN	АТ ДЕРТН	AT SURFACE	PAR S/N						Н				-				
		—	N N	TIMES	DATAON	STAF	ATD	ATS	ď		PRESSURE												
	ii GO		3	95	5 3 1	Ţ	Ŋ	Ņ	<u></u>		PRE												
<u> </u>	LATITUDE	NIN C	3.6	SBE 9+ 09P 26778-0656	8 6 5	1771	N 1772	2272	N 2251			C	0	0	(,								
VESSEL RV Alpha Helix			25	9+ 09P-2	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		0	150	55	SE	0/	J						
VESSEL RV Alpha	CONSC CAST#	\perp	20	SBE	PRES	PRIT	SEC1	PR C	SEC (Pos.		-	2	3	4	5	9	7	80	6	9	=	12

											Other	200	_	$\overline{}$	7	7			_				
	A 10							E	7	95	PAM			•	-	-	_	-	-	-	-		
9	STA.				0		valve	_	41dr	NUMBE		10.00											
ATION	ВОТТОМ DEPTH	(m)	29				r bleed		STS -	OTTLE	유	2	2	2	2	7	3	_					
ESIGN,	WEATHER S S		C	RKS			Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	NOTR.	-	a	CC	4		9						
STATION DESIGNATION	CLOUD (amt)			REMARKS			<u>පී</u>	MAX.	E	88	SAL.	1-88											
STA	WIND SPD.	(m/s)								THE	>												
	WIND DIAN.	(ded)			eader			83		SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE YTIJIBISIV	. (qw)		*	File Name/Header				3	SAN													
		П		DATA LOCATION	Fige				CHLAM S/N														
DSDB (.D.	WET	(၁)		ATAL		ı			ပ		SALINITY												
SSC	ORY BULB	(၁)			Of ea				€N 60		Š		1										
	TIME (GMT)	HP MIN	255		Tape/Diskette ID				021	NES OES								·		v			
PROJECT & LEG H X 2 5 9		Y H	0 2 12		<u>'g</u>				FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
POJECT H X	=	- OM	DIUNO		1	1	! !		FLOO	TINOM	SE												
<u>a.</u>	DATE JD=	DAY	2	ш				i		ERITED		_											
			<u>₹</u>	JD/TIME		:			6 7	CON	PAI. TEMP.												
	LONGITUDE	NIM	0			2		ш	4 4	E E	Æ												
	ronc	9	T	မ္သ	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR SAN_											-			
		DEG	N H	TIMES	DAT	STA	T T	ATS	ō.		PRESSURE												
	DE		0	92	3 1				_		PRES												
	LATITUDE	NEW.	7	778-06	8 6 5	1771	1772	2272	<u> </u>														
VESSEL RV Alpha Helix	() a t:	DEG	25224	SBE 9+ 09P.26778-0656	NS.	MP SN	MP SN	NS QN	NS QN	TRIP DEPTH		SOH	50	8	6	10	0						
VESSEL RV Alpha	CONSC CAST#		00	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		-	\ ~	က	4	n n	မ	7	8	6	10	=	12

· · · · · · · · · · · · · · · · · · ·								_		5	STEAL	5									
										Other			7	>	>	\				T	
	STA. NAME/ID					a	٤	Ì	BER	PAM										T	
20.						ed valv		cst241dr	LE NUN	동)	>	\	7	7	/				1	٦
SNATIO NY D	BOTTOM DEPTH	259	S			Cleaned air bleed valve	품	S/N.	SAMPLE BOTTLE NUMBER	NUTR.	-	Q	8	7		0		1	1	十	7
STATION DESIGNATION	MENTALMEN.		REMARKS			Cleane	MAX. DEPTH =	TRANS. S/N	SAMPI	SAL.	83-1				1	\dashv		\dashv	1	十	7
STATIO	S CLOUD (smt)		<u> </u>				2		ПЕ		09		ᆿ		\dashv					十	
	WIND DIRN.			ader			ŝ	1	SAMPLE BOTTLE DATA	SALINITY											
	• SEA STATE • VISIBILITY		~	File Name/Header				₹	SAMI	S											
	PRESSURE		DATA LOCATION	File N				CHLAM S/N													
DSDB I.D.	WET WET BULB		DATA LO		1	١		Ç	l I	SALINITY											
OSC	DRY BULB		-	0 a				80 [2]		ေ		=									
	TIME (GMT)	125 VS		Tape/Diskette 10				0 2 1	स								_	Ş		\dashv	\dashv
8 LEG 5 9	II (9)	- CV		ap de l		!		FLUOR SAN	DR VALI	SEC. TEMP											
PROJECT & LEG H X 2 5 9	-	٥		1	1		1	3	CTD CONVERTED MONITOR VALUES	5%											ļ
E.	DATE JD=	DAY MO	щ						rente)												
		1 7 W	JD/TIME					4 4 9 7	NOO Q	PRI, TEMP.											
	TONGITUDE	. 8			NWC	_	핑		il												
	5	DEG 13-14	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR SA		پير											
		2		-	<u>.</u> 2	<u> </u>	<u> </u>			PRESSURE											
	LATITUDE	N ·	-0656	6 5 3	1771	1772	27.02	1	<u> </u>												
felix		0E6	P 26778	ω		ı	1	1		-	080	150	29	25	Ġ	0					
VESSEL RV Aloha Helix	CONSC CAST #	ر د د	SBE 9+ 09P 26778-0656	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	. NS CINCO SIS	SS.		C	-	+	┞-	2	9	-	 65	. 0	=	12
VESS	CAS	00	SBE	PRE	PRIT	SEC.	PRC	Ü	S.		-		4 65	4	20	ဖ	_	 65	9	=	Ŀ

	9	STA. NAME/ID				-,		d valve	٤	1241dr	E NUMBER	CHL. PAM Other	7	7		2	7							
N DESIGNATION	AMYO	жедтнея Медтом рертн	- 1	374	REMARKS			Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	SAL. NUTR. C	1 1-48	76	3	2		9	+	+				_
STATIO		SEA STATE VISIBILITY DEPT WIND SPECIOUS (amt)	4		<u> </u>	File Name/Header			M		SAMPLE BOTTLE DATA	SALINITY	00											
DSD81.D.		WET BULB PRESSURE	(C)	•	DATA LOCATION	File Nan				CHLAN SN		SALINITY												
		TIME DRY (GMT) BULB	HH MIN	. 062		Tape/Diskette ID				SN 02182	IVALUES	SEC TEMP								£.				
SEL & TOBI Odd	HWEG & F	DATE⊸ID≕	DAY MO YR	6 JUN 0 2	ME					FLUOR SN	WERTED M													
		TONGILINDE	G MIN	W 69. 441	S JD/TIME	AON	START DOWN	AT DEPTH	AT SUBFACE	DAD SAN 4 4 9 7		ONT. ICC												
HEREALD REAL PROPERTY OF THE P		ATITIDE	Min DEG	171NFP.131	-0656 TIMES	6 5 3 1 DATAON	1771				1622	Janvaras	LUCOSOUE											
M	VESSEL RV Alpha Helix		DEG	3 12348	SBE 9+ 09P.26778-0656	PRESS SN B	 ~~	۱_	1	1_			1		+	2 6	-	0 9	7	60	6	10	#	

STATION DESIGNATION ATMY 64	(deg) (m/s) · · · (m) · · · (m)	ATION REMARKS File Name/Header	Cleaned air bleed valve	MAX. DEPTH = m		SAMPLE BOTTLE SAMPLE BOTTLE NUMBER DATA	SALINITY SAL NUTR. CHL. PAM Other	à c		>	>	(a) a/2/2							
PROJECT & LEG H X 2 5 9	OUT!	JOYTIME Tape/Diskette IO	WW.		182 Na GOLD	CTD CONVERTED MONITOR VALUES	PRI, TEMP. SEC, TEMP SALINITY												
VESSEL DV Alaba Heliv	LATITUDE	SBE 9+ 09P-26778-0656 TIMES PRESS SN 8 6 5 3 1 DATA ON	PRI TEMP SN 1771 START DOWN	SEC TEMP SN 1772 AT DEPTH	PRI COND SN 2272 AT SURFACE	SEC COND SN 2251 PAR SIN. POS. TRIP DEPTH	0 0	771	2 150	-	4 25	8 10	0	7	60	6	10	=	

70

PG __ OF __

요 무													Other			7			>	>	>			T	
ନ			STA. NAME/ID)			٤	5	500	PAM												
	8	۔				1000	3	of the			st241dr		诺	7	7	7			3	>		7			
•	2	STATION DESIGNATION	BOTTOM DEPTH	E	रू 0		-	Monad at Mond ushin		#	TRANS. S/N_cst241dr	SAMPLE BOTTLE NOMBEN	NUTR.	1		c		\top		12	0		T	T	1
	amalo	E A	MEATHER	*		REMARKS		1		MAX. DEPTH =	TRAN	SAMI	SAL	1-18										1	1
_	0	STATIO	SP VAINTO (amt)	; (s/ш)		Œ						<u> </u>						T	1	T	T	T	T	十	=
			WIND DIRN.	(Geg)			ader					SAMPLE BOTTE DATA	SALINITY	:											
			SEA STATE VISIBILITY			~	File Name/Header						0,									\downarrow		4	
			BRESSURE W	 		CATIO	2 2 2 1				CHLAM S/N														
	1	DSDB I.D.	WET	§_		DATA LOCATION		4	1		٦		SALINITY												
		OSO	DRY	ည် - -			CI ea				8		0,												
			TIME	HR MIN	व्यव		Tape/Diskette ID	1			0.2	SE CES	α					1		1	+	(A)		+	7
1	<u>.</u>	T&LEG 259	1 %	HE -	200		<u> </u>			\dashv	FLUOR S/N	TOR VA	SEC. TEMP												
_	8	PROJECT & LEG H X 2 5 9	ۓ		2 0 N 0 2		1	l		} [FLU	D MONI												\perp	
		=		DAY		WE W						WERTE	į g	Ė											
7	7		L		W (20)	JD/TIME					4 9 7	CTD CONVERTED MONITOR VALUES	100								١				
			<u>.</u>	Min	-2		-	OWN	Į	ACE				1	1	1	-		_	4	\dashv	_	\dashv	\dashv	\dashv
				DEG	9	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N			뷬											
					Z		-	Ĭ	Ì				M	PRESSONE							<i>j</i>				
				MIN	5.3	9-0656	8653	1771	1772	2272	2251						<u> </u>			/				_	
		Helix		DEG	8 75305	SBE 9+ 09P.26778-0656		NS A	IP SN	NS O	I NS Q	TRIIP DEPTH			200	200	200	35	25	3	2	0			
		VESSEL RV Aloha Helix	CONSC	CAST #	8	3BE 9+ 0	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.	- · · · - · ·	+	-	2	ω 4	2	/ o	~	80	G)	9	=	감
		<u> </u>	·1			- 0,			- VJ		0,						- 	d	()						_

	STA. NAME/ID		-				E		E	PAM Other	$\overline{}$		\ 	>	>	>					
Z.				ğ		ed valve			SAMPLE BOTTLE NUMBER			>	>	7	>	<u> </u>	-	├	├		
GNATIO	Воттом	Ē 7	S			Cleaned air bleed valve	표=	TRANS. S/N_cst241dr	EBOTT	NOTR.	-	-	W		_	9		-			
STATION DESIGNATION	CLOUD (amt) PPE RETHER		REMARKS			Clean	MAX. DEPTH=	TRANS	SAMPI	SAL		₹ 88						H			
STAT	WINE SPD.	(S)					<u> </u>		ОПЕ				<u> </u>							I	
, ,	YTIJIBIIZIV ON WIND	(deg)		Peader			Ē		SAMPLE BOTTLE DATA	SALINITY											
	PRESSURE STATE ABS		MoE	File Name/Header				CHLAM S/N	ळ												
.D.	Wet Bulb	ق	DATA LOCATION	II.]		4.	CHLA		NITY											
DSDB 1.D.	DRY	(20)	DA.	O ag				22		SALINITY			:								
EG 9	TIME (GMT)	AH CO		Tape/Diskette 10				V_ 0 2 1	ALUES	MP	-						•		×		_
PROJECT & LEG		Y 0 2						FLUOR SAN_	CTD CONVERTED MONITOR VALUES	SEC. TEMP											
PR(DATE JD=	DAY LE	ш					-	ERTED									\vdash		_	
	E	7 0	JD/TIME					1 9 7	TD COIN	PRI. TEMP.											
	TONGILLID	NIM CO		2	NWOC	Ξ	ACE	4 N.	ပ	ď											
		DEG	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		URE											
	JDE	N 61.	92	3 1	_	آ ۾				PRESSURE					İ						
×	LATITUDE		6778-06	8 6 5	1771	1772	2272	2251	_					1.5							
VESSEL RV Alpha Helix	CONSC CAST#	885200	SBE 9+ 09P-26778-0656	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		5000	150	25	گر م	2	'n					
P. VES	8 8		SBE	PRE	P.	SEC	PRIC	SEC	POS.		-	2	က	4	ည	9	7	80	တ		유

TV Alaba Unliv				PROJEC H X	PROJECT & LEG H X 2 5 9		DSDB I.D.	.c.		STATIC	STATION DESIGNATION STATION			1	T
RV Apna Helix						TIME	DRY	ESSURE	SIBILITY SIB	MINO COUD (amt) 3qY	нантуал	ВОТТОМ	STA.		
900	LATITUDE	LONGITUDE DFG MIN	TUDE	DATE JD= DAY MO	ΥR	(GMT)	BULE (CC)	(qu)	Λ- IS-		N a	E-	1 1	F	
1.0	⊗ %	16925	W	N U C Z	N 0 2 2 3	200						157			
SBE 9+ 09P.26778-0656		TIMES	JD/TIME	ME				DATA LOCATION		<u></u>	REMARKS		٠.	-	-
PRESS SN 8	3 1	DATAON	ł		Tag .	Tape/Diskette 10	E (0	2 2 2 2	File Name/Header				•		
PRI TEMP SN	1771	START DOWN	£								Clasho	Cleaned air bleed valve	ewley b	T	
SEC TEMP SN	1772	AT DEPTH							7h		MAX. DEPTH =	# H		ε	
PRI COND SN	2272	AT SURFACE				- 1	- 1		4		THANS	TRANS, S/N cst241dr	I .		_
SEC COND SN	2251	PAR S/N			FLUOR SAN	0 2 1	N	CHICAIN SIN	SAMPLE BOTTLE	THE	SAMPL	SAMPLE BOTTLE NUMBER	E NUMB	65	
POS. TRIP DEPTH			C10 80	INVERTED	CTD CONVEHIED MONITUR VALUES	201			DATA			-			
							8 	CALIMITY	SALINITY			NOTR.	봀	PAM C	Other
	PRESSURE	SURE	PRI. TEMP.	- N	SEC 1EM	<u></u>	Ś				1-58	-	/		
1 430						1							>		
2 150						+					-	6	>		٥
3 50				1							T		>		>
4						1							\		>
2 10				1		1						9	>		
0						1									
7					VA.	1						-	-		
80						1						T			
6						115						\vdash			
9						1									
=				1											
12															

										Other	Т	1	1		T	3	2	, -	2			7
	STA. NAME/ID						E		BER	PAM								1	1		\dagger	
_ O_			1	5		Cleaned air bleed valve		sst241dr	SAMPLE BOTTLE NUMBER	븅	5	> .	>			1	> -	> -	>		1	
GNATIO 147/	8 =	(C) (C)	S	180g			FIH.	TRANS. S/N_cs/241dr	LE BOTI	NCTR.	_	m						(7	7		
STATION DESIGNATION	MEATHER TYPE RAPETHER	•	REMARKS	<u> </u>	- 1 d		MAX. DEPTH =	TEAN	SAMP	SAL	27	10	p	ه ک	0	/\						
STATI	WIND SPD.	(m/s)		-1-					ОТПЕ													
	11000111	(deg)		Header			74		SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE	<u></u>	§	File Name/Header				N S/N	\$						+	+	1	1	1		$\frac{1}{1}$	
		၍ <u>'</u>	DATA LOCATION	Ē	1	ı		CHLAM SAN		ξĽ												
DSDB I.D.			4 -	_				8		SALINITY		S										
	DRY BULB	§ ~		skette IC				2 1 8				-			\downarrow	\downarrow	4	_	_	1	_	_
9 6	TIME (GMT)	RE C	5	Tape/Diskette 10				٥ چ	VALUES	LEMP												
PROJECT & LEG		¥ .	מו					FLUOR SAN	POLICO	SEC. TEMP												
PROJEC H X	DATE JD=	DAY DAY	2 2						CTD CONVERTED MONITOR VALUES		-		\vdash			1	\dashv	\dashv		BAR	\dashv	\dashv
		101	JD/TIME					7 0	CONV	PRI. TEMP.										, W		
	LONGITUDE	N.W	1 .		WN		빙	7 7										Sec. o	-	L		
	Pon	DEG /	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	DAD CAN		 								0		TRIODLE	-	
			TIMES	-	S	<u>حر</u>	Ť			PRESSURE								2		٦		
	LATITUDE		3-0656	8 6 5 3	17.71	1772	9979		§													
Helix	1	DEG /	SBE 9+ 09P.26778-0656	NS.	NS ⊡	NP SN	I NS CI	1 2	TRIP		CHC	65	5 6	3	75	भड	95	(5)	2	0		
VESSEL RV Aloha Helix	CONSC CAST #	3	SE 9+ (PRESS SN	PRI TEMP SN	SEC TEMP SN	NS CINCO IEM	NO CINCO CLI	Sos.		-		, «	╫	ıo	9	7	80	G	9	Ħ	12

2°-10 This high but two too to themselving of

				(((((((((((((((((((KA 00 B	\neg								
VESSEL RV Alpha Helix				PROJECT & LEG	& LEG	DSDB (10.	ġ.	<u> </u>	STATION DESIGNATION	ESIGNAT	NO.	C	Ц	
	LATITUDE	SNOT	CONGITUDE		,	ORY	WESSURE E	TISIBIEITY SINGLE SINGL	M M M M M M M M M M M M M M M M M M M	BOTTOM PERSON	, Wo	STA.		
DEG	NIN.	DEG	F		YA HR MIN		13	(dep)] . (a/w)	Μ.	+		_	
915	228.17N	16921	W = 8	N N						200	379			
SBE 9+ 09P.26778-0656		TIMES	JD/TIME	Ē		DA	DATA LOCATION		REMARKS	RKS				
PRESS SN	86531	DATA ON			Tape/Diskette ID	cette ID	File Na	File Name/Header				· X		
PRI TEMP SN	וקקו	START DOWN			-		İ							
SEC TEMP SN	1772	AT DEPTH							පී	Cleaned air bleed valve	leed val	9		
PRI COND SN	2272	AT SURFACE	101				,	\$ 1:	¥¥.	MAX. DEPTH =		E		
SEC COND SN	2251	PAR S/N	4497	OUT.	FLUOR SAN_ 0 2	182	CHLAM S/N		E	TRANS. S/N_cst241dr	cst241d			
POS. TRIP DEPTH			CTD CON	CTD CONVERTED MONITOR VALUES	OR VALUES			SAMPLE BOTTLE DATA	<u> </u>	SAMPLE BOTTLE NUMBER	TLE NU	WBER		
	PRESSURE	# #	PRI. TEMP.		SEC. TEMP	SALI	SALINITY	SALINITY	3	MUTB	콩	PAM	Officer	
1 57.70										-	7	_		
2 2150										~	7			
3 150										<u>.</u>	1			
4 50								:	4-16	7	1		4	
5 25											>		>	
9											2		2	
7 0										4	2		7	3
0 8														ر ہ
9		,			1.8									1)
0														
=														
12													Γ	
											1	ŀ	1	

5 herring current at depoth

											<u> </u>		γ-	Т	Τ		Γ-	Г	Т	_	1	_	
							_	ļ	_		ğ.		_	_		_			\perp				
_	STA.				• •		2	E	÷	MBER	PAN												
YON 707			ĭ				leed va		cst241	TE N	묽												
STATION DESIGNATION	BOTTOM		554	S			Cleaned air bleed valve	#HE	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	N E			n			9						
ON DE	VEATHER VEATHER			REMARKS			Cean	MAX. DEPTH =	TRAN	S S	SAL.					-					-		
STATI	S S S S S S S S S S S S S S S S S S S	(m/s)				1.				끹	- "			_				-	上				
	WIND DIRN.	(ded)			ğ					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE	•			File Name/Header					SAMP	8												
	PRESSURE	(<u>E</u>		ATION	ile Nar				CHLAM S/N														
<u>.</u>	WET BULB	ဉ		DATA LOCATION	_	1			동		YIII												
DSDB (D.	DRY	(၁)		DA	0				8		SALINITY		ă										
			-		kette 1				2 1 8														
ည္ စ	TIME (GMT)	HH MIN	827		Tape/Diskette 10				0 -	ALUES	Q.									95			
77 & L		YR	0 2		<u> </u>				FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJE(9	Ο¥	U D		1				<u> </u>	NOM C	s										:		
	DATE JD=	DΑΥ	00	ME						IVERTE	<u>a:</u>												
	щ		<i>S</i> ×	JD/TIME					497	02 02	PRI, TEMP,												
	LONGITUDE	WIN	10			N.	_	ij	4	ပ													
	Ŋ	DEG	C69	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N_		-												
				Ē	<u>ā</u>	SI	<u>¥</u>	<u>-</u>			PRESSURE												
	LATITUDE	Z	925233.42N	929	6 5 3	1771	22	2	25		PR												
¥		WIN E	333	6778-0	8 6]	N 1772	2722	N 2251	0 폰			_		10	6	6					4	=
VESSEL RV Alpha Helix	Ú *	DEG	50	SBE 9+ 09P.26778-0656	SSN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TEP DEPTH		500	150	50	25	-	~						
VESSEL RV Alpha	CONSC CAST#		5	SBE	PRESS SN	PRIT	SEC 1	<u>R</u>	SEC C	S.		-	7	က	4	2	ဖ	7	80	6	9	=	22

14000)

VESSEL				PRO	PROJECT & LEG		DSDB 1.D.	o,		0)	STATION DESIGNATION	DESIGN		9	
RV Apha Helix	(elix	ONGILION	E POPE	DATE JD=		TIME (GMT)	ORY BULB			WIND DIRN.	· ICLOUD (amt)	MEATHER WEATHER © 8	воттом рертн	STA. NAME/ID	
* -		DEG	NIM		두 - 6	HR MIN C C C	§ .	<u>်</u>	<u>e</u>	(Gap)	. (s/w)		<u>a</u>		
93	9352381.69N	LC 46	٠ د د	NE SAL	20 20	6	DA	DATA LOCATION	8		뿐	REMARKS			
PRESS SN	8 6 5 3 1	DATAON			<u> </u>	Tape/Diskette ID	G et	温	File Name/Header	eader				75	
PRI TEMP SN	1771 N	START DOWN	z					1				Cleaned air bleed valve	air bleed	valve	<u> </u>
SEC TEMP SN	1772	AT DEPTH	1					1		100] \(\frac{1}{2} \)	MAX. DEPTH=	 #	E	
PRI COND SN	SN 2272	AT SURFACE					۰	CHI AN SA	NS.N			TRANS. S/N_cst241dr	SAN_cst	241dr	
SEC COND SN POS. TRIP DEPTI	IND SN 2251 TRIP DEPTH	PAR S/N	CTD COR	NVERTED I	4 9 7 FLUOR SN _ 0 CTD CONVERTED MONITOR VALUES	N	0			SAMPLE BOTTLE DATA	3	SAMPLE	BOTTLE	SAMPLE BOTTLE NUMBER	
					Qrui de	9	AS.	SALINITY		SALINITY		SAL.	NUTR. C	CHL. PAM	G G
	PRESSURE	SURE	PRI. TEMP.	- } -	NEC.	N.					9	93-1	-	7	4
-	250			+			19					-	-	>	-
7	150	1		+									ಲ	``	7
6	S								<u> </u> 					A	2
4	25													2	2
2	0_												9	7	>
ω	d											\dashv	1	\dashv	+
~													\dashv	\dashv	+
œ (+			\dashv	+	+	+
s												-	+		+
=											 	\dagger	\dagger	-	-
42											1	-	1		-

			т								Other			>	`~	7	2						Γ
	STA.				. ,		a e	٤		JMBER	PAM												
NOIT >		╄-	23				Cleaned air bleed valve		cst241	SAMPLE BOTTLE NUMBER	븅	7	``	>	×	1	>						
ESIGNA	HEHIVEN	1	X	IRKS			aned air	MAX. DEPTH=	NS. SAN	APLE BO	NUTR.	^		S			9						
STATION DESIGNATION	S WIND CLOUD (ann!) TYPE	(m/s) •		REMARKS			<u>දි</u>	₩		<u> </u>	SAL	1-46											
N .	WIND WI	(ded) (m	7		ē					SAMPLE BOTTLE DATA	SALINITY					:							
	SEA STATE VISIBILITY	-			File Name/Header	i				SAMPLE DA	SAL												
	PRESSURE	(E)		ATION	ile Nam				CHLAM S/N														
DSDB I.D.	WET	(၃)	•	DATA LOCATION	-	1) i		동		SALINITY												
OSO	DRY BULB	(၁)		ā	<u> </u>				1 8 2		SAI												
වු ය	TIME (GMT)	HR MIN	136		Tape/Diskette 10				N_ 0 2	ALUES	Φ							•				Tarana	
PROJECT & LEG H X 2 5 9		YR	N 0 2 A		<u></u>				FLUOR SAN_	NITORV	SEC. TEMP												
PROJE H X	DATE -JD≃	NO Y	N n c							CTD CONVERTED MONITOR VALUES					\dashv	_							
	DA	DAY	W	JD/TIME					7 .	CONVER	PRI. TEMP.			Q	Į.								
	LONGITUDE	MIN	0	7	,	 		ш	449	CTD	Æ			mi									
	PONG	DEG	1693	ES	DATAON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N	,				1						_			
		٥	ONI	TIMES	- PA	STA	¥	AT S			PRESSURE			7 71									
	LATITUDE	MIN	۵	9590	8653	1771	1772	2272	2251		PRE				_			:					
Helix		DEG	945243	SBE 9+ 09P.26778-0656	•	- 1	- 1	Ì				9	22	22	3)	0	0						
VESSEL RV Alpha Helix	CONSC CAST #	1	4 6	3E 9+ 09	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	SS.	,	539							_				
2 [00			8	<u>E</u>	#	SE	<u>E</u>	S	Pos.		_	7	<u></u>	4	ις.	ထ	_	60	တ	위	=	한

VESSEL RV Aloha Heliy				PROJECT & LEG	T&LEG 259	DSDB I.D.	ILD.		O)	STATION DESIGNATION $4 M Y 10$	ESIGNATION A Y 10	8		
1	ATITIOE	PNOT	LONGITUDE			ORY BULB	WET	PRESSURE SEA STATE VISIBILITY	WIND DIRN.	CLOUD (amt)	H3H1A3W 중 c		STA. NAME/ID	.
DEG.		DEG	0	DAY MO	AH HR MIN	2	(၃)	· (qu)	89	: (m/s)	(A)	त		
1915151519191-1	7 - H N	TIMES	JOTIME	מוחות	6		DATA LOCATION	NO.		REMARKS	RKS	1		
PRESS SN 8	3 1	DATAON			Tape/Diskette 10	cette ID	歪	File Name/Header	ader			* *		
PRI TEMP SN	1771	START DOWN	 											
SEC TEMP SN		AT DEPTH								ర్	Cleaned air bleed valve	seed valv	0	
1		AT SUBFACE							1 00	MAX.	MAX. DEPTH =		ε	
1	2212	DAD CAL	1 4 0 7		FLICH SAV 0 2	182	CHLAM SAN	NS N		E	TRANS. S/N_cst241dr	cst24tdr		
POS. TRIP DEPTH	[252] 			NVERTED N	TOR VALUES			SAM	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NUN	BEA	
	PRESSURE	WRE	PRI. TEMP.		SEC. TEMP	36	SALINITY	97	SALINITY	NS.	NUTR.	룡	PAM	Officer
153											- <	Ž		(0)
2 50	1							+		1	8	\perp		3 3
			:					+		<u> </u>		,		15
											1	2		1 0
5								1		-	ŋ	7		ng.
9								1		+				T
7				+				<u> </u>		+			T	
6 0								$\frac{1}{1}$		-				
6					100					-				T
10										-				T
11														T
12					i									7

			,							Other												
	STA. NAME/ID					e e	ш		/BER	PAM												
× C						eed valv		cst241dr	TLE NUI	띥.	7	۷	2	>	Ŋ							
IGNATIC	BOTTO	(E)—	S)			Cleaned air bleed valve	PTH=	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	NUTR.	-				5							
STATION DESIGNATION	MEATHER (Smt)		REMARKS		ı	Clean	MAX. DEPTH =	TRAN	SAME	SAL.	P				Ļ							
STATI		(m/s)		·					ОТТСЕ	≥												
	1.113161614	(deg)		leader					SAMPLE BOTTLE DATA	SALINITY												
	· SEA STATE		NO	File Name/Header				N/S I	δ													
		<u> </u>	DATA LOCATION	File				CHLAM S/N		L												
DSDB I.D.	-		DATA					2	•	SALINITY												
	- 6			cette ID				1 8														
95.6	TIME (GMT)	D THE WILL		Tape/Diskette ID				N_02	ALUES	IMP.												
2 5		¥ 2		<u> </u>				-N/S HOUT	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJE(H X	· ·	N O							TED MO													
:	DAT	<u>√1</u> <u>∞</u>	JD/TIME					7	CONVER	PRI. TEMP.												
	TUDE	₹ <u>`</u>	5	ı	z			449	CTD (PRI.												
	LONGITUD	16937	S	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N														
		N / G	TIMES	T	STA	ATD	AT S			PRESSURE												
	LATITUDE	20	1656	5 3 1	1771	1772	2272	2251		PRE												
xile		I WI	SBE 9+ 09P.26778-0656	8 6 5		:			TRIP DEPTH		76	0	25	10	0							=
VESSEL RV Alpha Helix	CONSC CAST #	9 6	E 9+ 09P	PRESS SN	PR! TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN														_
및 문	\text{\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tint{\text{\tint{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tint{\text{\text{\text{\text{\text{\text{\text{\text{\te}\tint{\texi}\text{\text{\texi}\text{\text{\text{\texi}\text{\text{\text{\texi}\tint{\text{\texit{\text{\ti}\tinttit{\texi}\text{\texi}\text{\texit{\texi}\til\text{		S	<u>R</u>	E.	Š	<u>E</u>	SE	Pos.		*	2	က	4	2	9	7	80	6	10	=	22

											Other												
	STA. NAME/ID	-						٤		BER	PAM												
20							ed valve		st241dr	LE NUM	뜐												
STATION DESIGNATION	ВОТТОМ DEPTH	Œ	101	Ś			Cleaned air bleed valve	чтн=	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	NUTR.	-				3							
ON DESI	Hahlaaw	•		REMARKS			Cleane	MAX. DEPTH =	TRAN	SAMPI	SAL.	-											
STATIC	S W S W S W S W S W S W S W S W S W S W	(m/s)								<u> </u>	_												
	WIND DIRN.	(deg)			ader					SAMPLE BOTTLE DATA	SALINITY												Ì
	SEA STATE YTIJIBISIV	. [z	File Name/Header				N.	SAM													
	PRESSURE	(qw)		CATIO	File N				CHLAM S/N														1
DSDB I.D.	WET	ဥ)-		DATA LOCATION							SALINITY												
OSO	DRY BULB	္မ		_	te ID	:			1 8 2		S												
	TIME (GMT)	HB	726		Tape/Diskette ID				_ 0 2	LUES													
T& LEG 2 5 9		띴	0 0		<u>–</u>				FLUOR S/N_	TOR VA	SEC. TEMP												!
PROJECT & LEG H X 2 5 9	=O(₽	N D		١	1				NOW O	S												
	DATE JD=	DAY	2	WE						WERTE	IP.												
	je Je	_	S W	JD/TIME					497	CTD CONVERTED MONITOR VALUES	PRI. TEMP.												İ
	LONGITUDE	NE -	ж а		_	OWN	I	ACE	N. 4														
	07	DEG	1693	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N	1	RE												
	ш		N V		3.1		\bigcap			,	PRESSURE												
	LATITUDE	NIW -	-1	78-0656	8 6 5	1771	1772	2272	2251														
a Helix		DEG	1505	SBE 9+ 09P 26778-0656	'	AP SN	MPSN	NS QN	ND SN	TRIP DEPTH		165	50	25	0	0							
VESSEL RV Alpha Helix	CONSC CAST#		5	SBE 9+	PRESS SN	PR! TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	Pos.		1	2	3	4	2	9	7	80	6	10	=	12

	·										Other												
2	STA. NAME/ID							٤		BEB	PAM												
× z⊄	N S		-				ed valv		st241dr	LE NUM	꿁												
GNATIO	воттом рертн	Œ	7	တ္တ		ļ	Cleaned air bleed valve	PTH=	TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	NUTR.			Г			- 9			_			
STATION DESIGNATION	WEATHER WEATHER			REMARKS			Clean	MAX. DEPTH =	TRANS	SAMP	SAL.				/	0,	W						
STATIC		(m/s)		<u></u>				اگــا		TILE	<u> </u>												
	WIND DIRN.	(ded)			eader					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE VISIBILITY	. . (qw)		×	File Name/Header				NS S	SAN													
	WET G	(°C)		DATA LOCATION	File	İ			CHLAM S/N		<u></u>								:				
DSDB I.D.		。) 		DATA							SALINITY												
ă	DRY BULB	(၁့)	-		atte ID				182														
	TIME (GMT)	HR MIN	35		Tape/Diskette ID				_ 0 2	rnes	<u>a</u>												
PROJECT & LEG H X 2 5 9		YRH	0 2 0		<u> T</u>				FLUOR S/N_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJEC H X	-OC	QW	9 U U V						1111	ED MON	8												
	DATE JD=	DAY		JD/TIME					7	NVERTE	MP.												
	JDE	MIN	. 5 W	ğ					4 4 9	CTD CC	PRI. TEMP												
	LONGITUDE	\Box	427		N	START DOWN	ΉΉ	FACE	PAR S/N_												Н		
		SE SE	-9	TIMES	DATA ON	START	AT DEPTH	AT SURFACE	PAR]	SURE												
	Ō		N Co	اور	3 1						PRESSURE												
	LATITUDE	N	50	SBE 9+ 09P 26778-0656	8 65	1771	1772	2272	1 2251	T		0	(9)	.0	\ ₀	0			Щ				
VESSEL RV Alpha Helix		DEG	525	+ 09P 26	SSN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		230	150	50	25	0	q						
VESSEL RV Alpha	CONSC CAST #		G	SBE 9	PRESS SN	P.R.I.E.	SEC T	<u>ਸ਼</u>	SEC C	Pos.		-	2	3	4	2	9	7		6	10	=	12

											Other)	á	>	>							
23	STA. NAME/ID				8		2	٤		MBER	PAM											-	
OX-A		\vdash	ů				Cleaned air bleed valve		TRANS. S/N_cst241dr	SAMPLE BOTTLE NUMBER	븅	7	>	>	7	7							
SIGNAT	WEATHER DEPTH		Co	3KS			ned air t	MAX. DEPTH =	NS. S/N	PLE BOT	NCTR.	-				d.							
STATION DESIGNATION	CLOUD (smt)	[.]		REMARKS			S C S	MAX. D	AE C	l			42										
ST/	ND WIND	(s/m) (b)				ĺ				SOTTLE A	È												Ī
	YTIJIBISIV ONIN NGTO	(dead)			/Heade			4		SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE	(qu)		NOIL	File Name/Header				CHILAM SAN	W.													
l.Ö.	WET Bulb	ည	=	DATA LOCATION	Œ				H		SALINITY												
DSDB I.D.	ORY BULB	<u></u>		DA	OF S				C3		SALI												
	TIME (GMT)	HB MIN	0		Tape/Diskette ID				0 2 1	យ								٠		15			
& LEG	 (G ⊒	YA HB	2 24		Tape				FLUOR SAN	OR VALL	SEC. TEMP												
PROJECT & LEG H X 2 5 9	-Q	MO	O N O		١		1	.	91	TINOM (33												
<u>a</u>	DATE-JD=	λ	2	WE.						VERTED	a.												-
)E		W 20	JD/TIME					497	CTD CONVERTED MONITOR VALUES	PRI. TEMP.												
	LONGITUDE		6		z	NWOC	E	ACE	3N _ 4	J													
	<u> </u>	DEG	67	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		胀			:									
	JE		n U N		3 1						PRESSURE												
	LATITUDE	NIM	\$ 0	778-0650	8 6 5	1771	1772	2272	2251														
VESSEL RV Alpha Helix		DEG	995250	SBE 9+ 09P.26778-0656	•	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TAIP DEPTH		180	50	25	2	Q							
VESSEL RV Alpha	CONSC CAST#		9	SBE 9	PRESS SN	PRI TE	SEC TI	PRI 88	SECA	Pos.		-	2	3	4	2	ဖ	7	8 0	6	유	Ŧ	-

٠.

STATION DESIGNATION	WIND WIND OCCUPED BOTTOM STA. COEST (M/s) (m/s)	REMARKS	Header	Cleaned air bleed valve	MAX DEPTH=	cst241dr	SAMPLE BOTTLE SAMPLE BOTTLE NUMBER DATA													
PROJECT & LEG H X 2 5 9	TIME DRY WET SSSURE (GMT) BULB BULB BULB RESSURE STATE YH HR MIN ("C) ("D) ' SEA STATE	DATA LOCATION	Tape/Diskette ID File Name/Header				2 1 2 2	SEC. TEMP SALINITY									36			
PROJEC	LONGITUDE DATE DEG MIN DAY	TIMES JD/TIME	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S.M. 4 4 9 7 FLUOR S.M. 0 CTD CONVERTED MONITOR VALUES	SURE PRI, TEMP.												
VESSEL	CONSC CAST # LATITUDE CAST # LATITUDE CAST # CATITUDE A A A A A A A A A A A A A A A A A A A	+ 09P. 26778-0656	1 6	PRI TEMP SN 1771	SEC TEMP SN 1772	PRI COND SN 2272	SEC COND SN 2251 POS. TRIP DEPTH	PRESSURE	1 40	0	_	4	2	9	7	60	6	10	11	