	٥								<u> </u>	ā		<u>(4</u>	727	-	···		Т		_т	_		
	AME/				÷		٤	r—	iœ iœ	5	-	_		_		i	_	15				
	STA. NAME/ID								S.MPLE BOTTLE NUMBI: R	HPLC Other		ŀ				83						
STATION DESIGNATION								6	THE	CHL.		1							_		$\dashv$	ᅱ
GNA	BOTTO M DEPT H	<b>E</b>	S	4	- [		тн=		ш Ю		-	11	$\dashv$	$\dashv$	_	┥	_	-	-	-	-	
DES	MEA1HER ∑ ∑	•1	REMARKS	2n5.4			MAX. DEPTH =	valv	MPL	NUTR		ĵ.		Ţ	_							
TION	<u>((mε) αὐζο (ς</u> ∃άΥΤ		E	1	Ť		MAX	blee	ώ	SAI	े			ક	Ì	į		İ	İ		İ	j
STA	D W O O O O O O (amt) TYPE TYPE MEATHER	(m/s)		<b>-</b>			100	dair	ATA	<b>&gt;</b>					Ì	į						
	WIND DIRN.	(deg)		File Name/Header				Cleaned air blee 3 valve	SAMPLE BOTTLE DATA	SALINITY							ą					
	SEA STATE VISIBILITY P S C		z	πe/H			9	Ш	l& E S S D	SAI					ŀ							
	TATE ASS	(dm)	ATIO	e Nar				TER		<u> </u>			_			-	_	_	_	Ä	-	_
	WET BULB		207	Ē				SOME	15	<u></u>			1/8	ŀ				-		8		
		<u> </u>	DATA LOCATION	Ω	1	١	. 80	SMIS		SALINITY			e#		Į							
	JRY EULB			Tape/Disk-tte ID	ļ			TRANSMISSOMETER	100	ော			=					ļ	ļ	Į		
ြ	TIME	N		e/Dis		Ì	1	×		<b></b>		-	$\dashv$		_		┶┤	-	-	-	_	
& LE	(C)	T_I I		Тар				Σ.	ξ 2	EM P		-	æ									į
PROJECT & LEG HX209	11	YR 198	·				NI I	ChIAM	N N	SEC. TEMP		) {	- 11					ļ				
PROJE HX209	DATE JD=	OW C		1	1	-	1	<u> </u>	CONVERTED MONITOR VALUES							2						
	TΑC	į́≨i⊢⊣	JD/TIME:	į			24	FLUCE		S		ě.		(4)			į		!	! !	Ì	
	JE JE	*	Σgr		إ			医		PRI. TEMP.												
	LONGITUDE	<u> </u>			MO(	Ξ	ACE		le	8										ļ		
	ONC	DEG	TIMES	DATA ON	ART [	DEPI	AT SURFAC	X NAR	ļ	Ш												
		2	Ţ	_6	ST)	t1390 AT DEPTH				    SUR						IT						
	) E			+ 7	P5040 START DOWN	11390	501	4 1133 11391		PRESSURE		57	- 1	Ü:				٠,	,			
	LATITUDE	<u>≅</u>		SB91			-	<del></del>			<u> </u>			_								
Helix		DEG.	CLO	S SN	SSN	SN	NS.	- Z.	TRIP	Ya	11	S	13	8	<b>)</b> /	- 23			. 5	٠,		+>
VESSEL Alpha Helix	CON SC CAST	3	ပ	TYPE & SN SB911+	PRESS SN	TEMP SN	CONE SN	TEMP SN	SO	See.	-	2	3	4	2	~		~	10	0		2
لدت	<u> </u>	1 (6		<u> </u>	<u> </u>	<u> </u>	<u>ပ</u>	F	<u>ام</u>			.,,	Ľ	4	. u)	9	7	8	6	2	7	12

69-

VESSEL				PROJECT & LEG	k LEG			*	STATIC	NO.	STATION DESIGNATION	No.4		
Alpha Helix				HX209		-		-	t	4	T T	2	7	(1)
NOS					Ģ.			- 11	(1ms)					
SC			<u>18</u>	ı	TIME	DRY WET	ISSE TS A	WIND	O SPO	- 34	A M DEPT	~ <del> </del>		
55.	LATITUDE	LONG	LONGITUDE DATE	E JD=	(GMT)	$\dashv$	ਮੁਰ	DIRN.	<u>i</u>	λШ	I		STA. NAME/ID	E/ID
B	H	DEG	MIN DAY	MO YR	HR MIN	(C)		(deg)	: (s/w)		\$	_	Ŧ	
1002591315. 2 this	S. D. Chi	6703	3.25WISTUN	8 6 N D C	500	•		-			70	1		5 0
стр	<u> </u>	TIMES	JD/TIME			DATA LOCATION	CATIO	z	<u> </u>	REMARKS	IKS	į		39
TYPE & SI: SB911+		DATAON			Tape/Diskette iD		ile Na	File Name/Header		'	Lee Pesso	3	0	٠,
PRESS S'1	<u>0,4</u>	TART D	OWN				Ì		1	İ				28
TEMP SN	t1390 AT DEPTH	T DEPT	r								į			Şŧ.
	c501	AT SURFACE	ACE							AX. D	MAX. DEPTH =	II		ε
	4 1.93	MPAR	XFLUOR	ChlAM	Г	XTRANSMISSOMETER	METEF	Cleaned air bleed vaive	d air bl	A pee	aive			ĕ
POS TRIII	コ		10	ED MONITC	R VALUE	S		SAMPLE BOTTLE DATA	ATA	SAN	SAMPLE BOTTLE NUMBER		NOM	Ë
			-			30		į		ļ	20			i
14	PRESSURE	뿙	PRI. TEMP.	SEC. TEMP	FEMP	SALINITY		SALINITY		SAL	NUTR.	SH.	린	Other
6								į		7	$\top$			96
2 2				8		į	j		7	1	1			
3	58							3.						ĺ
4 10											1			88
5						ļ	1		1					
9							1	4			1			
1				į		 			1)	1				.2
8	- 6					-		1		Ť	十			
6										1				
10							9		+					
11	,						lar.		$\frac{1}{1}$	T				
12					705		7	. /	╡					

200

			i				  -		ě.						
VESSEL				<u>P</u>	PROJECT & LEG	LEG				ST	NOL	STATION DESIGNATION	A S		
Alpha Helix				Ĭ	HX209	ļ	-	}	ļ	$\frac{1}{1}$	F	2	7	-	_
CON						12		JHO	STAT YTI	Z	(amt)				
SC CAST	117				68	TIME					34/	EATI M DEPT			١
	LATITUDE	LONGIT	ITUDE	шl	$\rightarrow$	(GMT)	굶	$\sim$	Ā		U io	1	+	STA. NAME/ID	AE/ID
DEG MIN	MIN	DEG	NIN	DAY MO	٤	H M N N	<u>୍</u> ମ	(mp)	1	(deg) (m/s)	:	<u>e</u>	-	-	Ž
20318935.27 NI 67	5.27 N	16703	3.2 CW!	10	J U N 9 8	533	- 11-2	•			$\exists$	<u>ره</u>	人	//	15
CTO		TIMES	/ar	JD/TIME			DAT	DATA LOCATION	NO		REW	REMARKS			
TYPE & Sh SB911+		DATAON			ř	Tape/Diskette 🖰	kette 🗓	File	File Name/Header	leader	į	2	12	D	3
PRESS SN	50403 p5040	50905 p5040 START DOWN	NWO.		•		į			İ			a		•
TEMP SIA	11390	11390 AT DEPTH	ī	-	<u> </u>					ſ					
		AT SUBFAC	ACE				 	   		1	MAX	MAX. DEPTH =	11		٤
	4 1133	NPAR	! l	ACI IOB	ChiAM	Г		XTRANSMISSOMETER		Cleaned air bleed valve	r bleed	valve			0
	1881		70	ERTED	MONITO	NALUE TANE	ြ		]"	SAMPLE		SAMPLE BOTTLE NUMBER	ВОТТЕ	NOW	EE.
_			.12				14		<u>8</u>	BOTTLE DATA	- 20	£18	2		10
	00000	ū	DDI TEMB	92	SEC TEMP	d. Eige	₩.	SALINITY	Ś	SALINITY	SAL.	NUTR	뷴	HPLC	Oʻner
170	100	1													F) E
C ?					ъ					0.80					555
Ļ							66		9	 					
╄			1					3							
5											_	_			
9							ļ			,	_	$\downarrow$			
- 1												$\perp$			
8	6			A					_						
6		-						ě I		ļ					
10															
11	,						ļ					_			
12				v						,					


STATION DESIGNATION	WIN (SET WIND D SPODD M DEPT HE STA. N. (deg) (m/s) • • • • (m)	TION REMARKS	File Name/Header			MAX. DEPTH = m	Cleaned air ble	SAMPLE SAMPLE BOTTLE NUMBER BOTTLE DATA	SALINITY SAL NUTR CHL. HPLC Other	200		h.							1		=
r & LEG	TIME DRY WET ME COME THE THE COME COME COME COME COME COME COME COM	B 1621   BATA LOCATION	Tape/Diskette IU File	22			CHAM XTRANSMISSOMETER	TOR VALUES	SEC. TEMP SALINITY			~~		9				-3			
PROJECT & LEG HX209	NGITUDE DAT	708.3 74 57 JUN 98	NON	3T DOWN	ЕРТН	AT SURFACE	X FLUOR	<u> </u>	PRI. TEMP.												
VESSEL Alpha Helix	ATITUDE DE	2045930.50N167	SN SB9	PRESS SN p5040 START DOWN	TEMP SN t1390 AT DEPTH	c501	4 11331 11391	a #	PRESSURE	1 2%	2	3	4	5	9	7	8	6	10	11	

VESSEL				PROJECT & LEG	\$ LEG		STA	TION DE	STATION DESIGNATION	rion	
Alpha Helix		15		HX209				F	<u>의</u> 2	ر ا	7
CON SC CAST	adi Hit	HONO	DE	DATE ID=	TIME	DRY WET	VISIBILITY DI WIND DI WIND O W	WEATHER TYPE HEATHER	BOTTO M DEPT H		STA. NAME/ID
# DEG MIN	MIN	DEG	] Z	MO YR	╁╤╢	္မွ	(Gep)	•	Ξ		П
20515925.85N167	5.85N		3.5 DW15	8 6 N U L S	1704	•			4	7	മ
CTD		TIMES	JD/TIME			DATA LOCATION	NOI	REMARKS	RKS		
TYPE & SN 5B911+		DATA ON			Tape/Diskette ID		File Name/Header				
PRESS SN	50405 <b>p5040</b>	5040 START DOWN	OWN			= 1					
TEMP SN	11390	11390 AT DEPTH		,							
COND SN	501	AT SURFACE	ACE					MAX. DEPTH	EPTH=		٤ [
TEMP SN	4 1133 11391	XPAR	XFLUOR	ChiAM		XTRANSMISSOMETER	ER Cleaned air bleed valve	bleed v	alve	i i	
POS TRIP DEPTH			0 0 0	ED MONITO	A VALUE		SAMPLE BOTTLE DATA	SAN	APLE BC	SAMPLE BOTTLE NUMBER	MBER
	PRESSURE	SURE	PRI. TEMP.	SEC. TEMP	TEMP	SALINITY	SALINITY	SAL.	NUTR.	CHL. HP	HPLC Other
-						÷			1		
2	2					144					
3	3					<b>₽</b> 3	9		1		-
4									1		
5						14			1		
9						00			7		<del> </del>
7							(ii)				_
8	6	200							1		
6		00				12 7					
10							4				_
11	,			(0)					1		-
12					12						_

	*		\$11		ļ			80			:	ſ	-4	. of	
VESSEL Alpha Helix	EL Helix			PROJECT HX209	ECT & LEG 9			ST	STATION DESIGNATION	ESIGN/	ATION	$\downarrow$	1	Say 30	٥
8 8 8		:			\\$	-	SSOHE	SILIT SILIT	V K ND (amt)	язнт 80 ТО	0 !		leaster	s gold 5 ay 5	0
CAST #	LATITUDE	LONG	LONGITUDE	DATE JD=	<u>(1)</u>		:∃Hd	MIN VINC	IA X II	± ±		STA. NAME/ID	Q)		
	DEG MIN	DEG	NIN	NAY MO	YR HR MIN	် NIV	(am) (C)	(deg) (m/	: (S/w)	<b>E</b>	1		·		
200	Ne 1 - 1 - 672 40 E	1631 NG	8.7 SWISTUND	15 JUN	981745		•			<u>~</u>	30	=			
ပ် 		TIMES	JD/TIME	ME		Õ	DATA LOCATION	N.C	REM.	REMARKS					
TYPE	TYPE & SN 53911+	DATA ON			Таре	Tape/Diskette ID		File Name/Header							
PRESS SN		50405 p5040 START DOWN	OWN				i								
TEMP SN		11390 AT DEPTH	I		;		i			ļ					01
COND SN		AT SURFACE	ACE				П		MAX.	MAX. DEPTH	ıı	E	Ŷ		
TEMP SN	6 1.93 11391		XFLUOR	JOR	ChIAM	XTRANS	X TRANSM'SSOMETER	R Cleaned air bleed valve	ir bleed	vaive			V.F		
8	ᇫ		TD CONVE	ERTED MC	CTD CONVERTED MONITOR VALUES	TOES		SAMPLE BOTTLE DATA	. 5	MPLE B	ОТТСЕ	SAMPLE BOTTLE NUMBER	· _		
	P P P P P P P P P P P P P P P P P P P	PBESSIBE	PRI, TEMP		SEC. TEMP		SALINITY	SALINITY	SAL.	NUTR	CHL.	HPLO	Other		
-									200		ı				
2												+	T		
က						<u> </u>		(4)					Ţ		
4			i					-	_				Т		
5									_			+	7		
9									_			1	<u> </u>		
7								*	_			+	T		
80	(T)	â							<u> </u>			+	<del>-</del> T		
6							Q1411/2009					-	Т		
2	Œ											_	T		
Ξ	,			₹ű	300				<u> </u>						
12					2/1			,				-	7		

				aa	SEL & LOS	91	-			8	TATIO	STATION DESIGNATION	GNATK	  8	Γ	
VESSEL Alpha Helix	*			<u> </u>	HX209					<u> </u>			2	ニメン		
NO CO NO							88	<u>∃</u> HU	3TA 		(amt)	HEB	C L			
SC	10				•	TE	DRY	ESS WET		WIND	S ds	TA:	M DEPT			
	LATITUDE	LONGIT	ITUDE	DATE.	JD=	(GMT)	BULB		AIS SE'	DIRN.	СГ :	11	Ŧ	STA.	STA. NAME/ID	9
DE(	DEG MIN	DEG	MIN	DAY M	MO	HH MIN	<u></u>	(mp)	<u>۾</u>	( <del>Geb</del> )	. (s/w)	:	<u>E</u>	F	Ŧ	
20759	2075916.53N167	1 67 23	<u>ر</u> ه	7W15/1	8 6 N U C	800	•	•		7	$\exists$		60)			
o E		TIMES	/Or	JD/TIME	ı		DA	DATA LOCATION	NOIL	- 5	Œ	REMARKS	s			
TYPE & SN SB911+	\ SB911+	DATA ON	-		•	Tape/Diskette ID	kette ID	A +	Name/	File Name/Header				-		
PRESS SN		50405 p5040 START DOWN	NWO.							,						
TEMP SN		t1390 AT DEPTH	    =		<u> </u>				!						$\neg$	
NS CINCO	501	AT SURFACE	ACE					 		, ,	Σ	MAX. DEPTH	TH=		Ε	_
TEMP ON	e 1193			X FI LIOR	ChiAM		TRANSM	XTRANSMISSOMETER		Cleaned air bleed valve	air bk	ed valv	9			
POS TRIP DEPTH	E E		12	/ERTED	MONITO	Ī≸	္ဆန္			SAMPLE BOTTLE DATA		SAMPI	SAMPLE BOTTLE NUMBER	TLEN	JMBE	<u></u>
	,						1		<u> </u>		<del>  '</del>					1 8
	PRESSURE	SURE	PRI. TEMP.	MP.	SEC. TEMP	EMP		SALINITY	"	SALINII	"	SAL. INC	5	<u>-</u> '	3	Į
-			-	1			3		+		+	+	╀	+	╁	Τ
2	-		>	7	3				1		+	$\dashv$	+	+	+	Ī
တ	Ü		2						×		$\dashv$	+	+	+	+	
4			-								+	+	+	+	$\dashv$	Т
9									_		1		$\dashv$	_	+	T
9									_		$\dashv$	$\dashv$	+	_	+	T
7	]												+	+	+	T
8	1775	70									+		$\dashv$	-	-	T
6								3					+		$\dashv$	Ī
9										Etc.	+			+		
11	,				923			i.	<u> </u>		+	+		+	+	T
12									_		_	-	$\dashv$	$\dashv$	$\dashv$	,
										1						

CTD CTD CSS SN P SN P SN P SN P SN P SN P SN P	CATITUDE G MIN SII - SO			Ĭ	HX209		-	-	-	1	- G	<u> </u>	2	6× 10		
CTD CTD CTD CTD CTD CTD CTD CTD CTD CTD	Z					EQ.			_	_	(Ju					
CTD CTD CTD SS SN D SN D SN D SN D SN D SN D SN D	Z							ZHUS:	TIATE		X NS) Q(	IHE!	вотто			
SS SN D SN D SN D SN D SN D SN D SN D S	Z	LONGIT	JOE	DATE	⊒Q.	TIME (GMT)	DRY BULB	WET W BULB F	SEA :	WIND D!RN.	D SP Z D. C	aqYT ∕A∃W	M DEPT H	STA	STA. NAME/ID	- <u>8</u>
E & SN S SS SN P SN P SN P SN P SN P SN P		DEG	N	DAY M	MO YR	HR MIN	(၃)	(C)	<u></u>	) (Gep)	(m/s)	•	Œ		T	
CTD E&SN S SS SN P SN D SN		16729	9.02WI	N D P S	8	1211	•				$\dashv$		(S)		0	
SS SN SS SN P SN D SN	146	TIMES	JDV	JD/TIME			DA	DATA LOCATION	TION		<u>«</u>	REMARKS	S			
SS SN P SN D SN	3911+ C	DATAON	_		······································	Tape/Diskette ID	kette ID		Name	File Name/Header				,		
P SN D SN	50405 p5040 S	50405 p5040 START DOWN	OWN					1								
D SN P SN	11390	11390 AT DEPTH	   		<u> </u>											
P SN		AT SURFACE	ACE		 I							MAX. DEPTH =	PTH =			Ε
5	4 1.93	NPAR N		XFLUOR	ChiAM		TRANSM	XTRANSMISSOMETER	rea	Cleaned air bleed valve	air bl	eed val	, e			
POS TRIP DEPTH				ÆRTED	MONITO	R VALUE	တ္တ			SAMPLE BOTTLE DATA	<b>4</b>	SAMP	SAMPLE BOTTLE NUMBER	TTLE	NOMBI	E.B
	PRESSURE	URE	PRI. TEMP	MP.	SEC. TEMP	EMP	SAL	SALINITY		SALINITY	(3++→ 12)	SAL. NI	NUTR. C	CHL. H	HPLC Other	Other
1 35									<del> </del>		0	to	+		1	
29									1		$\dagger$	$\dashv$	$\dashv$	+	$\dagger$	
3									281			$\dashv$	$\dashv$		1	
4 23			ļ				j		<del> </del>			$\dashv$	+			
5 22											$\dagger$	$\dashv$	-	-	$\dagger$	
6 3						-					$\dagger$	$\dashv$	$\dashv$	+	7	
												$\dashv$	$\dashv$	+	1	
8	_	îi.									+	$\dashv$	$\dashv$	$\dashv$		
ļ.								. 100	_		$\dashv$	-			+	
10									_		+	_	$\dashv$	_		
11	, ,			-					4		+	-	╁	+	1	
12									_		╡		$\dashv$	$\dashv$	1	



VESSEL	SEL				4	PROJECT & LEG	3 LEG	-				STATION DESIGNATION	N DE	SIGNA	NO S		
Alph	Alpha Helix				키	HX209		$\dashv$	-	ļ	†	-	E	2			
		į				-			31	 LE		(jm£					
§ 8		*							മാ	AT.		MIN WIN	3H.	ВОТТО	_		
y &	<u>, j</u>						TIME			S A:	WIND	<u> </u>	39° [A3	M DEPT		;	- !
*	_	LATITUDE	LONGIT	ITUDE	DATE	=OC	(GMT)	BULB	m	ĬΑ S	DIRN.	<u>-</u>	Ш		ST	STA. NAME/ID	4E/10
L	DEG MIN	MIN	DEG	MIN	DAY N	MO YR	HEIMIN	ૃ	<u>튀</u>	(qm)	(deg)	(s/w)	-	<b>E</b>	-	-	
3	2.6093016	12.53N	16739	W	DWI SJ	J U N 9 8	2043							0			<b>,</b>
	c <u>to</u>		TIMES		JD/TIME			Ŋ.	DATA LOCATION	TION		<u>«</u>	REMARKS	KS			
}	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		DATA OR				Tane/Diskette ID	kette ID		Name	File Name/Header	-					
<u>-</u>	וו האיני	+1 1890	20.			1											
PRE	PRESS SN	p5040	P5040 START DO	N N N		1						1					
TEN	TEMP SN	11390	11390 AT DEPTH	ŗ					ļ								
ç	_		AT SURFACE	ACE		1			87			_Σ	MAX. DEPTH	EPTH :	H		٤
		6 1193			ACI IZ	Chia	Γ	TRANSM	XTRANSMISSOMETER	HEH	Cleaned air bleed valve	air b	Bed vg	   <u> </u>			
<u> </u>	NO.	18611					<b>7</b> 5	Q		╬	SAMPI F		SAM	PI E B(		SAMPI E BOTTLE NUMBER	Į ij
	ТЯІР БЕРТН		د		VERIEU		א ארסב	<b>,</b>		<u>8</u>	BOTTLE DATA	ΥTΑ	5	;	<u>т</u> п	*_	
								8	VENITY		YTINI IAS	İ		N. T.	Ξ	HPLO	Other
		חחטפפוויי	שרטפ					5		<u> </u>		T					
-										$\perp$			+				
2				#	<b>-</b>	1		   		1		1	$\dagger$	Ť	1		
3		Š			5	5	77			-			$\top$	T			
4										<u> </u>	•		+	Ì			
2			,							<u> </u>			1		1	ł	
9										<u> </u>			$\dagger$				
7						٠.				4		÷.	$\dashv$				
80		-											$\dashv$				
6								,		_							
10		,							in the second				$\dagger$	$\top$			
11		,								1		1	$\dagger$	$\uparrow$			
12							٠,			$\dashv$		=	$\dashv$				
											,						

VESSEL Apple Holiv			<u>a. 1</u>	PROJECT & LEG	EG			e	STATIC	STATION DESIGNATION	SIGNA N &	ATION ATION		
CON SC CAST	00		9		TIME		HESSONE	S STATE	C WE S S C C (smt)	1 141	VEATHER M DEPT		CTA NAME(ID	C//
# DEG	LATITUDE DEG MIN	LONGIT DEG M	IN DAY	ΥR	HR MIN	(°C) (°C)	<u>a</u> 🖺	(deg)	(m/s)	11 . 1		1 1	П	<u>)</u>
2 2 2 3	N 7 88779 L	I	≥w 1	5 UN98	€ € 1 6	•					2	-	$\exists$	
1	7	TIMES	JD/TIME			DATA	DATA LOCATION	Z		REMARKS	Ş		·	
TYPE & SN SB911+	SB911+	DATA ON	-	<u> </u>	ape/Dis	Tape/Diskette ID	File Na	File Name/Header						
PRESS SN		P5040 START DOWN	OWN	<u></u>					1					
TEMP SN	11390	t1390 AT DEPTH	Į											
COND SN		AT SURFACE	ACE	<u> </u>	7				2	MAX. DEPTH	EPTH =			E
TEMPS	4 1133	XPAR	XFLUOR	ChiAM		XTRANSMISSOMETER	OMETE	Cleaned air bleed valve	d air bl	eed va	lve			
POS TRIP DEPTH			70 <u>1</u> 2	DMONITOR	VALUE	S		SAMPLE BOTTLE DATA	ATA	SAM	LE BC	SAMPLE BOTTLE NUMBER	NUMB	<b>E</b>
	PRESSURE	URE	PRI. TEMP.	SEC. TEMP	MP	SALINITY	<u>,</u>	SALINITY		i	NUTR	븀	HPLO	Other
1 38									+	0	$\dashv$	-	1	T
2						ļ			$\dagger$	$\dagger$	+	+	1	T
3	9			ļ				i,		+	+	+	1	
4													1	
2									1		$\dagger$	1	1	
9										_			7	
									*	7		7		
ω							ĺ	1		1	1	+		
6						Î	華			$\dashv$	1	7	1	
10										+				
11	,									+			1	
12					-27			7	=	1				

		STA. NAME/D	transmiss.	4,553					٤		SAMPLE BOTTLE NUMBER	HPLC Other		<b>T</b>		<b>T</b>	<b>—</b>						<b>T</b>	
STATION DESIGNATION	723			76			!		<u>=</u>		ВОТТЕ	胀			1				1					
FSIGN	2	BOTTO M DEPT	4	-	<b>VRKS</b>				MAX. DEPTH =	valve	MPLE	NUTR.							_				$\perp$	
O NOIL		D WING COUD (smr) TYPE TYPE WEATHER	•		REMARKS				MAX	bleed	S .	SAL.							1					
STA	)	A SIGNAL OF SIGN	(Gep)		NOI	File Name/Header		ļ		ER Cleaned air bleed valve	SAMPLE BOTTLE DATA	SALINITY				-			-					
-		DRY WET BEULB E	(°C) (°C) (mb		DATA LOCATION	Tape/Diskette ID File N				XTRANSMISSOMETER	S	SALINITY												
SECT 8 150	HX209	TIME (GMT)	뗏	1 1 6 8 8 N N C	ı	Tape/Dis			;	ChIAM	MONITOR VALUE	SEC. TEMP												.75
	ĽΞ	LONGITUDE DATE JD=	Щ	9.62W15JU	JD/TIME		OWN	Į.	ACE	XFLUOR	10 12	PRI. TEMP.												
			Ğ	21 25 8 53.20 N 16 749.60 W15	TIMES	+ DATAON	57.24C5 p5040 START DOWN	t1390 AT DEPTH	501 AT SURFACE			PRESSURE												
		ATITUDE	DEG MIN	53.5		SB911	(5, €	+		\$ 1.93 #391				1						-			,	
	VESSEL Alpha Hetix	CON SC CAST	ם	250	e E	TYPE & SN SB911+	PRESS SN	TEMP SN	COND SN	TEMP SN	S TRIP DEPTH													_
Į.	_ ₹	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		مَا		<u></u>	PA	Ä	<u> </u>	<u> </u>	POS		-	8	က	4	2	ဖ	_	ω,	6	10	11	\$

				DD 1 S TOOL	001	-			TATIO	N DESI	GNATI			
VESSEL Alpha Helix	<u>×</u>			HX209	5			<u>'                                    </u>		7 312	116		<b>1</b>	×××
SC N			<u> </u>		·	40	3HUSS STATE	1 11718	V S N S (3ms) QU		REHTA BOTTO			}
	LATITUDE	LONGITU	OE	DATE JD=	TIME (GMT)	DRY WET BULB BULB	ah Aac	WINU DIRN.	CTO O	14 11	T T		STA. NAME/ID	SID
B	G MIN	DEG	MIN DAY	IN MO YR	HR MIN	(Ç.)	QIII D	(ded)	: (S/W)	:	<b>E</b> -	F	ŀ	
2135	21358\$6.517N 16754.	1675	4.86W15JUN	5 UN98	3253						3			
CTD		TIMES	JD/TIME	Ш		DATA LOCATION	CATION		<u>«</u>	REMARKS	S.			
TYPE & S	TYPE & SN SB911+	DATA ON	7		Tape/Diskette ID		ile Nam	File Name/Header						
PRESS SN		5040 START DOW	NWO	,									,	
TEMP SN		11390 AT DEPTH	Į.											
COND SN		AT SURFACI	ACE .			1			Σ	MAX. DEPTH	PTH=		_	E
TEMP SN	4 (133		XFLUOR	F	ChIAM	XTRANSMISSOMETER	METER	Cleaned air bleed valve	air bk	ed valv	<i>'</i> e			
POS TRIP DEPTH	표		<u> </u>	TED MONIT	OR VALUE	SO ~		SAMPLE BOTTLE DATA	¥±.	SAMP	SAMPLE BOTTLE NUMBER	TLE	UMBE	e:
	PRES	PRESSURE	PRI. TEMP.		SEC. TEMP	SALINITY		SALINITY		SAL. NL	NUTR. C	CHL.	HPLC Other	). The
1			,							+	+	$\dagger$	1	
2					ļ					$\dashv$	+			
3				!		į	+			+	+	$\dagger$		
4									<u></u>	+	+	+		
5									Ť	$\dashv$	┪		Ť	
9									$\dashv$	+	1	$\dagger$	$\dagger$	
									20	+	+	$\dagger$	Ť	
8		,	3				<u> </u>			1	$\dashv$	$\dashv$		
6	-		:			-			$\dagger$	_	+	┪		
10	-						1			+		+		
-	,						$\frac{1}{1}$		$\dagger$	+	+	$\dagger$	+	
12									┥	-			7	
								,						

VESSEL Aloha Helix	,		,	E X	PROJECT & LEG HX209	r LEG			,   	STAI	ION DE	STATION DESIGNATION	NOI X	1	
CON		,						POHE	31AT	Z	(amt)	HEE BOTTO			
SC	,		- -		!	TIME			IGICI	ds d	VPE LOUI	M DEP		CTA NAMEND	· (
#	LATITUDE		LONGITUDE	DATE		(GMT)	E C	BULB D.	<u> </u>	(%/w)	<del>  </del> :	<b>E</b>			<u>}</u>
DEG	ZIZ			<u>-</u> 			1	Т				E	E		
21 45193	7 7 ON 1 67	16713	3.40	86NUC 91 MQ 4.	86 N O	11/6								1	
CTD		TIMES	ğ	JD/TIME			DAI	DATA LOCATION	NO		REMARKS	¥2 ∽			
TYPE & SN SB911+	38911+	DATA ON		:		Tape/Diskette ID	kette ID		File Name/Header	der	7	LCR PEDS	8		
PRESS SN	50405 <b>p5040</b>	5040 START DOWN	NWO OWN							. 1					
TEMP SN	11390	11390 AT DEPTH	Į					gi a Plan		1		ļ	,		
COND SN	501	AT SURFACE	  YGE		1	Ž.					MAX. [	MAX. DEPTH =		์ [	٤
TEMP SN	4 (193) #391	XPAR		X FLUOR	ChIAM	Γ	TRANSM	XTRANSMISSOMETER	Ш	Cleaned air bleed valve	bleed v	alve			
POS TRIP DEPTH			100 OF	VERTED	MONITO	Ī⋠	S		SAN BOTTLI	SAMPLE BOTTLE DATA	SAN	SAMPLE BOTTLE NUMBER	)TTLE	NOMBE	er.
														-	T
	PRESSURE	SURE	PRI. TEMP	EMP.	SEC. TEMP	remp	SAL	SALINITY	SALINITY	<b>∑</b> LIN	SAL.	NUTR	R	FICO	Other
1 200								1				+	1	+	T
2 30			-									†			$\top$
3	,			-									1	$\dagger$	
4 20										-			1		
5 20				·		1						1	,	1	
51 9												1	+	$\dagger$	T
7 10		·										1	1		
8 5	ĺ	,												+	
\$ 6														1	
10												$\dagger$	$\top$	$\dagger$	T
71	,												1	+	
12						7									

ĺ		÷					-						Γ			
VES	VESSEL Alpha Helix				PROJECT & LEG HX209	r & LEG	ă		¥ n	2	N CKIS					
S S	Z O			-					TIME	N (Simt) UD (simt) E HEHT	язнт7 8 7 1 1 1 1	0 1		12		
CAST #		LATITUDE	LONGITUDE		DATE JD=	TIME (GMT)	BULB B	''	DIRN.		Ξ Ξ		STA. NAME/ID	Δ.	,	
	DEG MIN		DEG	MIN DAY	N MO YR	HR MIN	(၃)	(S)	(deg) (m/s)		<b>E</b>	+				
ત	5593	21559395521 6713.26W163	6712	3.26WI	8 6 N D C 9	8 7317					30	7				
	CTD	E	TIMES	- JD/TIME			DAT.	DATA LOCATION	Z	REMARKS	IRKS					
77	TYPE & SN SB911+		DATA ON			Tape/Di	Tape/Diskette ID	File Na	File Name/Header							
PRE	PRESS SN	50405 p5040 START DOWN	TART DC	NWC			***									
<u>+</u>	TEMP SN	t1390 A	t1390 AT DEPTH											12.10	,	
8			AT SURFACE	ACE	}					MAX.	MAX. DEPTH	11	E	3	3	
<u>1</u>		4 1123	MPAR	XFLUOR	F	ChIAM	TRANSMI	XTRANSMISSOMETER	Cleaned air bleed valve	pleed	valve		3			
စ္မ	TRIP		[5 ]	le	TED MONIT	OR VALUE	Si		SAMPLE BOTTLE DATA		MPLE B	OTTLE	SAMPLE BOTTLE NUMBER			
							in						-	<u> </u>		
		PRESSURE	JRE	PRI. TEMP.		SEC. TEMP	SALI	SALINITY	SALINITY	SAL.	SAL. NUTR.	岩	HPLC Officer	<u> </u>		
-	2		2									7	7	<u> </u>		
2	2		197								35	1		_		
က	00	===									7	9	1	<b>-</b>		
4	0,								•		733	1	+	<u> </u>		
5	0			-						_	799	j	1	· ·		
9	0								i			7	7	·		
7									ű.				1			
8		6											+	<u> </u>		
6		-											+	$\overline{}$		
10												$\dagger$	+	T		
11		, 1										+	1			
12				;										$\neg$		

Alpha Helix CON SC						ייייייי א רבים						1	7 1 1 1		_
SC SON	-			티	HX209		-		-	+	-  -	٦.	イズン		_
သွ	·			<del></del>		)(¥		<u>3</u> H(	- J.L.		(ims)	<u> 8</u> 3	·		
				12		!	;	ese	בורנ <u>י</u>	<b>≥</b>	40	HT.	٥ ا		
CAST	ATITUDE	LONGITI	SITUDE	DATE JD=		GMT)	EULB	WEI BULB	AEA	DIAN.	y 다.	¥3.₩		STA. NAME/ID	ME/ID
<u> </u>	Z	DEG	MIN	DAY A	YR	HR MIN	_	(°C) (mb)		(deg) (m	H	(m)			
21659337	Νť	1/291	W40.6	NUL61.WYO	98	33₽		_				- 10	30		
CLD	_	TIMES	/Qr	JD/I WE			DA	DATA LOCATION	NOI		<u> </u>	REMARKS			
TYPE & SN SB911+	_	DATAON	7			Tape/Diskette ID	ः kette ID		File Name/Header	-leader					
PRESS SN	3.04	FART D	- NWO				!								60
TEMP SN	11390 AT DEPTH	r DEPT	 		7.					T. P.					
CONE SN		AT SURFAC	ACE	x30	\$85	88	111	9	53 95 54		F#A	P!AX. DEPTH =	<u> </u>		Ε
TEMP SN	4 1.33	XPAR	X	FLUCR	ChiAM		FRANSM	XTRANSMISSOMETER	Ш	Cleaned air bed valve	ir b 3e(	1 valve			8
POS TRIP CEPTH	]	<sup>©</sup> 1	12	/:RTED	CONV.: RTED MONITOR VALUES	R VALUE	S	9	80	SAMPLE BOTTLE CATA	20	SAMPLE BOTTLE NUMBI: R	BOTTL	E NUM	H. H.
	PRESSURE	: ¥	PRI, TEN.F	i,	SEC. TEMP	EMP	SAL	SALINITY	SA	SALINITY	SAL.	NUTR	<u>R</u>	HPLO	Other
47 -			8									728	1		
2 -10	10					O4						727		9	
3 5	8			10			· !	o <sup>2</sup>	11		<u> </u>	324	7		VA.
4	65		*	.a.						=					
5				i	i								, iii		
9															i
7		V									ļ				
8											_				10
6															
10								ı.			<u> </u>				
11	_							¥							
12	;														

P

ଯ

HPLC Other STA. NAME/ID SAMPLE BOTTLE NUMBER STATION DESIGNATION. NUTR, CHL. WIND D SPOUD (SITE)
TYPE
TYPE
DIRN. D. CLOPE
MEATHER
DIRN. D. H 8 MAX. DEPTH = 52£ Ξ 730 Cleaned air bleed valve REMARKS SAL. (m/s) BOTTLE DATA SAMPLE SALINITY File Name/Header (deg) TISIBILIT DATA LOCATION XTRANSMISSOMETER WET WE SALINITY Tape/Diskette ID BULB DRY ဉ CTD CONVERTED MONITOR VALUES O INCOPOLATION IN THE HOLD IN PROPERTY OF THE YR HR MIN (GMT) TIME PROJECT & LEG SEC. TEMP ChIAM HX209 DATE JD= DAY MO XFLUOR JD/TIME PRI. TEMP. LONGITUDE 5040 START DOWN c501 AT SURFACE t1390 AT DEPTH DATA ON TIMES DEG PRESSURE FYPE & SN SB911+ LATITUDE DEG MIN DEPTH OS TRIP 200 0 PRESS SN Alpha Helix COND SN **TEMP SN FEMP SN** 0 CTD VESSEL SC SON CAST 5 7 12 Ŋ 9 ω 0 ო

CON   CON	VESSEL				PROJECT & LEG	& LEG				STAT	STATION DESIGNATION	GNATIC		_
Column   C	Alpha Helix				HX209						4		ر ر	_
Column   C	CON					37						<del></del>		
Second   Company   Compa	SC							088		N N	Ш	отто		
LATTUDE   LONGTUDE	œ.							:⊐⊦	MIN MIN MIN MIN MIN MIN MIN MIN MIN MIN	D SP	VΞ	DEPT	,	!
DEG MIN   DEG   MIN   DEG   MIN   DEG   MIN   DEG   MIN   DEG   MIN   DEG   MIN   DEG   MIN   DEG   MIN   DEG   MIN   DEG	_	TITUDE	옔	JOE	9	(GMT)		ıd	O.B.	۹	- 61	<b>-</b> - -	STA. N	9 8 8 8 8 8
SEG   24  4  4  14  16  15  2  2  4  14  14  14  15  15  15  15  15  15  15  15  15  15	DEG	N	╛	z	ş			Т	(deg)	(m/s)		Ξ	-	_
Times   John   Time	218592	4.4 N	2	d		G057	il N <del>ie</del> se					31		- <u>-</u>
Tape/Diskette ID   File Name/Header	CLD	Ξ1	TIMES	JD/:INE	ı		DATA	LOCATIC	NC		REMARK	Ø		
Second   S	TYPE & SN S		DATA ON		-	Tape/Disl	kette ID	File No	ıme/Heade	<u></u>				
MP SN 11390 AT DEPTH AND SN 11390 AT DEPTH AND SN 1130 AT SURFACE  MP SN 1130 AT SURFACE  MP SN 1130 AT SURFACE  MP SN 1130 AND EPTH AND SN 1130 AND EPTH AND SN 1130 AND EPTH	PRES:3 SN	50.403 p5040	START DO	WN.						· ·				
MAX. DEPTH =   MAX.	TEMP SN	11390	AT DEPTH	20										
TEP			AT SURFA	     	1	200		1			AAX. DEF	= HTc		E
S FRIP  CTD CONVENTED MONTOR VALUES  SAMPLE BOTTLE DATA  BOTTLE DATA  SAMPLE BOTTLE NUM  SALINITY  SALLINITY		4 1133	X X PAR	XFI.U.S			RANSMIS	SOMETER		dairb	le:d valv	9		15
PRESSURE PRI, TEMP SALINITY SA	TR:P CEPTH		CI.	D CONVERT	ED MONITO	R VALUE:	10		SAMPLI BOTTLE D	E ATA	SAMPL	E BOTT	LE NUM	BI:R
PRESSURE   PRI, TEMI'   SEC. TEMP   SALINITY   SALINI	*,			ļ				對。		Ì		F		=
010	t st	PRESS			SEC. T	EMP	SALINI	È	SALINIT				HPLO	C C C C
	000				. —					<u></u>	K	34		
	_	0									1	2	v	_
		9					a <sup>a</sup>	155	į	-=	3	7 2		
		90	(8)				12 13			- 11	.,,			
6       7         8       9         10       11         12       12	Щ									7	-   - 	eC.	-	
7         8         9         10         11         12					_							_		<u> </u>
8       9       10       11       12	. 2			100					į			_		
9       10       11       12	8			12						<u> </u>		_		1
11 12 12 12 12 12 12 12 12 12 12 12 12 1	6	*		-							Ø3	_		
12	10		U	S.						T		_		
12 ;	=	-								ļ	$\dashv$	_		
	12 1	=									-	_		

PROJECT & LEG HX209  OCKID	TIME DRY WET 0 POTON D SI DENTO CONTENT OF DIRN. D. OF SI DIRN. D	DAY MO YR HR MIN (°C) (°C) (mb) (deg) (m/s) · ·	JD/TIME DATA LOCATION RIEMARKS	Tape/Diskette ID File Name/Header	- N		E MAX. DEPTH = m	XFILTOR CHIAM XTHANSMISSOMETER Cleaned air.bl:ed valve	CTD CONVERTED MONITOR VALUES SAMPLE SAMPLE BOTTLE NUMBI: R BOTTLE DATA	TEMP. SEC. TEMP SALINITY SAL. N	787 10	737	136	738								
d H	DATE	DEG MIN DAY N		DATAON	රිට්අපර p5040 START DOWN	11390 АТ DEРТН	AT SURFACE	XPAR XFILOR	CTD CONVERTED	PRI												Tig.
VESSEL Alpha Helix	CON SC CAST # LATITUDE	DEG MIN	cro	TYPE & SN SB911+	الم کردی PRES:3 SN م	TEMP SN t1390 A		4 11.9.3 TEMP SN 11391	POS TRIP CEPTH	PRESSURE	1 32	2 30	3 /0	0.	5	9	2	8	6	10	11	12

VESSEL Alpha Helix	<b>X</b>			E E	PROJECT & LEG HX209	k LEG				<u> </u>	STATION DESIGNATION	2 DESIG	SIGNATION TO KE	2 .	
CON SC CAST	ATITUDE	ILIĐNOT	NTUDE	DATE JD≔	=Qr	TIME (GMT)	DRY BULB	WET SOORE	STATE ASS Trijibiciv	WIND DIRN.	D SP (amt)	WEATHER	BOTTO M DEPT H	STA, NAME/ID	ME/IC
	NIW 5	DEG	Z	DAY N	ΥR	1=	—	(°C) (mb)	19	(deg) (	. (s/u				
92169	10.32N			11/1/11	7 UN98	0310		•		ME	0		40		
CLD		TIMES	/ar	JEJ/TIME			DA	DATA LOCATION	NOL		<u>E</u>	REMARKS			
TYPE & SN SB911+	SB911+	DATAON	-		<u>,</u>	Tape/Diskette ID	kette ID		Name/	File Name/Header					
PRES:3 SN		うじゅう p5040 START DOW	OWN) -		نــ. ا										
TEMP SN	11390	t1390 AT DEPTH	Ŧ												
CONE SN	c501	AT SURFAC	ACE		C:	## =		.c	140	53 1.771	₹	MAX. DEPTH =	# #		E
TEMP SN	4 1133	X		X FLUOR	ChlAM		RANSMI	XTRANSMISSOMETER	Ш	Cleaned sir bleed valve	3ir blee	d valve			12
POS TRIP CEPTH		]	l <u>e</u>	ERTED	MONITOR	CONVERTED MONITOR VALUES	100	36	80	SAMPLE SANTLE BOTILE DA!A		SAMPLE BOTTLE NUMBI:R	ВОТТ	E NCM	E
	PRESSURE	URE	PRI TEMP.	M	SEC. TE	TEMP	SALI	SALINITY	Ŝ	SALINITY	SAL	- NUTR	R. CHL.	HPLC Other	Othe
1 36				M.								34		1	, 411
2 36	•								_85	Γ	un te	744		L	_
3 20	7111	i i		\							ı ı.	743	~	7	
7	98						5			10	. W. D.	742		7	
5		Ξ												(	
9					S.		(9)								
2			8.							e E					
8											 	_		7,	10
6										,		_			
10	ú	iù H		38											
11					6	_									
12			:()							İ	-				

CON   CAST   C	VESSEL	SEL			PROJECT & LEG	& LEG			STATI	STATION DESIGNATION	GNATE	NO.	_
SC ASSISTANCE LONGITUDE DATE JD= (GMT) BULB E F F F F F F F F F F F F F F F F F F	Alpha	Helix			HX209						210	2	$\neg$
SC   AST   LATTUDE	TO .					72			1,00				
AST   AST	§ 8									Œ	ОПО		
DEG MIN   DEG MIN   DAM MO YR HR MIN ("C) ("D)   GEG MIN   DEG MIN   DAM MO YR HR MIN ("C) ("D)   GEG MIN   DAM MO YR HR MIN ("C) ("D)   GEG MIN   DAM MO YR HR MIN ("C) ("D)   GEG MIN   DATA DO   GEG MIN   DATA DO   GEG MIN   DATA DO   GEG MIN   DATA DO   GEG MIN   DATA DO   GEG MIN	S S S S S	<del>-</del>	-	83		TIME	WET	2 A 1181	DSP	PE TTA:	DEPT		
DEG MIN   DEG   MIN   DAN   MO   TR   HR   MIN   (°C)	#		LONG	TUDE	DATE JD=		BULB	AIS SE	O	丌	н	STA. N	AME
CTD         TIMES         DATA LOCATION         REMARKS           CFB & Sh SB911+         DATA LOCATION         Tape/Disk-itte ID File Name/Header         REMARKS           FE & Sh SB911+         DATA ON         Tape/Disk-itte ID File Name/Header         REMARKS           FESS SN PSG40 STAFT DOWN         Tape/Disk-itte ID File Name/Header         MAX. DEPTH = NAME STATE		DEG MIN	Ш	2	ΘM		(၁့)			• 1	(m)		
Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   File Name/Header   Tape/Disk-ite ID   Tape/Disk-i	e दे	5905.70N	1675		3 6 N D C 7	0359			THE PARTY NAMED IN		₹ D		
PESS SN P5040 START DOW N   Tape/Disk-ite ID   File Name/Header	3	QJ.	TIMES	D∕T	IME		DATALOC	ATION	<u> </u>	REMARK	S		
STATE DOW N   11390   AT DEPTH	TYPE	8 SN SB911+	DATA ON	,		Tape/Disk		e Name/Heade	5	33			
MAX. DEPTH = MAX.	PRES		START DC	N WC								al .	
MP SN 4 11391   M PAR 11391	TEMP		AT DEPTH	_				15	- 1	:			
NAP SIN \$ 1130   X   PAR   ELUOR   ChlaM   X   TRANSMISSOMETER   Cleane J Lift bleed valve    S TRIP   CTD CCINVERTED MONITOR VALUES   SAMPLE BOTTLE    S AMPLE BOTTLE   SAMPLE BOTTLE    S ALINITY   SALINITY   SALINITY    S ALINITY   SALINITY   SALINITY    S ALINITY   SALINITY   SALINITY    S ALINITY   SALINITY   SALINITY    S ALINITY   SALINITY   SALINITY    S ALINITY   SALINITY   SALINITY   SALINITY    S ALINITY   SALINITY   SALINITY   SALINITY    S ALINITY   SALINITY   CONC	c501	AT SURFA	Ö	) Pa	97		e ::	.≥	IAX. DEF	=HT		£	
TRIP CTD CLAVERTED MONITOR VALUES SAMPLE BOTTLE  CEPTH  PRESSURE PRI TEMP SEC. TEMP SALINITY SAL. NUTR. CHL.  27  20  20  20  20  20  20  20  20  20	TEMP	4 ⊬33 11391	XPAR	<u> </u>		1	RANSMISSOME	Ш	d air b	eed valv	ي ا		Γ
PRESSURE PRI TEMP. SEC. TEMP SALINITY SALINITY CHL.  27  20  20  20  20  20  20  20  20  20	sos	0. 1	C	D SCNVI	ERTED MONIT	OR VALUES		SAMPL		SAMPL	E BOT	TLE NU	MBI: R
PRESSURE   PRI TEMP   SEC. TEMP   SALINITY   SAL. NUTR CH.   23   250		HILL	-	!		"		80: ILE D					
			URE	PF81-TEA		TEMP	SALINITY	SALINIT					O O
& & & & & & & & & & & & & & & & & & &	-	37							6		20	\	R
	2	.30			-21	Ť			eres!	<u> </u>	61.	ī	
	3	8	122	12.228	E		34 34			y	26		
						"			u -	74	<u>(1)</u>	130	_
6       7         7       8         8       6         9       6         10       7         11       7         12       7	_								-1 -1	74	7		<del> </del>
7         8         9         10         11         12	9				٥		89						
8       9       10       11       12	1	. J. J.		5							_		10
9 10 11 12	8	: 1/2:											New York
11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	6								1	$\dashv$	_	_	_
11 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10	900	-11							_	_	_	_
12	11	· ·			E)					_	_	_	
	12	-											

VESSE	***	da.		Hd	PROJECT & LEG	s LEG	-			STA	STATION DESIGNATION	SIGNA	TION			
Alpha Helix	×	5		Ĭ	HX209					_		メンゴ	×			
NOS					¥1	100		<u>∃</u> H(			(smt)					
SC					7	TIME	ЭВY	KESSC WESSC VESSc Vessc	II A III BI	NIW CI	GÚŌ ∃9 HTA:	H BOTTO				
	LATITUDE	LONGITUDE	TUCE	DATE JD=	JD=_CI	(GMT)	EULB		SE DIRI	o L	NE LA CL	피	- 1	STA. NAME/ID	EAD	
DE		DEG	NE NE	DAY MO	O YR	HR MIN	(၁့)	(°C) (mb		(s/tr.) (jep)	•	Έ)				
3335901.0	SN	167554	W. 4. 3W		8 6 N ∪ L ₹	0443	-	•		[ !		40		7.		
CTD	<u> </u>	TIMES	Jan-	JD/TIME			DA.	DATA LOCATION	NOI		REMARKS	3KS				
TYPE & SN SB911+	\ SB911+ D	DATA ON				Tape/Dis	Tape/Diskette ID		File Name/Header	<u>16</u>						
PRES:3 SN	43	P5040 START DOWN	. NAS							09 25					(	
TEMP SN		t1390 AT DEPTH	_					ļ	0.7	ł					aluet	4
COND:SN	c501	AT SURFACE	ICE I		10	=	@		Î.		MAX. D	MAX. DEPTH =	10 2005	-	<b>E</b> :	
TEMP SN	4 1133 11391	XPAR	送	LUOB	ChlAM		TRANSM	XTRANSMISSOMETER		Clean'x air bleed valve	sleed va	ive				
POS TRIP CEPTH		] ]	CTI) CONVI	ERTED!	MONITO	ERTED MONITOR VALUES	S	2	SAMPLE BOTTLE DATA	VIE DATA	SAM	SAMPLE BOTTLE NUMBI:R	THE	NUMBI	œ	
r		-						A THINK I W	Contract	9		OT:	7	١	3	
7.0	THESSONE T		-11. I EIMI		350		5						_			
		<u> </u>		+		1				!	1.1	77			T	
2 8						ŷ.	2.5	13		j.	1	12	+	-	Γ	
3.7		1	1	<del>                                     </del>						_		12			ÿ.,	
									=	į		15%	>			
ဖ					2	i .	8 (3					1	7.2	ic.		
7			į							į	1	_	$\dashv$		¥ .,	
8			į								1	_	-	<u>!</u>	JE.	
6				_							_	+	$\dashv$		Т	
10		11	į	-								$\dashv$		İ	1	
11											$\dashv$	_	_			
. 21			I							i i	$\dashv$	$\dashv$	$\dashv$		$\neg$	

£

1				<u> </u>	PROJECT & LEG	Š LEG	_					4 2 2	0	4	_	
CON CON					60741			3HC	372		_(tme)	83			1	
			;			TIME		TESSE ME	TS AS	QNIM	OUD S d OUD	HTA3	BOTTO M DEPT			
ַצ ביילי	LATITUDE	LONGIT	MITUDE MIN	DATE	JD= MO YR	(GMT)	BULB C		A .qu.)		O (S/W)	111	± E	SIA.	SIA. NAME/ID	9
385	NO 4.3585 HE	Ó	0		8 6 N U	980537							140	·		
CTO		TIMES	Ì	JD/TIME			-	DATA LOCATION	NO I	ì		REMARKS	(S			
& SN S	TYPE & SN SB911+	DATA ON	_			Tape/Diskette ID	kette ID		Name	File Name/Header						
PRESS SN	50405 p5040	50405 p5040 START DOWN	OWN													
TEMP SN	t1390	t1390 AT DEPTH	l   =					6 B								
COND SN	c501	AT SURFACE	ACE		65.00				3		_ ≥	MAX. DEPTH =	PTH=		E	_
TEMP SN	4 1193 t1391	X PAR	_	XFLUOR	ChiAM	Г	XTRANSMISSOMETER	ISSOME		Cleaned air bleed valve	d air bi	eed val	, g			
TR(P DEPTH		o I	12	VERTED	AIONITC	CON YERTED MONITOR VALUES	မ္		80	SAMPLE BOTTLE DATA	E ATA	SAIAP	SAMPLE BOTTLE NUMBER	TLE N	ЭМВЕ	<b>~</b>
	PRESSURE	URE	PRI. TEMP.	EMP.	SEC. TEMP	TEMP	SAL	SALINITY	97	SALINITY		SALNI		동	HPLC Other	ther
36												1	760			
30		, -		_	á			,				Ù.	259			
2											_ :	7	358			
01												U.	27			
0						200020	*				h.	K	756			Ì
	4							i							_	
			8		7.20									$\dashv$	í	
	. I				`	,						-1		-	$\dashv$	
									·					_	-	
					,				_			ı	-	-	-	
	<b>!</b>		•						_				-	+	$\dashv$	
											يجد					

90			21 21 <sub>21</sub> 2			5	35	(5)	III see	8 B		8			8									
<b>ာ</b> ဗွ	¥* [	ATION	O PT STA. NAME/ID	h	29	ē			E .		SAMPLE BOTTLE NUMBER	CHL. HPLC Other		4.1	j.							170	¥	1
	3	STATION DESIGNATION	O WE THER WEATHER	(m/s) (m/s)	REMARKS				MAX. DEPTH	air ble			Şō											1
*2 ≟ ⊛	25	s	PHESSURE STATE ASC VISIBILITY	(mp) (deg)	САТЮИ	File Name/Header		# 5			SAMPLE BOTTLE DATA	SALINITY												
Contraction of the Contraction o			DRY WET	(°C) (°C)	<b>DATA LOCATION</b>	Tape/Diskette ID F	193	13 14		XTRANSMISSOMETER	JES	SALINITY												
		PROJECT & LEG HX209	TIME (GMT)	MO YR HR MIN	.c.	Tape			3	ChlAM	D MONITOR VAL	SEC. TEMP		Œ.				į		ř		<i>5</i> /		
9	`.	10	LONGITUDE DATE		JD/TIME	3	DOWN	¥	FACE	A XFLUOR	10 12	PRI. TEMP.												
	51		ATHUDE	MIN DES 19.37 N 16 9C	TIMES	B911+ DATAON	PS040 START DOWN	tt390 AT DEPTH		4 1.33 11391		PRESSURE			65							=		
		VESSEL Aloha Helix	SC CAST	225 DES MIN	CTO	TYPE & SN SB911+	PRESS SN	TEMP SN			POS TINE		-	2	3	4	5	9	7	8	6	10	11	12

10000				-	PROJECT & LEG	R LEG	-			STAI	ON O	STATION DESIGNATION	NO!		
VESSEL Afoha Helix		*		I	HX209		_	 			E	2102	Ç		
NOO					1			PHOS	- 7'1'-	Š Z	(fms) Q R3H	ВОТТО			
SC				<del></del>		TIME			ONIM C	DSP	YPE YEAT	M DEPT		CTA NAME/II)	C/L
]	LATITUDE	LONGIT	GITUDE	-	밝	(GMT)	<u>_</u>	BULB E	VIEW (ABO)	(S/W/	) •	<b>E</b>	2		20
226 DEG	NIN.	DES		DAY	₹ŀ	NIW H	+		-		F				
124684	45842.23NIBS	08	6.3	NOCH INC	8	0323	=								
CTD		TIMES	3	JD/TIME	2		DAT	DATA LOCATION	25	<b>* 4-44</b>	REMARKS	¥S	Ç),		
TYPE & SN SB911+	3B911+	DATAON	z			Tape/Diskette ID	kette ID	File R	File Name/Header	5	)B				20
PRESS SN	ეე 250€	PSO40 START DOWN	DOWN		i										•
TEMP SN	11390	11390 AT DEPTH	¥			88	3		無		ľ				
No Civio	504	AT SUR	FACE	İ	i	8	=			•	MAX. D	MAX. DEPTH =		_ [	E
	4 1133	0 40		BOIL IS	CHIAM	$\square$	FRANSMI	TRANSMISSOMETER		Cleaned air bleed valve	leed v	ě.	:		
POS TRIP	825		18	VERTEE	CONVERTED MONITOR VALUES	R VALUE	S		SAMPLE BOTTLE DATA	E	SAM	SAMPLE BOTTLE NUMBER	TTE	NOMBE	Œ ×
ОЕРТН		123		e = }			ı			10.0	ĺ		}	-	Sh Service
		<u>.</u>	DDI TEMP	. dAp	SEC TEMP	FMP	SALI	SALINITY	SALINITY		SAL.	NUTR	품	F	Other
	L	בורת הוא									`		_		15
~ 6				7	3	0	 						-		2
2	i i	-	_								_;	-	1		
2 8											1		+		Ì
2											1	+	$\dagger$	+	
9		-											+	1	
7													+		
80					¥.						1	-	-	$\dagger$	1
6					e			00			+	+	+	$\dagger$	T
10	_				22						$\dagger$	_	-	$\dagger$	T
11	ı										$\dagger$	+	+	┪-	T
12											1	-	-	1	7

VESSEL		**		P	PROJECT & LEG	LEG				STATIO	NDESI	STATION DESIGNATION	Z		
Alpha Helix				외	HX209		-	-	-	-	<b>2</b>  -	ь Ј		7	
											ㅂ				
<u>န</u> ် ပွ					,	•		OSS (LS	פורו	ON (	HI	HI BOTTO			
<u> </u>			!	ļ			DRY WET	HE	ONING Naid		S NEV	-	STA. NAME/ID	WE/ID	je
# LATITUI	LATITUDE	TONGIT	SITUDE	DATE	=OC=	HBININ	<del></del>	dm)	(deg)		\	1 1	51		
	2 7	10		_	0	0						0		-	
112 75 25 25 24 91N 16 8 2 2 3	N 617-1318	7 2 9	+	_		7407	TOTALOGRAPHS			- "	REMARKS				
CTD		TINES	Š	JD/IIME			74 4140			_	Ξ	1			
TYPE & SN SB911+	SB911+	DATA ON	z	Ì	<u></u> !	Tape/Diskette to		File Nar	File Name/Header						
PRESS SM	5040 05040	SCYCS p5040 START DOV	NMOC								·			Sa	
TEMB CN	1390	HI390 AT DEPTH	<u> </u>		<del></del>		154		59					——————————————————————————————————————	
I EIWIL SIN	2000				-					<u>×</u>	MAX. DEPTH =	표표		Ε	
COND SN	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	A SURFACE	ńΓ		-  -  -				C			١.	24	<u>~</u>	
TEMP SN	11391	XPAR		XFLUOR	CHIAM	X	TRANSMISSOMETER	METER		air blec	AIBA DE	0			ŗ
POS TRIP			16	ERTED	CON YERTED MONITOR VALUES	3 VALUES			SAMPLE		SAMPL	SAMPLE BOTTLE NUMBER	LE NUM	BER :	
									BOTTLE DATA	mue: ≤		!	-	 	
											<u>.</u>			17.04.19	
	PRESSURE	์ เบRลี	PRI. TEMP.	MP.	SEC. TEMP	-MP	SALINITY		SALINITY	<b>₹</b>	NUTR.	H	킬	Other	
-		į						- 9		+	<u> </u>	_	_		<u>.</u>
		11/2			v					-	ુ.	_		, ii	
2	ő			<b> </b>				,			<u> </u> 				
, ,		<del> </del>		-				77				_			,
* 4							<u>135</u>	11" 11"							<u> </u>
o d		<del> </del>				-					À				Tab.
							: :								
20		-				-				#8 =5					
6		+		+		+		_		-	 	_			
10	= '	+		+		+		+	*:		ig	<del> </del>	_		
11		7		+		+		+			$\downarrow$	+			
12				-				4			_	_			_

			-				0	J. Y.	STATION DESIGNATION	ANG	Z			
VESSEL Amba Helix		3.5 1	<u> </u>	PROJECT & LEG HX209	7 FE		2	1	2	<u>3</u>	1			
8 %				1		220HE	STATE	V N (tms) QU	ТНЕН	вотто				
	ATITUDE	LONGITUDE	DATE	JD=	(GMT)	DRY WET E	WIND DIRN.	0 0 0 0	MEA	M DEP	_	STA. NAME/ID	END	
SO DE	NIIN	S MIN	DAY	#O YR	HH MIN	) (5) (5)	(mb) (deg) (n	(S/W)	$\pm$		E	E	Ĭ	
1	~	831 SAM	-	7-UN98	101					9			./ 3	24 6
cTo	1		JD/TIME			DATA LOCATION	TION	<u>«</u>	REMARKS	S	67	200	ς.	7
TYPE & SN SB911+	SB911+ DAT	DATAON		i	Tape/Diskette ID		File Name/Header		=				-	>
PRESS SN	SCHOOL START DOWN	RT DOWN		<del>-</del> i										
TEMP SN	t1390 AT DEPTH	EPTH					ĀSS							
NO CINCO		AT SURFACE			8			Σ	MAX. DEPTH	PTH=		٦	E	
	4 1133		MELLIOB	GHAM		XITRANSMISSOMETER	TER Cleaned air bleed valve	air DZ	ed val	e .	8 5		-75	
FMF SN	_	NO OIL	KERTED	CTO CON JEBTED MONITOR VALUES	3 VALUES	S	]	-	SAM	E BO		SAMPLE BOTTLE NUMBER	E.	
			W		2		BOTTLE DATA		2					
	PRESSURE	PRI. TEMP.	EMP.	SEC. TEMP	EMP	SALINITY	SALINITY	S	SAL	NUTR	밁	P G	Other	
1 53								7	ia	+	+	T	T	
2					1			+	+	$\dagger$	+	†	T	
က	0.0				1				╁	+	+	1	T	
4		-						+	+	+	$\dagger$	t	T	
5								+	+	+	+	†	T	
9								+	+	+	+	1	T	
7								+	+	+		†	T	
80			1					-	+	+	$\dagger$	1		
6								+	t	+	†	+	1	
10		1			+			+	+	+	t		T	
F					+			+	+	╁	$\dagger$	t	T	
12								-	1	-	1	1	7	

17   10   10   10   10   10   10   10	70000				٥	PROJECT & LEG	2.1.FG	-		23	STA	OND	STATION DESIGNATION	TION		
Continue   Continue	VESSEL Albha Helix		f		Ξ.	X209		_			_		2	7		
Compact   Comp	S S S			= ==	٥	1	TIME	DRY		יופורוו ג		OUD (8mt) PE	BOTTC M DEP			
CTD   TIMES   JUNING   DATA LOCATION   REMARKS		TITUDE	LONG	TUDE	- اننا	, O	(GMT)			ج ا	. D.	٠. ۱۵۰	ΞÊ	ST	A NA	GE CA
Tabe/Diskette iD File Name/Header   Tape/Diskette iD File Name/H	S S S	2 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Z J	7	8 8 N	79	) -					3	0		
Tape/Diskette ID   File Name/Header					TIME		2	DAT	TA LOCATI	OFF		REMA	3KS			
Max. Depth	TYPE & SN S	SB911+	DATAO	7			fape/Dis	kette iD	File N	апте/Неаd	<del>-</del>	=				
MAY. DEPTH  MAY. DEPTH  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  ST TRIP  ST TRIP  DEPTH  SEC. TEMP  SEC. TEMP  SEC. TEMP  SEC. TEMP  SEC. TEMP  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  MAY. DEPTH=  SAMPLE  SAMPLE  SAMPLE  SAMPLE  SAMPLE  BOTTLE DATA  HPLC	PRESS SN	50403 p5040	STARTD	OWN OWN												
MP SN	FEMP SN	11390	AT DEPT	ŗ				ă.		•		1.				
MP SN 11.33   X  PAR   X  FLUOR   ChlaM   X  TRANSM.SSOMETER   Cleaned air bleed valve   SAMPLE   SAMPLE BOTTLE NUMBER   SAMPLE NUMBER   SAMPLE BOTTLE NUMBER   SAMPLE NUMBER   SAMPLE BOTTLE NUMBER   SAMPLE NUMBER   SAMPLE NUMBER   SAMPLE NUMBER   SAMPLE NUMBER   SAMPLE NUMBER   SAMPLE NUMBER   SAMPLE NUMBER   SAMPLE NUM		_	AT SURF	- O		=				ļ		MAX. D	EPTH=		_	£
DEPTH PRESSURE PRI. TEMP. SEC. TEMP SALINITY SALINITY SALINITY CH. HPLC			N PAR		HOI	Chia		L BANSW	SSOMETE		ed air t	leed va	<u>V</u>			
PRESSURE PRI. TEMP SALINITY SALINITY CHI. HPLC  PRESSURE  PRI. TEMP SALINITY SALINITY CHI. HPLC    PRI. TEMP SALINITY SALINITY CHI. HPLC   PRI. TEMP SALINITY SALINITY CHI. HPLC	TRIP DEPTH			10	ÆRTED	MONITO	3 VALUE	S		SAMPI	E DATA	SAM	PLE BO	TTLE	NUMBE	e:
		PRESS	URĒ	PRI. TE	MP.	SEC. T	ЕМР	SAL	VIITY	SALINI	≥				-Proj	)the
	-				ı							<del> </del>	-	+	+	1
	2		38										+		+	ii.
	3	60									2.72	1		$\dashv$		
												Ť	$\dashv$		+	
	- 2			2	_									+	$\dagger$	1
	-											-		+	$\dashv$	1
		2							5	ļ		8	5			
							-						+	+	+	T
													$\dashv$	$\dashv$	+	T
	0											+		+	$\dashv$	
		,										+	+	_	+	7
												$\dashv$	-	-	$\dashv$	

Tape/Diskette ID File Name/Header  Tape/Diskette ID File Name/Header  Tape/Diskette ID File Name/Header  MAX. DEPTH = m  MAX. DEPTH = m  MAX. DEPTH = m  SAMPLE SAMPLE BOTTLE NUMBER  BOTTLE DATA	ette ID File Name/Header  DATA LOCATION  REMARKS  REMARKS  MAX. DEPTH =   MAX. DEPTH =   SAMPLE SAMPLE SAMPLE SAMPLE SAMPLE SAMPLE SAMPLE SAMPLE BOTTLE NUMB  SALINITY SALINITY SAL. NUTRI CHL. HPLC	ette ID File Name/Header  BAX. DEPTH =  IMAX. DEPTH =  SAMPLE SAIAPLE BOTTLE  SALINITY SAL. NUTR. CHL.	DATA LOCATION  Tape/Diskette ID File Name/Header  Chiam XTRANSMISSOMETER Cleaned air bleed valve SAMPLE BOTTLE SEC. TEMP SALINITY SALINITY CHL.	ette ID File Name/Header  AANSMISSOMETER Cleaned air bleed valve  SAMPLE SAMPLE BOTTLE  BOTTLE DATA  SALINITY SALINITY SALINUTR CHL.	ette ID File Name/Header  PANSMISSOMETER  SAMPLE  SALINITY  SALINI	PATA LOCATION  ette ID File Name/Header  REMARKS  HAX. DEPTH =  RAX. DEPTH =  SAMPLE BOTTLE  BOTTLE DATA  SALINITY SAL. NUTR. CHL.  221  221  221  221  221  221  221  2	ette ID File Name/Header  BAX. DEPTH =  AAX. DEPTH =  SAMPLE BOTTLE  BOTTLE DATA  SALINITY SAL. NUTR. CHL.  201  201  201  201  201  201  201  20	ette ID File Name/Header  PANSMISSOMETER Cleaned air bleed valve  SAMPLE SAMPLE BOTTLE  BOTTLE DATA  SALINITY SAL NUTR CHL  222  222  222
ette ID File Name/Header  AANSMISSOMETER SAMPLE  SAMPLE  BOTTLE DATA	ette ID File Name/Header  AANSMISSOMETER  SAMPLE SAMPLE SAMPLE BOTTLE BOTTLE DATA  SALINITY S	ette ID File Name/Header  AANSMISSOMETER  SAMPLE  SAMP	ette ID File Name/Header    MAX. DEPTH =	ette ID File Name/Header    MAX. DEPTH =   MAX. DEPTH =     SAMPLE   SAMPLE BOTTLE     BOTTLE DATA   SAL. NUTR CHL.     SALINITY   SAL. NUTR CHL.     ASSAMPLE   SAMPLE     SALINITY   SAL. NUTR     ASSAMPLE   SAMPLE     ASSAMPLE     ASSAMPLE   SAMPLE     ASSAMPLE	ette ID File Name/Header  AMX. DEPTH =  AMX. DEPTH =  SAMPLE SAMPLE BOTTLE  BOTTLE DATA  SALINITY SAL. NUTR CHL.  ACC	ette ID File Name/Header  AANSMISSOMETER  SAMPLE  SAMPLE  SAMPLE  SAMPLE BOTTLE  BOTTLE DATA  SALINITY  SA	ette ID File Name/Header    MAX. DEPTH =   MAX. DEPTH =     SAMPLE BOTTLE BOTTLE DATA   SALINITY	ette ID File Name/Header  AANSMISSOMETER Cleaned air bleed valve SAMPLE BOTTLE BOTTLE DATA  SALINITY S
AANSMISSOMETER SAMPLE BOTTLE NUMB  BOTTLE DATA	SALINITY SALINITY SAL. NUTRI CHL.	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE BOTTLE DATA SALINITY SAL. NUTR. CHL.	SALINITY SAL	ANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE BOTTLE DATA SALINITY SAL. NUTR. CHL.	SALINITY SALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL NUTR CHL.	SALINITY SAL NUTR, CHL.  SALINITY SAL NUTR, CHL.  201  201  201
AANSMISSOMETER Cleaned air bleed vaive SAMPLE SAIAPLE BOTTLE NUMB BOTTLE DATA	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAIAPLE BOTTLE BOTTLE DATA SALINITY SAL. NUTRI CHL.	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAIAPLE BOTTLE BOTTLE DATA SALINITY SAL. NUTR. CHL.	AANSMISSOMETER Cleaned air bleed valve SAMPLE BOTTLE BOTTLE DATA SALINITY SAL. NUTR CHL.	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE BOTTLE DATA  SALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL. NUTR CHL.  SALINITY SALINITY SAL. NUTR CHL.  220  220  220  220	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE BOTTLE DATA BOTTLE DATA ACC ACC ACC ACC ACC ACC ACC ACC ACC	SALINITY SALINITY SAL. NUTR CHL.  220  220  220  220  220  220  220  2
AANSMISSOMETER Cleaned air bleed valve SAMPLE SAIAPLE BOTTLE NUMB BOTTLE DATA	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE BOTTLE DATA SALINITY SAL. NUTRI CHL.	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE BOTTLE DATA SALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL. NUTR CHL.	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE BOTTLE DATA  SALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL. NUTR CHL.  220 220 220 220 220	AANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE BOTTLE DATA BOTTLE DATA AASAINITY SAL. NUTR. CHL. CHL.	SALINITY SALINITY SAL. NUTR CHL.  SALINITY SALINITY SAL. NUTR CHL.  220  220  220  220
AANSMISSOMETER Cleaned air bleed valve SAMPLE SAMPLE BOTTLE NUMB BOTTLE DATA	SALINITY SALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL. NUTR CHL.	SAMPLE SAMPLE BOTTLE BOTTLE BOTTLE BOTTLE BALINITY SAL. NUTR CHL.	SALINITY SALINITY SAL. NUTR. CHL.	SAMPLE SAMPLE BOTTLE BOTTLE DATA SALINITY SAL. NUTR CHL  ### Page 18   Page 18   ### P	SAMPLE SAMPLE BOTTLE SAMPLE BOTTLE SALINITY SAL. NUTR CHL.  220 220 220	SALINITY SALINITY SAL. NUTR CHL.  SALINITY SALINITY SAL. NUTR CHL.  200  200  200  200  200  200  200  2	SAMPLE SAMPLE BOTTLE SALINITY
SAMPLE SAMPLE BOTTLE NUMB BOTTLE DATA	SALINITY SALINITY SAL. NUTRI CHL.	SAMPLE SAMPLE BOTTLE BOTTLE DATA  SALINITY SAL. NUTR. CHL.	SAMPLE SAMPLE BOTTLE BOTTLE DATA  SALINITY SAL. NUTR. CHL.	SALINITY SALINITY SAL. NUTR CHL.    2007   2	SALINITY SALINITY SAL. NUTR CHL.    2007   2	SALINITY SAL. NUTR CHL.  SALINITY SAL. NUTR CHL.  202  202  202  202	SALINITY SAL. NUTR CHL.  ZALINITY SAL. NUTR CHL.  ZAL  ZAL  ZAL  ZAL  ZAL  ZAL  ZAL  Z	SALINITY SAL. NUTR CHL.  24.2  24.2  24.1  24.1  24.1  24.1  24.1  24.1
	SALINITY SAL NUTR CHL.	SALINITY SAL. NUTR. CHL.	SALINITY SAL NUTR CHL.	SALINITY SAL NUTR CHL	SALINITY SAL. NUTR. CHL.  7.0  7.0  7.0  7.0	SALINITY SAL. NUTR. CHL.    ACC     AC	SALINITY SAL. NUTR. CHL.  20 20 20 20 20 20 20 20 20 20 20 20 20	SALINITY SAL. NUTR. CHL.    ACC     AC
	744 743 743	74.3	70.7	77.				
	744 744 721 721	74.3	727	192				
202 202 202 202 203 203 203 203 203 203		747	727	70/				
		122 221 221	192					

v y

CAST   CAST	Į								-					AMOIO	NO.	Γ	
Time   DRY   WET   DRY   WET   DRY   WET   DRY   WET   DRY   WET   DRY   WET   DRY   WET   DRY   WET   DRY   WET   DRY   WET   DRY   WET   DRY	<u> </u>	ESSEL.		0		<u>E</u>	OJECT 8 209	EG.				210		212	12		
## 147TTUDE LONGITUDE DATE JOS   CGMT) BULB BULB ## \$1 DER   H STA NA	E 0 7 6	N N N	19,			H E		TIME		ESSURE	ONIM JIJION	WIN D SP	34.	BOTTO M DEP1			
### SESSURE   PRI TEMP   SEC. TEMP   SALINITY   SALINIT	5 (		NTITUDE	Š	SITUDE	DATE	3			H4 6		(w/w)	Alla.	I (E		N N	
Pea St	<u> </u>	N C	NIM C	5 O			8 8	2 D	-					100			
Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   Tape/Diskette ID   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   Tape/Disket	7	CTD CTD				TIME	1		DATA	LOCATK	E C	<del>-7</del> .	REMAF	ıKS			- 24
## SN   11390 AT DEPTH	<u> </u>	PE& SA		DATAO				°ape∕Dis∳	kette ID	File Na	ігте/Неаd€	75	(*				
MD SN (± (± 3) AT SURFACE  MD SN (± (± 3) AT SURFACE  MD SN (± (± 3) AT SURFACE  MAX. DEPTH = M	<u>E</u>	ESS SN	70403 p5040	STARTD	NWO			1.21	Œ.	İ							
MD SN         c.601         AT SURFACE         IMAX. DEPTH =           MP SN         #133         MELUOR         CID CONYERTED MONITOR VALUES         SAMPLE         SAMPLE         SAMPLE BOTTLE NUMBER           S TRIP         CTD CONYERTED MONITOR VALUES         BOTTLE DATA         SALINITY		MP SN	11390	AT DEPT	    *		······································		4.								
MP SN (1) 3.3 TRIP         MP SN (1) 3.3 TRIP         CTD CON FERTED MONITOR VALUES         SAMPLE SAMPLE BOTTLE NUMBER           S TRIP         STRIP         SAMPLE BOTTLE NUMBER           DEPTH         SAMPLE BOTTLE NUMBER           #7         PRESSURE         PRI. TEMP.           \$0         PRI. TEMP.         SEC. TEMP           \$0         PRI. TEMP.         SEC. TEMP           \$0         PRI. TEMP.         PRI. TEMP.           \$0         PRI. TEMP.         <	8	NS CIN		AT SURF	()			*		7	   <b> </b>	. <u>.</u>	MAX. D	EPTH =		_	ε
THE SAMPLE BOTTLE NUMBER PRINT SALINITY	<u> </u>	NO day		XPAR	_	HON	Chia	X	RANSMIS	SOMETER		d air b	leed ve	lye			
#7  US  US  US  US  US  US  US  US  US  U	<u> </u>				TD CON	ERTED	CONITOR	NALUES	<i>7</i> 2.		SAMPL BOTTLE D	E ATA	SAM	PLE BO	17E		:: (20)
4.7 5.6 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0			SPEC	11 E	PRI TE	- d	SEC. TE	ΔP	SALIN	λII	SALINIT						J. J.
25 26 26 27 29 10 10		7.77	3	3.3							E#		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	733	$\dashv$	+	1
50 30 30 10 10	~	2/2										$\dashv$	1	335	+	$\dagger$	Ŧ.
30 30 90 90 90 90 90 90 90 90 90 90 90 90 90	6	22	88									-		14	+		
30 00 00 00 00 00 00 00 00 00 00 00 00 0	4	70											, 🔠	22	+	$\dashv$	
200	လ	30											7	100	-	+	
	9	00												100	\ <u></u>	+	
	1	01						Ī					7	12	+	+	
	. 00	9											$\dashv$		1	$\dashv$	
	6												+	1	-	_	
11	2					13				+			+	4	$\dashv$	-	
12	Ξ		,					_					+	-	+	+	
	12	ó				-	ļ	-				_	-	-	_	$\dashv$	

			4 e				10 10	¥.	- }		¥.	t W			X.			V					
o Po ⊕		STA. NAME/ID	日	<u>-</u>	$\overline{}$			٤	_	<b>COMBER</b>	HPLC Other		12									<del>-</del>	
	GNATION	9 5	(E)	S	2			PTH ≈	٠	SAMPLE BOTTLE NUMBER	Ŗ.	720	7,	778	27	7 (2	4	2	7			<b>+</b>	
54	STATION DESIGNATION	CLOUD (amt) TYPE WEATHER		REMARKS			·	MAX. DEPTH=	Cleaned air bleed valve		SAL. NU	7	1	7	77	Z)							
·	S.	VISION WIND D SI	(deg) (m/s)		File Name/Header		20		Cleaned a	SAMPLE BOTTLE DATA	SALINITY	5									1	2	
· ·		WET WET BULB HE SENTE	(°C)	DATALOCATION				П	XTRANSMISSOMETER	3	SALINITY												-
Cana		E DRY T) BULB	(C) 1.	DA	Tape/Diskette ID		8		XTRANSM	.UES	SAL											_	
Ched In. pag	PROJECT & LEG HX209	TIME (GMT)	N 9 8 1 43 4	Ų.	Tape				CHIAM	ONITOR VA	SEC. TEMP					į	ļ						
3	PR	LONGITUDE DATE: JD=		JD/TIME		NWO	¥	ACE	XFLUOR	CTD CON FERTED MONITOR VALUES	PBI, TEMP.					i		:303:					
31				TIMES	+ DATAON	pso40 START DOWN	tt390 AT DEPTH	_	1,33 1,391 X PAR	4 · · · · ·	PAFSSURE		15 -		ET.								
N.	VESSEL Alpha Helix	ATITOD E		cTD	TYPE & SA SB911+	PRESS SN p5		-	₩	Z E	<u> </u>	20	25	0,	50	00	00	01	C			†	ü
	VESSEL Alpha He	SC CAST	68.6		TYPE	PRE	TEMP SN	COND SN	TEMP SN	8		7		<del></del>	4	2 5	9	7	80	6	10	11	12

											-					
<u>≥</u> ×	VESSEL Alnha Helix		ekii		<u> 또</u> 포	PROJECT & LEG HX209	r LEG				212	ON C	SIAIION DESIGNATION	2		
5 ° 5	CAST					\$ <b>/</b>			HESSONE L L K K	TAT& A∃ Sibilitir Sisi		LOUD (amt)	PEATHER MOTTO		CHAMAIN ATO	
	# LATITUE	LATITUDE G MIN	LONGIT	MIN	DATE: JD=	ΥR	(GMT) HR MIN	S S S S	BULB T (°C) (mb)	<u> </u>	(deg) (m/s)	<u> </u>	E Œ	- 1 - 1		3
<u> </u>	33574	3335749.59N 69			1 4		555	12.2					164			
<u> </u>	eg Eg		TINES	Jay.	JD/TIME		=	DA1	DATA LOCATION	20.		REMARKS	HKS		_	
Σ	TYPE & SN SB911+	:B911+	DATAON	_		<u></u>	Tape/Diskette ID	kette ID	File A	File Name/Header	ader		91			
A.	PRESS SN	50405 <b>p5040</b>	P5040 START DOWN	OWN							l					
<u> </u>	TEMP SN	11390	11390 AT DEPTH	r				8			1					
8		501	AT SURFAC	ACE			1			_		MAX.	MAX. DEPTH =		[	E
Ĭ		4 1133	XPAR		FLUOR	ChiAM		FRANSMI	XTRANSMISSOMETER		Cleaned air bleed valve	pleed	/alve			
స్ట	TAIP DEPTH		jo J	16	ERTED	CON YERTED MONITOR VALUES	3 VALUE	S		SAMPLE BOTTLE DATA	SAMPLE TTLE DATA		SAMPLE BOTTLE NUMBER	TTLE N	UMBE	œ I
		PRESSURE	C C	PRI. TEMP.	ΨĐ	SEC. TEMP	dW:	SALI	SALINITY	SALINITY	λLIΣ	SAL.		SH.	HPLC Other	the
<u> </u>	63											\	483	$\dashv$	$\dashv$	T
7	5	SC ()	4.0		T)								786		7	
	05	(5)											348	+	2	T
4	30	30											host	-	B.	
ည	2			į									2	+	+	T
ဖ	Ö												287	+	<del>-</del>	
^	0.												28	$\dashv$	1	
8		-		:			-								$\dashv$	Т
6					<u> </u> 									$\dashv$	$\dashv$	$\top$
9		_			71		_						$\dagger$	-	+	Т
11		,			$\dashv$		$\dagger$		T				+	+	+	T
12	j.	122			$\dashv$		-						-	_	$\dashv$	

D not HPLC,

SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME   CON   SEC   TIME	VESSEL. Alpha Helix				PROJE HX209	PROJECT & LEG HX209	LEG					STATION	STATION DESIGNATION	NEZ NEZ NEZ NEZ NEZ NEZ NEZ NEZ NEZ NEZ		*
Set   Hinh   Deg   Minh   Deg   D	8	A CHARLES	SNO I	100	* TAC	-				T Halalely	WIND C	C ON SINGLE (SIMIL)	WEATHER		TA. NAM	i de la
S81.47 N				J≧	AV MO	<u>                                    </u>		<del></del>			(geg)	(S)			<u>.</u> .	ĕ
### PATA ON Tape/Diskette ID File Name/Header   File Name/Header	<u>1587</u>	90 H W	1697	٠	1700 MF	8 6	793		A 1 OCA	NO.		<u> </u>		40		8
### 1390 AT DEPTH   MAX. DEPTH =   M	E & SN		DATAON	,		<u> </u>	ape/Disk	certe ID	File	Name/F	leader				•	e 45
4 1.33 AT DEPTH  CS01 AT SURFACE  (1.34) AT SURFACE  (1.35) AT SURFACE  (1.36) AT SURFACE  (1.36) AT SURFACE  (1.37) AT SURFACE  (1.38) AT SURFACE  (1.39) AT SURFACE  (1.30) AT SURFACE	NS SS	50405 <b>p5040</b>	START D	OWN	n											:15
# 1391   AT SURFACE  ### CID CONVENTED MONITOR VALUES    PRESSURE   PRI. TEMP   SEC. TEMP   SALINITY   SAL. NUTR. CHL. HPLC	NS d	11390	4T DEPTI	2. I												1 6
PRESSURE PRI, TEMP. SEC, TEMP SALINITY SAL, NUTR, CHL. HPLC	NS OP		AT SURF,	ACE	\   	L						MA	X. DEPT	# "		Ę
PRESSURE PRI. TEMP. SEC. TEMP SALINITY SALINITY SALINITY CHI. HPLC	P SN		X PAR		HON	ChIAM		H. NSMI	SSOME		Seaned	air blee	d valve			· ·
PRESSURE         PRI. TEMP.         SEC. TEMP         SALINITY         SALINITY         SAL. NUTR. CHI.         HPLC           75	TRIP DEPTH		) ]	TD CONVE	ERTED M	ONITOR	VALUES			80T	AMPLE TLE DA		SAMPLE	ВОТТ	E NUME	EB
		PRESS	URE	PRI. TEN	Ā.	SEC. TE	o⊾	SALI	ΣΕΙΝ	Ŝ	ALINITY				HPLC	Other
7	89												35	3		
1	50												74	~		
1	25	,											12/2	10.		
067	2												167	7		·
1	30												29	2		
	£7												386		7	
	0/											_	38.	25	,	
	O												\- <del> </del>	7	7	
				:								+	\ <del>\</del>	_		
		_											<u> </u>			
		,											_			
	65						-					_	$\dashv$	_		

15									<del>K</del>												
	AE/ID		6)		14	E	٠	i Si	a to		İ	Ī						-			
	STA. NAME/ID	1	8	0				SAMPLE BOTTLE NUMBER	PLC Officer												
NOT C	l I I		i			u		DOTTLE	뚩			7		3		Z	7				
ESIGN	• WEATHER	RKS				MAX. DEPTH	/alve	MPLE 8	NUTR	103	800	799	368	74.3	796	765	ঘ				
STATION DESIGNATION	+ ICLOUD (amt)	REMARKS				MAX.	Cleaned air bleed valve	SAI	SAL												
STA	WIN D D SP		ler	ı	ı		ed air	LE DATA								i)					
	Olino (deg)		е/Неас			1	Clear	SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE	ATION	File Name/Header				ETER	<u> </u>	<u> </u> 							_   	<del> </del>	+		1	_
	WET BULB (°C)	DATA LOCATION		. i		Ш	XTRANSMISSOMETER	1	SALINITY	u/					ì						
	DEK BULB	DA	Tape/Disket:e ID				MSNIAF		SAL		5	Ì		ļ			 		ļ		
<u> </u>	TIME (GMT) E	ı	e/Disk			. !	X	ALUES											_		-
ST & LE	Y I		Тар	.2			CHIAM	TOR V	SEC. TEMP												
PROJECT & LEG HX209	MO U								SE												
	DATE JD= DAY MO YR W] 7-JUN98	JD/TIME					FLUOR	CTD CONVERTED MONITOR VALUES	TEMP.	-											
	UDE S	J.		N.		 병	×		PRI. T												
	NGIT 39	ES	DATA ON	5040START DOWN	t1390 AT DEPTH	AT SURFACE	X	5	ш				_								
		TIMES	<u>P</u>	25 40 ST	90 AT		Ц.,	4	PRESSURE												
	LATITUDE DIG MIN		B911+	200 <b>200</b> <b>200</b>	1139		क <i>ा</i> ब्रेड संउ91	_	PR	-		6					6			,	
吊門	LA G K	cro	TYPE & SN SB911+	NS.	S,			σΞ	Ī	63	200	2	50.	શ	2	5	Q				
VESSEL Alpha Helix	SC CAST	ឆ	TYPE	PRESSSN	TEMP Sai	NS GNOO	TEMP SIV	SOS D		-	2	3	4	5	9		8	6	10	11	12
	· · · · · · · · · · · · · · · · · · ·									d	~	3-	1,0	و	12	-	~				

> ₹	VESSEL Alpha Helix		9	•	E £	PROJECT & LEG HX209	, LEG		ļ		5,	STATK	ON DE	STATION DESIGNATION	N S		6
0 " 3	CON SC CAST	E L	C	<u> </u>	DATE	ط غ	TIME	ORY E E	HERROHE H H H H H H H H H H H H H H H H H H	STATE ASS	WIND	S S C S S C (Ims) QUOJ(	WEATHER	BOTTO M DEPT H		STA. NAME/ID	ZE/ID
<u> L.t</u>	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	MIN	ᅵ尚ト	NIN		뜻	╁╤╂╴	+		١	(Gep)	T	U - T	1_1	$\perp$	-	1 P
N	J3657	6.13N	1695	1.88W1	174	8 6 N D F	4806		•					T	<u>o</u>	i <del></del>	2
	CTO		TIMES	JD/	JD/TIME			[A]	PATA LOCATION	TION		<u>a</u>	REMARKS	KS	*0	-	- 60
<u> </u>	TYPE & SN SB911+	B911+	DATA ON			i	Tape/Diskette ID	kette ID		Name	File Name/Header						
4	PRESS SN	50405 <b>p5040</b>	50405 p5040 START DO	NWO	ļ			   									ŝ
핃	TEMP SN	11390	t1390 AT DEPTH	<u>,</u>		 		, e									
8	COND SIM	c501	AT SURFA(	ACE			in	*1	U.			_≥	MAX. DEPTH	EPTH =			E .
끈	TEMP SN	4 1133 11391	XPAR		XFLUOR	ChiAM		TRANSM	XTRAMSSOMETER	ER	Cleaned air bleed valve	air bh	eed va	<u>V</u>			- /
SOS	JRIP DEPTH			10   <u>e</u>	ÆRTED	MONITO	R VALUE	S		8	SAMPLE BOTTLE DATA	<u>4</u>	SAM	SAMPLE BOTTLE NUMBER	ETTC.	NOM	3ER
<del></del>			11									$\frac{\perp}{1}$					
		PRESSURE	SURE	PRI. TEMP	MP.	SEC. TEMP	EMP	SAL	SALINITY	~	SALINITY		SAL. N		CH.	HPLO	Other
2	46				_	X				- T		+	00	200			
≈	20												8	805			27
3	L	,											<u>\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ </u>	807			
4													90	803			,
ر 5	0							:					W	208			
<b>9</b> ∠												<u> </u> 					ĺ
4												, <sup>©</sup>		_			
80		ſ							36				$\dashv$	$\dashv$			
6						*10	μi						_	7			
10														1			
=		1										$\dashv$	$\dashv$	1			
12		E					12					$\dashv$	$\dashv$			'	

VESSEL Alpha Helix	El. Helix			PROJE HX209	PROJECT & LEG HX209	EG				Ű	STATIC	N DE	STATION DESIGNATION $58CU$	NOIT		W.
CON SC CAST	LATITUDE	LONG	TONGITUDE	DATE JD=	83	TIME (GMT)	שרום פ פערם	WET SSURE PRESSURE	SEA STATE VIJIBICIV	WIND DIRN.	D SP (amt)	ТУРЕ	WEATHER WEATHO M DEPT		STA. NAME'ID	METO
2.	DE3 MIN DEG	DEG	MIN	IIN DAY MO YR		HR MIN	ပ္ရွိ	(qm) ()	၌	) (bep)	(m/s)	*	E Q			. , 1
1 0	CT0	TIMES	JDVTIME	ME		200	PAT	DATA LOCATION	NOIT	χ		REMARKS		Si Si	131	119
TYPE	TYPE & Sh SB911+	DATAON	z		<u>ਕ</u>	pe/Disk	Tape/Diskette 1D	File	Name	File Name/Header					İ	-
PRESS SN		50405 p5040 START DO	NWOC													
TEMP SN		t1390 AT DEPTH	H							.						
CONDSN		AT SURFACE	FACE					II.			_ ≥	AX. DI	MAX. DEPTH =	11		٤
TEMP SN	€ 1133 SN 11391		N KELUOR	e e	ChIAM	호	RANSMI	XTRANSMISSOMETER	ren	Cleaned air bleed valve	air D	ed va	Ve			55.0
SO SO	ΔE		0 2	RTED M	ONITOR	ALUES			8	SAMPLE BOTTLE DATA	Ψ	SAM	SAMPLE BOTTLE NUMBER	OTTLE	NOM	3E:
	PRE	PRESSURE	PRI. TEMP.		SEC. TEMP	- J	SALI	SALINITY		SALINITY		SAL. N	NUTR.	CHL.	HPLC Ciher	Ciher
-	401												116	7		
2	7										-	Da	813			
က	50						,					00	218			
4	60											00	118	7	,	
ည	2 0				ű.						_	. 00	816			
ဖ	20											8	808	)		Ì
2	0/								-		*	00	808			j
80	0							15	E 1			5	403	7	>	NIS
6	0					¥.									۲	
9	0												1		7	
1	- 0		:								+				>	
12	•					.75					_					

					8		83	53	5												
STATION DESIGNATIO 4  \$\frac{4}{2}C_IQI  \text{SE} \text{\text{E}} \text{\text{\text{E}}} \text{\text{\text{E}}} \text{\text{\text{BOTTO}}}  WIN \text{\text{D}} \text{\text{\text{E}}} \text{\text{\text{BOTTO}}}		REMASKS	ver Prud		T-6.7-e	MAX. DEPTH = m	d valve	SAMPLE BOTTLE NUMBER	NUTR CHL HPLO Other												
MIN OUN CANADA	OlPin.		File Name/Header			MA	Cleaned air ble	SAMPLE S BOTTLE DATA	SALINITY SAL.							# J					
ESSORE WELL	BULB BULB	STILLING DATA LOCATION	Tape/Diskette ID File I		ă,		XTRANSMISSOMETER	UES	SALINITY		X.)										
PROJECT & EG HX209	<u></u> <u>E</u>	GUUNSIS LASIS	90:2:			*hij	OR CHIAM		SEC. TE:AP	90 !!!		3%	e T								
	LONGITUDE D.	TIMES JOTIME	DATAON	p5040 START DOWN	гоертн	AT SURFACE	XPAR XFLUOR	CTD CONVER	RE PRI. TEMP							35	300				
<u>×</u>	w I	730.3 NN	A SB9		4 t1390 AT DEPTH		1130	-	PRESSURE	42	63	6	42				-		:=:	,	
VESSEL Alpha Helix CON SC	*	23370 S	TYPE & S	PRESS SN	TEMP SN		TEMP SN	POS TRIP DEPTH		1 4.	2 %	8	4 4	5	9	7	8	6	10	=	12

						100			100							
VESSEL				PA	PROJECT & LEG	1 EG			<u>S</u>	ATION	STATION DESIGNATION	ATICE		E		
Alpha Helix				ΗX	HX209				+		58	S S				
CON SC CAST		1			na sa U		DRY	HESSONE U W W	YTIAIGIST  NO O	V S WING (amt)	WEATHER M DEPT		STA NAME OF	<u>C</u>		
¥   0∃3 	MIN	DEG	LONGII UDE	DAY MO	ΥR	NIW ::		(°C) (mb	(deg)		17	H		) ·		
39.55	7.75 N	100	W 9 4. 6	1910	N 9 8	739		<u></u>			5)	2.2	W-2			
CTD		TIMES	√ar	JD/TIME	ا المحقور	. 21	180	DATA LOCATION	NO	REN	REMARKS					
TYPE & Sh SB911+	SB911+	DATAON	7			Te .e/Diskette (D	kette ID		File Name/Header		7C		2. (12)			
PRESS SN	50405 <b>p5040</b> 5	50405 p5040 START DOWN	) NWO			63										
TEMP SN	1390	t1390 AT DEPTH	I			±²	25						803			
SOND SN	501	AT SURFACE	ACE				×.,		-	MAX	MAX. DEPTH =	11		۱ <b>٤</b>		
TEMP SN		X   PAR	Z Z	XFLUOR	ChAR	×	PANSM	XTRANSMISSOMETER	R Cleaned air bleed valve	ir bleed	valve	×		46		
POS TRIP DEPTH	411		] [2	ERTEDA	MONITOR	. VALUE	    s		SAMPLE BOTTLE DATA		WAPLE	L'TTOX	SAMPLE BOTT'.IE NUMBER			
	PRESSURE	ЭЯĒ	PRI. TEMP	MP.	SEC. TEMP	, N.P	SALI	SALINITY	SALINITY	SAL	NUTR	동	CHL. iHPLO Other	), The		
					,		*	ĸ		233		T	+	.		
					¥	<u></u> ۸	o <sup>th</sup>					ं	1			
	53					36							1	-		
-					j	    						Ì	$\dashv$	ej Bali		
							R									
									Sji				+	i		
									2779				1	i		
	(375g)					<del> </del>							$\dagger$	Т		
					-					_			+	$\overline{}$		
						_							1		1 13	
_				$\dashv$								$\top$	+	7		
						-							-			

Apha Helix CON SC CAST A LATITUDE DEG MIN	_		-			•		•				(	_
SC AST			<u> </u>	HX209				-	580		7,00	کو اولا	٦
SC DAST #		100		7.5	68		<b>3</b> H		(amt)				
**			<u></u>	-	UI 47			TST/ BILT	AN G	30	H BOTTO		
DE		LONGITUDE	DATE JD=		(ENIT)	BULB	BULBE	DIRN.	ට . ට	$\Pi Y P$	Ŧ	14 ST	C 7. NAME 1D
	Ō		DAY N	ΥR	NIV.	(၃)	(°C) (mb)	(deg)	(m/s)	<u>.</u>		u t a b	= 1
24 55539.92 N	491 N cb.	ck.s	OWIGUN	9	₩. Z.	• 101 201					o-		
15	TIMES		JD/TIME			DAT	DATA LOCATION	NO	æ	REMARKS	ćò		Ξ,,
TYPE & Sh SB911+	11+ DATA ON	NO		<u> </u>	SIC/XXIS	Tayx / Diskette ID	File N	File Name/Header				278	Ī
PRESS SN	<u> </u>	LDOWN			1		84 Sal						
TEMP SN	t1390 AT DEPTH	H. H.	**	<u> </u>		, 1				ļ			
		AT SURFACE		<u> </u>						MAX. DEPTH	TH=		Ε
	4 1133 X X PAR		XFLUOR	ChiAM	N	TRANSMI	XTRANSMISSOMETER		Cleaned air bleed valve	ed valv			
a E	4	ı⊏	VERTED	D CONVERTED MONITOR VALUES		S		SAMPLE BOTTLE DATA	YTA"	SAMPL	SAMPLE BOTTLE NUMBER	TLE N	MBE
		8	W.	į	1			59		-	-	ļ	
1	PRESSURE	PRI. TEMP	EMP.	SEC. TELLP	I/P	SALINITY	VITY .	SALINITY		SAL. NUTR.	TR. CHL.		Ocher
<b>⊘</b> o	.70						£.5		64		0	~	$\dotplus$
2 75					:	·				828	20		-
_	! !				72.V	ļ		P		628	3/	70	
202					(c)					80	N.		_
5 30					a I		11		_	928	2)		
					į.					828	λ ,	Ż	$\dashv$
5						æ				128	2	_	-
										823	<i>₹</i> 2		
ļ										_		-	-
CT								(e	<u> </u>	_	_	-	$\dashv$
11					N)				+	-	$\dashv$	-	-
12										_	_	4	

Course Agency

-16

STATION DESIGNATION SBC6	E BOTTO WEPT STA. NAME/ID	(E)					MAX. DEPTH = m	raive	SAMPLE BOTTLE NUMBER	NUTR, CHL, HPLO Other	844	E43	27%	148	1 948	834	1 858					
STATIOND	WIND WIND CLOUD (amt) TYPE TYPE WEATHER	(s/m) (deb)	REMARKS	Header	w)		MAX.	Cleaned air bleed valve	SAMPLE SAN BOTTLE DATA	SALINITY SAL.							ĸ					
	DRY VET SO PEE SULB BULB BULB FEE SO SE SO SE SO SE SO SE SO SE SO SE SE SE SE SE SE SE SE SE SE SE SE SE	(am) (c) (c)	DATA LOCATION	te ID File Name/Header	į		81 0	XTRANSMISSOMETER	, BO	SALINITY												*
PROJECT & LEG HX209	TIME	YR HR MIN	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Tape/Diskette ID	<u> </u>			ChIAM XTRA	ONITOR VALUES	SEC. TEMP				æ					Ĭ.			
PROJE HX209	LONGITUDE DATE JE	MIN DIA	U WITIAL	7	NWOC		FACE	1 X FLUOR	0 0	PRI. TEMP.												
	LATITUDE LONG	DEG	TIMES		5040 START DOWN	t1390 AT DEPTH	c501 AT SURFACE	+ 1.93 t1391 XPAR		PRESSURE			~ 3				ě	5-1			1	
VESSEL Alpha Helix	CON SC CAST # LA	DEG	ATSBELL CTD	TYPE & SN SB911+	PRESS SN	TEMP SN			POS TRIP DEPTH	y	1-1-1	2 50	3 40	4 30	5 20	6 0	0 2	8	6	10	11	13

STATION DESIGNATION	<u> </u>	(m)	REMARKS				MAX. DEPTH = m	d valve	SAMPLE BOTTLE NUMBER	NUTR, CHL. HPLC Other	850	· 6/18	348	* \$48	248	1 338						
STATION	VISIBILITY VISIBILITY OIRN	(deg) (m/s)		File Name/Header			MA	ER Cleaned air bleed valve	SAMPLE 3OTTLE DATA	SALINITY SAL.							j))					
(8	DRY WET	MIN (°C) (mb	DATA LOCATION	Tape/Diskette ID File N				X TRANSMIS: OMETER	LUES	SALIN:TY												ì
PROJECT & LEG HX209	- OD =	W 19 JUN 9 8 204 2	JD/TIME	Tape	¥2°			X FLUOR CHIAM	CTD CONVERTED MONITOR VALUES	MP. SEC. TEMP	i F			11				2				
	NGITUDE	M 7	45	DATAON	p5040 START DOWN	11390 AT DEPTH	AT SURFACE	XPAR	•	PRESSURE PRI. TEMP.												
VESSEL Alpha Helix	اتح ا	24 45KILS GENICB	CTC	TYPE & SA SI30/11+	PRESS SN p5040	TEMP SN 11390	COND SN c501	‡ (৯.১ TEMP SN 11391	TRIP DEPTH	PRES	2.5	40		20	10	0	9					
<u> </u>	1 8°8°	त्र		Σ	H.	Ţ	8	旦	Soa		-	2	က	4	သ	ဖ	7	80	6	9	7	4.0

VESSEL			1	POJECT &	& LEG			STATI	ON DE	SIGNAT	NO.			
-		ľ	<u> </u>	HX209	·				5 BCH	8C	7			
NOS	tijss				<u> </u>		<u>5</u> 17	(tms)						
	97		<u> </u>		TIME	DRY WET	TS A TS A TS A TS A TS A TS A TS A TS A	WIN O SP	7-	ATH BOTTO M DEPT			10	
3	LATITYDE	LONG	LONGITUDE DATE	JD=	(GMT)	EUI.B	E S DIRN.	0	1 k 1 l		l	STA. NAME/ID	•	
g		DEG	Min DAY	MO YR	HR MIN		(mb) (deg)	(m/s)		<b>E</b>		<u> </u>		
7	3.0 FN	1645	2455513-07416457-05M193	6 N D	9 1 6 8	•				<u>17</u>		-		
СТБ	<u> </u>	TIMES	JD/TIME		57	SATALOCATION	ATION	<u></u>	REMARKS	KS		<del></del>	65	
SAS	TYPE & SN SBS11+	DATAON	-	-	Tape/Diskette ID		File Name/Header	<del>-</del>				-	#0 #0	
PRESS SN	50405 p5040 START DOWN	START D	OWN	<u>-</u>		ļ			!				1	
TEMP SN	11390	11390 AT DEPTH	Ŧ								50		÷	
COND SN	501	AT SURFACE	ACE						MAX. DEPTH	:PTH =		٤		
TEMP SN		X PAR	XFLUOR	ChlAM		XTRANSMISSOMETER	Ш	Cleaned air bleed valve	eed va	ve			er <sup>2</sup>	
ТВІР ОЕРТН		] <sup>3</sup>	CTD CONVERTED		MONITOR VALUES	တ္တ	SAMPLE BOTTLE DATA	E ATA	SAME	LE BO	TTLE N	SAMPLE BOTTLE NUMBER	<del></del>	
	PRESSURE	JRE	PRI. TEMP.	SEC. TEMP	EMP	SALINITY	SALINITY			_	CHL.	HPLC Other	- To	
51									<i>8</i> 0	856		$\dashv$		
5									8	825	7	+		
30	: 32								O	158		-	r	
20					39	M		177	O	853	`	4	. 3	
0									P	258	_	ă.	,	
0									O	158	1	$\dashv$	, —T	
	9										_	_		
				G =								(c	<del></del>	
							-						-1	
											1		<del>-</del> -r	
	•								7	+				
					V.		10.		-		<u> </u>			

VESSEL				4 5	PROJECT & LEG	, LEG				S	STATION DESIGNATION	DESIG	NATIO	Z	
Alphia nelix				<u> </u>	200	٠		<u></u>			(tun				1
န္ဒိ ပွ	7				<b>-</b>	<u> </u>	34	HUĞ	ATS	>	) Q(	R R	ВОТТО		
_	11				!					MIND	ς, 101 191	M DEPT	)EPT	į	
*	LATITUDE	LONGI	MIN	DATE DAV	=QC	(GMT)	BULB S	BULIS E	A		) (%	W ·	I E	<u> </u>	SIA. NAME/IU
	2 7	1	7	2	o o	0215							7		
1000	2	۸L						1			<del> </del>		•		Т
СТР		TIMES	Òς	JD/TIME			Š	BATA ECCATION	TION		HE N	REMARKS	40		
TYPE & SN S9911+		DATA ON	-		<u>'</u>	Tape/Diskette ID	kette ID		File Name/Header	leader					
PRESS SN	50405 p:040 START DOWN	TART D	     ₩		<u> </u>				0						
TEMP SN	t+390 A	t+390 AT DEPTH	 =		 I									-	
		AT SHIRFA	ACF.		<del></del>	×		   			¥	MAX. DEPTH	   #	!	E
															Г
TEMP SN	11391	XPAR		XFLUOR	ChIAM		<b>TRANSM</b>	XTRANSMISSCIAETER		Cleaned air bleed valve	air bleec	y valve	4		
POS TRIP DEPTH		)	TD CON	VERTED	MONITO	CTD CONVERTED MONITOR VALUES	S		BOT	SAMPLE BOTTLE DATA		AMPLI	E <b>B</b> OT	SAMPLE BOTTLE NUMBER	MBER
	ia.				12						-			_	
	PRESSURE	JRE	PRI. TEMP	EMP.	SEC. TEMP	EMP	SAL	SALINITY	Ŝ	SALINITY	SAL.	-	R CHL.	<u>기</u>	HPLC Other
1 40											6	3			
2 30												998	0		
3 30	,				39							458	7	_	_
4 10						社		r				858	oć.	$\dashv$	
9												458	4		
9						_		9			==			-	
7	-														
8	15									8		$\dashv$	$\dashv$		4
6												-	$\dashv$		
10		-12							_		<b>-</b>		_		_
11	,	9			ļ						4	_	_	_	
12												_	_		

COND   COND	[	į					2 1011	2	-				TATE		CAIAGIS	2		
Time   Day   Wet   Wet	실	SSEL ha Helix	0			ΞΞ	209 209	ָרְבָּנֵק ביינים			27			1		إرا		
DEG   MIN   DEG   MIN   DAY MO	8 % 8	Z O W					<del></del>	II II	<del></del>		STATS A	WIND	VIMB) QUC	HEHTA:	30TTO 1 DEPT			
DEG   MIN   DEG   MIN   DAY   MO YR   HR MIN   ("C")   ("C")   ("C")   ("D")   ("GG)	*	30	TTUDE	LONG	ITUDE	DATE J			_		SIA	DIRN.	CTO io	M	Ŧ	ST	NAN .	AE/ID
### CTD CONVERTED MONTON SALINITY    10   1   1   1   1   1   1   1   1   1			MIN	DEG	MIN		ΥR	HR MIN	<u>(၃</u>		힡	_	in/s)		타	_		
E & Sh SR911in         DATA ON         Tape/Diskette ID         Line Name/Header         REMARKS           SS SN	7	7556	8.26N	1635	wee's	1911	8 N I	Ecel	• • • • • • • • • • • • • • • • • • •			==	$\exists$		व			
SS SN         500405         Tape/Diskette ID         Line Name/Header           PSN         41330         AT DEPTH         MAX. DEPTH =           D SN         41330         AT SUBFACE         MAX. DEPTH =           TRIIP         CTD CONVERTED MONTOR VALUES         SAMPLE         SAMPLE           DEPTH         SEC. TEMP         SALINITY         SALINITY           299         SALINITY         SALINITY         SALINITY           200         SC. TEMP         SALINITY         SALINITY           201         SALINITY         SALINITY         SALINITY           201         SC. TEMP         SALINITY         SALINITY		СТР	5.7	TIMES	)Qr	TIME			811	A2-1.C.CA	TION		<u>æ</u>	EMAR	KS			8.5
SS SN   \$\frac{5C\gamma_{\text{COV}}}{5\text{COV}} \text{STAFT DOWN}   \$\frac{4c\gamma_{\text{COV}}}{4c\gamma_{\text{COV}}} \text{AT SURFACE}   \$\text{MAX. DEPTH} =   \text{DDSN} \\ \frac{4c\gamma_{\text{COV}}}{4c\gamma_{\text{COV}}} \text{AT SURFACE}   \$\text{CONVERTED MONITOR VALUES} \\ \text{SAMPLE BOTTLE DATA} \\ \text{SAMPLE BOTTLE DATA} \\ \text{SAMPLE BOTTLE DATA} \\ \text{SAMPLE BOTTLE DATA} \\ \text{SAMPLE BOTTLE DATA} \\ \text{SAMPLE BOTTLE DATA} \\ \text{SAMPLE BOTTLE DATA} \\ \text{SAMPLE SURE} \\ \text{SPL TEMP} \\ \text{SEC. TEMP} \\ \text{SALINITY} \\ SA	7	E & SN S	R911i₁	DATA ON	_			Tape/Dis	kette ID		Nam	»/Header						
P.SN   11:30   AT DEPTH	PR	NS SS	50403 35340	STARTD	OWN		. <u></u>											
D SN	鱼	AP SN	11:30	AT DEPT	 =													
P SN         \$ 1:33	8			AT SURE	ACE	17;						ıi		AX. DI	EPTH =			ε
TRIP DEPTH PRESSURE PRI, TEMP. SEC, TEMP SALINITY SALINITY SALINITY O  O  O  O  O  O  O  O  O  O  O  O  O	Ē		4 1:23	XPAR		LUOR	Chia Chia		FRANSM	ISSONE	TER	Cleaned	l air ble	ed va	¥			
PRESSURE PRI, TEMP. SEC, TEMP SALINITY SALINITY CHL.  29  20  20  20  20  20  20  20  20  20	ဝို	TRIP DEPTH		) ]	TD CON	ÆRTED I	MONITO	A VALUE	S		<u> </u>	SAMPLE TTLE DA	T.	SAM	PLE BG	TTLE	NCMB	E E
30         480         10			PRESS	URE	PRI. TE	MP	SEC. T	EMP	SAL	!   ∠lini		SALINITY					4PLC	Othe
	-	50	5 s				3(8)	¥1					<u>ი</u> -	40	59)	1		
	2	35							į	ļ			1	~	20	$\dashv$		1
	က	01	,										1	×	5	$\dashv$		
	4	0	D.					39						00	29	$\dashv$		
	5								_				_	$\dashv$	$\dashv$	$\dashv$		
	6							7					$\dashv$	$\dashv$	+	+		
	7		4										-	$\dashv$	$\dashv$	1		
	8		15					8			_		-	_	$\dashv$	$\dashv$		
	6						VA.		:					$\dashv$	+	$\dashv$		
	10						. 1	ži.						$\dashv$	+	$\dashv$		
12	11		,				ą.		V		<u> </u>			+	-	$\dashv$		
	12				'			17			iėi				$\dashv$			

PROJECT & LEG
DEG DEG DATA C START AT DEP AT SURE

	i (e)	Calme		5	3					***************************************	1127	3 1	(t)	•	e a		*:					
STATION DESIGNATION	E BOTTO E M DEPT W H STA. NAME/ID	26	IKS				EPTH= m	live	SAMPLE BOTTLE NUMBER	NUTR, CHL. HPLC Other	2		3									<del>-</del>
STATION D	WIND WIND CLOUD (aimt)	(deg) (m/s)	ION REMARKS	File Vame/rieader			MAX. DEPTH	Cleaned air ble	SAMPLE SAM BOTTLE DATA	SALINITY SAL IN	6											<del></del> -
93	JARY WET BULB	HR MIN (°C) (°C) ((rb	DATA LOCATION	Tape/Diskette ID File V				XTRANSMISSOMETER	ALUES	SALINITY		la S										<del></del>
PROJECT & LEG HX209	DATE JD=	IN DAY MO YR HR	JD/TIME					X FLUOR CHIAM	N N	PRI, TEMP. SEC. TEMP	,	OwbC C	•			49				×		
	UDE CONGITUDE	2495505.80M16951.5	TIMES	11+ DATAON	p504C Starti DOWN	t1390 AT DEPTH	C501 AT SURFACE	XPAR		PRESSURE PRI	1 22	20 20 20 20 20			3%			219	_			_
VESSEL Aloba Helix	CON SC CAST LATITUDE	DEG M	CLD	TYPE & SN SB911+ ನಿರ	PRESS SN	TEMP SN	CONE SN	TEMP SN	POS TR:P CEPTH		-	2	e.	4	2	9		8	6	10	11	

		Tallue t	8 8		9 8
STATION DESIGNATION	WIND D SPORT H STA. NAME/ID CHSN. D. CI H STA. NAME/ID CHSN (m/s) (m/s) (m)	REMARKS	MAX. DEPTH = m  Cleaned air bleed valve  SAMPLE SAMPLE BOTTLE DATA	SALINITY SAL. NUTR. CHL. HPLC Other	
PROJECT & LEG HX209	E DATE JD= (GMT) EULB BULB E C S S S S S S S S S S S S S S S S S S	JD/TIME	C501 AT DEPTH 13.3 XIPAR XIFLUOR CHAM XITRANSMISSOMETEF S 13.391 XIPAR XIFLUOR CHAM XITRANSMISSOMETEF S 5	PRI. TEMP. SEC. TEMP SALINITY	
VESSEL Anna Haliv	CAST  LATITUDE  LONGITUD  DEG MIN  DEG	CTD  TYPE & SN SB911+  CCP  TYPE & SN SB911+  CCP  CCP  TYPE SS SN SB911+	SN C501 SN 4 1133 SN 4 1133 SN 11391 PTH	2 2 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	6 8 9 10 11

	5.5			: (1)		will.				-		
	1E/ID		E	es E	Other	TT	Ĭ				Ţ	T
	STA, NAME/ID			ed valve SAMPLE BOTTLE NUMBI:R	HPLO	+-						+
23 0(4)		aks ec h Proc		TLE	R. H	++	$\dashv$		-			-
STATION DESIGNATION	MEATHER  (3) II SEPTO	5	표	E BOJ		╅		_		<del>-</del>	<u> </u>	<del></del>
DESI	· WEATHER -	REMARKS	MAX. DEPTH	1 valve	NUTR							
ATION	CLOUD (ami)	- <del>1</del>	M A X	S	SAL							L
ST,	WIN D D SP	<u> </u>		Cleaned air bleed valve SAMPLE SAMPLE TTLE DATA		122						-
	(6sp)	DCATION File Vame/Hesder		Cleaned air SAMPLE BOTTLE DATA	SALINITY		ij	İ				
	THAIR ARS D	rich			<b>"</b>	ا ا ب <del>رخب</del>						
	HUSSENY E	DATA LOCATION ID File Yam		OMET								
	WET BULB	MTA □	1 1	SWISS	SALINITY		.01	1.5				
	DRY FULB	DA1		X TRANSMISSOMETEF UES	: Ŋ							
5	₩ €   5   5   1	e/Ois		MELUOR CHAM XTF					<del> </del>	_	++	_
T&L				ChIAM NITOR V	SEC. TEMP							
PROJECT & LEG HX209	=Qr V OW	0 N N	1 1	WON WO	SEC			25		÷		
<u>a x</u>	DATE JD=	WATIME JUN 918		FLUOR	a.		<del></del>				++	_
	<u> </u>	JWZ COUNTING		ONVEI LE	RI, TEMP							
	MIN	い · N	7 U	TD CTD	Ba	a 28						
	LONGITU	16 3577. TIMES DATA CN	AT DEPTH	X PAR	ı,ı,					-	††	+
-		-030 16 357.	11390 AT DEPTH		PRESSURE	 20	=	- SR	20	hi		
ļ	LATITUDE G MIN	CTD TIMES TIMES TIMES TYPE & SN SB911+ DATA CH	1138	11.3.3	PRE	#8 \$50 m.			1 1			
, <u>;</u>	LATT	Crb  TYPE & SN SB911+		· · · · · · · · · · · · · · · · · · ·		66	65	P + +	1 2	-		+
VESSEL Alpha Helix	SC CAST	CTD CTD TYPE & SN	TEMP SN	TEMP SN OS TRIP	r	2 2	20	1	1	H		<u> </u>
<u> </u>	6"0"	र्छ है	E # 8	SO TE		- 2	ю <b>4</b>	50 4	^	8	» e	= :
				10								

of month

311.

ESSEL  ESSEL  ENSER  ENTINO  ESSENTING  ENTINO	r		WE/ID		E.	_	[ <u></u>	r i	Offher	T	8	ž.	ॏ.	Ţ	Ţ	Ţ	T	<u> </u>	1	7
PROJECT & LEG   PROJECT & LE		z <b>V</b> ]	STA. NAME/ID	=				LE NOME	HPLO	+	-			+			#			_
PROJECT & LEG   PROJECT & LE		SIGNATIC	ВОТТО И DE РТ Н (m)	<b>S</b>		PTH=	A.		표	$\frac{1}{1}$	+	+	_	+	+	+	_	+	_	
PROJECT & LEG   PROJECT & LE		TION DE	• WEATHER	REMAR		MAX. DE	bleed val	SAME									+			- 10
PROJECT & LEG   PROJECT & LEG   PROJECT & LEG	7	STA	MIND (Jeg)	on ame/Header	2			SAMPLE BOTTLE DATA	SALINITY											1
### PROJECT & LEG  ### CONGITUDE			WET BULB (°C)	EAL(	11		SMISSOMETE		SALINITY						্ব					
### PROJECT   PR	ā.	EG		pe/Diskette			XTEAN	ALUES					1			-	-	_	-	<del></del>
FESSEL  SC  AST  LATITUDE  LON  SC  AST  CTD  TIMES  CTD  TIMES  CTD  TIMES  OND SN  TIMES  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  OND SN  TIMES  OND SN  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  TIMES  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  OND SN  TIMES  OND SN  TIMES  OND SN  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  OND SN  TIMES		PROJECT & L		Ē. ⊢			ChiaM	MONITOR	SEC. TEM						Æ				T.	
FESSEL  SC  AST  LATITUDE  LON  SC  AST  CTD  TIMES  CTD  TIMES  CTD  TIMES  OND SN  TIMES  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  CTD  TIMES  OND SN  TIMES  OND SN  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  TIMES  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  OND SN  TIMES  OND SN  TIMES  OND SN  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  TIMES  OND SN  TIMES  OND SN  TIMES		He de	UDE DATE	JD/TIME	WN -	ļ,	XFLUOR	CONVERTE	PRI, TEMP.	=										-
SC AST LATITY CTD CTD CTD CTD CTD CTD CTD CTD CTD CTD	8		LONG		START DO		\X  X  A	CTC	×		<u></u>	6		<u>(90</u>		Ξ	St			
Cro on C SN SN SN SN SN SN SN SN SN SN SN SN SN			MIN	SB911+	50.50 p5046			**	PRESS	<u>.</u> .	ő:	- N. 13			_			_ '		
		VESSEL Alpha Helix	CAST # L	CTD MPE & SN	PRES:3 SN	NS. JINC	TEMP SN		·		2	3	,,		î	10	á	,	10	1.1

of this last

			<del>                                      </del>		7	4	1	1	т-	- 	· ·	<u> </u>				<del></del> -	_	<del></del>		1	<del></del> -	_
ă.	STATION DESIGNATION	BOTTO M DEPT H STA. NAME/ID		7				MAX. DEPTH = m		SAMPLE BOTTLE NI IMBED	II. Nuts. OTHER	3										
	STATION DE	SEA STATE OUT OUT OUT OUT OUT OUT OUT OUT OUT OUT	(deg) (m/s) .	ON REMARKS	File Name/Header	<u> </u>		MAX		SAMPLE BOTTLE DATA	\S	0 0										
	S	DRY BULB	HR MIN (°C) (°C) (mb	DATA LOCATION	Tape/Diskette ID File N		58		TRANSMISSOMETER	ALUES	SALINITY											
	PROJECT & LEG HX20	=Qf	MO VE CO	ш	Tap			i i	FLUOR CHIAM	CTD CONVERTED MONITOR VALUES	PRI. TEMP. SEC. TEMP	70.										
		FONG	9N1640741W2	TIMES JD	DATA ON	5 START DOWN		AT SURFACE	PAR	ĺ	PRESSURE PRI. T											
	VESSEL Alpha Helix	41	9545543.3	CID CID	TYPE & SN 911+	PRESS SN #50405	TEMP SN #1390	COND SN #1072	TEMP SN	TRIP DEPTH	1	5				3/5		,		-		
L	> ₹	0 - 0	<i>CE</i>	1.5	<u> </u>	품	<u> </u>	<u> </u>	里	్ద			3 6	4	5	9	7	80	٥	유	Ξ	12

	til			Remo	500	303% B	22.22			57 - 59 C			Na i	l ve		410	2702	· 20					*
	STA. NAME/ID	П		(-		B		E	ŧā.	UMBER	John Market		12	31									
TION		1 1								SAMPLE BOTTLE NUMBI:R	7					_	201	$\dashv$			-	_	4
ESIGNA	MEATHER BOTTO	Œ	46	RKS			1	MAX. DEPTH =	aive	APLE BC	OT IN						1	7	_	+		$\dashv$	-
STATION DESIGNATION	(3ms) GUOJO	<del>     </del>		REMARKS	11	j		MAX.	r bleed v		l V	_											
ST	WIND D SP	(deg)		20	File Name/Header	Î			Cleaned air bleed valve	SAMPLE BOTTLE DATA	VALUE IN IN				100								
	WET 500 PEE	-	•	DATA LOCATION		!   			XTRANSMISSOMETER		>					20	<u></u>		<del></del>				
. J 18	E DRY		30	_	Tape/Diskette ID			×	XTEAN	UES		<u> </u>											
PROJECT & LEG HX209	TIME	-	82030	·	Таре				ChlAM	TOR VAL		25.5.											
PROJE( HX209	OATE ID=	DAY MO Y	UN B				1		-	D MONI		<u> </u>			۸	_	Ü					_	
		$\Box$	-29 Waloung	JD/TIME		WN		Щ	XFLUOR	CTD CONVERTED MONITOR VALUES		י בואור.	E'										
	C FIGNO	DEG N	7-9	TIMES	DATA ON	P504C START DOWN	t1390 AT DEPTH	A. SURFACE	X   X   X   X	5  }		ij.	(4 () () () () ()	eii -		((e <sub>i</sub> )		-				#i	
	JOI ITH	<del> </del>	355550 4241641	<del>-5.</del>	3B911+ [[	50.40 p5040	11390 4	c501	11391	d	4	PHESOUR	37	:	11 1 25.4							*	
VESSEL Alpha Helix	CON SC CAST	밀	55555	CrD	TYPE & SN SB911+	PRES: SN	TEMP SN	COND SN		POS TR!P CEPTH	r					<u> </u>	59.55		*			-835	* 2
128	<u>.                                     </u>	<u>. l</u> .	(0)	L	<u> </u>	۵.	F	Ö	F	<u>الح</u>	6		-   ~	6	4	2	ဖ	<u></u>	8	6	9	1	12

A STATE OF THE PARTY OF THE PAR