			\mathcal{I}	-																				
	STATION	NAME / ID		1) OC	l)				MBER			WHITS												
}		\dashv		0	,				LE NUI		•	붕												
S C S	воттом	DEPTH		BISIG	•				SAMPLE BOTTLE NUMBER			NUTR												-
₹	ЯЭНТА		+	\rightrightarrows					MPL								-		_		\rightarrow	_	\rightarrow	_
STATION DESIGNATION	OUD (amt)	U.	- 1	6 5	RKS				& VS			SAL			1									
A S C N	ND SEEED	ıım	kut's	1	REMARKS		valve																\top	\dashv
ST	SECTION	RIO	§ _	000	- 1	5	x Cleaned air bleed valve MAX DEPTH (m)			巴巴	⋖	<u>L</u>	•											
	AD	IWI					X Cleaned air bl			SAMPLE	DATA	SALINITY	Ì									Ì		1
	A STATE YTIJIBI:	SIV	-	$\overline{\alpha}$			aned FP	S		ΩΩ		3										ļ		
:	ESSURE		e \	5				ChLAM SAN=			*				93				ı			}		.
			F 5	<u> </u>	-		×S	ਹਿ	_										<u>. </u>					
į	WET	BULB	ပ ျ	76		.l	1																	
2.100			1	\Rightarrow	<u> </u>			-				<u>}</u>											- [
2	DRY	BULB	عاد	2	Æ							SALINITY		İ										
ļ		面	-		- E							S												Ì
[ш	_	<u>Z</u>	9	C DATA LOCATION Diskette ID File Name/Header		.									(E)	ĺ							
	TIME		_	7	<u>გ</u> "	·	ı		ľ			-											\dashv	_
LEG			`	5	¥°	-						EMF												
22-6		[⊱¦⊢	イ ○	DAT cette			#	ES.			₹ 7					Ì				ĺ	ļ		
MF-02-01		Щ	\Box		DATA I Tape/Diskette ID			FLUOR S/N=	CTD CONVERTED MONITOR VALUES			SECONDARY TEMP										Ì		
711		DAT	\$ _	3	Tape	.		Ę	5 R			Ö	}		·	ļ	İ					ŀ		
		Ì	≽Ü	0		Γİ	†	Ë	NO.			SE					ĺ					ļ		
}		-	7	召					ED IV			σ											一	\neg
z			17	T					ERI					8								ļ		1
¥ ¥ ¥		9	Z ∑	9	TIMES			ii ii	Š			IAR											, (
		LONGITUDE	٠	7	Ē	Š	щ		Ĕ			PRIMARY TEMP							l				. 1	
띮		회	(3)	$\sqrt{}$	Š	START DOWN	AT DEPTH AT SURFACE	PAR SAN=	١		•	-			-		· ·							
HR				S	DATAON	TAR	AT DEPTH AT SURFA	PA									'							
	· · · · · · · · · · · · · · · · · · ·			Ö		S	₹ €	<u> </u>				1 5								¥				
<u>0</u>		ш	(20	2 8		.					PRESSURE												
Shi		2	Z Z) 	91660 29772	710	304	530				PR				1								
NOAA Ship MILLER FREEMAN		LATITUDE	-	7				٠],		
9				+		z	Z z	×				a E					0				0		L	
}		-19	<u> </u>		NS.	PRI TEMP SN	SECTEMP SN PRICOND SN	SEC COND SN	}			TRIP DEPTH	0	0	7	4	5	V	X	Ö	V	30	8	
	# 1S'	CA			SBE 9+ PRESS SN	II TEA	SC TE	000	-		100		(75)				F622			-			Sec. 1	
31	NSECUTIVE	၁၁			<u> </u>	7	<u> </u>	S			AOIT	ISOd.		. 7	60	A	S.	9	_	∞	6	5	7	12

d.		<u>u</u>																	
;" [STATION NAME / ID	000		MBER	_		WHITS												
		3,4		LE NU			훙												
TION	ВОТТОМ DEPTH	398		SAMPLE BOTTLE NUMBER		1	NUTR									+			
SNS SNS	A3HTA3W	T		AMP					\dashv	\dashv		\dashv	\dashv	\neg	-			\dashv	
DES	CLOUD (amt)	1 + \$				_	SAL	- {											
STATION DESIGNATION	MIND SPEED	knt's 6 7 REMARKS	x Cleaned air bleed valve MAX. DEPTH (m)															7	
ST	DIRECTION	\$ 1	- Peed	=	и ш	ار	≥	·			1								
	MIND		1.10元	<u>16</u>	SAMPLE	DATA	SALINITY												
	SEA STATE YTUBIBILITY	× 1	Saned	NS N	Ф		ঠ				ļ								
	PRESSURE	₽ ¥	X Cleaned air bl MAX. DEPTH (m)	ChLAM SAN=						8					ı				
	h: 8	CO	<u> </u>			7		-	-		-	-						$\overline{}$	\dashv
1.D.	WET		.				a .												
COD I.D.	> .		File Name/Header				SALINITY				}					:			
	DRY		me/				S												
	ві ь	A TION	2 .			ĺ					*								
(0)		က ဘုပ္ပ	证			}		-		-	-			_					
r LEC		Y Z					TEM								Ì				
DJECT & LE	}	DATA DATA	isket	SAN			ARY												
РКОЈЕСТ 8 LEG MF-02-01	DATE	2 2	Tape/Diskette ID	FLUOR SAN=	Š		SECONDARY TEMP												
<u> </u>	}	M CM		III N			SEC				- {	Ì						,	
}		0 0		SIN= FLUOR SIN= FLUOR SIN=		Ì	ΔW	*											{
3	W W	11		16.75 76.75			및 사		.						<u> </u>				-
EM	LONGITUDE	MINES TIMES			3	٠	PRIMARY TEMP												
-RE	ONG		DATA ON START DOWN AT DEPTH AT SURFACE	PAR S/N=		}	R					ş							
ER			DATA ON START DOW! AT DEPTH AT SURFACE	PAR															
		9	3555	Ц			띩								Ø.				
i N	, w	g S	7044				PRESSURE	ļ											
Sh	LATITUDE	MIN C 0916	29772 710 884 304	530			R	Ì											
NOAA Ship MILLER FREEMAN	3	3-														,		_	
Į		5 5 7	NS OF SN	NS O			TRIP DEPTH		0	900	8	2	20	5	B	B	200	Red	
7	CONSECUTIVE	SBE 94	PRESS SN PRI TEMP SN SEC TEMP SN PRI COND SN	SEC COND SN				~			\dashv		40	4	-	-		1	
2	CONSECUTIVE		Z Z <u>N</u> <u>S</u>),	NO	JTI:	SO9		. 7	ಣ	4	9	9	7		6	2	=	12

	STATION	NAME / ID	10003			2007	ADDW.		WHITS													ii.
		_	50						퐝													
ATION	воттом	ОЕРТН	35	•		CHANGE OF THE PARTY OF THE PART	2	=	NUTR										ļ			
STATION DESIGNATION	(tms) QUC 3° A3HTA	J.J.	501	ıKS			N N N		SAL													
ration	1D SEEED		33	REMARKS	valve				-													
S.	ECTION	AIW E	070	167	ir bleed (m)		SAMPLE	DATA	SALINITY				Ì									
	3TAT8 / YTIJI81	AIS SEV	4	-	x Cleaned air bleed valve MAX. DEPTH (m)	CHLAM SAN=	S SA	۵	SAL													
	∃RU88∃		7		× ¥ C	200				_												
COD I.D.	WET	BULB	8.5	1	.					.				i								
3	DRY	BULB C	9110	ATJON File Name/Header	0				SALINITY													
	TIME	GMT		CATJON File Na																		
8 LEG		YR H		DATA LO		<u>n</u>	w		/ TEMP									·				
PROJECT & LEG MF-02-01		DATE	37	DATA I		FLUOR S/N=	CTD CONVERTED MONITOR VALUES		SECONDARY TEMP									. A				
7		DAY C					MONITO															
A	•	9	9				NVERT EC		PRIMARY TEMP			ļ										
REEM		LONGITUDE	04	TIMES	Y Y Y	=N/S	CTDCO		PRIMA				,			'						
LERF		DE C		DATA ON	AT DEPTH AT SURFACE	PAR S/N=			m													
nip MIL		3	8.336	91660 29772 746	4				PRESSURE		!											
NOAA Ship MILLER FREEMAN	60	LATITUDE	3	9166 2977:	884	530																
N.		DEG	354	SBE 9+ PRESS SN PRITFUP SN	SEC TEMP SN PRI COND SN	SEC COND SN			TRIP DEPTH	9	9	000	9	2	80	4	6	\$ 0 0 0 0	eg	304		
5	ST # NSECUTIVE	00 AD	8	SBE 9+ PRESS SN	SEC TE PRI CO	SEC CO	N		ISOd	-	. 3	6	4	5	9	7	80	6			$\overline{}$	

WHITS NUTR NAME / ID STATION SAMPLE BOTTLE NUMBER GHL 0 BOTTOM DEPTH **E** STATION DESIGNATION CLOUD (amt) TYPE WEATHER (A) SAL # REMARKS x Cleaned air bleed valve MAX. DEPTH (m) 00 MIND SHEED DIRECTION SAMPLE BOTTLE SALINITY DATA SEA STATE VISIBILITY WIND ChLAM S/N= P. 1219121417 PRESSURE BULB WET FOCI COD I.D. File Name/Header SALINITY BULB DRY HR MIN 1883 TIME GMT SECONDARY TEMP PROJECT & LEG Tape/Diskette ID MF-02-04 15500155730 MALOS FLUOR S/N= CTD CONVERTED MONITOR VALUES DATE 8 DAY PRIMARY TEMP NOAA Ship MILLER FREEMAN LONGITUDE START DOWN PAR S/N= AT SURFACE AT DEPTH DATAON **PRESSURE** 6 0 H 5 3 3 10 1 5 3 8 91660 LATITUDE 710 884 304 530 NIX N 8 DEPTH SEC COND SN 8 8 SEC TEMP SN 8 PRI COND SN TRIP 2 PRI TEMP SN 名 E 0 PRESS SN VECCE SBE 9+ CONSECUTIVE 9 F 42 POSITION 9

			00						اہم ہ				_	$\overline{}$			1	1	<u>, </u>	- -	_
	STATION	NAME / ID	000				MBER	1	NUTR												
			<u>5</u>						동					90							
NOIL	воттом	DEPTH	ري 0				SAMPLE BOTTLE NUMBER		NGTR.		(3)										7
STATION DESIGNATION	OUD (amt) 39 A3HTA5	M L C	7	2			SAME		SAL											+	
TION D	ND &PEED	i I	7	KEMARRY	valve									+			\dagger	-	+	+	_
STA	SECTION	<u>ଞ</u>	70		x Cleaned air bleed valve		P.E	₹	∑.	#1											
	A STATE A SIBILITY ON	SIA	9		X Cleaned air bl	S/N=	SAMPLE BOTTLE	DATA	SALINITY												
	ESSURE		1 46		×	ChLAM S/N=		,				(9)	ž.								
Foc 1	WET	BULB	7 5																		
COD I.D.	DRY	BULB °C	7	ATJON File Name/Header				٠	SALINITY										ļ		
		Z		TION ile Name					S												
EG 7	TIME	GMT	(K)	o O	1 1				ďΜ				-		1		\dashv	+		E	
PROJECT & LEG MF-02-047		YR	60	U DATA L Tape/Diskette ID		=N/S >	ALUES		SECONDARY TEMP							ļ					
PROJ	983	DATE	Ē	Taper		FLUOR S/N=	NITOR V		SECONI					ļ							
		DAY	14		Ti .		CTD CONVERTED MONITOR VALUES		}												
MAN		TUDE	60	TIMES			CONVER		PRIMARY TEMP												
FREE		is	V	F S	START DOWN AT DEPTH	AT SURFACE	CTD		PR												
LER		7 5	244	DATAON	START DO AT DEPTH	AT SU			H. H.								里				
NOAA Ship MILLER FREEMAN		OE Z	2 8 C	91660 29772	710 884	304	DS .		PRESSURE												
JAA S	2	LATITUDE	100	23	~ &	ന u												,	,		
1			大 120 120	SN	PRI TEMP SN SEC TEMP SN	PRI COND SN	OND ON		TRIP	Ô	0	20	30	3	Ŝ	75	90	50	200	300	1.3
VECCE	SECUTIVE T	COS	90	SBE 9+ PRESS SN	PRI TE SEC TE	PRI CC		NOL	LISOd	 	,	· ·	4	2	9	7	æ	6	9	 `	
		•		٠												15					

						[9																						
				STATION	NAME / ID		OCL		-				שמוע מוניצ			WHITS	NUTR												
'						ŧ							ILE NO				품												
TION			_	ВОТТОМ	DEPTH		ন ভ						SAMPLE BOTTLE NUMBER				NCTR.												
STATION DESIGNATION		_	(amt) FER	OOO PE HTA:	교	- [D S S	S					SAME				SAL	1			1							+	-
TION DE			0334:			knt's	W	REMARKS		alve							+		+			+	+	+		1	+	+	-
STA		_	NOI.	SECT	[<u>10</u>	œ		bleed v	5		L	쁘	.≪		È	*							Ì				
			YT	4 ST.	NIS (70	3				x Cleaned air bleed valve	MAX. DEPTH (m)	S/N=		SAMPLE	DATA		SALINITY												
			-	JSSE TS V		qw	000		4	Z Z	MAX. D	ChLAM S/N=								E								ľ	
<u>.</u>	JOC 1			WET	BULB	့	10/17			1																			
COD 1.D	<u></u>	-	_	DRY	BULB	္စ	-	6	File Name/Header		zi.						SALINITY									ļ			
						Min	00	HOL	ile Name								Š				1								
100	2			TIME	GMT	HR A	120	LOCATION		1	1					\mid	- MP					1	-					0	_
ECT & LEG				·		YR	400	DATA	Tape/Diskette ID			S/N=	ALUES				DARY TI							2					ļ
PROJECT	Z				DATE	WO.	Made		Tape/			FLUO	NITOR V				SECONDARY TEMP				ļ								
		-				DAY	330						TED MO									\neg	\neg						-
	MAN			8	TUDE	NIW W	00	TIMES					CTD CONVERTED MONITOR VALUES				PRIMARY TEMP		· .] 		
	FRFF				IONGITUDE		2	1	N	START DOWN	PTH	DAR SANE	25		,		PRI	<u> </u>							_				
	======================================					DFG	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		DATAON	STAR	AT DEPTH	o o					URE] 			<u> </u> 								
	hin M	2			n n	MIN	()	1660	29772	710	884	404	200				PRESSURE	 				i i							
	NOAA Shin MII JER ERFEMAN				IATITUDE	0	~	5									Ī		68		_			2 /				5	
ددا		-		- L		DEG	\[\frac{1}{2}\]	1	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SIN					TRIP	C	0	5	8	05	-V.	74	8	150	1,0	1	
//Eccri	<u> </u>	=	VITU:	ISEC	CAS		E	SRF 9	PRE	PR	S (ע א ע א	3		NO	111	SOd	-	,	62	4	3	9	7	ec	on on	5	=	5