										7	2000	Ž										
										Other												
	STA. NAME/ID					ılve	٤		SAMPLE BOTTLE NUMBER	PAM												
NOI 2						leed ve			TLEN	GH.												
IGNATI	BOTTOM DEPTH]			Cleaned air bleed valve	:PTH=	TRANS. S/N	LE BOJ	NUTR.	447	448										
STATION DESIGNATION	S WIND (amt) CLOUD (amt) TYPE WEATHER	-	REMARKS			Clean	MAX. DEPTH =	TRAN	SAMP	SAL.			/									
STA1) WIND	(m/s)				1 1			OTTLE A	Ł												
!	YTIJIBISIV WINO OI N.N.			File Name/Header					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE VILIGISIV	1	Z	Vame/				 	NS.												_	
			DATA LOCATION					Chiam s/N		<u>_</u>												.
DSDB I.D.	WET	§	ATA L				. [SALINITY								•				
88	DRY BULB	<u>5</u>		tte ID				182		Ś												
(5 .a	TIME (GMT)	HH W		Tape/Diskette ID				V_ 0 2	ALUES	MP												
PROJECT & LEG H X 2 4 5		œ -		<u> </u>				FLUOR S/N_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJECT H	- 0	> ON O		١					NOW Q												\square	
	DATE		JD/TIME						NVERTI	Æ												
	Ы	MIN DAY	D.					4 4 9 7) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	PRI. TEMP.					:							
	LONGITUDE	4			NAC	_	¥CE															
	9	DEG N 1 10 6 1 41	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N	[щ												
		Z		<u>^</u>	<u>ଅ</u>	_ <u>₹</u>	<u> </u>		<u> </u> 	PRESSURE												
	LATITUDE	NIW 1	-0533	6846	2578	2708	638	2272		F.												
Helix		S S		•						•	75	SFC										=
VESSEL RV Alpha Helix	CONSC CAST#	%	SBE 9+0	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		-	2 2	3	4	2	9	7	8	6	10	=	12

												200										
											Other											
	STA. NAME/ID	-					ve	E	1	MBER	PAM											
ž)		_	77				eed val			TLE NU	CHL.											
IGNATIC 12.1	√ Воттом рертн	7		S)			Cleaned air bleed valve	PTH=	S. S/N	SAMPLE BOTTLE NUMBER	NUTR.	644	43									
STATION DESIGNATION	CLOUD (amt) TYPE MEATHER	*		REMARKS			Clean	MAX. DEPTH =	TRAN	SAMP	SAL.	1-68										
STAT	NAME (SIMI)	(m/s)		_	<u>.\</u>					TTLE	>											
	WIND	(deg)			eader					SAMPLE BOTTLE DATA	SALINITY											
	PRESSURE SEA STATE YTIJIBISIV	(qu)		No.	File Name/Header				N/S	SAI												
		<u>튀</u>		DATA LOCATION	E e				ChIAM S/N													
DSDB I.D.		<u></u>		DATA		I					SALINITY											
	DRY BULB	<u>ဉ</u> ၂			atte ID				182													
	TIME (GMT)	H C	800		Tape/Diskette ID				0 5	ALUES	MP											
ROJECT & LEG H X 2 4 5			_		<u> </u>				FLUOR S/N	TOR W	SEC. TEMP											
PROJEC H X		9 -	UN 0		1					ED MON												
	DATE	¥ \	<u>\$</u>	JD/TIME					7	CTD CONVERTED MONITOR VALUES	EMP.											
		N S	. 47 W . 15	Š	I				4497	сто α	PRI. TEMP.									:		
	LONGITUDE		5		×	DOWN	Ŧ	FACE	PAR S/N_													
		<u> </u>	997	TIMES	DATA ON	START DOWN	АТ DEРТН	AT SURFACE	PAR		ÜRE											
	평		3 . 3 7 N 1 66	စ္အ	6 7						PRESSURE											
	7	- 1	<u>m</u>	3507-053	6846	2578	2708	638	2272				1									
VESSEL RV Alpha Helix		DEG	4508	SBE 9+ 09P 19507-0533	NS	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		也	5 F									
VESSEL RV Aph	CONSC CAST#	_	00	SBE 9	PRESS SN	PRI TE	SEC TI	PRI C	SECC	POS.		-	2	3	4	က	9	7	 6	10	Ξ	12

. 1		H	PROJECT & LEG H X 2 4 5	5 5	DSDB I.D.	.G.		S	(ATION D	STATION DESIGNATION	N W	
LONGITUDE DATE JD=	DATE	ㅋ	<u>ــــــــــــــــــــــــــــــــــــ</u>	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE VISIBILITY	WIND W	SPINOUD (amt) TYPE TYPE TYPE TYPE TYPE TYPE TYPE TYPE	V BOTTOM DEPTH		STA. NAME/ID
DEG MIN DAY			MO YR	HR MIN	(၃)	(C ₀)	*	u) (bep)	* * (s/m)	(m)		
66 5-97W15/JUNO	2 2 2		U N 0	1835		-				<u> </u>	5	
TIMES JD/TIME	TIME				Ā	DATA LOCATION	NO		REMARKS	IRKS		
DATA ON		- 1		Tape/Diskette ID	itte ID	File	File Name/Header	ader	7,8			
START DOWN									[
АТ ОЕРТН									Ö	Cleaned air bleed valve	oleed valv	/e
AT SURFACE		3 I				 			MAX.	MAX. DEPTH =		٤
PAR S/N_ 4 4 9 7			FLUOR S/N	3/N_ 0 2	182	ChIAM S/N	N/S		Œ	TRANS. S/N		1
CTD CONVERTED MONITOR VALUES	NVERTED M]≥	ONITOR	VALUES]	SAME	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TTLE NU!	NBER
PRESSURE PRI. TEMP.	EMP.		SEC. TEMP	TEMP	SAL	SALINITY	S	SALINITY	SAL	NUTR.	CH.	PAM Other
										154		
				fie .	1,					452		
*	7	,										
		 										
		- 1					<u> </u>			_		
									_	_		
									_			

											Other			-									
	STA. NAME/ID		\exists				9	ε		ABER	PAM												
Z √			A				eed valv	:		ILE NUN	CH.												
GNATIC S	(BOTTOM DEPTH	╚┸	<u>R</u>	S)			Cleaned air bleed valve	PTH=	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	453	484										
STATION DESIGNATION	CLOUD (amt) TYPE MEATHER	•	╡	REMARKS		{	Clean	MAX. DEPTH =	TEAN	SAMP	SAL.	-703											
STATI	WIND (amt)		\exists							отте	≥												
	VISIBILITY WIND DIRN.	(deb)			leader					SAMPLE BOTTLE DATA	SALINITY												
	BRUSSBR9 BTATS ABS VTI IIGIBIV	* (qm)		NO	File Name/Header				N/S	S													_
	WET	(S)		DATA LOCATION	File				CHIAM S/N		 												
DSDB I.D.	*			DATA				. !		ŀ	SALINITY												
٦	DRY BULB	<u>ဂ</u>			ette ID				182														
(5 .a	TIME (GMT)	HR Min	9		Tape/Diskette ID				N_ 0 2	ALUES	MP												
PROJECT & LEG H X 2 4 5		œ	0		<u> </u>				FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJE(DATE JD=	9-	70 N N S 7 N N O						<u> </u>	TED MO													\dashv
	DATI	DAY	≥	JD/TIME					7	ONVER	PRI. TEMP.					•							
	rude	NIW	<u> </u>	片	l	- -			449	CTD	PRI.												
	LONGITUDE	-	_ 9	S	NO	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N														\dashv
		DEG	9 9 1 N	TIMES	DATA ON	STAF	AT D	AT SI			PRESSURE												
	LATITUDE	Z -	<u>б</u>	533	8467	82	80	80	72		PRE												
i≚	IATI	NIW S	7	SBE 9+ 09P 19507-0533	8 9	N 2578	3N 2708	N 638	SN 2272		<u> </u>	<u></u>	A										
VESSEL RV Alpha Helix	CONSC CAST #	DEG	8424	9+ 09P	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		09	5FC										
VESSEL RV Alpha	S S		~	SBE	PRE	H.	SEC	PRI (SEC	POS.		-	2	ო	4	2	9	7	ထ	တ	9	Ξ	12

	-ii -										Other												
	STA. NAME/ID	7					a	٤	ı	BER	PAM												\neg
z		-	r).				ed valve			LE NUM	몽												
GNATIO	0 Воттом рертн	E	06	S			Cleaned air bleed valve	PTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	354	456										
STATION DESIGNATION	CLOUD (amt) TYPE MEATHER	•		REMARKS		1	Clean	MAX. DEPTH =	TRAN	SAMP	SAL.												
STATI	WIND SPD.	(m/s)	\exists							ЭПСЕ	≥												
	4 11 21 21 21 21	(ge)			leader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE	· (qw)		NO	File Name/Header				N/S	₽S.													
		<u></u>		DATA LOCATION	Fije				CHIAM S/N	<u> </u>	<u> </u>												
DSDB 1.D.		-		DATA					2		SALINITY					:							
		<u>ମ</u>			kette ID				2 1 8 2														
5 5	TIME (GMT)	HE	1936		Tape/Diskette ID				0	/ALUES	- IMP									:			
ST&LI 2 4		٤	ᄅ		<u> </u>				FLUOR S/N	VITOR V	SEC. TEMP												
PROJE(<u>ş</u>	ONDIC							CTD CONVERTED MONITOR VALUES											Н		
	DAT	DAY	d W	JD/TIME					9.7	CONVER	PRI. TEMP.												
	LONGITUDE	Z Z	4.	7	1	<u>z</u>	l i	ш	4 4 8	E5	PB.												
<u>.</u>	LONG	4	6553	S	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N														
		SEG.	Antibe	TIMES	\neg	STA	ATE	AT 8			PRESSURE												
	LATITUDE	NIW	. 00 V	0533	8467	2578	2708	638	2272		#												
elix	LATI	DEG	855359.	SBE 9+ 09P 19507-0533	ဖ					TRIP DEPTH	<u> </u>	29	77										
VESSEL RV Alpha Helix	CONSC CAST #	기	858	J60 +6 ⊒	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		2	2 5	3	4	5	9	7	8	6	10	11	12
<u> </u>	00	\perp		띯	置	논	ਲ	<u> </u>	<u> </u>	آچ ا				1.									

			-	 	- ES	DSDB I.D.	 <u>:</u>			STATIC	N DES	STATION DESIGNATION	s i		
			┨	H X 2 4	<u></u>	_		F	L			X	5		
TON	LONGITUDE	JDE	DATE JD=	٥	TIME (GMT)	DRY	WET	PRESSURE STATE ABS	VISIBILITY B W S S S	S WIND (simt)	TYPE ABITHER	SOTTOM DEPTH		STA.	
DEG	≥	MIN	DAY	MO YR	HR MIN	(၁ _၈)	(၁.)		(deg)	(m/s) *	*	Έ)			
159 I N	53	34W	34w151UN	0	000c	•	-					45	7		
TIMES		JD/TIME	묒			DA	DATA LOCATION	NOI		<u> </u>	REMARKS	S			
DATA ON				1	Tape/Diskette ID	tte ID	Ē	» Name	File Name/Header	!					
START DOWN	N.N.														
AT DEPTH	=										Clean	ed air bl	Cleaned air bleed valve		
AT SURFACE	-ACE						 			اگر	MAX. DEPTH =	PTH=		٤	
PAR		4 4 9 7		FLUOR S/N_	S/N_0 2	182	ChIAM S/N	N/S			TRAN	TRANS. S/N			
		CTD CON	IVERTE	CTD CONVERTED MONITOR VALUES	NALUES .			S	SAMPLE BOTTLE DATA	HE	SAMF	LE BOT	SAMPLE BOTTLE NUMBER	BER	
PRESSURE		PRI. TEMP	IP.	SEC.	SEC. TEMP	SAL	SALINITY		SALINITY		SAL.	NUTR.	CH.	PAM	Other
											198	454			
												dSh			
		:													
									:						
	\dashv														
L															

											Other												
7	STA. NAME/ID						ē.	æ	ı	ABER ABER	PAM												
§0, N			5				eed valv			ILE NUI	C光.												
GNATIO	ВОТТОМ DEPTH	(m)	79	S)			Cleaned air bleed valve	PTH=	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	459	460										
STATION DESIGNATION	MEATHER TYPE CLOUD (amt)	* * *		REMARKS		[Clean	MAX. DEPTH =	TRAN	SAMP	SAL.												
STATI	WIND WIND (SMT) CLOUD (SMT) TYPE DIRN.	(m/s)								ОТТЕ	Ł					Î					Ì		
	VISIBILITY PIN WIN	(deg)			Header					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE VIURIBILIY	. (qw)		NO	File Name/Header				NS SV	y S												\dashv	=
	WET) (၁.)		DATA LOCATION	E				ChIAM S/N		<u>L</u>												
DSDB I.D.				DATA					2		SALINITY												
	DRY BULB	(°C)			kette ID		:		2 1 8														
5 5	TIME (GMT)	HR MIN	6ece		Tape/Diskette ID				0	/ALUES	EMP												
PROJECT & LEG H X 2 4 5		YR	-						FLUOR SAN_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJEC H X	DATE JD=	V ₩O	N O N							ATED MC					-	\dashv						\dashv	
	DA.	DAY	1 MAh	JD/TIME					9.7	CONVE	PRI. TEMP.												
	LONGITUDE	MIN	-	ĺ	'	×.		, i	4 4	CTO	PR												
	FONG	DEG	6757	ES	DATA ON	START DOWN	АТ DEРТН	AT SURFACE	PAR S/N														
\vdash	,,	<u> </u>	N	TIMES	7 DA1	ST	AT	AT			PRESSURE												
	LATITUDE	MIN	7.5	-0533	6846	2578	2708	638	2272		PA.											!	
Helix	[\	DEG	875357.5	P 19507	'	l				TRIP DEPTH		40	7,										
VESSEL RV Alpha Helix	CONSC		00	SBE 9+ 09P 19507-0533	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		-	2 6	တ	4	5	9	7	8	6	10	=	12

											33 in office of the contract o	J	1	ı	1	ŀ	1	1					
	:	STA. NAME/ID					gy	٤	1		PAM												
2.0	Z			717			Cleaned air bleed valve			SAMPLE BOTTLE NUMBER	덌	-	1	7	7	7	7	,					
a	IGNATIC	BOTTOM DEPTH		7			ed air b	:PTH=	TRANS. S/N_	7LE BOT	NUTR.	461	443	463	49h	794	466	467					
	STATION DESIGNATION	S NS CLOUD (amt) TYPE TYPE MEATHER	*	REMARKS			Clear	MAX. DEPTH =	TRA	SAMI	SAL.	88-1											
	STAT	WIND SPD.						, I		отт.е	≥						-						
		YTIJIBISIV SIN SIN SIN SIN SIN SIN SIN SIN SIN SIN	(deg)		leader					SAMPLE BOTTLE DATA	SALINITY												
		PRESSURE SEA STATE VILIGISIV	*	- - - - -	File Name/Header				N/S	S	<u> </u>												_
		WET	<u> </u>	DATA LOCATION	File	į			ChiAM S/N	,	 												
	DSDB I.D.			DATA		!					SALINITY												
		DRY	<u>်</u>		cette ID				182														
	5 5	TIME (GMT)	H NIN	250	Tape/Diskette ID				N_ 0 2	VALUES	EMP												
	77 & L		¥ -;		•			Ļ	FLUOR S/N	NITOR	SEC. TEMP												
	PROJE(DATE JD=	₽ .	0 0						CTD CONVERTED MONITOR VALUES													\dashv
		DA	DAY	DOCUME ADVIOL					9.7	CONVER	PRI. TEMP.												
		LONGITUDE	NE	<u>.</u>		Z		ш	4 4 (CTD	Ë												
		LONG	DEG		DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N														
}	\dashv		ŏ	TIMES	7 DAT	STA	ATE	AT &		i I	PRESSURE												
		LATITUDE	ء اح		ا م	2578	2708	638	2272		PR												
	Helix	3	DEG MI	시 (1850년) 위 19507	9					TRIP		26	25	04	33	8	2	0					
	VESSEL RV Alpha Helix	CONSC	0	SBE 9+ 09P, 19507-0533	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		G 5	2	3 4	4	5	9	7	8	6	10	=	12

											1	1 7							J mari				_
											Other								J.				
14	STA. NAME/ID	-					40	£	1	BER	PAM												
9			~				ed valv			LE NUN	胀	1											
STATION DESIGNATION	BOTTOM DEPTH	Œ	0	"			Cleaned air bieed valve	TH=	N/S	SAMPLE BOTTLE NUMBER	NUTR.	440	694	470	144	472	173	/					
N DESIG	MERINER	*		REMARKS			Cleane	MAX. DEPTH =	TRANS. S/N	SAMPL	SAL.	7	~	4	7	-	4	,					
IATIO	S WIND (amt)	(m/s) *		<u>æ</u>		<u> </u>		ž		Щ	, o												-
S.	WIND W	u) (bep)			5					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY ∑ ≦				/Head					AMPLE D/	SAL												
	PRESSURE STATE ABS	• (qw)		NO	File Name/Header				NS	Ø.												11	
			╡	DATA LOCATION	జ				CHIAM S/N		>												
DSDB I.D.	WET	(ွ)ATA [1					SALINITY									:			
	DRY BULB	(၃)	•	_	te ID				1 8 2		8												
	TIME (GMT)	HR MIN	135		Tape/Diskette ID				- 0 2	LUES	<u>_</u>												
& LEG		X K	<u>-</u>		<u>a</u>				FLUOR S/N_	OR VA	SEC. TEMP												
PROJECT & LEG H X 2 4 5	Į!) OM	O N U				l 1	ıl	EW	CTD CONVERTED MONITOR VALUES	8												
E -	DATE JD=	DAY	<u>5</u>					'		RTED													
	۵		SW15	JD/TIME					9.7	CONVE	PRI. TEMP.												
	20E	NIW	Po	-	'	-		•	4 4	СТО	Pag.												
	LONGITUDE	_	12 2		S	START DOWN	표	RFACE	PAR S/N												\vdash		
		DEG	9	TIMES	DATA ON	STARI	АТ ОЕРТН	AT SURFACE	PA		l m												
		\dashv	2 0		6 7						PRESSURE							3%					
	LATITUDE	NIW	- 1	7-0533	8	2578	2708	638	2272									,					
delix	5	930	895356	SBE 9+ 09P 19507-0533	ဖ	Į				TRIP DEPTH		95.	50	40	30	2	0	0					
VESSEL RV Alpha Helix	CONSC CAST #	7	<u>0</u>	60+6	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			\vdash							_		_		
₩ %	8 5			8	PR	E E	SEC	<u>E</u>	SEC	POS.		_	2	က	4	2	9	_	∞	6	10	=	12

										Other												
	STA. NAME/ID		-			Ve	E		MBER	PAM												
NO		= U	2			Cleaned air bleed valve			SAMPLE BOTTLE NUMBER	F		a	Pin	- 0		Į.						_
STATION DESIGNATION	WEATHER DEPTH	1				ned air	MAX. DEPTH =	TRANS. S/N	IPLE BO	NUTR.	<i>1114</i>	435	476	华泽	418	4.79	480	ij.				
ION DE	CLOUD (amt)	*	REMARKS				MAX.	TRA	SAN	SAL.	-06											
STAI) WIND I. SPD.	(m/s)	-		i	ı ı	1		OTTLE 1	ΥT												
	VISIBILITY DIRN.	(deg)	_	leader				-	SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE	(qm)	- 8	File Name/Header				NS NS	S.	<u> </u>												
		ઈ —	DATA LOCATION	퍒				CHIAM S/N		 			:									
DSDB I.D.		4	DATA				l			SALINITY												
	DRY BULB	<u></u>		offe ID				182														
4 EG	TIME (GMT)	HH C		Tape/Diskette ID			:	3/N_ 0 2	CTD CONVERTED MONITOR VALUES	EMP						**						
뚮~	ŀ	¥ 2						FLUOR S/N_	ONITOR	SEC. TEMP												
PROJE(<u> </u>							TTED M													\dashv
	DA.	DAY WIN	JD/TIME					7	CONVER	PRI. TEMP.												
	TUDE	\$	-1	ŀ	z			4 4 9	СТО	PRI.										:		
	ONG	- <u>C</u>	S	NO	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N														
		-	1 ⊨	DATA ON	STAF	ATD	AT SI	P,A		PRESSURE												
	LATITUDE	NW J	_	68467	2578	2708	838	2272		PRES												
E Helix		DEG MIN	SBE 9+ 09P 19507-0533	•					TRIP DEPTH		イク	50	40	30	20	2	Ó					
VESSEL RV Alpha Helix	CONSC CAST#	0	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		-	2	3	4	5	9	7	8	თ	10	=	12

											^					_				1			
Щ											33 pm												
	STA. NAME/ID	-		લ			lve	E		JMBER	PAM	-											
N.		H		0			eed ve			TLE N	CH.	7	1	1	7	7	7	1	7				
STATION DESIGNATION	BOTTOM	(μ)	<u>~</u>	· ·	N N N N N N N N N N N N N N N N N N N		Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	18%	482	423	484	485	486	オピカ	489				
ON DES	VECOUD (amr.) TYPE MEATHER	*	\dashv	REMARKS	2	1	Clean	MX.⊡ I	FIRM	SAM	SAL.												
STATIC	CLOUD (amt)	(s/m)			!		<u></u>	-5.1		111111111111111111111111111111111111111													\exists
	WIND DIRN.	(geg)			ader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY		\exists		File Name/Header					SAM	0,												
	PRESSURE	Œ.		NOL	le Nar				ChIAM S/N														
	WET BULB	(၃)		DATA LOCATION	证			[ChIA		SALINITY												
DSDB I.D.	DRY BULB	(၁)		.VO	te ID				8 2		SAL												
5.5	TIME (GMT)	HR	4090	-	Tape/Diskette ID			i	N_02	CONVERTED MONITOR VALUES	ЕМР												
PROJECT & LEG H X 2 4 5		똣	-						FLUOR SAN	NITOR	SEC. TEMP							X					
PROJEC H X	=QC	웆	ON U		-																		_
	DATE	DAY	<u>(</u> ⁄2 <u>×</u>	IME						NVERT	TEMP.												
	je L		5	JD/TIME					4 9 7	СТD СО	PRI. TE												
	LONGITUDE		0			NW(_	ñ	4														
	PO	DEG	2	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		,,,												
			z	=	<u>8</u>	ST.	<u> </u>	₽		Î Î	PRESSURE	1											
	LATITUDE	NIM	6.09N 166	0533	4 6 7	2578	2708	88	2272		PRE	- 34											
elix	IAI	DEG	15416	SBE 9+ 09P 19507-0533	684			SN 638		TRIP DEPTH		33	7	50	04	30	20	Q	C				
VESSEL RV Alpha Helix	CONSC CAST#		915	94 09	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			13	7	ካ	7	ex	~	7	₩				\Box
VES RV /	8 8			SB	띪	<u>E</u>	SEC	<u>E</u>	SEC	Pos.		-	7	က	4	2	9	7	80	တ	10	Ξ	12

0

											Other												
	STA. NAME/ID						, e	ш	1	MBER	PAM												
N			00				leed val			TLE NU	CHL.	2	1	1	1	1	1/1	A	/				
STATION DESIGNATION	BOTTOM DEPTH	Έ)	Po	KS			Cleaned air bleed valve	PTH=	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	6g-	450	49)	493	493	494	495	7617				
ION DES	CLOUD (amt) TYPE WEATHER	_		REMARKS		ı	- Jag	MAX. DEPTH =	TRAN	SAME	SAL.	N											
STAT	WIND CLOUD (amt)									этс	≻												
	WIND DIRN.	(gab)			leader					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE YISIBILITY	*		NO	File Name/Header				N/S	SAN													
	WET	။ (၁ _၈)		DATA LOCATION	File				ChIAM S/N		≻												
DSDB I.D.		(DATA							SALINITY						:						
	DRY BULB	(၁့)			ette ID				182														
(5 .c	TIME (GMT)	HR MIN	300	1	Tape/Diskette ID				V_ 0 2	ALUES	MP												
PROJECT & LEG H X 2 4 5		YR	0		<u> </u>		<u></u>		FLUOR S/N_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJEC H X	DATE JD=	WO	O N U						正	TED MO													_
	DAT	DAY	75W 18	JD/TIME					7	ONVER	PRI. TEMP.												
	UDE	MIN	-	3	ı	_			4 4 9	CTD C	PRI. 1												
	LONGITUD		0 HS9	(0	NO	START DOWN	PTH	AT SURFACE	PAR S/N_														
	···	DEG		TIMES	DATA ON	STAR	АТ БЕРТН	AT SL	PA		PRESSURE												
	UDE	_	1 N CC. OC 43 CP	533	467	æ	92	_	્ર		PRES												
, <u>x</u>	LATITUDE	G MIN	100	SBE 9+ 09P 19507-0533	6 8 4	V 2578	N 2708	N 638	N 2272				_	0	0	۷		_	_				=
VESSEL RV Alpha Helix		DEG	5	9+ 09P	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		$\hat{\alpha}$	09	50	4	30	2	01	0				
VESSEL RV Alph	CONSC CAST#		0_	SBE	PRË	<u>F</u>	SEC	PRIC	SEC	POS.		-	2	က	4	5	9	7	8	တ	9	Ξ	12

										·		((A)	2	7	_/	_	_)			
	F3									3	1	1	i i	>	j	7	1	7				
	STA. NAME/ID					g.	ε		WBER	PAM												
0% X		Q				leed val			TLE NU	CHL.	1	٠	à	P	A	P	/	1	1			
STATION DESIGNATION		(m) 7	KS.			Cleaned air bleed valve	EPTH =	TRANS. S/N_	SAMPLE BOTTLE NUMBER	NUTR.	生物构	264	499	500	105	eas	¿as	has	505			
ON DE	CLOUD (smt) TYPE WEATHER	*	REMARKS				MAX. DEPTH =	TRA	SAM	SAL.			93-3									
STAT	WIND (ami)						 I		OTTLE													
	WIND DIRN.	(geb)		eader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE	*	z	File Name/Header					SAN													
	PRESSURE	(mp)	CATIO	File				ChIAM S/N														
DSDB I.D.	WET	<u>ଟ</u>	DATA LOCATION		ı					SALINITY												
	DRY BULB	ઈ <u>.</u>		٥				8 2		Š							:				ļ	
		<u> </u>		Tape/Diskette ID				0 2 1	တ္သ												\dashv	
5 5	TIME (GMT)	HR T		Tape/C					VALUE	SEC. TEMP												
PROJECT & LEG H X 2 4 5		₩ - N						FLUOR SAN_	CTD CONVERTED MONITOR VALUES	SEC.												
PROJEC H X	DATE JD=	> ON							TED W			Н									\dashv	\dashv
	DAT	¥ Ω ⊸ ⊗						7	ONVER	EMP.					:							
	DE	N .	号					4 4 9	CTD C	PRI. TEMP.												
	LONGITUDE			Z.	DOWN	Ŧ	FACE	i														\dashv
	3	DEG S	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N	 	뿔												
	Ш	2		7					ĺ	PRESSURE												
	LATITUDE	¥	07-0533	6846	2578	2708	638	2272														
a Helix		DEG S	SBE 9+ 09P 19507-0533		NS di	MP SN	NS QI	NS ON	TRIP DEPTH		410	250	100	50	40	30	20	10	0			
VESSEL RV Alpha Helix	CONSC CAST#	6	SBE 9+ (PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		7	2	3	4	2	9	7	80	6	10	11	12

02.60	STA. NAME/ID			-	wood Statum		raive	E	-			NUMBER L. PAM Other		_									
IGNATION (A N)	воттом рертн	(<u>u</u>)	2017	· g	Rod S		Cleaned air bleed valve	PTH =		S. S/N	TRANS. S/NSAMPLE BOTTLE NUMBER	S. SAN LE BOTTLE NI. NUTR. CHL.	S. S/N	S. S/N	S. S.N. LE BOTTLE N NUTR. CHL	S. S.N. ILE BOTTLE N NUTR. CHL	S. S.N. ILE BOTTLE N NUTR. CHL	S. S.N. LE BOTTLE N NUTR. CHL	S. S.N LE BOTTLE N NUTR. CHL	S. S.N LE BOTTLE N NUTR. CHL	S. S.N LE BOTTLE N NUTR. CHL	S. S.N LE BOTTLE N NUTR. CHL	S. S.N LE BOTTLE N NUTR. CHL
STATION DESIGNATION	WEATHER TYPE TYPE WEATHER			REMARKS	7	[Clean	MAX. DEPTH =	F	TRAN			- · · · ·	6	σ σ	<i>σ</i> σ	- σ σ 1 1 1 1 1 1 1 1	σ		- σ			
ST	SEA STATE VISIBILITY WIND SPD. WIND	(6ap)			File Name/Header		1				SAMPLE BOTTLE DATA	'	1	! <u> </u>	·	1	! <u> </u>	·	·	1			
DSDB I.D.	WET WET BULB	(°C) (mb)	•	DATA LOCATION	File Na				ChIAM S/N			SALINITY	SALINITY	;ALINITY	ALINITY	ALINITY	;ALINITY	ALINITY	ALINITY	ALINITY	ALINITY	ALINITY	ALINITY
OSO	DRY	(၃)		_	cette ID				182			<i>y</i>	6	8	6	σ		<i>σ</i>	σ		σ	σ	
k LEG 4 5	TIME (GMT)	YR HR MIN	1 508		Tape/Diskette ID				FLUOR S/N _ 0 2		OR VALUES	NITOR VALUES	OR VALUES	OR VALUES	OR VALUES	OR VALUES	OR VALUES	OR VALUES	OR VALUES	OR VALUES	OR VALUES	OR VALUES	OR VALUES
PROJECT & LEG H X 2 4 5	DATE JD=	ΟM	W LAJUN01						FLUO		TED MONIT(TED MONITO	TED MONITO	TED MONITO	SE'	SE	SE(SE(SE(SE(SE(SEG	SEI SEI
	m	MIN DAY	<u>0-</u>	JD/TIME		<u>.</u>		,,,	4497		CTD CONVERTED MONITOR VALUES	CTD CONVER	CTD CONVER	CTD CONVER	CTD CONVER	CTD CONVER	CTD CONVER	PRI. TEMP.	PRI. TEMP.	PRI. TEMP.	PRI. TEMP.	PRI. TEMP.	PRI. TEMP.
	LONGITUD	DEG	N 16547	TIMES	7 DATA ON	START DOWN	АТ DEРТН	AT SURFACE	PAR S/N			PRESSURE	ESSURE	ESSURE	ESSURE	SSURE	ESSURE	SSURE	SSURE	SSURE	SSURE	SSURE	SSURE
	LATITUDE	MIN	33.35N	507-0533	68467	2578	2708	638	2272														
VESSEL RV Alpha Helix	CONSC CAST# 1	DEG	9454	SBE 9+ 09P 19507-0533	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN		TRIP DEPTH		I I		1 1 1 1								
VESSEL RV Alpha	CAS			SB	PR	<u>E</u>	SEC	E E	SEC		Pos.	POS	POS 1	POS 1	POS - 2 8	POS 1 2 2 4	POS 1 2 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	POS 1 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	POS 2 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	POS 2 2 1 7 7 7 7 8 8	POS	POS	POS

П	·										other Sec	-4	Æ		7		100	· ·	3	_			
		\Box								<u> </u>		3	7	- 12	,	- 4	,	3	-	. 1			
65	STA. NAME/ID						Ş.	ε	Ιı	MBEH	PAM												
SC KCI I	<u></u>		77				ed val			LE NO	동	7	۷	7	7	7	7	١	7	2			
STATION DESIGNATION	ВОТТОМ DEPTH	Œ)	305				Cleaned air bleed valve	H=	N/S	SAMPLE BOTTLE NUMBER	NUTR.	506	507	308	6 as	015	_	613	513	614			
DESIG	MENTHER			REMARKS			eaned	MAX. DEPTH =	TRANS. S/N	AMPLE		2	5	25	2	S	5,1	5	5	B			_
TION	CLOUD (amt)			A W				<u>¥</u> [Ē		SAL.												
STA	WINI							1		ELE ELE	 												
	WIND DIRN.	(deg)			ader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY	*			ne/He					SAME	S												
	PRESSURE	(qm)		MOIL	File Name/Header				ChIAM S/N														
	WET	္မ	_	DATA LOCATION	证				망		<u>∠</u>												:
DSDB I.D.	> 0	Ц		DATA						<u> </u>	SALINITY												
	DRY BULB	္ဌ			<u>Q</u>				8														
	-	N.	S		iskette				2 1	S	<u> </u>		Н										\dashv
ي بي	TIME (GMT)	HR MIN	57		Tape/Diskette ID				0 _N	CTD CONVERTED MONITOR VALUES	EMP												
PROJECT & LEG H X 2 4 5		Y.	-						FLUOR S/N_	TOR	SEC. TEMP												
3OJEC H X	=	Ş	O N O L		ı		l I			NOM	S												
F	DATE JD=	DAY	20					ĺ		RIED													
	<u> </u>		STOW!	JD/TIME					9 7	SONO	PRI. TEMP.												
	JOE	NIM	<u>6</u>	7	ı	ı			4 4 9	CID	Æ												
	LONGITUDE	2	16539		z	START DOWN	Ξ	ACE	- 1							\dashv	_					\dashv	
	Ϋ́	DEG	6	TIMES	DATA ON	LART (AT DEPTH	AT SURFACE	PAR S/N		'n												
			Z	Ē		<u>છ</u>	\ <u>\{</u>	<u> </u>			PRESSURE												
	UDE	_	01	စ္က	4 6 7		80		હ્ય		PRE												
	LATITUDE	NIW	_	SBE 9+ 09P 19507-0533	6846	2578	2708	638	2272														
Helix		DEG	955431	9P 19	≅	P SN	IP SN	NS O	NS Q	TRIP DEPTH		300	5	001	عه	40	2	જ	0	0			
VESSEL RV Alpha Helix	CONSC CAST#		95	E 9+ C	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	SOS.		1 3	2	3 6	4	2	9	7	8	6	10	_	12
2 6	<u>0</u> 0			8	4	_품	岁	뚭	<u>S</u>	፳			- "		Ľ		ű	, ~	<u>~</u>	٠,	-	=	+

Ó

	7										Other	7											
	STA. NAME/ID						, e	ε	ı	MBER	PAM												
NO XX			_ 5~	met			leed valv			TLE NUI	용	/	*	>	Å	>	•	/	/				
SIGNATION ∠ N →	8 -	(w)	3	S)			Cleaned air bleed valve	:PTH=	TRANS. S/N_	SAMPLE BOTTLE NUMBER	NUTR.	515	516	517	518	519	520	501	633				
STATION DESIGNATION しんしょ	S WIND CLOUD (amt) TYPE WEATHER	4 4		REMARKS			Clear	MAX. DEPTH =	TRAN	SAM	SAL.									!			
STAT) WIND					Ì	1 1	l		OTTLE	Ł												
	VISIBILITY DIRN. DIRN.	(ded)			leader					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE VIURIEN	. (qui)		~	File Name/Header				 	NS.													
	WET S	u) (၁ _۰)	-	DATA LOCATION	File				CHIAM S/N		>												
DSDB I.D.		(ه		DATA							SALINITY												
SQ	DRY BULB	(၁ _၀)			ite ID				182														
g 10	TIME (GMT)	HR MIN	1633		Tape/Diskette ID				N_ 0 2	ALUES	EMP												
PROJECT & LEG H X 2 4 5	<u> </u>	YR	0		<u> </u>				FLUOR S/N_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJE(H X	DATE JD=	QW	6WIBJUN							ED WO												-	
	DATE	DAY	<i>ک</i> 	JD/TIME					7	ONVER	EMP.												
	DE	MIN	36	S					4 4 9	CTO	PRI. TEMP												
	LONGITUDE	™	35		Z	DOWN	Ŧ	FACE				_				\blacksquare				Н			
		DEG	165	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		URE												
	DE	_	957N	23	6 7						PRESSURE												
	LATITUDE	MIN	I •I	507-053	684	2578	2708	638	2272				_										
VESSEL RV Alpha Helix	() #	DEG	65429	SBE 9+ 09P 19507-0533		MP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		125	100	as	40	30	2	5	0				
VESSEL RV Alpha	CONSC CAST#		96	SBE 9+	PRESS SN	PRI TEMP SN	SEC TE	PRI 80	SEC CC	POS.		1	2	ε	4	5	9	7	8	6	10	Ξ	19

											Other	1	7	,	*	7	`					Т	
	STA. NAME/ID						8	٤	ı	1BER	PAM												
\$ P P			8				eed vatv			ILE NUN	CHL.	7	7	7	1	5	7						
STATION DESIGNATION $\mathcal{U}\mathcal{V}$	BOTTOM DEPTH	(m)	6	S			Cleaned air bleed valve	PTH =	TRANS. S/N_	SAMPLE BOTTLE NUMBER	NUTR.	533	hes	505	des	507	598						
ON DESI	TYPE WEATHER	*		REMARKS			Clean	MAX. DEPTH =	TRAN	SAMP	SAL.	Ž	,										
STATIC	SPD (amt)	.](w/s)		- 14-						JII.	>											T	
	WIND DIRN.	(deg)			eader					SAMPLE BOTTLE DATA	SALINITY	:											
	SEA STATE VISIBILITY	(mb) 🕨 🕩		Z.	File Name/Header				 	SAN													4
	PRESSURE THE			DATA LOCATION	File				Chiam s/n		>-												
DSDB I.D.	WET	(c)		DATAL						j	SALINITY												
ISO	DRY BULB	(၁့)			tte ID				182		o,				·								
0.5	TIME (GMT)	HR MIN	708		Tape/Diskette ID				N_ 0 2	ALUES	MP												
PROJECT & LEG H X 2 4 5		ΥR	0 1 1		<u> </u>				FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJEC H X	DATE JD=	Ø	N n r &						<u> </u>	ED MOI						Ц							\dashv
:	DATE	DAY	7 W/F	JD/TIME					7	ONVER	EMP.												
	DE	MIN	1 7	S.	ļ				4 4 9	СТОО	PRI. TEMP.		i										
	LONGITUDE		33		NO	START DOWN	HH	AT SURFACE	PAR S/N_													\dashv	\dashv
		DEG	165	TIMES	DATA ON	STAR	АТ ОЕРТН	AT SU	PAF	 }	SURE												
	JDE		Z N	88	1 6 7	6	8		Q.		PRESSURE		72										
	LATITUDE	MIN	24 28	SBE 9+ 09P: 19507-0533	684	2578	V 2708	1 638	N 2272				1)								=
VESSEL RV Alpha Helix	S #	DEG	1913/4	+ 09P 1	SSN	PR! TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		08	40	Zo	R	2							
VESSEL RV Alpha	CONSC CAST#		6	SBE 9	PRESS SN	PR! T!	SEC 1	PH Q	SEC C	POS.		-	2	က	4	5	9	7	8	6	10	11	12

-:											$\stackrel{\cdot}{\simeq}$	~				$\overline{}$		\				
										Other	7)	7	7	7	7	7	5				
STA. VAME/ID						alve	E		UMBER	PAM												
		<u>M</u>				eed va			TEN N	공	7	7)	7	7	7	7	>				
ВОТТО	Œ	15	KS			ned air bl	EPTH=	IS. S/N	PLE BOT	NUTR.	529	530	531	532	533	234	525	536				
TAPE REATHER	*	\exists	EMAR		ı	Clean	. ¥.	TRA	SAM	SAL.												
WIND (SPD.)	(SE		<u> </u>	!	_		<u> </u>		当													\dashv
WIND V) (Gep)			ader					LE BOTI DATA	ALINITY										,		
VISIBILITY				ne/He					SAME	ဟ												
PRESSURE	(gu		TION	le Nan				M S/N														
VET ULB	္စ	\equiv	LOCA	豆				CHA														
× 6		\equiv	DATA							SALINI												
DRY BULB	္ည	-		tte 1D				182		93		:										
IME SMT)	N N	49		e/Diske				_ 0 2	-UES	G.												
	${f \longmapsto}$	-		<u>Ta</u>				H S/N	DR VA	C. TEN												
	Н	2						FLUO	DINO	SE												
E JD		킑							TEO &									<u> </u>				\dashv
DAT	á	<u> </u>	TIME					2	ONVER	EMP.												
Щ		0	9					6	OF.	PRI. TI												
IGITUE		•			N.		3															
ron	9	7	S	A ON	RT DC	ËPTH	SURFA	AR S/I														
·		~ ~	Ē	<u></u>	STA	AT	AT (SURE												
E			စ္က	6 7						PRES												
ATITU	MIN	9	30-70	∞	2578	2708	638	2272														
	DEG	754	09P. 195	•	AP SN	MP SN	NS QN	NS QN	TRIP DEPTH		135	0.0	25	04	30	8	0	0				
CONSC	-	6	38E 9+	PESS	'RI TEN	EC TE	PH 00	8			1	2	3	4	5	9	7	8	6	10	=	얻
	WET STATE WIND WIND (AMT) TYPE SEA STATE TYPE SEA STATE SPD. CLOUD (AMT) TYPE BULB BULB BUTOM SPD. DIRN. SPD. DEPTH	Consistant Deg Min Day May May	TIME DRY WET SO STE DE DE DE DE DE DE DE	TIME DRY WET SO SO SO SO SO SO SO S	TIME DRY WET SO SO SO SO SO SO SO S	TIME DRY WET SS SS SS SS SS SS SS	TIME DRY WET SO SO SO SO SO SO SO S	TIME DRY WET SECONDITUDE DATE JD= GAMT BULB SECONDIN SECONDITUDE SECONDITUDE DATE JD= GAMT SECONDIN SECONDITUDE SECONDITUDE	TIME DRY WET SO SO SO SO SO SO SO S	TIME DRY WET	TIME CONVERTED DATE JD= TIME DRY WET SEC. TEMP SALINITY SAL	LATITUDE	TIME DRY WET SEC. TEMP DRY WET SEC. TEMP DRY SEC. TEMP DRY DRY	LATITUDE LONGITUDE DATE JD= CIGMT) BULB BULB E E E E E E E E E E E E E E E E E E	TIME DRY WET SEC. TEMP SEC. TEMP DRY DRY	TIME DRY WET	Time DRY WET Sec CHAP WET Sec CHAP WET Sec CHAP WIND WIND WIND SEC CHAP WIND WIND	Time DRY WET	TIME DRY WET SEC. TEMP DATE JD- CHAPTER DRY WET SEC. TEMP DATE JD- CHAPTER DRY WET SEC. TEMP DATE JD- CHAPTER DATE JD- C	TIME CONGITUDE CONGITUDE	TIME CONVERTED CONVERTED	Min Dec Min Dor Min Min Dor Min Min Dor Min Min Dor Min Min Dor Min Dor Min Dor Min Dor Min Dor Min Min Dor Dor Min Dor Min Dor Min Dor Dor Min Dor Dor Min Dor Dor

											Other	1	2	1	2	1	5	2	2				
	STA. NAME/ID						ā i	E	1	MBER	PAM												
≥ d			7-				eed valv			ILE NUN	CH.	7	7	٦)	7	2	5	>				
ESIGNATION UNYAS	BOTTOM DEPTH	(E)	164	S			Cleaned air bleed valve	PTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	537	538	539	540	145	543	543	644				
STATION DESIGNATION	CLOUD (amt) TYPE MEATHER	4		REMARKS			Clean	MAX. DEPTH =	TRAN	SAMF	SAL.	1-66											_
STATI	wind SPD.	(s/w)								TTLE	>												_
	WIND DIRN.	(deb)			eader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE YISIBILITY	*		z	File Name/Header					SAN							_						
	PRESSURE	(qm)		CATIO	File N				ChIAM S/N														
]. Gig 	WET BULB	(၁ _၈)		DATA LOCATION						j	SALINITY												
DSDB I.D.	DRY BULB	(၁)	-	۵	tte ID				1 8 2		/S												
	TIME (GMT)	HR MIN	8 74		Tape/Diskette ID				N_02	ALUES	MP												
7.8.LEG 2.4.5		YR	0 1		<u> </u>		L	L	FLUOR S/N_	ITOR V	SEC. TEMP												
PROJECT & LEG H X 2 4 5	-	MO	U N							CTD CONVERTED MONITOR VALUES													
	DATE JD=	DAY		WE						VERTE	AP.												
	щ.		.35 W18	JD/TIME					497	100 CT:	PRI. TEMP.												
	LONGITUDE	MIN	4			NWC	-	CE	\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							Ш							
	ro T	DEG	100	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		끭												
H			N d		7	S		▼			PRESSURE												
	LATITUDE	MIN		7-0533	6846	2578	2708	638	2272		4												
telix	ž I	DEG	995424	SBE 9+ 09P 19507-0533						TRIP DEPTH	•	25	CO	50	07	30	30	01	0				-
VESSEL RV Alpha Helix	CONSC CAST#	ַנ	998	E 9+ 09	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. T		_	2 10	3					_	_	10	_	_
및 은	ठठ			쀯	뚭	뜐	Ñ	<u>E</u>	SE	<u>Σ</u>		-	۲۷	ري	4	2	9	۷	8	တ	Ē	Ξ	:

VESSEL RV Alpha Helix				<u> </u>	PROJECT & LEG H X 2 4 5	55	DSDB 1.D.	11.D.			STATION	STATION DESIGNATION	ATION CG YC			
	LATITUDE	LONG	LONGITUDE	DATE JD=	۵	TIME (GMT)	DRY	WET BULB	PRESSURE SEA STATE VISIBILITY	WIND DIRN.	S S S S S S S S S S S S S S S S S S S	MEATHER		STA. NAME/ID	T	
DEG			_	DAY	MO YR	HB	ဉ့်	(C) (D)	*	(deg)	. (s/w)		1 1			
1005422	\exists	N 165	6 . I Y V	ULS IW L	U N 0	1923	-		\exists				3.F			
SBE 9+ 09P 19507-0533		TIMES	JOS	JD/TIME	<u></u>		20	DATA LOCATION	NO		뿐	REMARKS				
PRESS SN (68467	DATA ON			······································	Tape/Diskette ID	tte ID	File	File Name/Header	leader						
PRI TEMP SN	2578	START DOWN	MN								[
SEC TEMP SN	2708	AT DEPTH										Cleaned (Cleaned air bleed valve	alve	····	
PRI COND SN	838	AT SURFACE	SE SE					 			₩	MAX. DEPTH =	#	٤	1	
SEC COND SN		PAR S/N_	449		FLUOR S/N	VN_ 0 2	1 8 2	ChIAM S/N	NS.			TRANS. S/N	 		1	
POS. TRIP DEPTH				NVERTE	CTD CONVERTED MONITOR VALUES	VALUES			SA	SAMPLE BOTTLE DATA		SAMPLE	SAMPLE BOTTLE NUMBER	UMBER		
	PRESSURE	JE JE	PRI. TEMP.	WP.	SEC. TEMP	EMP	\	SALINITY		SALINITY	, v	SAL. NU	NUTR. CHL.	PAM	Other	
1 130												545	1/2		7	
2 50												546	10 1		7	6
3 40												547	7		7	27
4 30												543	1 6		7	
Ce s												549	7		7	_
01 9												550	5		j	1 to
0 '												52)	\ C		>	7
8																3
6																
10																
#	Se y															
12																

												しなり	h-et			ethy	ررو درو	6. 2 C	Taken			
		·· ·								Other	_	,		9	, o	-	-\$:					
	STA. NAME/ID					g.	٤		/BER	PAM												
م ا ا		12				eed valv			TLE NUI	CHL.	/	4	1	1	1	V))					
ESIGNATION Y 1	BOTTOM DEPTH	95	KS			Cleaned air bleed valve	₽TH=	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	552	553	45g	555	550	55.7	بوجي					
STATION DESIGNATION	* CLOUD (amt) * TYPE * MEATHER		REMARKS			Clear	MAX. DEPTH =	TRAN	SAME	SAL.	1-101											
STAT	* LYPE	$\overline{}$			 				ОТТЕ	TΥ			 -									:
	PISIBILITY BIND BIND BIND BIND BIND BIND BIND BIND			Header					SAMPLE BOTTLE DATA	SALINITY					•							
	∃PRESSURE • SEA STATE		NOL	File Name/Header				NS.	<i>S</i> S									<u> </u>				
	WET BULB		DATA LOCATION	Ē	ı	ļ		ChIAM S/N		ΥLIN												
DSDB I.D.			DAT	_		1		2		SALINITY									i			
	DRY BULB			skette IC				2 1 8														
ည မှ	TIME (GMT)	0 1 20 1 Q		Tape/Diskette ID				0 - N	CTD CONVERTED MONITOR VALUES	EMP		!										
PROJECT & LEG H X 2 4 5	X.	0				·		FLUOR S/N	ONITOR	SEC. TEMP												
PROJ H	DATE JD= DAY MO								RTED M													
	DATE	154 W 18 JU	JD/TIME					2 6	CONVE	PRI. TEMP.								:				
	LONGITUDE		•	•	¥.		Ä	4 4		PRI												
	LONG	045	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		101												\neg
	-	N	<u></u>	<u>*</u>	St.	¥	AT			PRESSURE												
	LATITUDE	当	7-0533	6846	2578	2708	638	2272		P.												
Helix	LA.	7	P 1950.	•	ı						16	50	04	30	S	2	0					
VESSEL RV Alpha Helix	CONSC CAST #	1015419.74 N16457	SBE 9+ 09P 19507-0533	PRESS SIN	PRI TEMP SN	SEC TEMP SN	PRI COND SIN	SEC COND SN	POS.		1 6	2	3	4	2	9	7	· &	6	10	=	12

												(4	2									
							•			Other			\bigvee	7	1							
	STA. NAME/ID			·		9	ε		/BER	PAM				-F.4								
e ₂		- 2	5			eed valv		:	ILE NUN	봀				- 3								
IGNATION W	BOTTOM DEPTH	(E) 7	1			Cleaned air bleed valve	PTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	55B	259	560	561								
STATION DESIGNATION $U \bowtie VI$	CLOUD (amt) TYPE MEATHER		REMARKS		1	Clean	MAX. DEPTH =	TRAN	SAMP	SAL.												\neg
STATI	WIND (amt)		_		·			<u></u>	TTLE	≥												
	WIND DIRN.	(Bep)		leader					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE VISIBILITY	(qm)	- A	File Name/Header				 %	SAI			_		-								=
	WET S	ມ (ລູ	DATA LOCATION	Fie				ChIAM S/N		≥		,										
DSDB 1.D.		<u></u>	DATA							SALINITY												
ğ	DRY BULB	()	-	offe ID				182														
	TIME (GMT)	HR MIN		Tape/Diskette ID			:	0.2	TUES	ą.												\neg
7 & LEG 2 4 5		YB HB	1	_ <u>_</u>				FLUOR S/N	TOR VA	SEC. TEMP												
PROJECT & LEG H X 2 4 5	-Or	OM =	1						CTD CONVERTED MONITOR VALUES	S												
	DATE JD=	20 W DAY						7	NVERTI	:MP.												
	JDE	N W	9					4 4 9	CTD CT	PRI. TEMP.												
	LONGITUDE	7		Z	START DOWN	Ĭ	FACE	PAR S/N_						Н	-						\square	\dashv
				DATA ON	STARE	AT DEPTH	AT SURFACE	PAR		URE												
	E	17		6.7						PRESSURE												
	LATITUDE	MIN T	SBE 9+ 09P 19507-0533	6846	2578	2708	638															=
VESSEL RV Alpha Helix	<u>%</u> #	DEG CO	+ 09P 1	S SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		ہ	30	6									
VESSEL RV Alpha	CONSC CAST #	C	SBE 9	PRESS SN	PRI TE	SECT	PRIC	SECO	Pos		-	2	ဗ	4	2	9	7	8	6	10	#	12

											Other	\	7	7									\neg
	STA. NAME/ID						Ne	٤	ı	JMBER	PAM				Ret								
NO / 7		+	<u>N</u>				ed va			TLEN	SH.	>	>	3	-	\prod							
SIGNATI	8 5	E	7	KS			Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	562	563	564	565	Ш							
STATION DESIGNATION $U \sim 1.4$	HYPE	*		REMARKS			Clea	MAX. D	TRA	SAM	SAL.	103~1		_									
STAT	r	(m/s)								OTTLE A	TΥ												
	VISIBILITY DIRIN D	(gg			Header					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE	(g)	\exists	NOI	File Name/Header				S/N	\$						\dashv						\dashv	
		<u>ଅ</u>		DATA LOCATION	File				ChIAM S/N	ļ	<u>\</u>												
DSDB I.D.		<u> </u>		DATA					2		SALINITY						i						
		ည်-			cette ID				1 8														
5 5	TIME (GMT)	H -	3000		Tape/Diskette ID				N_02	CTD CONVERTED MONITOR VALUES	EMP												
27 & LE		٤	=						FLUOR S/N	NITOR	SEC. TEMP												
PROJEC H X	- 1	<u></u>	N n							TED MC													\dashv
	DATE	Δ¥	41M01	JD/TIME					9.7	CONVER	PRI. TEMP.												
	LONGITUDE	Z -	100	7	,	z	•		448	СТО	PRI.												
	LONG	<u> </u>	14. 14.	S	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N														
			3 N 2	TIMES		STA	ATE	AT S	-G		PRESSURE												
	LATITUDE	NIN -	킘	0533	467	2578	2708	638	2272		PRE												
iii X		- 1	5415	SBE 9+ 09P 19507-0533	9					TRIP DEPTH		7	30	0									
VESSEL RV Alpha Helix	CONSC CAST #	<u>-</u>	035	E 9+ 09P	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			49				\dashv							
	88		-	贸	E.	æ	Щ Щ	<u>E</u>	SE	POS.		-	7	က	4	2	9	7	8	6	5	Ξ	12

	Cleaned air bleed valve CLEANS. S/N SAMPLE BOTTLE NUMBER	RE S S S S S S S S S S S S S S S S S S S	Dieed valve m TTLE NUMBER	M STA. I'A I'A I'A I'A I'A I'A I'A I	Dieed valve m m CHL. PAM	M STA. THE NUMBER CHL. PAM	Dieed valve m TTLE NUMBER	M STA. IH NAME/ID M ME/ID CHI. PAM	OM STA. THE NUMBER CHI. PAM	Dieed valve TTLE NUMBER TTLE NUMBER
S WING (amt) CLOUD (amt) TYPE WEATHER	(m/s)	(m/s)	(m/s) (m/s) A A A A A A A A A A A A A A A A A A A	(m/s)	(m/s)	(m/s)	(m/s)	(m/s)	(a) (b) (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(m/s) (m/s) A A HITTY
(mb) • (deg) • (m/s/gibi	me/Hex	┥ _	-	- E <u> </u> 	-	- E <u> </u> ' '	- E	-	- E <u> </u>	- E <u>_</u> '
DRY WET BULB BULB (°C) (°C)	DATA LOC	DATA LOC	PATA LOC	PATA LOC	PATA LOC	DATA LOC	DATA LOC	SALINITY SALINITY	SALINITY SALINITY	SALINITY SALINITY
TIME (GMT)	Tape/Diskette ID FLUOR S/N_0 2 1 8 ONITOR VALUES	Tape/Diskette Tape/Diskette Tape/Diskette NITOR VALUES SEC. TEMP	Tape/Diskette Tape/Diskette NITOR VALUES SEC. TEMP	Tape/Disketh	Tape/Diskette Tape/Diskette NITOR VALUES SEC. TEMP	Tape/Diskette	Tape/Diskettr	Tape/Diskette	Tape/Diskette	Tape/Diskette
DATE	WINE TIME 7 ONVERTED M	DOTTIME 9.7 CONVERTED MON.	D/TIME D/TIME 9 7 CONVERTED MON.	D/TIME D/TIME CONVERTED MON	D/TIME D/TIME CONVERTED MON TEMP.	D/TIME D/TIME CONVERTED MON TEMP.	DATIME DATIME CONVERTED MON TEMP.	D/TIME D/TIME CONVERTED MON TEMP.	D/TIME D/TIME CONVERTED MON	D/TIME D/TIME CONVERTED MON.
NGITUDE MIN	N T T T T T T T T T T T T T T T T T T T	RT DOWN RT DOWN RT DOWN RT SAN_ 4	RT DOWN RT DOWN RES A ON RET DOWN RET D	RT DOWN PET	A ON RT DOWN RT DOWN RES A ON REPTH AR S/N _ 4	RT DOWN RT DOWN RT DOWN AR SAN_4	A ON BEPTH AR SIN_ 4	A ON BIT DOWN BET DOWN BET DOWN BEPTH AR SAN_4	RT DOWN RT DOWN AR SAN 4 A	A ON BIT DOWN BIT DOW
H 0	5 2	PHESS	PRESSI	PRESS.	PRESSI	PRESS	PHESS	PRESS PRESS	PRESS!	PRESS 1
AST# LATITU DEG MIN	9P. 19507-053X N 6 8 4 P SN 2578 D SN 638 ID SN 2272 TRIP	9P 19507-06 SN 6 8 P SN 257 AP SN 270 D SN 638 ND SN 227 TRIP TRIP	SN 6 8 SN 6 8 SN 6 8 SN 257 MP SN 270 MD SN 227 TRIP DEPTH	SN 6 8 8 8 257 WP SN 257 WP SN 270 WD SN 227 TRIIP DEPTH 250 50 50 50 50 50 50 50 50 50 50 50 50 5	SN 6 8 SN 6 8 AP SN 257 MP SN 270 MD SN 638 ND SN 227 TRIP DEPTH 50 30 0	SN 6 8 SN 6 8 AP SN 257 MP SN 270 ND SN 227 TRIP DEPTH 50 50 60 70 70 70 70 70 70 70 70	SN 6 8 8 AP SN 257 OR ND SN 638 ND S	SN 6 8 8 AP SN 257 AP SN 257 AP SN 257 AP SN 227 AP SN 2	SN 6 8 8 AP SN 257 AP SN 257 AP SN 257 AP SN 227 AP SN 2	SBE 9+ 09P. 19507-0533 PRESS SN 6 8 4 PRI TEMP SN 2578 SEC TEMP SN 2708 PRI COND SN 2272 POS. TRIP 1 ///O 2 50 3 20 3 20 4 20 5 0 6 6 7 8 8 9

かりつ

											Other												
	STA. NAME/ID		ė.				ā	ε	1	/BER	PAM												
NO 0			7				eed valv			TLE NUA	븅												
ignatic Y	BOTTOM DEPTH	(m)	5	KS			Cleaned air bleed valve	:PTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	57,	572										
STATION DESIGNATION $\mathcal{U} \curvearrowright \mathcal{V} \circ \mathcal{O}$	S WIND (Smt) CLOUD (Smt) TYPE WEATHER	* * *		REMARKS			Clear	MAX. DEPTH =	TRAN	SAME	SAL												
STAT	D WIND					1	l 1			ЮТТLЕ А	È												
	VISIBILITY DIRN. DIRN.	(geb) *			/Header					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE	* (dm)		TION	File Name/Header				N S/N	S.													_
ا نه	WET	(၁.)	•	DATA LOCATION	正				CHIAM S/N	 }	SALINITY			:									
DSDB I.D.	DRY BULB	(၁၀)		DA	₽				8 2		SAL												
	77				Tape/Diskette ID				2 1	မ္သ							-		-				\dashv
LLEG 4 5	TIME (GMT)	HR MIN	66		Tape/[FLUOR S/N	R VALUE	SEC. TEMP												
PROJECT & LEG H X 2 4 5	ŢĮ.	MO YR	0 N N		ı	i 1	1 1	ı	FLUOF	CTD CONVERTED MONITOR VALUES	SEC												
HA.	DATE JD=	DAY	110	¥						VERTED	۵												\neg
		\exists	W	JD/TIME					497	NOO OL	PRI. TEMP.												
	LONGITUDE	Z	24.		7	OWN	Ŧ	ACE	₹.	0	<u> </u>												
= =	<i>y</i> 9	DEG	164	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N_	<u> </u> 	URE												
	Ä	\exists	2		6.7						PRESSURE												
	LATITUDE	M	10.	9507-053	6 8 4	2578	2708	638	2272		<u> </u>												
VESSEL RV Alpha Helix		DEG	554	SBE 9+ 09P 19507-0533	SSN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		4	\mathcal{Z}	ee	6								
VESSEL RV Alpha	CONSC CAST#		0	SBE 3	PRESS SN	PR	SEC 1	<u>R</u>	SEC	POS.		-	2	3	4	5	9	7	80	6	10	11	12

77

П										· . ·	Other												
	٥								Γ	<u></u>						\dashv	\dashv	\dashv					\dashv
	STA. NAME/ID						lye	Ε		SAMPLE BOTTLE NUMBER	PAM					_							_
2							eed va			LE N	涺												
STATION DESIGNATION	BOTTOM DEPTH	(m)					Cleaned air bleed valve	표=	l №	BOT	NUTR.												
DESIG	MEATHER	*		REMARKS			leanec	MAX. DEPTH=	TRANS. S/N	AMPLE				\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv
NO I	S WIND (ami)	* * (2				P			SAL												
STA	WINE	* (s/m)						1		TIE TIE	 												
	WIND DIRN.	(deg)			ader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY	*			ne/He					SAME	S												
	PRESSURE	(qm)		MOIT	File Name/Header				CHIAM S/N														
	WET BULB	(၃)		DATA LOCATION	Œ				CHA	ļ													
DSDB I.D.	> 8			DATA						l I	SALINITY												
	DRY BULB	(၃)			٩				8 2														
		N	×		skette				2 1	<u></u>							\dashv	\dashv	\dashv	\blacksquare			
0	TIME (GMT)	HR MIN	300		Tape/Diskette ID				ا ا	CTD CONVERTED MONITOR VALUES	MP												
7 & LEG 2 4 5	<u> </u>	YR	0 10		<u> </u>				FLUOR S/N_	ron v	SEC. TEMP												
PROJECT & LEG H X 2 4 5		MO	N O		ı		l 1	ı 1	2	MON	ङ												
E T	Date JD=	DAY N	16							RTED						\exists							
	DA	/ 0	9 WOB	JD/TIME					7	ONVE	TEMP.												
	E E	Z	, S	35					4 9	СТВС	PRI. TEMP					İ							
	LONGITUDE	MiN	7			NMO	_	A CE	<u>₹</u>														
	<u>0</u>	DEG	19	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N														
\square		9		Ē	<u>Š</u>	ST	4	AT		Ì	PRESSURE												
	DE .		80 N	စ္က	6 7						PRE												
	LATITUDE	MIN	₩.	07-053	684	2578	2708	638	2272														
iğ Şi		DEG	Ž,	P. 195		NS.	NS.	NS S	NS C	TRIP DEPTH		25	25	25	Q								
VESSEL RV Alpha Helix	CONSC CAST#		0654	SBE 9+ 09P 19507-0533	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	L		1	46)	Н									
W. KE	88		2	岁	꿆	ᇤ	SEC	품	SEC	Pos.		-	7	က	4	5	9	7	80	6	10	Ħ	12

											Z.												
Щ						,		-			age jage	7	7			_)						
	STA. NAME/ID				٠.		e	E		#BER	PAM												
~ 0				Peod	Station		ed valv			LE NUM	CHL.	7	7			1	7	_					
STATION DESIGNATION	BOTTOM DEPTH	(m)	6		\$1		Cleaned air bleed valve	Ŧ.	N/S	SAMPLE BOTTLE NUMBER	NUTR.	579	SPO	1	1	1.85	23		/				\neg
DESIC	MORITOR	*	H	REMARKS			Cleane	MAX. DEPTH =	TRANS. S/N	SAMPL	SAL.	7	ĵ			7	2	_					\dashv
ATION	SPO (SIMI)	(s/w)		뿐				₩			Š												\dashv
S	WIND WI	(deg) (m			*					SAMPLE BOTTLE DATA	SALINITY												
	VISIBILITY	*			File Name/Header					AMPLE DA	SALI												
	PRESSURE SEA STATE	(mp)		NO.	Name				 %	<u>s</u>													=
	WET BULB	(S)		DATA LOCATION	Ë				ChIAM S/N														
DSDB I.D.		Ĭ	=	DATA							SALINITY												
	DRY BULB	ပ္			Ite ID				1 8 2														
	TIME (GMT)	HR MIN	(3		Tape/Diskette ID				0 2	UES													
4 5		_	5-		Tap				FLUOR S/N	R VAL	SEC, TEMP												
PROJECT & LEG H X 2 4 5) YR	0 Z						FLUOF	CTD CONVERTED MONITOR VALUES	SEC												
PRO H	DATE JD=	Y MO	06/5							ATED N	<u></u>	-										\dashv	\dashv
	DA	DAY	Q EM	JD/TIME					7	ONVE	PRI. TEMP.												
	J. O.	MIN	. 23 W	=	ı				4 4 9 7	CTD	PRI.	-											
	LONGITUDE	_	co T		Z	DOWN	Ŧ	FACE															\dashv
	ت	DEG	-6-	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N	 	JRE			17.1									
		\exists	5 2 N 1							Ĭ	PRESSURE			9									
	LATITUDE	Min	-	7-0533	68467	2578	2708	638	2272				1										
elix		DEG	91452	SBE 9+ 09P 19507-0533						TRIP DEPTH		6	ها	6	/2	ر ر	0	0	0	0			
VESSEL RV Alpha Helix	CONSC CAST#	괵	075	94 095	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			00	45	20	45	2							— —
R VES	88		7	SBE	<u> </u>	8	SEC	æ	SEC	Pos.		-	7	က	4	2	9	7	∞	6	10	1	12

										Other												
	A. Glo						ε		Ä	PAM 0					\exists							
_	STA. NAME/ID	-	-			d valve			SAMPLE BOTTLE NUMBER	CHL.												-
STATION DESIGNATION	BOTTOM	(E)	フ <u> </u>			Cleaned air bleed valve	#	 	ВОТП	NUTR. C	10	-7		-								
DESIGN	MEATHER	*	REMARKS			leaned	MAX. DEPTH =	TRANS. S/N	AMPLE		3-	34	[W]								_	_
NOIL	SPOUD (amt)] <u> </u>		<u> </u>	SAL.												-
STA	O ×					<u> </u>	l	Ι.	30TTLE A	Ţ												1
	YISIBILITY BIN Sin Sin Sin Sin Sin Sin Sin Sin Sin Sin	(deg)		File Name/Header					SAMPLE BOTTLE DATA	SALINITY	:											ĺ
	PRESSURE SEA STATE			Name/				 ≝	<i>&</i>													F
	<u>.</u>		- OCATI	籄				ChIAM S/N		_												
DSDB I.D.	WET	<u>(S)</u>	DATA LOCATION		ı					SALINITY												
	DRY BULB	<u>စ</u> ်		e D				8 2		S												
	<u> </u>	NIN (1	Tape/Diskette ID				0 2 1	<u>8</u>													-
5 EG	TIME (GMT)	HR MIN	-	Таре/					\ \ALU	SEC. TEMP		35										
PROJECT & LEG H X 2 4 5		¥ .	5					FLUOR S/N_	JOTING POTING	SEC.												
PROJEC H X	E JD=	OM							TED M		:					_						
	DATE	DAY MO Y	JOYTIME JOYTIME					7	CTD CONVERTED MONITOR VALUES	EMP.												
	DE		2 3					4 4 9 7	CTD	PRI. TEMP												
	LONGITUDE		٥	z	NMOC	王	FACE							Щ		\dashv						L
	רל	DEG		DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		뿣												
	111	76	<u> </u>	6.7			-			PRESSURE												
	LATITUDE	¥ Ţ	7-0533	684	2578	2708	638	2272														
Helix	3	DEG 1	SBE 9+ 09P- 19507-0533	•					TRIP DEPTH		50	33	SKY									
VESSEL RV Alpha Helix	CONSC CAST #	Ç	E9+09	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.				~	4		9	_			10	-	F
₩ 2	ত ত	12	 88	뚭	쮼	낋	<u>E</u>	낋	2		_	7	က	4	ည	Đ.	7	8	6	Ť	Ξ	

Set

₹ - \	STA. STA. (m) (m)		- 		를 다 되었다.	를 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다	OM	OH THEN CHEEN CHE	OM STA. TH NAME/ID SS TA. THE NUMBER CHL. PAM	OM STA. TH NAME/ID SS TTLE NUMBER CHL. PAM	OM STA. TH NAME/ID SS	DIA STA. TH NAME/ID SSTA. THE NUMBER CHL. PAM	OM STA. TH NAME/ID SSTA. THE NUMBER CHL. PAM	TH NAME/ID STA. TH NAME/ID CHI. PAM CHI. PAM	OM STA. TH NAME/ID SS TA. M TILE NUMBER CHL. PAM	OM STA. TH NAME/ID SSTA. THE NUMBER CHL. PAM	OM STA. TH NAME/ID SSTA. CHL. PAM CHL. PAM	TH NAME/ID STA. TH NAME/ID CHI. PAM CHI. PAM	OM STA. TH NAME/ID SSTA. THE NUMBER CHL. PAM
SPO OLD (WEATHER SO WIND	S. WEATHER STATE OF THE STATE O	S WIND S WIND S WIND TYPE TYPE TYPE WEATHER WEATHER TYPE	W. D. WIND	W. CLOUD	ON N. O.	N. SPO.	N. SPO. CLOUD (S. CLOUD) (S. CLOU	N. SPD. OTTLE	S VIND (III) N VIND (IIII) N VIND (IIIII) N VIND (IIII) N VIND (IIII) N VIND (IIII) N VIND (IIII) N VIND (IIIII) N	N. SPO. O'CLOUD (S)	N. O.	S CCODD (S) NIND	WIND SPO. CLOUD (18)	N. O.	S CCODD	WIND (%) A DITE (%) SPO (%) A STOOD (%) A	N. O DATTLE SPONDO	S S S S S S S S S S S S S S S S S S S
(°C) (mb) * (deg) (((deg)	* (deg)	me/Header	me/Header	me/Header	me/Header	me/Header	File Name/Header File Name/Header SAMPLE BOT SALINITY	File Name/Header File Name/Header SAMPLE BOT SALINITY	File Name/Header File Name/Header SAMPLE BOT SALINITY SALINITY	File Name/Header File Name/Header SAMPLE BOT SALINITY	File Name/Header File Name/Header SAMPLE BOT DATA SALINITY	File Name/Header File Name/Header SAMPLE BOT SALINITY SALINITY	File Name/Header File Name/Header SAMPLE BOT SALINITY SALINITY	File Name/Header File Name/Header SAMPLE BOT SAMINITY SALINITY	File Name/Header File Name/Header SAMPLE BOT SALINITY SALINITY	Pile Name/Header File Name/Header SAMPLE BOT DATA SALINITY	File Name/Header File Name/Header SAMPLE BOT SALINITY SALINITY	File Name/Header File Name/Header SAMPLE BOT SAMINITY SALINITY
		DATALOG	DATA LOC	DATALOC	DATALOC	Skette ID 2 1 8 2 CM	Skette ID 2 1 8 2 CM	SALINITY	Skette ID 2 1 8 2 Chi	Skette ID 2 1 8 2 CH SALINITY	skette iD 2 1 8 2 Ch SALINITY	Skette ID 2 1 8 2 Ch	Skette ID 2 1 8 2 CH SALINITY	Skette ID SALINITY SALINITY	Skette ID 2 1 8 2 Chi	Skette ID SALINITY SALINITY	skette iD SALINITY SALINITY	skette iD 2 1 8 2 Chi SALINITY	skette ID 2 1 8 2 CH SALINITY
•	JOYIME	0	0	0 1	0 1	Tape/Dist	LOR S	Tape/Dist	Tape/Dist	Tape/Dist	Tape/Dist	Tape/Disher Share SEC. TEMP	Tape/Dist	Tape/Dist	Tape/Dist	Tape/Dist	Tape/Disl	Tape/Disl	Tape/Disk
	JD/TIME	JD/TIME			_	_ "	_ 1	_ " 1 1	_ 7 1 1	_ ' 1 1 1 1 1 1 1 1 1	_ ^	_ '	_ ^	_ ~	_ ^	_ ~	_ ~!	_ ~	_
2		E 7 DATAON	6 7	6 7	8 7	2 9	2 9	B 7	B 7	PRESSU	PRESSI	PRESSU	PRESSU	PHESS(B 7	PRESSU	DA PRESSI	OHESS(PHESSI I
£ .	07-05%	19507-0533 6 8 4 6 7	ĕ ' <u>,</u>	6			S S S E		8	위 '꼭'ጼ'ஃ'ጼ 을 본 시 d	의 '독'왕'왕'원토	의 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '							SBE 9+ 08P 19507-0533 PRESS SN 6 8 4 4 PRI TEMP SN 2578 SEC TEMP SN 2272 POS. TRIIP 1 1 D / 1 2 4 4 5 6 6 6 7 7 11 10 11

											o de la companya de l	Γ	T		Г				Г	Γ			
	. S	Π						E		65	PAM	_	+		\vdash		_	\vdash		_			
	STA.		\exists				valve	_		SAMPLE BOTTLE NUMBER		┼	├	╀		_							
NOIT O	ВОТТОМ DEPTH	Ē	8 0 0 0				Pleed			TICE	3	1	<u> </u>	_					L				
DESIGNATION DESIGNATION	меатнея В В	l I	68	HKS			Cleaned air bleed valve	EPTH.	TRANS. S/N	PLE BC	NUTR	23	4	3									
STATION DESIGNATION	. 474	LT		REMARKS		1	3	MAX. DEPTH =	Æ	SAM	NS.												
STAT	WMS) CLOUD (amt)	(s/ш)								TTLE													
ļ	WIND DIRN.	(deg)	\dashv		ader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY		\exists	_	me/He					SAME													
	PRESSURE	(qui)		ATION	File Name/Header				CHIAM S/N														
l ⊡	WET BULB	<u></u>	\exists	DATA LOCATION		'			통		SALINITY												
DSDB I.D.	DRY	(S)		DA	_				2		SAL												
	2 28	山	ત		kette II				1 8														
ري . ـ	TIME (GMT)	H	000		Tape/Diskette ID				0 2	VLUES	٩												
PROJECT & LEG H X 2 4 5		뜻	0		<u> </u>				FLUOR SAV_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
ROJEC X	<u>-</u>	9			ı	ı				NOW													
	DATE JD=	DΑΥ	W D C C CM	ų						ÆRTE													
			N N	JD/TIME					9.7	NOO	PRI. TEMP.												
	LONGITUDE	≨	7.5			¥		ييا	۱,۱	CII													
	LONG		9	တ္သ	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N													\neg	\neg
-		-	-	TIMES	<u>A</u>	STAF	AT D	ATS	<u>^</u>		PRESSURE												
	30		7 N	<u>ي</u>	6.7						PRES												
	LATITUDE	¥ -	13	507-05	68467	2578	2708	æ	2272														
a Helix		<u> </u>	055	9P. 19	·	P SN	NS di	NS Q	NS Q	TRIP DEPTH		00	50	Z									
VESSEL RV Alpha Helix	CONSC CAST #	<u> </u>		SBE 9+ 09P 19507-0533	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		-	2	3 5	4	2	9	7	8	9	10	=	72
<u> > </u>				<u></u> ග	<u>a.</u>	<u>ā.</u>	<u>v</u>	<u>ā.</u>	<u>ਲ</u>	<u> </u>							_	, -			_		

						_				-	<u></u>	Γ			Γ	Г	Г		Г				
-		Т			_		1	_	Ι		<u>g</u>	_	_	<u> </u>			L	_	L.				\Box
	STA. NAME/ID						يو	ε		IBER IBER	PAM												
		L					od valv		Ì	E NO	울												\neg
ATION	BOTTOM DEPTH	(E)	32				ir blee	11		JT OS		_	1		\vdash		-						\dashv
STATION DESIGNATION	MEATHER		6.6	RKS			Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	N RTP.	3-	30	30									
OND	SP (amt)			REMARKS		ı	3	¥ ¥	E	\$ 	S≱												
STAT	WIND. SPD.	(s/w)								끹													-
	WIND DIRN.	(ded)			ē				l	SAMPLE BOTTLE DATA	SALINITY												
	VISIBILITY				/Неас					AMPL	SAL												
	PRESSURE SEA STATE			NO	File Name/Header				 - - -	S		_										_	_
		П		DATA LOCATION	E E				Chlam Sin														
, G.15	WET	(၁)		VTA L			l I			į	SALINITY												
DSDB I.D.	DRY	ည		2	_				2		₹												İ
		٤			ette II				1 8														
	TIME (GMT)	HR MIN	1088		Tape/Diskette ID	:			0.2	UES													
k LEG 4 5		\vdash	100		Тар				NS.	R VAL	SEC. TEMP												
K ~		Ϋ́	0						FLUOR S/N	OTIN	SEC												
PROJEC H X	-Q	Ş	J U																_				_
	DATE	DAY	49 W22 JUN	ME						CTD CONVERTED MONITOR VALUES	نے												
			<u>w</u>	JD/TIME	İ				9.7	000	PRI. TEMP.												
	ITUDE	MIN	1			Z			4 4	5	#												
	LONGITUD				S	POW	PTH	RFAC	PAR S/N						 -	Н							\dashv
		DEG	160	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PA		뿚												
			.80 NI		~						PRESSURE												
	LATITUDE	NIM		9533	4 6	2578	2708	œ	2272		<u> </u>												
	Z		5512	-2056	6 8 4			638							\vdash								\dashv
L va Heli	C 45	DEG	515	99P	SN	AP SN	MP SN	NS ON	SQ	TRIP DEPTH		010	53	5 Pc									
VESSEL RV Alpha Helix	CONSC CAST #			SBE 9+ 09P 19507-0533	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	SS.		_	2	3	4	2	9	-	80	6	9	=	-21
<u>ا ۳ ح</u> ـا				ဖျှ	<u> </u>	0	<u> </u>	<u>a</u>	(J)	<u> a.</u>		<u> </u>	<u></u>	L			<u> </u>	Ц					

		•									Q.		Π										
	STA. NAME/ID							ε		BEB	PAM	T											
NO		\sqcup	ス				eed valv			ILE NUM	푱												
SIGNATION SIGNATION	BOTTOM DEPTH		233	KS			Cleaned air bleed valve	PTH=	TRANS. S/N	SAMPLE BOTTLE NUMBER	ALTIN	₩s-	7	20									
STATION DESIGNATION	CLOUD (amt) PPE PREMERA	LT		REMARKS			Clear	MAX. DEPTH =	TRAN	SAME	SAL	-									_		
STA	N WIND O'COUD (amt)	1 1					 			OTTLE A	È												
	VISIBILITY SI SI SI SI	(deg)			/Header					SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE	_		VIION	File Name/Header				ChlAM SAN	<i>ω</i>	+-										=		
	WET BULB	ဉ	-	DATA LOCATION	L	1			ChiA]	SALINITY												
DSDB 1.D.	DRY	<u></u>	_	DA	<u>_</u>				8 2		SA.												
		HB MIN	5		Tape/Diskette ID				2 1	ន		_	L						_				
& LEG 4 5	TIME	XH	0		Таре				FLUOR S/N_	OR VALU	SEC. TEMP												
PROJECT & LEG H X 2 4 5	-	<u>≻</u> 9	JUNO			ı	l 1		FLUO	MONIT	SEC												
<u>-</u>	DATE JD=		D WAZ J	ME						WERTED	9.												
	DE		7	JD/TIME					497	CTD CONVERTED MONITOR VALUES	PRI. TEMP												
	LONGITUDE	NE NE	31.3		×	START DOWN	Ŧ	FACE	S/N_4													_	_
		DEG	3	TIMES	DATAON	START	AT DEPTH	AT SURFACE	PAR S/N		N. BE												
	UDE		. 89NICO	833	194	<u>_</u>			ر. د		PRESSURE												
<u>,×</u>	LATITUDE	5 1		SBE 9+ 09P 19507-0533	6846	2578	N 2708	838	N 2272	a E	<u> </u>											_	=
VESSEL RV Apha Helix	CONSC CAST #	DEG	A551	9+ 09P	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		214	25	35									
VES HV /	8 8			SB	HE.	<u>E</u>	SEC	<u></u>	SEC	POS.		_	8	က	4	2	9	7	∞	6	유	Ξ	52

		_			_													Γ			Ϊ
TA. AE/ID						E		E E		T = T	-	-				-			-		
	-				ed valve			E NUME	<u> </u>	-			-	:	-						
оттом ОЕРТН	<u>E</u>				air ble	분	NS NS	ВОТТ				_	-		_						
MEATHER		MARKS			Cleaned	X. DEP	TRANS.	SAMPLE			55	2					_				_
SPD (Smt)	(m/s)	=				M							1 %								
WIND DIRN.	(deg)		ader					LE BOT DATA	LINITY												
SEA STATE	•	_	ame/He					SAMP	8												
		CATIO	File N				HAM SA														
WE		ATA LC							LINITY												
DRY BULB	<u>(S</u>		e iD				8 2		8												
IME (TMT)	MIN W		»/Diskett				0 2 1	SE													
T (6			Tag D	:			R S/N	OR VAL	C. TEMP												
	MO N		ı			j	FLUC	MONIT	Ŗ												
DATE J	9 9 J	Æ					-	VERTEC	a.												_
Ä	_	LT/QC					497	NOO GI	PRI. TEM												
NGITU	<u>-</u> 55		-	OWN	Ŧ	ACE	/N_ 4	0	-												
2	PEG 60	LIMES	DATA OF	START D	VT DEPT	T SUR	PAR S		#												
ш	0 N		7	<i>y,</i>					PRESSU												
ATITUD		07-0533	4 8 4	2578	2708	638	2272							<u> </u>							
		09P- 195	•	P SN	MP SN	NS QI	NS QN	TRIP		165											
CONSC	1.3	SBE 9+ (PRESS (PRITEM	SEC TEA	PRI CON	SEC CO			-	7	က	4	ည	9	7	8	6	9	=	12
	LATITUDE LONGITUDE DATE JD= (GMT) BULB BULB © SE SCIENT SPOTTOM	TIME	CATITUDE	CONGITUDE DATE JD= TIME DRY WET SO STELL SOUTOM SO	TIME DRY WET	TIME DRY WET SS FEE DRY WET SS FEE DRY WIND SP DEPTH SS FEE DEPTH FEE DEPTH FEE DEPTH FEE SS FEE DEPTH FEE DE	TIME DRY WET SO SO SO SO SO SO SO S	SC	TIME DRY WET SECTION WET SECTION WET SECTION WET SECTION WIND WIND SECTION WIND SECTION WIND SECTION WIND SECTION WIND LATITUDE	LATTUDE	LINE DEG MIN DEG MIN DEG MIN DEG MIN DEG MIN MIN MIN DEG DEG DEG MIN DEG DEG DEG DEG MIN DEG TIME DRY WET SEC. TEMP DRY WET SEC. TEMP DRY Time Dec Min Day Mo NP Met Day Mo NP Met Day Mo Met Day Mo Met Day LITILIDE LONGITUDE DATE JD= TIME DRY WET EAR LATITUDE	TIME DEF WET SEC. TEMP DRY WET SEC. TEMP SALINITY MIN DEG MIN DAY MO THAE DRY WET SEC TEMP SEC TEMP SALINITY SALIN	TIME DRY WET SEC. TEMP SALINITY The controls	LI							

								_	-	_	<u> </u>	Г			Γ	<u> </u>					Υ		
		Т							_		Q Per ja	т	_	_	_		<u> </u>	_	L				
	STA.					:	9	ε		MBER	PAM												
4		╄	X				ed val			LENU	동												
NATIO	ВОТТОМ DEPTH	Ξ	200				air bie	<u>#</u>	l §	BOTT	NUTR.	7-	_	2		\vdash			-				
STATION DESIGNATION	MEATHER	1.		REMARKS			Cleaned air bleed valve	MAX. DEPTH=	TRANS. S/N	SAMPLE BOTTLE NUMBER			C	-					_	_			_
ATION	S S S S S S S S S S S S S S S S S S S	:		REN				Ľ¥	Ē	<u> </u>	SAL	1-411											
ST/	SPI							l :			_ ≥												
	WIND DIRN.	(ded)			eader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE				ne/H					SAM	"							:					
	PRESSURE	(am		TION	File Name/Header				ChIAM SAN														
<u>`</u>	WET BULB	ဉ		DATA LOCATION	ш.				ChiA		I ≧												
DSDB 1.D.				DAT/)	SALINITY												
<u> </u>	DRY BULB	ည			<u>O</u>				8 2														
	шF	N N	64		Jiskett				0 2 1	မ္သ	ļ				-	-							\dashv
EG 5	TIME (GMT)	HA MIN	11	í.	Tape/Diskette ID					STD CONVERTED MONITOR VALUES	EMP												
PROJECT & LEG H X 2 4 5		Ϋ́	0 1						FLUOR S/N_	TOR	SEC. TEMP												
ROJE(- - -	ş	2		١					NO M Q													
	DATE JD=	DAY	NULE EW 48	ш						ERTE													
			<u>₹</u>	JD/TIME					2 6	SON	PRI. TEMP.												
	UDE	MIN	•	•	,	_ '	•		4 4	eg S	l Bi												
	LONGITUDE		9 1		z	NMOC	Ξ	ACE	N/S		ļ			_								_	4
	ĭ	DEG	07	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		l w											-	
	· · · · · · · · · · · · · · · · · · ·		Z	F		8	╧	×		J	PRESSURE												
	9		71.	88	ဖ	ρo	۰		2		BH												
	LATITUDE	NIM	<u> </u>	507-0	6 8 4	2578	2708	88	2272														
a Helix		DEG	1455119.116N160	SBE 9+ 09P. 19507-0533	•	NS.	IP SN	NS Q	NS QN	TRIP Depth		061	50	582									
VESSEL RV Alpha Helix	CONSC CAST #		7-	3E 9+ C	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	Pos.	-		2	3 6	닠		_					_	
<u>≯ €</u>	00	Ш		岁	<u>a</u>	#	ਲ	<u> </u>	띯	<u>~</u>			``	.,,	4	2	တ္	7	80	ග	9	=	57

						<u>.</u>	_		 .	Other												
	STA. NAME/ID				-	a	Ε		BER	PAM												
₹00		_ K			İ	sed valv			LE NUM	볽												
SIGNATION ALD	ВОТТОМ DEPTH	<u>0</u>	S)			Cleaned air bleed valve	PTH=	TRANS. S/N_	SAMPLE BOTTLE NUMBER	NUTR.	%- -	α	3									
STATION DESIGNATION	CLOUD (amt) TYPE WEATHER		REMARKS		[Clean	MAX. DEPTH =	TRAN	SAMP	SAL.												
STAT	WIND SPD.	(m/s)			`				ОТТЕ	≥												
	YISIBILITY DIRN N. MIND	(Gep)		Header					SAMPLE BOTTLE DATA	SALINITY							:					
	PRESSURE SEA STATE	* (dm)	NO	File Name/Header				SAN	<i>&</i>	<u> </u>					_	_						_
	WET	(5)	DATA LOCATION	Ĭ	١			CHAM S/N		<u></u>												
DSDB I.D.	DRY BULB	(2)	DAT	_			,	2		SALINITY												
		Z 18		Tape/Diskette ID				2 1 8								į						
EG 5	TIME (GMT)	HR MIN		Tape/Di				0 - NX	VALUES	EMP												
PROJECT & LEG H X 2 4 5		N 0 1						FLUOR SAN_	ONITOR	SEC. TEMP												
PR0 H	DATE JD=	DAY MO							CTD CONVERTED MONITOR VALUES			-					_			-		
		₹	JD/TIME	Ì				9.7	CONVE	PRI. TEMP.												
	LONGITUDE	WIN (%)			NWI		<u> </u>	4	5	8.												
	rov	DEG 1	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		l W												
		\S	F	7	S	<u>×</u>	×) 	PRESSURE												
	LATITUDE	MIN 9	07-0533	6846	2578	2708	838	2272														
a Helix		0 <u>C</u>	SBE 9+ 09P: 19507-0533	'	NS di	MP SN	NS QI	ND SN	TRIP DEPTH		203	20	56									
VESSEL RV Afpha Helix	CONSC CAST#	115	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	<u>8</u>		-	2	3 6	4	5	9		8	6	10	#	12

								<u> </u>	<u></u>	Other											\neg	
	- FS						٤		65	PAM		-										
	STA. NAME/ID					valve			NCIMBE									_			-	
10 m	ВОТТОМ	(E)				Beed	18		OTILE OTILE	유												
SIGNA	MEATHER Z		RKS			Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.	2.	6	W									
STATION DESIGNATION	34V1		REMARKS		[- ਭੌ 	MAX.	ATT	NAS .	SAL.	1-911											
STA	SPICE (SIMI)				1				υπιε	≥												
	WIND DIRN.	(deg)	i	eader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY		2	File Name/Header					SAM													
	PRESSURE		DATA LOCATION	File				CHIAM SAN														
31.D.	WET	(C)	ATA LO		ı		,			SALINITY												
DSDB 1.D.	DRY	(°)	۵	₽				8 2		SA												
		MIN 37		skette				2 1				_									_	
EG 5	TIME (GMT)	HR M		Tape/Diskette ID					CTD CONVERTED MONITOR VALUES	EMP												i
77 & L		Λ 1 0						FLUOR S/N	NITOR	SEC. TEMP		!										
PROJE(H X	-Qf	OM U		- 1					ED MO													
	DATE	Y OM YAC Y	JD/TIME						NVERT	MP.												1
	<u> </u>	5	ΣQς		-			497	OD 01:	PRI. TEMP						:						1
	LONGITUDE	NIW ठ		_	OWN	I	ACE	N_ 4														
	9	DEG 60	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		Ä												
		22 N	Ŧ	7	<u>S</u>	<u> </u>	-EV			PRESSURE												
	LATITUDE	MIN (Se	0533	ဖ	2578	2708	92	2272		PA												
Ę	IA.	I . I	SBE 9+ 09P 19507-0533	684	I	- 1	N 88		ᇫᆍ		£	(\									
VESSEL RV Alpha Helix	S #	DEG 655	9+ 09P	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		154	5	25									
VESSEL RV Alpha	CONSC CAST#	1	SBE	PRES	PRIT	SEC.	PRIC	SEC (Pos.		-	2	9	4	2	9	7	80	6	우	Ξ	12

											Other												
STATION DESIGNATION	STA. NAME/ID				Ì		ø.	E		BER	PAM							20					
		Ц	7				Cleaned air bleed valve	MAX. DEPTH =	TRANS. S/N]	띪												
	BOTTOM DEPTH	Έ	84	(0							NUTR.	010	7	n			\exists						\exists
	MERINER	<u>.</u>		REMARKS							SAL.	1				\dashv	\dashv	\dashv	\dashv	\dashv		\dashv	\dashv
	SP WANTE	(m/s)		<u> </u>							93		*										
PROJECT & LEG DSDB I.D. H X 2 4 5		(deg) (DATA LOCATION	ID File Name/Header				8 2 Chiam Sin	SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY	·									S)						i	ļ					
		(mb)																		1			
	WET	ပ္စ	_								SALINITY		:										
	DRY BULB	(၁)	\Box								SA												
			7		Tape/Diskette ID				0 2 1	ES							-					\dashv	
		HR MIN	100		Tape/					3 VALUI	SEC. TEMP												
	ı	YB	N D			START DOWN	АТ ОЕРТН		9 7 FLUOR S/N_	CTD CONVERTED MONITOR VALUES	SEC.												
		Y MO									PRI. TEMP.								\dashv				\dashv
		DAY	<u>∞</u>	JD/TIME																			
	LONGITUDE	MIN		,	1			ш	4														
		<u></u>	022	မ္သ	DATA ON			AT SURFACE	PAR S/N														\neg
		DEG	46 N 1 60	TIMES	DAT	STA	ATD	AT S			PRESSURE												
VESSEL RV Apha Helix	UDE	_	4-0366	اي		82	86	~	2		PRE												
	اڌ	G Min		254-036		√ 2578	N 2708	888	N 2272	 ⊾	<u> </u>	١.		7						·			
		DEG	1 7 515	9+ 09P8	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP		75	25	52									
VESSEL RV Alpha	CONSC CAST#			SE	PRES	PRIT	SEC.	PRIC	SEC (Pos.		-	7	အ	4	2	9	7	80	6	9	Ξ	12