ATF

				t	L							PG		P X
VESSEL. NOAA Ship MILLER FREEMAN	- NA		ďΣ	PROJECT & LEG MF00-01	ពួ	ISO	DSDB I.D.			STATI	ON DES	STATION DESIGNATION		
Š.									TATE LTY		(tms) Of	USIC		
CAST # LATITUDE	8	LONGITUDE	DATE .	JD=	(GMT)	æ 23	WE WE	SEV S		ON S	NOTO	BOTTOM DEPTH		STA. NAME/ID
	8	MIN	DAY	W A	H.	()	(၁))		(S/EL)			+	
115421.47	N 1 655	S 6-W	9	FEBOO	0450	02 1	03.0	564	19	01	20/00	5 4 7	7	100
SBE 9+ 916€0	TIMES	JD/TIME	IME				DATA LOCATION	ATION			REMARKS	2		
PRESS SN 29772	DATAON				Tape/Diskette ID	ette ID	Œ	e Nam	File Name/Header					
PRITEMP SN 889	START DOWN	NW		8.20			V	CTD				w		
SECTEMP SN 884	AT DEPTH						8	24 ₁₂			Cigo Cigo	Cleaned air bleed valve	leed val	
PRI COND SN 303	AT SURFACE	8	563		15 (6)			23			¥¥.□	MAX. DEPTH =	754	Ε
ื่อเ	PAR S/N 4242	N 4242		FLUOR S/N 153	S/N 153		₹	CHIAM S/N 109	109					
APPER PER PER PER PER PER PER PER PER PER		CTD CONV	NVERTE	ERTED MONITOR VALUES	VALUES				SAMPLE BOTTLE DATA	A E	8	SAMPLE BOTTLE NUMBER	LE NUN	E
								+						
	PRESSURE	PRI. TEM	MP.	SEC. TEMP	IBMP	Ø	SALINITY		SALINITY		SAL	8	各	WHIT'S REPA
500											40	メ		
2 250											-	人		
3 700						8	1000					×		
4 150		125			8						25	7		
5 /60		0.000										`>		
6 75												7		
2					i i		3					×	7	
8 40	1000			W						3		~	_	
9 30													~	
10 20	N-9647-17-4				2000							×	×	
11 10												¥	×	
12 0												X	X	

五年

				٧					ň			171											
7	STA. ME/ID	2				<u>%</u>	E		BER	WHITS													
2		IV)			Need va	510		TENCA	뢍						"							
SNATION		(m)))			ed air t	PTHE		PEBOT	2		,	21						·	¥8			:
N DESIC	3377	• It	REMARK			Clear	MAX.DE			SA.	X											5	
STATIC		٤	-				1		JII.			1		12.					3.5				
		(deg)	leader		-		١	MPLEBC	SALINIT													2 (100 #10
		<u>a – </u>	5	Name/F	702	}		S/N 10	8							And and	1115			222. 4			
o;	*	5 ×	A LOCA	File	Ü			CHA				1	$ \setminus $										0
DSDB1		0								SALN		× × ×	(مدد										
		ZN		iskette				1	•			7	4	\bigwedge								_	
ဥ	TIME)	- 49	Li i	Tape/D				S/N 153	VALUES	BMP			1	Ź	$\setminus \mid$					÷ .			,
ECT&LE	. =	7 6	5			,		FLUOR	ONITOR	SEC.1	. 87		なれ	V 1 V	Š	\			,				,
PRO		<u>u</u> ≿ √	0					X	RIEDM					0	0	/						_	
	DA PAG	0 -	JOYTIME						OCON	TEMP.				1	7	つけて				,			(
	ande	Z Z	5		¥	_	' '	N 4242	5	₩				53	av.	, T	2				s.T.		
	NO.	3	7	ATA ON	ART DO	TOEPTH	SURFA	PAR S		w	254						9	γ \ (1
EMAN _		5		<u> </u>	<u>ਲ</u> 	\ <u>\{\</u>	\ <u>\</u>	Y		HESSEL													_
ER FRE	ATTUDE	₹ Q	0991	3772	489	884	303	530					,					and the same	, i				1
Ship MILL		2 BB			NS OF	MP SN	NS QN	NS QN		2	000	550	00	50	50	100	75	50	05	30	20	10	.4
VESSE NOAA (CAST		SBE 9+	PRESS	PRE TE	SECTE	PRICO	SECOC	వ్ -		15	2	8	4	2	9	7	8	6	10	Ξ	12	7
	VESSEL PROJECT & LEG DSDB I.D. STATION DESIGNATION 2 - 2 -	HROJECT & LEG BODB I.D. STATION DESIGNATION 2— TIME DRY WET BOLL BELLE BOLL BELLE BULL BULL	PROJECT & LEG	PROJECT & LEG DSD B I.D. STATION DESIGNATION 2. STATION 2. STATION DESIGNATION 2. STATION 2. STAT	PROJECT & LEG DSDB I.D. STATION DESIGNATION STATION DESIGNATION DESIGNATION STATION DESIGNATION STATION DESIGNATION DESIGNATION STATION DESIGNATION DESIGNATION DESIGNATION DESIGNATION STATION DESIGNATION DESIGNATIO	PROJECT & LEG PROJECT & LE	PROJECT & LEG DSDB 1.D. STATION DESIGNATION AFPO-01 TIME DRY WET	PROJECT & LEG	PROJECT & LEG DSDB I.D. STATION DESIGNATION 2 - 2 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	STATION DESIGNATION STATION DESIGNATION DESIGNAT	STATION DESIGNATION STATION DATE	STATION DESIGNATION STATION STATION DESIGNATION STATION DESIGNATION DESIGNATION STATION DESIGNATION DE	September Station Designation Station Designation Designation Designation Station Designation Design	STATION DESIGNATION STATION DESIGNATION DESIGNATION STATION DESIGNATION DESI	STATION DESIGNATION STATION STATION DESIGNATION STATION DESIGNATION STATION DESIGNATION STATION DESIGNATION STATION DESIGNATION STATION DESIGNATION DESIGNATION STATION DESIGNATION DE	STATION DESIGNATION 2 2 2 2 2 2 2 2 2	State March State Stat	State Stat	STATION DESIGNATION STATION DEVINE STATION	SSP SSP	Septimental	Station Designation Station Designation Designation Designation Designation Designation Station Designation De	Section Comparison Compar

Taken From Sugar, with a june gallon Bullet.

PG 3 OF 8

11	2-3	STA. NAME/ID	U				e valve	E 20	,	NUMBER	WHIT'S CHL NUTR				5.40					· ·	×	×	
		BOTTOM	40.0	S	,	·Œ	Cleaned air bleed valve	:РТН = 3		SAMPLE BOTTLE NUMBER	S S S S S S S S S S S S S S S S S S S	メ	メ	×	×	X	×	¥	X		×	×	×
	STATION DESIGNATION	CLOUD (8mt)	. 2	REMARKS	-		\$ \$ \$	MAX. DEPTH =		WS.	SAL.	7					1.116.0						
	SIA	VISIBILITY VISIBILITY DIRA SPA	(deg) (100	File Name/Header				109	SAMPLE BOTTLE DATA	SALINITY		16	20	28		18		10				
010000		SENSSELLE FIG.	(°C) (mb)	DATA LOCATION	File Nam		**	[] [ChIAM S/N 109		SALINITY					2222	9	84	*2001a			81	
30	3	DRY	S (°C)	_	Tape/Diskette ID		¥65				S									n ^e		fái	
911		TIME (GMT)	M H 0 0		Tape/Dis				FLUOR S/N 153	or values	SEC. TEMP		©						14		€. (0)		
POO IECT & LEG	MF00-01	E JO=	6 B			1			KFLUC	TED MONITO	8 8												
		LONGITUDE DATI	1.63 W 6	JO/TIME		AN.		 	1 4242	CTD CONVERTED MONITOR VALUES	PRI TEMP.			:	34	Š				1	đ	7	
-	- NA	PONC	9 - N	TIMES	DATAON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N 4242	:5 E	PESSURE	920			×								
ñ	NOAA Ship MILLER FREEMAN	LATITUDE	2 8. 4 S	91660	9772	889	884	303	530	Ī	HH.	4	,		4			30000					
VESSE	AA Ship MILL	CONSC CAST# L	03 54 g	SBE 9- 9:	PRESS SN 2'	PRITEMPSN 889	SEC TEMP SN	PRI COND SN	SEC COND SN	OBFIH HITAGO		300	250	200	150	8	75	50	40	30	20	0/	C
<u> </u>	Ş	88	0	88	Œ	Œ	<u> </u>	<u>E</u>	SEC	8		-	8	က	4	2	စ	^	œ	၈	=	=	12

开

		10 <u>10 </u>					Ι	-	r	· ·	یہ دی	1			_	П					1	- 1	<u></u> ≈
. ∧∆		STA.	Д				ake	E		WBER	WHITS									·			_
PG 4 OF §	7	8		\ \			bleed v	126		TEN	몽				ž.								
[,] E	NATIO	BOTTOM	3.1	g		ξŧ	ed air	PTH		SAMPLE BOTTLE NUMBER	2										8		
	STATION DESIGNATION	(sms) GUOL 3977 ABHTA3W	N =	REMARKS		3	Cleaned air bleed valve	MAX. DEPTH =		SAME		~	- 22					Ė			ñ		
	TATIO	ONIA CONTACT	(m/s)	 			کا	<u>⊪ ≥</u>		<u>"</u>		<u> </u>						11111			19	7 65.54	0.00
	0,	ONIW O	2 2 55		der					SAMPLE BOTTLE DATA	SAFINITY			্ৰ									
		SEA STATE YTLIBIEN > 7		1	File Name/Header		=		901	SAMP	∂												
13	0-3	3ŁNSS3ŁŁ	Q 5	CATION	ile Nan			3	ChIAM S/N 109					0.00	(100)	Mg-m				day day	CI V		
	31.0	WET	9	DATA LOCATION	Œ	70	ļ 	i	ਣ		SALINITY		223					S.					
r	DSDB I.D.	DRY	2.2	2					1527)	8			77								33	
١.	117		7 M		Tape/Diskette ID				8	S						-			200	\dashv	_		-
ATF	EG	TIME (GMT)	£	1	Таре/				S/N 15	VALUE	SEC TEMP		8								33		
	PROJECT & LEG MF00-01		YR 		72	- 11			FLUOR SAN 153	CTD CONVEHÍTED MONITOR VALUES	<u>ପ୍</u> ଥ												
•	PROJECT MF00-01	i D	8 =						Ŧ,	ITED IX	<u> </u>				_					_	\dashv	-	-
	:	I		JOYTIME					5)	ONVE	PRI TEMP.	*				0							l
			06.08 W	3		 -		l	1242	E	8				08			ļ					
		CONGILIDE	. 0		Š	START DOWN	E	AT SUPFACE	PAR S/N 4242		_									_			\dashv
l			9 !	TIMES	DATAON	STARI	AT DEPTH	ATSU	PA	113	1 1	1147					33						
:	REEMAI) DE	33.96 N		15					. 1	FESSURE	i .											
	LERF	LATITUDE		91660	29772	889	884	303	530	7											8	_	
	VESSEL. NOAA Ship MILLER FREEMAN	<u>∪</u> •	0EG 5 4			PRITEMP SN 889	SECTEMP SN 884	PRI COND SN	SEC COND SN	TIRIP DEPTH	6	300	250	200	55	100	7	So	70	R	2	0/	0
4.	VESSEL NOAAS	CAST #	7	SBE 9+	PRESS SN	PRITE	SECT	SE C	SECO	ద్ద		1,5	2	6	4	2	9	7	8	6	9	=	12

ATT D-4

WHIT'S NOTE. PG 5 OF 8 NAMEND 7 7 5 5 STA. SAMPLE BOTTLE NUMBER Cleaned air bleed valve MAX. DEPTH = 285 WIND Gami)

SPO CLOUD (ami)

PEHTIAN

MEATION

(m) STATION DESIGNATION REPA F REMARKS SAL 29 SAMPLE BOTTLE DATA SALINITY Z File Name/Header SEA STATE VISIBILITY CHIAM SAN 109 DATA LOCATION 0 WET BULB SALINITY DSDB I.D. Tape/Diskette 1D M 340 NE E AMET (GMC) FLUOR SN 153 CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG FEB00 ¥ MF00-01 Š DATE JD= DAY JOTIME PRI. TEMP. LONGITUDE **PAR S/N 4242** START DOWN AT SURFACE AT DEPTH DATAON 166 SAMES 8 **HESSURE** NOAA Ship MILLER FREEMAN ATTITUDE 91660 29772 SECCOND SN 530 PRICOND SN 303 SECTEMPSN 884 PRITEMPSN 889 クトロー OBPH H 88 250 284 70 150 200 001 PRESS SN 0/ 0 CAST # SBE 94 8 10 12 œ O

AYP D-S

WHIT'S NUTR PG 6 OF 8 STA. NAME/ID CT 106 SAMPLEBOTTLENUMBER Cleaned air bleed valve MAX. DEPTH = 218 옥 BOTTOM 27 STATION DESIGNATION NUR S WEATHER
CLOUD (amt)
TYPE REMARKS SAL GD — SAMPLE BOTTLE SALINITY യ WIND SPR DATA File Name/Header SEA STATE VISIBILITY CTD6 Chiam S/N 109 DATA LOCATION 9 WET BELB SALINITY DSDB I.D. Tape/Diskette ID £ 34 W 1 6 F E B 0 0 1 5 4 4 Z GME) χ FLUOR S/N 153 CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG £ MF00-01 2 DATE JD= DAY **JOTIME** PRI. TEMP. 16603.0 LONGITUDE PAR S/N 4242 START DOWN AT SURFACE AT DEPTH DATAON 88 TAMES PRESSURE NOAA Ship MILLER FREEMAN LATTION 5444 91660 29772 SECCOND SN 530 PRICOND SN 303 SECTEMP SN 884 PRITEMPSIN 889 8 8 00 2 70 0 2 PRESS SN CAST # VESSE SBES 8 9 12 Ξ

PG Z OF 8

					İ						ַ ב	+	1
VESSE				PROJECT & LEG	'& LEG	<u> </u>	DSDB I.D.		STATIO	NDESIG	STATION DESIGNATION		
NOAAS	NOAA Ship MILL ER FREEMAN	NAN NA		MF00-01		-							
CONSC			10		TIME	DRY	ESSOLE Ed	A STATE A	MIND	(Ims) QUO. 39 F3HTA	_		STA.
CASI	LATITUDE	ğ -		L	و			IAIS		ᄴ	٦,	+	NAME/ID
in Y	54463	0 9 9 1 N	0 M		0 0 1653	2 5	2 C C C C C C C C C C C C C C C C C C C	G G G G G G G G G G G G G G G G G G G	(S)	- 9	E 2	2)	2
SBE 9+	91660	TIMES	JD/TIME	ME			DATA LOCATION	No.		REMARKS			2
PRESS SN		DATAON			Tape/Diskette ID	kette ID	Fie	File Name/Header		10	10 Bottom Samples	1 SAM	noles
PRI TEM	PRITEMPSN 889	START DOWN	W.				5	707		4	spawning	MING	
SEC TEMP SN	AP SN 884	AT DEPTH			127]]			Clean	Cleaned air bleed valve	leed val	9
PRI COND SN	DSN 303	AT SURFACE	, W		:				<u>,</u>	MAX. DEPTH=	PTH=	961	E
SEC COND SN	NDSN 530	PAR S/N 4242	N 4242	MFLU	FLUOR S/N 153		CHIAM SAN 109	S/N 109		_			
& 0	TRIP DEPTH		CTD CONV	IVERTED MONITOR VALUES	TOR VALUES			SAMPLE BOTTLE DATA	a E	SAME	SAMPLEBOTTLENUMBER	LENGM	E
- M	.	PESSURE	PRI. TEMP		SEC. TEMP	8	SALINITY	SALINITY		SAL	8	者	WHITS
1 /		•			35	١				1			
2	93				500						,		
8	93										110		
4	93											75	
5	192					-							
9	93												N.
7 1	93						<u></u>			<u> </u>			
8	93				100 AN								
6	20								62				
10 .10	93				B				62		0		
=			E.			X.		. XX					
12													

PG SOF S

											2	, 	Į į
VESSEL				PROJECT & LEG	ឡ	DSDB I.D.	.0.		STATION	STATION DESIGNATION	NATION		
NOAA Ship N	NOAA Ship MILLER FREEMAN	_		MF00-01		_	*						
<u> </u>		-			/II		34 1	∃TA] YTI	(4.37)	(amt) (363		59
CAST #	LATITUDE		E E E E E E E E E E E E E E E E E E E	DATE .D=	GMT	OR₹	WET BESSE	SEA ST	ONEN COS	YPE TTABL	BOTTOM		STA.
88		SB O	\vdash	DAY NO YA	屵	၌	╁╧	(deb)	_	Ц.		╄	
154	3		기. S 이w	6 F E B 0	119	3.2	00	58190		9	<u>6</u>	上。	d)
SBE 9+	91660	TIMES	JOYTIME	ME		DA	DATA LOCATION	Z.		REMARKS	S		
PRESS SN	29772	DATAON			Tape/Diskette ID	Cette ID	File Na	File Name/Header		よる 2013 1013	でにの人	ON SAMPLE	
PRITEMPSN 889	1 889	START DOWN	NN							201	1	SPAWNING	S
SECTEMPSN 884	N 884	АТ ОЕРТН			:					Cleaned air bleed valve	ed air b	leed val	9
PRI COND SN	4 303	AT SURFACE	W		£				<u> 2</u>	MAX. DEPTH=	PH-		٤
SEC COND SN	N 530	PAR S/N 4242	N 4242	V FLUO	FLUOR S/N 153		V CHAM S/N 109	N 109					
POS TRIP DEPTH	, I		CLD CLD	CTD CONVERTED MONITOR VALUES	RVALUES			SAMPLE BOTTLE DATA	2	SAMP	LEBOT	SAMPLE BOTTLE NUMBER	## H
17 9 21			ſ				¥.						WHIT's
	PRESSURE	XFE.	PRI. TEMP.		SEC. TEMP	TWS .	SALINITY	SALINITY		SAL	F	용	AT2N
1 372		3.5		Ŋ.	(a)								
2 373		51.6	1							┢			
3 373	~							1					
4 373			80.00									2	
5 373	S						32 83						
6 373	\$								200,00				
7 373		ï					55	W. St.					
8 373					400			2-946					
9 373	_					V =			100	<u>. </u>	·		
10 373					134 43		13	a v	S				
11		10.	i j		S))	ia		9					
12	12								1				
:													