CONSC CAST LATITUDE LONGITUDE DATE DEG MIN DEG MIN DAY	TIME DATE JD= 3(2) (GMT) OAY MO YA HA MIN OAN MO YA HA MIN OAN MO YA HA MIN	DRY WET	SEA STATE VIS. DE WIND SEA STATE VIS. SEA STATE VIS	CLOUD (amt) TYPE WEATHER	BOTTOM DEPTH	STA.
LATITUDE LONGITUDE DEG MIN DEG MIN 5 9 5 1 1 1 1 N 1 6 8 5 1 6 2 W	S E P 9 6 2 6	DRY WET Pressure	SEA STATE VIS. PRINT	WEATHER		STA.
LATITUDE LONGITUDE DEG MIN DEG MIN 5 3 5 1 1 1 1 N 1 6 8 5 1 6 2 W	S E P 9 6 2 6	BULB BULB Pressu	SEA ST VIS. VIS. DIR. WIND	WEATH		STA.
DEG MIN DEG MIN	S M O O O O O O O O O O O O O O O O O O	5 2 3 20			_	NAME/ID
0 1589 IN 11 15651 0	S E P 9 6 2 6	2				
	ŀ	7.00	58350366	80	7 2	<u></u>
CTD TIMES JD/TIME	-	DATA LOCATION	e e	REMARKS		
TYPE & SN 911+, 91660 DATA ON	Tape/Diskette ID		File Name/Header	To ch	CTO cites doctorminate	
PRESS SN 91660 START DOWN		CID	0001	4-58-76-1	-F	2
PRI TEMP SN 889 AT DEPTH			!	Large Th	7	#3:0m
COND SN 480 AT SURFACE			Ţ	F/1105 - 30	30 110	0
SEC TEMP SN 701	Chlam	TAPS6 TAPS4			Q	
POS. TRIP CTD CONVER	CTD CONVERTED MONITOR VALUES		SAMPLE BOTTLE DATA	SAMPL	SAMPLE BOTTLE NUMBER	NUMBER
PRESSURE PRI. TEM :	SEC. TEMP.	SALINITY	SALINITY	SAL. N	NUTRIENT	OTHER
1 65 65,025 4,3568	4.3646	J 883	31.895			
N						
ω						,
4				*		
Ø1						
σ				,		
7						ļ
ω						
Ø		12				
10						
-1						
12						

ģ

10

ω

ဖ

7 စ G

N

ω

72 CAST

PG 2 OF 14

PG 3 OF 44

PG的OFE

12	11	10	ဖ	œ	7	თ	ري ن	4	ω	N	_		ξ	SEC	CON	PRI T	PRES	34A1		© CAST CONSC	VESSEL
											68		DEP'IL	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	95 DEG LAT	VESSEL NOAAS MILLER FREEMAN
											952,89	PRESSURE] 3		9	0	+, 91660		ATTITUDE MIN 3 7. 9 2 N	REEMAN
										1 4	0	SUPPE		K PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG	
											2.212	PRI. TEMP	כוחנג				Ž	1	r/ar	LONGITUDE MIN MIN 15 M	
	7.									<u>.</u>		EMP.	CID CONVERTED MONITOR VALUES	M-FLUOR					JD/TIME	DATE JD=	PRO MF9
					•						2.216	SEC. TEMP	MONITOR V	▼ ChIAM		<u>'</u>	1	' ਜ		<u></u>	PROJ. & LEG MF96-14
-				:								MP.	ALUES	L		-		Tape/Diskette ID		TIME GMT	FOC
			Į,	,							31,635	SALINITY		TAPS6				tte ID	DAT/	BULB B	FOCI Moorings/Physical Oceanography
						Tangar E		i a ý				VITY		TAPS4	<u> </u>		2	File N	DATA LOCATION	Pressure pressure mbars	Physical O
											31.689	SA	SAMP.				000	∹ile Name/Header	Ž	SEA STATE VIS. P. D. WIND C. WIN	ceanograph
											89	SALINITY	DATA		Â		 	<u> </u>	-	9 WIN	
					22							SAL. 1	SAIMPL				37 - 69		REMARKS	CLOUD (amt) TYPE WEATHER	STA. DESIGNATION
									:			NUTRIENT	SAMPLE BOTTLE NUMBER				9			C (m) HLGad MOLLOB	ž
							,					OTHER	VUMBER		-					STA. NAME/ID	

VESSEL NOAAS MILLER FREEMAN		PROJ. & LEG MF96-14	FOCI Moorings/Physical Oceanography		STA. DESIGNATION	
7			re			
CAST # LATITUDE	LONGITUDE DA	TIME DATE JD= A GAT (GMT)	BULB WET Pressu	mbars SEA ST VIS. WIND DIR. WIND	CLOUE TYPE WEATH	STA.
DEG		ਨ ≾ -				
N 96.2998600	116402.52W18	8 S E P 9 6 1 9 4	5.9 3.81	46831027	561 72	Д Д
CTD	TIMES JD/TIME		DATA LOCATION		REMARKS	
TYPE & SN 911+, 91660	DATA ON	Tape/Di	Tape/Diskette ID File N	File Name/Header	CTD @ F-967	F-9685M-2
PRESS SN 91660	START DOWN 1940		 	0007		
PRI TEMP SN 889	AT DEPTH 1940	0			MD ~ (29	
COND SN 480	AT SURFACE]]		i	_
SEC TEMP SN 701	VEAR VELUCA	R	TAPS6 TAPS4			
POS. TRIP DEPTH	CTD CONVE	CTD CONVERTED MONITOR VALUES		SAMPLE BOTTLE DATA	SAMPLE BOTTLE NUMBER	NUMBER
PRES	PRESSURE PRI. TEMP.	SEC. TEMP.	SALINITY	SALINITY	SAL. NUTRIENT	OTHER
1 64 64,226	26 2.194	2,198	31, 722	31,737		
2						
ω						
4		=				
СЛ		:				
တ						
7						
8						×
9			0			
10						100
12						

12

PG & OF 地

12		10	9	ω	7	<u></u>	σı	4	3	N	_		PQ	SEC 1	CONI	PRI T	PRES	TYPE		CONSC CAST #	VESSEL NOAAS
											113		DEPTH.	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	DEG DEG	NOAAS MILLER FREEMAN
											412,214	PAG		Ä		9	,	+, 91660		ATITUDE MIN O 3 . 5 3 N	REEMAN
											t.	PRESSURE		X PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	- DEG	
				I							5.096	PRI. TEMP	CTDC) }	1.	NW		JD/	LONGITUDE MIN	
									,		6	EMP.	CTD CONVERTED MONITOR VALUES	FLUOR		0536			JD/TIME	DATE JD=2 DAY MO 2 W \ 9 S E P	MF
					ŀ				:		5,100	SEC. TEMP	MONITOR	X ChIAM			!		-	<u>ω</u> π ῡ	PROJ. & LEG MF96-14
		:									,	EMP.	VALUES	<u> </u>		>		Tape/Diskette ID		TIME (GMT)	
											32,	SAI	34	TAPS6				ette ID	DA:	* BULB	CI Mooring
			3			53	,			IIIsa	32.707	SALIVIT		TAPS4			 	File	DATA LOCATION	BU ₩ BU FI	s/Physical
		,								=	Cy.	S	SAME	1			POOR	File Name/Header	ÖN	mbars SEA STATE VIS.	FOCI Moorings/Physical Oceanography
	15		,								34.717	SALINITY	SAMPLE BOTTLE DATA					der		DIR. SP WIN	1
							93				F	SAL.				H11 = CW	* 70 E	BSM3	REMARKS	CLOUD (ar TYPE WEATHER	STA. DESIGNATION
												NUTRIENT	SAMPLE BOTTLE NUMBER			H	THE SERTIFUL UPIN	と	·	ВОТГОМ DEPTH (m)	NOI
							-			:		OTHER ETHICO	NUMBER				ないとうのなった	1		STA. NAME/ID	

PG 10 OF 出

12		10	9	σο	7	σ	U	, <u> </u>	4	ω	2				3	SEC 7	CONI	PRIT	PRES	TYPE		ONSC CAST #	VESSEL
														DEPTH	TRIP	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	MILLE DEG	1
												306.585	PRES			9		Ö	0	+, 91660		ATITUDE MIN S 2 0 N	
:												85	PRESSURE			PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 DG	
,												5.1407	PRI. TEMP			ROUR)]		WN		JD/TIME	LONGITUDE DATI	
												J				~ ~ ~					m		PROJ. & LEG
					;							452	SEC. TEMP.		CTD CONVERTED MONITOR VALLES	ChIAM				Tape/Di		TIME	
												33.47	SA			TAPS6				Tape/Diskette ID	DA:	BULB DRY	FOCI Moorings/Physical Oceanography
	f) 4		et.	-			**					十345	SALINITY			TAPS4	15 15 15 15 15 15 15 15 15 15 15 15 15 1	 - 	077	File N	DATA LOCATION	© E S F F F F F F F F F F F F F F F F F F	e/Physical O
												33.442	SALINITY	DATA	SAMDIE BOTTIE			-	0011	File Name/Header	Ž	SEA STATE VIS. DESCRIPTION OF THE PROPERTY O	reanorranhy
														·	\dashv				377		REMARKS		STA DESIGNATION
			:									9	SAL. NUTRIENT	SAVIFCE BOTTE NOMBER	CAMBI E BOTTI				ນ		TRKS	WEATHER DEPTH (m)	INOITAIN
													AT OTHER	רע אסאומניצ				22				STA. NAME/ID	

12	<u></u>	10	g	80	7	6	σı	4	ω	2	_		P _S	SEC	CON	PRI 1	PRE	TYPE		NOAAS CAST ##
						۷.			4.				DEPTH	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	DEG DEG
											1182.534	PRESSURE		9		Ø	0	+, 91660		ATITUDE MIN N
											34	SUPE		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	<u> </u>
							-				2.6947	PRI. TEMP	CTD CO	 	M 		<u> </u>		JD/TIME	LONGITUDE MIN
												Į. P	CTD CONVERTED MONITOR VALUES	FLUOR					ME	DATE DAY
			i								2,199,2	SEC. TEMP	ONITOR VAL	ChIAM] 	l .	<u> </u>	Тар	•	0 -
,												.0	UES			O.		Tape/Diskette ID		W ≤ M
		ŀ									34,3959	SALINITY		TAPS6				ë D	DATA	DRY WEI
			,		ĠŢ.		7				00	ITY YTI		TAPS4	85		CID	File Na	DATA LOCATION	□ Pressure □ mbars
			ş								34.402	SAL	SAMPLI				70012	File Name/Header	Z	Pressure mbars SEA STATE VIS. P D D D D D D D D D D D D D D D D D D
d.											40	SALINITY	SAMPLE BOTTLE DATA			<u> </u>	2	¥ 	20	
						!					38	SAL.	SAMPL		Ē		H811-0W		REMARKS	UT TYPE G
				:								NUTRIENT	SAMPLE BOTTLE NUMBER				F		* Por UGA	WH H
												OTHER	NUMBER			- 3			99	STA.

PG 12 OF 14

MANS MILLER FREEMAN MESSELLE				,				12
PROLETEMAN PROLETEMBRAN PROLET								1,1
PROLETEMAN PROLETEMP PRO								10
CTD CONVERTED MONTOR VALUES TAPS4		Ö						9
MILLER FREEMAN MET		a di						œ
CATITUDE LONGITUDE DATE JD=2465 TIME DRY WET DESIDE DATE JD=2465 GMM) BULB BULB BULB DRY WIND DAY MIND MIND MIND DAY MIND MIND DAY MIND MIND DAY MIND MIND MIND DAY MIND MIND DAY MIND MIND DAY MIND MIND DAY MIND								7
MILLER FREEMAN LATITUDE LONGITUDE LONGITU								თ
MILLER FREEMAN MILL								σı
NILLER FREEMAN NILLER PROJ. & LEG PR								4
MILLER FREEMAN MF96-14								ω
START DOWN		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						N
MILLER FREEMAN MESSUFE PROJ. & LEG PROJ.	<u> </u>	34,641.	.605	6000	446	2757	3552	
	SAL	SALINITY	SEC. TEMP.	PRI. TEMP.	SURE	PRE		
MILLER FREEMAN MESO-14 PROJ. & LEG MF96-14 TIME LATITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE DATE JD=2465 (GMT) MIN DAY MO YR HR MIN SI 1 4 3 7 2 5 1 2 7 9 M 2 1 5 P 9 6 1 5 5 1 5 1 5 2 4 3 7 2 5 1 2 1 5 2 2	SAMPLE BOTTLE SAMPLE BOTTLE NUMBER DATA		NITOR VALUES	CTD CONVERTED MC		-		Š
MILLER FREEMAN MESO-14 TIME LONGITUDE LONGITUDE LONGITUDE LONGITUDE DATE JD=24455 (GMT) DEG MIN DEG MIN DAY MO YR HR MIN SULB BULB BULB BULB BULB BULB BULB BULB				FLUOR	. PAR	1 701	TEMP SN	SEC
MILLER FREEMAN MF96-14 TIME LONGITUDE DATE JD=2465 (GMT) SILH HILL GEG MIN DAY MO YR HR MIN BULB SILH BULB BULB DRY WET BULB BULB DRY WIN DAY MO ON HR MIN BULB SILH GEG MIN DAY MO ON HR HR MIN BULB SILH GEG MIN DAY MO ON HR HR MIN BULB SILH GEG MIN DEG MIN DAY MO ON HR HR MIN BULB SILH GEG MIN DEG MIN DAY MO ON HR HR MIN BULB SILH GEG MIN DEG MIN DAY MO ON HR HR MIN BULB SILH GEG MIN DEG MIN DAY MO ON HR HR MIN BULB SILH GEG MIN DEG M	30				AT SURFACE	J	VD SN 480	CO
MILLER FREEMAN MF96-14 TIME LATITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE DATE JD=24455 (GMT) BULB					AT DEPTH	889	TEMP SN	PR
MILLER FREEMAN PROJ. & LEG FOCI Moorings/Physical Oceanography FILATITUDE LONGITUDE LONGITUDE LONGITUDE LONGITUDE DATE JD=24455 (GMT) DEG MIN DEG MIN DAY MO NA HA MIN DEG BULB FILATITUDE LONGITUDE DATE JD=24455 (GMT) BULB BULB BULB BULB DATA LOCATION TIMES JD/TIME Tape/Diskette ID File Name/Header REMARH	11	016		Z	START DOW	660	SS SN 91	PRE
MILLER FREEMAN PROJ. & LEG PR	ne/Header		Tape/Diske		DATA ON	11+, 91660	E & SN 9	TYP
MILLER FREEMAN MF96-14 TIME DRY WET SIL WIN. DEG MIN DEG MIN DEG MIN DEG MIN DAY MO NR HR MIN PROJ. & LEG FOCI Moorings/Physical Oceanography STA. DESIGNA FOCI Moorings/Physical Oceanography FOCI Moorings/Physic	REMARKS	DATA LOCATION		JD/TIME	TIMES		CTD	
MILLER FREEMAN MF96-14 MF96-14 E E E E E E E E E E E E E	VIS. VIS.	BULB BULB Pressumbars	HA MIN	9 ₩	DEG DEG	ATITUDE MIN	DEG S	0 C S
PROJ. & LEG FOCI Moorings/Physical Oceanography MEGS. 14	(amt)			[WI 00				
	anography STA. DESIGNATION	Cl Moorings/Physical Oce		PROJ.		REFMAN	SEL SEL	VES

12	=	10	9	00	7	1	თ	CTI	4	ω	2	1 2		, ,	SEC TE	COND SN 480	PRITEN	PRESS	TYPE &	СТВ	NOAAS CONSC CAST #	VESSEL
-			1									752		DEPTH TRI	SEC TEMP SN 701	SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	3	S DEG MILLE	
						ļ						2752,509	PRESSURE						, 91660		ATITUDE MIN 3 8 0 N	
						i						509	SUPE SUPE SUPE SUPE SUPE SUPE SUPE SUPE		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	- D	
												1,626	PRI.	CTDC		Ġ H	- 	WN 	1	ا م	GITUDE MIN	
												6	PRI. TEMP.	ONVERTE	FLUOR					JD/TIME	DATE JD= 3 DAY MO 2 W 7 1 S E P	P
		,										1.63	SEC.	CTD CONVERTED MONITOR VALUES	ChIAM			}			MF96-14 MD= 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PROJ. & LEG
		,	:										SEC. TEMP.	RVALUES	<u> </u>				Tape/Diskette ID		TIME (GMT) - 4 2 4	JI.
,		,										34.639	Ş		TAPS6				kette ID	, D	DRY BULB	OCI Moorin
												39	SALINITY		TAPS4			0	Ţ	DATA LOCATION	WET S	gs/Physica
				<u></u>)))		SA	4	-		H 06	File Name/Header	TION	Pressure mbars SEA STATE US.	FOCI Moorings/Physical Oceanography
												उम्राज्य	SALINITY	SAMPLE BOTTLE DATA				1	eader		0	
						<u> </u>					_	21	SAL.	-			<u>-</u>	3		REMARKS	CLOUD (amt) C TYPE WEATHER	STA. DESIGNATION
												HETE.	L. NUTRIENT	SAMPLE BOTTLE NUMBER			_	HS-6-00		Š	22254m BOTTOM DEPTH (m)	ATION
										·			NT OTHER	ILE NUMBE			10	エ			STA.	

PG 14 OF 44

12	=	10	φ	ω	7	0	ה ה	රා	4	ω	N	_		P Ç	SEC	CON	PR	PRE	ТҮР		CONSC CAST #		VESSEL
												2774		DEPTH	14	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	DEG S\		VESSEL NOAAS MILLER FREEMAN
												2774	PRESSURE] 9		Ó	0	+, 91660		MIN NIN N		REEMAN
											-	74. (57	SURR		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	\ 7.		
,												1.629	PRI. TEMP	CIDCO		M		\ <u>\{\}</u>		JD/TIME	MIN MIN 332.04 W		
						-							MP.	NVERTED	FLUOR					ME	DATE JD=		PROJ. & L
							7					1.633	SEC. TEMP.	CTD CONVERTED MONITOR VALUES	ChIAM] 	Ţ	Γ	Ta		P P P P P P P P P P P P P P P P P P P		PROJ. & LEG MF96-14
		`											. Fo	LUES	TAPS6				Tape/Diskette ID		MIN MIN		FOCI N
					2			:				34.639	SALINITY			. 3			₽	DATA LO	DRY WET BULB		FOCI Moorings/Physical Oceanography
							33		,				Υ .		TAPS4	***		のようつくか	File Nam	OCATION	Pressur mbars SEASTA		ysical Ocea
			Ė							İ		34.644	SALINITY	SAMPLE BOTTLE DATA			:	155	File Name/Header		VIS.		nography
														OTTLE A				2		REV	- 4 ₹ - CLOUD	(amt)	STA. DESIGNATION
			:									3 0	SAL NUT	SAMPLE B				My 23		REMARKS	6 TYPE WEATHE DEPTH (m)	R	GNATION
													NUTRIENT O	SAMPLE BOTTLE NUMBER				1					
													OHEN	VBER							STA. NAME/ID		

PG 吃 OF 圳

12		10	9	8	7	o	D)	ζī	4	ω	2			, ,	SEC TEN	COND SN 480	PRI TEM	PRESS (TYPE &	СТО	CONSC CAST #	NOAAS N
						-				 				DEPTH TRIP	SEC TEMP SN 701	N 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	Ö	DEG M	VESSEL NOAAS MILLER FREEMAN
												SASIBLE	PAGS						91660		MIN N	EEMAN
												569	PRESSURE		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG DEG	
												1.6	PR	CTE		ACE I	I 1	NWO		c	MIN	
												119	PRI. TEMP.	CONVER	FLUOR ROUE					JD/TIME	DATE DAY	_
			<u>.</u>						,			1.6	S	CTD CONVERTED MONITOR VALUES							DATE JD= 265	PROJ. & LEG MF96-14
				!			ļ					6210	SEC. TEMP.	TOR VALU	ChIAM				Таре		<u></u> <u>∓</u> <u>@</u> <u>∃</u>	EG
						,	-							IES	TAPS6				Tape/Diskette ID		- Z	FOCI
												F149 46	SALINITY		Š		(2)		ō	DATA L	BULB BU	/loorings/
			3				į.				*	FI	IIIY		TAPS4	114	2	07	File N	LOCATION	Pressure	hysical C
	1											27	5	SAM			35	0016	File Name/Header	N		FOCI Moorings/Physical Oceanography
												8मा मह	SALINITY	SAMPLE BOTTLE DATA					ader		DIR WIND	
			:			 		-				24	SAL					37 J =		REMARKS	CLOUD (amt) TYPE WEATHER	STA. DESIGNATION
			:				+					Ŧ	L. NUTRIENT	SAMPLE BOTTLE NUMBER		1	1	- 2 2 1		₩S	BOTTC DEPTI	VATION
				1		_								TTLE NUN							NAME/ID	
	_												OTHER	/BER							1E/ID	

12	<u></u>	10	9	œ	7	თ	ĊΊ	4	ω	N	<u>_</u>		Ş	SEC TI	COND	PRITE	PRESS	TYPE		CONSC CAST #	NOAAS
													DEPTH	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD		NOAAS MILLER FREEMAN
-											JH 8 14 EC	25		91		Ö	0	+, 91660			HEEMAN
			:								845	PRESSURE		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N DEG LONG	
						<u> </u>					1.60	PR	CTB		ACE	로 I	NWO	Z 1	_	O O O O O O O O O O O O O O O O O O O	
											6083	PRI. TEMP.	CONVERT	FLUOR				-	JD/TIME	DATE DAY	-
										,	1,6	SEC	CTD CONVERTED MONITOR VALUES	ChiAM						P 2	MF96-14
											96	SEC. TEMP.	OR VALUES	AM				Tape/Di		TIME OF MARKET	
											U F	6		TAPS6				Tape/Diskette ID	_	N BOLB	
			-								(C) H3	SALINITY	5 5	 	 	[]	 - b	<u> </u>	DATA LOCATION	WET BULB	,
								<u> </u> 			در		Ş	CFS4			100	File Name/Header	ATION	Pressure Presucce Pressure	
			6								EH9.48	SALINITY	SAMPLE BOTTLE DATA				للا	leader		WIND DIR.	
			,					<u> </u>			ગ્રહ								REMARKS		
											6	SAL. NUTE	SAMPLE BOTTLE NUMBER					カファフコエド	RKS	WEATHER BOTTO	(
												NUTRIENT OF	OUN BILL							NAME/ID	
												OTHER	1BER							D D I/A	

PG 17 OF 44

VESSEL COND SN 480 CAST NOAAS MILLER FREEMAN PRI TEMP SN 889 **PRESS SN 91660** SEC TEMP SN 701 TYPE & SN 911+, 91660 12 70 № မ ω တ ம ω 85042.77N1 CTD TRIP LATITUDE BIC EMER PRESSURE TIMES AT SURFACE AT DEPTH START DOWN DATA ON 7330.22W22 PAR LONGITUDE 8619 CTD CONVERTED MONITOR VALUES PRI. TEMP. 266/0413 **JD/TIME** FLUOSE Fl DATE JD=266 0513 で1十0 ഗ MF96-14 PROJ. & LEG ₹ m U ChIAM SEC. TEMP. 9 ¥ တ 051810.1 Tape/Diskette ID GMT) FOCI Moorings/Physical Oceanography TAPS6 34.6413 DATA LOCATION SALINITY 8 2 2 6 TAPS4 File Name/Header 81001 Pressure mbars SEA STATE VIS. EH9.40 8 2 2 SAMPLE BOTTLE WIND DIR. SALINITY DATA CLOUD (amt)
TYPE
WEATHER
(m) STA. DESIGNATION 6 862394 REMARKS 89EC CUI SAL. 0 SAMPLE BOTTLE NUMBER NUTRIENT त STA. NAME/ID OHEN EN

PG 18 OF 出

PG 19 OF 比

12	1 1	10	9	ω	7	c	סס	сл	4	ω	N				g g	SEC 1	CONE	PRI TI	PRES	TYPE		CONSC CAST #	VESSEL NOAAS I
		.												DEPTH	퓦	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	OT DE	VESSEL NOAAS MILLER FREEMAN
												PALE	PRES			01		39	ŏ	1+, 91660		MIN MIN N	REEMAN
												9-3-6	PRESSURE			PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	⊥ DEC	
	:											1.6880	PRI. TEMP		CIDC		A	- -	WN 		JD/	LONGITUDE	
												9	EMP.		CTD CONVERTED MONITOR VALUES	FLUOR		i	i		JD/TIME	DATE JD=	MF
										i		1.6934	SEC. TEMP.		MONITOR \	ChIAM] 	 	 	 		P 22	MF96-14
												Ŧ	MP.		ALUES					Tape/Diskette ID		TIME GAMIN	- F _Q C
							· .				3	305 46	SALINITY			TAPS6				tte ID	DAT	BUE DRY	FOCI Moorings/Physical Oceanography
									<u></u>			Ĝ	YTIN			TAPS4			C	File N	DATA LOCATION	Pressure mbars	/Physical O
			- 1									34.636	SA	9	SAMPL				1500	File Name/Header	ž	SEA STATE VIS.	ceanograph
			,									36	SALINITY	DATA	SAMPLE BOTTLE					1 ~	77	6 8 ¥ 8	
												F	SAL. N	<u> </u>	SAMPI					OFFE	REMARKS	TYPE WEATHER	STA. DESIGNATION
		-											NUTRIENT		SAMPLE BOTTLE NI MBEB					0 1		PTH MOM	Ž
													OTHER THER		MRER							NAME/ID	

PG 21 OF 44

12		10	9	80	7	თ	ζŋ	4	ω	2	_		Ş	SEC TI	COND	PRI TE	PRESS	TYPE		CAST #	NOAAS
				!										SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	DEG _	NOAAS MILLER FREEMAN
											SOFE	72] 2		φ	0	+, 91660		MIN MIN	REEMAN
	, s										SCA.EJE	PRESSURE		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	2 13 B 0 5	
											1.0	PR	E		ACE T	크	NWO	Ž		NIN	
											TE	PRI. TEMP.	CONVEH	PLUOA.			02/5	2	JD/TIME	S DAY DATE	
							-			100	1	SI SI	ED MONI				y.	0215		DATE JD= 2/67	MF96-14
									:	(1	09/59	SEC. TEMP.	CID CONVERTED MONITOR VALUES	ChIAM	:			Tape/		<u>0</u>	6
				-			i		 		ري زي		8	TAPS6				Tape/Diskette ID		ME DRY	FOCI
							. 4.		p)		34.63	SALINIT	00000					₽	DATA L	B BUB B	oorings/Ph
											28 	Ĭ		TAPS4			277	File Nar	OCATION	Pressure mbars	ysical Oce
											34.638	SAL	SAMPLE DA				クロシン	File Name/Header		SEA STATE VIS. DIP	FOCI Moorings/Physical Oceanography
											<i>y</i>	SALINITY	SAMPLE BOTTLE DATA		;			¥		g ¥	
					• • •						(ر	SAL.	SAME				カカールコ		REMARKS	CLOUD (amt) TYPE WEATHER	STA. DESIGNATION
												NUTRIENT	TE BOTTL				1000			BOTTOM DEPTH (m)	Q N
						··							SAMPLE BOTTLE NUMBER			9				NAME/ID	

PG 23 OF 44

VESSEL NOAAS MILLER FREEMAN	j	PROJ. & LEG MF96-14	FOCI Moorings/Physical Oceanography		STA. DESIGNATION
CONSC CAST # LATITUDE	LONGITUDE	TIME DATE JD= みとず (GMT)	BUB Pressure	mbars SEA STATE VIS.	CLOUD (amt) IYPE WEATHER DEPTION
O235a0H.6-1	N DEG MIN	<u>0</u> 5 5 ×	00	ひ の こ エ の り り	27
CTD	TIMES JD/TIME	ME .	OCAT		ŝ
TYPE & SN 911+, 91660	DATA ON	フェッチ Tape/D	Tape/Diskette ID File N	File Name/Header	
PRESS SN 91660	START DOWN		S	4013	05°10 = 0.00
PRI TEMP SN 889	AT DEPTH				
COND SN 480	AT SURFACE				
SEC TEMP SN 701	PAR E	FLUOR СЫАМ	TAPS6 TAPS4		
POS. TRIP DEPTH	CTD COL	CTD CONVERTED MONITOR VALUES		SAMPLE BOTTLE DATA	SAMPLE BOTTLE NUMBER
PAR	PRESSURE: PRI. TEMP.	MP. SEC. TEMP.	SALINITY	SALINITY	SAL NUTRIENT
1 2658.019	1.6650	1.1.192	ンドンゴー	उम. ७३न	J
2					
ω			-		
4			÷:		
OI.			. P		
о		S1 18			
7					
ω			•		
9				¥	
10					
			31.		

PG ay OF 114

12	=	10	9	80	7	ტ	5	4		ω	2	_	Τ	ξ	SEC	CO	PA	PRE	TYP		O CAST CAST	VESSEL
										•		499			╗╗	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	DEG S 2	胺
												498, 555	PACS		701		89	80	1+, 91660		ATITUDE MIN 19. 83 N	
					ļ							0,	PRESSURI		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	17	
									às.			3,3644	PRI. TEMP	CIDCO		 	*	<u> </u>		JD/TIME	MIN N	
10		:							-		200		₽.	CID CONVERTED MONITOR VALUES	FLUOR	1				ME	DATE JD= 20-3 DAY MO YE	PROJ. & LEG
Į			11	:								2.3697	SEC. TEMP	ONITOH VAL	ChIAM				Тар		6 ~	& LEG
-						-		-					·	UES	TAPS6				Tape/Diskette ID		L ≥ M	FOCI N
							š	10		e 1.9		34.2131	SALINITA						ō	DATA LO	BURY WET	FOCI Moorings/Physical Oceanography
											V 1		×		TAPS4				File Name/Header	OCATION	Pressure mbars SEA STATE	ysical Ocea
			- 42		j					:		34.213	SALINITY	SAMPLE BOTTLE DATA					e/Header		VIS.	nography
											ı						3			REM	€ CLOUD (amt) TYPE	STA. DESIGNATION
													SAL. NUTRIENT	SAMPLE BO			D= 49			REMARKS		SNATION
													NENT OTHER	SAMPLE BOTTLE NUMBER			9				STA.	

12		10	မ	ω	7	ი	σ	4	ယ	2	_		3	SEC	ç	PA	PRE	TYF		CONSC CAST #	VESSEL
											282		DEP I	74	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	DEG S	
											426,382	PRESSUR		01		Ø	0	+, 91660		ATITUDE MIN N	
											42	SURP		PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	7	
		:				:					5.0988	PRI. TEMP	COC]]		<u> </u>		JD/TIME	MIN S A H	
	Ţ					-						P.	CID CONVERTED MONITOR VALUES	FLUOR	1				ME	DATE JD= 21 DAY MO	PROJ. & LEG
					ļ				:		5.1016	SEC. TEMP	ONITOR VAL	ChIAM	<u>"</u> 	1		Tap		<u>6</u> ₹ 1	& LEG
												.0	DES	TAPS6				Tape/Diskette ID		NIM CHAIN	FOC! t
							æ.				33, HS13	SALINITY		ss6				ō	DATA I	DRY WET BULB BULB	Moorings/Ph
												\ 		TAPS4			:	File Nan	DATA LOCATION	Pressure mbars SEA STATE	FOCI Moorings/Physical Oceanography
											33.460	SALINITY	SAMPLE BOTTLE DATA					File Name/Header		SEASIATE VIS. DIR WIND	anography
													NOTTLE			3	r 		REN	(3) (8 \le \frac{\x}{\z}) (b) CLOUD (amt)	STA. DESIGNATION
			-								S)	SAL. NUTRIENT	SAMPLE BO			コンクーンスト			REWARKS	6 TYPE WEATHER DEPTH (m)	GNATION
												NENT OTHER	SAMPLE BOTTLE NUMBER		1	٠				NAME/ID	

PG 26 OF 出

PG 計 OF 出

12	11	10	Ø	ω	7	6	5	4	ω	2	. 65		DEPTH	POS. TRIP	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	CONSC CAST LATITUDE # DEG MIN O A 8 5 6 5 2 . 19	VESSEL
											65,294	PRESSURE			PAR	AT SURFACE	9 AT DEPTH	START DOWN		TIMES	Z	
											2,5429	PRI. TEMP.	445400	CTD CONVERTE	? FLUOR	ACE		OWN		JD/TIME	MIN DATE	70
											2,5473	SEC. TEMP.		CTD CONVERTED MONITOR VALUES	ChIAM			<u> </u>	Tape/Di		O H (GMT)	PROJ. & LEG F
	<i>p</i> .	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7								31.7231	SALINITY			TAPS6 TAPS4			<u>C7</u>	Tape/Diskette ID File N	DATA LCICATION	BULB WEI	FOCI Moorings/Physical Oceanography
			548								31.337	SALINITY	DATA	SAMPLE BOTTLE			1107	8600	File Name/Header	Ž.		
											S.	SAL NUTRIENT OTHER		SAMPLE BOTTLE NI IMBER		l K	Carlo Mant	added becarding	mD= 66	REMARKS	CLOUD (amt) TYPE WEATHER DEPTH STA. NAME/ID	STA DESIGNATION

PG 28 OF 44

7

10 <u>-</u>

9 ထ თ 5

7

ω N

PG 29 OF 44

VESSEL

CAST

CTB

PG 30 0F 出

VESSEL NOAAS MILLER FREEMAN CONSC CAST			rings/Physical	,	STA. DESIGNATION STA. DESIGNATION ATHER BOTTOM
CAST LATITUDE # DEG MIN	LONGITUDE DATE	NIM BH BK OW AVO	BULB BULB Pressi	VIS. WIND WIN	TYPE
03 - 5 4 1 8. 95 N	16445.86 w 26	S E P 9 6 0 a 1 8	81119 S'E	8582802 8025	56
CTD	TIMES JD/TIME		DATA LOCATION	ON	REMARKS
TYPE & SN 911+, 91660	DATA ON	Tape/Diskette ID		File Name/Header	(T) ()
PRESS SN 91660	START DOWN		97.	003	?
PRI TEMP SN 889	AT DEPTH			33	*1,000000000000000000000000000000000000
COND SN 480	AT SURFACE				THE RUN 6 5115
SEC TEMP SN 701	WPAR WALUOR	ChIAM	TAPS6 TAPS4		
POS. TRIP DEPTH	CTD CONVERT	CTD CONVERTED MONITOR VALUES		SAMPLE BOTTLE DATA	SAMPLE BOTTLE NUMBER
PAES	PRESSURE PRI. TEMP.	SEC. TEMP.	SALINITY	SALINITY	SAL.
1 63.735	6.8660	6.8693	33,0733	22 083	20
2				ľ	
ω I		23			
4					1
55					
о			80		
7					
8					
9					\dashv
10					+
					寸
					十

PG 31 OF 44

VPASSE			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-				
DDE	VESSEL NOAAS MILLER F	REEMAN		PROJ. & LEG MF96-14	FOCI Moorings/Physical C		DESIGNATION	
DES	CONSC	<u> </u>	*		sure	STATE	HER	
DEG		TUDE		OE	BULB BULB Press	SEAS VIS. VIND WIND WIN	TYPE WEAT	STA
19 10 15 18 25 23 36 24 38 30 24 38 30 24 38 30 24 38 30 24 38 30 24 38 30 24 38 30 24 38 30 24 38 30 24 38 30 24 38 30 24 30 38 30 24 30 38 30 24 30 38 30 24 30 38 30 24 30 38 30 24 30 38 30 24 30 38 38 38 38 38 38 38			MZ.	₩ ₩	Z			
91880 DATA ON START DOWN START DOWN AT SURFACE CTD CONVERTED MONITOR VALUES SEC. TEMP. SALINITY SALINI	3 5 4 3	Z	35.36W	S E P 9 6 1 9	14.410.12	383006	61 27	
91660 DATA ON Tape/Diskette iD File Name/Header START DOWN AT DEPTH AT SURFACE AT SURFACE CID CONVERTED MONITOR VALUES CID CONVERTED	CTD				_	ž	REMARKS	
START DOWN AT DEPTH AT SURFACE AT SURFACE CTD CONVERTED MONITOR VALUES CTD CONVERTED MONITOR VALUES CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE SALINITY SALIN	TYPE & SN 911.		ATA ON	Tape/C		ame/Header	2-11 0:00	0
AT SURFACE AT SURFACE AT SURFACE CTD CONVERTED MONITOR VALUES PRESSURE PRILTEMP. SEC. TEMP. SALINITY SALINIT	PRESS SN 91660		ART DOWN		2	الا الا	13.30	0
AT SURFACE CID CONVERTED MONITOR VALUES PRESSURE PRI. TEMP. SEC. TEMP. SALINITY	PRI TEMP SN 889		DEPTH					L
CID CONVERTED MONITOR VALUES CID CONVERTED MONITOR VALUES PRESSURE PRI TEMP. SEC. TEMP. SALINITY SAL	COND SN 480	<u> </u>	SURFACE				OEC = CO	
CID CONVERTED MONITOR VALUES PRESSURE PRI, TEMP. SEC. TEMP. SEC. TEMP. SALINITY	SEC TEMP SN 70	٩	7	<u> </u>				
PRESSURE PRI. TEMP. SEC. TEMP. SALINITY SALINITY SAL. NUTRIENT 33.9348 33.9348 93.9343 9	POS. TRIP /		CTD CONVE	RTED MONITOR VALUES		SAMPLE BOTTLE DATA	SAMPLE BOTTL	E NUMB
269,443 4,3362 33,9348 33,9343 9		PRESSUR		SEC. TEMP.	SALINITY	SALINITY	_	
	\vdash	269,443	4,326H	ų,33 4 2		23.942		
3 4 4 5 6 7 8 9 10 11 12	2							-
5 6 7 8 10 11 11 12	ω	<i>\$</i> .	2000	÷			•	1
5 6	4							
6 6 7 7 7 7 7 7 7 7	(C)							
7 8 9 10 111 12	o							
11 10 9 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7							
11	ω							
12 10 10 11 10 11 11 11	g							
12	10					-		
12								6
	12							

VESSEL	_		PF	PROJ. & LEG	FOCI Moorin	ns/Physical C	FOCI Moorings/Physical Oceanography S	STA DESIGNATION	ATION	
NOAAS MILLER FREEMAN	REEMAN		M	MF96-14		`.				
CONSC		£			}	ssure	STATE	UD (amt)	_	
	ATITUDE	LONGITUDE	TUDE DATE JD= 2	ID=ソゴO (GMT)	BUB PA		VIS.	TYPE	(m) H (m)	STA.
	MZ	B	MIN DAY	MO YA HA	Н	┝				
03 35 H3	2.5 8 Z	15833	S 9 M M B O S	m p 9 6 2 (011.7	8.7 2	528285	8361	1021	n D
ств		TIMES	JD/TIME		DA	DATA LOCATION	×	REMARKS	S	į
TYPE & SN 911+, 91660		DATA ON		Tape/D	Tape/Diskette ID	File N	File Name/Header			
PRESS SN 91660		START DOWN	Z			2	7	3		
PRI TEMP SN 889		AT DEPTH				ļ				
COND SN 480	Σ .	AT SURFACE								
SEC TEMP SN 701	303	PAR	FLUOR	ChIAM	TAPS6	TAPS4		-		
POS. TRIP /			CTD CONVERTED	CTD CONVERTED MONITOR VALUES		[SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	NUMBER
	PRESSURE	Æ	PRI. TEMP.	SEC. TEMP.	SA	SALINITY	SALINITY	SAL	NUTRIENT	
lodi	2041, A62	ኒ	3,4299	3,4344	34,3461	4ф4	34.346	*		
N						:				
ω				(4)						
4										
(J)	,				•					
o ,										
7										
8										
9					-					
10										
1						į.	34			
12										

12	1	10	9	8	7	თ	ζī	4	ω	2	_		HIABO	POS. TRIP	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN	CTD	CONSC CAST # DEG	
											1618	PR	<u> </u>		N 701	ŏ	1 889 1	1660	TYPE & SN 911+, 91660		MIN	
											288.4916	PRESSURE			PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG LONG	
	201	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									869E1	PRI. TEMP.	A	CTD CONVE		m		Ž		JD/TIME	LONGITUDE DATE	
											177	SEC.		CTD CONVERTED MONITOR VALUES	R ChIAM]					TE JD= 27	
				•					33.		CHEE	SEC. TEMP.		₹ VALUES				:	Tape/Diskette ID		FR (GMT)	
								S			34.6081	SALINITY			TAPS6				ette ID	DATA	Buna A	
											8	7			TAPS4			5775	File Nam	DATA LOCATION	Pressure mbars SFA STATI	
			-								H17.46	SALINITY	DATA	SAMPLE BOTTLE				7034	File Name/Header		⊗ VIS.	
												Y SAL.		┥				33.5		REMARKS	U CLOUD (a TYPE WEATHER	nt)
												L. NUTRIENT		SAMPLE BOTTLE NI MARED				m5=2196		*S	BOTTOM DEPTH (m)	
										,		T OTHER							. =	n e	NAME/ID	

PG 36 OF 44

	ŀ		T	1	_	<i>.</i>		,	_	т—	т		_		1 (2			~~	_ •		Γ_		
12		0	ω	8	1	<u>'</u>	6	(J)	4	ω	N	-	-		10.01	GNOC	뀖뜐	PESS	TYPE	_	S	CONSC CAST #	VESSEL NOAAS
												152			SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	& SN 91	CTD	60 07 6	DEG	SMILLER
												152, 992	PRESSURE		01	и .		ő	TYPE & SN 911+, 91660		0.46 N	LATITUDE	VESSEL NOAAS MILLER FREEMAN
				-								32	SE SE		√ PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1563	LONGITUDE DEG MIN	
												6,2998	PRI. TEMP	CTD CON	Merca	i Rigi		≥		JD/TIME	51 め W		
													. .	CTD CONVERTED MONITOR VALUES	NOR Y					m	A B E b	DATE JD= 2	PROJ. & LEG MF96-14
	-									¥3.		6,3010	SEC. TEMP.	NITOR VALU	ChIAM		· -		Tape		9619	# (S) # (# (# (# (# (# (# (# (# (# (# (# (# (& LEG 14
								N.				3		ES	TAPS6				Tape/Diskette ID		4117	TIME DRY (GMT) BULB	FOCI M
									ļ			31,2369	SALINITY					 -		DATA LOC	0 5.0	Y WET	FOCI Moorings/Physical Oceanography
												ဟု		S _A	TAPS4			350G7	File Name/Header	LOCATION	a 73	Pressure mbars SEA STATE VIS.	ical Oceano
				·								32,239	SALINITY	SAMPLE BOTTLE DATA		i		φ	leader		82601	WIND DIR.	
												h	SAL				C 51 = 1 (1)	91736	0000	REMARKS	184	ଫୁ ≦ CLOUD (amt) TYPE WEATHER	STA. DESIGNATION
-				, ,									NUTRIENT	SAMPLE BOTTLE NUMBER		g	اد ار	6	Near Madrica	S	163	BOTTOM DEPTH (m)	ATION
														ENUMBER			=	=			T 42	STA.	5.5

		12	=	10	9	80	7	တ	(J1	4	ω	N	_		POS.	SEC	C O	PRI 1	PRE	ΤΥPI		0	# }	CONSC	NOAAS
0	ζ O	8.5	8.5	10,1	30/	30	HOJ	50/	THE C	1000	1501	200/			DEPTH	SEC TEMP SN 701	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	39572	다. 다.	<u>4 8</u>	VESSEL NOAAS MILLER FREEMAN
2,208	Ect's	h69.8	2,762	10,654/16,835	26,573	36.56€	40.935	51.013	45.696	100,852	150,392	201.506		PRESSURE			Si. 1	39 AT DEPTH	e i de la companya de	1+, 91660 DATA ON	TIMES	31.03N1S4	ATITUDE I		FREEMAN
9.1257	4781.6	9.1282	3,1756	4.1252/9.1337	8,9030	Shot's	8,536H	8 426.8	6.9364	5,4559	5,652H	S 2 5 8		PRI. TEMP.	CTD CONVER	PAR VELUCA	AT SURFACE	PTH	START DOWN	ON	\$ JD/TIME	4 46.82W28	MIN		
9,1776	9.1353	9,1324	9.1292	12516 22216	8.9625	4904.3	8,5378	2445.8	6,9322	5,4579	5,6586	5.3265		SEC. TEMP.	CTD CONVERTED MONITOR VALUES	ChIAM				Tape/Di		S E P 9 6 4 8	DATE JD= 272 (GMT)	h	PROJ. & LEG MF96-14
31.6663	31,66 55	31,6645	31,6713	31,6766	4 31, (998	\$465.1E	31,9386	31.9669	32,4787	32,2126	32,6006	33,1204		SALINITY		TAPS6 TAPS4			C	Tape/Diskette ID File	DATA LOCATION	6 5.7 3.32	BULB BULB	·	FOCI Moorings/Physical Oceanography
												33.\38		SALINITY	SAMPLE BOTTLE DATA	*			2039	File Name/Header	NOI	8382752	mba	STATE	
くられてく		***************************************	V ONEIV	V PEEIV	/\ &CE1/	√\733 √		/1736 /	/\35	h2t/	V 1333	CEFIN 60		SAL. NUTRIENT OTHER	LE SAMPLE BOTTLE NUMBER		CID FOR F-9601	6	po ,	m 105 = 1000	REMARKS	0662 218 43	CLO TYPE	UD (amt) NO THER BOTTOM	STA. DESIGNATION

\ <u>\</u>	12 12 (1)	11 /0 / 15	10 12 6 15	9 30 / 2	8 30 / 3	7 40 4	60	5	4 100 1	3 150 /	2 200 / 2	1 22.25 / 2		POS. TRIP	14	COND SN 480	PRI TEMP SN 889	PRESS SN 91660	TYPE & SN 911+, 91660	CTD	0H 5 7 3 6 2 2 5 MIN	1 5	VESSEL NOAAS MILLER FREEMAN
CONTY	12.565	12. 644	12,659	20,256	30.318	40,821	51.671	45, 654	100,539	150, 304	201.442	226.846	PRESSURE		K PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 155 6	LONG	Ž
	9,1871	9.1811	9,2256	9,2525	9,2108	9,1687	8,8691	7,8010	6.7264	ų. 8933	5,3874	5.4188	PRI. TEMP.	CTD CONVERTED	√FLUOR			2		JD/TIME	0.76W28SE	DATE	PF MR
	9.1887	3.1858	9,2273	9,2559	9,2140	9.1724	= 43.3	7,8060	6.7289	4.8981	5,3949	5,4225	SEC. TEMP.	CTD CONVERTED MONITOR VALUES	ChIAM				Tape/Diskette ID		MO YA HA MIN	(GF 1) 1) 1)	PROJ. & LEG FI MF96-14
	30,8904	30,8905	30,9096	36,9792	31,1253	31.19\$1	31,3472	31,9394	32, 1062	32,4167	33, 1284	33, 3024	SALINITY		TAPS6 TAPS4			CTA		DATA LOCATION	2.92	BULB WET Pressure mbars	FOCI Moorings/Physical Oceanography
												33.311	SALINITY	SAMPLE BOTTLE DATA	2			TUOHI	File Name/H≑ader	Z	93828526	SEA STATE VIS. DEPOSITE OF SEA STATE VIS. DEPOSI	L
17	1 4541 /	/ 1753 /	1752	/ 1541 /	/ 92¢/		/ 1749 /	Sht. 1	₹141 /	7 ht/	V 1745	22 / 1744	SAL. NUTRIENT OTHER		À1	l - I		FOCI LINE 8		REMARKS	762242	CLOUD (amt) TYPE WEATHER OEPTH STA. NAME/ID	STA. DESIGNATION

PG 41 OF 44

CONSC CAST LATITUDE # LATITUDE # DEG MIN CTD TYPE & SN 911+, 91660 PRESS SN 91660 PRESS	DEG NATA STAR AT DE AT SU AT SU AT SU		DE DATE JD= TIME DRY DAY MO YR HR MIN BULB Tape/Diskette iD Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Taps/ Tap	MELS 8 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	APS4 APS4 SAMPLE BOTTLE DATA SALINITY APS4 Pressure mbars SEA STATE VIS. DIR. WIND WIN PRESSURE MDATA SEA STATE VIS. PRESSURE MORE MORE MORE MORE MORE MORE MORE MO	REWARKS
_	- 2	12		₽ ₩ = M = W	nbars SEA STAT IS.	YPE VEATHEF
	DEG _	DATE .	± €	BULB BULB	Mb SE VIS	TYF
	z	× ⊗	P 9			
CTD	TIMES	JD/TIME			ŌN	REMARKS
TYPE & SN 911+, 916		N	Tape/Dis		Name/Header	
PRESS SN 91660	START DC	NAK				
PRI TEMP SN 889	AT DEPTH					
COND SN 480	AT SURFA	CE .				-5
SEC TEMP SN 701	PAR	FLUOR	ChIAM			
	9	CTD CONVERTED	MONITOR VALUES		SAMPLE BOTTLE DATA	
	PRESSURE	PRI. TEMP.	SEC. TEMP.	SALINITY	SALINITY	
0	0.364	6541.6	2 c + 1 6	30,2822		
101	445.0	9,1838	14816	he88.08		
10/	0,384	5841.6	9.1806	30, 8877		-
4 0 (2.963	9.1616	9.1643	30.886¢		71
Cī						
סס						+
ļ						
7						
8 7	AND THE PERSON NAMED IN COLUMN					+
9 8 7						†
7 7 8 9 9 10						
7 7 8 8 9 10 110 111						

PG 出 OF 出

P S S

N

ω

12

10 _

ဖ ထ თ G

PG 43 OF 44

PG U OF 性