								12
								11
			:					10
								9
								8
								7
								6
						-		5
								4
								ш
						_		2
		70,000	18545	200	7,4270	7.4019	19	و م -
MORDY'S NUTR. CHL. WHIT'S NUTR.	SALINITY	SALIN	YTIN	PRI.	SEC. TEMP.	PRI. TEMP.	SAMPLE BOTTLE NUMBER	
Street Cr. Co. Let Donne								
SAMPI E ROTTI E DATA				VALUES	CTD CONVERTED MONITOR VALUES	СТВС		POS. TRIP DEPTH
Cleaned air bleed valve					9P	∭ WETSTAR WS3S-869P	4C S/N 2489	SEC COND SN 4C
							3+ S/N 2786	SEC TEMP SN 3+
MAX. DEPIH CID = O m						AT SURFACE	4C S/N 2985 AT S	PRI COND SN 4C
9		1			- 51	AT DEPTH	3+ S/N 2376 AT D	PRI TEMP SN 3+
	QQ _2070	0707	000707 Leg I	90	- 49	START DOWN	9+ S/N 0772 STAF	PRESS SN 9+
The state of the s	File Name/Header	File Nar	Tape/Diskette ID	Tape/Di	87.18		DATA ON	TYPE & SN
REMARKS		DATA LOCATION			ME	_	貫	CTD
्र छ -	300	1024	7 8.5	903	VAY MO TR	634. G	MIN DEG	20 DEG
SPD. * CLOU	* VISI		₽	TIME (DATE JD=	LONGI	LATITUDE	CONSC CAST # L
D (amt	BILITY 호	SURE STATE		-	11			
pre-cruise Calpration				.iG	PROJECT & LEG OD0707		YSON	VESSEL NOAA R/V OSCAR DYSON

1-27. 28-62 Leg II

TO 12 B B 7 B 15 4 W 70 -		304	ARE COND SAN	MS ELMIS EM	TYPE & SN	6119	CONSC CONSC	VESSEL
Day P		HLAND AND					DEG LA	VESSEL
	SAMPLE BOTTLE				9+ S/N 0772		ATITUDE	MOS
	F		×	AT DEPTH	DATA ON START DOWN	TIMES	DEG 1.03	
	PRI. TEMP.	cn	W BULE		1 _1_	CI-	S O . 1.5	1
	SEC. TEMP.	CTD CONVERTED MONTOR VALUES	-BBBB	0855	0850	JD/TIME	DATE JD-	PROJECT
	EMP.	ADMITTOR VA			3 4		VR VR	PROJECT & LEG
	PRI. SALINITY	ALLUFA			Tapa/Diskette ID 000707 Leg		HR (GMT)	
	YEN				Diskette ID		AIR TEMP	
	SEC. SALINITY				1 -	BATA LOCATION	O (iii) PRESSURE	
	Į.				0707_30	NOITA	SEASTATE * WEBILITY	
	SALINITY				Header		TRUE (deg)	
	To the second	SAMPL		*		冊	7 (SE	STATION DESIGNATION
	MORDY's	SAMPLE BOTTLE DATA	Cleane	MAX, DEPTH CTD =	1. 1. 1	REMARKS	✓ CLOUD (amt)	DESIGNATION
	CHI.	DATA	Cleaned air bleed valve	(TD =			- MEATHER	2
	WHIT'S NUTR.		Valve	3			B0110M DEPTH (m)	

5 **=**

9 ∞ ~ တ ເພາ 4 w N

CTD

12	17	10	9	œ	7	6		5	4	ω	2	_		POS.		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	CTD	34		CONSC CAST #	VESSEL NOAA R
-												a,5		TRIP DEPTH (m)	ı						NS		4591	DEG	# Č	VESSEL NOAA R/V OSCAR DYSON
												AR	SAMPLE BOTTLE NUMBER	Ξ		4C S/N 2489	3+ S/N 2786	4C S/N 2985	3+ S/N 2376	9+ S/N 0772			9 . 63 N	MIN	LATITUDE	DYSON
												here'h	TLE PRI. TEMP.	CT	•	X WETSTAR WS3S-869P		AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES JE	Ē.	DEG MIN	LONGITUDE	200
								,				3598.h	SEC. TEMP.	CTD CONVERTED MONITOR VALUES		-869P			070	0659	0658	JD/TIME	20 N N C B C M C L . 60	DAY MO YR	DATE JD=	PROJECT & LEG
												A28. PE	PRI. SALINITY	VALUES						0D0707 Leg 11	Tape/Diskette ID		7 59 0	_	TIME (GMT) AIR	- G
												29.8333	SEC. SALINITY									DATA LOCATION	4.71003	(mb)		
													SALINITY		-					0707_ 34	File Name/Header	Ž	265	- ,		
													MORDY's	SAMPLE BOTTLE DATA	Cleaned			MAX. DEPTH CTD =				REMARKS	. 0	1	TYPE	STATION DESIGNATION
													CHL: W	DATA	Cleaned air bleed valve			TD- +	3					 - -	• WEATHER	Ž
							_						WHIT'S NUTR.		alve			3					5		BOTTOM DEPTH	

12	1	10	9	00	7	ľ	6	5	_	ω	2	_		POS.		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	CTD	0 الا	100	CAST #	VESSEL NOAA R
												None		TRIP DEPTH (m)							NS.		6590	DEG	# Ö	VESSEL NOAA R/V OSCAR DYSON
													SAMPLE BOTTLE NUMBER			4C S/N 2489	3+ S/N 2786	4C S/N 2985	3+ S/N 2376	9+ S/N 0772				MZ I	ATITUDE	DYSON
					<u> </u>							<u> </u> 	<u>E</u>		8500	×]	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES		DEG .	_	
													PRI. TEMP.	CTD		WETSTAR WS3S-869P		ICE .			ł	JD/TIME	0	MZ	LONGITUDE	
													SEC. TEMP.	CTD CONVERTED MONITOR VALUES		69P		225	121	1219	121/	TIME	9 W 2 4 J U N 0 7	DAY MO YR	DATE JD=	PROJECT & LEG OD0707
													PRI. SALINITY	VALUES						0D0707 Leg I (Tape/Diskette ID		122104.	HR MIN (°C)	TIME (GMT) AIR TEMP	67
													SEC. SALINITY							0707_36	File Nam	DATA LOCATION	1 1002	(mb) *	PRESSURE SEA STATE	
													SALINITY					33		36	File Name/Header		2751	* (deg)	TRUE WIND DIRN.	SI
													MORDY's	SAMPLE BOTTLE DATA	Cleane			MAX. DEPTH CTD =	Anna definimenta se se a constante de la const			REMARKS	2	ts)	SPD. WIND CLOUD (amt	STATION DESIGNATION
													운.	DATA	Cleaned air bleed valve	•		CTD =						*	WEATHER	_
				-									WHIT'S NUTR.		d valve	•		m 47					OK.	(E)	BOTTOM DEPTH	

			T						T	Т	П	1		<u> </u>		اچ	SE SE	SEC	¥	골	PR	7	G		1	<u> </u>	<u>8</u> ≲
13	=	10	9	00	<u>'</u>	7	<u>ნ</u>	5	4		"	2				POS. TI	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	١	3 9		CONSC	VESSEL NOAA R/\
													Jone		(m)	TRIP DEPTH						2		5621	DEG		VESSEL NOAA R/V OSCAR DYSON
							-							SAMPLE BOTTLE NUMBER	i		4C S/N 2489	3+ S/N 2786	4C S/N 2985	3+ S/N 2376	9+ S/N 0772			1.28 N	MIN	LATITUDE	NOSY
																	X		AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	110	DEG	LONG	
											:			PRI. TEMP.		CTD C	WETSTAR WS3S-869P				Z		JD/TIME	9 . 21 w	MN	LONGITUDE	
														SEC. TEMP.		CTD CONVERTED MONITOR VALUES	9P		100	100		100	ME	2 0 N O L G K	ĕ ŏ	DATE JD=	PROJECT & LEG
														PRI. SALINITY		VALUES					000707 Leg II	Tape/Diskette ID		-C - L - Z	T ME	(GMT) AIR	67
						1								SEC. SALINITY							_/0/0		DATA LOCATION	11 00 1	9		
														SALINITY						:	1-39	File Name/Header		1 12/10	-		
													<u> </u> 	MORDY's		SAMPLE B			141XV			† 	KEMAKKO	1 1 1 1	1	TRUE WIND 3	STATION DESIGNATION
								1					+			SAMPLE BOTTLE DATA	Cleaned air bleed valve		וויייייייייייייייייייייייייייייייייייי	CTO HIES		1	3	× -		* CLOUD (am * TYPE	GNATION
		1					_			_	1		\perp	욷	_ '	>	bleed v				-			-		* WEATHER	_
								•						WHIT'S NUTR			/alve		2/)./ m	Comment of the contract of the			4	ا لار الـ	BOTTOM DEPTH	

SEC COND SN CTD SEC TEMP SN PRI TEMP SN PRESS SN TYPE & SN NOAA R/V OSCAR DYSON PINI COND SN VESSEL POS. 0 4 0 5 8 4 2 . 9 3 N CAST # ಠ ယ N 12 9 g, 0 TRIP DEPTH surface <u>.</u> 3+ S/N 2376 9+ 5/N 0772 4C S/N 2489 3+ S/N 2786 4C 5/N 2985 LATITUDE SAMPLE BOTTLE NUMBER 27 AT SUNFACE START DOWN AT DEPTH DATA ON TIMES DEG × LONGITUDE WETSTAR WS3S-869P 33.68 W 26 J U N 0 7 09 4303. PR! TEMP. CTD CONVERTED MONITOR VALUES 0939 09 40 09 43 DAY MOA edit SEC. TEMP. DATE JD= Tape/Diskette ID TIME (GMT) AIR TEMP 돐 PRI. SALINITY 000707 Leg 11 <u>Z</u> (°C) DATA LOCATION SEC. SALINITY 0 100 PRESSURE 6 File Name/Header 0707 40 **SEA STATE** VISIBILITY SALINITY DIRN. STATION DESIGNATION TRUE WIND (amt) SAMPLE BOTTLE DATA (kts) REMARKS MAX. DEPTH CTD -MORDY's NUTR. Cleaned air bleed valve **TYPE** 운 WEATHER WHIT'S NUTR. воттом DEPTH 3

3.

12 11 10 9 8 7 6 5 4 3 2	POS. TRIP DEPTH (m)	VESSEL NOAA R/V OSCAR DYSON NOAA R/V OSCAR DYSON CONSC CAST # LATITUE CAST # DEG MIN DEG MIN DEG MIN PRESS SN 9+ S/N 0 PRI TEMP SN 3+ S/N 2 PRI COND SN 4C S/N 2 SEC COND SN 4C S/N 2
	SAMPLE BOTTLE NUMBER	DE DEG TIMES TIMES TAT DEPTI 376 AT SURF
	CTD CO	WIN OF THE PROPERTY OF THE PRO
Roa	CTD CONVERTED MONITOR VALUES SEC. TEMP. PR	PROJECT & LEG ODO707 DATE JD= DAY MO YR DAY MO YR DO56 O56 O56 O56 O56 O56
	PRI. SALINITY	TIME (GMT) AIR TEMP HR MIN (°C) Tape/Diskette ID 0D0707 Leg I1
	SEC. SALINITY	P (mb) PRESSURE PRESSURE File Name 0707
	SALINITY	(5) 8 8 8 E
	SAMPLE BOTTLE DATA MORDY'S NUTR. CHI	TRUE WIND DESIGNATION STATION DESIGNATION STATION DESIGNATION (kts) * CLOUD (amt) (kts) * TYPE * WEATHER WEATHER WEATHER **
	CHL. WHIT'S NUTF	DESIGNATION O CLOUD (amt) TYPE WEATHER O M AX. DEPTH CTD - (6/6 m) AX. DEPTH CTD - (6/6 m) AX. DEPTH CTD - (6/6 m)

12	11	10	9	8	7	6	·	4	ω	2	1		(m)	POS. TRIP DEPTH	SEC COND SN 4C	SEC TEMP SN 3+	PHI COND SN 4C	~		TYPE & SN	Ì	_	DEG	CONSC CAST #	NOAA R/V OSCAR DYSON
											3	SAMPLE BOTTLE NUMBER			4C S/N 2489	3+ S/N 2786	4C 5/N 2985	3+ S/N 2376	9+ 5/N 0772			5. 13 2	™	LATITUDE	NOSA
												PRI. TEMP.		CIDC	X WETSTAR WS3S-869P	_	AT SURFACE	AT DEPTH	W.	ON .	TIMES JD/TIME	7257.50 w27	ME.	LONGITUDE	10
												SEC. TEMP.		CTD CONVERTED MONITOR VALUES	9 P		047	043	039	1039	NE .	27 JUN071	MO	DATE JO=	PROJECT & LEG OD0707
												PRI. SALINITY		LUES					0D0707 Leg 11	Tape/Diskette ID		01303.0		(GMT) AIR	
					_							SEC. SALINITY							0707_ 41	File Name/Header	DATA LOCATION		7	* SEA STA*	
		,										SALINITY		S.						eader	•			TRUE TRUE OF T	STATI
												NUTR.		SAMPLE BOTTLE DATA	Cleaned			MAX. DEPTH CTD -				REMARKS	Q	(kts) TRUE WIND (a	STATION DESIGNATION
												CHL. WHIT'S NUTR.		DATA	Cleaned air bleed valve			то <u>.</u> 9					- 01	* WEATHE BOTTOM	

								STATION DESIGNATION	SIGNATION		
VESSEL			PROJECT & LEG			1			<u> </u>		
NOAA IV V COCAN DI COCA					RESSURE	SEA STATE	VISIBILITY TRUE	TRUE WIND	CLOUD (am	WEATHER	ВОТТОМ
CAST # LATITUDE	Ĕ	LONGITUDE	DATE JD=	40	1	_	* (deg)	(kts)		*	(3)
DEG		MZ.		_	2 1 100	F F	109	21.4			×
0 4 5 5 9 2 8.	\S	7221.41 w2	WZ /JUN07	10000	-	OCATION L		R	RKS		
СТВ	=	TIMES JD/TIME				DATA LUCATION	Loador				
TYPE & SN	<u>p</u>	DATA ON 305		Tape/Diskette ID	ō	File Natite/Treaser	7 Teauci	- 11	1	,	
PRESS SN 9+ 5/N 0772		START DOWN 1306		000707 Leg I t	eg I 1	OL -70/0	C	- 13			
PRI TEMP SN 3+ S/N 2376		AT DEPTH 1308						MAX	MAX. DEPTH CTD -	0	77 m
PRI COND SN 4C S/N 2985		AT SURFACE									
SEC TEMP SN 3+ S/N 2786	786										
SEC COND SN 4C S/N 2489	489	X WETSTAR WS3S-869P							Cleaned	Cleaned air bleed valve	/alve
POS. TRIP DEPTH		CTD CONVE	CTD CONVERTED MONITOR VALUES	ALUES				SAMPLE	SAMPLE BOTTLE DATA	ATA	
								×.	MORDY's		
SAI	SAMPLE BOTTLE NUMBER	E PRI. TEMP.	SEC. TEMP.	PRI. SALINITY		SEC. SALINITY	SALINITY		NUTR.	운	WHIT'S NUTR.
1 None											
2											
ω											
4								<u> </u>			
0.5											
1 6											
00 -											
9											
10											
=											
12							20.5	38 -58			

SEC COND SN SEC TEMP SN TYPE & SN CTD 0王7 PRI COND SN PRI TEMP SN PRESS SN NOAA R/V OSCAR DYSON VESSEL POS. CAST # _ 5 12 9 œ 6 w N TRIP DEPTH 07 5723.39N 3 4C S/N 2489 3+ S/N 2786 4C 5/N 2985 3+ S/N 2376 9+ S/N 0772 LATITUDE SAMPLE BOTTLE NUMBER DATA: ON AT DEPTH AT SURFACE START DOWN TIMES 7237.54 w 29 J U N 0 7 WETSTAR WS3S-869P LONGITUDE PRI. TEMP. CTD CONVERTED MONITOR VALUES DAY PROJECT & LEG OD0707 SEC. TEMP. DATE JD= Tape/Diskette ID TIME (GMT) AIR TEMP
HR MIN (°C) 72 PRI. SALINITY 0D0707 Leg 11 705. DATA LOCATION SEC. SALINITY (mb) PRESSURE 5 File Name/Header 0707_47 **SEA STATE** VISIBILITY SALINITY TRUE DIRN. SPD. WIND CLOUD (amt) STATION DESIGNATION SAMPLE BOTTLE DATA (kts) REMARKS MAX, DEPTH CTD -MORDY'S NUTR. Cleaned air bleed valve TYPE 운 WEATHER 00 WHIT'S NUTR. BOTTOM DEPTH $\widehat{\mathbb{E}}$ 3

								12
				٩			-	=
								T
						-		5
								و
97								œ
								7
								6
								5
				-				4
				/				1,
								ا س
								2
								_
NUTR. CHL. WHIT'S NUTR.	SALINITY	SEC. SALINITY	PRI. SALINITY	SEC. TEMP.	PRI. TEMP.	SAMPLE BOTTLE NUMBER		-
MORDY's								
SAMPLE BOTTLE DATA	S	<u> </u>	ALUES	CTD CONVERTED MONITOR VALUES	стр с	3). TRIP DEPTH	POS.
Cleaned air bleed valve				7	X WETSTAR WS3S-869P	4C S/N 2489		SEC C
						3+ S/N 2786	SEC TEMP SN 3+	SEC T
					AT SURFACE	4C S/N 2985 AT	PRI COND SN 4C	墨泉
MAX, DEPTH CTD - 100 m				3000	AT DEPTH OC	3+ S/N 2376 AT	PRI TEMP SN 3+	PRI 1
					START DOWN	9+ S/N 0772 STA	PRESS SN 9+	PRES
V	150	0707_48	0D0707 Leg I l	n €	_1_		TYPE & SN	34VI
Teston aftwire	/Header	File Name/Header	Tane/Diskette ID	O FI	JD,	TIMES		CTD
REMARKS		DATA IO	7 10 10	W O'S O'N O'S	4748.48 W		485888	
(3) (0)			5	MO	N Z		<u>8</u>	
TRUE WIND (ar SPD. * CLOUD (ar * TYPE * WEATHER DEPTH (m)	* VISIBILITY TRUE Odeq) (deq) (1)	PRESSURE * SEA STAT	(GMT) AIR	DATE JD=	LONGITUDE	LATITUDE	CONSC CAST #	28
		-		PROJECT & LEG 0D0707	CAN	NOSY	VESSEL NOAA R/V OSCAR DYSON	VESSEL NOAA R
STATION DESIGNATION	STAT							

12	11	10	9	8	7	6	5	4	 w	2	1 73		POS. TRIP DEPTH (m)		SEC COND SN 4	SEC TEMP SN 3		PRI TEMP SN 3	PRESS SN 9	TYPE & SN	CTD	05061	DEG	CONSC	VESSEL NOAA R/V OSCAR DYSON	
											25	SAMPLE BOTTLE NUMBER	1322.75		4C S/N 2489	3+ S/N 2786	4C 5/N 2985 A	3+ S/N 2376 A	9+ 5/N 0772 5	D,	13	0 5.77 N	XZ.	LATITUDE	DYSON	
												E PRI. TEMP.	CIDO		X WETSTAN WS35-869P		AT SURFACE	AT DEPTH 13	START DOWN	DATA ON	TIMES JD/TIME	DOM OC. BOHL		LONGITUDE		ii.
												SEC. TEMP.	CINVENACIONALON	CTD CONVERTED MONITOR VALUES	46		74	1325	2			ON ON	MO YR		ODO707	200 100 0 100
												PRI. SALINITY		LUES					000/0/ Leg 11	Tape/Diskette ID			# MN (C)	(GMT) AIR		
	1											SEC. SALINITY							0101-0	Name/Teacci	DATA EOCATION	DATA I OCATION	1005	* SEA ST	ATE	
												SALINITY	SA								Header		_	WIND TRUE WIND DIRN. SPD. (deg) (kts)	-	STATIO
												NUTR.	SAMPLE BOTTLE ON A	VDI E BOTTI E D	Cleaned			MAX. DEPTH CTD -				REMARKS		* CLOUD	(amt)	STATION DESIGNATION
												CHL WHIT'S NUTR.)ATA	Cleaned air bleed valve			10 - 74 m					000	* WEATH BOTTOM DEPTH	ier	

-

12	=	10	9	8	7	6	5	4	C	ω _Γ	_	- 2		POS. TR		SEC COND SN	SEC TEMP SN	PKI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	СТО	057		CONSC	VESSEL NOAA R/V
												None		TRIP DEPTH (m)				_		9+	_		600	DEG	<u> </u>	VESSEL NOAA R/V OSCAR DYSON
													SAMPLE BOTTLE			4C S/N 2489	3+ S/N 2786	4C 5/N 2985	3+ S/N 2376	9+ S/N 0772		8	06-41	MIN.	LATITUDE	NOS
			-	-		-							OTTLE			×	<u> </u>]	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 7 5	DEG		
											:		PRI. TEMP.			WETSTAR		ACE	I	NAOR	Ż		0	MIN	LONGITUDE	
			-		\ \ \		-						¥P.		CTD CON	WETSTAR WS3S-869P		12/5	1210	1205	1204	JD/TIME	COMOB	7		
													SEC. TEMP	A L'A L'O	CTD CONVERTED MONITOR VALUES			5		5	-		7 0 4		12	PROJECT OD0707
		-											₩.		NITOR VAL			-	<u> </u>	<u> </u>	-	<u> </u>	0 7	ž		PROJECT & LEG OD0707
													PRI. SALINITY		SH	- 22				00070	Tape/Diskette ID	<u>;</u>	1 7 10	ੋੀਵ	(GMT)	
-	1		-	-							-		YTY							OD0707 Leg 11	, (e)	5		7	AIR TEMP	
											2		SEC. SALINITY						1		s	נייין אַ רַטְּכֵּי	DATA LOCATION	1 2 (1)	PRESSURE	3
												1	YTIN							0/0/_0/	y 2020	Cilo Name/Header	ATION		* SEA STA	
													SALINITY								7	Header	4	249	* VISIBILI'	
													7	SAM					 		.1				TRUE WIND SPD. (kts)	2
ļ													MORDY's NUTR.	SAMPLE BOTTLE DATA		Clean			MAX. DEPTH CTD -				REMARKS	0~	+ CLOUD (amt)
	0.00												CH.	EDATA	7	Cleaned air bleed valve			CTD -		-				* WEATHE	
		1											WHIT'S NUTR.			valve	•		8 =	100					BOTTOM DEPTH (m)	