49

££, £9 7 00 7.00 Winds crehially briefs WHIT'S NOTR. STA. NAMEAD @ Mosern a site SAMPLE BOTTLE NUMBER Cleaned air bleed valve 占 BOTTOM DEPTH STATION DESIGNATION MAX. DEPTH = <u>و</u> ک **E** 3 MY Z 33 5 WEATHER CLOUD (amt) REMARKS SAL 90 SAMPLE BOTTLE SEASTATE
VISIBILITY
OF SEASON
SEASON SALINITY DATA File Name/Header 1 2 CT 3001 CHIAM S/N 109 DATA LOCATION 1 2 5 SALINITY .0.1 BOSO (O Tape/Diskette ID WINFEBOODDD ¥ £ GIME) - FLUOR SAN 153 CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG Œ MF00-01 8 DATE JD= DAY JOTHWE PRI TEMP. LONGITUDE 164031a V PAR S/N 4242 START DOWN AT SURFACE AT DEPTH DATAON THES HESSURE NOAA Ship MILLER FREEMAN LATITUDE 91660 29772 SECTEMP SN 884 PRICOND SN 303 SECCOND SN 530 5652 PRITEMPSN 889 OEFTH HITE 88 OI 50 O OF 30 PRESS SN 0 T \mathcal{I} 1 CAST # SBES 00 8 10 12 Ë ∞ O

In muchy agua water

													100	î	
VESSE.						PROJECT & LEG	2	DSC	DSDB I.D.		STATI	STATION DESIGNATION	NATION		
<u>8</u>	Ship MILL	NOAA Ship MILLER FREEMAN	7			MF00-01			-	5 5					
				•	•				20.6	aron Aru		(amt)		٠,	•
CAST				BOHEMOR	DATE	10- 050		₩	WET		O AND		BOTTOM DEPTH		STA. Name/Id
	BB 3	N.	980	MIN	¥	¥ Q	¥ ¥	(S)		•			E	 	
00	565	N 3.0	1635	S .	Ы м	FEBOO	0435	0	೯೬೦	1461a	519	8 53	产	C	
SBE		.660	TRACES	3	JOYTIME		,	ā	DATA LOCATION	NO		REMARKS	Ø		
PRESS SN		29772	DATAON	ļ			Tape/Diskette 1D	cette 1D	File P	File Name/Header		2002	M	4	2
E	PRITEMPSN 889	189	STARTDOWN					, .							
SECT	SECTEMP SN 884	884	АТОЕРТН			·					1	5	Cleaned air bleed valve	leed val	2
E	PRI COND SN	303	ATSURFACE	ļ w								MAX. DEPTH =	표	C	E
SEC	SECCONDSN	530	V PAR SM 4242	1 4242		FLUOR	FLUOR S/N 153		CHAM	CHAM S/N 109					
\$	OBPITH HITAGO	.,) E	CONVEHIT	CTD CONVEHTED MONITOR VALUES	VALUES			SAMPLE BOTTLE DATA	жотп.Е A	SAMP	SAMPLE BOTTLE NUMBER	LENCA	869
			386	PRLTEN		<u> </u>	SEC, TBAP	3	SALINITY	SALINITY		SAI.	NUTR	쿵	WHIT'S NUTE.
-	(00)								-2			30	MIZ		,
~	ر ال												MILI	\	
ო	HO								,				F	\	
•	70		•			٠		,					M 10	`\	
10	0					-						1	ر ح	\	T
စ	2				1	·							28	\	T
7	C				•								الم	\	
80													0		
6													1		
10											1	1		1	Î
=					·						1		\dagger	1	
12			.:						0.000		7	7	1	7	٦
33			000												

													}	. ;	
VESSEL					PROJECT & LEG	ရွ	380	DSDB I.D.		S	TATION	STATION DESIGNATION	3		
NOAA Ship MILLER FREEMAN	ER FREEMAN				MF00-01			1	88						İ
			М						SFUZZ STATZ YTUK		(3ms) QU	REHT		1	•
CAST #	LATITUDE	PONOT	LONGTUDE	DATE	JD=050	(GMT)	BUB	WET	V3S	WIND	SPD. C	WEA	DEPTH	NAMEND	او.
BB	M	080	MIN	DAY	DAY NO YR	NW H	(2)) (O.)	. (qw)	(deg)	. (s/w)	•	E	}	Ţ
P-16592600	N P. P.	1635	-	6 M	FEBOO	०५००	8	0.57	1237	152	S S	냨	11		_
SBE 9+ 91		SEMIL		JOYTIME	,	41	Ģ	DATA LOCATION	NOT		<u> </u>	REMARKS		. 18	_
PRESS SN 29	29772	DATAON				Tape/Diskette ID	Of ette	聖	File Name/Header	eader	<u>(d)</u>	D. Mcmis	4 50	1	त
PRITEMPSN 889		START DOWN	 ≩		^		,	ان ا	C12003	A		HINGS)	Q _z	10	-10
SECTEMP SN 884		АТ ОЕРТН			3 37				8		L. j	Cleaned air bleed valve	ir bleed	valve	
PRI COND SN	303	AT SURFACE	w.								3	MAX. DEPTH =	E	}	٤
SECCONDSN	530	PAR S/N 4242	1 4242	ä	FLUOR SAN 153	SAN 153		CONTAM SAN	M S/N 109					,	
POS TIPP DEPTH	() (5)		OED CED	CONVERT	CTD CONVERTED MONITOR VALUES	VALUES			\$	SAMPLE BOTTLE DATA	<u> </u>	SAMPLEBOTTLENUMBER	OTTLEN	UMBER	
0	HESSUE	<u> </u>	PRITEM	TEMP.	SECTEMP	EVP	8	SALINITY		SALINITY	8	SAL. NUTR	ठ		EE
1											7	0	4	XXV	29
						90							~	\$	
-											\dashv		/	_	
30											\dashv		×)	N P	C
5 30						1					_	1	<u>~</u>	\ <u>\</u>	S
9									90		_		<u> </u>	MIG	-
7				 - 	i								\times	M 13	ત
8									, j		ii			\perp	٦
o,											_	\dashv	_	<u>. </u>	\top
10											\dashv	.	4	_	\neg
11	,								_		+		1	_	7
12											4	$\frac{1}{1}$			7

41.50 S. 1.50 S. 1.50 S. 1.50

											4				
WESSE				PROJECT & L	& LEG	DSDB LD.			STATIO	NDESIG	STATION DESIGNATION	<u> </u>			
Ş Ş	NOAA Ship MILLER FREEMAN	- NAW		MF00-01			日		5.40	SHORWES	+				
			*(3LINS	STATE		(ima) QU				83 13	
CAST	E LATITUDE	<u>2</u>	LONGITUDE DV	DATE JO=	TIME (GMT)					W			NAME/ID		
	18	(BB)	F	DAY NO YR		ည	붜		(m/s)		٦	_	-		
Ī.	4 564 51 PH	C 7 9 1 N H	0.30W P	9 F E B 0 0	6780	0	0.1.73	337183	1 /	741	75	<u>~</u>	400		
SBE 9+		THRES	JOYTIME			8	DATA LOCATION	¥.	<u> </u>	REMARKS	HE S	7			
PRESS SN	SSN 29772	DATAON		,	Tape/Diskette ID	OI ette	File N	File Name/Header	<u>. (9:</u>	S. S.	S Merrine	T	Ca		
PRIT	PRITEMPSN 889	START DOWN	NA.			6	5	CTDOOH	!	1	2300	11		8	
SECT	SECTEMP SN 884	ATOEPTH	 		ı			40		Clean	Cleaned air bleed valve	leed val	2		
<u>ک</u>	PRI COND SN 303	ATSURFACE	 						<u> </u>	MAX. DEPTH =	PTH=	00	E		
		VPAR SN 4242	N 4242	AFLUOR	FLUOR SAN 153	de :	1/CHAM S/N 109	\$N 109							
, &	TRP		CTDCOM	CTD CONVERTED MONITOR VALUES	VALUES		To a large	SAMPLEBOTTLE	a E	SAMP	SAMPLE BOTTLE NUMBER	LENOM	BEH		
					•	50		uf i			Ì			<u>#</u>	
		34 1833	PRI IBA		SEC. TEMP	18 8	SALINITY	SALINITY		SAL	NUR	동	WHT'S	Page	,
-	Lott We									35	m34		1CW	(Na Ace)	
1					÷						MD3	7	m23		
6	1004			8		-,					A	7	×		
•	300					,					₩ĐĐ.	7	eew		
LO.	100										7 de/	7	Mai		
6	10										1800 V	7	W.S.		
^	0										Pi 19	7	61 W		
. 60															
٥								2.	·		-				
2						,	3			-				ě	
=				·							\dashv	1			
12									-	-	\dashv	1			
					89								5		

<u>8</u>18

7. 0%					į		8		gs.	ÉÉ	Ö	00	cb.	50	16	96	7	T		T	ĮŲ.	
		<u>Q</u>				d valve	Ü	à	NUMBE		<u> </u>	듹	85	ď	Ž	3	2		┧	\dashv	+	4
MOT	1	Zo	10		-	h blee			отпе		4	_	-	•	-	_	_	_	\dashv	_	4	
Hahiraw B B			S		(H	a pour	EPTH		APLE B	<u> </u>						1)						
CLOUD (amt)	Ŋ	7	REMA			콩	WAX	7	88	SAL	9											
ANN DAR	(m/s)	φ Ω		·			<u></u>		TE				52		30	F		ě	·			
	g	<u>~</u>		der	20				LEBOT	LINITY												
VISIBILITY	17	37	_	ne/Hea	00			50	SAMP	3						The Control			1			
	174	7	X TION	e Nan				AM SA					•				9 5			-		Ħ
WET WET	2	Q	Z LO		U		1	了 译		Z											Ŀ	ì
	╀	n	DA	<u>0</u>					=	SALI												
5 2	Ц.	ন্ত 		kette	8				581								20					
GME	\vdash	15/		pe/Dis		1		153	LUES	d		7):										
i i		9	G.	<u>T</u> a		•	<u> </u>	OR SA	OR VA	SC TEM	٠				rii							
٣,	H			1	1	ı	1	3	MONIT	75	ar.											
ATE JI		9 5	w						EMED								 .					
		<u>*</u>						172	CON	LTBV												
	Z	7	•	88	Z	•	1	4242	5			×										
		$\overline{}$	s	NO	F DOY	Ħ	IFFACE	NS H		71.		 				_		H			Н	Ð
	8			DATA	STAR	ATO	ATSL	7		3.E												
ų,	H	0							21	8												
	Z	11/6	1660	9772	889	884	303	530	į.		E.,			_	_	_	<u> </u>	<u> </u>				
	88	57			P SN	' NS GE	'NS Q	'NS QU	OF THE		27	200	10	30	06	07	0					
CONSC		<u>. </u>	SBE 9+	PESS	百百	ECTE	8	800	å J		+	-		4	├	-	┞	60	6	10	11	12
	TIME DRY WET STREET STR	TAME DRY WET S DIRN WIND OF S DEPTH NAME LONGTILDE DATE JD. (GMT) BULB EU.B E. SEC. (deg) (m/s) (m)	Take DRY WET	Table DRY WET	Table Continue Table Continue Cont	CHAMPING CHAMPING	Table	Table DRY WET	CES MEN CES MEN DATE JD= TIME DRY WET	Table Dry Wet Constitute Lowerting Dry Wet Constitution Constitution Dry D	Table DRY WET	Table Day 1 1 1 1 1 1 1 1 1	Take DRY WET	ATTICLE LONGTLOE DATE JD= TAKE DRY WET WET WET WET WET WET WET WET WET WET WET W	Case Case	Table Carrow Ca	Communication Communicatio	Table Lowertube Lowertub	The board Color Color	The Dry Wet	Community Comm	Common C

PG 6 OF

				151)	Sethien	Doether) CROSS-Shulf Station	-5hu	1 Sta	3.				PG	6 OF	
VESSE	VESSE.			•	a. 2	PROJECT & LEG MF00-01	E	<u> </u>	DSDB1.D.			STATIC	NDESK	STATION DESIGNATION		
	±Ι			83	<u> </u>								(amt) (* ·		
CAST		I ATTILIDE .	NO!	LONGTUDE	844	S a	TIME (GIMT)	SES BUS	WET	HESSA. VISIBILL	O NEW YORK	S C	WEATH	BOTTOM DEPTH		STA. NAME/ID
	8	M	989	M	DAY	SA AR	H MN	(၁)	(2)	J	(deg)		•	(w)		
9		5637198N	1/1/1	5.63WI	419F	EBOO	11451	0	0.075	537	961	0 1	8 6 7		-	00
SBES		30	THRES	VQ.	JOYTIME		54	٥	DATA LOCATION	NOL			REMARKS	200	<u></u>	8
PRESS SN	SN 29772	72	DATAON			1	Tape/Diskette ID	cette ID	File	File Name/Header	leader	<u>_</u>				Ę
PRITE	PRITEMPSN 889		START DOWN	¥					KU	000440	Ç			9		á
SECTE	SECTEMPSN 884	##.	AT DEPTH	0.68		 							Clean	Cleaned air bieed valve	viev be	
8	PRI COND SN 303	33	ATSURFACE	 پر					 			_=	MAX. DEPTH =	PTH =	73	E
SECO	SECCOND SN 530	õ	PAR SN 4242	1 4242	#7	√ FLUOR S/N 153	S/N 153		CCHAM SIN 109	1 SAN 10				-	je V	
ğ	OFFE P			CED	NVEHTE	CTD CONVEHTED MONITOR VALUES	NALUES .		i,	\$	SAMPLE BOTTLE	E	SAME	SAMPLEBOTTLENUMBER		<u> </u>
)ħ														
		BESSER	<u>.</u>	PRL TEMP.	Ğ.	738	SEC. TEMP	8	SALINITY		SALINITY		SAL.	NUTR	동	WHITS
-	2/4		3)]. D#							<u> </u>	-		m36
	2.0						·								5	35, W 35,
60	30		3,								·				튀	M34
•	8												,		X	m33
2	01						·						1	+	٤	m32
8	0						•				ų.	1 3			2	M3
7								12/	,			1 22		_	\dashv	
8										_		i i	_	-	+	
6													1	-	+	
10									,			\dashv	+		\dashv	T
11				•						4	1	+	\dashv	+	+	
12													\dashv	\dashv	\dashv	Ì

R HR-

WHIT'S STA. NAME/ID **15** ダゲダ MAO M39 MHI M33 M33 SAMPLEBOTTLENUMBER Cleaned air bleed vaive 75 BOTTOM <u>-</u> STATION DESIGNATION 0 MAX. DEPTH = EES. WIND WIND (smit) REMARKS <u>ک</u> SAL (m/s) 0 1 SAMPLEBOTTLE SALINITY 9 DATA File Name/Header FOOGE SEA STATE VISIBILITY ChIAM SN 109 DATA LOCATION WET DSDB LD. SALINITY Tape/Diskette 1D 6 NE SE TIME (GIMT) **FLUOR SAN 153** CTD CONVEHTED MONITOR VALUES CROSS Shult SEC TEMP PROJECT & LEG GWI GIFIEIBIOID Œ MF00-01 3 DATE JD= ž DATIME PRI TEMP. FAR SN 4242 ONGITUDE 001219 START DOWN AT SURFACE DATAON AT DEPTH THES **HESSLE** NOAA Ship MILLER FREEWAN 630-66N LATITUDE 91660 29772 SECCOND SN 530 SECTEMP SN 884 PRICONDISN 303 PRITEMPSN 889 myoc 30 0 30 8 50 PRESS SN CAST # **SBE 9**+ VESSEL 8 10 12 11 8 b Ф

206

M37

CROSS-Shelf.3

PG 22 OF __

000 WHIT'S NUTR STA. NAME/ID STO M HK **SHAP** 大小は MY MY3 SAMPLEBOTTLENUMBER Cleaned air bleed valve 00 岩 4 BOTTOM 400 STATION DESIGNATION MAX. DEPTH = **APX** WEATHER CLOUD (amt) REMARKS S S S 74 (m/s) 1 SAMPLE BOTTLE WIND MEN SALINITY DATA File Name/Header CTT 008 SEA STATE VISIBILITY CHAM SAN 109 DATA LOCATION WET .G.1 BOSO SALINITY Tape/Diskette 1D **20**23 GMT) CTD CONVERTED MONITOR VALUES FLUOR SAN 153 SEC TEMP PROJECT & LEG 0 Œ MF00-01 OZWIOFEB 3 DATE JD= Æ DATIME PRI TEMP - FAR S/N 4242 ONGITUDE START DOWN 6523 AT SURFACE AT DEPTH DATAON THES HESSER NOAA Ship MILLER FREEMAN 5623 148 LATTICOE 91660 29772 SECCONDSN 530 SECTEMP SN 884 PRICOND SN 303 PRITEMPSN 889 7583 8 00 0 9 PRESS SN CAST# VESSE SBE 9 8 10 12 6 0

Light emough ho see water 15 not cocco-green

R 904

		;		5. end	Choses	hill						۲ ا	5	1
VESSEL	넔	_		PROJECT & LEG	\$ LEG	OSO	DSDB 1.D.		S	STATION DESIGNATION	ESIGNA	NO I		•
Ş	NOAA Ship MILLER FREEMAN	EEMAN	•	MF00-01			X		1			ľ		T
1			-				ĭ	HATE	· <u>-</u>	(tms) Q	НЗН	·	19	•
CAST #	SC T# LATITUDE	•	LONGILIDE	DATE JO=	TIME (GIMT)	948 848	WET	SEA 5	WAND W	SE CLOU	TA=W	воттом DEРТН	STA. NAME/ID	√
	8		Z	\vdash	TH H	5		Ŀ	-	. (s/m)	H	(m)		
×	_	Z	-0	9 F E	00000	1.3	-	37		685	1	146		0
SBE 9+	9+ 91660	F	JOYTIME	ME	81	6	DATA LOCATION	NOT		36	REMARKS	45		-
Æ	PRESS SN 29772	DATAON	_		Tape/Diskette ID	kette ID	뽎	File Name/Header	ader					
E	PRITEMP SN 889	START DOWN	NWO			K		CIDODO	0			X		32
S	SECTEMP SN 884	ATDEPTH							P	<u> </u>	peuse	Cleaned air bised valve	valve	
E E	PRICOND SN 303	ATSURFACE	 				2			MAX	MAX. DEPTH=) Т	~	ε
S	SECCOND SN 530	FAR SN 4242	VN 4242	.√fru	FLUOR SAN 153		₹	CHIAM SAN 109					,	
ă			വാ	CTD CONVERTED MONITOR VALUES	ORVALUES	29		SAM	SAMPLE BOTTLE DATA		AMPLE	SAMPLE BOTTLE NUMBER		<u></u>
	ii	(8)				52 10				-	-	ŀ	-	T
•		PESUE	PRI TEMP.		SEC TEMP	SAL	SALINITY	G	SALINITY	SAL	NGR	동		EE E
1	Post 99	79		:					1	03	÷:	\dashv	(Y	N.
2	54.										_	\dashv	٤	₹ 354
8	50							_					M53	33
•	30							_				•	₹	35
0	200	\$400 × 3	-51									_	∑	S C
8	ō		Q SERVE			-00							Ma	ટ્ટા
7	U	3			30								MK	R 2
. «		1100				_				73.			_	•]
a							ı					•	<u>·</u>	
10				. 90	52		ī.	VI.					_	\neg
11					7						_	4	_	\neg
12												_	_	· T
								ं					10000	4.77

Med

														1		ιſ
VESSE	ઌ				Æ 3	PROJECT & LEG	g	OSO	DSDB LD.		8	TATION	STATION DESIGNATION	NOIL		
CONSC	SC SC	CONSC				y (AME CASO	≥ 5	WET	SEASTATE ASS	WIND	S S C (smt)	ASHTASW S C	ВОТТОМ НТРВО	STA. NAME/ID	98
S S	8	LATTITUDE	DEB LONG	LONGITUDE	DAV	NO KA	NW EH	5		7	(deg)		1.1	E		-
ć	4	N 6.0	-	A _d 4	W 9 F	FEBOO	3616	∞ ©	ন ব	1836	abol	80	55	106		9
1 2		1		MITTO	34	Į.		ã	DATA LOCATION	NOLL		<u>D</u>	REMARKS			
F	PRESS SN 29	29772	DATAON				Tape/Diskette 1D	atte 1D		File Name/Header	feader	ă	sad cons	TOUS		
1	PRITEMPSN 889	682	START DOWN	<u> </u>					비	CITOOLO	g		CIII	Total	7	
SEC	SECTEMP SN 884	884	АТОЕРТН			ġ.			.		es.		Cleaned	.	eview b	
<u> </u>	PRICOND SN	303	ATSURFACE	w). 	-			₹	MAX. DEPTH =	10.1	स्व	E
Ş		530	4 PÁR SAN 4242	1 4242	56	FLUOR SAN 153	SAN 153		\	CHAM SN 109	6		,			
ğ	PE BO			CTDCON	WENTED	ERTED MONITOR VALUES	VALUES	183 N		<i>3</i>	SAMPLE BOTTLE DATA		SAMPLE	SAMPLEBOTTLENLMBER		ec
-		8		Pea in	9	SEC TEMP	EMP	NS.	SALINITY		SALINITY	જે	SAL	E S	봉	WHIT'S NOTE.
•	0			=								4	6	\dashv	4	enu
	ע די						27	_				1	+	+	4	1971
6	200					,				+		+	-	+		Mes
•	HO							,		1		+	+	+	\$	0
2	30						3477			+		+	+	+		1030
8	30									+		2.5	+	+	1 8	C L
7	d		2. 1							1		+	+	+		ME.
8	0				1								+	+	1	g
0		-			+					+		-	+	+	 	
10			1		+					::		╀		-		
=										ig		<u> </u>	-		306	*2
12							73			-		-	}]

				<u>: 2</u>	HUEVI a LEG	2	}		×	5				
NOAA Ship MILL	NOAA Ship MILLER FREEMAN				1-00-01	2 2 2 2	1	4	-	+		L		
CONSC	АТПОЕ	ENOT	LONGTUDE	DATE	JD= ○5/	TIME (GMT)	DRY	WET BUB	SEA STATE SEA STATE VISIBILITY		WEATHER	폴미		STA. NAME/ID
89	2	933	M	DAY	E Q	¥ E	2	<u>ទ</u>		(deg) (m/s)	+			E
01.1560	<u>7</u> U	। ।	9.9 W	Waok	EBOO	H 110	<u>ज</u> ल	3.089	ડ ા	ල 0 1	© ⊗	हां। ह	C C	
SBE 9+ 9		SEMIL	ğ	DYTIME		s	٥	DATA LOCATION	NOLL		REMARKS	<u> </u>		
*	29772	DATAON			<u> </u>	Tape/Diskette ID	tette ID	AE .	File Name/Header	der	7	TO 02	E C	
PRITEMPSN 889		START DOWN	 ~		1				250011	j		د مرکومی	9 (40	
SECTEMP SN 884		ATDEPTH			-					1	<u>.</u>	Cleaned air blees v	Dieed va	E E
PRICOND SN 303		AT SURFACE	ш		. 1						2			
- Contraction		PAR S/N 4242	4242		FLUOR SAN 153	SAN 153		₹ 2	CHAM SAN 109					
POS THE DEFIN		2	CID	ONVERTE	CTD CONVERTIED MONITOR VALUES	VALUES	63		SAMP	SAMPLE BOTTLE DATA		Sample Bottle number	TENO.	H
-	î. E	. 72			1	act on	A	SAI INTY	3.	SALINITY	8	MUR	GE.	MAITS RETA
	PRESSURE		PAC 1EM.						_		۲	,		MAO
4 12														13 W
2 100														MAR
3 75											_		Ŀ	E
50		1					5			,				
5 HO									+		1		-	J.
30											15			Z Z
7 30				. \		ŀ			-		1			7
0									1	is.	1			
╄						,		7		·	<u> </u>	·		Call
									. ·		1	-		
11									+					5
				_		•								

								-]				
VESSEL	SEL. Ashid Mill	VESSEL NOAA Shid MII I FR FREFIMAN		•	¥ ¥	PROJECT & LEG MF00-01	(5		_ - -	£	<u>স</u>	ATIONOLE	STATION DESIGNATION	Z		
8	8			ħ			ant.	DAY.	Esense k	STATS A	OWN	(jms) QUO.	REHTA		STA	
CAST		LATTUDE	TONO	TONGTICDE	DATE JD=OF	29	(GMT)	B	BULB E	SIA . 38 .	DIEN.	SPD (2)%,	H (1)	-	MEND	*
10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 T	1. 6.69	—		B O O K		σ (δ	10	<u>ال</u>	2 3 5 2	086	त	<u>10</u>		47
SBE 9+	6	1660	TIMES	JOTTIME	Z	401	,	3	DATA LOCATION	3		REMARKS	SOES			
E.	PRESS SN 29	29772	DATAON			<u></u>	Tape/Diskette ID	otte 10	File N	File Name/Header	ader	CII	0	9	مام عاد	
E	PRITEMPSN 889	89	START DOWN	 }				,		CTBOK		3	north corner	- AGAIN	CILL	Sport C
<u> </u>	SECTEMPSN 884	884	ATDEPTH							•		<u> </u>	Cleaned air bleed valve	bleed va	2	
PH	PRI COND SN	303	AT SURFACE							<u> </u> 		MAX	MAX. DEPTH =	109	٤	
SEC	1	530	PAR S/N 4242	13	2	AZ FLUOR SAN 153	N 153		Chiam S/N 109	SN 109						
ষ্	OFFE HERE			CID	WEATED	MONITOR V	ALUES			₹	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	THENCE	BER	
		:	,							_	ē					
		HESSURE	# 19	PPR TEMP.	G.	SECTEMP	- dwc	SAL	SALINITY		SALINITY	SAL.	3	룡	WHT.	000
-												33			M78	
8	00/							٠				1 /8				
3	35												-		Ø ∭	
+	50					·					,			·	MTS	
5	OH						t									
9	30									÷		ii võn			MJM	
7	00						*		,	,		A 24	-		/M775	¥7
8	0						·								7 1	
6	a	:						,		5), (1)			•		2	
10									2							
11						1										
12																

20,00

												•			
VESSE		-		PROJECT	CT&LEG		CI BOSO	9.	108	STATIO	STATION DESIGNATION	NATION			
ğ	NOAA Ship MILLER FREEMAN	NA I		Mroco	5		1	_			(tu	25.			18
						34) Fig	ænes id ×	ASTATE A YTURES E	MIND	OUD (BIT PE FEHTA	BOTTOM		STA	11 15
CAST	T# LATTUDE	TON	LONGITUDE	1	51	(GMT)	BUB		SIA.	8	. W.		- }-	NAMEND	ij
	883	680	Z	Ω¥ Xe	E 9	Z	ઇ		<u>*</u>	_		_	-		
ć	A555512	N 6	01.16Wal	20 FEB	000	169	<u>0</u>	- 8 - -	57330	000	=	전 -	<u></u>		·
	9+ 91660	-	JOTIME	ME			8	DATA LOCATION	K		REMARKS	S		200 200	0861
E C	PRESS SN 29772	DATAON			<u>Ta</u>	Tape/Diskette ID	te ID	E S	File Name/Header	<u></u>	CID	0	attend		
E	PRI TEMP SN 889	START DOWN	N.				ys.	CITAD	5100		COLUMB		2113	Des la constitution de la consti	1140
i V	SECTION SAL	ATOEPTH			•							Cleaned air bičed valve	New Year	2	9
} }	205 CAID CAI 303	AT SUBFACE	 		<u> </u>						MAX. DEPTH =	EHE.		E	
		OAD CM 4242	W 49.49	AFLUOR SN 153	PLUOR SAN	153		ChIAM S/N 109	VN 109						1
3		N LOUIS		WERTEDAK	NITOR VA	THES			SAMPLEBOTTLE	置	SAM	SAMPLEBOTTLENUABER	LENCAR	5	
\$	HL CO	ę.	} }				Si		DATA	- 21					
	5 70	Ê	<u>.</u>		8		8		7111111	. ,	Z.	A E	뢍	WHIT'S NOTR.	8 8 6
	**	HESSURE	PRI TEMP.	9.	SEC 15M		3	SALINII T			c		П	700	
1	Soft.					1								10	
2	COI					1				-	æ			9	
ဇ	L.									ol E		1		5000	
•	0	•		-										n A	
15	CT		ılı.		•	+			3		T	1			
9	000			-											8
^				·		-						1		7 8 1	
. «										2		1		1180 1180	
0	(1		1		1	
10					T.	1				1					•
1				-		\dagger				1			1	T	
12				-		-							1	}	1
j															

VESSE	l gd				PRO PRO	PROJECT & LEG	m	O'BOSO	81.D.	. •	5	STATION DESIGNATION	NOTANON .		
Š	A Ship MILLE	NOAA Ship MILLER FREEMAN			MF00-01	69		1	<u></u>	F			_		
CONSC	8				DATE ID		TIME (GN)		WET	SEASTATE VISIBILITY	WIND DIPN.	CLOUD (am	мелиел ОТР В		STA
2	ğ	MEN		N.	DAY NO	۶	¥.	<u></u>	П	(qw)	(deg)	(w/s)	<u>E</u> -		4
_ I	1550	5553 82N	-	51.14WD	ADOFEB	0	0855	ं	ŢŮ.	58957	2303	9808	= -	200	17
\$ 38% \$ 8%	9 91	999	TIMES	SMIT/OL.	IME	21431		2	DATA LOCATION	NOL		RENARICS	2		
· E	PRESS SN 29	29772	DATAON	ļ		<u></u>	Tape/Diskette 1D	atte ID	Ë	File Name/Header	eader	5	CTD COLUMN	2	9
Œ	PRITEMPSN 889	89	START DOWN	3		L			a	CTDOLL	+	0	San Embe	May CM	7
SEC	SECTEMP SN	884	АТОЕРТН			 l			1			3	ane peue	2 ()	_
Ā	NS CNOOTED	303	ATSURFACE	ш	4.			~				WWX.	MAX. DEPTH =	23	•
			- PAR S.N. 4242	1 4242	^	FLUOR S/N 153	VN 153		Chit	V CHIAM SAN 109				,	
ğ Ş			2	CIDCON	NVERTEDI	FERTED MONITOR VALUES	ALVES		2.	3	SAMPLE BOTTLE DATA	1	SAMPLE BOTTLE NUMBER	TENOM	<u> </u>
				S	2		+	S)		1		+			WITT .
			. 0		9	SEC TEMP	9	8	SALINITY	20	SALINITY	SAL	ZE E	공	NOTE
	6	HESSLIFE	<u>.</u>	LIE IEM								33	+1		46W
-	2						*					_			M93
7	100														MGZ
က	75				+									٠	mai
7	50				-			-		<u> </u>					X
တ	OH.														Mgo
80	30				+							-	ļ		58 W
^	30				+					<u> </u>					88 W
80	q									<u> </u>		-	·		M87
6	d									1		<u> </u>	1		
9										ń		+			
=					+			1		$\frac{1}{1}$		-			·
12	- ,,				1		i i					-			

PG 15 OF 1

M 49 WHIT'S NUTR. 46 W 55W M96 STA. NAMEND SAMPLEBOTTLENUABER Cleaned air bleed valve 3 충 WIND (ami) STATION DESIGNATION MAX. DEPTH= **E** HENARG SAL <u>ळ</u> ल SAMPLE BOTTLE DATA SEASTATE
VISIBILITY
VI SALINITY File Name/Header CHAM SAN 109 Outer Doman / East End DATA LOCATION WET BLB SALINITY Tape/Diskette ID ည် S E TIME (GIMT) 0 HLUOR SAN 153 CTD CONVERTED MONITOR VALUES SEC TEMP PROJECT & LEG 25W20FEBIOIO 9 MF00-01 3 DATE JD= **JOTIME** PRL TEMP. AT SURFACE

PAR SN 4242 LONGITUDE START DOWN AT DEPTH DATAON 8 TIMES HESSIRE NOAA Ship MILLER FREEMAN LATITUDE 91660 29772 SECCOND SN 530 ちんちょ SECTEMPSN 884 PRICOND SN 303 PRITEMPSN 889 DEPTH DEPTH 80 00 0 130 Ø PRESSON CAST # VESSE SBE9 8 0 11 12 9 0 60

PG 160F_

VESSE	6			PROJECT MEDD-01	rå LEG	C.1 BOSO	SLD XVI-1	S	FATIONE	STATION DESIGNATION	Z .		
CONSC						λ	EzensE vid		(jms) QUO.	FEHTA FEMTA BOTTO		SIA.	69 18
CAST #	\$.	XOT .	LONGITUDE		9	B E6	_		2	M .		NAMENIO	9
		8 -	_ 	3	E -	3	OM)	(Geo)	(g) (7		10/0	77	
	10554 6117N	0 6 7 N	191. 310M210	F E B	00 1226	% /	0-8890	12121	0		0 0	2 2	74.05
SBE 9		TIMES	JD/TIME	IME	oe:	2	DATA LOCATION	Z.	<u> </u>	REMARKS C	Cute 120 man +	The state of	1 200
PRESS SN	SSN 29772	DATAON	.		Tape/Diskette ID	cette ID	File Na	File Name/Header				, ,	
	PRITEMP SN 889	START DOWN	*						!			- E	. 47
SECT	SECTEMP SN 884	ATDEPTH	1			•				Cleaned air bleed valve	r bleed w	alve	
2	PRICOND SN 303	ATSURFACE) W						M.	MAX. DEPTH =	139	E	
		X PAR SN 4242	N 4242	ARC ARC	A FLUOR SAN 153		CHAM SAN 109	A 109					1 ·
8	TRP		CLD	CTD CONVERTED MONITOR VALUES	ORVALUES			SAMPLEBOTTLE		SAMPLEBOTTLENUMBER	THEN	E5 9	
	ОВРТН					œ.		DATA					
		HESSUE	PRL TBAP.		SEC TEMP	SAI	SALINITY	SALINITY	SAL.	L NGR	봉	WHITS	
-	96								C	4		Mr03	
	001										_	W 102	
6.	80 (chino	. (0							-		1	10/W	
•							,		_		·.	Mod	A X
"					25							X	K
9					•								20.
,				-			•				_		32
1.													
•				-				0.00 #	·			·	
9 0										-	_		**
=				·					\dashv	-	\downarrow	Y.	
12)) 1					_	\dashv	_	li.	
								10.5					

	3			.						H					
VESSE	L Section to total	— 2	•	PROJEC MF00-0	PROJECT & LEG MF00-01	g		OTROSO OTROSO	25	<u> </u>	A ION	SIAIRON DESIGNATION			Į.
SANSO SONSC	CONSC				P. Control	IIME	D	-	STATE TELESTRE		(1ma) GUO.	FETHER STORY	 ,	STA	8.
CAST	LATTLUDE	Š	LONGITUDE	DATE JO	9		8 S		ΙΛ.	S (Sep)	30 CM	w .	+		*
	DEG MIN	5 P		<u> </u>	10	0.000		Ti			Ø Ø	- r	127	7	
1	5	र मिला	7 1-7	三	01010	_	֓֡֓֜֜֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		त .	2 3			00 1	Dangin	
あ385	91660		COTIME				_	DAIA LUCAIRUM	5		_	7 2	200	1	
PRESS SN		DATAON	•		<u></u>	Tape/Diskette ID	ette 10		File Name/Header	ider	-	0 750 70	222		
PRITE	PRITEMPSN 889	START DOWN	 }				0			ļ	_		.		
1 CH	SECTEMBEN 884	ATOEPTH	} :		·] 			ਲ	Cleaned air bleed valve	bleed val	2	
	303	ATC: IDEADE	- ,		*						ĭ₹	MAX. DEPTH=	131	E	į
3		7 Sec. 7	2000		In tion 2	WN 153		MCMAM SAN 109	S/N 109		1		1		6
SECO	- 1	MEAN ON ACAS	N 4646	V COMPANY OF THE SECOND OF THE		AllEc		7	644.6	CALICY E BOTTH E		SAMPLE BOTTLE NUMBER	HENCE	55	
ষ্			800	NEKIEDI			•			DATA		24		-	
	±3	á á									+	_		FIRM	ř
		PERSIPE	PRLTEAP		SEC. TEMP	J. B.	8	SALINITY	7	SALINITY	SAL	NET I	충	E	1
ŀ	19 F			,		-					15			M106	Ç s
╀	000							v						MIOS	. [
N	- XX											•		MIOY	121
(7)	2					:			_						
• •			2				180								
0								:	-						
•			,	da.	61										
1										,9					
50															
50			9.						-		_				
2				-										-	
12				1										MIDA	7.0

NOAMS Sp. MILER FREE MAY NOAMS SP. MILER FREE MAY S						-										\ \ !_	
The Dry Wet	<u> </u>	SE.	CO EDGEMAN	- -,	•	A P	20-01	2	3		- E		2	AN DESSE			
Mail	8						72	E S		WET		AUTHRISI	S 8	弘人	BOTTO		STA. NAME/ID
1660 161 17 17 18 18 18 18 18 1	<u></u>		┢		-	7	F	<u> </u>	3 5	1	S.	۸.		4.	E		
10 1 1 1 1 1 1 1 1 1	. '	8		980	ا ا	<u> </u>		-		T^{c}		4-				Ö	
11660 TIMES LDYTACH Tape/Diskette DATA LOCATION R89 STAFF DOWN R84 AT DEPTH R85 AT SURFICE AT DEPTH R85 AT SURFICE AT DEPTH R85 AT SURFICE AT DEPTH R85 AT DEPTH AT D	-	70	7	167	•	0	9				900		_	1	_	-	100
DATA ON Tape/Diskette ID File Name/header R89 START DOWN R84 AT DEPTH AT DEPTH STAFFACE AT DEPTH CIDCONVERTED MONITOR VALUES SALINITY SALIN	88		0991	TIMES		ME			Õ	ATA LOC	ATION			FEMARIC		272	\$
R89 START DOWN R84 AT DEPTH 303 AT SURFACE 530 AT SURFACE CID CONVERTED MONTOR VALUES CID CONVERTED MONTOR VALUES SEC. TEMP SEC. TEMP SEC. TEMP SEC. TEMP SALINITY SA	Æ		1772	DATAON			ı	Tape/Disk	otte 1D	Ē	e Name	/Header				ļ	
1303 AT SUFFACE 530 AT SUFFACE 530 AT SUFFACE CTD CONNEHITED MANITOR VALUES FRESSURE PRETEUR SECTEMP SALINITY CTD CONNEHITED MANITOR VALUES CTD CONNE	Æ	TEMPSN 8	189	START DO	¥				l V					×	32		
303 ATSURFACE 530 PARS N 4242 PEUOR SN 153 CALAM SN 109 CTD CONVENTED MONITOR VALUES CTD CONVENTED MONITOR VALUES DATA PRESSIFE PRE TEMP SALINITY SALI	SEC	NS GAGT	884	ATDEPTH			•							8	od sir b	av beet	2
FAR SN 4242 FLUOR SN 153 CRIAM SN 109 CIDCONVERTED MONTOR VALUES FRESURE FRETEIAP. SEC. TBAP SALINITY SALINITY SALINITY SALINITY SAL	E	NS GNOX	303	ATSURFAC	w									MAX DE	표	3	E
HESSLIE FRETEBRE SALINITY SALINITY SALINITY SALINITY	Ş			PAR SA	14242	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	FLUOR &	3N 153		\ <u>\$</u> \ <u>\$</u>	M SM	8					
DETA	3	- 1		7		WEDTED	VONTOR!	ALLES				AMPLEBO		SAMP	LEBOTI	LENUN	E5
13.2- FRESCRE FRETENE SALIMITY SAL MUTR. 10.0- 5.0- 0.0- 0.0- 0.0- 0.0- 0.0- 0.0-	<u>g</u>		, in		3				8			DATA					
132 50 50 0 0 13 13 13 14 15 15 16 17 18 18 18 18 18 18 18 18 18 18	•		338	<u> </u>		g.	SECT	g.VE	8	LINITY		SALINIT			M	궁	WHITS
	-	132				-	•										MINO
	. ~	100						**			-			1	1		M S
	6	50									\dashv	•	1	1			Mico
	1	Ĉ							13			!		1			MIOT
8 9 10 11 12	100							20			-		1				
8 9 10 11 12	6										-		1	1	1		T
10.	_										\dashv			#	1		T
10.	•				2								- A	1	7		
10.	0											1		1	+		
11	10					Ē					+		\dagger	1	<u> </u>		
12	11		- M		9						+		+	1			
	12				0	-			E 4		\dashv			1	1	1	ž

Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Torvalles Salahity	VESSE	89	7		PROJECT & LEG	<u> </u>	OSO	DSDB I.D.	1× -1	<u>¥</u>	STATION DESIGNATION			Į
Column C	Ş	A Ship MILL ER FREEMA!	_		Mroc-o	1 22 0	1	**	F		0			
Columbia		,,,	·			Ä	Š		3TATS/		ma) duo			¥1 ∀
Columbia	89	LATTLUDE			9	9	BUB		/3S	_	СС		-	
168 2 2 2 2 2 2 2 2 2		8	CE3	\dashv	2	<u>¥</u>	2			т,	1	Ę	150	116
State 1160 Three Location Three		5526113		3.83W	OFEBO	18				त्र		4		
Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Disket	B.		THES		ш		۵	TTA LOCK	NOL		ROMA			orano.
EMPSN R89 STANT DOWN TEMP SN R84 AT DEPTH COLOR SN 153 AT SUFFACE COLOR SN 153 AT SUFFACE COLOR SN 153 AT SUFFACE COLOR SN 153 AT SUB-FUCE COLOR SN 153 AN ARTHER COLOR SN 109 COLOR SN 154 AT SUB-FUCE COLOR SN 155 AT SUB-	8	3	DATAON	_		Tape/Disk	OI ette	Ⅱ	Name/He	ader				
Charles State Art Depth Charles Char		TEMPOSA 880	STARTO	 				ి				0000		
Section Companies Compan		•	ATOEPT	-		11			•		8	ned air b	Pool Va	2
192	3										MAX. D	EPTHe	9	
192 PATA SEC. TBAP SALINITY SALINI	Ē	COC NSCINCO		900	Child	B SN 153		A STATE	1 S/N 109					
192	ပ္တ	DEC NSONO	V PAR	3/N 4242	Σ	0011100		1	CANA	S THOSE		PLEBOT	DENUM	田
192 150 100 77 77 X X SNOGGI - NO SAMARE.	ğ	DEPTH .		CLDCOM	PERTED MONIC	H VALUES	se		\$	DATA				
192 HESSLE PRITIES SECTION SOLVE 16 16 16 16 16 16 16 1			3 2	[1			ALIW 14.	V.	= 52	공	WHITS
192 150 150 150 150 150 150 150 150		HES	SURE	PRI TEM		TEMP.	8				9			3NW
150 100 75 75 76 76 77 77 70 70 70 70 70 70 70 70	-	192				1 4					<u> </u>			} 1\N
100 75 50 40 30 30 30 10 10 10 10	2	150	~						<u> </u>		1	·		LIM
75 X X Snagg 1 - 110 Sample 00 30 30 10 10 10 10 10 10 10 10 10 10 10 10 10	က	001	·		- 10				_	·				MINO
20 X X Samples 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7	75			-	`	1		-				, \$-	e go
70 20 00 00 00	2	2 X	×	-		1	78		1				52	MIIS
25 00 00 00 00 00 00 00 00 00 00 00 00 00	•	40							+				1	hill
200	7	30							-					M113
0	80	R		100					-					171.12
11 12	0	0							-			·		MALL
11	2	d							-					
12	1		47	V										·
	12	8	900						-					

STANTON STAN		E8 A8	PROJECT & LEG MF00-01	***		DSDB1.D.	_		STATIO	STATION DESIGNATION	Ś	ļ	Į
THESTER PRINTS NO SECTEMP SALINIT		1	ار	TIME	8.8 8	WET	SEASURE TRISARE		ONUM OAS	CLOUD (amt) TYPE TYPE	BOTTOM DEPTH		STA. NAMEND
94 9160 TIMES JOTIME Tape/Diskette ID SSN 29772 DATA ON THES JOTIME TAPE/DATA ON THE SN 4242 P.J. FLUOR SN 153 N.O. DETHY CHOOS N 530 PAR SN 4242 P.J. FLUOR SN 153 N.O. DETHY CHOOS N 530 PAR SN 4242 P.J. FLUOR SN 153 N.O. DETHY CHOOS N 530 PAR SN 4242 P.J. SECTEMP SALINT PRESSURE PRETERY. SECTEMP SALINT FROM 100 P.J. P.J. P.J. P.J. P.J. P.J. P.J. P.	080	DAY	¥		Ç		Į	(deg)					<u> </u>
SSN 29772 DATA ON Tape/Diskette ID SSN 29772 DATA ON SSN 29772 DATA ON SSN 29772 DATA ON SSN 29772 DATA ON SSN	N 2 2	9 WA 0 F	B 0 0	00	9 0	3.080	8067	<u>0</u>	00	1 69	लू		92
SSN 29772 DATA ON Tape/Diskette ID	TIMES	JOTIME	81		Õ	DATA LOCATION	NOLY		<u> </u>	HEMARKS		500m	ξ.
EMP SN 889 FEAR SN 4242 CND SN 303 AT SUFFACE CND CONNEHTED MONITOR VALUES DEPTH CND CONNEHTED MONITOR VALUES DEPTH FRESURE FRES	DATAON		<u> </u>	ape/Disk	Ot ette	<u> </u>	File Name/Header	Feader		کـ	WO 5	532	-
OND SN 303 AT SURFACE CTD CONVEHTED MONITOR VALUES CTD CONVEHTED MONITOR VALUES CTD CONVEHTED MONITOR VALUES CTD CONVEHTED MONITOR VALUES SOO 300 300 300 450 450 200 200 200 200 200 2	START DOWN					\dis							
OND SN 303 AT SUFFACE COND SN 530 PAR SN 4242 P.J.O FLUOR SN 153 N.O. THP CITD CONVENTED MONITOR VALLES CITD CONVENTED	АТОЕРТИ		<u> </u>		=	1				26 gan	Cleaned air bleed valve	e ved	
THP PAR SN 4242 PLUOR SN 153 No THP CTD CONVERTED MONITOR VALUES	ATSURFACE	0		·					3	MAX. DEPTH=		5/3	E
THP CTD CONVENTED MONITOR VALLESS 5 10. 300. 300. 100. 750. 100. 750. 250. 250. 250. 250. 250. 250. 250. 2	PAR SN 424	2	PLUOR SA	N 153	00	설	CHAM SAN 109	070	- 1				
300) 300) 300) 100 \ 750 100 \ 750 200		DOOM	MONITORV	ALUES			S	SAMPLE BOTTLE DATA	<u> </u>	SAMP	Sample Bottle number		5
300) 300) 300) 100 \ 100 \	3		SECTE	9	3	LINE .	334	SALINITY	15I	SAL	£ E	占	WHIT'S NOTE:
	0					25				Co			M 13.1
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	77		30 M							35
		CHOICE TO SERVICE		7					-				27.2
			٠	100		STATE OF THE PARTY					1		ZZ Z
				100	5				g.	1			A ZZ
			0.0			170							07.1W
					130								MISS.
													M ZY
						5					·		W.CS
			1						S) III				W LT
1		4.4						3					M D
			10 M			8	6		3				MISO

					Ì											
VESSE	(A)	VESSEL NOAA SHAMII ED EDEGAAN	;		<u>u 2</u>	PROJECT & LEG MF00-01	留 :	<u> </u>	DSDB1.D. XX	ત		STATIC	STATION DESIGNATION	NAIR I	_	
2				·									(3ms) C	· .	u	•
CONSC			25	ONSTITLE	DATE	ATE JD= Oだみ	JANE (GME)	DRY BUB	WET	SEA ST		SPD.	CLOUI TYPE	BOTTOM DEPTH		STA. NAME/ID
3	88	-	82	MIN	DAY	S S	₽ N	(C)		ᇫ	(deg)	(g/w)		E	4	-
0		7 (0	3 (5	W 2 F	FEBOO	03160	5	<u>0</u>	80	8 L 647	Sy Sy	9	0 8		ا الا
SBES			TIMES	8	JOTTIME			۵	DATA LOCATION	ATION			REMARKS	ξ Ω		
8	PRESS SN 29	29772	DATAON	,	ļ		Tape/Diskette ID	cette ID	Ē	9 Name	File Name/Header	<u> </u>	7- C	~430 m	325	Siam
E	PRITEMPSN 889		START DOWN	 				Ď.	ં ા	CIDOS	Te.	<u> </u>	9	3	200 m	1000
S	SECTEMPSN 884		AT DEPTH					;	. !				25 E	Cleaned air bleed valv	leed val	19 9
<u>F</u>	PRI COND SN	303	AT SURFACE	w								2	MAX. DEPTH = 943	HE.	CHO	E
S.		530	PAR S/N 4242	1 4242	72	FLUOR SAN 153	S/N 153		Ş S	CHAM SAN 109	8	. 1				
ğ	OFFE HIGH			CIDCON	CONVENTE	AERTED MONITOR VALUES	VALUES			-	SAMPLE BOTTLE DATA	E E	SAMP	SAMPLE BOTTLE NUMBER	ENCE SERVE	5
		24								+		+				
	•				ď.	SEC TEMP	- GWE	&	SALINITY		SALINITY		SAL	Z Z	ㅎ	E E
•	(10			-				1					Ø			CHIM
. ~	30.00												1	1		CHIW
8	250									\dashv		+	\dagger	1		1HIW
•	000					٠						1	7	1		OHIW
	F F				,	٠	3						+	1		BETW
•								-				11		1		हटापा
^	77				•				,	_		,9E,		+	1	ECIL
• •	, L												\dashv	\dashv		061W
•	2 6												-	·	٦	प्राज्य
,	7 <		-						-	_			-			*EIW
?													1		٦	स्टाप
:	9 0												\dashv	\dashv	۲	Mish
12	0															

A change diench of a 227 m

3,1580 m ne abogg WHT'S NSFR STA. NAME/ID SAMPLEBOTTLENLANDER Cleaned air blood valve MAND COCKS

FEBRUSAM • L

FEBRUSAM • L 동 STATION DESIGNATION NGTR. MAX. DEPTH = REMARKS d 몽 SAMPLEBOTTLE MAN DESK SALINITY DATA File Name/Header Schoer 2 (0-1580 m) CTD022 SEA STATE YILIISIUTY ChIAM SAN 109 DATA LOCATION WET SALINITY DSDB LD. 0 Tape/Diskette ID 1580-F|C|0|0|8|3|1|6 FLUOR SN 153 CTD CONVERTED MONITOR VALUES £ SEC. TEMP PROJECT & LEG DATE JD= OSA Œ MF00-01 2 B 1 EWELLABIOLINE PLACE **BATIME** PRL TEMP. LONGITUDE PAR SN 4242 START DOWN AT SURFACE AT DEPTH DATAON 989 TIMES HESS/FE NOAA SHO MILLER FREEMAN LATTITUDE 91660 29772 SECCOND SN 530 Z SECTEMP SN 884 PRICOND SN 303 PRITEMPSN 889 1709 889 PHESSSY CAST # SBES **VESSE** 8 10 11 12 N (1) 6 8 0

PG 22 OF __

Check 13 Hard a 23, A go be oolus wrush u be 24

NESSEN.		2	1	PROFECT	PROJECT & LEG)))	DSDB LD.	1		TATIO	TDESIG	STATION DESIGNATION			
NOAA SHID MILLER FREEMAN	ER FREEMAN		•	MF	MF00-01		Ĕ.	XXIII	_		~	ŀ		:		
		,	•			¥	Š		STATE STATE TIME			(sms) QU(3 FEHTA	BOTTOR			10
CAST	LATTILIDE		LONGITUDE	DATE JD=	7	(GMT)	BUB	BULB	-	DEN	300 200 200 200 200 200 200 200 200 200	AW.	HEAD	_	NAMEAD	83
88	Z.	SB3	N	Ш	Σ	₹ £	<u></u>	S S		(deg)	<u>র</u>	•	E -	-	0	
23545	8-82 N	1684	5	6 WD 1 F	EIB 0 0	101	3.0	2087	767	330	268	3	227 1		3	. 1
SBE 9+ 63	0991	TIMES	ğ	JD/TIME			2	DATA LOCATION	S S		<u>œ</u>	REMARKS	•		Ş	
PRESS SN 29	29772	DATAON	į		. <u>`</u>	Tape/Diskette 1D	ette ID		File Name/Header	leader					ons	
PRITEMPSN 889	683	START DOWN	W					9	CTDOR	C					ĕ	30
SECTEMP SN 884	884	AT DEPTH			•					-		<u>S</u>	Cleaned air bleed valve	ood valv		
- NS GNOO SH	303	AT SUPFACE	 W								M	MAX. DEPTH=	===	150	E	P
1 _	530	PAR SN 4242	1 3	,	FLUOR S	N 153		GEAN	ChIAM SAN 109							1
POS TRIP DEFTH	i i		CIDC	WERTED	CTD CONVERTED MONITOR VALUES	ALUES			3	SAMPLE BOTTLE DATA	9	SAMP	Samplebottlenuaber	LENCAR	65	•
•	HESSURE	25	PARTEME	JAP.	SEC. TEMP	94	88	SALINITY		SALINITY		SAL	RITH	동	WHITS	= .
1 1501									+		,	. (+	T	70
. 5									_		0	23	+	1	T	
_					,	:			\dashv	•	┪		+	+		
4		•					či.	-	_		+	+	12.	+	1	
5						7			_		-	\dagger	+	+	Τ	
9									4		+	+	+	\dagger	T	
7									_		<u>=</u>	┪	+	+		
8			,						_		+	\dagger		+	T	
6							.	i.	1		+	\dagger	+	+		
10				1		7		,			+	\dagger	+	†	T	•
11				+			8		_		+		+	\dagger		
12				4			í		4		-	-	-	1		
						10										

												2000	20000000		
WESSE		-			٦	PROJECT & LEG	8		DSDB LD.		STATIC	STATION DESIGNATION	SNATION	-	
Š	NOAA Ship MILLER FREEMAN	PEEMAN			=	MF00-01		and and a	NX IX		\downarrow			-	
3000										YTU		(tms) Q(<u>.</u>	.j
CAST	8 3			<u> </u>	DATE	205	GMT)	<u>F</u> 23	WET BULB	SEAS SEAS SEAS SEAS SEAS		MEV. COO	BOTTOM DEPTH		STA. NAME/ID
	98	F	680	N.	DΑ	Ož	H WN	ဥ		•	(s/m)	•		-	
C	51.3	N 69	6912	CM 69	~	FEBOO	14-2	27) 	946632	رم رو س	\ \ \	1726	-9	1
SBES		F	8	JOYTIME	IME		<u>.</u>	ā	DATA LOCATION	NOIL		REMARKS	83		
PRESS SN	SSN 29772		DATAON			1	Tape/Diskette 1D	ette 1D	File	File Name/Header			اد	M0	1520
E	PRITEMPSN 889	STA	START DOWN			1	:		CTD	HEOGE	1		•		
SECT	SECTEMP SN 884		ATDEPTH						.					Took Va	2
E	PRICOND SN 303		AT SURFACE				٠					MAX. DEPTH =		1501	E
2	SECONDS 530		PAR S/N 4242	242		FLUOR	FLUOR SAN 153		ChiA	Chiam S/N 109	•				
ā				CIDCONE	NVEHTE	ERTED MONITOR VALUES	VALUES			SAMPLE BOTTLE DATA	отпе	SAMS	Sample Bottle number	TENUM	<u> </u>
	,	. :			-			•	:						
		HESSIFE		PPRLTENP.	ð.	<u>ප</u>	SEC. TEMP	8	SALINITY	SALINITY		SAL	MUR	岩	E E E
-	1901					7.						0			
- 74												1			T
3								:					1	1	
•	•										1	1			
2							-						Ī		
8												Ť			T
7													1	1	T
60			_									+	1		
6									÷			1	1		
5													+		
=							1					+	†	1	T
12			\dashv			8	i i ik				(I). (C)				

														0.00	
VESSE	l d		L			PROJECT & LEG	9	180	DSDB LD.	- 17	STATIC	STATION DESIGNATION	NATION	_	
Ş	NOAA Ship MILLER FREEDAAN	REFERMAN	_	•		MF00-01		-	XX	7				-	
SNS	8		Ì	·		9	TIME) de		SE STATE EASTATE EASTATE		(1ms) QUOK 39Y RSHTA3Y	BOTTOM DEPTH		STA. NAME/ID
CAST		LATITUDE	ğ-	LONGITUDE	DAIR JOH	<u>9</u>	New CH	1		۸. s		4.		4	
	OHO PARTY	NW 0.	1.605	2 2	₹ 73	┪			Q	71-	ф -	70 70	4	6	25
88E 94		2 2	-] =]							HEMARKS	\$ 1862	4	
	PRESS SN 29772		DATAON				Tape/Diskette ID	cette 1D	- SE	File Name/Header				1597	
Æ	PRITEMPSN 889		START DOWN	 			4		į		<u> </u>				
SEC	SECTEMPSN 8		ATDEPTH			•			,	•		2	Cleaned air bleed valve	leed val	2
E		303	ATSURFACE	! ሦ			•					MAX. DEPTH=	표	RK asi	E
S. C.	SFCCONDSN 5	530	PAR S/N 4242	N 4242		FLUOR	FLUOR S/N 153		CHAN	CHAM S/N 109					
ă				CTDCONVE	OWERT	ERTED MONITOR VALUES	VALUES			SAMPLE BOTTLE DATA	ШЕ	SAMP	SAMPLEBOTTLENLAMBER	TENUM.	<u> </u>
	· · ·					8	OUT COS	80	SALINITY	SAIMITY	,	SAL	2	충	WHITS
1	100	HENSON	#	HR 10w											
- "	9														
67			,									1			
Ŀ												1			
2			,								寸	1	1	1	
6											+		+		T
7					.							1	+	1	T
60												1	†	1	T
6											1	╅			
9		·						ı				1		1	T
Ξ	_										\dagger	+	-	十	T
12										. 25		1]

PG 260F

		4												۱	
VESSE		J.			-	PROJECT & LEG	9	080	DSDB I.D.	-	STAT	STATION DESIGNATION	NOTION	_	
<u>₹</u>	A Ship MILL	NOAA Ship MILLER FREEWAN	.1	•	Σ	MF00-01			XXX	- 1	$\frac{1}{2}$				
				•					,	3TA1	. <u> </u>	(1ms) O	,		
CAST				ONSTIDE	DATE	0- 053	TIME (GMT)	DRY	WET	VISIBIL VISIB VISIB VISIB VISIB VISIBIL VISIB VISIB VISIB VISIB VISIB VISIB VISIB VISIB VISIB VISIB VI	ON WIND		BOTTOM DEPTIH	-	STA. NAMEND
	88	N.	8	MIN	DAY	DAY NO YR	H WN	(၁)	()			•	E	+	ŀ
4		1 C.C.O	-	CW FF. H	A) IE	EBOO	316	σ co	00:1	257	0 10	861	18/		
\$ 385 \$		1660	THAES	JOYTIME	JAC .			Ω	DATA LOCATION	NOL	ąį.	REMARKS	83		5
F. Kill	PRESS SN 29	29772	DATAON			-	Tape/Diskette ID	cette ID	<u>9</u>	File Name/Header	=				
72	PRITEMPSN 889	681	START DOWN	 				23	ا ا	deoc ro			\$0 85		
SEC	SECTEMP SN	884	ATDEPTH	_						٠	_	\$ 5 m	Cleaned air bleed valve	leed val	2
3	PRI COND SN	303	AT SUFFACE	 	Ì	¥	٠					MAX. DEPTH = 1907	=HE	206	E
S		530	PAR S/N 4242	N 4242		FLUOR SAN 153	S/N 153		CHAN	CHAM SAN 109		,		İ	
ă	OE L			CID	WERTE	CTD CONVERTED MONITOR VALUES	VALUES			SAMPLEBO	SAMPLEBOTTLE	SAME	SAMPLEBOTTLENLAMBER	LENG	— 5
	HILA	ats													
	•	FRESSURE	UTE.	PRL TEMP	MP.	SEC. TBAP	TBAP	8	SALINITY	SALINITY	<u>L</u>	SAL	NUTA RTIA	궁	WHITS
-													1		
8															
8													•	1	
*			•		2			,							
9							ĝij.						+		
9				-									1		T
7										-		300	+	1	
8				,						_		+	1	1	\int_{-1}^{1}
6	,			٨								+			
9			328						Šč			+	+		
11									,				1	1	
12										i		-	1	1	

attimated "on" ~ 200m

WHITS NUTE. STA. NAME/ID SAMPLEBOTTLENLABER Cleaned air bleed valve MAX. DEPTH = 1523 FEHUNSW . 岩 STATION DESIGNATION **E** REMARKS S S 38 SAMPLEBOTTLE SEASTATE VISIBILITY
OF WANTED SALINITY DATA File Name/Header S.T.DORT CHAM SAN 109 DSDB.LD. DATA LOCATION ည် SALINITY Tape/Diskette 1D ည် 4 Wala FIEIBIOION 138 H M TIME (GIMT) FLUOR SAN 153 CTD CONVEHTED MONITOR VALUES SEC. TEMP PROJECT & LEG Œ DATE JD=053 MF00-01 3 DAY PRL TEMP. LONGITUDE PAR SN 4242 Z START DOWN ATSURFACE ATDEPTH DATAON <u>ہ</u> TAMES **HESSUR** NOAA SHIP MILLER FREEMAN LATITUDE 5347.2 91660 29772 SECCONDSN 530 SECTEMPSN 884 PRICOND SN 303 PRITEMPSN 889 OFFIH HITE 8 PAESS SV CAST # SBES 下での ă 10 12 • 0 8

1 11 4

PG 过 OF

VESSE	8					PROJECT & LEG	EG	JSO	DSDB I.D.		STATI	STATION DESIGNATION	GINATION	2	
Ž	A Ship MILL	NOAA Ship MILLEB FREEMAN			2	MF00-01			ナフンメ	,	-	ŀ		-	
					•		i de	£6	y1	3TA		(JMS) (•
CONSC						Ę	TIME (AME)	7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	WET	TESSON SERVICES	ONIAN O	SCOUR	MOTTOM HTT-BO		STA. NAME/ID
CAST		CATITUDE		CONGILIDE	NAVI V	<u>ع</u> 2	4	4	7	۸ <u>.</u> ع	┿	·			
0	1 C C C		σ -	17		E B	D		10.	17	_	166	165	0	
		2			DATIME		_	٥	DATA LOCATION	NO		REMARKS	ā		
8		91660	3												•
HE	PRESS SN 29		DATAON	-		l	Tape/Diskette ID	kette ID		File Name/Header					
3	PRITEMPSN 889		START DOWN	NAN		1		965 }	5	CIDOAS	 \		5)		
8	SECTEMP SN	884	ATDEPTH	_		88		34	i 		<u> </u>	3 3	Cleaned air bleed valve	a Deek	2
<u>E</u>			ATSURFACE	 	'							MAX. DE	MAX, DEPTH=	1501	8
			PAR SN 4242	12		FLUOR	FLUOR S/N 153	1	ChIAM	Chiam Sin 109					
				COD	ONVERTE	CITO CONVERTED MONITOR VALUES	WALLES			SAMPLEBOTTLE	OTILE	SAM	SAMPLEBOTTLENLABER	TENT	5
2					;†		•	•	3.8	DATA	«			Ī	
		200		Jan 1940	9	ည်း (၁)	SEC TBAP	3	SALINITY	SALIMITY	7	SAL	MTR	룡	WHIT'S NATH
ŀ		E	ا ا			·						16			
- °															
65			50									1	1		
•						·								1	
2								,			1	1	1		
8											+	Ť	1	1	
7						2					+	_	†	1	
8				1.								+	†	1	
6											†	+	•	†	
10			·								+	+	-		
11											†	1		\dagger	T
12									5		1	1	1	1]

7				PROJECT & LEG	Ø	DSDB LD.	31.0.		STATIO	STATION DESIGNATION	MATION	_	
NOAAS	VEXACE. NOAA Shid MIITER FREEMAN	JEEMAN	•	MF00-01					,	ŀ		}	
							34	ETA.		(jms) C			•
CAST		·- \	DATE	ģ	TIME (GIAT)	or₹ BUB	WET BEET		WIND SPD CPS	⊒-Λ71 ΠΛΞΜ	BOTTON HETTH		STA. NAMEND
3	g		Men DAY	Ş.	H H	S	H	(deg) .	(s/w)	•	=	+	E
6	3.1	89.1 N EO	54191M22	FEBOO	0000	0	0,905	545346	0	1158	<u>त्</u>	0	
1 ±	1	THAES	JOYTIME			2	DATA LOCATION		<u> </u>	REMARKS			
PRESS SN	SN 29772	DATAON		<u></u>	Tape/Diskette 1D	ette 1D	Fie	File Name/Header					
PRITE	PRITEMP SN . 889	START DOWN	NWC			의	CTT	PE0 0		έ	SE		
SECTE	SECTEMPSN 884	ATDEPTH	=		-	ja ja				8	늘	Cleaned air bleed valve	2
PROONDSN	ED SN 303	ATSURFACE			ac •	ļ			-2	MAX, DEPTH=	F	5000	E
			DAR S.N. 4242	FLUOR SAN 153	VN 153		CHLAM SAN 109	VN 109					
3/1		7	NOO C	EHTED MONITOR VALUES	ALUES			SAMPLEBOTTLE	12	SAMPL	EBOTT	SAMPLEBOTTLENUMBER	65
	HLA				•	83	.5	DATA		•			
-	<u> </u>		PRI TBMP.	SECTEMP	9/6	SAL	SALINITY	SALINITY		SAL	MTR	岩	WHITS
•				•					1				
- ~	2 //				22				\dashv	+	1		
60		10.							+	\dagger	+	1	T
-			•	•		<u>r</u>			+	+	†	1	
10				-					\dagger	\dagger	+	1	
9					1					+			
7									+	\dagger		1	
_ •					1				+	+	+	1	
6					1				+	1	+	†	
2				17					+	+	+	T	T
Ξ						· =			+	-	+	╁	1
12	· ·				1				4	\dashv	\dashv	1	7
					•			•					

Source - S sec to see it peol, then came up. oold-exactly the same por 200 earding-

7															I
VESSE				8	PROJECT & LEG	99	OSO	DSDB LD.		8	STATION DESIGNATION	SIGNAT	Ž		
NOAA Shio Mill	NOAA Ship MILLER FREEMAN			M	MF00-01		-						 		Т
	,				Control of the Contro			: 	3TA1		(tms) (HEH.			
CAST	ATMINE	<u> </u>	STUDE	DATE	20.	TIME (GMT)	DRY	WET	FRESS SEAS VISIBIL	WIND W	WIND CONTROL COLORS	MEAT	BOTTOM DEPTH	STA	
8		980	Z	DAY	ξ S	¥	ည	(0.)	• • (qw)	(Geb)	(m/s)	5			Ī
3.0532.431	-	1634	16845100WDDF		E B O O	5060	0	0.1	05456	030	00	10	040		J
SBE 9+ G	ł	TIMES	ZG.				Õ	DATA LOCATION	NOIL		REMARKS		5,466	ė.	
PRESS SN 2	29772	DATAON			<u> </u>	Tape/Diskette 1D	ette 1D		File Name/Header	ader					7
PRITEMPSN 889	889	STARTDOWN	WW		<u>.</u>		5	김	CROST	d		· ¥	闰		\neg
SECTEMP SN 884		ATDEPTH					17		•		₫	Cleaned air blood valve	P Plood	e la	
PRI COND SN	303	ATSURFACE	 W			•					MAX.	MAX, DEPTH=	Q	500	
SECONDSN	530	PAR SN 4242	N 4242		FLUOR SAN 153	SAN 153		CHA	CHAM S/N 109		•				_
POS TRP			CID	NVEHTED	CTD CONVEHTED MONITOR VALUES	VALUES			SAME	SAMPLEBOTTLE		SAMPLEBOTTLENUABER	THEN	1489A	
	,					•	•			DATA			}		\neg
		385	PRI TEMP.	ď.	SEC, TEMP	BAP .	8	SALINITY	3	SALINITY	84	3	동	WHITS RUM	1
1 28											83	1	4	4	4
- 24						题			_		-	\downarrow	4	4	
3						1					4	1	1	_	
		•		1		1	12					1	_		_
2				1					-		_	*	1		_
9		1.									1	1		1	
7						·					<u> </u>	1			-
8			-0						-		\downarrow	1		1.	_
6				+		+		9	_			1		_	
10		·		1		+			3.5		1				
11				+		+			1		1			1	
12		38		1											

last Linshmer CTD on

PG 3/ OF

WHITS STA SAMPLEBOTTLENUMBER Cleaned air bleed valve 占 CLOUD (ami) STATION DESIGNATION MAX, DEPTH= REFE HELLARICS 돐 (S/III) SAMPLEBOTTLE SEASTREETY VISIBILITY ON W SALINITY File Name/Header CATOO 00000 CELAM SAN 109 DATA LOCATION MET WELS SALINITY DSDB LD. Tape/Diskette 1D ¥ E 70W22 FEBOOL DAY (GMT) FLUOR SAN 153 CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG ¥ MF00-01 DAY NO DATE JD= PR. TEMP. LONGITUDE PAR S/N 4242 START DOWN ATSURFACE 5322000 N 1684 ATDEPTH DATAON 8 SEME HESSLE NOAA SHID MILLER FREEMAN LATITUDE 91660 29772 SECÇOND SN 530 SECTEMPSN 884 PRICONDSN 303 PRITEMPSN 889 PET DEPTH Œ 44 PAESS SN CAST # SBES ă **1**0 12 6 10

1 1

Shallow and of Amukla Pass East line

WHITS STA. NAME/ID SAMPLEBOTTLENUMBER Cleaned air bleed valve 299 동 BOTTOM DEPTH STATION DESIGNATION NOTE MAX. DEPTH= REMARKS SAL. (deg) |(m/s)| SAMPLE BOTTLE DATA SALINITY File Name/Header ChIAM S/N 109 (mb) 0.0 80 DATA LOCATION WET SALINITY DSDB LD. Tape/Diskette 1D 17 7033.77 W22 FEBOO 2039 H (GIMT) CTD CONVERTED MONITOR VALUES FLUOR SAN 153 SEC. TEMP PROJECT & LEG Œ MF00-01 Ş DATE JD= DAY **JOYNIME** PRI TEMP. **PAR S/N 4242** LONGITUDE START DOWN AT SURFACE AT DEPTH DATAON 8 TAKES HESSLE NOAA Ship MILLER FREEMAN 32522848N LATITUDE 91660 29772 SECCOND SN 530 PRICOND SN 303 SECTEMPSN 884 PRITEMPSN 889 883 299 PRESS SN CAST # SBES VESSE. **20** 10 12 9

rads car time

Ĺ													AOTAMO			
VESSEL	25 25 25 25 25 25 25 25 25 25 25 25 25 2	VESSE.	₂	•	<u> </u>	MEDD-01	2	7. 200 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1	ij	552	K D			•		
				41.	#3		- 1 (1) (1) (1)		33			(JMB) (•
CAST		ATMINE	Ž	LONGILIDE	DATE JD=	D=053	TIME (GMT)	DRY BULB	WET BULB	VISIBIL SEA ST	WIND WIND	LVISE CLOUI	MOTTON VEPTITON		STA. NAMEND	,
	8	N.W.	88	N.	DAY		H M	ည	片	ŀ		•	(III)	-{	-	
. 29	_	19.67 N		S.	SWaaF	E B O O	2023	0.8	0.884	11/11/25	1100	(°) 000	<u>50</u>			ű.
SBES		999	TIMES	JOYTIME	IME		tia.	ď	DATA LOCATION	NO	ļ	REMARKS	2			
E	PRESS SN 29	29772	DATAON	ļ		1	Tape/Diskette ID	ette ID	File N	File Name/Header	6	W	J.w.	RACO	10.39	Carried
H	PRITEMPSN 889	68	START DOWN	¥.					7	CTD033						36
SEC	SECTEMPSN 884	884	ATDEPTH									8	Cleaned air bleed valve	leed val	2	
	PRI COND SN	303	ATSURFACE	ا بر		1		,			1	¥ P	MAX. DEPTH=	531	E	
SEC	1 _	530	PAR SN 4242	1 2		FLUOR	SAN 153		CHAM SAN 109	SA 100						•
ă	g <u>a</u> į	1		C198	WEATEL	CTD CONVEHTED MONITOR VALUES	VALUES	į		SAMPLE	SAMPLEBOTTLE	3	SAMPLE BOTTLE NUMBER	LENDA	55 =	•
		6.5 (E)		!			٠	50 9								
	•	PRESURE	37.5	PAL TEMP.	<i>3</i> :	SEC TEMP	- LEWE	SAL	SALINITY	TWS .	SALINITY	SAL	MIR	븅	WHT.	. ·
-	219	D 2			,							Ŋ	1		6	
~							·			,						
67											•		·			
•		Ð				•							1			
20														1		
စ						E .	œ							iji.		
4					•								1	1915		B
80							•				·		7	1		
o						100					•					
9									e Va							**
Ξ			,	3									1	1		
2								\$ L \$					1	\dashv		
						<u> </u>										

PG 型 OF __

1					-						ľ					_
VESSE	덨				<u> </u>	PROJECT & LEG			ا ا	. O .	<u>.,</u>	STATION	STATION DESIGNATION	5		
Ş	A Ship MILL	NOAA Ship MILLER FREEMAN	~	٠	2	MF00-01		×		Nack 1			1 12			
				20		10	 - <u> </u>					(tms) O	HEH			87
CAST		I ATTO IDE		EOMEMDE	DATE JD=	-Q.	TIME (GMT)	DRY	WET	VISIBII SEA S	ONW		MEAT WEAT		STA. NAME/ID	
	8	N. N.	88	M	DAY	OX EX	H MN	Ш	() ()	Z						2
1.00	168	<u>S</u> €		9 1	₩23F	E B O	0 0 2 3 7	1 0	11.07	910	-4	358	7117	2		•
SBE 9+	9	999	THES) S	JOYTIME		95°		DATA LOCATION 75.9	10N 75 (~	Q	REMARKS ((0830)	,	
E	PRESS SN 29	29772	DATAON			ĵ	Tape/Diskette ID	kette ID		File Name/Header	ader	إنخر	1	Thom?		
Æ	PRITEMPSN 889	89	START DOWN	 		·			0.1.0	460 C	力	100	F. Comin	10/18	1000	Jana
SEC	SECTEMP SN	884	AT DEPTH) I				•			Cleaned air bleed valve	r bleed v	2	
Œ	PRICOND SN 303		ATSURFACE	 W			•					3	MAX. DEPTH=	15	E	
Š S	SECCONDSN	530	PAR S/N 4242	13		FLUO	3 S/N 153		ChlAM	ChIAM S/N 109						, .
ă	del.			CIDA	SWEHTE	CTD CONVERTED MONITOR VALUES	RVALUES			SAM	SAMPLE BOTTLE		SAMPLEBOTTLENUMBER	TTENO	E50	
	DEPTH							G.			DATA	-		ļ		
	; ;		4	PRI TEMP	d de	Ses	SEC TEAP	35	SALINITY	8	SALINITY	SAL	L NOR	븅	WHIT'S NUTR.	* %
•	COL									_		1	-		83	
2							•									
၉													-			
•		+ .	23				$\mathcal{M}_{\frac{1}{2}}$					_	$\frac{1}{1}$			
167									3			_	<u> </u>			
4						150								÷		***
,																§2
9											5	į.				
6												-	· -			
2									(i) (i)			+	1		7	¥3
=				IX.						\downarrow		4	 		T	
12						æ						-				
										•						

513F1 = X = 13512

	-			ľ	DECITE IER	S	200	0.0		CTATA	CTATION DESIGNATION	NATION		
NESSEE A		_				2	3_	יייי אל יויום שפט	<u></u>	₹ ₹ 0		<u> </u>		-
NOAA Ship I	NOAA Ship MILLER FREEWAN	_		Σ	MF00-01		\dashv						-	T
ī			•						TATE YTU		(tms) OL	_		ag
CAST &	LATTINDE	<u>§</u>	LONGTUDE	DATE J	JD=	GMT)	SUB BUB	WET	SEA S VISIB OR WIND	WIND SPD.	CC 00	DEPTH		NAMEND
080		8	¥	Ш	₩ W	H MN	(C)		•	(m/s)	• • •	(w)		
0355	0	1702	71.52W	23 ₽	EBOO	0632	2.50	706	276201	20	817	2 H 65	5.32	5 - 1
SBE 9+	91660	THAES	MITYON	TARE		14		DATA LOCATION	NOL		REMARKS	ςΩ.		,
PRESS SN	29772	DATAON	ļ			Tape/Diskette 1D	ette 1D		File Name/Header		0	mater		O O
PRITEMPSN 889	688 N	START DOWN	MA					7.0	C.T.DO35					
SECTEMPSN 884	788 N	AT DEPTH			.						25 25 25 25 25 25 25 25 25 25 25 25 25 2	Cleaned air blood valve	leed val	2
PRICOND SN	N 303	ATSURFACE	 W			•					MAX. DEPTH =		CHHO	E
SECCONDSN	SN 530	PAR S/N 4242	N 4242		FLUOR SAN 153	S/N 153		CHAM	CHAM S/N 109				,	
POS. THE	a, è		CTDCOM	WEATE	FERTED MONITOR VALUES	VALUES			SAMPLE BOTTLE	重	SAMP	SAMPLE BOTTLE NUMBER	LENCA	5
<u> </u>							58						Ī	1
•	PRESSIFE	E	PRITEM	¥.	SEC. TEMP	EMP	SA	SALINITY	SALINITY	>	SAL	REAL PROPERTY.	충	WHITS
1	•										1	1		9
. 2	***										每		1	
3												1	7	
	63										1	1		
2												†	9	
8					9						•	1	ģ.	
2 2												1	7	1
8											1	1	1	
6	-					1	· [7	\dashv	+	1	
- 01								ā -		7	+	+	7	
11	(8)		()			1				\dashv	\dagger	†	1	T
12						\dashv)l	· .		-	*			
						٠.								

PG 360F___

VESSE					PROJECT & LEG	24	OSQ I	DSDB I.D.			STATIO	NDES	STATION DESIGNATION			
NOAA SHID MILLER FREEMAN	'R FREEMAN		•	2	MF00-01		-	·			82			-		
			27		Σ _ζ			ı	31			(Jmis)		<u>.</u>		
33,00						TIME	Ž	WET	HUSSE ATS A		QUI.N	GUO PHTAS			STA.	
	LATTUDE	LONG	LONGTUDE	DATE	ŀ	<u></u>	4	BUB.	38	VIS DEPA	8		٠ļ	_	NAME/ID	
V 080	H	988		λ¥	Σ			ឡ	<u>(a</u>	(deg)	(m/s)	+	- 14		E	
36515	5.3.90 NI	702	2.41	w23	FEBOO	1044	13.1	2014	427	6200	9	12 48	<u> </u>			
SBE 9+ 916	(file	TIMES	g	JOYTIME			Õ	DATA LOCATION	NOIL			REMARKS	۶ ۲		2007 2007	From N
PRESS SN 29772		DATAON	į		l	Tape/Diskette ID	kette ID		Name	File Name/Header	;	ŭ	11 10000		Let 1	
PRITEMPSN 889		START DOWN	Z.					, l		,	!		W			Kar
SECTEMPSN 884		AT DEPTH	[٠.	·• 				• 			300	a ale pour	Cleaned air bleed valve	2	ް
PRICOND SN 3	303 AT	ATSURFACE	 بر					 			<u>.</u>	K. D	FIH	MAX. DEPTH = 2777	E	¥ ,
1	530	PAR S/N 4242	1 4242	316	FLUOR	SAN 153		8	ChIAM S/N 109	8	-					Calole
POS TRP			CIDO	OWERTE	CTD CONVEHTED MONITOR VALUES	NALVES			8	SAMPLEBOTTLE	Ę	NS.	PLEBOT	SAMPLEBOTTLENUABER	5	707
# B							8) 94.		· ·	DATA	,					Water
	HESSLE	20 (1)	PRI TEMP.	BAP.	3	TEMP	8	SALINITY		SALINITY		SK	MIR	쿵	WHIT'S NUTH	N.
1 2777														1		
. 2	¥.										+			7		
8									\dashv			1				
- TES	(C)	• •			·			î	\dashv		+		7			
60									+		+		1	ú		
8		, 			F						+	Ť	1			11
7									_		+	7	+	†		
80		,									-	+	7	1		
6.											+	_	1	+		
10								ð:			\dashv	7	+	+		¥8*
11	æ		(<u>+</u>)						\dashv		\dashv	+	ę.	+		
12									\dashv		\dashv	1	\dashv	7		
						٠.				:						

Limited to 3000m was out // Rough seas/ high win Ls

				,			*									
VESSE	25			2	PROJECT&L	53	OSO	DSDB I.D.			STATIO	N DESK	STATION DESIGNATION	-		
ğ	NOAA Ship MILLER FHEEMAN	3	•	M	MF00-01						74			}	ŀ	
<u> </u>		· 			Ď.			5. F	ΞT/	7		(1ms)			य व	
SNOO		<u>.</u>		7476 5	اع	TIME	BENY	WET	TESSU.		QNIM G	CLOUD MEATH	BOTTOM DEPTH		STA	AN TO THE PROPERTY OF THE PROP
3	DEG MIN	980	MIN	DAY .	NO YA	HR MN	ည		<u> </u>	(deg)	_	•	Œ	· 1		
3	T	1 -	9	4	EBOO	1535	3.8	a	707	6185	3 ± 8	% *	2000	<u>\</u>		
SBE	9	TIMES	JOYTIME	IME		220	ã	DATA LOCATION	NOL		<u> </u>	REMARKS	Ή	Amela	bla Pars	is # (e
PAG	PRESS SN 29772	DATAON				Tape/Diskette ID	cette ID		Name	File Name/Header	:					O house
E	PRITEMPSN 889	START DOWN	W.		 				;						·	June 2
86	SECTEMPSN 884	ATOEPTH			-,-						!	<u>8</u>	Cleaned air blood valve	teed val	2	26.7
280	PRICOND SN 303	ATSURFACE	 W	"							2	AX. DE	MAX. DEPTH=	2558	E	3543 pc.
<u> </u>	SECCOND SN 530	PAR S/N 4242	N 4242	ě	FLUOR	S/N 153		CHA	CHAM S/N 109	8			!	r		
ğ	THP		CLDCO	WEATEL	CTD CONVEHTED MONITOR VALUES	VALUES	8		S	SAMPLEBOTTLE	2	SAM	SAMPLEBOTTLENUABER	LENCA	E9	25 77
	DEFTH						#1 G			DATA				Ī		3
		HESSUFE	PRI TBAP	è	380	TBAP	SAI	SALINITY		SALINITY		SAL	NUTR	붕	WHITS	
•													1			
8																• .
3					-								-			
4		•			•											
45											4					
6					\$1)									î		
_														1		E
•															1	
a							•		•		•	7				
ę								i s		1		7		7		•
1											\dashv	7	1	\dagger	T	
12							s		_		4	7				

ESSEAN.				٦	PROFECTAL	ES	asa	DSD8 I.D.			STATION DESIGNATION	DESIG	MATION			
NOAA Ship MI	NOAA Ship MILLER FREEMAN			2							(0)			-		
				7					ETAT	A10	(tms) (I	(tms) O(·	
CAST	1 ATM DE	<u> </u>	CNSTLDE	DATE JD=	å	GIMT)	E 3	WET	SEA S		SPD. CIC.	TYPE	BOTTOM DEPTH		STA	
88	MN	930	M	DAY	S S	¥ Œ		H		(geb)	(S/E)	•	E	Ž.	31	desth
33 51	3. 1.53N	1/2/0/1	31114	14W 23	FEBO	8461	3.0	F1 . 7687	876	6185	138	5 24	9	0		shart of
SBE 9+	91660	TIMES	9	JO/TIME			3	DATA LOCATION	NOL		2	BLAFFIC	1	PENARG STATE SAN 3	e4	
PRESS SN	29772	DATA ON			,	Tape/Diskette ID	cette ID	2	File Name/Header	feader	!	Lt./12	mera'	2		
PRITEMPSN 889	889	START DOWN	N.			,			i		ė				5120	
SECTEMPSN 884	1 884	AT DEPTH										Clean		Cleaned air bleed valve	2	
PRI COND SN	303	ATSURFACE	 ሧ								3	X. DEF	MAX. DEPTH= JOHL	2-2	E	
SECCONDSN	530	PAR S/N 4242	V 4242		FLUOR	1 S/N 153		Chie	ChIAM S/N 109							4
POS TEP			CIDC	ONVERTE	CIT CONVEHTED MONITOR VALUES	VALUES			3	SAMPLEBOTTLE	2	SAMPL	Евот	SAMPLEBOTTLENLABER	65	
	12.5 14.				,	•	ii.			DATA		•		1		
£7	HESSLE		PRL TEAP.	BAP.	SEC	TEMP	8	SALINITY		SALINITY	S	SAL	REAL PROPERTY.	8	WHITS	
-				- 53		ı						0	1	7	9	
2						* *					-		+	1	T	
8										,:	-	1	+		-	
6			·		·				_		1		1	ī.	1	
10							g		4		- <u> </u>	\dashv			T	
8											1	+	\dagger		T	
7	,					35			_	.	+	+	+	\dagger		100
60								,	_		- T.	+	+	+	Ī	
6										<u> </u>	-	,	+	+	T	1000
10								(i) ·	_		\dashv	+	+	+	T	¥0;
11		1				122	į.		_		\dashv	\dashv	\dashv	+	\neg	
12							0				\dashv	\dashv	\dashv	\dashv	·]	
						. ·										

VESSE			ŗ.		PROJECT & 1	153 153	OSO	DSDB 1.D.			STAT	ONDES	STATION DESIGNATION	2		
NOAA SIID MILLEH FHEEMAN	LEK PREEMAN											CI		-		
SACO						TIVE	È	WET	SSURE STATE	STATE A STATE		OUD (aπ ₹	#⊒HTA3 90 \$0 \$0 \$0		STA	
	LATITUDE	NO.	LONGTUDE	DATE	0	5	긔	BEB		SIV SIV	_	찓	4	-	NAMEND	Chort Typis
983			N	_	9-6	£ (§	QE C	9 4	(m/s)	• 0	E − 6		E	65'50m
5 1	2 + X • O	00E	9	7		000		7 2 3	1 8 9	ν ν	2	0	5	,		
SBES	91660		3	JOY SIME			Š	DAIA LOCAIRON	5				2			
PRESS SN 29	9772	DATAON			ı	Tape/Diskette ID	kette ID	臣	e Name	File Name/Header		F00	FOO Serie	4729	J. C.	
PRITEMPSN 889	889	START DOWN	N.					ં	C.T.D030	939		0	Jo Hau	3200	10 W	رماس
SECTEMP SN	884	АТ ОЕРТН				(1)						\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Cleaned air bleed valve	Sleed val	100	いっというと
PRICONDSN	303	ATSURFACE	 W									MAX. D	MAX. DEPTH =	388E	, ₀	}
SECCONDISM	530	PAR S/N 4242	N 4242		FLUOR	S/N 153		5	ChIAM SAN 109	<u>8</u>						
POS TEP			OED CED	OWERTE	CTD CONVEHTED MONITOR VALUES	3 VALUES			_	SAMPLEBOTTLE	ОПЕ	\$	SAMPLE BOTTLE NUMBER	TENCA	55	•
<u> </u>	; ;															7447
:	HESSURE	URE	PRLTEAP	BMP.	3 3 8	TBAP	SA	SALINITY		SALINITY	Ł	SAL	£	충	WHIT'S REPA	
												Sa				
. ~									\vdash							does
8						,)) (1							T	1,83
*									\dashv							000
5	-								+						4	
9									\dashv						_	0000
7									-					1	1.17	0000
8															9	
6		,									·		7.	1		***
10									+					1	T	i . iii
11									\dashv							
12				:												

VESSE				PROJE	PROJECT & LEG		OSO	DSDB I.D.	5	8	STATION DESIGNATION	SESIGN	ATION		
NOAA Ship Mil	NOAA Ship MILL ER FREEMAN			MF00-01	٥				3						
		<u> </u>	0(ł			30	TATE		(Jms) C	HEB			•
CAST	LATTH IDE			OATE DE	ע ע ב	GME	₩ 8	WET	S A3:	A ONE	NOTE S	ANTIANY TAN	BOTTOM	. လ §	STA. NAME/ID
8	W	88	MN	DAY NO	丰	HR MIN	5	\top	۸ •		۶.	۸.	 E		
04.05454La	54.27 N	-	0.45W2	S F E	B 0 0 0	0615	8	0	31	2901	00	इद	56	-	
SBES	91660	TIMES	JD/TIME	IME	_		Õ	DATA LOCATION	Š		12	REMARKS			
PRESS SN 2	29772	DATAON			T _a	Tape/Diskette ID	ette ID	File 1	File Name/Header	ader	7	LINIMBAK		PASS	V
PRITEMPSN 889	889	START DOWN	N.					10.73	0.7.2040		Ц	East, sch	3	9	,
SECTEMP SN 884	884	AT DEPTH			28			5	CTONHOE	Ą		Cleaned air bleed valve	air ble	vav be	
PRI COND SN	303	AT SURFACE	W			1,5%	4	the costs	Ó		₹	MAX. DEPTH =	H= 53	16	Æ
SEC COND SN	530	PAR SN 4242	N 4242	<u>了</u>	FLUOR SAN 153	v 153		ChIAM SIN 109	SA 109	[]					
POS. ITAPO DEPTIN	<u> </u>		CID CID	CTD CONVEHTED MONITOR VALUES	NITOR VA	MES	11		SAM	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	ПТОВ	ENCAR	5
¢:	d d			-							-	H	\vdash	\f	Č,
	PRESSURE	URE	PRI. TEMP.	MP.	SEC TEMP	Q.	SA	SALINITY	<i>.</i>	SALINITY	SAL	-	NUTR	궁	META.
- 20		35		15	•						1	R			84
2 40	95		1					-			-	_	2		
30										69					19.7
4			351											1-2	146
0					66				11		z -				47
9						Œ	V))					1	7
7				322				•			5-010-1 (C-02)-				
80									2.		CWO.				
6							45	1	Z.		797		·		
10						-			U		_	-			ļ
=				•		1						\dashv	-	1	
12				_	II .						T	_	_	_	

											i	1	
VESSEL		+		PROJECT & LEG	(FE	DSDB I.D.	LD.		STATION DESIGNATION	DESIGN	ATION		
NOAA Ship	NOAA Ship MILLER FREEMAN	- -	·	MF00-01		·							
OSNOC					TIME		ELINESSE LI		(tms) QUC	ЯЭНЦА	BOTTOM		STA
CAST #	LATITUDE	LONG	LONGITUDE D	DAY NO VO	+	_		SIV .	CC		DEPTH		NAME/ID
0415	ત		25 W	FEBO	10	0	1.08 C.1	(geg) 7		· 11	(E) (S)	-	
SBE 9+	91660	TIMES	JD/TIME	111		DA	DATA LOCATION			REMARKS			
PRESS SN	29772	DATA ON			Tape/Diskette ID	cette ID	File Na	File Name/Header					
PRI TEMP SN 889	688 N	START DOWN	¥				CTOOK	140					
SEC TEMP SN	- 1	АТ ОЕРТН	:							Cleane	Cleaned air bleed valve	ed val	e e
PRI COND SN	N 303	AT SURFACE	ш :						₹	MAX. DEPTH	표 = 표	00	ε
۲ (SN 530	PAR S/N 4242	4242	FLUO	FLUOR S/N 153		ChIAM S/N 109	V 109				5	
POS TRIP DEPTH	요곧		CTD CONV	CTD CONVERTED MONITOR VALUES	OR VALUES			SAMPLE BOTTLE DATA	1 2	SAMPL	SAMPLE BOTTLE NUMBER	ENUM	E
	PRESSURE	3.PE	PRI. TEMP.		SEC. TEMP	SALINITY	È	SALINITY	S	SAL. N	<u>8</u>	됨	WHIT'S NUTR.
129	<i>A</i> -									\vdash		\vdash	15%
2 100				Į.					-				53
8 नुर	,												154
4 50					,			:					15.2
० ५०		,				-							17.
90											_		15.8
ر د 1				-						_		_	121
8									,				3
6		\		-								-	641
10							-						
-	- Sa			ų.						٠	_		
12		À						-			-		
	1000											1	

V electry

													i		
VESSEL NOAA Ship MILLER ERFEMAN	- EBEEMAN			<u> </u>	PROJECT & LEG	EG	DSC	DSDB I.D.			STATIC	N DES	STATION DESIGNATION		
												(amt)			
CAST # 1 ATI	ATTHINE	SNO		DATE:	ئے	TIME	DRY B B	WET	JESSERY TE A38			LOUC YPE HTABY	BOTTOM		STA. NAME/ID
8	MEN	980	\vdash	3 1	W CM	E E	်		_	۸.	+-	4.	1	╄	
042542	5422.55N	-	3 × ×	70	EBOO	C 0 5 0	3	-0.5	100 100 100	9	34	5 7		79	
SBE 9 + 916		TIMES	JD/TIME	IME		59		DATA LOCATION	ATION			REMARKS	S	•	
PRESS SN 29772		DATA ON				Tape/Diskette ID	ette ID	Ē	e Nam	File Name/Header		Cui	Unimak #3	#3	
PRITEMP SN 889		START DOWN	¥		<u> </u>				77	GHOGHO			1	64 WE	10
SEC TEMP SN 8	884	АТ DEРТН			, ,							Clea	Cleaned air bleed valve	leed val	ve
PRI COND SN 3	303	AT SURFACE	 پر	· ·				 			 I	MAX. D	MAX. DEPTH =	155	m
SEC COND SN 5	530	PAR S/N 4242	V 4242	1.4	VFLUOR S/N 153	S/N 153		<u>Z</u>	ChlAM S/N 109	109					,
POS. TRIP DEPTH			യലാ	NVERTE	CTD CONVERTED MONITOR VALUES	VALUES) 		SAMPLE BOTTLE DATA	тте	SAM	SAMPLE BOTTLE NUMBER	LE NUM	BER
	,		(8)			!		2	- ,					-	WHIT'S
\	HESSER	¥	PRI. TEMP.	MP.	3 3 3 3	SEC. 1EMP	3	SALINITY		SALINITY	<u> </u>	SAL.	S F	5	5
-		•	, , , , , , , , , , , , , , , , , , ,								- 1	*			
2115820	Dothm											11			12
321001			-							4					163
43 750													·		162
5 4 50												,		-	161
04 >9															100
7 6.30			:												160
8730				. 90	,										56
01 & 6				- ,							13				15,0
0 6 2													50		157
11			•	3				:							
12		Þ									6	ı			
3	2									-					

PG 430F_

,													-		
VESSE	1			PRO	PROJECT & LEG	(rt	asa	DSDB I.D.			STATIO	N DESIG	STATION DESIGNATION		
MOA	NOAA Ship MILLER FREEMAN	N		MF0	MF00-01	i,	\$ 10 mg							/	7
*			100					,	3TA	Д)
CAST #	LATITUDE		HONGILIDE	DATE JD=		GMT	BURB	WET	HESSOL TS A3			YPE HTABY	BOTTOM DEPTH		STA.
	88	980	MIN	DAY MO	Œ	¥ E	်	7	<u> </u>	(deg)		١.		╀	
7	4254 20. 12N	1657	4.00W2	125 F	008	1020	- -	0	9		43	956		Ųδ	
SBE 9+	91660	TIMES	JD/TIME	IME	100		Ô	DATA LOCATION	VTION			REMARKS			
PRESS SN		DATA ON	İ		<u> </u>	Tape/Diskette ID	ette ID	File	File Name/Header	Header				173	ัก
PRITE	PRITEMP SN 889	START DOWN	W								<u> </u>				
SEC TE	SEC TEMP SN 884	АТ DEРТН										Clear	Cleaned air bleed valve	eed val	٧e
PRI COND SN	ND SN 303	AT SURFACE	ا پر		•				}		<u>, </u>	MAX. DEPTH =	PTH =	4	E
SECO	SEC COND SN 530	PAR S/N 4242	V 4242		FLUOR S/N 153	N 153		CHIA	CHIAM S/N 109	8					
ଞ୍ଚ	TRIP DEPTH		8 E E	CTD CONVERTED MONITOR VALUES	AONITOR V	ALUES			S	SAMPLE BOTTLE DATA	ä	SAME	SAMPLE BOTTLE NUMBER	LE NUM	BER
				-											
		PRESSURE	PRI. TEMP.	MP.	SEC. TEMP	JMP	SAI	SALINITY	-	SALINITY		SAL.	NUTR.	윰	WHIT'S NUTE.
-	B 37	ĸ			Đ							B			12
۵	100														171
က	75												(0)	1	521
4	50.		,												109
S.	40		·												1
9	3,20			*											102
7	30														67
ထ	10			-											166
6	0										(4)				105
- -					,								122	-	2
Ξ	(IE _g	1		3	ŀ										
12									_	,					