VESS	EL			PROJEC	T & LI	EG	•	С	OD	I.D.				-	ST	ATION E	DESIG	SNA	TION					
	NO	DAA Ship MIL	LER F	REEMA	۸N		MF-	02-08	8 Leg	g 3														
CONSECUTIVE CAST #		LATITUDE	LC	DNGITUD	Œ		DATE		TII	ME MT	DRY BULB		WET	PRESSURE	SEA STATE	VISIBILITY	WIND	DIRECTION	WIND SPEED	CLOUD (amt)	WEATHER	BOTTO		TATION
	DEG	MIN	DEG	MIN	l	DAY	MO	YR	HR	MIN	°C		°C	mb			de	eg	knt's					
0 1	5 4	1 7. 8 6	1 6 4	4 4.	8 7	3 1	J U L	0 2	2 2	5 7		3	1 1 0	3 1	2	8	2 9	9 0	4	4	0 1	8 0.	8 C 1	D 2
SBE 9		91220		TIME			1-1-			ATIO	V	Ť	., .,.,.						REMAI	RKS	_		, , ,	
PRES:		80020	DATA ON				Tape/Dis	skette	ID	File N	lame/He	ade	r	1										
PRI TE	MP SN	710	START DO	OWN										L										
SEC T	EMP SN	884	AT DEPTH	н										x C	lear	ıed	air b	oleed	i valve					
PRI CO	OND SN	915	AT SURFA	ACE							_			MAX				1)						
SEC C	OND SN	530	PAR	S/N=	•		FLUOR	S/N=			[			ChLA	M.	S/N:	=							
POSITION				CTD CO	NVERTE	D MON	IITOR VAL	UES						:		В	AMPI OTTL	LE			SAM	IPLE BO	ITLE NU	:
POSI'	TRIP DEPTH	PRESSU	RE	PRIMA	RY TEM	1P S	SECOND	ARY T	EMP		SALII	VIT.	Υ			SA	ALINI	ITY		s	AL	NUTR	CHL	WHIT's NUTR
1					· · · · ·												4.			1	0 2		, )	
2												-						Tr.						4
3							****						. <u>-</u>											١.
4						-	•										V.,							
5			153					Ž									1,							
6_					<b>S</b>													38						
7																								
8		,		_																_				
9																				_		-	ļ	
10																								
11		1																					1	
12															٠									

VES	SEL										PROJE	CT & L	EG			CC	DD I	.D.						S	ТАТ	ΓΙΟΝ	DES	IGN	IAT	ION		
	N	OAA	Ship M	LLE	ER FF	REE	MAN			1	MF-	02-0	8 Leg	<b>3</b>																		
CONSECUTIVE CAST #			ITUDE				UDE				DATE		GI	ME MT	В	DRY SULB		WE BUI	LB	PRESSURE	SEA STATE	VISIBILITY	WIND	DIRECTION		WIND SPEED	CLOUD (amt)	TYPE	WEATHER	BOTTOM DEPTH		ATION ME / ID
<u> </u>	DEC	-	MIN	1	DEG		MIN	_	DA	Υ	МО	YR	HR	MIN	<u> </u>	°C	+	°C		mb	╄		d	leg	<u> </u>	knt's		4	$\dashv$	<del></del>	1	<del></del>
0 2	5	7 4	0 . 8 8	4 1	5 5	1 2	3	1		2	A U G	0 2	1 5	5 4	1	2.	0 1	1 1	. 7	2 7	2	5	2	2 0		8	8 8	7	2	2 9	2 C T	D 2
SBE 9 PRES PRI TI SEC T	+ S SN EMP SN EMP SN		91220 80020 <b>710</b> <b>884</b>	ST	ART DO	NWC	MES		-	Tape/Di	DAT	A LOC	File N		e/Hea	der			хС	lear	ned	air	blee		REMA valve	RKS	3					
1	OND SN		915	_						4							<del></del>			MAX				n)								
SEC C	OND SN		530		PAR S					_	FLUOR									ChL/	\M	S/N	=							LE BOTT		4DED
POSITION			710 START DOWN  884 AT DEPTH  915 AT SURFACE  530 PAR S/N=  CTD CONVERTED MON									.UES										В	AMF OTT					-SA	ALVIE	LE BOTT		
Pos	TRIP DEPTH		PRESSI	JRE		PRI	MARY	TEN	MP	SE	ECOND	ARY T	EMP		S	SALIN	IITY					S	ALIN	VITY				SAL		NUTR	CHL	WHIT's NUTR
1			-																									1	7			
2																																
3																																
4																											┸					
5		_																									$\perp$					
6																											┸		$ \bot $			_
7		_																									1					
8		_	<u>.</u>						$\perp$																		$\perp$		$\downarrow$			
9																																ļ
10		-		_					$\perp$																		<u> </u>					
_11_		_																														
12																																

VES	SEL					PROJE	CT & LE	EG	C	OD	I.D.					ST	ATIO	N DI	ESIG	TAN	TION				
	N	OAA	Ship MIL	LER FI	REEN	IAN		MF-	-02-08	B Leg 3															
CONSECUTIVE CAST #	DEG		TUDE MIN	LC DEG	DNGITU M		DA	DATE / MO	YR	TIME GMT HR   MIN	DRY BULL		WET BULB °C	3 PRESSURE	SEA STATE	VISIBILITY	QNIM de	DIRECTION	th WIND SPEED	's	CLOUD (amt)	WEATHER	BOTTOI		ATION ME / ID
0 3	5 7	4 (	0 . 8 2 1					2 A U G		1 8 1 1	1 2.	6	1 2 . 1	2 7	2	5		4 5		10	8 7	, 2	2 9	3 C T	D 3
SBE 9 PRES PRI TI SEC T	+ S SN EMP SN EMP SN		91220 80020 <b>710</b> <b>884</b>	DATA ON START DO	TIN I OWN	IES	1 5	Tape/Di	DATA	LOCATIO			r —	x C	ear	ned	air l	oleed	REN	IAR		11	.    *	-1-1'	
1	OND SN		915	AT SURF			<u></u>					_		MAX				1)			_				
SEC C	OND SN		530	PAR			L	FLUOR						ChLA	M.	S/N:	=			[	_				
POSITION					СТОС	CONVERT	ED MC	NITOR VAI	LUES							В	AMP OTT DAT	LE				SAMI	PLE BOT	TLE NUI	
Pos	TRIP DEPTH		PRESSU	RE	PRIM	ARY TE	MP	SECOND	ARY T	EMP	SALI	NIT'	Y			SA	ALIN	ITY			SA	\L	NUTR	CHL	WHIT's NUTR
1		<u> </u>																				1 0			
2																									
3										_				<u> </u>											
4			<u></u>																	_					<u>.                                    </u>
5																				_					
6																									
7																									
8											· · <del> · · · · · · · · · · · · · · · ·</del>									$\dashv$					
9																				$\dashv$					
10				:			_							-											
11			<u></u>																						_
12																								İ	

VES	EL							PROJEC	CT & L	EG		С	OD	) I.D						ST	ГАТ	ION E	ESIC	SNA:	TION			
	N	OAA Ship MIL	LER FI	REEN	NAN			MF-	02-0	8 Leg	<b>3</b>																	
CONSECUTIVE CAST #	050	LATITUDE		DNGITI			201	DATE		GI	ME MT	DRY		В	VET	PRESSURE	SEA STATE	VISIBILITY	WIND	DIRECTION		WIND SPEED	CLOUD (amt)	WEATHER	BOT1 DEP			ATION ME/ID
	DEG	MIN	DEG		1IN	╁┼	YAC	MO	YR	HR	MIN	°C		Т	°C TT	mb	+	H		leg	'	knt's	$\vdash$	+			+	
0 4	5 7	<del></del>	1 5 5				0 2	A U G			1 0		0	1	1 . 5	2 7	2	6	2	1 5		10	8	7 2	2	4 6	C T	D 4
1		91220 80020 <b>710</b> <b>884</b>	DATA ON START DO AT DEPTI	OWN	MES 			Tape/Di			File N	N lame/He	ade	ər	- -	x C	ieaı	ned	air	blee		EMAF	RKS					:
PRI C	OND SN	915	AT SURF													MAX				n)								
SEC C	OND SN	530	PAR					FLUOR								ChL/	M	S/N	=									
POSITION	15 15 15			CTD	CONVE	RTED	MON	IITOR VAL	UES.									В	AMF OT T	ΓLE			;	SAM	ILLE R	ا ا ا ر	LE NUN	
Posi	TRIP DEPTH	PRESSU	RE	PRIN	//ARY T	EMP	s	SECOND	ARY T	EMP		SALI	NIT	Υ				S	ALII	VITY			Si	AL_	NUTI	₹	CHL	WHIT's NUTR
1																								3 5				
2							_																			_		
3							_									-										-		
4																							$\vdash$		<u> </u>	_		
5							_									-										+		
6							+																		<u> </u>	$\dashv$		
7 8	<u> </u>						+				ļ															+		
9						<u> </u>	+																			+		
10		120					+																<del>                                     </del>			+		
11			-				T																					
12																												

VES:	SEL				PROJEC	CT & LE	EG		С	OD	I.D.						ST	ATION	1 DE	SIG	NAT	rion			
	N	OAA Ship MIL	LER F	REEMAN		MF-	02-08	3 Leg	<b>3</b>																
CONSECUTIVE	DEG	LATITUDE		ONGITUDE	DA	DATE	YR	TII	ME MT	DRY BULE		WE BUL	.в	3 PRESSURE	SEA STATE	VISIBILITY	WIND	B DIRECTION	wind speed	CLOUD (amt)	TYPE	WEATHER	BOTTOM DEPTH		ATION ME/ID
0 5					$\top$	2 A U G						11	. 1			7			Kite		8 7		2 0 1		D 5
SBE 9 PRES PRI TI	+	91220	DATA ON START D AT DEPT	TIMES I OWN	<u>    U</u>	Tape/Di	DATA	A LOC	OITA		6 ade	:r 		2 6 x CI					REM	ARK	-   -	2	2  0  1].		<u>                                      </u>
PRI C	OND SN	915	AT SURF										Ī	MAX	. DE	PT	H (n	n)							
SEC C	OND SN	530	PAR	S/N=		FLUOR	S/N=							ChLA	M S	S/N	=								
POSITION				CTD CONVER	TED MO	ONITOR VAL	.UES									В	AMP OTT DAT	LE				SAMI	PLE BOTT	LE NU	
Pos	TRIP DEPTH	PRESSU	RE	PRIMARY TE	MP.	SECOND	ARY TI	EMP		SALI	NIT	Y				S/	ALIN	IITY		$\perp$	SA	.L	NUTR	CHL	WHIT's NUTR
1																					C	8 (			
2																									
3																									
4																				_					
5		1			_															$\perp$			_		
6					-															4					
7					-															+					
8	<del></del>		<del></del>		_									_						+					
9					$\dashv$			_												+					
10																				$\perp$					
11						<u>.</u>														+					
12																									

VES	SEL F									T & LI	EG		(	COD	I.D.						ST	ΓΑΤΙ	ON D	ESI	GNA	TION	1		
		NO.	AA Ship MIL	LER F	REEN	/AN			MF-	02-0	8 Leg	j 3																	
CONSECUTIVE CAST #	DF	L EG	ATITUDE MIN	LC DEG		ATE MO	YR	TIN GN HR	ит	DR\ BUL °C	в		ET JLB C	g PRESSURE	SEA STATE	VISIBILITY	WIND	DIRECTION		wind speed	CLOUD (amt)	WEATHER	BC	OTTOM EPTH		ATION ME / ID			
0 6			2 8 3 7 8			. 2 5			UG				1 3	$\Box$	1 2	П		3 2	7		3 0		12	6	7 1		6	4 C T	D 6
SBE 9 PRES PRI TE	+	ı.	91220 80020 <b>710</b> <b>884</b>	DATA ON START DO	TIN OWN				A LOC	ATION					×c	lea	ned	air	biee	RE	MAR					1-1-	-		
1	OND SI		915										MAX		_		n)			<u>—</u> -									
SEC C	OND S	N_	530	PAR	S/N=		FL	UOR :	S/N=							ChL	AM.	S/N	=										
POSITION					CTD	CONVER	ONITO	R VAL	UE\$									В	AMF OTT DAT	LE		ļ		SAM	1PLE	ВОТТ	LE NU		
Pos	TRIF DEPT		PRESSU	RE_	PRIM	IARY TE	EMP	SEC	ONDA	ARY T	EMP		SAL	INIT	Υ				Si	ALIN	NTY			S.	AL_	N	UTR	CHL	WHIT's NUTR
1		$\perp$																				<u> </u>		4 1	_			<u> </u>	
2		_																								-			
3		$\dashv$		<del></del>																									
4		+															$\vdash$									-			
5 6		+							·								ļ							$\vdash$		$\vdash$	-		
7																	<del> </del>									<u> </u>	$\neg$		
8																				-									
9																													
10																													
11		_																											
12																											į	_	

VESS	EL			F	ROJE	CT & L	EG			COD	I.D.	-					ST	ATI	ON E	ESIC	SNA <sup>°</sup>	TION						
	N	OAA Ship MII	LLER F	REEM	IAN			MF-	02-0	8 Leg	g 3																	
CONSECUTIVE CAST #		LATITUDE	LC	ONGITU	IDE			DATE			ME MT	DR\ BULI		WI	ET JLB	PRESSURE	SEA STATE	VISIBILITY	WIND	DIRECTION		WIND SPEED	CLOUD (amt)	WEATHER	BOT			ATION ME / ID
	DEC	3 MIN	DEG	M		DA	AY	MO	YR	HR		°C	$\neg$		С	mb	1		d	eg		nt's						
0 7	5	7 3 0 7 0 1	1 1 5 4	4 7	. 0 6	0	3 A	A U G	0 2	0 1	2 1	1 3.	5	1 2	2 . 5	2 6	2	7	2	3 0		12	7	7 2	2	1 2	СТ	D 7
SBE 9 PRES PRI TI	+	91220 80020 <b>710</b> <b>884</b>	DATA ON START D AT DEPT	OWN ]			Гаре/Di	DAT	A LOC	OITA					x C	lear	ned		•	RE	EMAF	RKS			•			
PRI C	OND SN	915	AT SURF	ACE												MAX	. DE	EPT	H (r	n)								
SEC C	OND SN	530	PAR	S/N=			F	LUOR	S/N=							ChL/	M.	S/N	=									
POSITION				CTD C	ONVERT	TED M	IONIT	FOR VAL	UES									В	AMF OTT DA1	LE				SAM	PLE B	ΟΤΤΙ	E NUM	1BER
Posi	TRIP DEPTH	PRESSU	IRE	PRIM	ARY TE	EMP	SE	ECOND.	ARY T	EMP		SAL	INIT	Υ				Si	ALIN	NTY			S/	AL.	NUT	R	CHL	WHIT's NUTR
1																								1 9				
2																												
3																										_		
4				-																						$\perp$		
5		-																								_		
6		<u> </u>					_				<u> </u>															+		
7_											<u> </u>															-		
8																							ļ		$\vdash$	+		
9																						-	<del></del>					
10																									1	+		!
11				<del>  -</del>																			-		_	+		

VESS	EL					PROJEC	CT & LI	EG		COD	I.D.					ST	ATION	DE	SIGI	TAN	ION		
	NO	DAA Ship MIL	LER FI	REEMAN		MF-	02-08	B Leg 3															
CONSECUTIVE CAST #		LATITUDE	LO	ONGITUDE		DATE		TIME	DRY		WET	PRESSURE	SEA STATE	VISIBILITY	WIND	DIRECTION	WIND SPEED	CLOUD (amt)	TYPE	WEATHER	BOTTOM		ATION ME/ID
	DEG		DEG	MIN	DA'		YR	HR MIN	°C	_	°C	mb	<u> </u>		d	eg	knt's	+	Ť				
0 8	5 7	3 3 . 0 7	1 5 4	5 2 . 5 4	0	3 A U G	0 2	0 2 0 3	1 3.	5	1 2 . 5	2 6	3	8	1	8 0		8 8	8 7	2	2 2	8 C T	D 8 =
SBE 9	+	91220		TIMES				A LOCATIO									REM	ARK	(S				
PRES		80020	DATA ON	•		Tape/Dis	skette l	ID File N	lame/He	eade	Γ												
	MP SN	710	START D																				
	EMP SN	884	AT DEPTI														d valve	•					
	OND SN	915	AT SURF									MAX				n)			<del></del>				
SEC C	OND SN	530	PAR			FLUOR						ChL/	M:	S/N	=			L					
				CTD CONVERT	ED MC	NITOR VAL	.UES												S	AMI	PLE BOTT	LE NU	MBER
															AMP								
-														В	отт	LE							
POSITION															DAT	Α							
LISC	TRIP																	$\top$					WHIT's
Я	DEPTH	PRESSU	RE	PRIMARY TE	MP	SECOND	ARY T	EMP	SAL	INIT	Y			S	ALIN	IITY		$\perp$	SA	<u> </u>	NUTR	CHL	NUTR
1		-																21	3	. 9			
2																						- 2	
3	-																	_					ļ
4																		_ -					ļ
5					_													-					
6																		$\perp$					
7					+							-						+					
8					-			-										-					
9					$\dashv$							_											
10					$\dashv$											<u> </u>		+					
11					+													+					
12																							

VESS	EL					PROJEC	T & LI	EG	C	OD I	.D.					ST	ATION	I DE	SIG	TAN	ION		
	NO	DAA Ship M	IILLER F	REEMAN		MF-	02-08	B Leg 3															:
CONSECUTIVE		LATITUDE	L	ONGITUDE		DATE		TIME	DRY		WET BULB	PRESSURE	SEA STATE	VISIBILITY	WIND	DIRECTION	WIND SPEED	CLOIID (amt)	TYPE	WEATHER	BOTTON		ATION ME / ID
	DEG		DEG	MIN	DAY		YR			$\top$	°C	mb	<del> </del>		d	eg e	knt's	;	†				
0 9	5 7	3 6 . 2 9	7 1 5 5		0 3	A U G				8	1 0 . 9	2 6	3 3	8		1 5		12	8 7	2	2 3	5 C T	D 9
SBE 9 PRES: PRI TE	+	91220 80020 <b>710</b> <b>884</b>	DATA OF	N		Tape/Dis	DAT	A LOCATIO					•			•	REM	AR					
PRI C	OND SN	915	AT SURF	ACE					_		,	MAX	. DI	EPT	Ή (r	n)							
SEC C	OND SN	530	PAR	S/N=		FLUOR	S/N=		[			ChL/	AM:	S/N	=								
POSITION				CTD CONVERTE	ED MOI	NITOR VAL	UES							В	AMF OTT DAT	LE			9	SAMI	PLE BOTT	LE NUI	
Pos	TRIP DEPTH	PRESS	SURE	PRIMARY TEN	AP .	SECOND	ARY T	EMP	SALI	VITY	,			Si	ALIN	lIΤΥ		$\perp$	SA	L_	NUTR	CHL	WHIT's NUTR
1																			5	5 2		<u>.</u>	
2																							
3					_													$\perp$					
4			·		$\perp$													_					
5																							
6																		+					
7			<u> </u>		+													+					
8																		$\dashv$					
9					+						<u> </u>							$\dashv$		-			
11					$\dashv$													+					
12			<u> </u>	,					<del></del>									$\dagger$					
												<del></del>											

VESS	SEL									P	ROJE	CT & L	EG		C	COE	I.D.					STA	NOITA	DES	IGNA	ATIO	ON			7
	N	IOA/	A Ship M	ILI	LLER FREEMAN							02-0	8 Le	g 3																
CONSECUTIVE CAST #			7 3 8 5 2 2 1 5 5 0 4 0 5 0 3 91220 80020 DATA ON										G	IME IMT	DRY		WET BULB	PRESSURE	SEA STATE	VISIBILITY		DIRECTION	WIND SPEED	CLOUD (amt)	TYPE WEATHER	E	BOTTOM DEPTH	i	ATION ME/ID	
	DE	G	MIN	$\dashv$	DEG		MIN	<del></del>	DA	Y  -	MO	YR	HR	MIN	°C		°C	mb	H	+	deg		knt's	+	+	+	<del>-1   -</del>	+	$\top$	+
0 1		7 3		2	1 5 5	0 4	c	5	0	3 A	UG			3 4 CATIO		8	1 0 . 9	2 6	3	8	2 1	5	12 REMAI	8		2 2	2 5 2	СТ	D O	1
SBE 9 PRES					DATA ON	ı				Т	ape/Di				v √ame/He	l add	 er	l					KEWA	KNO	•					
	EMP SN		710	- 1	START D					Τ΄	аролы	onono		1 110 1	1011107110	Juu	<b>.</b>													
	EMP SN	!	884	- 1	AT DEPT													X C	ean	ed a	air bl	eed	valve							
PRI C	OND \$N		915		AT SURF	ACE												MAX	. DE	PTI	1 (m)									
SEC C	OND SI	1	530		PAR	S/N=	·			F	LUOR	S/N=						ChL/	M S	S/N=	:									
				Ī		CTD	CON	IVERT	ED MC	TINC	OR VAL	.UES													SAN	ИPI	LE BOTT	LE NUM	BER	
																					MPLI									
7																				BC	OTTLE	=								
Ö																					ATA									
POSITION	TRIP	T											_											+					WHIT's	s
5	DEPT	н	PRESS	UR	RE	PRI	MAR	Y TEI	MP	SE	COND	ARY 1	EMP	<u> </u>	SAL	INIT	ΓY			SA	LINIT	Υ		1.3	SAL	_	NUTR	CHL	NUTR	듸
1		$\perp$															··-					_			X	1			_	
2																								$\perp$		1				_
3		1																					_			$\downarrow$				
4		$\perp$												ļ										1		1			_	4
5		ļ																						$\perp$		$\downarrow$				4
6																								_		_				_
7		_			_				_															-		_				4
8																ļ.,						_		1				4		
9																								_		+				_
10														_				_						$\downarrow$		$\perp$				$\dashv$
11		_			<u></u>									_										-		+				_
12																														

VESS	EL				PROJEC	T & L	EG		COL	I.D.		-		S	TATION I	DES	IGN	İΑΤΙ	ION			
	NC	OAA Ship MIL	LER FF	REEMAN	MF-0	02-0	B Leg	3														
CONSECUTIVE CAST #		LATITUDE	LO	NGITUDE	DATE		TIN	ME MT	DRY BULB	WET BULB	PRESSURE	SEA STATE	VISIBILITY			CLOUD (amt)	TYPE	WEATHER	BOTTON DEPTH		ATION ME / ID	
$\Box$	DEG	MIN	DEG	MIN	DAY	/ MO	YR	HR	MIN	°C	°C	mb	1-		deg	knt's	+	$\dashv$	+			
SEC T	S SN MP SN EMP SN	91220 80020 710 884	DATA ON START DO AT DEPTH	DWN	0 3	Tape/Dis		A LOC				×c	lear	ned		REMA			2	2 8	7 C T	D   0   1
	OND SN	915	AT SURFA			Tel Hop /	0.01				1				H (m)			ī——				
SEC C	OND SN	530	PAR S	CTD CONVERTE		FLUOR						ChL	AM S	5/N:	<del>-</del>		╄		MD	LE BOT		ARED
TION				CIDCONVERTE	D MOI	NITOR VAL	UES							В	AMPLE OTTLE DATA			0.1	(IVIII		LL 110W	
POSITION	TRIP DEPTH	PRESSUI	RE	PRIMARY TEM	IP .	SECONDA	ARY T	EMP		SALINI"	ΓΥ			SA	ALINITY		,	SAL		NUTR	CHL	WHIT's NUTR
1																	1	0	0		_	
2					$\perp$							ļ					_		_			
3_					_												1		_			
4					_												$\perp$		_			
5		1120			$\perp$												$\perp$		$\dashv$			!
6					_												+-		$\dashv$			
7					-												+		+			
8					_												+		$\dashv$			
9																	-		$\dashv$			
10																	-		$\dashv$			
11				<u> </u>	+					-							+		-			

VESS	EL	.,				PROJEC	T & LE	EG		COL	I.D.					STA	I NOITA	DES	IGNA	ATIO	NC			
	NO	DAA Ship MIL	LER FI	REEMAN		MF-0	02-08	3 Leg	3															
CONSECUTIVE CAST #		LATITUDE	1.0	ONGITUDE		DATE		TIN	ИΕ	DRY BULB	WET BULB	PRESSURE	SEA STATE	/ISIBILITY		DIRECTION	WIND SPEED	CLOUD (amt)	TYPE WEATHER	E	BOTTOM DEPTH	1	ATION ME/ID	
	DEG		DEG	MIN	DAY		YR	HR		°C	°C	mb	m	1	deg		knt's		1	$\dagger$		1		1
0 1						A U G	$\top$	0 5		1 1 3	1 0 . 9		3	8	2 2	П	9	8	7 2	,	1 5	7 C T	D 0 1	ī
SBE 9		91220	1 0 0	1 11 01.1 01 01	1010	7.19.19.1			ATION		11 011 0		1 -1	<u> </u>	-  -		REMA		•   -	<u> </u>	1 .1 -1	· [ • ] <u>·  </u>		T
PRES		80020	DATA ON			Tape/Dis	kette l	ID	File N	ame/Head	ЭГ													
	MP SN	710	START D								<del></del>													
	EMP SN	884	AT DEPTI	· · · · · · · · · · · · · · · · · · ·		-		<del></del>									valve							-
	OND SN OND SN	915 530	AT SURF			FLUOR	2/N-					MAX						$\Box$					_	$\dashv$
SEC C	OND SIV	330		CTD CONVERTE								CILL	TIVI C	7/14-				╀┦	SAN	/PL	E BOTT	LE NUM	IBER	1
				OTD CONVERTE	-D IVIOI	WITOK VAL	J_3								MPL				0,					
POSITION															ATA									
Posi	TRIP DEPTH	PRESSU	RE	PRIMARY TEM	MP :	SECONDA	ARY TI	EMP		SALINIT	Υ			SA	LINIT	ГΥ		5	SAL		NUTR	CHL	WHIT'S NUTR	
1																			1 5	5				
2																				$\perp$				
3														_				╙		1				_
4					$\perp$							<u> </u>						$\perp$		$\downarrow$				$\downarrow$
5					_													-		+				-
6					+													$\vdash$		-				$\dashv$
7					+													╀		+	-			+
8		<u> </u>			+							_						┼-		+			<u> </u>	$\dashv$
9					+					·								-		+				$\dashv$
10					+															+				$\dashv$
11					$\dashv$													+-		$\dagger$				$\exists$
14				l					l .									1					I	