Type & SN S	SBE 19 s/n 650	N. Bro	N. Brown #1150							
	194208-650	s/n 01-1172	-1172							
Consc Cast # Lat		Lon	Date:day/mo/yr	Time (GMT) Dry bulb	Dry bulb	Wet Bulb	Press (mb) Sea State	Sea State	≦ Sis	
	16,5N	169 263W		0116	5.8			1000		
			Wind Dir/Speed		Cloud Amt	Туре	Weather	Bottom Depth		Sta.Name/ID
			300/19					m \$56		(TD 00/
							Remarks	Remarks & 3, 4, 5 Max Depth	3.	Max Depth
							Cleaned Air	Cleaned Air bleed Valve	5,5	
Pos. Tr	Trip Depth		CTD Converted	CTD Converted Monitor Values		Sample Bottle Data	ttle Data	Sample Bottle Number	te Nur	nber
		Pressure	Pri. Temp	Sec. Temp	Salinity	Sa	Salinity	Sal.	E C	SH.
1	Sht								OF	
2	100								2	-
ω	13C								89	
4	40								40	7
СЛ	30 715	OINT TON	0							7
σ									66	7
7	10								100	1
0 00	0								5	`
6		5								
12										
11										

themselin 03

	12	1	10	ဖ	œ	7	စ	Çī	4	ယ	2			Pos.							CT0002	Consc Cast #	Press SN	Type & SN	Vessel Professor Kaganovsky
										30	940	50		Trip Depth) to make the						56 11	Lat	194208-650	SBE 19 s/n 650	ssor Kaga
														\$			To be a female for the Particle Part of the Blade - Barrello				P 5.9	_	650	s/n 650	novsky
24				63.									Pressure								50	Lon	(0)		-
											de la company de		sure								ME.98		s/n 01-1172	V. Brow	roject
		The state of the s									aan vad dekredi de dije elejije daja de ja de daja elejikanilkar de element		Pri. Temp	CTD Converted Monitor Values					300/19	Wind Dir/Speed	8/9/98	Date:day/mo/yr	172	N. Brown #1150	Project & Leg PK-98-01
													Sec. Temp	Monitor Values						d-second of	2210	Time (GMT) Dry bulb			
									<				Salinity				And the second s			Cloud Amt	8,3	Dry bulb	w	- Trans. do read- 0	Stati
		•										. 4-20.00	Sali	Sample Bottle Data						Туре		Wet Bulb	apriligant on		Station Designation
													Salinity	tle Data	Cleaned A	CA	80	Remarks		Weather	- C - C - C - C - C - C - C - C - C - C	Press (mb)		-	gnation /-/
				· mm order									Sal.	Sample Bottle Number	Cleaned Air bleed Valve	SEACAT ON	2 26 26	Report for		Bottom Depth	1.03	Press (mb) Sea State			
													N E	ottle Nu	Ve	2	3	18				Sis Sis			
									A				Chi.	ımber /				Max Depth	27000	Sta.Name/ID					Fa
						4					2 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0							0	۲	Ō					Page of

SBE 19 s/n 650 N. Brown #1150 State Vis State	Type & SN	Press SN	Consc Cast #	CTD003							Pos.)	1 6	4	თ	တ	7	œ	ဖ	10	=	12
Project & Leg PK-98-01 Station Designation CrD 2 2 1 N. Brown #1150 N. Brown #1150 Sea State Vis In Date day/molyr Time (GMT) Dry bulb Wet Bulb Press (mb) Sea State Vis In Sea State Vis Sea State Vis Sea State Vis In Sea State Vis Sea State Vis Sea State Vis In Sea State Vis Sea State Vis Sea State Vis Sea State Vis Sea State	ssor Kaganovsky SBE 19 s/n 650	194208-650		95						,	Trip Depth		125	77	12	7	. 20	~	0				
t & Leg PK-98-01 Station Designation CrD 2— 2—1 m #1150 Wet Bulb Wet Bulb Press (mb) See State Vis \$\left(\frac{1}{2}\frac{4}{2}\frac{8}{2} \frac{1}{2}		S	S	169 2			- Control of Control o				1:	Pressu								, .			
Station Designation CTD 2 2-1	oject & Leg Brown #11t	n 01-1172	Date:da		Wind E	>0					-			_									_
Station Designation CTD 2- 2-1 Time (GMT) Dry bulb Wet Bulb Press (mb) Sea State Vis Cloud Amt Type Weather Bottom Depth Sta.Nan Cloud Amt Type Remarks Max De Sec. Temp Salinity Salinity Sal. Nut. Chl. Sec. Temp Salinity Salinity Sal. Nut. Chl. Table 1 Type Weather Bottom Depth Sta.Nan Cleaned Air bleed Valve Table 2 Table 3 Table 4 Table 4 Table 4 Table 4 Table 5 Table 5 Table 6 Table 6 Table 7 Tab	3 PK-98-0	[] 1	ay/mo/yr	9/98)it/Speed						Converted	. Iemp											
Station Designation C7D 2 2-1 Dry bulb Wet Bulb Press (mb) Sea State Vis (% & Cloud Amt Type Weather Bottom Depth Sta. Nan C7D Remarks Sample Bottle Data Sample Bottle Number Salinity Sal. Nut. Chl. 32 33 34 34 34 34 34 34			Time (GMT	0307						,	Monitor Valu	Sec. Temp						7					
Wet Bulb Press (mb) Sea State Vis Type Weather Bottom Depth Sta.Nan Remarks Max De Cleaned Air bleed Valve Sample Bottle Data Sample Bottle Number Sal. Nut. Chl. Sample Bottle Number Sal. Sal. Nut. Chl. Sample Bottle Number Sal. Sal. Nut. Chl. Sample Bottle Number Sal. Sal. Nut. Chl. Sample Bottle Number Sal. Sal. Nut. Chl. Sample Bottle Number Sal. Sal. Nut. Chl. Sal.) Dry bulb	8.5	Cloud A				9 -4									. A spagner.		-1-5-04	parter di Se-		
Sea State Vis Sta. Nan 135 m CTD Max De Ir bleed Valve Sample Bottle Number Sal. Nut. Chl. 30 73 73 73 74 75 75 75 75 75 75 75	Station Design		Wet B									_									- to staffingly		
Sea State Vis Sta. Nan 135 m CTD Max De Ir bleed Valve Sal. Nut. Chl. Sal. Table	ination CTD			.!	Weather		Remark	•	Cleaned		e Bottle Data	Salinity										•	-
Per Nut. Chi. Sta. Nan Pth Sta. Nan CTD. Nax De Nax			nb) Sea Stat	1:0 %		135 r	S	, , , , , , , , , , , , , , , , , , ,	Air bleed Va			Sal.				w tracked ends							-
			e Vis			5			Š		Bottle Nu	ri .	28,	7	T.	الد ال			ᅰ				
	Fa				Sta. Name/	CTD 003	Max Depth				mber	Chi.				.\	, ,	,	_		ant eru de activavellantantantendument elaborare		

	12	11	10	ဖ	00	7.	6	5	4	ω	2			Pos.					CT0004	Consc Cast #	Press SN	Type & SN	Vessel Profes
			de de delemente de de estado de destado de d		0	10	20	30	75	S	80	110		Trip Depth					36 0410 Z		194208-650	SBE 19 s/n 650	Vessel Professor Kaganovsky
			to the state of th			wheel of							Pressure						691		W		
				-	Servas árde-								-	C	 			IIAA	2 00 7	1 1	s/n 01-1172	N. Brown #1150	Project & Leg
													Pri. Temp	CTD Converted Monitor Values				Deade/IIO PI	8/7/78	Date:day/mo/yr	N	#1150	Leg PK-98-01
													Sec. Temp	Monitor Value					0.555	Time (GMT) Dry bulb			
*													Salinity	0		·			C 2 / 2	Dry bulb			Stat
									,	-			န္တ	Sample Bottle Data	 			- ype	Ś	Wet Bulb		1	Station Designation CTD3
													Salinity	ottle Data	Classia	_	Remarks	AACOUNCE	Weather	Press (mt			ion CTD3
													Sal.	Sample Bottle Number	Classed Air blood Valve			1 1 4 C	Rottom Denth	Press (mb) Sea State			D-3
					76	74	78	الم	1,100	123	200	4	Nut. Chl.	tle Number			Max Depth		Sta Name/ID	Vis			Pa
	ļ_ 																110	10	5				Page 1 of 50

	12	10 9	ω.	7	D) (J)	4	ယ	2 -	1	Pos.						CT DOOY A	Consc Cast #	Press SN	Type & SN	Vessel Pro
			95	2 0	000	02	76	200		Trip Depth						A 56 24	젍	194208-650	SBE 19 s/n 650	Vessel Professor Kaganovsky
									Pressure							m Lt 1591		s/n 01-1172		
				1.000			- Company		Pri. Temp	CTD Converte				000/	Wind DilySpeed	86/6/8	Date:day/mo/yr	1172	N. Brown #1150	Project & Leg PK-98-01
									Sec. Temp	CTD Converted Monitor Values			.]	melleking - albendaklinden diraktivan vertramen et deskinden et alben de		0417				01
									Salinity						Cloud Amt	× ×	Dry bulb			Stat
									Salinity	Sample Bot				A THE REAL PROPERTY OF THE PRO	- ype		Wet Bulb			Station Designation
)ata	Cleaned Air bleed Valve	Sector Sector	marks		weather		Press (mb) Sea State			ignation CTP 3
							-		Sal. Nut	ple Bo	leed Valve	200	paar cont	0	Bottom Depth	017-1.0 m	ea State Vis			p-3
				Mand v p					Nut. Chl.	Vumber				200000	Sta. Name/ID	St. Name in				Page
u 33														JA HEX						Page 5 of 66

Vessel Profe	Vessel Professor Kaganovsky		Project & Leg PK-98-01	The state of the s	Stati	Station Designation	h-4	4-650	P	Page Oof 50
Type & SN	SBE 19 s/n 650	Z Z	N. Brown #1150						- Angere	a should be
Press SN	194208-650	s/n 0	s/n 01-1172							1 +4-84 hab -
Consc Cast #	Lat	Lon	Date:day/mo/yr	Time (GMT)	Dry bulb	Wet Bulb	Press (mb) Sea State		∀is	
CTDOOS		Mh38 491	M 8/9/98	01 8620	7,0	- 1				
			Wind Dir/Speed		Cloud Amt	Туре	Weather	Bottom Depth	pth Sta.Name/ID	ð
	-		090/14					97 m	CIDO	50(
							Remarks		Max Depth	-0
							Cleaned Ai	Cleaned Air bleed Valve	Ø	
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Values		Sample Bot	e Bottle Data	Sample Bo	Sample Bottle Number	
		Pressure	Pri. Temp	Sec. Temp	Salinity	Salinity	nity	Sal.	Nut., Chl.	
1	Q				į				146	
2	1,02 1,02				,				45	
ω	230								00	
4	70								1	
Ç	3.0									
o	20								26	
7				-					1	
o	Oʻ								1. 56	
9				-						
10										
7	h - 1				1000					
=										

.

Type & SN SBE 19 s/n 650 N. Brown #1150 Press SN 194208-650 s/n 01-1172 Consc Cast # Lat Lon Date:day/mo/yr 8/98 0736 7/0 CONSC Cast # Lat Lon Dete:day/mo/yr 8/98 0736 7/0 Wind Dir/Speed Cloud Amt Type Weather Bottom Depth 090/10 Craback S6 30.03r 16.9 28,45 8/90/10 Cleaned Air bleed Valve
194208-650 s/n 01-1172 st # Lat Lon Date:day/mp/yr Time (GMT) Dry bulb Wet Bulb 56 3ののか 以 970/10 with Date:day/mp/yr Time (GMT) Dry bulb Wet Bulb 7,0 Wind Dir/Speed Cloud Amt Type
Let Lon Date:day/mp/yr Time (GMT) Dry bulb Wet Bulb S6 30/000 169 28,454 8/9/98 0736 7,0 Wind Dir/Speed Cloud Amt Type 090/10
56 3ο/ομν 169 28,4\$ψ 8/9/98 0736 7,0 Wind Dir/Speed Cloud Amt Type 090/10
Wind Dir/Speed Cloud Amt Type Weather 090/10 Remarks Cleaned Air
Remarks Cleaned Air bleed Valve
Cleaned Air bleed Valve
Cleaned Air bleed Valve
Pos. Trip Depth CTD Converted Monitor Values Sample Bottle Data Sample Bottle Number
Pressure Pri. Temp Sec. Temp Salinity Salinity
72
2 60 95
C. C.
50
20
7 10 42
8
10
12

essel Profe	Vessel Professor Kaganovsky	Proj	Project & Leg PK-98-01	3	Stati	Station Designation	on 0-6			Page of 66
Type & SN	SBE 19 s/n 650		N. Brown #1150	the form of the field of the fi	Angly de task talls of selected well selected to be talled to be talle			*****		
Press SN	194208-650	s/n 0	s/n 01-1172							Statute State Stat
Consc Cast #	Est.	Lon	Date:day/mo/yr	Time (GMT) Dry bulb	Dry bulb	Wet Bulb	Press (mb)	Press (mb) Sea State Vis	≤is	
GDO07	56 340 2	169 29.08 W	SP 19/98		۵,۲			07-09 m		
	Ç		Wind Dir/Speed		Cloud Amt	Туре	Weather	Bottom Depth		Sta.Name/ID
			01/080		And the second s			79 m		CT0 007
							Remarks	NO BOTTLES		Max Depth
								Fried		71 ~
							Jeacal	250		
	Trip Death		CTD Converter	Monitor Value		Sample Ro	Cleaned A	Cleaned Air bleed Valve		
Pos.	Trip Depth	Pressure	CTD Converted Pri. Temp	CTD Converted Monitor Values Pri. Temp Sec. Temp	Salinity	Sample Bo	e Bottle Data Salinity	Sample Bottle Number Sal. Nut. Chl.	Nut. Chl.	umber Chl.
_	(Z								000	
2	50									
ω	2	e de la company		-			- manual spirit is manual spirit at a spirit distribution of spirit at a spirit spirit and spirit sp		9	(
4	30					Mad-4-4				<
1	20					•••			98	7
20 1	5									9
o 0 1	0								40	
7									1	
8 7 6 5			wrandra -ra							
9 8 7										
5 5 7 8 8 7				-						
7 6 5 1 11 10 8 7 6 5 1										

Vessel Profe	Vessel Professor Kaganovsky	Proje	Project & Leg PK-98-01	3	<u> </u>	Station Designa	gnation) - 6	(e-9)	
Type & SN	SBE 19 s/n 650	N. Bro	N. Brown #1150				**		
Press SN	194208-650	s/n 01	s/n 01-1172		The second secon		1,00-4,000,0-2,02,0	7	
Consc Cast #	Lat	Lon	Date:day/mo/yr	Time (GMJ)	Dry bulb	Wet Bulb	_	Press (mb) Sea State Vis	8.
G10008	56 34.00 N	169 29.9 W	18/9/98	I	7,0			0.7-0.9 ~	
			Wird Dif/Sp		Cloud Amt	т Туре	Weather	Bottom Depth	Sta.Name/ID
			01/080		_			75 m	CID 008
							Remarks	redu	Max Depth
9 9 9							Seacat	902	
							Cleaned Ai	<u> </u>	
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Value	<i>G</i>	Sample B	e Bottle Data	Sample Bottle Number	Number
		Pressure	Pri. Temp	Sec. Temp	Salinity	တ္သ	Salinity	Sal.	Nut. Chl.
)	67m								
ယြ	200					-	-		
4	02		- THE STATE OF THE			0.00			-
S	06								
O	0/								
7	0					- Break			
œ									
9							*****		
10									
7			9.7			-			
_									

Vessel Professor Kaganovsky	ssor Kaganov		Project	Project & Leg PK-98-01	the first rains to make the relation of the first of the	Stati	Station Designation	ion <i>y-7</i>	7-1		Pagel of 66
Type & SN	SBE 19 s/n 650		N. Brown #1150	n #1150							
Press SN	194208-650		s/n 01-1172	172							
Consc Cast #	声	2)ate:dav/mo/vr	Time (GMT) Drv bulb	Do bulb	Wet Bulb	Press (mh)	Press (mh) Sea State Vis		
CTD009		169	3 8,25	8/9/98	0905	7.0			0,40.7 m		
				Wind Dir/Speed		Cloud Amt	ype	Weather	Bottom Depth		Sta.Name/ID
				61/080					47 ~		C10 009
								Remarks		Ma)	Max Depth
	to be and infrared.										29
	A							Cleaned Ai	Cleaned Air bleed Valve	-	
Pos.	Trip Depth			CTD Converted Monitor Values	Monitor Values		Sample Bottle Data	ottle Data	Sample Bottle Number	le Numb	<u>-</u>
		Pressure	sure	Pri. Temp	Sec. Temp	Salinity	တ္တ	Salinity	Sal.	Nut. Chl.	
-	35									PO	
2	٥					es e esta y e estrucionados dur y estador unida — de positivado de				7)
ω	0									03	
4					488-479-1-					107	
On	0									101	
တ											
7											
œ											
ဖ											
6											
<u> </u>						emanen					
	14-8-4-5	_	_								

lessel Profe	Vessel Professor Kaganovsky	Proje	Project & Leg PK-98-01		Stat	Station Designation	on C-3	3		Pac	Page of 66
Type & SN	SBE 19 s/n 650	Z. B	N. Brown #1150	 						p.a p.m.	
Press SN	194208-650	s/n 0	s/n 01-1172	66-1-18 (10-19) Alle (1-1-48) Hille (10 (10 (10 (10 (10 (10 (10 (10 (10 (10		and the second s				1	
Consc Cast #	Lat	Lon	Date:day/mo/yr	Time (GMT) Dry bulb	Dry bulb	Wet Bulb	Press (mb)	Press (mb) Sea State	√ is		
010010	10019N	169 42,784	86/6/01 m	0331	2,7		,				
			Wind Dir/Sp		Cloud Amt	Type	Weather	Bottom Depth		Sta.Name/ID	ס
			000/16					68 m		CTDOLO	0
MIRO-COLVE Committee Colver Colver (Colver Colver C			4								
				-			Remarks			Max Deput	60 %
									_		
					-=				4		
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Values	3	Sample Bot	Bottle Data	Sample Bottle Number	ttle Nun	를 한	1
		Pressure	Pri. Temp	Sec. Temp	Salinity		nity	Sal.	Nut. Chi.	≆	
	0							7	80		
2	50									~	
ပ	90	- Carrier de Partie de Carrier de							2	2	
4	30					!		**.		0	and the state of t
ഗ	Q. C							Υ.		S.	eall
တ	0								90%		
7	0,			- Adah Bir					305	0	antidaction drifts was do un proportional
00											
မှ											
10											

12-18

essel Profes	Vessel Professor Kaganovsky	Pro	Project & Leg PK-98-01		Stati	Station Designation	on 2-4		Page	Page of 66
Type & SN	SBE 19 s/n 650	Z	N. Brown #1150							
Press SN	194208-650	s/n	s/n 01-1172							
Conec Cast #	<u>\$</u>	3	Date:daw/moker	Time (GMT) D		Wet Builb	Press (mh) Sea State		Vie	
CT0011	37,26	114 671	86/6/01 31	0409 7.5	7.5		13:8			
			Wind Dir/Speed		Cloud Amt	Туре	Weather	Bottom Depth	th Sta.Name/ID	J
			000/16					70	~ CTD 01	-
0							Remarks		Max Depth	2
							(1
							Cleaned Air	Cleaned Air bleed Valve	\	
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Values		Sample Bo	le Bottle Data	Sample Bottle Number	tle Number	
		Pressure		Sec. Temp	Salinity	Sa		Sal.	Nut. Chi.	
	5				3					
N	50								,	
ယ	47				7				= '	
4	25									
თ	Jo								10	
o	10									
7	0								3	
œ										000
ဖ				-022						
6										
11										
5										

Vessel Profe	Vessel Professor Kaganovsky		Project & Leg PK-98-01	3	Stati	Station Designation	ion C-S			Page_of
Type & SN	SBE 19 s/n 650	N. Bro	N. Brown #1150							
Press SN	194208-650	s/n 01-1172	-1172							
Consc Cast #	ᅙ	- Fo	Date:day/mo/yr	Time (GMT) Dry bulb	Dry bulb	Wet Bulb	Press (mb) Sea State Vis	Sea State	∠ is	
CT9012	56 54.85	169 40,09	80,094 10/9/98	-	7,0			2-2.5m		
			Wind Dir/Speed		Cloud Amt	Туре	Weather	Bottom Depth		Sta.Name/ID
95			21/000	100000000000000000000000000000000000000				74	3	C10012
							Remarks	2	H.	Max Depth //
							gut last	\$		
							Cleaned Air bleed Valve	bleed Val	Ve V	
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Values	4	Sample Bo	le Bottle Data	Sample Bottle Number	ottle Nu	umber 6
		Pressure	Pri. Temp	Sec. Temp	Salinity	င္ဆ	Salinity	Sal.	Nut. Chl.	1 4
_	8							/	17	
10	So							1	5	
ω	40								115	
4	S							1		
СH	20							,	H	
1 0	10			l				(
∞ -	0							70	-	
မှ										
10										
									-	
=										

Vessel Profe	Vessel Professor Kaganovsky		Project & Leg PK-98-01	7	Stat	Station Designa	signation C-k	0		Page of 56
Type & SN	SBE 19 s/n 650	z	N. Brown #1150					a.		
Press SN	194208-650	s/n	s/n 01-1172							
Consc Cast #	# Lat	Lon	Date;day/mo/yr	Time (GMT)	Dry bulb	Wet Bulb	Press (mb)	Press (mb) Sea State	≦ is	
510013		S	78 10 9 98	1605 7	2,0					
			Wind Dir/Speed		Cloud Amt	ype	Weather	Bottom Depth		Sta.Name/ID
			91/000					72 m		000
							Remarks	20 - Jos	te Max	Max Depth
							Cleaned A	Cleaned Air bleed Valve	7	
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Value	Ö	Sample Bottle Data	ottle Data	Sample Bottle Number	tle Numbe	Φ.
		Pressure	-	Sec. Temp	Salinity	S	Salinity	Sal.	Nut. Chi.	
_	18									
2	50						101			1
ω	40								121	
4	<i>ن</i>								/ Cal	
ဟ	Jo								la v	
o	10								,	
7	0								2	
œ				Ni Selak						
9										
10			THE RESERVE TO SERVE THE PERSON NAMED IN COLUMN TWO IN COL							
11						***				
12										

St# Lat Lon Date:day/mo/yr Time (GMT) Diy bulb 14 4 4 4 5 6 7 7 7. 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type & SN Press SN	Type & SN SBE 19 s/n 650 Press SN 194208-650		N. Brown #1150 s/n 01-1172						
Lat Lon Date:day/mo/yr Time (GMT) Diy bulb \$6		194208-650	s/n	s/n 01-1172		alleg in Aparting				
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	Consc Cast #	Lat	Lon	Date:day/mo/yr	Time (GMT)	Dry bulb	Wet B	튱	튱	ulb Press (mb) Sea State Vis
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity			169	85/5/01 MO		7.0	1			
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity				330/16		CIOUC ANIA	- 71		a a Country	
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity									ade summer of sa	
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity								7,	Remarks	Remarks
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity									- 4-Brailee Palester	
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity So							1-	Ç	Cleaned Air	Cleaned Air bleed Valve
Pressure Pri. Temp Sec. Temp Salinity		Trip Depth		CTD Converted	Monitor Values		လ္မ	mple Bottle	Sample Bottle Data	mple Bottle Data Sample Bottle Number
	The state of the s		Pressure		Sec. Temp	`		Salini		
	2	75								000
	သ	5								128
	4	0								
	۲ŋ	io O								127
	σ	ò								
	7	0								7.2.
	œ									
	ဖ						_		#14d-5+0-	
	10	v	de de la constitución de la cons					5		
	3							, 		
	12									and the sale

lessel Profe	Vessel Professor Kaganovsky	Pio	Project & Leg PK-98-01		Stati	Station Designation	on /_ 1	7 0		Page of 66
Type & SN	SBE 19 s/n 650	Z	N. Brown #1150							
Press SN	194208-650	s/n	s/n 01-1172							0 0 0 0 0 0 0 0
Consc Cast #	Eat	Lon	Date:day/mo/yr		Dry bulb	Wet Bulb	Press (mb)	Press (mb) Sea State	≤is	
Stode		69, 35,	35,95410/9/98	0%0 7,0	7,0					
	- 1		Wind Dif/Speed		Cloud Amt	Туре	Weather	Bottom Depth		Sta.Name/ID
			320/16					11 m		CTDO (5
							Remarks			Max Depth
						-train-inum			<u> </u>	
			,			eren den	Cleaned Air	Cleaned Air bleed Valve	е	
Pos.	Trip Depth	,	ဌ	Monitor Value		Sample Bo	le Bottle Data	nple Bo	ttle Nu	ımber
		Pressure	Pri. Temp	Sec. Temp	Salinity		Salinity	Sal.	Nut.	CH.
-1	19								ある	ngo gla madik
N	So			,						1 8
ω	ς ο								なが	<
4	٥٠٠									7
ഗ	3							three 181-	ا ا	<
တ	/0									<
1	٥			,					7	4
7										
8										
9 8 7							-		-	+
8 8 9					0.000					A Share with the
7 8 9 10						100				

Type & SN SBE 19 s/n 650 N. Brown #1150 See State Vis	Vessel Profe	Vessel Professor Kaganovsky	Project & Leg PK-98-01	2	Stati	Station Designation	On .		Page of 66
Lat Lon Date:day/motyr Time (GMT) Dry bulb Wet Bulb Press (mb) So א לפיל ליים ליים ליים ליים ליים ליים ליים	Type & SN	SBE 19 s/n 650	N. Brown #1150						
Lat Lon Date:day/mo/yr Time (GMT) Dry bulb Wet Bulb Press (mb) 56 36 65 N 169 3477 Wind Dir/Speed Cloud Amt Type Weather 310/6 Trip Depth CTD Converted Monitor Values Sample Bottle Data Pressure Pri. Temp Sec. Temp Salinity Salinity 6 6 7 7 7 7 8 8 8 8 8 8 8 8 9 9 9 9 9	Press SN	194208-650	s/n 01-1172						
S6 36 65 169 Yan 10 99 Wind Dir/Speed Cloud Amt Type Weather 310 16	Consc Cast #	壐	Date:dav/mo		v bulb	Wet Bulb	Press (mh)	444	
Wind Dir/Speed Cloud Amt Type Weather 31.0/16 Remarks Trip Depth CTD Converted Monitor Values Sample Bottle Data Pressure Pri. Temp Sec. Temp Salinity Salinity	CTD 016	56 36 1051	16/01 MICH 69	_	7.0		, (cin)	-	N.
Trip Depth CTD Converted Monitor Values Sample Bottle Data Pressure Pri. Temp Sec. Temp Salinity Salinity 30 00 00 00 00 00 00 00 00 00 00 00 00			Wind Dir/Sp		Cloud Amt	Type	Weather	Bottom Depth	Sta.Name/ID
Trip Depth CTD Converted Monitor Values Sample Bottle Data Pressure Pri. Temp Sec. Temp Salinity Salinity 20 20 20 20 20 20 20 20 20 20 20 20 20			1				1	200	070016
Trip Depth CTD Converted Monitor Values Sample Bottle Data Pressure Pri. Temp Sec. Temp Salinity Salinity 26 10 10 10 10 10 10 10 10 10 1							Remarks		Max Depth 3 Q
Trip Depth CTD Converted Monitor Values Sample Bottle Data Pressure Pri. Temp Sec. Temp Salinity Salinity O							Cleaned Air	bleed Valve V	
Pressure Pri. Temp Sec. Temp Salinity Salinity	Pos.	Trip Depth	CTD Converted	Monitor Values		Sample Bo	ttle Data	Sample Bottle N	lumber 🕉
	4	20		Sec. Temp	Salinity	Sa	inity	Sal. Nut.	125
	2	20						200	
	ω	0						2010	/
	4	0						71	\
	O								
8 9 10	თ		•						
9 9 11	7				Na Salah				
10	œ								
11	œ				- 180				
11	10								
	⇉								

...

Vessel Professor Kaganovsky	(aganovsky	Project & Leg PK-98-01	PK-98-01	Stati	Station Designation	ation C-	2	Page	of ob
Type & SN SBE 19 s/n 650	s/n 650	N. Brown #1150							
Press SN 194208-650	-650	s/n 01-1172			4115				
Consc Cast Lat	Lon	Date:da _\	/mఁTime (GM-ն)ry bulb	Wet Bul Press	\frown	ml Sea Stat Vis		
(700) 7 57. 13. W 169. 43. 42. 11. 19/98 0203 7/C	. 69 Kg.	4342411 9/9	80003	7,0		- 3	00 m		
		Wind Dir	/Speed	Cloud Amt	Type	Weather	Bottom Depth Sta.Name/ID	Sta.Name/ID	1
		320	14/0				65 ~	1-04	
						Remarks		Max Depth	57m
							30		
				-		Cleaned /	Cleaned Air bleed Valve	7	Average designation of the second of
Pos. Trip Depth	pth	CTD Conve	CTD Converted Monitor Values	lues	Sample	Bottle Dat	Sample Bottle Dat Sample Bottle Number	Number	
		Pressure Pri. Ter	Pri. Temp Sec. Temp	Salinity	Sal	Salinity	Sal. Nut. Chl	Chl.	
5							218	6	
2 40	0						2182	5	
ω	0							_	
4	0						27.84	7	
5 /0	0							<	
6							2183	\ \	
7							1		
œ									
ဖ									
10		7. 10		1					
11									
3									

C. N. S. Vot

Vessel Profe	Vessel Professor Kaganovsky	Projec	Project & Leg PK-98-01	33	Stat	Station Designation	on C-)		Page of 65
Type & SN	SBE 19 s/n 650	N. Bro	N. Brown #1150		+					
Press SN	194208-650	s/n 01-1172	-1172				***			
Consc Cast #	Lat	Lon	Date:day/mo/yr	Time (GMT) Dry bulb	Dry bulb	Wet Bulb	Press (mb) Sea State		Υis	
1-14	87.06.6 N	169 928 w		45,60	7.0			2.0 ~		
			Wind Dir/Spec		Cloud Amt	Туре	Weather	Bottom Depth	oth Sta.Name/ID	ē/D
			320/4					60	C7.0	8/0
					-	,	Remarks \$	Remarks 41-2: Kann	Max Depth	수
							for core	for cocco, samp	É	
		0 1			a sales and		Cleaned Ai	Cleaned Air bleed Valve		
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Value	o	Sample Bo	le Bottle Data	Sample Bo	Sample Bottle Number	
4		Pressure	Pri. Temp	Sec. Temp	Salinity		Salinity	Sal.	Nut. Chl.	
ت	いい							_	2190	
2	90		and the state of t						2189	-
ω	20									
4	0								1 8810	
თ	10								(
o		And the state of t		9 profession (1) prof					2187	
7										
						-				
8						_			_	-
ဖ ထ										_
10 B	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4									-
10 9 8										

Vessel Profes	Vessel Professor Kaganovsky		Project & Leg PK-98-01		Stat	Station Designation	ion 8-2	(-	Page of 66
Type & SN	SBE 19 s/n 650		N. Brown #1150							
Press SN	194208-650		s/n 01-1172			1000				
Consc Cast #	Lat	- Con	Date:day/mo/yr	Time (GMT)	Dry bulb	Wet Bulb	Press (mb) Sea State		≦ is	
CLDOIS	56 47,400	170 31.18W	8m 12/9/98	00 42 710	710					
		. 1	Wind Dir/Speed		Cloud Amt	ype	Weather	Bottom Depth	th Sta.Name/ID	ë
			320/4					111		919
							Remarks		Max Depth 10	h /03
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Value	A S	Sample R	le Rottle Data	Sample Rottle Number	le Number / O	
		Pressure	-	Sec. Temp	Salinity	တ္ဆ	Salinity	Sa	Nut Chi	
_	103						8		Jal	-
2	70							3	702	
ယ	0.5							0	1 Mar	
4	y's							3	10.7	
ഗ	30								192	
O	20								1	
7	10								,	
æ	0						•		John V.	
φ.		•	•							
10						4				
L L										

Vessel Profes	Type & SN Press SN	Consc Cast #	CT0020			Pos.	N→	ω4	က တ	. ~	5 %	11 12		2.	9
Vessel Professor Kaganovsky	SBE 19 s/n 650 194208-650		8 500/2			Trip Depth	70	500	400	300	00	10	0		
			170 %.534			Pressure									
Project & Leg PK-98-01	N. Brown #1150 s/n 01-1172	Date:day/mo/yr	Wind Dir/Speed										5000		
9		- 10	015/			CTD Converted Monitor Values Pri. Temp Sec. Temp									
Statio		Dry bulb	Cloud Amt			Salinity									
Station Designation		Wet Bulb	Туре			Sample Bottle Data Salinity									
on B-3		Press (mb)	Weather	Remarks	Cleaned A	Salinity					añ.				
		Press (mb) Sea State Vis	Bottom Depth		Cleaned Air bleed Valve	Sample Bottle Number Sal. Nut. Chl.		191	21		21	2197			
الو _Page			Sta.Name/ID	Max Depth /		it. Chl.	202	2200	2199	1	2198	1		*	
0 %			9	090m											

	12	1 8	3 °	4 0	7	6	Ol .	4	ယ	2	4	Pos.						Consc Cast #	Press SN	Type & SN	Vessel Profess
		0	30	30	30	40	000		70	S	9/	Trip Depth					54.732	Lat	194208-650	SBE 19 s/n 650	Vessel Professor Kaganovsky
											Pressure						3.79	Lon	s/n 01-1172	N. Bro	Projec
											Til. Temp	CTD Converted Monitor Values			41012	Wind Dir/	86/6/21	Date:day/mo/yr	1172	N. Brown #1150	Project & Leg PK-98-01
											Sec. Temp	Monitor Values					0236	Time (GMT) Dry bulb			
						and a second distance of the second s					Salifity					Cloud Amt	7.0	Dry bulb			Static
æ											Salliny	Sample Bottle Data	C	20		Type W		Wet Bulb Pr			Station Designation
		9.							***************************************				leaned Air	Remarks		Weather		ress (mb)			13-
*				4.							oal.	ple Bo	Cleaned Air bleed Valve		97	Bottom Depth	.7-60 m	Press (mb) Sea State Vis			4
			2203	2201	, \	1	Sott	2206	2207	0.0000000000000000000000000000000000000	22.08	tle Number	1	Max Depth	37-	th Sta.Name/ID		Vis			. Pg
														h 9/		ð					Page of 66

/essel Profes	Vessel Professor Kaganovsky	Projec	Project & Leg PK-98-01	X	Stati	Station Designation	9		Page
	-	-				į			
Type & SN	SBE 19 s/n 650	N. Bro	N. Brown #1150						
Press SN	194208-650	s/n 01-1172	1172				Tourish to have		
Consc Cast #	<u> </u>	Lon	Date:day/mo/yr	Time (GMT)	Dry bulb	Wet Bulb	Press (mb)	Press (mb) Sea State Vis	Vis
22002	56 57,08 N	170 ZI.10W	2/9/98	0338 9,0	910 m			07-10 m	
	- i	-	Wind Dir/Speed		Cloud Amt	Туре	Weather	Bottom Depth	m
		-	310/4					79 m	55-
							Remarks		Max Denth
							, , , , , , , , , , , , , , , , , , ,		
		- 				,	Cleaned Ai	Cleaned Air bleed Valve	
Pos.	Trip Depth		CTD Converted	CTD Converted Monitor Values		Sample Bottle Data	ttle Data	Sample Bo	Sample Bottle Number
	and the second of the first of the second	Pressure	Pri. Temp	Sec. Temp	Salinity	Sa	Salinity	Sal.	Nut. Chl.
_	7/								2214
2	60							**	1213
ώ	20								22/2
4	7								7
Öı	30				,				1
တ	20						na dreifi i-		22/0/
7	0								1
•	0								2209 /
 -									
5									
					The second secon				
3									

Bhx bie

ype & SN	Press SN	Consc Cast #	CT0 023				Pos.	.	2	ω	n 4	တပ	7	00	10 eq	11	12
Type & SN SBE 19 s/n 650	194208-650	Lat	57 00.3 N				Trip Depth	2.7	6	ON	30	000	0				
	s/n (Lon	170 18.8W					Pressure	24				5-100	4			
N. Brown #1150	s/n 01-1172	Date;day/mo/yr	W 12 9 98	310/4			CTD Converted Monitor Values	Pri. Lemp) . 31			
	land of	Time (GMT)	0429				Monitor Value	Sec. Temp		+							****
		Dry bulb	9,0				Se	Salinity									=5%
		Wet Bulb	Two	1382			Sample Bottle Data	Q.						3.			
		Press (mb	Weother		Remarks	Cleaned A	ottle Data	Salinity									
		Press (mb) Sea State Vis	Bottom Denth	7/ 00		Cleaned Air bleed Valve	Sample Bottle Number	val. Nut.	2218	22-17	2	7.4	2215				***
			Sta Name/ID	56-1	Max Depth 6		Number	CZ.	ac.	1	,	1	1	u			

Lat Lon Date:day/mo/yr Time (GMT) Dry bulb 57 61.57 N 170 K.45 N 12 9 98 OS 10 8.0 Wind Dir/Speed OS 10 Cloud Amt 330/4 Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity 30 30 30 30 30 30 30 30 30 30 30 30 30	Lat Lon Date:day/mo/yr Time (GMT) Dry bulb 57 61.57 N 170 16.55 H 12 9 98	Lat Lon Date:day/mo/yr Time (GMT) Dry bulb \$7 51.57 N 170 K.45 Wind Dir/Speed \$25 10 Cloud Amt \$3.50 Y \$3.00 Y	Lat Lon Date:day/molyr Time (GMT) Dry bulb \$7 81.97 N 170 14.45 P 12 9 8	Lat Lon Date:day/molyr Time (GMT) Dry bulb 57 a2.57 v 170 lk./5 v 12 9 98	Type & SN Press SN	Type & SN SBE 19 s/n 650 Press SN 194208-650	s/n	N. Brown #1150 s/n 01-1172	0							
Wind Dir/Speed OS 10 Cloud Amt 330 4 Cloud Amt 330 4 Cloud Amt 330 4	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity So Jo Jo Jo Jo Jo Jo Jo Jo Jo	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	Trip Depth CTD Converted Monitor Values Pri. Temp Sec. Temp Salinity	Trip Depth CTD Converted Monitor Values Pri. Temp Sec. Temp Salinity	nsc Cast #			Date:day	y/mo/yr	Time (GMI	「) Dry bulb	Wet Bulb			Press (mb) Sea State	
Trip Depth CTD Converted Monitor Values SO YO 30 20 10	Trip Depth CTD Converted Monitor Values Pri. Temp Sec. Temp Salinity So So So Jo	Trip Depth CTD Converted Monitor Values Pri. Temp Sec. Temp Salinity So Jo Jo Jo Jo Jo Jo Jo Jo Jo	Trip Depth CTD Converted Monitor Values Pri. Temp Sec. Temp Salinity 50 90 30 30 30 6	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	CT0024	02.57 N		Wind Di	ir/Speed	01 50	Cloud A	vmt Type		Weather		w 0
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity 30 30 10 10 10 10 10 10 10 10 10 10 10 10 10	Trip Depth CTD Converted Monitor Values So Yo 30 20 10 10 10 10 10 10 10 10 10 10 10 10 10	Trip Depth CTD Converted Monitor Values Pri. Temp Sec. Temp Salinity 30 30 30 30 30 30 30 4.	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity 50 50 70 30 30 30 6	Trip Depth CTD Converted Monitor Values Prissure Pri. Temp Sec. Temp Salinity 30 30 30 30 30 30 30 40 40 40				350	410						95	58
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity 30 30 10 10 10	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	Trip Depth CTD Converted Monitor Values So Yo 30 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Trip Depth CTD Converted Monitor Values So Yo 30 30 30 30 30 30 30 40 50 60 60	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity 30 30 30 30 6									1	Remarks	Remarks	Remarks Max Depth
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity 30 30 30 70 70 70 70 70 70 70 70 70 70 70 70 70	Trip Depth CTD Converted Monitor Values So So So Jo Jo O Jo O So So Jo O So	Trip Depth CTD Converted Monitor Values Pri. Temp Sec. Temp Salinity 30 30 10 6	Trip Depth CTD Converted Monitor Values So Yo 30 30 76 76 76 77 78 79 70 70 70 70 70 70 70 70 70	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity												
Trip Depth CTD Converted Monitor Values SO YO 3O O O O O O O O O O O O O O O O O	Trip Depth Pressure Pri. Temp Sec. Temp Salinity 30 30 30 70 70 70 70 70 70 70 70 70 70 70 70 70	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity 3.0 3.0 7.0 7.0 7.0 7.0 7.0 7.0	Trip Depth CTD Converted Monitor Values So Yo 3o 2o Yo O O O O O O O O O O O O O O O O O O	Trip Depth CTD Converted Monitor Values Pri. Temp Sec. Temp Salinity So Jo Jo Jo Jo Jo Jo Jo Jo Jo										Cleaned /	Cleaned Air bleed Valve	Cleaned Air bleed Valve
Pressure Pri. Temp Sec. Temp Salinity % 30 30 10 70 70	Pressure Pri. Temp Sec. Temp Salinity 90 30 30 10 10 9	Pressure Pri. Temp Sec. Temp Salinity % 30 30 10 10 9	Pressure Pri. Temp Sec. Temp Salinity 50 70 30 70 70 70 70 70 70 70 7	Pressure Pri. Temp Sec. Temp Salinity 50 50 30 30 70 70 70 70 70 70 70 7	Pos.	Trip Depth		CTDC	onverted	Monitor Valu				npie Bottle Data	e Bottle Data	e Bottle Data
%0 30 76 0	30	300	300	30 30 30			Pressure	-			les	Sarr	혍		Salinity	Salinity Sal. Nut. Chl.
30 20 76	30	30	36		 	So			Temp	Sec. Tem			흟	Salinity		7,000
70	76				ωκ	70	Ì		Temp	Sec. Tem				Salinity		1
76	00	7.6			4	2	8		Temp	Sec. Tem		Samp		Salinity	124	2222
					Ŋ	25			Temp	Sec. Tem		Samp	19	Salinity	2 22	2777
					တ	0			Temp	Sec. Tem		Samp		Salinity	2 21	2222
					7		Thirty Charles		Тетр	Sec. Tem		Samp		Salinity	3 8 194	2722
					00	111111111111111111111111111111111111111			Тетр	Sec. Tem		Samp	1 3 1 1 1 1 1 1 M	Salinity	2 2 126	272
10 11 12	10 11 12	10 11 12	10 11 12 12 12 12 12 12 12 12 12 12 12 12	12	œ		•		Temp	Sec. Tem		Samp		Salinity	23 23 12%	2000
12	12	12	12	12	10				Тетр	Sec. Tem		Samp	m m	Salinity	23 23 19%	2722
12	12	12	12	12	=======================================				Temp	Sec. Tem				Salinity	33 93 93	2222
					12				Temp	Sec. Tem				Salinity	23 23 23	2722 2

Vessel Profes	Vessel Professor Kaganovsky	Proje	Project & Leg PK-98-01		Stati	Station Designation		8-8	Page	o
Type & SN	SBE 19 s/n 650	N. Bro	N. Brown #1150							
Press SN	194208-650	s/n 01-1172	-1172							
Consc Cast #	Lat	Lon	Date:day/mo/yr	Time (GMT)	Dry bulb	Wet Bulb	Press (mb) Sea State		Vis	
STOOTS	57 05.87 N 170	170 H. 80W	20 98	0552 75	2,5					
No.					Cloud Amt	уре	Weather	Bottom Depth	pth Sta.Name/ID	O
			250/4					65.	1 285	
							Remarks		Max Depth	3
							Cleaned Air	Cleaned Air bleed Valve	0	
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Values		Sample Bo	le Bottle Data	Sample Bo	Sample Bottle Number	
		Pressure	Pri. Temp	Sec. Temp	Salinity	Sa	Salinity	Sal.	Nut. Chl.	
_	w								1200	
2	20								226/	
ω	10								2437	
4 ro	0								THE C	
7 6						50/				
\$				٠	•					
တ								32		۴.
10										
_										

Vessel Profe	Vessel Professor Kaganovsky		Project & Leg PK-98-01		Sta	Station Designation	tion		
Type & SN	SBE 19 s/n 650		N. Brown #1150						-
Press SN	194208-650		s/n 01-1172						
Consc Cast #	E Lat	E	Date:dav/mo/vr	Time (GMT) Drv bulb	Drv bulb	Wet Bulb	Press (mb)	Press (mb) Sea State	<u>~</u>
CTOOL	700	169. 55.99	9 13/9/98	1200	0.0			2.00	-
			Wind Dir/Speed		Cloud Amt	Туре	Weather	Bottom Depth	th Sta.Name/ID
			200/3					77	
							Remarks		Max Depth
									T
							Cleaned Ai	Cleaned Air bleed Valve	1
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Value	S	Sample Bottle Data	ottle Data	Sample Bottle Number	le Numb
	1	Pressure	Pri. Temp	Sec. Temp	Salinity	S	Salinity	Sal.	Nut. Chl.
_	69							1 7	233
2	20							2	737
ယ	90							2	1231
4	30							7	7230
σı	20								
o	0							7	229
7	0					200		7	1228
œ									
မ				1					1
10									1
11							A STATE OF THE PARTY OF		
72									

12	<u></u>	10	Φ α	7	6	ST 20	4	~	2	29		Pos. Trip Depth					0.0	G	Consc Cast # at	Press SN 194208	_	Vessel Professor Kaganovsky
					3	,	O	0				pt					-	19.47 N 170	l on	-650	SBE 19 s/n 650	anovsky
											Pressure							16.00		s/n 01-1172	N. Brow	Project
		-									Pri. Temp	CTD Converted Monitor Values		100000000000000000000000000000000000000		300/3	Wind Dir/Speed	13/9/98	Date:dav/mo/vr	172	N. Brown #1150	Project & Leg PK-98-01
											Sec. Temp	Monitor Values						0111	Time (GMT), Drv bulb			
7											Salinity						Cloud Amt					Statio
											Sal	Sample Bottle Data					Туре		Wet Bulb			Station Designation
											Salinity	ttle Data	Cleaned Air		Remarks		Weather		Press (mb) Sea State			on A-2
					×	/	7	0	7	N	Sal.	Sample Bot	Cleaned Air bleed Valve			73 ~	Bottom Depth					
		151			JESS J	2235/	236	237	238	239	Nut. Chl.	Sample Bottle Number			Max Depth 65	70-	oth Sta.Name/ID		∀ is			Pa
41.00															65 m		ð				- F. 1700	Page_of_

essel Profe	Vessel Professor Kaganovsky		Project & Leg PK-98-01	_	Stati	Station Designation	ion	3		Page _ of
Type & SN	SBE 19 s/n 650	N. Bro	N. Brown #1150							-
Press SN	194208-650	s/n 01-1172	-1172		â					
Consc Cast #	Lat	Lon	Date:day/mo/yr	Time (GMT)	Dry bulb	Wet Bulb	Press (mb) Sea State		∕ is	
8500L		70. 03.181	03.18 1 9 98	0184 810	8,0					
			Wind Dir/Speed		Cloud Amt	уре	Weather	Bottom Depth		Sta.Name/ID
			300/3					68		71-1
							Remarks		7	Max Depth
										60 m
							Cleaned Air	Cleaned Air bleed Valve	0	
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Values		Sample Bo	ole Bottle Data	Sample Bottle Number	tte Nur	mber 14
		Pressure	Pri. Temp	Sec. Temp	Salinity	70	Salinity	Sal.	Nut. Chl.	Chl.
25	60					78.5			376	
2	SO									\
ω	40					Î			496	_
4	30								963	<
ហ	00								296	^
Ø	0							\	196	<
7	0							1	2240	<
œ										
9										
10										
11										
A STATE OF THE PARTY OF THE PAR										

Vessel Profes	Vessel Professor Kaganovsky		Project & Leg PK-98-01	7	Stati	Station Designation	on A	h		Page_of
Type & SN	SBE 19 s/n 650		N. Brown #1150		-					
Press SN	194208-650		s/n 01-1172							
Consc Cast #	Eat	뎔	Date:day/mp/yr	Time (GMT) Dry bulb)ry bulb	Wet Bulb	Press (mb)	Sea State	Vis	
270029	57 23.48 N	•	3/9/98	0230	9.0		1029	1029 0.7 ~		5314
-	9		Wind Dir/Speed	And the second second second second	Cloud Amt	Туре	Weather	Bottom Depth	좕	Sta.Name/ID
			300/4					66 20		72-1
							Remarks			Max Depth
				1						28 m
Pos.							Cleaned Ai	Cleaned Air bleed Valve	0	-
	Trip Depth		CTD Converted	Monitor Values		Sample Bo	Cleaned Ai	bleed Valv	tie Nu	mber
	Trip Depth	Pressure		CTD Converted Monitor Values Pri. Temp Sec. Temp	Salinity	Cleanec Sample Bottle Data Salinity	Cleaned Ai ttle Data	Sample Bottle Number	e vttle Numbe	mber Chl.
	Trip Depth	Pressu		Monitor Values	Salinity	Sample Bo	Cleaned Ai Bottle Data Salinity	Sample Bo	e vittle Nu	mber Chi.
2	Trip Depth	Pressu		Monitor Values Sec. Temp	Salinity	Sample Bo	Cleaned Aittle Data	Sample Bo	e vitte Nu Nut. 0	mber Chil.
. ω Ν	Trip Depth	Pressu		Monitor Values Sec. Temp	Salinity	Sample Bo	Cleaned Aittle Data	Sample Bo	Nut.	mber Chi.
084	Trip Depth	Pressu		Monitor Values Sec. Temp	Salinity	Sample Bo	Cleaned Aittle Data	Sample Bo	ttle Nu Nut. 0	mber Chl.
σ 4 σ	Trip Depth	Pressu		Monitor Values Sec. Temp	Salinity	Sample Bo Sal	Cleaned Aittle Data	Sample Bo	e ttie Nu Nut. Nut. 1	mber Chl.
0 6 4 8 8 7	Trip Depth	Pressu	+++	Monitor Values Sec. Temp	Salinity	Sample Bo Sal	Cleaned Aittle Data	Sample Bo	968 968 968 968	mber Chi.
: \(\alpha \(\alpha \) \(\alph	Trip Depth	Pressu		Monitor Values Sec. Temp	Salinity	Sample Bo Sal	Cleaned Aittle Data	Sample Bo	9 Per	mber Chi.
	Trip Depth	Pressu	No	Monitor Values Sec. Temp	Salinity	Sample Bo	Cleaned Ai title Data inity	Sample Bo	968 969 Nut. Nut. 0	Chi. Chi.
· · · · · · · · · · · · · · · · · · ·	Trip Depth	Pressu		Monitor Values Sec. Temp	Salinity	Sample Bo	Cleaned Aittle Data	Sample Bo	9664 9688 9698 9698 9698	mber Chi.
11 10 10 10 10 10 10 10 10 10 10 10 10 1	Trip Depth	Pressu	-	Monitor Values Sec. Temp	Salinity	Sample Bo Sal	Cleaned Ai title Data inity	Sample Bo	9988 1998 Nut. O	mber Chi.

Vessel Professor Kaganovsky Project & Leg PK-99-01 Station Designation A - S Page_of_of_of_of_of_of_of_of_of_of_of_of_of_
N. Brown #1150 N. Brown #1150 Image: GMT) Dry bulb Wet Bulb Press (mb) Sea State Vis 7.0 Wind Dir/Speed 2203 Cloud Amt Type Weather Bottom Depth 100 Y CTD Converted Monitor Values Sample Bottle Data Sample Bottle Number Sall Nut 973 Pri. Temp Sec. Temp Salinity Salinity Salinity 973 970 CTD Converted Monitor Values Sample Bottle Data Sample Bottle Number Salinity Salinity 973 970 Pri. Temp Sec. Temp Salinity Salinity Salinity Salinity 973 970 Pri. Temp Salinity Salinity Salinity Salinity 973 970 Pri. Temp Salinity Salinity Salinity Salinity 973 970
A Leg PK-98-01 Station Designation A Sum #1150 1172 Date:day/motyr Time (GMT) Dry bulb Wet Bulb Press (mb) Sea State Vis
Time (GMT) Dry bulb Wet Bulb Press (mb) Sea State Vis 0303 Cloud Amt Type Weather Bottom Depth Remarks Cleaned Air bleed Valve Cleaned Air bleed Valve Sec. Temp Salinity Salinity Sal. Nut. 973
Station Designation Wet Bulb Press (mb) Sea State Vis O Cloud Amt Type Weather Bottom Depth Remarks Cleaned Air bleed Valve Cleaned Salinity Sal. Nut. Salinity Salinity Sal. Nut. 970
eather Bottom Depth eather Bottom Depth spata Sample Bottle Nut. Sal. Nut. 9 73
eather Bottom Depth eaned Air bleed Valve pata Sample Bottle Nut. y Sal. Nut. y 773
Pth Vis
Pth Vis

Vessel Professor Kaganovsky		Consc Cast # Lat	1				Pos. Tr		1	2	C	ן ת	6	7	7	9	6	1	12
or Kaganovsky	194208-650	31	87.18.42 N				Trip Depth		79	40	50	3 0	0						
z <u>v</u>	S.	Lon	0					Pressure	200										
Project & Leg PK-98-01	s/n 01-1172	Date:day/mo/yr	86/6/ELMIS'SO	300/04			CTD Converted Monitor Values									7			
		Time (GMT) Dry bulb	0319				Monitor Values	Sec. Temp											
Statio		ry bulb	9.0					Salinity							•				20 NO SOUR
Station Designation		Wet Bulb Pi	_		Z.	C	Sample Bottle Data	Salinity									1		
7		ress (mb)	1029,8		Remarks	leaned A	e Data	₹	9										
6		Press (mb) Sea State Vis	O.7 m	57~		Cleaned Air bleed Valve	Sample Bottle Number	Sal. Nut.	14.6		7 10	20	97						
Page_of			Cta Name/ID	1-46	Max Depth 49 m	<	Number	rt. Chl.	1		200	7	7						

Le Contraction de la contracti

Type & SN	Type & SN SBE 19 s/n 650 Press SN 194208-650	Project & Leg PK-98-01 N. Brown #1150	X-98-01	Station	Station Designation	A	
Press SN	194208-650	s/n 01-1172			nogajojon a		
Consc Cast #	22007		<u> </u>		Wet Bulb P	Press (mb) Sea State	Jea Pa
000		Wind D	peed	A A	Type V		Bottom Depth
		\$30	14				
					Z.	Remarks	
					0	Cleaned Air bleed Valve	ee
Pos.	Trip Depth	CTD Con	CTD Converted Monitor Values		Sample Bottle Data		Sample Bottle Number
۵ ا	7/7	Pressure Pri. Temp	emp Sec. Temp	Salinity	Salinity		Sal.
10	mc o		,	***************************************			
ω	210						
4	/0						
ហ	0						<
1 დ					v1		
0	rw debter						
ယ္ နွ				 - -		-	
		+ 1-40 + 4-10 + 10 + 10 + 10 + 10 + 10 + 10 + 10 +			-646-8-1		
12				:			

lessel Profe	Vessel Professor Kaganovsky		Project & Leg PK-98-01		Stat	Station Designation	A-8			Page _ of
Type & SN	SBE 19 s/n 650	Z. B	N. Brown #1150			_		-		
Press SN	194208-650	s/n 0	s/n 01-1172							
Consc Cast #	Lat	5	Date:day/mo/yr	Time (GMT) Dry bulb	Dry bulb	Wet Bulb P	ress (mb)	Press (mb) Sea State	Vis	
70033		170 10.5)	× 10/21 m	9140	0.5		29,9	0.7	****	
			Wind Dir/Speed		Cloud Amt	Type	her	Bottom Depth	oth Sta.Name/ID	ne/ID
			330/4	-				35 m	76-	
						20	Remarks		Max Depth	pt _
									31	3
o de ferro de de como					+	C	leaned Air	Cleaned Air bleed Valve	9	
Pos.	Trip Depth		CTD Converted Monitor Values	Monitor Value	S	Sample Bottle Data		Sample Bo	Sample Bottle Number	
		Pressure	Pri. Temp	Sec. Temp	Salinity	Salinity		Sal.	Nut. Chl.	
_	1/2								785	
2	20								7	
ω	0								788	
4	C								982/	
Ç									4	
o		,								
7		,								
დ				•	,	٠	•			
ဖ	•	1.								
10			-							
									_	• •

.

.

9		00	7	တ	O	4	3		1 23								JD034 S) 16.	Consc Cast # Lat		Ì	Type & SN SBE 19 s/	ssel Professor Kagan	
																	01 N 170	Fon	2	5	n 650	ovsky	
											CTD Converted				230/4	Wind Dir/Speed	36/6/21/11/21	Date:day/mo/yr	S/II 01-11/2	z i- 01 1170	N. Brown #1150	Project & Leg PK-98-0	
										Sec. Temp	Monitor Values						_	Time (GMT)					
		•								Salinity						Cloud Amt	9.0	Dry bulb				Stati	
										Sal	Sample Bot					Туре		Wet Bulb				on Designation	
										πţ	tle Data	Cleaned Air		Remarks		Weather	1050	Press (mb)				on A	
							90	-8	9	Sal. N	Sample Bottle	r bleed Valve			3	Bottom Depth	8. 75					9	
					SV-10		36	1	1	ut. Chi.	Number (7	1	23	Max Depth	77-1			∞				Page	
	10										Pressure Pri. Temp Sec. Temp Salinity Salinity	Trip Depth CTD Converted Monitor Values Sample Bottle Number Pressure Pri. Temp Sec. Temp Salinity Salinity Sal. Nut.	Trip Depth CTD Converted Monitor Values Sample Bottle Data Pressure Pri. Temp Sec. Temp Salinity Salinity O	Trip Depth CTD Converted Monitor Values Sample Bottle Data Pressure Pri. Temp Sec. Temp Salinity Salinity O	Trip Depth CTD Converted Monitor Values Sample Bottle Data Sample Bottle Number 7	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity Sa	Wind Dir/Speed Cloud Amt Type Weather Bottom Depth Sta Name/ID Remarks Max Depth Remarks Cleaned Air bleed Valve Cleaned Air bleed Valve Cleaned Air bleed Valve Pri. Temp Sec. Temp Salinity Salinity Salinity Sample Bottle Data Sample Bottle Number 7 Salinity Salinity Salinity Remarks Max Depth Cleaned Air bleed Valve Remarks Max Depth Sample Bottle Data Sample Bottle Number 7 Salinity Salinity Salinity Salinity Salinity Sample Bottle Number 7	Wind Dir/Speed Cloud Amt Type Weather Bottom Depth Sta.Name/ID Wind Dir/Speed Cloud Amt Type Weather Bottom Depth Sta.Name/ID	Lat Lon Date:day/mo/yr Time (GMT) Dry bulb Wet Bulb Press (mb) Sea State Vis 9,10 0,13,14,13,19,18 0,937 Cloud Amt Type Weather Bottom Depth Sta.Name/ID Nind Dir/Speed Cloud Amt Type Weather Bottom Depth Sta.Name/ID Nin	Lat Lon Date:day/molyr Time (GMT) Dry bullb Press (mb) Sea State Vis 57 16.09 N 170 31.57 J 19.4 043.7 Cloud Amt Type Weather Bottom Depth Sta Name/ID Wind Dir/Speed Cloud Amt Type Weather Bottom Depth Sta Name/ID 72-1 Trip Depth CTD Converted Monitor Values Salinity Salinit	194208-650 sin 01-1172 ## Lat Lon Date:day/molyr Time (GMT) Dry bullb Viet Bullb Press (mb) Sea State Vis 4.0 1.37 / 9.4 2 0.43.7 Pressure Pri. Temp Sec. Temp Salinity Sample Bottle Data Sample Bottle Number 7.2 2.3 Pressure Pri. Temp Sec. Temp Salinity	SBE 19 s/n 650 N. Brown #1150 194208-650 N. Brown #1150 It ** Lat* Lon Date:day/mo/yr Time (GMT) Dry bulb Press (mb) 10 10 10 10 10 10 10 10 10 10 10 10 10 1	Sessor Kaganovsky Project & Leg PK-98-01 Station Designation A - 9 Page

St # Lat Lon Date:day/mo/yr Time (GMT) Dry bullb 3 3 9 9 8 0 5 0 2 7:0 Wind Dir/Speed OS 0 2 Cloud Amt 3 3 0 / Y Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	St # Lat Lon Date:day/molyr Time (GMT) Dry bulb Wet Bulb 35 57 19.47 170 13.11 W 13 4 478 0 S 0 2 2 57.0 Cloud Amt Type Trip Depth CTD Converted Monitor Values Salinity Sample Bo	Vessel Profes	Vessel Professor Kaganovsky Type & SN SBE 19 s/n 650 Press SN 194208-650		Projec N. Brow s/n 01-	Project & Leg PK-98-01 N. Brown #1150 s/n 01-1172		Sta	Station Designation	tion		
Lat Lon Date: day/mo/yr Time (GMT) Dry bulb \$7 IV.67 170 3. Wind Dir/Speed Cloud Amt 3.30 Y Cloud Amt Cloud A	Lat Lon Date:day/mo/yr Time (GMT) Dry bulb Wet Bulb (S7) 17.47 170 13.11 13 4 48 0 50.2 50.0 Wind Dir/Speed Cloud Amt Type 2 23.0 4 23.0 4 Trip Depth CTD Converted Monitor Values Salinity S	Press SN	194208-650		s/n 01-1172	1172						
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	Trip Depth CTD Converted Monitor Values Sample Bo	Consc Cast #	Eat	L _O		Date:day/mo/yr	Time (GMT)	Dry bulb	Wet Bulb	T	ress (mb)	Press (mb) Sea State Vis
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	Trip Depth CTD Converted Monitor Values Sample Bot Pressure Pri. Temp Sec. Temp Salinity Sal	CTD035	1			Wind Dir/Speed		Cloud Amt		5 7	Weather	/eather Bottom Depth
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	Trip Depth CTD Converted Monitor Values Sample Bot Pressure Pri. Temp Sec. Temp Salinity Sali					330/4						
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity										Remarks	Remarks
Trip Depth CTD Converted Monitor Values Pressure Pri. Temp Sec. Temp Salinity	Trip Depth CTD Converted Monitor Values Sample Bol										Cleaned Air	Cleaned Air bleed Value
Pressure Pri. Temp Sec. Temp Salinity	Pressure Pri. Temp Sec. Temp Salinity	3	H 5 7) 	1 1	Cleaned Air	Cleaned Air pleed valve
				Pres	sure	Pri. Temp	Sec. Temp		တ္တ	≝		
		3 →	0							+		
		ω	e ;							-		980
		4									2000000	
		თ								-		
		7								-		
		æ							3	100		
10 11 12	12	.		i						-		
12	12	16								-		
12	12	1										
		12		6.1	100							