Ctdool.cnv

- 80	-	BOTTOM STA. DEPTH NAMEID	- 0	ţ.			180 m		SAMPLE BOTTLE NUMBER	NUTRIS CHE / N. Z.	7.5.	757	97170	5117		11 912	11 5 11	/\ \\	1	
	STATION DESIGNATION	C C C C C C C C C C C C C C C C C C C		REMARKS	6		MAX. DEPTH =			SAL.		2	2				6	2	で	_
	<u>σ</u>	Ф Ж Ш Ф Ю Р Ф F Ш V I I I I I I I I I I I I I I I I I I	. (deg)	OCATION File Name/Header	CTOOO! DAT			Cleaned air bleed valve	SAMPLE BOTTLE DATA	ATINITAS		٠								_
		DRY WET I	$\vdash \vdash \land \vdash$	DATAL	Ò					SEC. SAL.			02							
	JECT & LEG		YR H Y 9 9 ♣	Tape/Diskette ID				TRANSMISSOMETER	IONITOR VALUES	MP PRI. SAL.	135									
5	PROJECT W9905B	DATE	DAY MO	JD/TIME			10 E	KFLUOR	CTD CONVERTED M	EMP. SEC. TEMP	\vdash	3				*.				_
/		LONGITUDE	6N 5 5 5 5	TIMES DATA ON	S START DOWN		AT SURFACE	PAR		PRESSURE PRI. TEMP.										
		T LATITUDE	DEG MIN	CTD 8.SN 9.650	PRESS SN 146055 PRI TEMP SN 650			ž.	egge de		30,	150,	200		, 05	>0.	50.	101	20	
	VESSEL WECOMA	CONSC CAST #	0	TYPE & SN SBE 19 650	PRESS SN PRI TEMP	PR C			L	POS.	-	2 .	က	4 1) ဖ	7	80	Ø	₽	,

Page	7,000,00				ľ				-				F				
MATTUDE LONGTUDE DATE JD= TIME DRY WUET R E A D T T	FCOMA	-			<u>- 2</u>	VOODSR		6					<u>n</u>	2 2	20 P		00000
MIN DEG	C C C C C C C C C C C C C C C C C C C													0 - 0 - 0 5	/ ⊢ >	<u> </u>)) }
MAIN DEG MAIN DAY MAIN COP-4 COP-4 CAND Tabel COP-4 CAND Tabel COP-4 CAND COP-4 CAND CA		TITUDE		ONGITUDE	DATE	_ 	\$ }	TIME (GMT)	DRY BULB	WET		IISIA			- от пл с пл ос	BOTTOM	STA. NAME/ID
146056 No. 155 09 17 79 Wo 18 Wo 19 0 0 15 9 37 10 16 10 17 37 37 10 19 19 19 19 19 19 19	DEG	MIN	DEG	MIN	DAY		}	£ Min	7-(0:1)	3	£	Ŀ	_		ŀ	Ê	
Taber Times	257		ш	1019117191	V 0 8 h	-	6	9	3 0	320		7	0	0		393	10
148056 START DOWN			TIMES		JO.	TIME			٥	ATA LOC	ATION			2	EMARKS		
146055 148056 1	/PE & SN 3E 19 650		DATA	NC			. ⊨	pe/Diskette	₽	谎	- Name	/Header					
### SEC. SAL. SEC. SAL. SALINITY CTD 000, DAT AT DEPTH AX. DEPTH = 2/8/C AT SETH AX. DEPTH = 2/8/C AX. DEPTH =	RESS SN	146055					1										
### SEC. SAL. SEC. TEMP SEC. TEMP SEC. SAL. SALINITY SAL. DATE BOTTLE PRESSURE PRI. TEMP SEC. TEMP PRI. SAL. SALINITY SAL. DATE SALINITY PRESSURE PRI. TEMP SEC. TEMP DATE SALINITY SAL. DATE SALINITY DATE SALINITY SAL. DATE SALINITY SAL. DATE SALINITY DATE SALINITY SAL. DATE SALINITY SALINITY DATE SALINITY SALINITY DATE SALINITY SALINITY DATE SALINITY SALINITY SALINITY DATE	RI TEMP SN	620	START	NMOQ.		83			200	7	0 L	600	PAI	,			•
PAR MESSURE PRI. TEMP. SEC. TEMP SEC. SAL. SALINITY SAL. NUTRTS. SALINITY SALINITY SAL. NUTRTS. SALINITY SALINIT	RI COND SN	920	AT DEF	HE.													
PAR MFLUOR TRANSMISSOMETER Cleaned air bleed valve SAMPLE BOTTLE DATA SAMPLE BOTTLE NTERPRINE SEC. SAL SALINITY SAL NUTRTS SALINITY			AT SUF	*FACE	-	[ñ	j			<u>W</u>	AX. DEP		
TERP PRESSURE PRI. TEMP PRI. SAL. SEC. SAL. SALINITY SAL. NUTRTS.	1				LUOR	88	RANSA	MISSOMET	ER		Cleane	d air blee	d valve				
Term Pressure Pri. Temp Pri. Sal. Salinity Sal. Nutry Sal. Nutry Sal. Nutry Sal. Nutry Sal. Salinity Sal. Nutry Sal. Salinity Salinity Sal. Salinity Sal. Salinity Sal. Salinity Sali	ا√بعید			стосс	NVERT	ED MONIT	TOR VA	\LUES				SAMPLE	BOTTL	E DATA		PLE BOTTLI	ENUMBER
150 - 200 100 - 100 100 -	DEPT		RE	PRI. TEMP.	SEC	TEMP	_	PRI. SAL.		SEC. SAL	,	"	ALINITY		SAL	NUTRTS	
1617	1 120T /						U.				П				4		
1517 1517	250		-					٠								2132	
170 - 010 -	200							24				10.				2131	
100 - 2017	120															_ \	
20 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	<u>8</u>															DISTR.	
17.0 17.0			\dashv		,		.				\dashv					2128	
70h	8									,						12/12	/
20 - 20 - 20 - 20 - 20 - 20 - 20 - 20 -																on to	1 1
17. O														*		-	11
0 0																	1/
	_	ـــِــــــــــــــــــــــــــــــــــ		-	_		_				\dashv					MIN.	``\ `\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	12 0 /						ň	ş								S/8)	∧

VESSEL				PROJ	PROJECT & LEG	99					STATIO	STATION DESIGNATION		
WECOMA				W9905B	ı	(1WE99)						3.2	F0	FOX 05
CONSC CAST	ATT A		ACI ITEM	OATE	\$P 2	TIME	ORY BIB	WET S S E R R B B B B B B B B B B B B B B B B B	ош∢о⊢∢⊢ п	VIIIBIEIV Sind	ONIAN	O - O - O - O - E - €	BOTTOM	STA.
DEG	MIN	DEG	Min		Ϋ́R	HR MIN	<u> </u>	╈	1 ·		_	t		
3	38 S 2-N	_	0	₩ 	+	0935	0	2	9	SCZ	2		2<8	2-2
ပ		TIMES					٥	DATA LOCATION	Se		1	REMARKS	7	
TYPE & SN SBE 19 650		DATA ON	NO			Tape/Diskette ID			File Name/Header	iade:				
PRESS SN	146055					•								
PRI TEMP SN	650	STAR	START DOWN					Ú	RT D003	103 1 DAY	W.		,	\$ P
PRI COND SN	650	АТ ОЕРТН	PTH					16.						
		AT SU	AT SURFACE							. 4	_=	MAX. DEPTH	7 =	.SO m
				RONT	TRAN	TRANSMISSOMETER	rer		leaned a	Cleaned air bleed valve	ē.			
egget d'e			сто сс	CTD CONVERTED MONITOR VALUES	ONITOR	VALUES			S.	SAMPLE BOTTLE DATA	TLE DAT		SAMPLE BOTTLE NUMBER	NUMBER
POS. DEPTH	PRESSURE	RE	PRI. TEMP.	SEC. TEMP	Ψb.	PRI. SAL.		SEC. SAL.		SALINITY	 <u>}</u>	SAL	NUTRTS.	NZ CHC OTHER
1 150T/			70	- 1								,	2443	
2 700 /				Real Part	<i>*</i>							2	2472	
3 1507					-				\dashv				1717	
1007					1		-		\dashv				2140	
5 7				`									7739	•
6 50 7									,				8277.	1
7 Oh 1													12/37	12.
8 30 /					H	,								1
9 201									<u>a</u>				17136	/ /
10 \ O <								(c					1735	3
C C													7134	7
12		\exists			\dashv	TI.	Ļ		\dashv					

10000	2000			F			-				-			
VESSEL				<u> </u>	_	בונים פונים					<u> </u>	SIATION DESIGNATION	- 8	0
WECOMA				Š	M9905W	(1WE99)	-					2	_	こりさい ひり
CONSC						Ž F	2	LL X	е к ш о о ⊃ с о ш ≼ о ⊢ ∢ ⊦	УПЫВІЗ УПИВІЗ	C N	□ < → □ ○ □ ○ □ ○ □ ○ □	NOLLON	ST.S
_	LATITUDE	_	LONGITUDE	DATE JE	_OL	(GMT)	BULB			11		<u> </u>	DEPTH	NAME/ID
ō	DEG MIN	DEG	Min		MO YR	HR	(၃)	(၁၀)	(mb)	(deg)	(s/ш)	* *	(m)	
00 It s	73636 N		500 43W	M 8 0 N	8 N A Y 9 8	6 1 90 6	305	2915	91	82	020		240	4-2
	СТО	TIMES		JD/TIME	ME			DATA LOCATION	MOL			REMARKS	1	
TYPE & SN	1330													
SBE 19 650		DATA ON	ا ا			Tape/Diskette ID	te ID	F.	File Name/Header	Header				
PRESS SN	146055		90			٠								
PRI TEMP SN	SN 650	START	START DOWN				-	Ü	100	CTDOOY, DAT	<u>_</u>		·	•
PRI COND SN	SN 650	AT DEPTH	TH											
		AT SURFACE	3FACE				,					MAX. DEPTH	,,	230 m
			PAR V	FLUOR	TRA	TRANSMISSOMETER	TER		Cleaned	Cleaned air bleed valve	ilve			
	*29***		СТВСО	NVERTEC	CTD CONVERTED MONITOR VALUES	R VALUES			S	SAMPLE BOTTLE DATA	TTLE DA		SAMPLE BOTTLE NUMBER	E NUMBER
POS. TE	DEPTH PRESSURE	<u> </u>	PRI. TEMP.	SEC.	SEC. TEMP	PRI. SAL	,	SEC. SAL.		SALINITY	 -	SAL	NUTRTS	CM_M2 OTHER
1 20	1 1								\vdash			7	215	17
2 200	> 00												1517	
3 8	0									2			2150	Ċ
4 10	2 0		c										2149	9
5	5/ be	OOHILE	MISHIR	l Wil	1 001	DV VQ	MONT (1854	\	OHG				& 3 .H D	n 3 H m m
8	201	1	•		<u></u>								3/178	7 /
7 7	10 /				,								214	/
8	30 J													1/1/
6	> O ₂								-				2140	0 1/1
10	Ž ()												2145	5 / 1.1
11.			S.A.				\dashv		\dashv			\dashv	<u>12</u>	/ / /
12		<u></u>				12	_		\dashv	,				1991

न्त्रापुत

PG 5 OF

	300																
VESSEL						PROJECT & LEG	T & LE	_O					છ	ATION	STATION DESIGNATION	ATION	1
WECOMA	¥					W9905B	(1WE99)	E36)						-	3	2	70X05 9
							. ₽	.,			ск поо:	М Т М Т №		0 0 0	⊢ :		
CAST #		LATITUDE		LONGITUDE	DATE	=OC =	¥í	TIME (GMT)	DRY BULB	WET			WIND W	WIND m SPD. t)	- • п	ВОТТОМ DEPTH	STA. NAME/ID
	DEG	MIN	DEG	G MIN	DAY	MO	ΥR	HR MIN	(၁)	(၃)	(qm)	•	(deg)	(s/ш)	•	Œ	
2000 E	573	61.34N	- - - - -	15 10 10 13 9 W	3	MAY	6 6	19/5/9/2	308	2 9 5		H					8-14
	CTO		TIMES	Ø	님	JD/TIME				DATA LOCATION	ATION			œ	REMARKS		
TYPE & SN SBF 19650	NS OS		DATAON	NO				Tane/Diskette ID	<u>_</u>	<u> </u>	ame N	File Name/Header			Back	S. S	19
PRESS SN	SN	146055		1 ,			<u> </u>							1 `	75 m	Colle	3 2/
PRI TEMP SN	AP SN	029	STAR	START DOWN						Ü	1DC	CTD004B					•
PRI COND SN	NS QN	920	AT DE	АТ DEРТН	10		 			1							
-			AT SI	AT SURFACE	35	~	-				_	ì		<u>X</u>	MAX. DEPTH =	2 (0 = HT	E
ا المالية				PAR	FLUOR	,	TRANS	TRANSMISSOMETER	ER		Cleane	Cleaned air bleed valve	d valve				
	eges*(*)			СТОС	ONVER	CTD CONVERTED MONITOR VALUES	JITOR V	/ALUES				SAMPLE	SAMPLE BOTTLE DATA	DATA		SAMPLE BOTTLE NUMBER	ENUMBER
POS.	TRIP DEPTH	PRESSURE	RE	PRI. TEMP.	SE	SEC. TEMP		PRI. SAL.		SEC. SAL.		(U)	SALINITY		SAL	NUTRTS.	OTHER
1	15			17			755									2153	
2	15				1				1	いそい	CO	j	$\left \left(\;\right \;\right $	$ \rangle $		(3
3									7			(3.5)					
4																	
ည						,											
ဖ							\dashv		,								
7																	
80							-										
o.				,							\dashv						
5					_				\dashv		\dashv						
11					_		-		$\frac{1}{1}$		1						
12							_	14	\dashv		\exists						

PG O OF

VESSEL					PROJECT & LEG	FEG						STA	ION DI	STATION DESIGNATION	TION	1
WECOMA				-2	W9905B ((1WE99)		-				U)	7		9	50X05
CONSC CAST	ATITUDE	<u> </u>	AGITIONOL	DATE	: <u>:</u>	TIME	<u> </u>	DRY BILLB	WET	P R E R S S D R F F R S S P R F F F F F F F F F F F F F F F F F F	ATIJIBISI/	ON WIND	# P A T C C C C C C C C C C C C C C C C C C	≱ш∢⊢±шα	BOTTOM PEPTH	STA.
DEG		BEG	NIM	λ	9	YR HE	lz	5	✝	Į	ŀ	+	1	1.	Ê	
	C,)		R		╁	6	3	7.15	1	××	22	5	2		0 67	2-15
	сто	TIMES		Ş	JD/TIME			۵	DATA LOCATION	¥0E			AE.	REMARKS		
TYPE & SN						-										
SBE 19 650	1	DATA ON	N N			Tape/I	Tape/Diskette ID	O		File Name/Header	leader					
PRESS SN	146055										١					-
PRI TEMP SN	059	START	START DOWN						J	100	CTDOOS.DAT	F.				
PRI COND SN	059	АТ ОЕРТН	тн			,										
		AT SURFACE	-										MAX.	MAX. DEPTH =	088 =1	E
	,		PAR	FLUOR	TR	TRANSMISSOMETER	SOMETER	~		Cleaned	Cleaned air bleed valve	valve				
	-		CTD C	ONVERT	CTD CONVERTED MONITOR VALUES	OR VALUE	ES			Ø	SAMPLE BOTTLE DATA	OTTLE D	ATA	SAMPL	SAMPLE BOTTLE NUMBER	NUMBER
POS. DEPTH	PRESSURE	RE	PRI. TEMP.	SEC	SEC. TEMP	PR	PRI. SAL.		SEC. SAL.		SAI	SALINITY		SAL.	NUTRTS.	OTHER THER
1 2000	0				u.:									<i>P</i>	Tole	
2 150	(+											216	
3 100											3.6				71(00	·
15 4					,										7159	
15 160															2199	オーナー
OH 9															2157	7
06 [4]																+ +
0C 8)														2196	7
Qi 6				1											2155	<i>y</i>
10 C										\dashv			+		7154	7
11										\dashv			\dashv	1		
12				_		2		\dashv		\dashv						

Pe For

	į.						i) -	,
VESSEL	1	*		PROJ	PROJECT & LEG	EG					STATIO	N DESI	STATION DESIGNATION	1	_
WECOMA				W9905B		(1WE99)		·				6		15×056	e pro
CONSC CAST #	LATITUDE		LONGITUDE	DATE JD=	. 43	TIME	DRY BULB	WET	С α ш α α ∪ α πσ π α α ν ⊢ α ⊢ π	ν π Α ν + Α + π ΥΤΙ ΙΒΙΣΙΥ Ο Ν'Ν Ο Ν'Ν Ο Ν'Ν Ο Ν'Ν	WIND SPD.	O - O - O - C - C - C - C - C - C - C -	BOTTOM DEPTH	STA.	<u></u>
	MIN	DEG	MIN	DAY MO	YR	HR MIN	ဉ့်	(၁)	ē	*	*				-
1 S S S S S S S S S	30.8 8N	\ <u>\</u>	10166	WOSMAY	Y 9 9	1022	vo	2915		27	ľ		マスラ	1 - 9	1.
СТО	٥	TIMES		JD/TIME			l	DATA LOCATION	ATION			REMARKS	5		
TYPE & SN	,										ī			_	
SBE 19 650	ă.	DATA ON	No.			Tape/Diskette ID	<u> </u>	Ē	File Name/Header	Header	,	×	į		
PRESS SN	146055			i							! -І				, ,
PRI TEMP SN	650	STAR	START DOWN					J	400	CT 90061 DA	10			•	
PRI COND SN	650	AT DEPTH	PTH							•				,	
٠		AT SU	AT SURFACE		_			R			W.	MAX. DEPTH	~	m 20	,
į			PAR	FLUOR	TRAN	TRANSMISSOMETER	FER		Cleaned	Cleaned air bleed valve	99				
797.1			CTD CONV	ONVERTED MONITOR VALUES	ONITOR	VALUES			S	SAMPLE BOTTLE DATA	TLE DAT		SAMPLE BOTTLE NUMBER	E NUMBER	
POS. DEPEN	PRESSURE	Æ	PRI. TEMP.	SEC. TEMP	d.	PRI. SAL.		SEC. SAL	;	SALINITY	È	SAL	- NUTRTS	S. OTHER	Ŋ
1 900 V	/											و		┢	
2 50%							,					_	977		_
s 106 ×									1(3	Œ			17109		
4 75 1	_												8917		
, S													1919	メーメ	
6 40 ½						,		a.					77 (06	メメ	
7 30~								į				-	1	X	
8 30 /										33			97 PG	× × -	
) Ol 6													49161	× ×	
10 01							\dashv						3163	\times	
11														-	
12						4									
	•														•

(9)(