		•									1 2	——————————————————————————————————————	l	ı		-	ī						-1	
ed)	STN. NAME/ID		ISD	CTD MAX. DEPTH =	200						2	¥± S	-	2	က	4	rS.	9	7	80	o o	10	=	12
CTD FileName (None if data is live feed)	STATION NUMBER N		ZIO18 I	CTO	6	MENT: Difficult conditions, factors that may affect measurements or aid processing					Comments or	other samples						:						·
ame (None if	BOTTOM S	(m)	122 t			ents or aid														V				
CTD FileN	Surface Temp	(°C)	2.2			measurem					up Phyto	ge) preserve								Ţ.			9	
(f	ns ns	MIN	2		!	affect 1					>10 dup	vol (large)								- //	<u>\</u>			
PROJECT & LEG (if needed)	GMT	HR N	15 05			that may					1	orr dup voi							i			-		
& LEG	(note if not)	ΥR	1 7			actors (0 0							
PROJECT	(note	MO	30 L			itions, f					>10 Large	loV					1						250	
	GMT	DAY	28			ult cond					GFF	lov		250	250	280				0 0 0 0 0 0 0		250	250	250
\ \			3			r: Diffic																		
MMITO	LONGITUDE	***	2868	Weather:		COMMEN					Hydro Team	Nut.Btl	125	\$7.8	125	925						325	h15	523
CRUISE ID Survey) 	DEG	135.								Hyo	SALTBU												
	LATITUDE	1	1738 N	Sensor IDS (initially & swap-outs)	SBE 9-11 w/duplicate sensors			MILE			Rosette Notes													
VESSEL Northwest Explorer 2017		DEG	58	S (initially &							DEPTH	DESIRED	200	50	oh	30						3	(0	ð
VESSEL Northwest	CTD consec			Sensor IDS	SBE type and S/N	PRESS SAN	TEMP 1 &2 SNS	FLUOR SAN	02 (SBE43) S/N	Transmiss S/N PAR S/N O2 SBE42S/N		# XSIN	1 2	2			22	9		8	6	10	11	12

VESSEL Northy	VESSEL Northwest Explorer 2017	lorer	2017	CRUISE II Survey	NW 1703	~	1	PROJECT & LEG (if needed)	& LEG	if need	g l	CTD Fileh	Jame (None	CTD FileName (None if data is live feed) 210	(peed)	
CTD consec	onsec #	5	LATITUDE		LONGITUDE		GMT DATE	(note if not)		GMT Time		Surface Temp	ВОТТОМ DEPTH	STATION	STN. NAME/ID	. 0
	DEG		-NIM	DEG	ANTIN .	H	DAY	MO	П	Н	NE	(2)	Ш			П
	0,1	58,	2548 N	1381	hbh		32	3 0 L	1 7	18 C	90	12.3	261	21032	ISC	35.24
Senso	r IDS (init	itially 8	Sensor IDS (initially & swap-outs)		Weather:								:		CTD MAX DEPTH =	
SBE type and S/N	N/S P		SBE 9-11 w/duplicate sensors	e sensors												
PRESS SAN					COMMEN	r: Diffic	ult cond	litions, fa	ctors t	hat ma	y affec	COMMENT: Difficult conditions, factors that may affect measurements or aid processing	ents or a	d processii	Đ	
TEMP 1 &2 SNs	SNS															
COND 1&2 S/Ns	SMs															
FLUOR SAN																
OZ (SBE43) SN Transmiss S/N	Z &									88						
PAR SIN O2 SBE42SIN	2															
	DEPTH	тн	Rosette Notes	H	lydro Team		GFF	>10 Large		1		>10 dup Phyto	Phyl			Nisk
# XSIV	DESIRED	RED		SALT BU	Nut.Btl		lov	lo ₂	_	or dub vo	\rightarrow	vol (large) preserve		other samples	ples	#
-	Cost			T.	536						1000		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			-
2	So				525		220									2
e	0 h				734		2520						4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			ဗ
4	30				533		250									4
5					9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9				_					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		5
9						İ			-		_					9
2																~
8									1							8
6											1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		6
10	2				537		250					2002				10
11	이				531		230	250	-			20	992	000000000000000000000000000000000000000		=
112	0				530		252		-		_	2002				12

COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements or aid part COMMENT: Difficult conditions, factors that may affect measurements COMMENT: Difficult conditions COMMENT: Difficult conditions COMMENT: Difficult condi	VESSEL Northwes	VESSEL Northwest Explorer 2017		CRUISE ID Survey	CRUISE ID AVAL 70 3		PRC Feg.	PROJECT & LEG (if needed)) EG (if needed)	6	TD FileN	ame (None	CTD FileName (None if data is live feed) $//\sqrt{2} \le 1$	feed)
Deci **** Dec	CTD cons	20	l H		ONGITUDE	<u>50</u>	11	(note if n		MT me	Surfac	e Temp	ВОТТОМ DEPTH	STATION	STN. NAME/ID
556, 2355 N 35, 4843 w 29 51 L 17 15 13 10.9 204 2		DEG	***		+==	_	λAΥ	MO	\vdash	Н		()	(m)		
See B-11 widuplicate sensors Weather: SOR B-11 widuplicate sensors COMMENT: Difficult conditions, factors that may affect measurements or aid para SOR B-11 widuplicate sensors SOR B-12 widuplicate sensors SOR B-12 widuplicate sensors SOR B-12 widuplicate sensors SOR		58,	2353	(35	EhBh			-	7	I . I	10	6	402	21035	IJB
SBE B-11 widuplicate sensors COMMENT: Difficult conditions, factors that may affect measurements or aid parts N	Sensor	S (initially	& swap-outs)		Weather:										CTD MAX. DEPTH =
COMMENT: Difficult conditions, factors that may affect measurements or aid part DEPTH Rosete Notes	SBE type and S/h		SBE 9-11, w/duplicat	e sensors											195
N	PRESS SAN			Ħ	COMMENT:	Difficult	condit	ions, fact	ors th	at may af	fect mea	sureme	ints or air	d processir	B
N N N N N N N N N N	TEMP 1 &2 SNS														
196 SALTBB MutBB Vol Vol Large GFF dup vol Vol Large CH CH CH CH CH CH CH C	COND 1&2 S/Ns								8						
196 SALT BE Hydro Team GFF >10 Large GFF dup vol 20 dup Phyto 250 10 dup 10 dup 10 dup Phyto 250 10 dup 10	FLUOR SAN														
DEPTH Rosette Notes	Transmiss S/N														
196 SALT Bil Mut Bil Vol Vol Vol Large GFF dup vol Phyto Phyto SALT Bil Mut Bil Vol Vol Large GFF dup vol Phyto SALT Bil Mut Bil Vol ASA SALT Bil Mut Bil SALT Bil Mut	PAR SIN														
DESIRED PART					8										
196 SALT BH Multiple Vol Vol STO Vol Grage) preserve 196 STO S	7	DEPTH	Rosette Notes	Hy	dro Team		GFF	>10 Large		_	>10 dup	Phyto		Comments or	s or Nisk
196 44 543 350 100 100 100 100 100 100 100 100 100 1	# NOW #	DESIRED			Nut.Btl		lov	lo/		-	ol (large)	preserve		other samples	
52 627 330 340 327 320 340 327 320 340 327 320 340 327 320 340 320 340 320 340 320 340 320 340 320 340 320 340 340 340 340 34	-	96		47	543			0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0		-
30 37 37 37 37 37 37 37 37 37 37 37 37 37		25			2)75		250								2
340 350 350 350 350 350 350 350 350 350 35		e			146		250							1 0 0 0 0 0 0	ю
25 25 25 20 10 10 10 10 10 10 10 10 10 10 10 10 10		30			540	7	250								4
25 25 25 155 155 155 155 155 155 155 155	2											8 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			S
20 00 10 10 10 10 10 10 10 10 10 10 10 10	9	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,													9
20 234 250 Ol	7	Ī													7
20 10 10 10 133 133 133 133	80								_						80
252 253 250 O															6
10 538 250 O		3			539		280								10
(33)	11	0)			538		ووي	252	2	22					7
	12	0			53.4	\	258	411							12

G	STN. NAME/ID		34	AX.	7								Nick		Ľ	-	2	3	4	ιΩ	9	7	8	6	10	1	12
live fee			 	CTD MAX DEPTH =	6	ssing							Comments or	other samples		1				9							
if data is	STATION		38			l proces							Comu	other													
Name (None	ВОТТОМ DEPTH	(m)	94			ents or aid																				300	
CTD FileName (None if data is live feed)	Surface Temp	(၁,)	5.			easureme					5		Dhuto			-				- W					200	200	200
	Surfa		5			ffect m							240 dun	vol (large)													p.
(pepeed)	— (0	MIN	53			t may a										+				6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6							
& LEG (if needed)	GMT (%)		7	c		ors that								GFF dup vol													
PROJECT & 1	(note if not)	MO	30 L 1			MENT: Difficult conditions, factors that may affect measurements or aid processing							40 Long	lov		9										250	
74 8	GMT DATE	DAY	29			ılt condit							111	lov			250	252	250					i	250	286	235
			≥			: Diffict																					
VW1702	LONGITUDE	NIIIN	5257	Weather:		COMMENT							Hvdro Team	Not.Bit	{	250	548	248	145	-					SHG	5mS	544
CRUISE ID Survey	9	DEG	(35.)	>	III				11.3V63				Hvdr	SALTBILL	Ш												
	LATITUDE	MIN	1207	Sensor IDS (initially & swap-outs)	SBE 9-11 w/duplicate sensors			100					Rosatte Notes														
vessel Northwest Explorer 2017	ξ.	DEG	58,	(initially &									DEPTH		7	7,	ρ	Oh Oh	30						0	0	
El. Iwest l	CTD consec CAST #			or IDS	and S/N	2	LZ SNs	12 S/Ns	No.	H3) S/N	SSN	2S/N				7.5	ഗ	ن	3						32		۵
VESSEL Northy	e S			Sens	SBE type and S/N	PRESS SAN	TEMP 1 &2 SNs	COND 1&2 SANS	FLUOR S/N	02 (SBE43) S/N	Transmiss S/N	PAR SAN O2 SBE42SAN		Nisk #		-	2	m	4	2	9	_	۵	o	5	=	12

TD consec CAST # CAST # DEG MIN DEG FOR SWAPPOUTS) Whe and SN SBE 9-11 widuplicate sensors SS SN RNS SN SS SN RNS SN SWAPPOUTS SS SN SS S	NW1703 189 SECM 21041
Or IDS (initially & swap-outs) or IDS (initially & swap-outs) or IDS (initially & swap-outs) and SN SBE 9-11 w/duplicate sensors N SSN SSN SSN SSN SSN SSN SSN SSN SSN	
or IDS (initially & swap-outs) or IDS (initially & swap-outs) and SN SBE 9-11 widuplicate sensors 2 SNs N 3 SN 3 SN 3 SN 4 O 4 O 4 O 5 O	DATE (note if not) Time Surface Temp DEPTH NUMBER N
or IDS (initially & swap-outs) or IDS (initially & swap-outs) and SN SBE 9-11 w/duplicate sensors N SSN SSN SN SN SN SN SN SN	DAY MO YR HR MIN (°C) (m)
or IDS (initially & swap-outs) and SN SBE 9-11 widuplicate sensors N SSNs 2 SNs 3 SN 3 SN 3 SN 4 O 4 O 2 O 3 O	w 30 510 1 1 15 10 11.6 404 41
SSNs 2 SNs N 3 SN 3 SN 3 SN 3 SN 4 O 4 O 4 O 3 A.T Bul 3 A.D 5 O	0 0
SSNs 2 SNs N 3) SN SSN SSN SSN SSN SSN SSN SSN SSN SSN	200
2848 N	COMMENT: Difficult conditions, factors that may affect measurements or aid processing
SSN SN SN SN SN SN SN S	
SN SN SN SN SN SN SN SN	
SN SN SN SN SN SN SN SN	
SAN DEPTH Rosette Notes Hydro Team of F 710 Large GFF dup vol 3000 4.0 555 4.0 556 4.0 557 550 550 550 550 550 550 5	
DEPTH Roselte Notes	
DEPTH Rosette Notes	
DEPTH Rosette Notes	
300 40 40 556 40 556 556 556 556 557 654 150	GFF >10 Large SEE dum vol >10 dup Phyto
300 50 40 40 550 30 30 40	Nol
30 40 30 525 30 40 524	
40 30 554 40 40	
20 528 04	
3.0	
253	
3.0	
40	
3.0	
30 553	
	256
35 000 250	250 250
12 0 25/ 25/ 256	1856

VESSEL Northwes	VESSEL Northwest Explorer 2017		CRUISE ID Survey	NW1703		PROJECT & LEG (if needed)	G (if needed)	CTD FileN	lame (None	CTD FileName (None if data is live feed)	(beed)
CTD consec	29	LATITUDE	د ا	LONGITUDE	GMT DATE	(note if not)	GMT	Surface Temp	ВОТТОМ DEPTH	STATION	STN. NAME/ID
	DEG	C-THIN.	DEG	THE .	DAY	MO YR	П	(0,)	(E)		
	58,	1013 N	135,	025Y	w 30	5u L 1	7 17-10	12.3	194	74	UCB
Sensor II	OS (initially a	Sensor IDS (initially & swap-outs)		Weather:							CTD MAX DEPTH =
SBE type and S/N	7	SBE 9-11 w/duplicate sensors	e sensors						:		200
PRESS SAN				COMMENT: Difficult conditions, factors that may affect measurements or aid processing	ficult cond	litions, factor	s that may aff	ect measurem	ents or air	d processir	6
TEMP 1 &2 SNs											
COND 1&2 S/NS		E.									
FLUOR SAN		118									
02 (SBE43) S/N											
Transmiss S/N											
O2 SBE42S/N											
# 10	DЕРТН	Rosette Notes	Hy	Hydro Team	GFF	Large	SEF dun vol			Comments or	É
t vois	DESIRED		SALT BH	Nut.Btl	lov	lo ₂		vol (large) preserve	6	other samples	ples #
1	700°			264			9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9				-
2	502			5.43	250						2
က	407			795	6 52						е
4	30 m			566	250						4
2										1	5
9											9
7											7
80				(i)					-		80
6						0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		9000			6
10	20 2			560	250			200			10
11	100			559	280	asz	- 0	292	200		÷
12	0			558	280			200			12

Consection Con	VESSEL Northy	El west E	VESSEL Northwest Explorer 2017		CRUISE ID Survey	EOFIMIN OI	2	<u> </u>	PROJECT (& LEG (& LEG (if needed)	CTD	ileName (Non	CTD FileName (None if data is live feed) $\mathbb{Z} \cap \mathbb{Z}$	(peed)	
DEG MIN DEG MIN DAY MO VR HR MIN CO (m)	CTD	consec	4			ONGITUDE		SMT	(note if		SMT Ime	Surface Te		A STATION NUMBER	STN. NAME/ID	
SE 1348 125, 0692 weather: See 1348 weather: Weather: See 140.08 140 See See See Weather: See Se	<u> </u>			WIN.		MIN		DAY	MO	\Box	\vdash	(C,)	₩			
COMMENT: Difficult conditions, factors that may affect measurements or aid parameters sensors COMMENT: Difficult conditions, factors that may affect measurements or aid parameters COMMENT: Difficult conditions, factors that may affect measurements or aid parameters COMMENT: Difficult conditions, factors that may affect measurements or aid parameters COMMENT: Difficult conditions, factors that may affect measurements or aid parameters COMMENT: Difficult conditions, factors that may affect measurements or aid parameters COMMENT: Difficult conditions, factors that may affect measurements or aid parameters COMMENT: Difficult conditions, factors that may affect measurements or aid parameters COMMENT: Difficult conditions, factors COMMENT: Difficult c			38	48	4	0	×		7 7	1 7	18:31			- S	CACC.	
SSE 9-11 widopicate sensors COMMENT: Difficult conditions, factors that may affect measurements or aid p 25 state DEPTH Roseite Notes	Sens	or IDS (initially 8	k swap-outs)		Weather:								K.	CTD MAX. DEPTH =	
San	SBE type	and S/N		SBE 9-11 w/duplicat	e sensors										(00)	T
SSN	PRESS S	2				COMMENT	r: Difficu	It condi	tions, fa	ctors t	hat may aft	fect measur	ements or	aid processi	Bu	1
SSN	TEMP 18	2 SNs			(200 - C											
SSN	COND 18	2 S/Ns														1
SSN	FLUORS	Z.														
DEPTH Rosette Notes	O2 (SBE	SNS (SIN									2000					1
DEPTH Rosette Notes Hydro Team GFF >10 Large GFF dup vol (large) preserve (2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PAR SIN 02 SBE4	NSS		33												
C C C C C C C C C C			ЕРТН	Rosette Notes	H	dro Team		GFF	>10 Larg				9	Comments or		Nisk
5°C 5°H 2.5°C 4.5°C 4.5°C 5.6°F 3.5°C 5.6°C 5.6°F 3.5°C 5.6°C 5.6°	# XISK		ESIRED			Nut.Btl		lov	Vol		_		erve	other samples		#
350 40 360 350 360 360 360 360 360 360 360 36	-	-	30			57				E .				0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	
350 350 350 350 350 360 360 360 360 360 360 360 36	2	\$	0			S.30		250					-		2	
30 56h 350 30 80 56t 350 10 30 350 350	е	7	0 +			368		250			1			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3	
30 30 567 10 10 10 10 366 350 350	4	501	20			C6D		250							4	آ.
3.0 3.0 1.0 1.0 1.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0	ເດ												1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	ω	ارر
30 30 10 10 10 10 10 36 350 350	9									\dashv					9	()
30 S67 A50 10 S66 A50 A50	_														7	
30 10 10 10 10 10 10 10 10 10 10 10 10	ω														89	
30 567 350 10 566 350 350	6						2								6	٦
30/2 94	9	4				567		250		2	250				10	0
265	11		ອ			Slob		250	25C	<u> </u>					1	-
	12		0		49	595		250					_		12	2

Northwest Explorer 2017	Explorer 2		CRUISE ID Survey	NW1703		PROJECT & LEG (if needed) $\log \le \frac{2}{L} \frac{2}{$	LEG (if needed)	CTD FII	eName (None	CTD FileName (None if data is live feed)	(peel)
CTD consec		ATITIDE	99.	HULLING	GMT	(note if not)		GMT	Surface Temp	BOTTOM	STATION	STN. NAME/ID
	DEG	MIN	DEG	NE	DAY	MO	T	HR MIN	(C)	\vdash		
	58.	1398 N	135	45 h O.	w 36	7 1	,	21:42	12.9	140	र्भत	UCD
Sensor IDS	(initially &	Sensor IDS (initially & swap-outs)		Weather:						:		CTD MAX. DEPTH =
SBE type and S/N		SBE 9-11 w/duplicate sensors	sensors							:		
PRESS SAN				COMMENT: Difficult conditions, factors that may affect measurements or aid processing	ficult cond	litions, fac	tors t	nat may aff	fect measure	ments or ai	d processir	<u>g</u> í
TEMP 1 &2 SNs												
COND 182 S/Ns												
FLUOR SAY												
O2 (SBE43) SAN												
Transmiss S/N												
OZ SBE42S/N												
	рертн	Rosette Notes	Hy	II Hydro Team	GFF	>10 Large			>10 dup Phyto		Comments or	Z
Wisk #	DESIRED		SALT BU	Nut.Btl	vol	Vol		or dup vo	vol (large) preserve	rve	other samples	# sejd
1	180			278				9				-
2	50			577	250)						2
3	9			276	250	0					1	ო
4	30			535	450	2	_	_	200	0		4
5								0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			1 2 2 0 0 0 0	'n
9					-1,00							9
7												7
8												89
6										1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	6
10	30			HES	250	0	_					9
11	0			593	950	950			200	0		1
12	C			, r.y.	2				200	S		12