Į.		. Q.		$\overline{+}$				٤			WHIT'S NUTR.			T		T		e			Ţ	T	
(,		STA. NAME/ID					valve			UMBE			_		-	\dashv	\dashv	+	+	\dashv	\dashv	\dashv	\dashv
9			rı				peelq			TLEN	吊												
1 20	STATION DESIGNATION	BOTTOM DEPTH	(m)				Cleaned air bleed valve	PTH =	S. S/N	SAMPLE BOTTLE NUMBER	NUTR.												
	DESIGI	TYPE WEATHER	. 0	න 🚪			Clean	MAX. DEPTH =	THANS.	SAMP	SAL.	10											
	ATION	S WIND (amt)	(m/s) *	3 2 3				Ϋ́		щ	07												
	ST/		7	<u>^</u>	_	1				BOTTL FA	<u> </u>			Ì									
		WIND DIRN.	(deg)		leadeı					SAMPLE BOTTLE DATA	SALINITY											1	
		SEA STATE VISIBILITY		_	File Name/Header				N/S	SA												<u> </u>	
		BRUSSBR9	(mp)	CATION	e E E	CHO			ChlAM														
İ	DSDB I.D.	WET BULB	(C) 1/2	DATA LOCATION	_	ا ~ ا					SALINITY												
	DSD	DRY BULB	(C) 0	٥	tte ID				3 9	i	S/S												
		<u> </u>	N T	<u> </u>	Tape/Diskette ID				# 6 2	ES													
	EG G 2	TIME (GMT)	£ 2	_	Таре				SWL	\ VALU	SEC. TEMP												
	PROJECT & LEG RB-00-07 LEG 2		> -	0 0					FLUOR	CTD CONVERTED MONITOR VALUES	SEC.												
	PROJE	_OL	Q -	SEP						ED WC							_	\dashv	\dashv				\dashv
		DATE	DAY	TIMES JOTIME						NVERT	MP.												
			_0	JD/TIME						000	PRI. TEMP.												
		LONGITUDE	N S	7		N.		빙	 	0													
		LONG	(S) - 4	S	DATA ON	START DOWN	АТ DEРТН	AT SURFACE	PAR S/N														
	-			2 P	- I	STA	ATI	ATS		j	PPESSURE												
	NWOE	D 日	,	63 %	52	3	96	7.3			9.89												
	3 H. BF	LATITUDE		3852 - 03 82	28955	1713			•														\dashv
	ONALI		25 T	0 P9	. NS	AP SN	MP SN	NS QN	AS QN(TRIP													
	VESSEL NOAA RONALD H. BROWN	CONSC CAST #	-	SBE 9+ 0 P9852-03 82 TIMES	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	SO S.		-	2	3	4	2	9	7	8	6	10	11	12
	> Z	0 -		- S			(1)	<u>т</u>	(,	14	_											1	

VESSEL NOAA RONALD H. BROWN	H. BROWN			PROJECT RB-00-07	PROJECT & LEG RB-00-07 LEG 2	2.5	DSDBI.D.	31.D.			STATIO	N DESIG	PG STATION DESIGNATION	ا ا ا	
CONSC CAST #	ATTUDE	HOLLEGNO	- Pin	DATE JD=		TIME (GMT)	DRY	WET	SEA STATE	VISIBILITY ON SERIO ON SERIO	WIND SPD.	CLOUD (amt) TYPE WEATHER	42,9 воттом рертн	. —	STA. NAME/ID
DEG 7	Z Z	DEG N		DAY MO	⊈ -	H C	(°C)		* 4	9-,	(m/s)	. 0			
00 4 5 45	2 2 2	2	2 M 7 7 7	18SE	P 0	+ - + 0	¥.	7.6	↑ I	7 2 7	1	101	μ.		
SBE 9+ 0 P9852 - 0 3 82	52-0382	TIMES	JD/TIME	ME			۵	DATA LOCATION	ATION		<u>~</u>	REMARKS	S		
PRESS SN S	58955	DATA ON			1	Tape/Diskette ID	ette ID	Fik	» Name	File Name/Header		*		1	
PRI TEMP SN	1713	START DOWN	7					CTD							
SEC TEMP SN	2866	AT DEPTH										Clear	Cleaned air bleed valve	eed val	9
PRI COND SN	1473	AT SURFACE						 				MAX. DEPTH =	EPTH =		٤
SEC COND SN	520	PAR S/N			FLUOR	SWL# 6	2 3 9	ChIAM	N/S WY		1	TRANS.	NS. S/N		
POS. TRIP	35.9		CTD CO	CTD CONVERTED MONITOR VALUES	IONITOR	١.				SAMPLE BOTTLE	TTLE	SAMI	SAMPLE BOTTLE NUMBER	ENOM	3ER
										DATA			Red		
	300	U G		9	CEC TEMP	QV2	8	YEINIES		YTINI IAS	>	SAI	/ EE IN	끍	WHIT'S NOTR
-	62 7	1		·			5					3	-		
			1										15,16		
_			ļ										13,14		i
													11,12		!
5 26 /								ļ					2,10		
9 11 9			ļ										04		
7 11 /							ļ						3,6		,
8										į		-	3,4		:
0								1					1,2		
10								-							
11							:								
12							ļ								

NOAA RONALD H. BROWN			PROJECT & LEG RB-00-07 LEG 2		dsa	DSDB I.D.			STATIC	ON DESK	STATION DESIGNATION	5	1
LATITUDE	LONGITUDE		DATE JD=	TIME (GMT)	DRY	WET	PRESSURE SEA STATE	VISIBILITY WIND	WIND SPD.	CLOUD (amt) TYPE WEATHER	BOTTOM DEPTH		STA. NAME/ID
MIN	DEG MIN		DAY MO YR	H WIN	(°C)		(mb)	(deg)	(m/s)	*	(m)		
4.33N	68 43 50	3 W 1 8	SSEPOO	1 10	6.9	ヹ	233	7005	<u></u>	00	9	3 8 5	NHO
SBE 9+ 0 P9852 - 03 \$2	TIMES	JD/TIME			۵	DATA LOCATION	ATION			REMARKS	KS		
58955	DATA ON			Tape/Diskette ID	ette ID	Ē	e Nam	File Name/Header					And the first of t
1713	START DOWN					CTD	٥	:	ı				App As (0) y (1) (1) (1) (1)
2866	АТ ОЕРТН				i				. 1	Clea	Cleaned air bleed valve	eed va	, Ve
1473	AT SURFACE					[MAX. D	MAX. DEPTH =		٤
529	PAR S/N		FLUOR SWL #	SWL # 6	2 3 9	Chl/	ChIAM S/N		-	TRA	TRANS. S/N		
		TD CONVI	CTD CONVERTED MONITOR VALUES	NALUES				SAMPLE BOTTLE DATA	OTTLE	SAN	SAMPLE BOTTLE NUMBER Pad	LENUM	BER
PPESSURE	URE	PRI. TEMP		SEC. TEMP	/S	SALINITY	<u> </u>	SALINITY	<u></u>	SAL	NCTR.	SH.	WHIT'S NUTR.
										7	24		
											23		
1 200	1 1 1 2 Sp	1				:					•		
											22	-	
					!						12,		
											2.		
		1				:					- 6×		
												:	
						:		:					
:									Ì				
							÷						

DE 6 1 8 2 2 8 2 3 8 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	LONGITUDE DEG MIN 1 69 (9.5 TIMES DATA ON START DOWN AT DEPTH AT SURFACE	MIN DAY 9.5 2 W 1 & 8 JD/TIME										
25 S S S S S S S S S S S S S S S S S S S	ON DO STA	M Z Z W JD/III		TIME (GMT)	DRY	WET	PRESSURE SEA STATE VISIBILITY	WIND WIND DIRN. SPD.	CLOUD (amt TYPE WEATHER	ВОТТОМ	STA. NAME/ID	J.V.
	ON DO TH	JD/TIMI	MO YR	WIN EH	(၁့)	(°C)	*	(s/ш) (bap)	* *	(m)		
352-0382 78955 1713	TIMES DATA ON START DOWN AT DEPTH AT SURFACE PAR S/N	, ,	S E P 0 0	1326	7.	4.00	43373	34408	\$ 6 6 2	49	850	0 h
1713	DATA ON START DOWN AT DEPTH AT SURFACE				Q	DATA LOCATION	NOIT		REMARKS	S		
1713	START DOWN AT DEPTH AT SURFACE			Tape/Diskette	ette ID	File	File Name/Header	ider	1 1		o de de constante manda can	:
	AT DEPTH AT SURFACE					E		ŀ	[
2866	AT SURFACE								Clea	Cleaned air bleed valve	ed valve	
	PAR S/N								MAX. D	MAX. DEPTH =		Ε
!			V FLUOR	SWL# 6	2 3 9	ChIAM	N/S V		TRANS.	NS. S/N		
		CTD CONVER	CTD CONVERTED MONITOR VALUES	VALUES			SAMP	SAMPLE BOTTLE DATA	<u> </u>	SAMPLE BOTTLE NUMBER	ENUMBE	Æ
PPESSURE	J. J	PRI. TEMP.	SEC.	SEC. TEMP	SA	SALINITY	Ø	SALINITY	SAL	NUTR.	GHL.	WHIT'S NUTR.
~35×									•	. 3¢		
50	:	į			:					62.		
	Lottle diduit	it five										
30										, 78		
3					!					+2.		
2										, 26		
0										. 25		
												,
					:							

VESSEL NOAA RONALD H. BROWN	NWO			<u>a</u> <u>a</u>	PROJECT & LEG RB-00-07 LEG 2	EG G 2	DSDB I.D.	31.D.			STATIO	N DESIG	STATION DESIGNATION	ار ف	
CONSC CAST LATITUDE	Щ.	TONGITUDE	TUDE	DATE	=Q^	TIME (GMT)	DRY	WET	SEA STATE	YTIJIBISIV W W W W W W	WIND SPD.	CLOUD (amt) TYPE MEATHER	ВОТТОМ DEPTH		STA. NAME/ID
DEG MIN		990	MIN	DAY	M YR	Z	la!		1	(deć	(s/m)	_	(E)	_	
4465746.53N		1881	11 2. 5	1 W - 6 S	SEP00	1915	7.7	4:07	2 2 3	7 43 4	<u>و</u>	700	19	0	るより
SBE 9+ 0 P9852- 0 3 8.2 TIMES	1382 TI	MES	/ar	JD/TIME			D/	DATA LOCATION	VIION			REMARKS	S		
PRESS SN S 8955		DATA ON				Tape/Diskette ID	ette ID	File	Name/	File Name/Header					and the second second second
PRI TEMP SN 1713		START DOWN	N					CE)				ĺ			Part of the test o
SEC TEMP SN 2866		АТ ДЕРТН						1				Clear	Cleaned air bleed valve	eed val	9
PRI COND SN 1473		AT SURFACE	ш									MAX. DEPTH =	EPTH =		E
SEC COND SN 529		PAR S/N	ゥ		FLUOR	SWL# 6	2 3 9	ChIAM	N/S W			TRANS.	VS. S/N		
			CTDC	ONVERTE	CTD CONVERTED MONITOR VALUES	NALUES			S	SAMPLE BOTTLE	TTLE	SAMI	SAMPLE BOTTLE NUMBER	LENUM	SER.
DEPTH										DAIA			Block		
	PRESSURE	ų,	PRI. TEMP.	EMP.	SEC.	SEC. TEMP	SAS	SALINITY		SALINITY	>	SAL.	NCTR.	占	WHIT'S NUTR.
1050											-	2			
2 50 0															
3 40	Pip -	か	Jan/>												
3															
5 30					ļ			ļ							
3 3	1	Pecky	b-ttle				:								
		6	:										n		-
6	P.D -	to	Eine -												,
10			:												
-			;				i								
12									=						

STATION DESIGNATION	PRESSURE SPD. CLOUD (amt) VISIBILITY VISIBILITY OIRN. SPD. CLOUD (amt) PRESSOURE OIRN. SPD. CLOUD (amt) OIRN. SPD. CLOUD (amt)	(mb) * * (deg) (m/s) * * (m)	5 1 2	CATION REMARKS	File Name/Header	стр	Cleaned air bleed valve	MAX. DEPTH = m	ChIAM S/N TRANS. S/N	SAMPLE BOTTLE SAMPLE BOTTLE NUMBER DATA	SAINITY SAI NITTB CHL. NUTR.			4 282	t 8% Z							
G DSDB1.D.	TIME DRY WET (GMT) BULB BULB	# MIN (°C)	1942 8.3 5.6	DATA LOCATION	Tape/Diskette ID F				6239	VALUES	VEINI 1400											
PROJECT & LEG 2 RB-00-07 LEG 2	LONGITUDE DATE JD=	M VAG	16827.68W18SEP00	S JD/TIME	DATA ON	START DOWN	АТ DEРТН	AT SURFACE	PAR S/N FLUOR S/NL #	CTD CONVERTED MONITOR VALUES	GNET COO	روس	1 00			ker						
VESSEL NOAA RONALD H. BROWN	CONSC CAST # I ATM JDE		8075746.57 N16	SBE 9+ 0 P9852 - 0 3 8.2 TIMES	PRESS SN S 8955 DAT		SEC TEMP SN 2866 ATD				COL	+	200	3		6 6 - lesk	7	8	6	10	11	

~/

			T			P. P.	1			σ .		Т		1			Т	$\overline{}$		$\overline{}$		\neg
	STA. NAME/ID	m 2	-		4	lve	Ε		/BER	WHIT'S NUTR.												
<u> </u> 		385			ile	eed va			LENUN	몽		i										
NATION	ВОТТОМ DEPTH	(H)	1			Cleaned air bleed valve	PTH =	TRANS. S/N	SAMPLE BOTTLE NUMBER	NUTR.												
STATION DESIGNATION	MEATHER	. 7	REMARKS			Cleane	мах. рертн	TRAN	SAMPI	SAL.	20											
ATION	S WIND (amt)	(m/s) *	22				Σ		"							1	1					=
LS	WIND W	(deg) (n		ler					SAMPLE BOTTLE DATA	SALINITY							ŀ					
	VISIBILITY	. 7		e/Heac	\				SAMPL	SA		ļ								ļ		
	PRESSURE STATE	(mb) *	ATION	File Name/Header	ന്ന			AM S/N								1						_
.D.	WET	(°C) 6	DATA LOCATION	Ē	티		[Chiam		SALINITY			:									
DSDB I.D.		Ŋ		<u>0</u>			,	6		SAL					į			:				
	DRY			skette				6 2 3													\dashv	_
, N	TIME (GMT)	HA MIN		Tape/Diskette ID				SWL #	/ALUES	EMP												
PROJECT & LEG RB-00-07 LEG 2		E 0		<u> </u>				FLUOR (CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJEC	=Qf	Q ⊔	ī						ED WO						<u> </u>							
	DATE								NVERT	MP.		:							:			
	Щ	DEG MIN DAY	9						стр сс	PRI. TEMP												
	LONGITUDE	MIN 03		Ž	DOWN	ΉΉ	FACE	PAR S/N													_	
		DEG	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR								:						
NWC	ш	0 6	SBE 9+ 0 P9852 - 0 3 8.2 TIMES	٧					<u></u>	BESSIBE												
H. BRC	LATITUDE	MIN 6	152 - 0	58955	1713	2866	l	1														
VESSEL NOAA RONALD H. BROWN	٦	DEG MIN	964 0 -	NS NS	AP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	TRIP DEPTH		5 7											
VESSEL NOAA P	CONSC CAST #	4	SBE 94	PRESS SN	PRI TEMP SN	SEC TE	PRICO	SECCC	POS.	-	7	. 2	က	4	5	9	7	80	6	10	11	12

-

VESSEL				PROJECT	ECT & LEG	Isa	DSDB i.D.		S	STATION DESIGNATION	ESIGNAT	NOI		
NOAA RONALD H. BROWN	H. BROWN			RB-00-0	RB-00-07 LEG 2	_								
CONSC CAST #	ATHIDE	EUNO	ш С	DATE ID-	TIME	DRY BUIB	WET	SEA STATE YTIJIBISIV	WIND	WIND COUD (amt)	уре МЕАТНЕВ В В	BOTTOM	STA. NAME/ID	
583	MIN	DEG	MIN	DAY NO	HR IN			*	(deg)	١.	۱.	(m)		
00956527	2.79 N	० म १	3.38W	8w2 SEP	0 0 1 H 2	25 16.0	19.5	1/37	165	158	65	438	SM	2
SBE 9+ 0 P9852 - 0 3 82 TIMES	52-0382	TIMES	JD/TIME	IME			DATA LOCATION	VOLL		7 <u>0</u>	REMARKS		*	
PRESS SN S	58955	DATA ON			Tape/	Tape/Diskette ID	File	File Name/Header	eader					
PRI TEMP SN	1713	START DOWN	Ş				CH2			[
SEC TEMP SN	2866	АТ ОЕРТН								Ĭ	Cleaned air bleed valve	air bleec	valve	
PRI COND SN	1473	AT SURFACE	ш				[MA	MAX. DEPTH =	<u>"</u>		Ε
SEC COND SN	529	PAR S/N		<u> </u>	FLUOR SWL #	6239	ChIAM	M S/N			TRANS.	S/N		
POS. TRIP DEPTH				CTD CONVERTED MONITOR VALUES	ITOR VALUE	S		SA	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	зотпе	NUMBER	m
-	AL SESSION	900	PRI. TEMP		SEC. TEMP	0)	SALINITY		SALINITY	SAL	Blue.	SH.		WHIT'S NUTR.
1 474 1										08	£1 8			
+											2			
3 44	- M-13	FISE OF					:	7.						
4 HH /													_	
, HH 3							į				15		+	
/ ht 9		!			i i						-	-	\dashv	Т
7 30 5											1	+		,
8 30			:								-		-	
) hZ 6			1	_	 	-				$\frac{1}{1}$		4	\dashv	
10 24					į			$\frac{1}{1}$				\dashv	+	\top
11 24							;	 			+	+	+	T
12 24						_		_			\dashv	-	\dashv	

PG OF SIGNATION	E BOTTOM STA. DEPTH NAME/ID	(m) 6 7 2 8 5 19 2	RKS			Cleaned air bleed valve	MAX. DEPTH = m	TRANS. S/N	SAMPLE BOTTLE NUMBER	WHIT'S CHL NUTR.	1-1			5	. 21		0_				<
STATION DESIGNATION	SEA STATE VISIBILITY DIRN WIND SWIND OLOUD (amt) TYPE	3 7 / 6 O 1 4 86	REMARKS	File Name/Header			MAX.	S/N TR	SAMPLE BOTTLE SA DATA	SALINITY											_
DSDB1.D.	DRY WET SSURE BULB RE		₹	O.	СТО			2 3 9 Chiam S/		SALINITY						:					
PROJECT & LEG RB-00-07 LEG 2	TIME (GMT)	MO YR HR MIN SEP001459		Tape/Diskette				FLUOR SWL # 6	CTD CONVERTED MONITOR VALUES	SEC. TEMP											
<u>ā</u> <u>ā</u>	LONGITUDE DATE	DAY DAY		Z	NWOC	E	-ACE	S/N		PRI. TEMP.									41100		
H. BROWN	-	MIN DEG	2-0	S8955 DATAON	1713 START DOWN	2866 AT DEPTH	1473 AT SURFACE	PAR		Hel ISSER						*			- diduit		
VESSEL NOAA BONALD H. BROWN	CONSC CAST # LA	DEG 0 1 0 5 6 5	SBE 9+ 0 P985	PRESS SN S	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTH		28	3 (3)	4 (3 7	5 (3 /	6 16) 01 2	8 [0	6 2	10 5	11 57	

VESSEL NOAA BONAI D.H. BROWN	H BBOWN			PR	PROJECT & LEG RB-00-07 LEG 2	6.3.2	lasa	DSDB I.D.			STATIO	N DESIG	STATION DESIGNATION	9	
CONSC						TIME	DRY	WET	SEA STATE	YTIJIBISI S S S S	WIND	LOUD (amt) PE	BOTTOM		STA.
* S	MIN	DEG MIN	MIN	DAY	M AY	NIM AT		1	13	۸ ,		L +		-	
411565	5652 23 N	1640	2.79 W 21	၂ တ	P 0 0		103	2	024	9	h 1	928	7	485	2
SBE 9+ 0 P9852 - 0 3 \$2	52-0382	TIMES	JD/TIME	IME			Õ	DATA LOCATION	ATION			REMARKS	S)		
PRESS SN S	58955	DATA ON				Tape/Diskette ID	ette ID	Ť	e Name	File Name/Header					-
PRI TEMP SN	1713	START DOWN	 					CIO				1		alidas Arip ira arman na armanin sum	
SEC TEMP SN	2866	АТ ОЕРТН						 			——)	Clea	Cleaned air bleed valve	leed va	ve
PRI COND SN	1473	AT SURFACE	ווע					[MAX. DEPTH =	EPTH =		Ε
SEC COND SN	529	PAR S/N			K FLUOR SWL #	SWL# 6	2 3 9	ChiAM	N/S MY			TRA	TRANS. S/N		
POS. TRIP DEPTH				NVERTE	CTD CONVERTED MONITOR VALUES	VALUES			<u></u>	SAMPLE BOTTLE DATA	тте	SAM	SAMPLE BOTTLE NUMBER	LENUN	BER
	PRESSURE	W.F.	PRI. TEMP	:MP.	SEC. TEMP	FEMP	S.	SALINITY		SALINITY	>	SAL.	NCTR.	SH.	WHIT'S NUTR.
1 68.5												50			
2															
3									\dashv						
4								į							
5															
9					ļ				+						
2															
8								:							
6															
10														ļ	
-														ļ	
12															

WHIT'S NUTR. 852 N C Ε NAME/ID SAMPLE BOTTLE NUMBER STA. Cleaned air bleed valve 불 STATION DESIGNATION BOTTOM N.W. Corner DEPTH TRANS. S/N MAX. DEPTH = NGTR. (E) 2 9 90 5 85-2 REMARKS CLOUD (amt)
WEATHER 7 SAL 17-(Q) 0 (m/s) WIND SPD. 7 SAMPLE BOTTLE SALINITY 000 WIND DATA (deg) DIRN. File Name/Header SEA STATE VISIBILITY 11-03 (mb) CTD 012 ChIAM S/N DATA LOCATION BUCSSBU 00 WET BULB SALINITY (၃ (၃ DSDB I.D. O Tape/Diskette ID ORY BULB <u>(၃</u> 0 က Ø 3 9 NIM H GMT) CTD CONVERTED MONITOR VALUES <u>т</u> KILUOR SWL# SEC. TEMP RB-00-07 LEG 2 E P 0 0 4 PROJECT & LEG 买 8 DATE JD= S DAY N 164 13.10W2 JD/TIME PRI. TEMP. LONGITUDE Z START DOWN AT SURFACE PAR S/N AT DEPTH DATA ON DID NOT FIRE 8 SBE 9+ 0 P9852 - 0 3 8 2 TIMES PRESSURE NOAA RONALD H. BROWN 012570.76 PRESS SN 58955 LATITUDE PRITEMP SN 1713 SEC TEMP SN 2866 PRI COND SN 1473 529 Z SEC COND SN TRIP DEPTH 70 8 0 1 CAST VESSEL POS. 12 10 Ξ G ω ဖ က ß

Carting Cart	VESSEL NOAA RONALD H. BROWN	BROWN			PROJECT & LEG RB-00-07 LEG	k LEG	Idsa	DSDB I.D.		ST/	STATION DESIGNATION	PG IGNATION	 - -	
1 9 2 5 W	CONSC	ц	G G G G G G G G G G G G G G G G G G G			TIME	DRY BIER		BTAT2 A38	WIND WIND	COUD (amt)	WEATHER BOTTOM		STA. NAME/ID
9+ 0 P9952 - 0 3 8 2 TIMES JOTIME TAPE JOTIME TEMP SN 1713 START DOWN TEMP SN 1473 AT SURFACE COND SN 529 PAR S/N CTD CONVERTED MONITOR VALUES COND SN 529 PAR S/N CTD CONVERTED MONITOR VALUES SALINITY PRESURE PRI. TEMP SEC. TEMP SALINITY PAR S/N CTD CONVERTED MONITOR VALUES SALINITY PAR S/N CTD CONVERTED MONITOR VALUE S/N CTD CONVERTED MONITOR VALUE S/N CTD CONVERTED MONITOR VALUE S/N CTD CONVER	DEG		2 -	П	L QW	E S	(00)	-	\		L . 17		cs	1 2 1
SSN SS 9 5 5 DATA ON Tape/Diskette DATA LOCATION SSN SS 9 5 5 DATA ON Tape/Diskette DATA LOCATION EMP SN 1713 START DOWN EMP SN 1473 AT SURFACE COND SN 1473 AT SURFACE COND SN 529 PAR S/N FLUOR SWL # 6 2 3 9 Chilam S/N TRIP	3 3 5 5	0	-	<u>∑</u>	S E P 0	5	0	<u></u>	7-		p +		Ð .	3
EMP SN 58955 DATA ON Tape/Diskette ID File Name EMP SN 1713 START DOWN CTD CTD TEMP SN 2866 AT SURFACE CTD CONVERTED MONITOR VALUES CTD CONVERTED MONITOR VALUES DEPTH PRESSLAFE PRI, TEMP. SEC, TEMP SALINITY 400 / 400 / 40	SBE 9+ 0 P9852-	-0387	TIMES	JD/TIN	E E		۵	ATA LOCA	TION		REMARKS	. SX		
EMP SN 1713 START DOWN TEMP SN 2866 AT DEPTH COND SN 1473 AT SURFACE COND SN 529 AT DEPTH TRIP CTD CONVERTED MONITOR VALUES DEPTH SEC. TEMP SALINITY Be-flaw SEC. TEMP SALINITY 400 400 400 10 400 400 10 400 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400 10 400			DATA ON			Tape/Disk	ette ID	File	Name/He	ader		The second secon	A share the state of the state	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
FEMP SN 2866 AT DEPTH	PRI TEMP SN 17		START DOWN								[:	
COND SN 1473 AT SURFACE COND SN 529 PAR S/N CTD CONVERTED MONITOR VALUES DEPTH PRESSURE PRI, TEMP. SEC. TEMP SALINITY 4/O / 1/O /			AT DEPTH								3	Cleaned air bleed valve	oleed va	ve
COND SN 529 PAR S/N FLUOR SWL # 6 2 3 9 Chiam S/N TRIP CTD CONVERTED MONITOR VALUES CHIAM SALINITY Bettar / 50 / 40 / 40 / 40 / 40 / 40 / 40 / 40	l		AT SURFACE								MAX.	MAX. DEPTH =		٤
TRIP DEPTH PRESSURE PRI. TEMP. SEC. TEMP SALINITY \$\int \frac{40}{10} \tag{20} \tag	1	00	PAR S/N		FLUO	SWL #	ო	ChlA			T.B.	TRANS. S/N		-
Battan SEC, TEMP SALINITY 50 / 40 / 40 / 40 / 40 / 40 / 40 / 40 /	TRIP		İ	CTD CON	VERTED MONITO	R VALUES			SAN	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NU	IBER
80 tan 50 20 40 40 10 10 10 10 10 10 10 10 10 10 10 10 10		BESS		PRI. TEN		C. TEMP	SAS	LINITY		SALINITY	SAL.	NUTR.	岩	WHIT'S NUTR.
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Battan	i									=	31		
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1											30		
22 2 2 2 2		:												
2229									_			67		
2 2 2 3	_					:			_			82		
01 01 02							:		-			27		
0 0	_	:												
	0,											77		
11							:	:				25		
11 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	10													
	1-			:										
	12							:			==	_		

WHIT's Ε NUTR. NAME/ID SAMPLE BOTTLE NUMBER STA. Cleaned air bleed valve 127853 STATION DESIGNATION OF WIND

OD

OD

TYPE

* WEATHER

* WEATHER

* WEATHER

- (m) 된 TRANS. S/N MAX. DEPTH = NETS. REMARKS SAL. 6 77 SAMPLE BOTTLE SALINITY DATA WIND (deg) File Name/Header VISIBILITY D SEA STATE भ ७ ० १ ChIAM S/N (mb) DATA LOCATION **BUCKSOLUE** E E WET BULB SALINITY ပ္ပ DSDB1.D. 0 တ Tape/Diskette ID ORY BULB <u>ဂ</u> က Q 7 ဖ TIME (GMT) CTD CONVERTED MONITOR VALUES 3 FLUOR SWL# 1 SEC. TEMP £ RB-00-07 LEG 2 PROJECT & LEG 0 Œ 0 0145608.28N16620.46W21SEP 8 DATE JD= DAY JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SURFACE PAR S/N AT DEPTH DATA ON 8 SBE 9+ 0 P9852 - 0 3 82 TIMES PRESSURE NOAA RONALD H. BROWN PRESS SN S8955 LATITUDE 1713 SEC TEMP SN 2866 PRI COND SN 1473 SEC COND SN 529 Z TRIP DEPTH PRI TEMP SN 8 CAST VESSEL S 12 10 ω တ ന ß ဖ Q

WHIT'S NUTR. Ε NAME/ID SAMPLE BOTTLE NUMBER STA. Cleaned air bleed valve 유 STATION DESIGNATION OF 7 7 2 3 center m-3 **BOTTOM** DEPTH TRANS. S/N MAX. DEPTH = <u>K</u> 1,2,3 (E) 9 90 9 5 REMARKS CLOUD (amt)
WEATHER 862 SAL \sim (m/s) WIND SPD. 25 SAMPLE BOTTLE SALINITY 244 DATA WIND (deg) DIRN. File Name/Header VISIBILITY 7 SEA STATE <u>...</u> (mb) CHIAM S/N **ら/9 臼** DATA LOCATION **BECSONE** Ф л WET BULB SALINITY ပ္ DSDB I.D. თ 0 Tape/Diskette ID ORY BULB <u>(၃</u> ന C) ဖ E E 0136 TIME (GMT) CTD CONVERTED MONITOR VALUES K FLUOR SWL # SEC. TEMP RB-00-07 LEG 2 PROJECT & LEG 0 0 ۳ Ш § DATE JD= 3W228 DAY JD/TIME PRI. TEMP. 21.5 LONGITUDE Z START DOWN AT SURFACE PAR S/N AT DEPTH DATA ON 9 SBE 9+ 0 P9852 - 0 3 8.2 | TIMES 8 J PRESSURE 5602.23N NOAA RONALD H. BROWN PRESS SN S8955 LATITUDE PRITEMP SN 1713 SEC TEMP SN 2866 PRI COND SN 1473 529 Z SEC COND SN TRIP DEPTH 8 100 05 5 0 80 <u>(</u> CONSC VESSEL Š 12 10 - တ Ŋ 9 φ N က 4

	PROJECT & LEG	6.2	asa	DSDB I.D.			STATIO	N DESIG	STATION DESIGNATION] - -	
LONGITUDE	-Qr :	TIME (GMT)	DRY BULB	WET	31710730	YTIJIBISIV V K V K V K V K V K V K V K V K V K V		TYPE	8 0		STA. NAME/ID
WIN (DAY MO Y	NE C	0 0 <u>7</u>		(mb)	* (deg)	(m/s)		(E) 2	- 6	
<u>×</u>	C 4S E P 0 0	107.0	7.t	0	D.		7	۵	2		
Ē	JD/TIME		۵	DATA LOCATION	ATION			REMARKS	S		
		Tape/Diskette ID	ette ID	File	File Name/Header	Header					
				Ę	CTDO/6			ſ			
								Clear	Cleaned air bleed valve	eed val	\e
								MAX. DEPTH =	EPTH =		ε
	FLUOR SWL #	SWL# 6	2 3 9	ChIAM	N/S W		1	TRANS.	NS. S/N		ĺ
Ö	CTD CONVERTED MONITOR VALUES	VALUES			S	SAMPLE BOTTLE DATA	TTLE	SAMI	SAMPLE BOTTLE NUMBER	LE NUM	BER
i iii	PRI. TEMP. SEC.	SEC. TEMP	8	SALINITY		SALINITY	<u></u>	SAL.	NUTR.	CHL.	WHIT'S NUTR.
ı								A L	15	7	
									<i>h)</i>	7	
'									(3	7	
									12	7	
											ļ
				į							

WHIT'S Ε NUTR. NAME/ID SAMPLE BOTTLE NUMBER STA. Cleaned air bleed valve 불 STATION DESIGNATION OF WIND CLOUD (amt)

"DD. CLOUD (amt)

"TYPE

"WEATHER n.a. Comer 60 TRANS. S/N MAX. DEPTH = Slack NGTR. T 2 5 8 4 9 REMARKS M-3 12661 SAL. ナー SAMPLE BOTTLE SALINITY 2 45 MIND DATA (ded) DIRN. File Name/Header SEA STATE 8.91447 F COOLS CHIAM S/N * (dm) DATA LOCATION WET BULB SALINITY (၃ (၃) DSDB I.D. Ŋ တ Tape/Diskette ID <u>-</u> ORY BULB <u>(</u>) ന a 4642 9 Z ≥ TIME (GMT) CTD CONVERTED MONITOR VALUES K FLUOR SWL # £ SEC. TEMP RB-00-07 LEG 2 PROJECT & LEG 0 س SEP g DATE JD= 1666.13W22 DAY JD/TIME PRI. TEMP. LONGITUDE Z START DOWN AT SURFACE PAR S/N AT DEPTH DATA ON 8 SBE 9+ 0 P9852 - 0 3 8.2 TIMES PRESSURE 75609.83N NOAA RONALD H. BROWN PRESS SN S8955 1713 LATITUDE 1473 SEC TEMP SN 2866 529 Z SEC COND SN PRI COND SN TRIP DEPTH PRI TEMP SN 9 00/ 20 25 07 80 0 0 0 CONSC VESSEL CAST 12 POS. 10 1 ω 6 Ŋ 9 Q က 4

STATION DESIGNATION —	STA. SPD. C PETTOM STA. DEPTTH NAME/ID	(m) (m/s) (m)	1727910	REMARKS	File Name/Header	80	Cleaned air bleed valve	MAX. DEPTH = m	N TRANS. S/N	SAMPLE BOTTLE DATA DATA	SALINITY SAL. NUTR. CHL. NUTR.	15 31	30	29		7.8.7	7 63	7. 2/6		2.5	Z4 V		
LEG DSDB I.D.	TIME DRY WET SAMT) BULB E	HR MIN (°C) (°C) (mb)	0855 9.8 9.11 6	DATA LOCATION	Tape/Diskette ID File Nan	<u>cπο/8</u>			FLUOR SWL # 6 2 3 9 ChiAM S/N	JR VALUES	SEC. TEMP SALINITY												
PROJECT & LEG RB-00-07 LEG 2	LONGITUDE DATE JD=	NW	6 6	TIMES JD/TIME	DATA ON	START DOWN	АТ ДЕРТН	AT SURFACE		CTD CONVERTED MONITOR VALUES	PRI.TEMP.			The last									
VESSEL NOAA RONALD H. BROWN	CONSC CAST # LATITUDE	DEG MIN		SBE 9+ 0 P9852 - 0 3 82 T	PRESS SN S8955 D	PRI TEMP SN 1713 S			529	POS. TRIP DEPTH	PRESSURE	1 100 (2 75 /	3 20 ×	4 So /	5 40 /	2,		~~ «	07	10 0 %	11	12

WHIT'S NUTR. Ε NAME/ID S SAMPLE BOTTLE NUMBER Cleaned air bleed valve mest axeou S lack 딩 13778 STATION DESIGNATION BOTTOM DEPTH TRANS. S/N MAX. DEPTH = NUTR. 35 N 5 50 1 1 9 WEATHER CLOUD (amt) TYPE TYPE REMARKS 7 SAL 2 7802 (deg) (m/s) * | SAMPLE BOTTLE SALINITY WIND DATA 7.911848305 DIRN. File Name/Header SEA STATE VISIBILITY (mb) ChIAM S/N DATA LOCATION **BUCKSONSE** E E WET BULB SALINITY ပ္ပ DSDB I.D. တ Tape/Diskette ID PRY BULB 00 (C) ന N 1305 9 NE E GMT) CTD CONVERTED MONITOR VALUES FLUOR SWL # SEC. TEMP RB-00-07 LEG 2 PROJECT & LEG E P 0 0 旡 S DATE JD= S DAY 29W22 JD/TIME PRI. TEMP. LONGITUDE Z START DOWN AT SURFACE PAR S/N 1663 AT DEPTH DATA ON -Wished - Woting SBE 9+ 0 P9852 - 0 3 8.2 TIMES PRESSURE S 9.0 C NOAA RONALD H. BROWN PRESS SN 58955 LATITUDE PRI TEMP SN 1713 SEC TEMP SN 2866 PRI COND SN 1473 529 Z SEC COND SN TRIP DEPTH 01955 50 75 50 5 00 0 0 3 0 3 0 0 VESSEL CONSC CAST 12 S S 10 ß ω 6 N က ဖ

6

			வ		- 14	ı				_	σ.					_				$\overline{}$	Т	_	_
	STA. NAME/ID	-	3 N E				<u>v</u>	Ε		BER	WHIT'S NUTR.							ľ					
9		_	2002				eed va			LENUN	R												
STATION DESIGNATION	BOTTOM DEPTH	(E)	1 2 4				Cleaned air bleed valve	= HL	S/N	SAMPLE BOTTLE NUMBER	Mare NUTR.	751	ከነ	13		7	=	2		6		0	
ESIGN (4)6	MEATHER TO	*	<u></u>	REMARKS			Cleane	MAX. DEPTH =	TRANS. S/N	SAMPL	SAL.	17					\neg					\dashv	
NO.	CLOUD (amt)	*	7	2		[Σ			S	_			_		_		_	<u> </u>		<u> </u> 	=
STAT	WIND SPD.	E,	<u> </u>																				
	WIND DIRN.	U4-	324		ader					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY	4	۳		e/He	4-	ļ			SAME	0												
	SENESSERE		163	ATION	File Name/Header	टाए क्र १५			ChlAM S/N														
	WET) (5.)	0-	DATA LOCATION	File	5			ChlA														
DSDB I.D.			10- 17-						6	<u> </u>	SALINITY												
	DRY BULB		6.		Tape/Diskette ID		!		(2)3														
	———— ————————————————————————————————	NIN -	<u>-</u>		Diske				ဖြ	ပ္သ			_										
5 6	TIME (GMT)	£	9		Tape/				FLUOR SWL #	VALUE	EMP												
ECT&LEG		Œ-	0	_					NON	MITOR	SEC. TEMP												Ì
PROJECT RB-00-07	JD=	Q	П		1					ΙΟ Μ Ω													
4 2	DATE ,	DAY	- 2 S	JD/TIME					١,	ÆRTE	ا ا												
	Ω		6 W 2 2							CTD CONVERTED MONITOR VALUES	PRI TEMP												
	UDE	NIW.		7	-	z					&												
	LONGITUDE		5		NO	START DOWN	TH	AT SURFACE	PAR S/N			-		 							g		
		<u> </u>	16635	TIMES	DATA ON	START	АТ ОЕРТН	AT SUF	PA	 	<u>w</u>										mis fived		
3			0 6	22		37	~		<u> </u>	1	38 83 86								į		4		
BROV	LATITUDE	N		-03	58955	1713	2866	1473	529														
VESSEL NOAA RONALD H. BROWN	Ę	-	-	SBE 9+ 0 P9852 - 03 \$2	8			l	1		<u> </u>	7	٠ ،		7	7 07	30	-3 0	_	0	0	0	0
HON	Q L	93	456	1·0 +6	PRESS SN	PRI TEMP SN	SEC TEMP SN	- PRI COND SN	SEC COND SN	TRIP DEPTH		105	2,50	50	50	Ě	m	22	0	Ť			
VESSEL NOAA R	CONSC CAST #		4 7	SBE	PRES	PRI T	SEC 1	PRIC	SEC (POS.		-	٥	က	4	5	9	7	8	σ	10	11	12