VESSEL NOAA R/V MILLER FREEMAN		PROJECT & LEG MF02-11	EG			TATION	STATION DESIGNATION	N GPas	ر. ـ
CONSC CAST # LATITUDE	ONG	DATE JD=	TIME DRY (GMT) BULB	WET	SEA STATE VISIBILITY O WIND R. N.	CLOUD (amt)	E BOTTOM DEPTH	M STA.	
DEG MIN	DEG MIN	DAY MO YR	HR MIN (°C)	(°C) (mb)	(deb)	* * (s/m)	(m) *		
4465811.47N	15036.76WD	450CT02	1 5 0 ¢		346 543	3 (87	2 149	6	
СТО	TIMES JD/TIME	IME		DATA LOCATION	z	REN	REMARKS		
TYPE & SN 9+ S/N 91220	DATA ON	81	Tape/Diskette ID	File N	File Name/Header		G 69 A		
PRESS SN 80020	START DOWN		i i	ļ					
TEMP SN 710/884	АТ DEPTH			į					
COND SN 915/530	AT SURFACE					MAX	MAX. DEPTH =	E	
	l Ø	FLUOR 153 ChIAM		TRANSMISSOMETER	Cleaned air bleed valve	air bleed	raive		
POS. TRIP	стр со	CTD CONVERTED MONITOR VALUES	VALUES		SAMPLE BOTTLE		AMPLE BOT	SAMPLE BOTTLE NUMBER	~
DEPTH		v.			NA A				
PRESSURE	E PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL	L. NUTR.	WH CHL. NU	WHIT'S NUTR.
1 165 0							70x		
2 100					E-4		749		
3 25.							710		
4 60 1							711		
5 50 0					×		712		
9 40 1							715		
7 30 4							714	174	
8							715		
6							917		
10						 = -	I J J II		
11									
12						\dashv			
		する	-						

max ElV & 4.4 / Dack Unit short off, instated bu surface sample

VESSEL NOAA RVV MILLER FREEMAN CONSC CAST # LATITUDE DEG MIN A 4 7 5 0 1 4 0 N CTD TYPE & SN 9+ S/N 91220 TYPE & SN 9+ S/N		LOI DEG TART DO TART D	PROJEC MF02-11 TE JD= Y MO Y MO SEC. TEMI SEC. TEMI	TIME DR (GMT) BULL VR HR MIN ("CONTAIN 109 TRANS INTOR VALUES PRI. SALINITY P. PRI. SALINITY	WET WET BULB BULB SSOMETE	STATS 43	WIND WIND ONE HE Cleaned air bleed valve DATA SAL. IT	REMARKS CLOUD (SIMT) CLOUD (SOTTOM (m) (m) 1/3 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4 / 1/4	STA. NAME/ID M M CHL. NUTF	MALITS NUTR.
									726		
11 0	j	~							128		

411011 max 2 0.4

VESSEL NOAA R	SEL A R/V MILLE	VESSEL NOAA R/V MILLER FREEMAN				PROJECT & LEG MF02-11	r & LEG	٠. ٠	<u>, .</u>				STATIO	N DESIG	STATION DESIGNATION	_	
CONSC		ATITIDE		PONGITIEN		DATF.ID=		TIME (GMT)	DRY BULB	WET	SESSURE SEA STATE	VISIBILITY VIND	WWW COUD (amt) YPE YPE		BOTTOM DEPTH		STA.
	DEG	MIN	DEG	MIN			YR	MIN	(၁)	(၃့)	* (dm)	(deg)	(m/s)	\ <u>.</u>	(m)		
448	85845	5. 95 N	150	35.79		OCT	0 2 1 6	5 4	4.4	•	h h 9 p	4 2 b	238	h t s	144	1961	*
	сто		TIMES	•	JD/TIME	ш				DATA LOCATION	NOIL		<u> </u>	REMARKS	Ø	>	
TYP	TYPE & SN 9+	9+ S/N 91220	DATA ON	Z			Tap	Tape/Diskette ID		Ī	File Name/Header	Header		SA BS	4		
PRE	PRESS SN 80	80020	START DOWN	DOWN						}			!	,			
TEM	TEMP SN 71	710/884	АТ ОЕРТН	돈													
8 8	COND SN 91	915/530	AT SURFACE	FACE								}	2	MAX. DEPTH =		र्ग ।	Ε
	1			PAR 4242	FLU	FLUOR 153	ChIAM 109		RANSMIS	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	ed valve		681 0/0	
POS.	TRIP			CTO	CON	CTD CONVERTED MONITOR VALUES	ITOR VA	LUES			<u> </u>	SAMPLE BOTTLE DATA	TTLE	SAMP	SAMPLE BOTTLE NUMBER	LE NUN	BER
		PRESSURE	묏	PRI. TEMP		SEC. TEMP.		PRI. SALINITY	<u> </u>	SEC. SALINITY	Υ	SALINITY	<u> </u>	SAL.	NUTR.	CHL.	WHIT'S NUTR.
-	पित													45	729		
7	17.5														730		
ო	160.					•							_		731		
4	75.								. '						732		
3	609								1						733		
9	501		_											×	734		
7	7071			:		!	_								735		;
ω	36										1				736		
6	701								1						737		
10	(δ ,										_				738		
7	0,										\dashv				739		
12					$ \top $		-	,	-				7			7	

fludt max & by H

		T	~							Π		r R				П				\Box				\neg
2011	STA.		10					E		SAMPLE BOTTLE NUMBER		WHIT'S NUTR.												
O	S A		Q						~o	NON	り そ	유.												
N O	+ ₹ ₹		9 5 -						9/00)	TTLE	*			_		_	_	\dashv		\perp	$\frac{1}{2}$		\dashv	_
SNATI	154 BOTTOM		=	_s	_			HH.	i	E BC	152	NUTR.	740	741	246	743	14/4	745	140	747	876	249	750	
DESIG	ЯЭНТАЭЛ		=	REMARKS	188			MAX. DEPTH =	valve	AMP											7			
STATION DESIGNATION	LOUD (amt)	<u>↓</u>	8	REN				₹	leed	L	-	SAL	<u>+</u>						_			٤		_
STAT	S S S S S S S S S S S S S S S S S S S	(s/w/	8						Cleaned air bleed valve	SAMPLE BOTTLE		>												=
	WIND	(de)	77		ē				eaned	E BO	DATA	SALINITY												L
	VISIBILITY VISIBILITY	1.	46 7		File Name/Header				Ö			S.					.							3
	SEA STATE		==	_	ame/	-		'		Š					Н	\dashv	\dashv	\dashv	\dashv	\dashv	-	\dashv	\dashv	4
	BRUSSER	4 8	Ø	ATIO	ie N			i	۳ ا			TIN					Ì		e.	-		Ì		
	WET			DATA LOCATION	U	,			TRANSMISSOMETER			SEC. SALINITY					ļ					ļ		
	> a			ATA		[SSON			SEC								}	ļ			_
_ 1	DRY	SULB SOLB	<u></u>	_	₽				INSW.			—		 -						\neg				
	<u> </u>		三	1	cette				<u>₹</u>			H		ļ										
	TIME	(SMI)	9 8		Tape/Diskette ID					ESIL CER		PRI. SALINITY											.	_
EG	II.	의	00	<u> </u>	Тарк				ChIAM 109	× VAL		ă.												
PROJECT & LEG MF02-11		2	0 2	}					탕	MONITOR VALUES		<u>a</u>												
PROJEC MF02-11	ا	=0.	<u> </u>	┨	1			l]©		TEMP.								Ì				
PR MF	<u> </u>	DAIE JU-		1					R 153	RTEC	3	SEC.												
	Č	\$ 2	OHW &S	JD/TIME					FLUOR 153	CTD CONVERTED		-		_	-		_	_					-	_
	. 1	-	7] 3	ļ		ļ					⊕												
	- E	LONGITUDE		1		Z		ш	242			PRI. TEMP		ļ						Ì				
	3	2 5 -	20		Z O	NOG.	Ŧ	3FAC	PAR 4242			"												
	156	֓֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	15 43	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE		1		<u> </u>		\vdash	 									\dashv
NA NA	<u> </u>	+	Z	╁		်	<u> </u>	_ <u>∢</u>	╁╴	-		PRESSURE		ļ	}	20								1 84
EEM	ا م		23		91220		_	١_) RES			l,									114
R FR	\$	LATITUDE	₹ 4		9+ S/N 91220	80020	710/884	915/530						L			7	ν.			\			
WILLE	Se		5 07 C	1	•	-	5	<u>P</u>	I	TRIP	рертн)	156/	7.	1001	35	600	50 -	40,	36,	20.	10 1	0	
VESSEL NOAA RV MILLER FREEMAN	9,	#	2 0	£	TYPE & SN	PRESS SN	SS	SN		ľ			7		12									
VESSEL NOAA R	CONSC	CAST #	240		TYPE	PRES	TEMP SN	COND SN	•	SOG DOS	3		1	^	1 6	4	ည	9	7	80	6	10	Ξ	12
												•												

we took samples assuming surface bottle unstread - sile

VESSEL	SEL				PROJECT & LEG	EG				STATI	ON DES	STATION DESIGNATION		
NON	NOAA RV MILLER FREEMAN	FREEMAN			MF02-11		_							
			ñ						STATE STATE YTIJIBI	(tms) Of	O (amt)			
CONSC		ATITUDE	LONGITUDE		ATE JD=	TIME (GMT)	ORY BULB	WET	SEA		러시니	BOTTOM DEPTH		STA. NAME/ID
<u> </u>	DEG	MIN	DEG MIN		DAY MO YR		(၁.)	1	(mb) * * (deg)			(m)		
\$5	5 45 7 5 2	2 5 N	15027	96WB5	\$50CT02	6261	h o l	•	क दम्मा या	1-1-1	8 3 2	=	4	4
<u></u>	сто		TIMES	JD/TIME	ш		-	DATA LOCATION	NOL		REMARKS	S		
Ţ	TYPE & SN 9+ S	9+ S/N 91220	DATA ON			Tape/Diskette ID	ette ID	Ť	File Name/Header	_				
PRE	PRESS SN 80020	0;	START DOWN				ļ	ļ 		1		ļ		
TEM	TEMP SN 710/884	884	АТ DEРТН		{			\ 						
8	•		AT SURFACE								MAX. DEPTH	PTH =		E
· -			PAR 4242		FLUOR 153 ChIA	ChIAM 109	TRANSMI	TRANSMISSOMETER	Clea	Cleaned air bleed valve	eed valve	•		
POS.	TRIP DEPTH			D CON	CTD CONVERTED MONITOR VALUES	R VALUES			SAMPLE BO DATA	SAMPLE BOTTLE DATA	зАМР	SAMPLE BOTTLE NUMBER	LE NUM	BER
			23	-										WHIT'S
	-	PRESSURE	RE PRI TEMP	σ.	SEC. TEMP.	PRI. SALINITY	YLINI-	SEC. SALINITY	TY SALINITY	∠LIN	SAL.	NUTR.	考	NUTR.
-	404										7	750		
8	1001											151		
ო	<i>u</i>											752	1	
4	9											753	7	
2	50								-			754	7	١
ဖ	40,											366	7 /	
7	30.			-:-							_	¥56	7	
∞	202											757	7	
6	0									ł		158	7	
2	Ó											750	5	
77				\dashv			+		<u> </u>					
12				\dashv			7		_					
}			7114											

A Usit max = 0,55

	VESSEL NOAA RV MILLER FREEMAN	FREEMAN			PROJEC MF02-11	PROJECT & LEG MF02-11	9:				_	STATIO	N DESIG	STATION DESIGNATION		
	CONSC	ATITUDE	LONGITUDE	UDE	DATE JD=	11	TIME (GMT)	DRY BULB	WET	PRESSURE STATE A32	VISIBILITY WIND OIRN.	CLOUD (amt) SPD.	PPE WEATHER	BOTTOM DEPTH	STA. NAME/ID	A. IE/ID
	DEG	NIN	DEG	MIN	DAY MO	O YR	HR MIN	(၁့)	(၃)	(qm)	(bep)	(s/ш)		(m)		
	2545150	N L 8 - 7	15025	2 0 W 88 .	0	C T 0 2	2013	19.10	ر ا	0644	4216	% 0 J	72	1.9/	4	
	СТО		TIMES	NOL	JD/TIME				DATA LOCATION	NOIL		<u>~</u>	REMARKS	(C)		
,	TYPE & SN 9+8	9+ S/N 91220	DATA ON	20	20:14:00		Cowil Tape/Diskette ID	itte ID	豆	le Name	File Name/Header					
	PRESS SN 80020	20	START DOWN	•	20:14:00	100 CM7			1			<u> </u>				
.,	TEMP SN 710/	4	АТ ДЕРТН	20	. 2 :	Tract S			}	1					3	
			AT SURFACE	202	3.30:00	F W 9							MAX. DEPTH =	чн= /	80	m
	•		PAR 4242	2	FLUOR 153	ChlAM 109		TRANSMI	TRANSMISSOMETER		Cleaned	Cleaned air bleed valve	d valve			
	POS. TRIP DEPTH			CTD CC	CTD CONVERTED MONITOR VALUES	MONITOR	VALUES				SAMPLE BOTTLE DATA	TTLE	SAMPI	SAMPLE BOTTLE NUMBER	LE NUM	BER
		PRESSURE		PRI. TEMP.	SEC.	SEC. TEMP.	PRI. SALINITY	Y LINI	SEC. SALINITY		SALINITY	>	SAL.	NUTR.	GH.	WHIT'S NUTR.
28	158												7	760		
25	2 11 5			ì										761		
00	102						,							763		
7.5	⊢													763		
°	9										(a) E			404	7	
2	9					i.								765	7	
7		}												766	7	
3.0	8 30													767	7	
٥٦	6										2			769	7	!
0	10									1				769F	7	
0	11 1									1	-			7.7	7	
	12		_					_								

MAX FLO= 6.55 volts

	VESSEL NOAA R/V M	VESSEL NOAA RV MILLER FREEMAN	:			PROJECT & LEG MF02-11	EG					STATION	N DESI	STATION DESIGNATION	7	
	CONSC CAST #	LATITUDE		LONGITUDE		DATE JD=	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY VIND DIRN.	SP WIND	ABHTABW	BOTTOM DEPTH		STA. NAME/ID
	DEG	NIM	DEG	MIN		OM C	HR MIN	(c) 	(Ĉ) -	(qm)	(deg)	<i>⊘ ′ ′</i> . (s/ш)	. 4	(m) 	Q	6 / 8
35	8151519 Employed	N 5 4 5 N	2		/ S W C		1 7	-	DATA I OCATION	_	4	-				2
	מוס פ	00070	S + V C	Ž		3	 Tana/Diskatta			e Name	File Name/Header					
	PRESS SN	9+ S/N 91220	STARI	START DOWN	5			<u>)</u>	•			<u> </u>				23
	TEMP SN	710/884	AT DEPTH	- PTH	27:	,			1							
	COND SN	915/530	AT SU	- AT SURFACE	2	: 35 :00 6m7			1 [Σ	MAX. DEPTH =	PTH =		٤
				PAR 4242			M 109	TRANSMI	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	d valve	_		
	POS. TRIP DEPTH	. F			CON		7	(18.1)			SAMPLE BOTTLE DATA	11.E	SAMP	SAMPLE BOTTLE NUMBER	TLE NUN	IBER
		и 201 201 201 201	ŭ	PRI TEMP		SEC. TEMP	PRI SALINITY) L	SEC. SALINITY	<u> </u>	SALINITY	<u> </u>	SAL.	NUTR.	유	WHIT'S NUTR.
٠,	1/1/6	<u> </u>			_			_					1	146		
5,	. ^													-666		
120	3 6													773		
7 6	4											P P		774		
75	r.										e.			775		
00	9													776	7	
70	7										į	_		777)	,
70	. «									!	:	-		778	7	
7.0	, 0													779	7	
í °						¥2.24		-						े द्र	/	
0,0													7	<u>(10</u>	7	
	╀				<u> </u>						¥.	-				
			,	-										331	J good J	Jago]

MAX FLO = 0.6V

MAX FLO = 0.5 10/45

	VESSEL NOAA RV M	VESSEL NOAA RVV MILLER FREEMAN			PROJECT & LEG MF02-11	. & LEG			-	S	STATION DESIGNATION ρ_{RA}	SIGNATION PRACS	408	
	CONSC CAST #	LATITUDE	LONGITUDE	UDE	DATE JD=	TIME (GMT)	ORY BULB	WET	PRESSURE SEA STATE YTIJIBICIV	WIND DIRN.	WIND CLOUD (amt) TYPE WEATHER	BOTTOM DEPTH		STA. NAME/ID
	DEG		DEG N	MIN	DAY MO	YR HR MIN	(၃)	(Ç.)	(mb)	m) (geb)	*	ָנ <u>ו</u>	S	-
	85450	8 09 22 N	15021	50 m 08.	0 C 1	0 2 2 3 0 3	9	>	0543	7/50	9872	1 58	7	BAOS
	СТО	•	TIMES	JD/TIME	IME		•	DATA LOCATION	NO		REMARKS	3KS		
	TYPE & SN	9+ S/N 91220	DATA ON	0	7 3:04:00 6m/ Tape/Diskette ID	سر/ Tape/Disk	cette ID	File	File Name/Header	leader				
	PRESS SN	80020	START DOWN	•	- D S:06 GMT	F		}						
	TEMP SN	710/884	АТ ОЕРТН	2	23: 10:00 6MT	MT								
	COND SN	915/530	AT SURFACE	23	3:17:00 61	6ml			į		MAX.	MAX. DEPTH =	150	E
			PAR 4242		۳ س	ChIAM 109	TRANSM	TRANSMISSOMETER		Cleaned air bleed valve	r bleed va	Ve		
	POS. TRIP DEPTH	L E		CTD CO	CTD CONVERTED MONITOR VALUES	TOR VALUES			SA	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NUN	ABER
		PRESSURE	Ж	PRI. TEMP.	SEC. TEMP.	PRI. SALINITY		SEC. SALINITY		SALINITY	SAL.	NUTR.	CHL.	WHIT'S NUTR.
	1 150										7	9,3		
52	2 175										_	2, 4		
00	S					-						19,5		
50	-											9,6		i
200	5					_				93		4/6	7	
V	-											9	Comm	
2 5	1			1								919	/	
30	+		_									930		
20	+-											9a.	7	
10	 								3		_	405	1	
0	_	5									<u> </u>	923	7	
	12								_					
_					•			1.00						

MAX FLO= 0.5 volts

VESSEL					PROJECT & LEG	r & LEG						STATI	ON DESI	STATION DESIGNATION	_	- · · · · ·
MILLE	NOAA R/V MILLER FREEMAN			-	MF02-11	A STATE OF THE STA		2			-				_	
						<u></u>				∃RU8: ∃TAT8	VTIJI8	tms) Ot	Ramı ABHT	t		
•	Ļ		ACI ITIONO		DATE .ID=		TIME (GMT)	DRY BULB	WET		S WIND S DIRN.		3471	BOTTOM DEPTH		STA. NAME/ID
7EG	MIN	DEG L	MIN	F	Q _M	YRH	HR MIN	(၁.)	(၃)	_	Эер) •	(s/ш)		<u>2</u> 3		
_	2 2 2 2	1	20.1	2 0 W.C	DCT	0 2 2	349	9.7	•	0 44	2	3 (8 7 2	<u>0</u>	1 6 A 0	+0+
T CI	2	TIMES		JD/TIME	Ш			٥	DATA LOCATION	NOIL			REMARKS	KS		
` -	9+ S/N 91220	DATA ON	×	23:51	00:1	6 M7 Ta	6 M7 Tape/Diskette ID	tte ID	正	le Name	File Name/Header					
•	80020	START	START DOWN	73:87		6MT										
TEMP SN 71	710/884	AT DEPTH	тн	23	23:57:10 6MT	ž						-			2	
	015/530	AT SURFACE	3FACE	23	23 , 59:00 61	GMT							MAX. DEPTH	EPTH =	78	E
			PAR 4242			ChIAM 109		FRANSMI	TRANSMISSOMETER		Clean	ed air b	Cleaned air bleed valve	9		9707
TRIP				TD CON	CTD CONVERTED MONITOR VALUES	VITOR V	ALUES				SAMPLE BOTTLE DATA	SOTTLE A	SAM	SAMPLE BOI I LE NOMBEN	אַס רע רע	IDEN
							YTINI IVO IGG	>LIN	SEC SALINITY	È	SALINITY	<u> </u>	SAL.	NUTR.	CHL.	WHIT'S NUTR.
6 %	PRESSURE	JRE	PRI. TEMP	<u>+</u>	SEC. LEMP.	<u>-</u> -	17. UZ		5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-			7	426		
7%		†		+		\dagger		-						900		
77		+								+				9.66	7	
0		1		1		\dagger							,	405	J	
25						\dagger		+		1				(A	J	
C)						\dagger		†				12		8 4 8	1	
29						\dagger								0	١	
20						+								ú	1	
9									ļ					200)	
2						+		7 .						2		_
						+								<u> </u>		_
						+			1							<u> </u>
						7		1			1		=			 -

MAX FLO = 0,5 10,145

VESSEL NOAA RV	VESSEL NOAA RV MILLER FREEMAN		PROJECT & LEG MF02-11	9			STAT	ION DES	STATION DESIGNATION		
CONSC CAST #	LATITUDE	LONGITUDE	DATE JD=	TIME D	DRY WET BULB BULB	PRESSURE SEA STATE VISIBILITY PRESSURE	WIND WIND CLOUD (amt)	CLOUD (amt) TYPE WEATHER	воттом рертн	STA. NAME/ID	, contraction of the contraction
Ö	DEG MIN	DEG MIN	DAY MO YR	HR MIN ((°C) (°C)) 🗼 (qm)	(s/m) (gap)		(m)		
0565	5817.43N	0 M 7 6 1 1 0 5 1	16COCT02	904516	0.0	04551	8068	\$712	12/2	PBAB	0 0
CTD		TIMES JD/TIME	IME		DATA LOCATION	ATION		REMARKS	KS		
TYPE & SN	V 9+ S/N 91220	DATA ON		Tape/Diskette ID		File Name/Header	Jer	10 10 10 10 10 10 10 10 10 10 10 10 10 1			
PRESS SN	4 80020	START DOWN			,						
TEMP SN	710/884	АТ DEРТН						ļ			
COND SN	915/530	AT SURFACE						МАХ. DEPTH	=PTH =	22	Ε
		/ PAR 4242 / FI	FLUOR 153 ChIAM 109		TRANSMISSOMETER		Cleaned air bleed valve	leed valv	9	:	;
POS. TE	ткір ОЕРТН		CTD CONVERTED MONITOR VALUES	VALUES		SAMPI	SAMPLE BOTTLE DATA	SAME	SAMPLE BOTTLE NUMBER	LE NUMB	똢
	PRESSURE	PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	Y SEC. SALINITY		SALINITY	SAL.	NUTR.	CHL. N	WHIT'S NUTR.
1	52							7	935	7	
2 4	40	. 1							936	2	
3 3	30								937	7	
	0								930)	
5	0/								630	7	i
9								¥	046	7	
7											
8											
5											
10				ļ							
11										\dashv	
12						_					
		0.7									

Out may Fil

	VESSEL NOAA R/V MI	VESSEL NOAA RV MILLER FREEMAN			PROJECT & LEG MF02-11	LEG					STATIO	N DESIG	STATION DESIGNATION	PB	A05
	CONSC CAST #	LATITUDE	LONGITUDE	O V	DATE JD=	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE VISIBILITY	WIND DIRN.	S W S S S S S S S S S S S S S S S S S S	39YT MEATHER	BOTTOM DEPTH		STA. NAME/ID
	DEG	Min	DEG MIN		DAY MO YR	HR MIN	(°C)	(°C)	* (qm)	(ded)	* (s/m)	*	(E)		
	285450	2 1 5 6 N	71051	3 CM 0/4	OCTO	20137	0 0	Q	554	15	850	7 5	53	PB	ABS
	CTD		TIMES	JD/TIME	,		-	DATA LOCATION	N		<u></u> ~	REMARKS	S		
	TYPE & SN	9+ S/N 91220	DATA ON	2:/0	01:38:00 6mr	Tape/Diskette ID	ette ID	티	File Name/Header	leader	,				
	PRESS SN	80020	START DOWN	0 / 13	138:00 6m1	h-	ë								
	TEMP SN	710/884	AT DEPTH	, ; / (40:00 cm1	- Steen									
	COND SN	915/530	AT SURFACE	7 : 7	43:00 omT		_				Ž	MAX. DEPTH	TH=	20	Ε
			PAR 4242	FLUC	FLUOR 153 Chi	ChIAM 109	TRANSMI	TRANSMISSOMETER		Cleaned air bleed valve	air blee	d valve			
	POS. TRIP DEPTH	o =	CTD	CONV	CTĎ CONVERTED MONITOR VALUES	OR VALUES			&S S	SAMPLE BOTTLE DATA	<u> </u>	SAMPL	SAMPLE BOTTLE NUMBER	LE NUM	BER
		PRESSURE	E PRI. TEMP.	_	SEC. TEMP.	PRI. SALINITY	YTINI	SEC. SALINITY	>	SALINITY		SAL.	NUTR.	CHL.	WHIT'S NUTR.
	05 1	()	9 ۲)	
70	2 40								_				646	7	
36	3 30	(,		7					545	2	
0 7	4 2 1											O'	720	>	
(1)	9								-		_ <u></u>		246	7	
0	6 3												946	7	
	7										_		1		
	8					- /									
	6			\dashv					\dashv		_				
	10								\dashv						
	1			\dashv					_			:			
	12			\dashv					_		_			~	

17 xom SE10

	VESSEL NOAA R/V M	VESSEL NOAA R/V MILLER FREEMAN			PROJECT & LEG MF02-11	r & LEG		<u>\$</u> .				STATION DESIGNATION	V DESIG	SNATION		
	CONSC	ATITIDE	CONGITUDE		=QC =LVQ		TIME (GMT)	DRY	WET	BRESSURE BTATS ABS	VISIBILITY O WIND	NEATHER WEATHER		BOTTOM DEPTH		STA. NAME/ID
	DEG	1	DEG MIN		MO	YR HR	MIN	(°C)	(C.)	(gm)	(deg)	(m/s) *	*	(m)		
	8880	323.76N	15014	OWLO	OCT	0 2 6 2	~ ~	0.4	<u> </u>	035	5 165	098	2 £	6	P B A	101
	СТО		TIMES	JD/TIME	Æ			۵	DATA LOCATION	NOI		<u> </u>	REMARKS	G		
	TYPE & SN	9+ S/N 91220	DATA ON	00:2	21:00 6m7		Tape/Diskette ID	0 e	Ĭ	e Name	File Name/Header	1				
	PRESS SN	80020	START DOWN	0.2	: 27	ا ا ح			j		ļ					
	TEMP SN	710/884	АТ ОЕРТН	02:	24:00 GMT	-			1							
	COND SN	915/530	AT SURFACE	62	2:29:00 6	CMT						M.	MAX. DEPTH =		19	Ħ
			PAR 4242		FLUOR 153	ChIAM 109		SANSMIS	TRANSMISSOMETER		Cleaned	Cleaned air bleed valve	d valve			
	POS. TRIP DEPTH	E E		CTD CON	CTD CONVERTED MONITOR VALUE	TOR VA	rues			0,	SAMPLE BOTTLE DATA	TTCE	SAMPL	SAMPLE BOTTLE NUMBER	LE NUM	BER
			 					-		 					-	WHIT'S
-		PRESSURE	E PRI. TEMP.	EMP.	SEC. TEMP.	+	PRI. SALINITY	+	SEC. SALINI I	╁	OALINI I	Ť	Τì		- - 	200
00	101							+		+			+	74.7		
0	2 50											1	1	35	1	
2	-		 							\dashv	į			27.00	1	
200												1		950	j	
5	5	.0								+	+		3	951	١	
===	0 9													97.9	7	
	7 7									1		_		95.0	7	
)	8						ļ									
	6									\dashv		1				
	10									+		1				
	11							+		1	į					
	12				ļ	\dashv		\dashv		-						

0,4= max F1

					-	MF02-11	10000						_		PAROS	B	
CONSC CAST #	Š	LATITUDE		LONGITUDE	DATE	E JD=		TIME (GMT)	DRY BULB	WET BULB	PRESSURE SEA STATE	VISIBILITY O WIND OF ANY OF	S V N CLOUD (amt)	ABHTABW	BOTTOM DEPTH		STA. NAME/ID
	DEG	MIN	DEG	MIN	DAY	MO	YR	HR MIN	(၁.)	(၁,)	(mb) *	(deg)		*	(m)		
595	2856	8 . 54 N	10/5/	3, 8	1 w 6 6	OCT	0 2 0	121 80	9.10	•	5-20	5 3 1	158	75	80	1018 B	\$ 0 3
CTD	 -		TIMES	ד	JD/TIME	' (DATA LOCATION	TION		<u> </u>	REMARKS	S		
TYPE & SN	•	9+ S/N 91220	DATA ON	Į Z	03:/	55~~	m7 Ta	'তে ৫ না Tape/Diskette ID	tte ID	Ĭ.	File Name/Header	/Header					
PRESS SN	N 80020		START DOWN	NMOG	03:1	9:00 6MT	TW										
TEMP SN	•	710/884	АТ ОЕРТН	· · ·	63:2	\sim	M										
COND SN		915/530	AT SURFACE	FACE	£2:50	0	T						<u>≥</u>	MAX. DEPTH =		80	٤
			√d ∐	PAR 4242	FLUOR 153	153	ChIAM 109		FRANSMIS	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	ed valve			
POS. T	TRIP DEPTH			CTD	CONVER	CTĎ CONVERTED MONITOR VALUES	ITOR V	ALUES			S	SAMPLE BOTTLE DATA	TTLE	SAMPI	SAMPLE BOTTLE NUMBER	LE NUM	BER
		PRESSURE	ш	PRI. TEMP.		SEC. TEMP.		PRI. SALINITY		SEC. SALINITY	, ITY	SALINITY		SAL.	NUTR.	CH.	WHIT'S NUTR.
180	0													7	454		
2	59														955	7	
3 3	38														9512	1	
4 3	3 0														470	7	
5 2	0			:											825	Ĺ	
9	0												-		656	5	
_ _	3														960	1	
8																	,
6				,													
10	ı																
7						٠											
12																	

0.55 Max F/

		$\overline{}$		N				1	П	\neg		ည်	æ	T												3
	STA.	NAME/ID		PIBAD					٤		JMBER	WHIT'S	NUTR.				-		,	_			<u> </u>	-	┼-	of base
_		_}		3					//		TLE N		됨				7	J	7	7	7	7			<u> </u>	200
STATION DESIGNATION	BOTTOM	DEPTH	Œ	- 10	S				HH.		SAMPLE BOTTLE NUMBER		NUTR.	8	782	783	484	TAC	300	494	400	200	70/			200
I DESIG	∃ A∃HTA	ME,	*	75	REMARKS				MAX. DEPTH =	d valve	SAMP		SAL.	7												
TATION	()ms) QD(S C C	(m/s)	1 78	<u>æ</u>		-		_≥	air ble	TLE							 			 				1	
S			(deg) (177		der				Cleaned air bleed valve	SAMPLE BOTTLE DATA		SALINITY													Manago Services de la constante de la constant
	A STATE Y	iv	*	55		ne/Hea					SAMP		S													کسر
	BAUSS:	3 Я Ч	(qm)	025	VION	File Name/Header		į		~			\													
	H.	BULB	(၁.)	-	DATA LOCATION	LL.	 	1		TRANSMISSOMETER			SEC. SALINITY													
	<u> </u>	BULB	(၁့)	0	ı	₽				NSMIS		-				╁	-	+	+		\dagger	+	\dagger	\dagger	+	-
) // §		skette		,		T TES],,		PRI. SALINITY													
၂၀	į	(GMT)	HR MIN	042		Tape/Diskette ID		`		109	MONITOR VALUE		PRI.												1	
ST & LE	3		YR	0 2		DCmT	:00 6 MI	00 CMT	CMT	ChIAM 109	NITOR		Ā.													
PROJECT & LEG MF02-11		<u>_</u>	Θ	0 C T		0:9	26:00	1:00	D4:26:00 GM	153			SEC. TEMP.													
		DATE JD=	DAY	0	JD/TIME	4:2	741	04:3	7.4.2	FI 110R 153	CTD CONVERTED		<i>-</i>		-	1	_	<u> </u>	+	+	-		_	-	_	-
		Щ.		W X	5	C	0	0		Ë			EMP.													
		ONGITUDE	ZIW	2	1		OWN	I	ACE	DAP 4242			PRI, TEMP													İ
		Ó	DEG T	051	TIMES	DATA ON	START DOWN	АТ DEРТН	AT SURFACE			13		╁	-	-	$\frac{1}{1}$	+	+	+	+	-		_	_	\dashv
Z			Ë	Z	1 -		Π	<u>₹</u>	T =		-		ARI ISSIAD													
FREE		ATITI IDE		10	2	9+ S/N 91220	0	88	9	3			ŭ ŭ	-									:			
VESSEL		I ATI		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \	•	•	710/884	915/530	5	TRIP		_	1_	+	9	<u></u>	50	40	0	0		7			
SEL		1SC + #	DEG.	\ \C) E	TYPE & SN	PRESS SN	TEMP SN	NS CINCO	5		·		-	1	<u>-</u>	-		\dashv	3	2					-2
VESSEL	2	CONSC	3	2	7 -	Z Z	PRE	<u>1</u>		3	POS.					2	S 6	S 0 4	<u>P</u>	306	20 7	@ }	0	우	7	12

6.5 max f1

	VESSEL NOAA R/V MIL	VESSEL NOAA RV MILLER FREEMAN				PROJEC MF02-11	PROJECT & LEG MF02-11	9					STA	TION DES	STATION DESIGNATION	70	
 -	CONSC CAST #	LATITUDE	TONG	LONGITUDE	DATE	TE JD=	,	TIME (GMT)	DRY	WET	PRESSURE SEA STATE	VISIBILITY O WIN I'N		CLOUD (amt) TYPE WEATHER	BOTTOM DEPTH		STA. NAME/ID
	DEG	_	DEG	MIN	DAY	Y MO	YR	HR MIN	(၁.)	(၁.)	(qm)	* (deg)		*	<u>E</u>		
	851190	39.19 N	9051	9.3	L WO	POCT	0 2	9150	0 11	•	024	5	6196	50	~	5	PB AB 1
	СТЭ		TIMES	5	JD/TIME				u	DATA LOCATION	ATION			REMARKS	:KS		
	TYPE & SN	9+ S/N 91220	DATA ON		05:12:	90		6 m/ Tape/Diskette ID	te iD	IL.	File Name/Header	∌/Heade	_				
	PRESS SN	80020	START DOWN		1:50	12:00	GMT						[
	TEMP SN	710/884	АТ ОЕРТН		1:50	05:16:00 GMT	Y XX			, , 					;		
	COND SN	915/530	AT SURFACE		4215 6	00:42	GM7							MAX. DEPTH	EPTH =	123	Ε
			PAR 4242	‡242	FLUOR 153	R 153	ChIAM 109		TRANSMI	TRANSMISSOMETER		Clea	ined air l	<u>ee</u>	Ae		
	POS. TRIP DEPTH				SONVE	CTD CONVERTED MONITOR VALUES	NITOR	/ALUES				SAMPLE BOTTLE DATA	'LE BOTTLE DATA		SAMPLE BOTTLE NUMBER	FLE NUN	IBER
		PRESSURE	<u> </u>	PRI. TEMP.		SEC. TEMP.	<u>\$</u>	PRI. SALINITY	<u></u> ∠LIN	SEC. SALINITY	ΣĖΝ	SALINITY	\ \TIN	SAL.	NUTR.	CHI.	WHIT'S NUTR.
7	102				_	ļ	-							7	790		
Q	, E				_					ı					195	•	
0 .	1														792		
5				·	_										793	:	
S E	╁				_							Œ.			794	7	
Ç	6 T				_								:		795	1	
- 2															796	7	
200	2		-						-	<u>}</u>					797	-	
2	4-														798	1	1
. 0	, c		-					4						,	7-99	7	
	=										\dashv	3		<u></u>			
	12						\neg							_			
4																	

0.45 max +1

1 27889222

	VESSEL NOAA RV M	VESSEL NOAA RV MILLER FREEMAN			P.R.	PROJECT & LEG MF02-11	မွှ				<u> </u>	STATION DESIGNATION	DESIGN	MATION		
	CONSC CAST #	LATITUDE	lon	LONGITUDE	DATE JD=	1	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE VISIBILITY	WIND DIRN.	SPO (amt)	MEATHER Q D	BOTTOM DEPTH	STA. NAME/ID	A. E/ID
•	DEG	_	DEG	MIN	i i	MO YR	HR MIN	(°C)	(၃)	, (qш)	<u> </u>	* (s/m/	-	(E)	-	
	66258	8	1503	3	2 W 6 60	C T 0 2	0639	110	•	0/45	28	208	7 9	2/8	PISA	12
	СТО		TIMES	/ar	JD/TIME	_		0	DATA LOCATION	NOI		<u> </u>	MARKS	REMARKS OF W	2	
	TYPE & SN	9+ S/N 91220	DATA ON	0	5:40.0	10 cm2	06: 40:00 6m/ Tape/Diskette ID	te ID	Ī	File Name/Header	leader			Clada	7	
	PRESS SN	80020	START DOWN	0	6:40:00 cm	o com			l							
····	TEMP SN	710/884	AT DEPTH	9	1m9 @0:05:9	O GMT		!								
	COND SN	915/530	AT SURFACE	ICE O(0.880	The GMT						MA	МАХ. DEPTH =	= 돈		m
			PAR		FLUOR 153	ChiAM 109	F	FRANSMIS	TRANSMISSOMETER		Cleaned	Cleaned air bleed valve	valve			
	Į				SOLVED TO SE		٦.				CANDI E BOTTI E	L	SAMPI	SAMPLE BOTTLE NI MARE	T N IME	9
_	POS. TRIP DEPTH				CTD CONVERTED MONTOR VALUES	WON I ON	VALUES			5	DATA					<u> </u>
		PRESSURE	21	PRI. TEMP.	SEC	. TEMP.	PRI. SALINITY		SEC. SALINITY	<u>}</u>	SALINITY		SAL.	NUTR.	CHL.	WHIT'S NUTR.
4	1000	<u> </u> -										_	\ \	200		
000	6	C												~ 0 0		
54	7 -	ی (ر											χο	600		
2 5	5 1											-	-0	803		
00)	0 /	0									9		Ů	804		
5	57 9										i			808		
000	7												υ (200	7	,
, 2	7													₹0 2	7	
2 6	16										:		V 0	202	7	
, ,	+-				_					!		1	969	209	7	
	1		_											S 10	7	
_	: 2															
_																

0.45 max fl

	VESSEL NOAA R/V	VESSEL NOAA RV MILLER FREEMAN			PROJECT & LEG MF02-11	TEG	17				STATIO	N DESIG	STATION DESIGNATION		
	CONSC	LATITUDE	LONGITUDE		DATE JD=	TIME (GMT)	DRY BULB	WET	PRESSURE STATE ABS	VISIBILITY URN DIRN.	WIND SPO CLOUD (amt)	39YT WEATHER	BOTTOM DEPTH		STA. NAME/ID
	8	DEG MIN	DEG MIN	<u> </u>	DAY MO YR	屵	(0.)	(၃)	(qm)	(deb)	(m/s)	I. T	(E)		
	0635	5833.87N	15028.	4 O W	OWO 60CT02	8420	0))	•	6)	5190	2 18	7-9	173	PBBI	3-11
	CTO		TIMES	JD/TIME	무		_	DATA LOCATION	NOL		<u>œ</u>	REMARKS	ςς.		_
	TYPE & SN	9+ S/N 91220	DATA ON	67:	$\frac{\cdot}{2}$	O 6 cm/ Tape/Diskette ID	ette ID	Ē	le Name	File Name/Header	1.				
	PRESS SN	•	START DOWN	٥	7:51:00 GMT			} 			!				
	TEMP SN	710/884	ат рертн					}			<u> </u>	2/0			
	COND SN	915/530	AT SURFACE	ػ	Wetstar			i				MAX. DEPTH	PTH =	37	٤
			0 PAR 4242	7		ChIAM 109	TRANSMI	TRANSMISSOMETER	,	Cleaned	dair ble	Cleaned air bleed valve			
	POS. TR	TRIP DEPTH	_		CTD CONVERTED MONITOR VALUE	R VALUES				SAMPLE BOTTLE DATA	TTE	SAMP	SAMPLE BOTTLE NUMBER	LE NOM	BER
		PRESSURE	RE PRI. TEMP	ē.	SEC. TEMP.	PRI. SALINITY	 LIN	SEC. SALINITY	ΔI	SALINITY	-	SAL.	NUTR.	CHL.	WHIT'S NUTR.
+	-	148-										_	vo	*	
56	2	50								;			412		
5 2	8	125-							_				813		
00	4	30.7					7						- T		
St	2	75-								3			V 50		
	<u> </u>	20.5							+			120	212		
		(c)					-		1				かしな	\	
	8	20											96 70	1	
		33								į			819	\	
	_	Ō											23	\	
	11	0,0							+						
	12								7						
		((

0.45 max A

VESSEL				PROJECT & LEG	T & LEG		0.				STA	rion des	STATION DESIGNATION	2	
NOAA KV MILLEK PKEEMAN	KIKEEMAN			INITOZ-11	-		-		ŀ		-			-	
(1		H N)RY	THM	BAUSSE STATE A	SIBILITY SIBILITY	S (tms) QUC	(sms) GUO 30 A3HTA	BOTTOM	· 	STA.
CAST #	LATITUDE	LONGITUDE		DATE JD=	- <u>ບ</u>		BULB	BULB	3ЯЧ 38	IΛ	N. SPD	1.7.1	─		NAME/ID
DEG	NIN	DEG M	MIN	DAY MO	YR HR	HR MIN	(၁)	(ఫి,)	, (qm)	(deg)	(m/s)	<u>.</u> [Ξ		-
ФС4583	N 63 . 1	15025	3 8 WG 6	OCT	0 2 6 8	16420	0		0 1 3	7	88 25	647	0	1 P 8 B	Q / B
стэ		TIMES	JD/TIME	ME			a	DATA LOCATION	NOL			REMARKS	KS		
TYPE & SN 9+	9+ S/N 91220	DATA ON			Tap	Tape/Diskette ID	e ID	ĬĬ.	le Name	File Name/Header					
PRESS SN 80	80020	START DOWN						l I			ļ				
TEMP SN 71	710/884	AT DEPTH) !		j	í				
	915/530	AT SURFACE			L . <u>-</u> .					{		MAX. D	MAX. DEPTH = $\%$	٠,4	ш
		PAR 4242		FLUOR 153	ChiAM 109		SANSMIS	TRANSMISSOMETER		Clea	ned air l	Cleaned air bleed valve	Ve		
POS. TRIP] <u>é</u>	ITOR VAI]]				SAMPLE BOTTLE DATA	BOTTLE TA		SAMPLE BOTTLE NUMBER	TLE NUA	/BER
									7						
	PRESSURE	PRI. TEMP	EMP.	SEC. TEMP.		PRI. SALINITY		SEC. SALINITY	Σ	SALINITY	Σ	SAL.	NUTR.	유	WHIT'S NUTR.
1 95.												_	522		
		 											823		
3										ţ			かんか		
1			Ž										625	\	
										:			826		
6 30									+			15	623		
							_				:		878 878	1	
													E B	\	
<u> </u>													B20		
10									1						1
1									1			_			
12												_			
		4 17	Ş	= <											

FIVOIT Max = 0.4

VESSEL NOAA R	E. RV MILLE	VESSEL NOAA RV MILLER FREEMAN				PROJECT & LEG MF02-11	ž LEG					STATIC	ON DESI	STATION DESIGNATION		
CONSC	0 =	ATITIBE		HONO		DATE JD=	TIME	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY SIND O N. V.	SP (Smt)	WEATHER	BOTTOM DEPTH		STA. NAME/ID
<u></u>	DEG	MIN	BEG	MIN	DAY	9	YR HR MIN	↓_		* (dm)	(geb) *	(m/s)		(m)	1 1	
9	4	9 . 33 N	5	023.51	w 6	60CT0	24938	810.	-	013	न । ६ ५	7 7	00 7	φ 6	Ø.	8808
1	e e		TIMES		JD/TIME				DATA LOCATION	NOL		<u> </u>	REMARKS	S		
TYPE & SN	•	9+ S/N 91220	DATA ON	No.			Tape/D	Tape/Diskette ID	Ē	e Name	File Name/Header					-
PRESS SN	•	80020	STAR	START DOWN				7	 			<u>'</u> -				1
TEMP SN		710/884	AT DEPTH	:PTH					!			<u>-</u>			100	
CONDSN			AT SU	AT SURFACE	ŭ.								МАХ. DEPTH	:PTH =	200	E
			Ē	PAR 4242		FLUOR 153	ChIAM 109	TEANSM	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	ed valv	6		
POS.	TRIP						OR VALUE]		<u> </u>	SAMPLE BOTTLE	этпе	SAME	SAMPLE BOTTLE NUMBER	LE NUM	BER
	DEPTH			!												
		131 NO 140	<u>"</u>	PRI. TEMP.		SEC. TEMP.		PRI. SALINITY	SEC. SALINITY	<u>_</u>	SALINITY	≿	SAL.	NUTR.	S.	WHIT'S NUTR.
,	0		! .		 -		-							832		
- 2	25.4		,											431		
m	60.									\dashv				833	\	
4	50,									+				837	(
2C	NO									+	0			\$ 28	1	
9	30,			,	\dashv		- -			\dagger			5 7 1	426	\ (
7	20,	\								1				637	, (
. α	, P													£3.8		
6	9 (_				839		
2										+				-		
Ξ					\dashv		_			+						
12					\dashv		-			1						
			(

fllot max & 0,5

VESSEL NOAA RV MILLER FREEMAN		PROJECT & LEG MF02-11	EG		STA	TION DES	STATION DESIGNATION		
CONSC CAST # LATITUDE	LONGITUDE	DATE JD=	TIME DRY (GMT) BULB	Y WET BULB PRESSURE	SEA STATE VISIBILITY D WIND	S W S W S W S W S W S W S W S W S W S W	BOTTOM DEPTH	STA.	Q
DEG	DEG MIN	DAY MO YR	HR MIN (°C)	л) (С.)	* * (deg)				
26.78	N 156211.26W46	1 4 6 0 C T 0 2	9 1 5201	→ → → → → → → → → → → → →	372042	2 8 8 8 8	7	8490 6	2
CTD	TIMES JD/T	JD/TIME		DATA LOCATION		REMARKS	KS		
TYPE & SN 9+ S/N 91220	DATA ON		Tape/Diskette ID		File Name/Header		dela	00	
PRESS SN 80020	START DOWN								
TEMP SN 710/884	АТ DEРТН								
•	AT SURFACE					MAX. D	MAX. DEPTH =	m ht	_
	2	FLUOR 153 ChIAN	ChIAM 109 TRANS	TRANSMISSOMETER	Cleaned air bleed valve	bleed val	9/	,	
POS. TRIP DEPTH		CTD CONVERTED MONITOR VALUES	VALUES	į	SAMPLE BOTTLE DATA		PLE BOTT	SAMPLE BOTTLE NUMBER	ec .
PRESSER	IRE PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL.	NUTR.	CHL. NL	WHIT'S NUTR.
7 47 -					į		3700		
<u> </u>						-	ا ورا	١	
_							417	(
-							6.43	\	1
L					Œ	<u> </u>	77.00	Ĺ	
						-	84		
							846		ł
						\ 	1	\	
								-	
10					ļ	<u> </u>		1	1
11						<u> </u>	1		
12									

€1 volt max 2 0.47

	VESSEL NOAA RV MILLER FREEMAN		PROJECT & LEG MF02-11	9		S	STATION DESIGNATION	SIGNATION	_	
	CONSC CAST # LATITUDE	LONGITUDE	DATE JD=	TIME DRY (GMT) BULB	WET	PRESSURE SEA STATE VISIBILITY D WIND NR NO	S WEATHER CLOUD (amt) TYPE	ВОТТОМ DEPTH	STA. NAME/ID	A. E/ID
	DEG	DEG MIN	DAY MO YR	HR MIN (°C)	(°C) (mb)	(geb) * *	* 1/2	(m)		
	4	150 18.74W	4W460CT02	1 1 1 1 0	T.	40472107	24862	<u></u>	90	617
6.	стр	TIMES JD/TIME	IME		DATA LOCATION	, Z	REMARKS	RKS	-	
-	TYPE & SN 9+ S/N 91220	DATA ON		Tape/Diskette ID	File N	File Name/Header				
	PRESS SN 80020	START DOWN		5	1		5 PP 3	-17	1990	
	4	АТ ДЕРТН		2				-		
	915/530	AT SURFACE	•				MAX. C	MAX. DEPTH =	ન્	ε
		2	FLUOR 153 CHIAN	ChIAM 109 TERAN	TRANSMISSOMETER	Cleaned	Cleaned air bleed valve	e,		
	L],		SAMPI E BOTTLE		SAMPLE BOTTLE NUMBER	LE NUME	ER
	POS. TRIP DEPTH	3		VALUES		DATA				,
	BRISSON BRIE	E PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL	NUTR.	CHL.	WHIT'S NUTR.
	-							چې چې		
7	3 (2							649		
J	1							650		
								S S S	l	
						20	<u> </u>	3	1	
	9 200			+			*	x 53	l	
	01 7						_	454		
	8						<u> </u>	852	\	
	6									
	10									
	11						<u> </u>	 	-	
	12						=			
	i.	4 119	/ 01 3		1					

€1 Volt max & \$ (00, torm, by 0.3, 0-65 m)

VESSEL NOAA RV MILLER FREEMAN	ER FREEMAN				PROJECT & LEG MF02-11	EG					STATIO	N DESIC	STATION DESIGNATION		
CONSC CAST#	LATITUDE		LONGITUDE	DATE	- 0°	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY O WIND FR. O	SPOUD (smt)	эчүт ЖЕАТНЕ <i>В</i>	BOTTOM DEPTH		STA. NAME/ID
DEG	MIN	DEG	MIN	DAY	MO YR	HR MIN	(၁)	(၁)	, (qw)	(geb)	(m/s) *		Ξ		
68582	11.73N	154	8 9	3 W & 60	O C T 0 2	1 1 54	1 0 . 6	•	h / 4	7775	2 ft 80	1 1 1		7 p	7199
сто		TIMES		JD/TIME			u	DATA LOCATION	NOL		<u>~</u>	REMARKS	κ		
TYPE & SN 9	9+ S/N 91220	DATA ON	<u> </u>			Tape/Diskette ID	tte ID	Ē	e Name	File Name/Header		obta	11	9990	
PRESS SN 8(80020	START DOWN	DOWN				943	1		i		-	9		
TEMP SN 7	4	AT DEPTH	TH.		;			1				3	2/0 = 5tp	A	
		AT SURFACE	RFACE]			2	MAX. DEPTH =	РТН = 5	50	E
			2	FLUOR 153		ChiAM 109	TRANSMI	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	ed valve			
POS. TRIP DEPTH		1		ONVERT	CTD CONVERTED MONITOR VALUES	R VALUES			-	SAMPLE BOTTLE DATA	TTLE	SAMP	SAMPLE BOTTLE NUMBER	LE NUM	IBER
	PRESSURE	ļ Ņ	PRI. TEMP.	SEC	C. TEMP.	PRI. SALINITY	<u>F</u>	SEC. SALINITY	, III	SALINITY	~	SAL.	NUTR.	CHL.	WHIT'S NUTR.
1 56				_						(8)			858		
													633	7	
_											Ì		£25	l	
_		-							-			-	\$29	\	
5 10.										(a)			860	1	
									+			10	128	\	
8										}					
6				\dashv				ļ	\dashv		1				
10		_							+						
11		+		1			+		\dagger						
12		-							\dashv		=				

FIVER max = 4.3 / well mixed

VESSEL NOAA R/V MILLER FREEMAN	ER FREEMAN			PROJECT & LEG MF02-11	r & LEG				ST/	ATION DES	STATION DESIGNATION	_	
CONSC CAST #	LATITUDE	LONGITUDE		DATE JD=	TIME (GMT)	DRY	WET	PRESSURE SEA STATE	VISIBILITY OIRN WIND SP. S. P.	S WIND CLOUD (amt) TYPE WEATHER	BOTTOM DEPTH		STA. NAME/ID
DEG	MIN	DEG M		MO	YR HR MIN	(C).	(c.)	, (qw)	(deg) (m/s)	*	(m)		
4 6958 1	2 0 0 0 0	1 20 1	82W46	ОСТ	0 2 1 2 4 9	14.	5	7114	722826	6662	53		PBBS
СТО		TIMES	JD/TIME	AE.	-		DATA LOCATION	NOIT		REMARKS	rks		
TYPE & SN 94	9+ S/N 91220	DATA ON			Tape/Di	Tape/Diskette ID	Ē	File Name/Header	leader		190	55	
PRESS SN 80	80020	START DOWN									-		
	710/884	АТ ОЕРТН				. :	 			9m	84 -		
COND SN 91	915/530	AT SURFACE				 				MAX. D	MAX. DEPTH =	i	٤
	!	PAR 4242		FLUOR 153	ChIAM 109		TRANSMISSOMETER		Cleaned air bleed valve	leec	Ve		
POS. TRIP DEPTH				CTD CONVERTED MONITOR VALUES	ITOR VALUE	j O		δS	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	LE NUM	BER
	PRESSURE	E PRI. TEMP	EMP.	SEC. TEMP.	<u></u>	PRI. SALINITY	SEC. SALINITY	<u></u> ∐I	SALINITY	SAL.	NUTR.	CHL.	WHIT'S NUTR.
187				:							28		
											E63	\	
											100	\	
											ンジン	(
									:=		973	\	
9								-		·	200	\	
7					-			-	ļ	_			
88													
6									į				
10													
11								-	1.				
12					-			-		=			
		Q	E1 1/2/1/45 12	4.3/	-	_	1万年	- P - 1	1 both didutions/	/ Assuming	1 themas Sunt	S Sur	9
			٠ ک	2 - : -	mell miked	Q				60114	9		

					200000000000000000000000000000000000000									
VESSEL NOAA R/V MILLER FREEMAN	ER FREEMAN			<u>u «</u>	PROJECT & LEG MF02-11	ĒĞ				<u>rs</u>	STATION DESIGNATION	SIGNATION	-	
									BRUS: STATE YTIJIB		(tms) O			
CONSC CAST # LV	LATITUDE	ŇOI	LONGITUDE	DATE	=QC	TIME (GMT)	DRY BULB	WET	SEA	WIND WI DIRN. SF	Ö ⊖ CLOU TYPE	BOTTOM DEPTH		STA. NAME/ID
DEG	MIN	DEG	MIN	DAY	MO YR	HR MIN	(၁့)	رر (ۍ)	* (qm)	(Gep)	* * (s/m)	اً		
Ø 3 0 5 0 1	1 S . 9	1 50 1	1 3 4	H W C	OCTO2	ФE E 1	4.		4247	2342	22672	25	900	104
СТО		TIMES	<u> </u>	JD/TIME				DATA LOCATION	NO		REMARKS	KS		• • •
TYPE & SN 94	9+ S/N 91220	DATA ON				Tape/Diskette ID	ofte ID	File	File Name/Header	ader		Ido	24	
PRESS SN 80	80020	START DOWN	WN									_		
TEMP SN 71	4	АТ ОЕРТН									3	6 51		
		AT SURFACE	삥								MAX. D	MAX. DEPTH =	5(E
•		PAR 4242	<u> </u>	FLUOR 153	53 ChIA		TRANSMIS	TRANSMISSOMETER		Cleaned ai	Cleaned air bleed valve	9/		
POS. TRIP DEPTH				CONVERTI	CTD CONVERTED MONITOR VALUES	«VALUES			SAM	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	LE NUM	BER
	PRESSURE	10	PRI. TEMP.	S	SEC. TEMP.	PRI. SALINITY	ŽI N	SEC. SALINITY		SALINITY	SAL.	NUTR.	CHL.	WHIT'S NUTR.
1		 										273	\	
		 										Rik	\	
_		 										419	Ĺ	ì
·												k70	\	
20										e l		N.	\	
9											*	245	\	
7									_					
8														
6							es,							
10				-					-		<u> </u>			
11							-		1		1			
12				_	1	ı					_			
			7.	,	3									

41 Volt max 4 4.3

VESSEL NOAA RV MILLER FREEMAN	R FREEMAN			PROJEC MF02-11	PROJECT & LEG MF02-11	9					STATIO	N DESIG	STATION DESIGNATION		
C						TIME)RY	WET	BRUSSE BTATS A	SIBILITY	S S S OUC (smt) 3d AHTER		BOTTOM		STA.
CAST # LA	LATITUDE	LONGITUDE				(GMT)	BULB	BULB	38년 	> DIRN.	SPO.		DEPTH		NAME/ID
DEG	MIN	DEG MIN		DAY MO	YR	HR MIN	(၁့)	(၃)	(qm)	(deg)	(m/s)	•	ε		-
1881 4	3 . 9 1 N	15010.	2 4 W4	0 0	T 0 2	1 4 1 4)	10.7	•	424	7234	766	32	8 7	8	8 8 3
СТО		TIMES	JD/TIME	ME	_		_	DATA LOCATION	NOIL		<u>~</u>	REMARKS	(C)		
TYPE & SN 9+	9+ S/N 91220	DATA ON				Tape/Diskette ID	tte ID	ŭ.	le Name	File Name/Header	<u> </u>	PBT 3	- 1	20663	
PRESS SN 80	80020	START DOWN						}					0		
TEMP SN 71	710/884	АТ ОЕРТН						 			<u> </u>	ļ ! !			
	915/530	AT SURFACE								[Σ	MAX. DEPTH =	⊒H=		E
		PAR 4242		FLUOR 153	ChiAM 109		RANSMIS	TRANSMISSOMETER TER		Cleaned	Cleaned air bleed valve	ed valve			
POS. TRIP				CTD CONVERTED MONITOR VALUE	NITOR	VALUES	,		۳	SAMPLE BOTTLE	TLE	SAMPI	SAMPLE BOTTLE NUMBER	LE NUM	BER
ОЕРТН				4						DAIA					
	HALISSHAD	PRI. TEMP	EMP.	SEC. TEMP.	a <u>a</u>	PRI. SALINITY	 Liž	SEC. SALINITY	ΣĘ	SALINITY		SAL.	NUTR.	CHL.	WHIT'S NUTR.
175.						,							<i>E3</i> 2		
_													165		
-													RZY.		
_													876	\	
5													437	\	
					-								Ky Ky	١	
<u> </u>													623	١	
0					<u> </u>								6,85	\	
6								-							
10												+			
11									1		+	7	1		
12	,					1	\dashv		7			1			
		7		7	,										

FI Wolt max 4 4.3

VESSEL NOAA RV MILER FREEMAN		PROJECT & LEG MF02-11	9		STA	TION DES	STATION DESIGNATION		
			<u>1</u>	34088	SIBILITY SIB	(3ms) GUO 31 31 73HTA	BOTTOM	STA	
CONSC CAST # LATITUDE	LONGITUDE	DATE JD=		BULB	OFR.	اللاه		NAME/ID	ا ۾ ر
DEG	DEG MIN	DAY MO YR	HR MIN (°C)	(°C) (mb)	(deg)		E -	-	I
4725810.111	N 15006.77W	7 W & 6 0 C T 0 2	154914.	4 · 43	472312	2772	1417	BB	8 7
СТР	TIMES JD/TIME	ME		DATA LOCATION		REMARKS	:KS		
TYPE & SN 9+ S/N 91220	DATA ON		Tape/Diskette ID	File Nar	File Name/Header	700	pbt2 = phb 2	29	
PRESS SN 80020	START DOWN		9		}	_			
	АТ DEРТН					9/1	5h1=9/m		
	AT SURFACE					MAX. D	MAX. DEPTH =		E
•	2	FLUOR 153 ChIAM 109		TRANSMISSOMETER	Cleaned air bleed valve	Jeec	V 6		•
POS. TRIP		CTD CONVERTED MONITOR VALUES	VALUES		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	E NUMB	ER
DEPTH							-	ł	
Will and	IRF PRI. TEMP.	SEC. TEMP.	PRI. SALINITY	SEC. SALINITY	SALINITY	SAL.	NUTR.	CHI.	WHIT'S NUTR.
7 7 7 7	-						90 80		
2							582		
0							683		
-							SK Y	+	
							&&.	+	
6 50.							686		
						_	801	•	
-							88.88 88.88	\	Ì
_							683	\	Ì
							058	\	
						_	83	\	
12						=			

		Ţ								~ -	통문												\neg	
	STA. NAME/ID		PBB		_			Ε		MBER	WHIT'S NUTR.						_				_	\bot	_	
_			۵		1950					LE NO				-			١		Ţ	Ĺ	١	\		
STATION DESIGNATION	BOTTOM DEPTH	Ξ	781		- 1			= =		SAMPLE BOTTLE NUMBER	NUTR.	802	59.3	894	ري وي	846	897	468	956	00%	193	296		
DESIGN		•	7 +	REMARKS	ppf1			MAX. DEPTH =	vaive	SAMPLI	SAL. N)			1		7		7				7	
NOL	CLOUD (amt)	-	4	RE			_	₹	peelc		Ŝ		_	_	1	_	_	_	_		-	-	=	
STAI		(m/s)	<u>-</u>			1	1		ed air 1	OTTLE	<u> </u>							,						
	WIND DIRN.	(ded)	139		ader				Cleaned air bleed vaive	SAMPLE BOTTLE DATA	SALINITY					6								
	SEA STATE VISIBILITY	•	7		ıe∕He		١	Į		SAM						-	-							
	37/16 433	(mb)	4 5 H	NOIT	File Name/Header						È													
<u> </u>	WET	(C)	·	DATA LOCATION	Œ	1	İ		ETER		SEC. SALINITY						Ì							
181	> 10			DATA		}	1		SSON		SEC						l							l
	DRY BULB	(၁)	.3	ш	Ω	ļ			TRANSMISSOMETER		<u> </u>	<u> </u>				,			<u> </u>					
			1		kette	=				1														ĺ
	TIME (GMT)	HR MIN	9 1 2		Tape/Diskette ID	ĺ			<u> </u>	ILUES	PRI SALINITY				ļ. 	3								İ
LEG		┢	2		<u> </u>				ChIAM 109	SR VA				_			\dashv		├─	-		H		
PROJECT & LEG MF02-11		YR	T 0						<u>5</u>	MONITOR VALUE	TEMP						c							
PROJEC MF02-11		Ø.	00						153		SEC. T													
	DATE	DAY	22 W & 6	IME		gi			FLUOR 153	CTD CONVERTED		<u> </u>								_	ļ			
			-2 W	JD/TIME				9			و ا													
	TUDE	Z Z Z	7			Z		ш	42		PRI TEMP													
	LONGITUDE	_			N O	START DOWN	FI	AT SURFACE	PAR 4242		a a			ŀ		ļ !								
	}	DEG	1500	TIMES	DATA ON	STARI	AT DEPTH	AT SU		1		<u> </u>							† <u> </u>					
NA		F	L.	Ť	1						101100100													
	ATITUDE	z	12		9+ S/N 91220		2) 00 00 00 00 00 00 00 00 00 00 00 00 00			000													
H	IAT		8		/S +6	80020	710/884	915/530		I		1 <u>></u>		10	7 0	13	10	71		1 () 0	╁	1
 		DFG	58	ę,	S	SS	ž	Z	i	TRIP DEPTH		226	7 17	277	7 6	150	1001	L	200) (1 -	1		
VESSEL NOAA RV MII I FR FREEMAN	CONSC		473		TYPE & SN	PRESS SN	TEMP SN	CONDSN		Pos		+	- ^	1 6) 4	. 2	မ	-	- α	,	p	2 =	2	:
<u>[2 2</u>	-1 00	<u>′ I</u>	1.0		<u> </u>	11,			,	III.				1	-		_							لـ

flush max = 9.33

					TOSICOSI	0 1 6	-	*			STATIO	N DESIG	STATION DESIGNATION		
VESSEL NOAA RV MILLER FREEMAN	R FREEMAN				MF02-11	& LEG									
CONSC AST #	Z Z		LONGITUDE	MO MO	DATE JD=	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY WIND DIRN.	SPOUD (amt)	TYPE WEATHER	BOTTOM DEPTH		STA. NAME/ID
PEG	MIN	DEG	MIN	DAY	₩	YR HR MIN	(C)	(၃)	, (qm)	(deg)	* (s/m)		(E)		
47 H 5 8 6	N 0 .	14959	ъ-	7 W 46	6 OCT 0	2 (1725	5 1 6 . 7	•	<u>भ</u> ७	7239	7 1 3	17	20	00	BC 3
СТО		TIMES	ਜ ਼	JD/TIME			_	DATA LOCATION	NO.		<u>æ_</u>	REMARKS	g		
TYPE & SN 9+	9+ S/N 91220	DATA ON	ا چ			Tape/Diskette ID	kette ID	File	Name	File Name/Header	1_	PBC8	00		
PRESS SN 80	80020	START DOWN	DOWN				Ĭ.	\ 			!_				
TEMP SN 71	710/884	Ат рертн	ΉŤ	į				\ 							
	915/530	AT SURFACE	FACE -					; 		!		MAX. DEPTH =		285	٤
			PAR 4242		FLUOR 153	ChiAM 109	TRANSMI	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	ed valve	•		
POS. TRIP				CONVE		FOR VALUES	7		<u>s</u>	SAMPLE BOTTLE	TTLE	SAMP	SAMPLE BOTTLE NUMBER	LE NUN	ABER
DEPTH										¥ .					
		ų,	PRI TEMP		SEC, TEMP.		PRI. SALINITY	SEC. SALINITY	ΥT	SALINITY		SAL.	NUTR.	CHL.	WHIT'S NUTR.
100		 		\vdash		\vdash							903		
+		+		igg		_							196		
+				-									9. 5		
+													996		
╄		-								*			407		
		-										33	965		
									1				igo		
1				_									970	1	
0000													146	\setminus	
				\vdash									972	\	
		-		_									973	\	
		+									=				
1 2			77.75	1	,		!								

FIVOH ... ~ 4,3

VESSEL NOAA RA	VESSEL NOAA RV MILLER FREEMAN			<u>u. 2</u>	PROJECT & LEG MF02-11	EG					STATI	ON DES	STATION DESIGNATION		
CONSC	ATITIDE		LONGITUDE	DATE		TIME (GMT)	DRY BULB	WET BULB	PRESSURE SEA STATE	VISIBILITY OIRN D	WIND (amt)	WEATHER	BOTTOM DEPTH		STA. NAME/ID
1 2	DEG MIN	DEG	MIN	DAY	MO YR	HR MIN	(°C)	(၃)	(mp)	(geb)	(s/w)				
075	5808.19 N	1149	58.9	9 W & 6 O	2 C T 0 2	1833	₽	•	400	7 244	4	7 2 9	283	3 19136	BC17
CTD	6	TIMES		JD/TIME			٥	DATA LOCATION	NOI			REMARKS	KS		
TYPE & SN	SN 9+ S/N 91220	DATA ON	NO			Tape/Diskette ID	itte ID	Ĭ	e Name	File Name/Header		ppe	phe		
PRESS SN	N 80020	STAR	START DOWN		İ)]			<u> </u>				
TEMP SN		AT DEPTH	:РТН				,	\ 			ı	3	Wo = 183	23	
CONDSN		AT SU	AT SURFACE	(4)								MAX. DEPTH =	EPTH =		E
,		Ë	PAR 4242	FLUOR 153		ChIAM 109	TRANSMIS	TRANSMISSOMETER		Cleane	d air bl	Cleaned air bleed valve	ę		
900	TOIGE			ONVERT]_,				SAMPLE BOTTLE	TTLE	SAM	SAMPLE BOTTLE NUMBER	ILE NUM	BER
	DEPTH			155					-	DATA		_			
<u></u>	RESSER	u w	PRI. TEMP.	SEC.	C. TEMP.	PRI. SALINITY	<u></u>	SEC. SALINITY	<u> </u>	SALINITY	≥	SAL.	NUTR.	S.	WHIT'S NUTR.
-	245			_									47.6		
+	250												678		
-	225			-					1				9.49		
┝	2001								\dashv	1			537		
ည	150						1		\dagger	Œ			9.5%		
	20				ř				\dagger			Ð	979		
^	50.												180		Ė
. &	300								\dagger				185		
6	200					~	-		+				962))	
2	107								+				5.00	\	
=	0			_			+		\dagger				3. 0.c		
12				\dashv			-		\dashv						
		İ													

FI Vett max 12 4.35

i										ļ	.ΔTΔ	TION DE	NOITANDIESIGNATION	Z	
VESSEL NOAA R/V MIL	VESSEL NOAA R/V MILLER FREEMAN				MF02-11	א רבינ א	•						-	.	
CONSC	ATITIDE		LONGITUDE	DATE		TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY	WIND WINDOUD (amt) DIRN. SPO. CL	3977	желней Воттом DEPTH		STA. NAME/ID
T ISCO		DEG	NIM	DAY	MO	YR HR MIN	(C)	(၁.)	(mb)		(s/ш) (bap)	•			
44 58		149	57.	35 WCO	ΔOCT 0	2 19 4	516.		7 6 9	14	25815	77	2 (46		PBCC
es S		TIMES		JD/TIME			_	DATA LOCATION	NOIL			REMARKS	RKS		
TYPE & SN	9+ S/N 91220	DATA ON	NO NO			Tape/Diskette ID	skette ID	Œ	File Name/Header	e/Head	1 6	Q	PBC6		
PRESS SN	80020	START	START DOWN		į		ļ,	\ 			1		ļ		
•	710/884	AT DEPTH	PI H								[3	2/0=132		
	915/530	- AT SUI	AT SURFACE —	=]				MAX.	MAX. DEPTH =		æ
	20010		PAR 4242	FI UOR 153		ChIAM 109	TRANSMI	TRANSMISSOMETER		<u>ප්</u>	Cleaned air bleed valve	bleed va	ive		
L				CTD CONVERTED		MONITOR VALUES				SAMPLI	SAMPLE BOTTLE		SAMPLE BOTTLE NUMBER	TTLE NU	MBER
POS. DEPTH										۵	DATA				
	10000000000000000000000000000000000000	l h	PRI TEMP	-	SEC. TEMP.		PRI SALINITY	SEC. SALINITY	ŽΪ	SAI	SALINITY	SAL.	NUTR.	GH.	WHIT'S NUTR.
13.0		1		-				<u>.</u>				7	965		
				_									986		
2 6	1	<u> </u>		-									186		
-		 		-									888	3	
-	00									S.			989	7	
-	40/											33	950	7	
	100												99	7	
	25.6	 										_	993	7	
	2 4	+											993)	
D &	2] 7			-			-						466	7	_
													_	\dashv	
12	1										;		_	4	
1 -:				:		İ	ļ								

FIVOR Max 2 6.3

•	-			ļ				-				MOLTATION DECIDANATION	101010	MOITAN		\lceil
	VESSEL NOAA R/V MILLER FREEMAN	ER FREEMAN			,	PROJECT & LEG MF02-11	EG						OESIG			
	CONSC			<u>.</u>		ġ	TIME	DRY B i B	WET	BRUSSBRE BTATS ABS	VISIBILITY	Y N. S OUD (smt)	ABHTABV	BOTTOM	STA.	STA.
	CAST # LA	MIN	DEG	MIN	DAY	רכ ∣כ	┵	<u> </u>	(O)	1 (qu.)		, , (s/u)	١.	(m)		
	-	2 4 8 N	5	30-	_	OCTO	-	~		104	6572	951	72	48	PB	S C S
200	QL3		TIMES		JD/TIME				DATA LOCATION	TION	i	REI	REMARKS			
	· _	9+ S/N 91220	DATA ON	10	0	la	Tape/Diskette ID	ette ID	Ē	le Name	File Name/Header					
	•	80020	START DOWN		20:25	25:00 GMT	1	91	! 	l I					j	
	•	4	АТ ОЕРТН		20:28:	5:00 GMT	7		! 			<u>.</u>				
		915/530	AT SURFACE	Ų Ų	20:2	7:00 6mt						MA	MAX. DEPTH	표.	M	٤
			PAR 4242	242	FLUOR 153		ChIAM 109	TRANSMI	TRANSMISSOMETER		Cleaned	leec	valve			
_	POS. TRIP DEPTH				CTD CONVERTE	TED MONITO	MONITOR VALUES			0)	SAMPLE BOTTLE DATA		SAMPLI	SAMPLE BOTTLE NUMBER	E NUM	BER
	,		<u> </u>	OWNER 1880		CEO TEMO	YTINI IAS IGG	<u>}</u>	SEC SALINITY	È	SALINITY		SAL.	NUTR.	吊	WHIT'S NUTR.
7	28	PRESSURE			7					-			7	8		
٠ ١					<u> </u>								•	966		
1 9	3 (00)				-									99 ¥	1	
Ω 25	, ,		<u> </u>									-	Ť	366	1	
20	r u										£ 0	-	_	666	1	
٥ ٣	9 6													000/	1	
20	1.				_						i		`	1001	ſ	-
-0	. 0		-		<u> </u>									1000	1	
0	0 6		-		_	4								1003	5	
)	\perp															
	2 7				<u> </u>											
	12															
_									İ							

O. H Max A

	VESSEL				PROJECT ME02-11	PROJECT & LEG	၂	,				STATIC	ON DESIG	STATION DESIGNATION		
	NOAA KV MILLEK FREEMAN	בא דאבושאאי		:						ЭТАТ	اللا	(jms) (
	CONSC * TSVC	ATITI DE	HONGITADE	TUDE	DATE JD=		TIME (GMT)	DRY	WET		VISIE DIRN.		TABW	BOTTOM DEPTH		STA. NAME/ID
	DEG	MIN	DEG	MIN	DAY MO	O YR	HR MIN	(0.)	(၁)	. (qm)	(geb)			Έ)	-	-
	858±0	1 7.23 N	14952	2	/ w 0 6 0 C	C T 0 2	2109	2 0 5	•	101	7256	6 - 3	672	9	9	B C 4
	elo Elo		TIMES	/Qr	JD/TIME				DATA LOCATION	NOIL		<u> </u>	REMARKS	g		
	TYPE & SN 9	9+ S/N 91220	DATA ON	12	21:09:00 GM1	1	Tape/Diskette ID	tte ID	Ī	File Name/Header	/Header					
	PRESS SN 8	80020	START DOWN	·	21:09:00	c cont			1							
]	АТ ОЕРТН	12	21:12:00	GMT							Ì		,	
			AT SURFACE	7	30:51:	SMT							MAX. DEPTH	PTH=	63	E
	•		PAR 4242	2	FLUOR 153	\Box		TRANSMIS	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	ed valve			
	POS. TRIP DEPTH				CTD CONVERTED MONITOR VALUES	MONITOR	VALUES	:		<u>s</u>	SAMPLE BOTTLE DATA	этте	SAMP	SAMPLE BOTTLE NUMBER	LE NUM	BER
			<u> </u>	DD! TEMP	, C	SEC TEMP	PRI SALINITY	<u>}</u>	SEC. SALINITY	È	SALINITY	<u>Τ</u>	SAL.	NUTR.	CHL.	WHIT'S NUTR.
00		TOCCULA I	-										7	1001		
5	- 6										35	/		1005	(
7 2	7 6													900/	7.	
2,5	0													1001	7	
70	2 2						76				E#			€00 <i>j</i>	7	
0						- 8							-	600	7	
. 0														0/0/	7	
	╀			i												
	6									+						!
	10				-			-		\dagger						
	11		<u> </u>				ļ									
	12						1									

0.5 max +1

	VESSEL					PROJE	PROJECT & LEG	၅	.a.				ST	ATION DI	STATION DESIGNATION	N.	
	NOAA R/V MILLER FREEMAN	ER FREEMAN				MF02-11	J. Sever I		·,		-	ļ	+	F		-	
				П					Č	,	BRUSS:	ALITIBIS	CNIX	(tms) QU(ABHTA POTTO		STA
	CONSC CAST #	ATITIDE	ON TO	LONGITUDE	٥	TE JD=		(GMT)	BULB	BULB		<u>-</u> -	DIRN. SF	ᄮ			NAME/ID
	DEG	MIN	DEG	NE	<u>à</u>	DAY MO	Ϋ́R	HR MIN	(°C)	(0,)	(qm)		(geb)		(m)		
	182640	9 7 7 N	1495	5 · 7	0 0 0 m /	၁	T 0 2	2140	101	•	101	172	18%	367	2		PBC3
(4)	QLO		TIMES	,	JD/TIME	4.5.				DATA LOCATION	ATION			REMARKS	IRKS		
	· _	9+ S/N 91220	DATA ON	•	21:4	21:41:00 GMT		Tape/Diskette ID	efte ID		File Name/Header	e/Head	ler.				
	PRESS SN 80	80020	START DOWN		21:4	21:41:60 GM1	Jung			' 		.	İ	<u> </u>			
	TEMP SN 7	710/884	АТ ОЕРТН		1:12	: 44:00 GMT	6mT			\ 		Ì					
		915/530	AT SURFACE	' - -	:) 2	2(:50:00 GMI	GMI					[MAX.	MAX. DEPTH =	76	Ε
			PAR 4242	4242	F. O.	FLUOR 153	ChiAM 109	4 109	TRANSMI	TRANSMISSOMETER	<u>ا</u>	Ö	eaned a	Cleaned air bleed valve	alve		
	Ĺ					CTD CONVERTED MONITOR VALUES	ONITOR	VALIES .				SAMPL	SAMPLE BOTTLE		SAMPLE BOTTLE NUMBER	THEN	MBER
	POS. IRIP DEPTH			5			5						DATA				
		i		ON TEMP		CENTERAD	QV	YTINI IA2 199	YLINI	SEC. SALINITY) ALIN	S.A	SALINITY	SAL	NUTR.	<u>,</u> 목	WHIT'S NUTR.
7 7	┿	TRESOURE	+			5								7	110.1		
- (c	- •														1012		
; C													:		1013	7	
2 2	2 -				\vdash										1014	7	
5 6	t (į	\vdash							8			1015	7	1
12	, 6						21	8					į		9 (01	7	
10) -													-	<u>10</u> 7	7	
0	- 2				_				- X	-		ŀ		<u> </u>	1018	7	
	6													<u> </u>	_		
	2 5														_	_	
	= =				H									+			
	12													\dashv			

O.S max A

	VESSEL NOAA R/V MII	VESSEL NOAA RV MILLER FREEMAN			PROJ MF02	PROJECT & LEG MF02-11	၅					STATIO	N DESIC	STATION DESIGNATION		
	CONSC CONSC	АТПІВЕ	LONGITUDE		DATE JD=		TIME (GMT)	DRY	WET	BRUSSBR9 BTATS ABS	VISIBILITY DIRN.	SPD. (amt)	MEATHER WEATHER	BÓTTOM DEPTH		STA. NAME/ID
	DEG		DEG MIN		DAY MO) YR	HR MIN	(၃)	(၁.)	. (qw)	(Gap)		*	(m)	_	
	85080	2	14949.	0 m/8 6	0600	T 0 2	2214	2 0		1 1	b h 2 t	(3	672	=	2	8 62
	CED		TIMES	JD/TIME	ME	-			DATA LOCATION	TION		<u>œ_</u>	REMARKS	S		
	TYPE & SN	9+ S/N 91220	DATA ON	22	22:16:00 GMT	1	Tape/Diskette ID	tte ID	Ī	e Name	File Name/Header					
	PRESS SN	80020	START DOWN	22	00:91:22	00 6ml			} }							
	TEMP SN	710/884	АТ DEРТН	22	22:19:60	GMT			\ 		ļ	<u>_</u>				
		915/530	AT SURFACE	22	22.24:00	_					ļ	2	MAX. DEPTH =) ТН= /	901	E
			PAR 4242		FLUOR 153			RANSMIS	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	ed valve			
	POS. TRIP DEPTH	-			CTD CONVERTED MONITOR VALUE	ONITOR	VALUES			0)	SAMPLE BOTTLE DATA	ОТТСЕ	SAMP	SAMPLE BOTTLE NUMBER	LE NUM	BER
		O O	DRI TEMP	d A	SEC. TEMP.	- AM	PRI SALINITY	È N	SEC. SALINITY	<u></u>	SALINITY	≥	SAL.	NUTR.	CHL.	WHIT'S NUTR.
7	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	DOCUMENT OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF TH	+			-				_			/	6101		
· ·	+													GEO/		
0	╀													09		
S	+								-					10.9 B	7	
, 7	1										*0			1093	7	
30														1024	>	
20	7													1025	>	
0)	 -							_						960	7	
0	0 6													1037	7	šii
	9															
	11			į			į			+						
	12		_				:			7						

0.45 mox Al

	VESSEL NOAA R/V MILLER FREEMAN	REEMAN			PROJECT & LEG MF02-11	EG				S .	STATION DESIGNATION	SIGNATIO	z	
	CONSC CAST #	ATITUDE	LONGITUDE		DATE JD=	TIME (GMT)	DRY BULB	WET	PRESSURE SEA STATE	VISIBILITY DIRNO	WEATHER CLOUD (amt) Y V	BOTTOM DEPTH		STA. NAME/ID
	DEG	MIN	DEG MIN	\square	DAY MO YR	HR MIN	(၃)	(၃)	. (qw)	(deg) (m	*	<u>E</u>	-	-
	5285180	5 20N	14948.8	8 W 0 6	60CT02	2282	10.5	•	1	72511	7672	16 1	1	BC+ (
±.	CTD		TIMES	JD/TIME			_	DATA LOCATION	NOI		REMARKS	SKS ,	_	,
	• -	9+ S/N 91220	DATA ON	27:5	27:53:00 BMT	Tape/Diskette ID	atte ID	证	File Name/Header	Header	This	siast	Show	P
	PRESS SN 80020	20	START DOWN	22:	22.53:00 GMT			 			large	e dit	4	Ops
	TEMP SN 710	710/884	AT DEPTH	22	2:58:00 EMT		ļ	\ 			DOW M	N COS	f. 82	15 report
			AT SURFACE	23:	23:06:00 GMT			,			MAX.	мах. рертн =	135	E
			PAR 4242	L MI	FLUOR 153 Chia	ChIAM 109	TRANSMI	TRANSMISSOMETER		Cleaned a	eec	6		
	POS. TRIP DEPTH			CTD CONVERTED		MONITOR VALUES			S	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NUN	1BER
		PRESSURE	PRI. TEMP.	ē.	SEC. TEMP.	PRI. SALINITY	<u></u> LIN	SEC. SALINITY	ΔI	SALINITY	SAL	NUTR.	SH.	WHIT'S NUTR.
400	15.2/											,		
125	2 //2\$				•				-	1				
100	1		3	10	ee dum	has	aw ,	Sam	3	daren	<u>।</u>			
75	<u> </u>										<u> </u>			
η 6	0 5 20			-					+	5				
70	0 6 An		-								9	_ -		
30	0 7 /30													100
29	8 / 20													
-	6							ļ		1		1		
0	10/3									į		_		
	11							ļ	$\frac{1}{1}$			_		
	12								-		=			
				,										

0.55 max A

	VESSEL NOAA RV MILLER FREEMAN	ER FREEMAN		:	PROJECT & LEG MF02-11	& LEG					STATION DESIGNATION	ESIGNA	NOIF		
	CONSC	ATITUDE	LONGITUDE		DATE JD=	TIME (GMT)	DRY BULB	WET	SEA STATE VILIBIOIV	VISIBILITY DIRND	S WIND (SIM!)	MEATHER	ВОТТОМ DEРТН	STA. NAME/ID	. Q
	DEG	MIN	DEG MIN	H	MO	YR HR MIN	(၁့)	(C.)	(mb)	(deg)	(m/s) * *		Œ.	-	7
	08258	15 0 7N	14949.	2 6W G	O GOCTO	2 2 3 16	10	3	1	7239	1367	2	0	0	7 5
	CTD		TIMES	JD/TIME	ME			DATA LOCATION	NO.		REM	REMARKS			
	· _	9+ S/N 91220	DATA ON	23	2347:00 cmi	Tape/Diskette ID	cette ID	File	File Name/Header	Header	2	Repeat	J.	ast	. (
	PRESS SN 8	80020	START DOWN	23	23:17:00 cmi	1		Ì]			#	0	20 %	0	H.
	TEMP SN 7	710/884	АТ ОЕРТН	2	3:23:00 cm	ر		}			, 5	100	OWN COS	1	5 #
	COND SN 9	915/530	AT SURFACE	2.3	3:30:00 6	GMT					MAX	MAX. DEPTH	= 13	5	ε
	•		PAR 4242		FLUOR 153	ChIAM 109	TRANSM	TRANSMISSOMETER		Cleaned	<u>ee</u>	/alve			
	POS. TRIP DEPTH				CTD CONVERTED MONITOR VALUE	FOR VALUES			<i>t</i> s	SAMPLE BOTTLE DATA		AMPLE E	SAMPLE BOTTLE NUMBER	NUMBE	ER
		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PRI TEMP	EMP PMP	SEC. TEMP.	PRI. SALINITY	LINIT	SEC. SALINITY		SALINITY	SAL.	L. NUTR.	IR. CHL		WHIT'S NUTR.
7	1 12 C					├					L.	8C01	C.		
175	- 6					<u> </u>						1099	6		
	1 6							i				1030	Q		
3 4	, -											103	-22	-	
50										8		1039	3	-	
Ī	77 9					-				i		1033	2		
2	L.								-		_	1034	34	50	
2	- 0]	:				<u> </u> 	1035	35		
2												10	1036		
C	9							į	\dashv		<u> </u>	9	1037	+	
>	7							18	+		+	+	+	+	
	12								\dashv		4	\dashv	-	-	

0,5 max Fl

												MOITAINOISTO MOITATO	40101	101		
	VESSEL NOAA RA	V MILLER	VESSEL NOAA R/V MILLER FREEMAN	٠		PROJECT & LEG MF02-11	EG.				2		ESIGIAN	5		
	CONSC					<u>(</u>	TIME	ORY	WET	RESSURE SEA STATE VISIBILITY	ONIW	N S D C COUD (smt) YPE REATHER		BOTTOM	STA.	, 5
	CAST #	DEG LAT	LATITUDE	DEG MIN	-	DAY MO YR	三生	z	(0)		(deg)	n/s) † †		Œ		
	78258	~	C.39N	14925	70	Τ 0	20016	0/0	<i>H</i>	134	7232	967	2 (60	12 × d'	11
	CTD	4		TIMES	JD/TIME		01308	00	DATA LOCATION	NOI		REM/	REMARKS			
	TYPE & SN	•	9+ S/N 91220	DATA ON	0	1:31:60 Gar	Tape/D	50 6MT Tape/Diskette ID	Ħ	File Name/Header	-leader					
	PRESS SN	•	20	START DOWN	0	:32:00 6MT			1							
	TEMP SN		710/884	АТ ОЕРТН		7.35:00 GMT	£		i							
	COND SN		915/530	AT SURFACE	9	:42:00 GM		:				MAX	MAX. DEPTH =	00/=		٤
				PAR 4242			ChIAM 109	TRANS	TRANSMISSOMETER		Cleaned	99	alve	`		
	POS.	TRIP DEPTH				CTD CONVERTED MONITOR VALUES	OR VALUE	္လ		\$	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	OTTLE	NUMB	FR .
	ı		101 100 100	DRI TEMP	AP P	SEC. TEMP	<u> </u>	PRI SALINITY	SEC. SALINITY	<u>È</u>	SALINITY	SAL.	L. NUTR.		CHL.	WHIT'S NUTR.
409	-	00/	DESCRIPTION OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF	<u> </u> 								7	1038	8		
7	- "	7 7			l								1039	29		
0 6	4 67	700											0,01	P		
26	4	207								-			19	17	7	
7	<u> </u>	70								1		<u> </u>	Ò	640	7	
20	9	36								+		<u> </u> 	0	043		
20	7	20											1044	7	3	
9	1	0											1045	45	7	
· «C	-	2											0	040	7	
)	10				ļ					+		1	+	+	1	
	11			<u> </u>			_			+		+	+	+	+	
	12						_			4			-	-		

0.45 MAX F

NOVA PV MILER FREEMAN								-				STATIO	N DEGIS	MOLLON		
CAST # CATTUDE		VESSEL NOAA R/V MILL	ER FREEMAN			MF02-11	ם פ				ļ	2				
CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST CAST		C					Time	DRY	WET		KIRICITY		ЭЧ ЭЭНТА:	BOTTOM		
DEC MIN DEG MIN DEG MIN CC CC CC CC			ATITUDE	LONGITUDE		JD=		BULB	BULB		^ ·		ᄴ	DEPTH	NAN	/E/ID
COLD DATA COLD DATA COLD DATA COLD DATA COLD DATA LOCATION 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3		DEG	MIN	_		§			_	_	Bep.	(S/LL)	.	_ F:		L
TIME & SN 91220 DATA ON DATA ON DATA LOCATION DATA LOCATION DATA LOCATION DATA CONTINE DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DATA ON DA		34	1/5	1938	_	C T 0	20	· 0 /		_	751	<u></u>	7	9 9	A	
PRESS SN 80020 START DOWN 0.2.: 4/2.:00 TapelDiskette ID File NamelHeader PRESS SN 80020 START DOWN 0.2.: 4/2.:00 MAX. DEPTH = \$\sigma\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\si\sigma\circ{\sigma\circ{\sigma\circ{\sigma\circ{\		e E		TIMES	JD/TIME		_	_	DATA LOCA	NOL		<u> </u>	EMARK	တ္သ		-
PRESS SN 80020 START DOWN 0.2: 4/6:00 COND SN 915530 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE 0.2: 7/:00 AT SURFACE AT SURFACE 0.2: 7/:00 AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SURFACE AT SUR		•	+ S/N 91220	DATA ON	67:	45	Tape/Disk	ette ID	Ī	le Name	/Header					
TEMP SN 710884 AT DEPTH 0.2 4/g : 0.0 AT SURFACE 0.2 5/f : 0.0 AT SURFACE 0.2 5/f : 0.0 AT SURFACE 0.2 5/f : 0.0 AT SURFACE 0.2 5/f : 0.0 AT SURFACE 0.2 5/f : 0.0 AT SURFACE 0.2 5/f : 0.0 AT SURFACE 0.2 5/f : 0.0 AT SURFACE 0.2 5/f : 0.0 AT SURFACE CTD CONVERTIED MONITOR VALUES ASAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE SAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE BOTTLE RAMPLE RAMPLE BOTTLE RAMPLE RAMPLE BOTTLE RAMPLE RAMPLE BOTTLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPLE RAMPL		•	0020	START DOWN	.70	00:94			† [
COND SN 916/630 AT SURFACE Q2; S7; 0 0 MAX. DEPTH = SS POST TRIP TRANSMISSOMETER CID CONVERTED MONITOR VALUES CAD CONVERTED MONITOR VALUES SAMPLE BOTTLE SAMPLE BOTTLE NUM 1 SS SEC. TEMP. PRI. SALINITY SEC. SALINITY SALINITY SALINITY CHL 2 VLO 1047 VOLY VOLY VOLY VOLY 5 VLO VOLY VOLY VOLY VOLY VOLY 6 3 VOLY VOLY VOLY VOLY VOLY 6 3 VOLY VOLY VOLY VOLY VOLY 10 VOLY VOLY VOLY VOLY VOLY VOLY 10 VOLY VOLY VOLY VOLY VOLY VOLY VOLY 10 VOLY VOLY VOLY VOLY VOLY VOLY VOLY VOLY VOLY 10 VOLY VOLY VOLY VOLY VOLY VOL			10/884	Ат DEРТН	02:	40:00			}			1		·		
PAR 4242 FLUOR 153 ChiAM 109 TRANSMISSOMETER Cleaned air bleed valve Cleaned air bleed valve CLOONVERTED MONITOR VALUES SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE			15/530	AT SURFACE	02:	ł			!			2	AAX. DEI	- 11	Ş	ε
POS. TRIP CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE NUM 1 S.S. TONTA IONTA 2 TONTA IONTA IONTA 3 3.0 IONTA IONTA 4 2.1 IONTA IONTA 5 A IONTA IONTA 6 3 IONTA IONTA 9 IONTA IONTA IONTA 10 IONTA IONTA		•		PAR 4242	FLUO		M 109	TRANSMI	SSOMETER		Cleane	d air ble	ed valve	_		
1 SS 2 10 3 30 4 21 5 10 6 3 6 3 7 10 10 10 10 10 10 10 10 10 10 10 10 10 1				CI	D CONVE	ERTED MONITO	R VALUES				SAMPLE B(DATA	эттс	SAMP	LE BOTT	LE NUN	BER
1 55 2 40 3 30 4 21 5 70 6 3 7 7 8 9 10				63		SEC. TEMP.	PRI. SAL	 ∑IINI	SEC. SALIN	ΣЩ	SALINI	≥		NUTR.	CHL.	WHIT'S NUTR.
2 40 3 30 4 21 5 0 6 3 7 7 8 8 9 10	4	(-										thal	\ \	
5 3 5 0 6 7 7 7 8 8 9 9 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7	- c			-			-						8401		
5 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	200	y "								-	:			1049	/	
5 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3	2 4						,						050	>	ļ
6 3 8 9 10 11	0 /	2								_	9			100	7	
7 8 9 10 41 12	0	9								_				1059	7	
8 9 10 11 12		7			-					+						
9 10 11 12		8								1						
11 12		6			1			+		+						
12		10			+					+						
12		11			+					+						
		12			-					\dashv						

6.5 max +1

TION	BOTTOM STA. DEPTH NAME/ID	(E)				•	1=53 m		SAMPLE BOTTLE NUMBER	WHIT'S CHL. NUTR.	053 ~	√ 1 50	V 750	7 250	±50/	2000					
STATION DESIGNATION	ABHTABW	* 25	REMARKS				MAX. DEPTH =	leed valve		SAL. NU	/ 10	0/	0/	0	Q	21					
STAT	SEA STATE VISIBILITY DIRN. WIND SPO.	(m/s) (= 669) (m/s) + 69 (9 (4		File Name/Header				Cleaned air bleed valve	SAMPLE BOTTLE DATA	SALINITY					**				:		
	BULB PRESSURE	(°C) (mb)	DATA LOCATION	File Nan				TRANSMISSOMETER		SEC. SALINITY											
<u></u>	TIME DRY (GMT) BULB	HR MIN (°C)		6 m T Tape/Diskette ID	9				ALUES	PRI SALINITY											
PROJECT & LEG MF02-11	DATE JD=	X MO YR		03:58:00 GMT	03:58:00 CMF	04:00:00 GMT	04: 04:00 6MT	FLUOR 153 ChIAM 109		SEC TEMP						5				-	
	LONGITUDE	DEG MIN DA			START DOWN 03	AT DEPTH	AT SURFACE 0 -	2	_	DR! TEMP											
ERFEMAN	ATITUDE	2	P P	9+ S/N 91220 DAT	80020 STA	4				0000	TAESSONE								, ,		
VESSEL NOAA BA/MII ER ERFEMAN	CONSC CAST #TRAC		CTD CTD	٠ _	PRESS SN 80	TEMP SN 71	COND SN 91		POS. TRIP DEPTH		77	- 0	,	ሳ) -	<u> </u>	9	. 80	6	10	11	ç

0,55 max +1

MILLER	VESSEL NOAA RV MILLER FREEMAN			-	PROJECT & LEG MF02-11	LEG] 3.		STATION DESIGNATION	4 DESIG	SNATION	_	
LATITUDE		_	LONGITUDE		DATE JD=	TIME (GMT)	DRY BULB	WET	TATS ABS		SPD (Sm	TYPE WEATHER	BOTTOM DEPTH		STA. NAME/ID
DEG MIN DEG		၂၀၂	WIN		DAY MO YR	HR MIN	(၁)	(၃)	(qm)	(geg)	(m/s) *	*	E	0	l
08119.90N180		2	04.3	0 M 6	70CT0	20505	0		134	7206	9 1 2	75	5	5	® X ∂
TIMES	F	SB		JD/TIME	111			DATA LOCATION	TION		<u> </u>	REMARKS	S		
TYPE & SN 9+ S/N 91220 DATA ON	A	≤	No	:50	05.66.00 Gm	S w 7 Tape/Diskette ID	ette ID	Ē	File Name/Header	'Header	i				
PRESS SN 80020	ST	Æ	START DOWN	:50	0 S: 66:00 6 MT	7	5	1							
4	_<	AT DEPTH		:50	05:08:00 GMT	7									
	<u> </u>	T SU	AT SURFACE $$	1:50	12:00 GMT						Ψ	MAX. DEPTH =		84	E
	┿		PAR 4242			ChIAM 109	TRANSMI	TRANSMISSOMETER		Cleane	Cleaned air bleed valve	d valve			-
ткір ОЕРТН	_	1			CTD CONVERTED MONITOR VALUE	OR VALUES			S	SAMPLE BOTTLE DATA	тте	SAMPI	SAMPLE BOTTLE NUMBER	LE NUN	/BER
No suda	\		PRI TEMP		SEC. TEMP.	PRI. SALINITY	L.	SEC. SALINITY	È	SALINITY		SAL.	NUTR.	CHL.	WHIT'S NUTR.
74	į			-								7	1059	J	
077	1	+	ļ	-									0901	1	
70	1	T		\vdash									1901	/	
20	1	1											6001	/	
2	1	╁								33			500	7	
7	1	1										12	H901	7	
		T	į	-											,
^	1	<u> </u>		-									,		
	ļ.														
	ļ .								+						
	1			\dashv						,		1			
									\dashv						

0.55 max F1

CONGITUDE DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT	VESSEL NOAA RV MILLER FREEMAN	R FREEMAN			PROJE MF02-1	PROJECT & LEG MF02-11	ဖ					STATIC	ON DESI	STATION DESIGNATION	_	-
DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG WIN DEG	ONSC ST #	3 CI EL	LISNOT	JOE	DATE JD=		TIME (GMT)	DRY BULB	WET	SEA STATE		WIND CITY	크러시	BOTTON DEPTH		-A. IE/ID
CTD TIMES ONTA ON OC. 0 4'.00 C MT TRIP SSN 80020 START DOWN SSN 80020 START DOWN OC. 0 4'.00 C MT TRIP TRIP TRIP TRIP ONNERTED MONITOR VALUES TRANSMISSOMETER ONDERTED MONITOR VALUES TO CONVERTED MONITOR VALUES TO CONVERTED MONITOR VALUES OC. 0 C. 0 C. 0 C MT TRIP ONTA ON OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT OC. 0 C MT	DEG	MIN	DEG M	N.	1 1	+	HR MIN	(၁့)	(၃)	(qm)	┝			(m)	-	
CTD TIMES JOTINE DATA LOCATION REMARKS SS SN 90020 START DOWN \$€.0 \$\psi.0 \$\psi.0 \colonomeans{N}{\psi}\$ AMAX. DEPTH = \$\psi.0 \colonomeans{N}{\psi}\$ SS N 915630 AT SURFACE \$O.0 \$\psi.0 \colonomeans{N}{\psi}\$ AMAX. DEPTH = \$\psi.0 \colonomeans{N}{\psi}\$ TRIP TRAP DOWN \$0.0 \$\psi.0 \colonomeans{N}{\psi}\$ AMAX. DEPTH = \$\psi.0 \colonomeans{N}{\psi}\$ TRIP TRAP AR 4242 PLUOR 153 Chloration of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state	28548	1.99	1501	0 0 W	о С	0 2	9	一		_		\sim	Ř	S		PXY
SS N SO N STAFT DOWN C C U C C W	1		TIMES	JD/TL	IME	-		ā	ATA LOCA	NOIL			REMARK	S		
SSN 8020 START DOWN O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. : 0.4 * 1.0 O.G. :	•		DATA ON	Ŏ	5:04:00	5ml	ape/Disket	tte ID	ίĪ	le Name	/Header	<u> </u>				
PAR 4242 FLUOR 163 CAMPT A TOPTH A CONVERTED MONITOR VALUES PRI. SALINITY SEC. SALINITY SALINITY CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAMPT CAM	PRESS SN 800	020	START DOWN	90	:04:006	\$			1		,					100
PAR 4242		4	AT DEPTH	99	0	GMT			1							
TRIP CTD CONVERTED MONTOR VALUES FRANSMISSOMETER Gleaned air bleed valve DEPTH SAMPLE BOTTLE SAMPLE BOTTLE NUM JOG5 DATA 3.1 DATA 3.1 DATA 3.1 DATA 3.1 DATA 3.1 DATA 3.1 DATA 1.065 DATA 1.067 DATA <td></td> <td>5/530</td> <td>AT SURFACE</td> <td>00</td> <td>00</td> <td>6m7</td> <td>:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>MAX. DE</td> <td>PTH =</td> <td>97</td> <td>٤</td>		5/530	AT SURFACE	00	00	6m7	:						MAX. DE	PTH =	97	٤
TRIP DEPTH PRESSURE PRI. TEMP. SEC. TEMP. PRI. SALINITY SEC. SALINITY SAL. NUTR. CH. 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2			PAR 424		E			RANSMIS	SOMETER		Clean	ed air ble	eed valve	0		
PRESSURE PRI, TEMP. SEC, TEMP. PRI, SALINITY SAL, NUTR. CH. 1065 1066 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 1067 10				CTD	NVERTED MIC	<u>SNITOR (</u>	VALUES			S	AMPLE B DAT,	OTTLE A	SAMF	LE BOTT	LE NUM	BER
27 27 20 00 00 00 00 00 00 00 00 00 00 00 00		al loosada	ž	TEMP	SEC. TE		PRI. SALÍ		SEC. SALIN		SALIN	ΣL	SAL.	NUTR.	CHL.	WHIT'S NUTR.
2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	12	10001						 −			`		7	1005	1	
	7		 	ļ										1066	1	
	+		-			-								1007	1	
	٧ ^ ا													3901	,	
	1					-					88			6901	7	!
7 8 9 10 11 12		, and a														
9 11 11 12							:									172
9 10 11	- 0		-													
11			 					-								
11	, 9															
12	=							+		+						
	12															

20.6 max El

	VESSEL NOAA R/V M	VESSEL NOAA RV MILLER FREEMAN		į		PROJECT & LEG MF02-11	& LEG	300				STAT	ION DES	STATION DESIGNATION	7	
	CONSC					7. (1)	TIME		WET	SESSURE SEA STATE	VISIBILITY VISIBILITY VIND VIND VIND VIND VIND VIND VIND VIND	WIND (amt)	LOUD (amt) YPE RATHER	BOTTOM		STA.
	CAST #	LATITUDE	2 032	LONGITUDE	<u> </u>	DATE JD=	VR HR MIN	BULB N	SOLB SOLB			(m/s)	11.	(E)	+-	5
	20	2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	~~~	0	O tymby) - -	2 N C	0	2	124	720	221	672	87	8	t d
	1/6/3/	0 > 0 - 0 -	-	,	2		3	2			1		DEMADVE	_		
	CTD		TIMES	•	JD/TIME				DATA LOCALION	20			KEIMAK	2		
	TYPE & SN	9+ S/N 91220	DATAON		16:	A G: ザミ: O G wrt Tape/Diskette ID	سر Tape/Di	skette ID	ш.	ile Name	File Name/Header					
	PRESS SN	80020	START DOWN		061	44:00 cm	PAR F		, 		Ì	1				:4
	TEMP SN	710/884	AT-DEPTH		:90	Img oct 5 h	27					l				Š.
	NS CNO	915/530	AT SURFACE	병	90	S (:00 6m7	<u> </u>		l 			,	MAX. DEPTH =	EPTH =		٤
			NA C	2) July	FLUOR 153 C	ChIAM 109	TRANSM	TRANSMISSOMETER	~	Clea	Cleaned air bleed valve	leed valv	Đ		
	POS. TRIP						OR VALUES	٦			SAMPLE BOTTLE	BOTTLE	SAM	SAMPLE BOTTLE NUMBER	TLE NUN	/BER
		Ξ				63					DATA	¥				1
		Hall Syde	<u> </u>	PRI TEMP		SEC. TEMP.	PRIS	PRI SALINITY	SEC. SALINITY	<u> </u>	SALINITY	YITY	SAL.	NUTR.	CHL.	WHIT'S NUTR.
Lon	77 /	<u> </u>	ļ -		-								7	1070		
5 5	- 6		-		十				 					1071	/	
2 2														1072	7	
3.0	, -		-		-									1073	\	
2	r 40				-						10			1074	•	
0)	9													1075	,	ía.
0	- ~													1076	2	·
)	- 80				$ \cdot $											
	6						_			-						
	10				-					+						
	11			ļ	+		-			+						
	12		\dashv		\dashv					7						

0,55 max F/

(mb) (deg) (mvs) (mb) (mb) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (mvs) (deg) (VESSEL NOAA R CONSC	SEL A RV MILLE SC	VESSEL NOAA RV MILLER FREEMAN CONSC				[法 后] ·	TIME	DRY	WET	BAUSSBR BTATS ABS	ALINIBISIA M M M M M M M M M M M M M M M M M M M	WIND (amt)	PE A PATHER SO	STATION DESIGNATION WIND OUT WIND OUT BOTTOM	ES AVI	STA.
SS S	AS	DEG!	MIN		MIN		NO NO	亨				1 1	(m/s)	Λ • L •	Έ)		
CTD TIMES JONTINE DATA LOCATION REMARKS SS NS 30020 START DOWN \$\frac{7}{7} \cdot 2 \frac{7}{2} \cdot 6 \rho T AT DEPTH = \$\frac{7}{2} \frac{7}{2} \cdot 6 \rho T AT DEPTH = \$\frac{7}{2} \frac{7}{2} \cdot 6 \rho T SS NS 30020 START DOWN \$\frac{7}{2} \cdot 2 \frac{7}{2} \cdot 6 \rho T AT DEPTH = \$\frac{7}{2} \frac{7}{2} \cdot 6 \rho T SS NS 315630 AT SURFACE \$\frac{7}{2} \cdot 2 \frac{7}{2} \cdot 6 \rho T AT SURFACE \$\frac{7}{2} \cdot 2 \frac{7}{2} \frac{7}{2} \cdot 6 \rho T TRIP TRIP AT SURFACE \$\frac{7}{2} \cdot 2 \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac{7}{2} \frac	60	9582	4 4	951	- 5	۵ «	0 2 7 0	072	0	•	411		-	72.2			
8. SN 9F SIN 9T220 DATA ON 6 7: 27: 0 6 MT Tape/Diskete ID File Name/Header SS 88 80020 START DOWN 6 7: 27: 0 6 MT AT DEPTH AT DEPTH AT DEPTH AT DEPTH = 6 8 SN 915630 AT SURFACE 6 7: 3 7: 6 6 MT AT SURFACE >4</th> <td>6</td> <td></td> <td>TIMES</td> <td></td> <td>JD/TIME</td> <td></td> <td></td> <td></td> <td>DATA LOCAT</td> <td>NOL</td> <td></td> <td><u> </u></td> <td>MARK</td> <td>Ø</td> <td></td> <td></td>	4	6		TIMES		JD/TIME				DATA LOCAT	NOL		<u> </u>	MARK	Ø		
SSN 80020 SN 710084 AT DEPTH	ΥPE	•	S/N 91220	DATA ON	7	67:	4	⊺ Tape/Disk	ette ID	Ī	e Name	/Header					
SN 710/884 AT DEPTH	Ř	-	020	START	NMOC	67:	23		}				<u> </u>				
TRIP	Ψ	•	0/884	AT DEPT	· ·	07:	29:00			i i							
TRIP DEPTH CID CONVERTED MONITOR VALUES TRANSMISSOMETER Gleaned air bleed valve DEPTH SEC. TEMP. SEC. TEMP. SEC. TEMP. SEC. TEMP. SEC. TEMP. SEC. TEMP. SEC. SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY SALINITY	Ž O		5/530	AT SURF	-ACE	07:	3:60	<u> </u>			1	[Ň	AX. DEF	ji		E
TRIP CTD CONVERTED MONTOR VALUES SAMPLE BOTTLE NUMBER	;			E PA	R 4242	F.W.		AM 109	TRANSMI	SSOMETER		Cleanec	air blee	d valve			
C C C C C C C C C C	SS	ļ				CONVI	ERTED MONITO	OR VALUES			os .	AMPLE BO DATA	TLE	SAMPL	E BOTTI	E NUM	BER
20 30 30 30 30 31 30 31 30 31 31 32 33 34 35 36 37 38 39 39 39 39 30 30 30 30 30 30 30 30 30 30			ALI SCHAO	<u> </u>	PRI. TEMP		SEC. TEMP.	PRI. SAI		SEC. SALIN	≟	SALINIT					WHIT'S NUTR.
30 30 30 30 30 30 30 30 30 30	-	27		-									4		107		
3/ 20/ 20/ 3/ 3/ 3/ 3/ 3/ 3/ 3/ 3/ 3/ 3/ 3/ 3/ 3/	ء -	0 0 0				\vdash									G£01		
	ء ہ	7			- - - -										10 7 9		
	۶ _ح	2 /~									-				1080		
3	. տ	70										73			80		
	, e													83	680		
	۱ م اد	5 5		<u> </u>											1083		
9 10 11 12	. «	1													~		
11	. s											i					
11	6										1		1				
12	11										\dagger	:					
	12			_		-			_		-			_			

0,55 max f/

VESSEL NOAA RV MILLER FREEMAN	NAN .		PR	PROJECT & LEG MF02-11	စ္မ					STATIC	ON DESI	STATION DESIGNATION		
CONSC ATITLIDE	<u> </u>	LONGITUDE	DATE JE	-	TIME (GMT)	DRY BULB	WET	PRESSURE STATE A38	VISIBILITY DIRN.	WIND SPD. (amt)	WEATHER	BOTTOM DEPTH	1	STA. NAME/ID
DEG	DEG	G MIN	DAY N	MO YR	HR MIN	(၁.)	(၃့)	(mb) *	(bep)	(s/w)	*	(w)	-	-
0905825080	5 N q	o 44.	47 W070	C T 0 2	17185	10.	•	113	7 = 1 9	24	9 H	7-7-		P X
стэ	TIMES		JD/TIME				DATA LOCATION	NOI			REMARKS	S		
TYPE & SN 9+ S/N 91220	20 DATA ON	NO N		<u> </u>	Tape/Diskette ID	tte ID	正	e Name	File Name/Header	<u> </u>				
PRESS SN 80020	STAF	START DOWN				ō	\ 		į					
TEMP SN 710/884	ATD	АТ DEPTH							8					
	ATS	AT SURFACE	63]							MAX. DEPTH =	PTH =		E
		PAR 4242	FLUOR 153	ChIAM 109		FRANSMIS	TRANSMISSOMETER		Cleane	d air ble	Cleaned air bleed valve	0		
POS. TRIP DEPTH]] - -		CTD CONVERTED MONITOR VALUE	MONITOR	VALUES	<u>.</u>		8	SAMPLE BOTTLE DATA	этте	SAME	Sample Bottle number	LE NUM	BER
PRE	PRESSURE	PRI. TEMP.	SEC.	. TEMP.	PRI. SALINITY	Z L	SEC. SALINITY	λ	SALINITY	Ł	SAL.	NUTR.	CHL.	WHIT'S NUTR.
1 401												1084		
2 604								-				IDES		
· ·								+				1301		
_								1				10.67		
						_		-				1068		
					ļ						/:±	530		
701 1												080		12
8												8		
6								-						
10						+		+						
11			_					\dagger						ļ
12			-			-		-						
		(

FIVOH LOS = 033