7	1	70	9	000	$\overline{}$	7	6	ຜ	4	အ	N	_	Pos	ition	COND. SN	TEMP. SN	PRES	TYPE		00		CONSECUTIVE CAST	VESSEL:
								,					Bot	. #	). SN	SN SN	PRESS. SN	TYPE & SN	QID QID	151	ᄄ	NUMVER	- [ [
	-	T		$\top$		•				<u> </u>			Trip Dep		1 1	0				2-	-	C	
	-	╁	十	+	+		-		$\vdash$	$\vdash$	-	1	T-ra		SAL	031455	25084	gund		20.0	MIN	LATITUDE	lex
		-	╁╴		7		910					۷.	Depth		^	3	2	10		0		DE .	12
							٠					58:3	) E	TIME @	1 1	<u> </u>		} 		N			Memor
		5			ŀ			1				32:30	Trip	<b>®</b>	OTHER:	OTHER:	נט	EH3	20	65	8		12
-		$\vdash$	╁	+	+		-				-	+	<del> </del>	+	"	, <del>7</del> 7	FLUOROMETER (1)	LIGHT METER (1)	A			LONG	<del> </del>
												112.714	Press.					EH (	ACH	25.	<u>S</u>	LONGITUDE	<u>R</u>
	_		<del> </del>	_	1			<u> </u>	-	<del>                                     </del>	-	$\mathbf{I}$	<b>├</b> ─				ઽૼ	ક	ATTACHMENTS:	٥		m	1 & [
												3.6145	Temp.	-33					ŢŞ.	10W21	0	D	PROJECT & LEGIN 7508
		<u> </u>	L		4					ļ		1	╄	-   ₹				1			DAY	DATE JD=	112
												32. 6546	Salinity	Monitor		ŽÍ.		RE	굍	MAY	δ	jo <u>-</u>	150
										¥3		346	₹	Va.		. 1	.5	MAR	FILENAME:	9 5	∌	14)	100
:0										4			Cond.	Values			MAY	KS (≘	ü		<b>-</b>		-
												1	ğ.				aus	nclud	0	0349	M	TIME (GMT)	
	3					_						.58	Fluor.		1	-	7	e alte	45		Γ		INITIALS:
								5				587628	<u> </u>	Ģ.			140	rnate	001	7.4		C)	l:S:
								20	82		2		Therm	(0	25			REMARKS (include alternate station	1	4			-
		10						, 🛮					m <sub>P</sub>	Sample	100				211	5		WET BULB (° C)	11
										38			Avg.		10			signa	MAY	.50		BAR.	-   ',
	0								**	ž			√w	Bottle				tion i	03	1		(mb,integer) SEA STATE	CHECKED BY:
$\exists$			-	厂	$\dagger$					è		32.		1	L			app	3	8		VISIBILITY WIND	7 🕏
										53		660	Sal.	Data	UNIMAK PASS			designation if applicable):		1/5		DIRECTION	BY:
$\dashv$					$\dagger$							3 /	<sub>B</sub>	(n	7AK			9		0		WIND	1
										1 10		15	Bot.#	Sal.	X					8 2		SPEED (kts) CLOUD (amt)	_
: 2						$\neg$		igi.					Bot	rient tle	200					31		TYPE WEATHER	_
_					-			3.		_	_	-	#							1			
	_	/	_	_	<u>.</u>  .	$ \_                                   $	/	_	_	_	_	_	ΜZ	Chlor/						50	,	BOTTOM DEPTH (m)	PAGE
					$\perp$								1	)T/						<u> </u>			
		:											Oth	er								STA. NAME/ID	<u></u>
3	<u> </u>	1 0	9		Ţ.	7	6	ڻ ن	4	သ	2		Pos	ition								ਰੇ	

## CTD CAST LOG FORM

		- 83							· -	<b>,</b> -		_		1					Τ	τ-	CONSECUTIVE	<del></del>
1 2	1	0	9		1,	6	5	4	မ	2	_	Pos	ition	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN		00	ł	CAST	VESSEL:
<u> </u>	╁	╁	╁	+	<del>  `</del>	+	+	<del>                                     </del>	<u> </u>		1	1		D S	დ	88	ζο 111	CID	7	1_	NUMVER	Ĭ Ĕ
<u> </u>	<del> </del>	_	4	-	+	-	<b>↓</b>	┼	_	_	╁-	Bot Trip		Ž		ž	ž	Ю	54	몺		15
	İ							1				Dep		1	6	2	9		2		5	Miller Freeman
	+-	<del>  -</del>	1	+	+	1	<del>                                     </del>	T	<del>                                     </del>		1	T-ra		是	핸	ج	12		73	<u>₹</u>	ATITUDE	12
-	-	╬	+-	+-	+		-	$\vdash$	┼	十一	+-	0	Т	०र्	031455	25084	9/2201		ivi	1	) H	12
			Ī					-			1	Depth	l⊒		6,	1			0	<u> </u>		3
<u> </u>	↓_	$\perp$	┼	4-	-	-		⊬	<b>↓</b> —	-	╂—	3	TIME @	<u> </u>	0	7)			Z	╁╴		12
											Ì	T ib	(9)	OTHER.	OTHER:	E	E E		6	쭚		
			_	_	_	<u> </u>		_	_	ļ	_	ļ_	<del> </del>	<b> </b> ;ÿ	, <del>;;</del> ;	FLUOROMETER (1)	LIGHT METER (1)	Þ	5		<u> </u>	
											1562360	P			1.	M	313	H	6		LONGITUDE	ð
i										ľ	236	Press.				ᇁ	H (	CH	W	至		l iii
	↓_	_	_	<del> </del>	_	╄	ļ	├	-	-	4	ļ		H		3	<u> </u>	MED	3	1		7 ‰
ĺ			1	1							3.5712	Temp.				k	_	ATTACHMENTS:	₹			PROJECT & LEG:
		.					•				712	형			1000		)		7	DAY	DATE	ا <sub>م</sub> ا
-	╂—	┼-	╁	-	+-	╁—	╁	-	╀	-		╄—	Monitor	1		5	ı		3			8056AM
		İ			-			l .			32.6560	Salinity	<u>S</u>		387		뀨	2	MAY	8	JD=	فيا
	1			1		1		9			260	ĮĮ.	1			2	MA	图	<u>y</u> 9	_		0
	<del> </del> —	┢	├	<del> </del>	╁	-	+-	-	(2)			<del>                                     </del>	Values			•	R	FILENAME:	5	∌		∞
2	l			ļ								Cond.	S			3	÷ €		0	ΉH	<u> </u>	
						1					ł	ă	Ì			्रो	· 전	() A	44	_	TIME (GMT)	'
┢	5	$\vdash$	╁╌	╂━	+-	+-	-	<u> </u>		<del>                                     </del>	2	_	1			۲.	REMARKS (include alternate station designation if applicable):	AST 002	141	<u>\$</u>		Z
	ļ	ĺ	]						l		287505	Fluor.	1			#	lterr	ğ			~ œ n	I ₹
								i	l	į.	8					. 7	nate	2	9.6		(°C)	ပ်
										100		ThermP				£.	Sia	li .	0	<u> </u>		INITIALS: LAC
	*		ľ		İ				ŀ	417		lä I	္အ		30	- 15	할	2	1.		^₀ ₽₹	7
		42.				┖						↓—	ample			, th	Sep	7	쿠. C		(° C)	11
												Avg.					ign	21 MAY 0	90	├	BAR.	┨'ॢ
				Ī				10				Ľ	Bottle	150	26		atior	70		1	(mb,integer)	CHECKED BY:
	·			_		ļ			_	<u> </u>	<u> </u>	¥	<b>.</b>	18					W		SEA STATE VISIBILITY	유
	ĺ		] .								32		Ď		•		ğ	437	8		WIND	l Ö
											2,6719	Sal.	Data				icab		1		DIRECTION	ĭ₹
				_	ļ	ļ					19	⊢	l				ie):		6		WIND	<b>!</b> [
											25	Bot.#	Sal.					;	<u>05</u>		SPEED (kts)	]
									W		ol								W		CLOUD (amt)	]
												Nut Bot	rient				9		3 /		TYPE WEATHER	<b>l</b> '
									Ì			#		2								
														5			,		1		BOTTOM DEPTH	PAGE
_	_	_	_	\	_	_	_	_	-	-	_	ΜZ	Chlor/	7			,		64	,	_ <u> </u>	<b>.</b> .
												[	ĭ	À					project in the			7
				Г		† · · ·					-	<u></u>		1							¥ S S	으
						-	-				<del> </del>	Oth	er Er	UNIMAL PASS					$\vdash \vdash$		STA.	
1 2		-	ထ	<sub>∞</sub>	7	6	S	4	ယ	N		Pos	ition	R							·	
					4																	

1-	1	1-	T	T	7		5	4	w	N	T_	Pos	sition	8	전	PAR	¥.		00		CONSECUI CAST	NE	VESSEL:
2	<del>  -</del>	0	9	160	7	165	01					Во	#	SND. SN	TEMP. SN	PRESS. SN	TYPE & SN	CID	3	R R	NUMVER		Ι.
												Trip Dep			0	4	10		4		Ą		Mille
					L			L			_	T-ra	ack	12	031455	25084	9/2201		4	<u>₹</u>	ATITUDE		7
						,						Depth	ME		8	14			N Z	_			Miller Freeman
	1	$\vdash$		1		-						Trip	TIME @	OTHER	OTHER:	FLUC	LIGH.	¥	6	SE SE			{
-	<u> </u>		$\vdash$	┼╾	╁		-			-	<u>-</u>	╁─	-	<sup>;;;</sup>	;;; 	) POME	T MET	A	50		LONG		PR
											33,2/60	Press.				FLUOROMETER (小)	LIGHT METER (1)	ACHI	8 4	<u>S</u>	LONGITUDE		QECT
-	-	$\vdash$	-	╁╴	$\dagger$	+-		<del>                                     </del>		<del>                                     </del>		7.	ν.			ح ما	_  _	ATTACHMENTS:	2 W				PROJECT & LEG:
											3,5653	Temp.	<b>S</b>				\	le.	7	DAY	DATE		1
				T	17.21						32.0	Salinity	Monitor	- 12-	87 10	18	뀨	2	MAY	8	: JD=		NF 9508
					L	_	_			_	32.6405	niiv	Values			2	MAR	FILENAME:	9 5	∌			80
24											30,256	Cond.	ues			42	REMARKS (include alternate station designation if applicable):	U.	5	-	ெ ப		
	<u></u>	_		<u> </u>	╀-	<b> </b> -	_		-	<del>  -</del>	-	╁∸	-			3	dude a	1	1419	S N	TIME (GMT)		
						<u> </u>					79166	Fluor.				CHLYM THIS	alterna	15100	6		DRY BULB		INITIALS:
	**				-					445	6					2	te stat	7	6.8		₩ ₩		: LA
												ThermP	Sample			Chemise	ion de	2-11	5.		WET BULB		
									45			Avg.	1				signal	MAT	60	-	BAR.		[ - 오
	22							i i			Ŀ	<b>⊣</b> ¥	Bottle	, , ,			ion if	0	23		(mb,intege SEA STATE VISIBILITY	<u>r)</u>	市の名
									D		31,8016	Sal.	Data	2.2	•		applica	145	813		WIND DIRECTION	<u> </u>	CHECKED BY:
				<u> </u>	_						+		1				able):		0 /		WIND		
											7	Bot.#	Sal.						8 /		SPEED (kts CLOUD (an		
												Nut Bot	rient tle						14		TYPE WEATHER		Į.
										-	$\vdash$	#	0				,		/ 3		BOTTOM DEPTH (m)	ł	PAC
			\	_	_	_	_	_	_	_	>	ΜZ	Chlor/			,		3	90				PAGE 3
$\dashv$						-					<del>                                     </del>	Oth									STA. NAME/ID		윽
1 2	<u></u>	-	8	80	7	6	ڻ ن	4	ω	2	_		ition								U A 5		

1 2	[ ]	1 0	9	8	7	6	5	4	ω	2	_	Pos	ition	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN		0		CONSECUTIVE CAST	VESSEL:
	-											Bot. Trip		), SN			_	CID	4 54	SK	_	1
$\vdash$	-										<	Dep T∙ra		74	031455	25084	9/2201		26	Z <u>IZ</u>	ATITUDE	Mer F
											35-30	Depth	TIME @		55	l 	1		Z T7		m 	Miller Freeman
											4:04	Trip	<b>©</b>	OTHER.	OTHER:	HOUL	LIGHT N		100	0330	<u>۲</u>	
											47.0784	Press.				FLUOROMETER (1)	LIGHT METER (小)	ATTACHMENTS:	0	M	LONGITUDE	PROJECT & LEG.
											3.4569	Temp.	2	-	121	K	<	ENIS:	W	DAY	DATE	l.
											3, 9048	Salinity	Monitor V	-			REMAI	FILENAME:	MAY9	₹		WESSO S
E.											27, 9/04	Cond.	Values				RKS (includ		50635	ਅ   ਜ਼ਮ   ∿	TIME (GMT)	
	(4)									7	1.593733	Fluor.				CHLYMM THIS	REMARKS (include alternate station	CAST004	5 4	Z	(°C)	INITIALS:
	٠,									A A		ThermP	Sample		190	cremise	station designation if applicable):	2/ MAY	11.14	_	(° C)	LAC/W
	Œ.							8				Avg. Tw	le Bottle				signation if	063	5		BAR. (mb,integer) SEA STATE	CHECKED BY:
									ē			Sal.	Data				applicable		8/15		VISIBILITY WIND DIRECTION	ED BY: _
									23		26	Bot.#	Sal.				);		0 00 2		WIND SPEED (kts) CLOUD (amt)	
												Nutr Bott #	rient le	55.5					4/		TYPE WEATHER	
/	/	/	/			_		_	_	_	_	MZ	Chlor/	UNIMAK DASS	•		,		45		BOTTOM DEPTH	PAGE 1
												Othe		5.5							STA.	of _
2	<u></u>	0	စ	ထ	7	<u></u>	ທ	4	ω	8		Posi	tion		·						ō	

			/																	~=	γ—	3000E0 61	<del>/- 1</del>	
1 2	_	10	؈	c	<b>x</b>	7	o	ري ري	4	ω	N	_	Pos	sition	COND. SN	TEMP. SN	PRESS, SN	TYPE & SN		005		CONSECUTIV	<sup>/</sup> =	VESSEL:
							31	22	3	27	S	8	Bot		). SN	S	S. S <del>S</del>	NS &	<b>CID</b>	556	E E	NUMVER	$\dashv$	
							0	10	20	30	40	MAX	Trip		1	  e	ایرا	2		0	G	5		MIM
		1	1	$\top$			-	1	T			1	T-ra		1	031455	25084	9/2201		71	ĭ Ž	ATITUDE		2
													Depth			5.5	48	0/		S	L	m		3,
-	╁	-	+	+				_			11	=	1 -	TIME @	0	Q	Д	<u>-</u>		Z			$\dashv$	Miller Freeman
							1158	5	156	1156	1155	11512)	Trip	(9)	OTHER:	OTHER:	NON.	목		57	8		-=-	-1\-
				T			2.0	10.	20.	30.	40.	137	P				FLUOROMETER (1)	LIGHT METER (1)	ATTA	5		ONGITUDE		PAO
İ					į		2.677	10,400	20.580	30.640	40.7001	137.931	Press.				ER (	H 3	CHM	6 0	Š	<u>교</u>		)TCT
	-	T	1	$\dagger$			4.	<del> </del>	4.1	4.0	3.941	w.	7	1 1 2		1	ح ا ما	l	ATTACHMENTS:	MIL				PROJECT & LEG:
							4, 299	4.227	4.132	4.059	<u>+</u>	3.458	Temp.					\	F.	24	DAY	DATE		4
		-	$\vdash$	╁		::::	37.	<u>a</u>	Ċ	34	<u>(3</u>	3	န္တ	Monitor	- 33			71	- Tel	MAY	5	E JD=		N. S.
							527	645	31.781	789	31.787	31.827	Salinity		2	6	2	EMA	FILENAME:	Y 9		= 1곡곽		8056 AM
		$\vdash$	<del> -</del>	+	┪		<u> </u>		29	29.	29	↓		Values	orre	GRID	2	RKS	¥	5	∌	<u> </u>	4	०२
			ĺ				29.8660	29.9107	29.9529	29.9045	29,8096	29.4876	Cond.	S	wire out	STA	CHEMM	REMARKS (include alternate station designation if applicable):	C		3	TIME (GMT)		
	j	├		+	1			-	+	N <sub>2</sub>			<u> </u>	1	H		3	de al	151	0	3	3 m	_	Ž
							0.348	1.226	2.05%	.437	1.805	0,1.294	Fluor.		136	87	3747	terna	CASTOOS	0		ORY BULB	ı	INITIALS:
	20)	-			ᅥ				-				Therr		M		2	le sta	5	5.0		ა ლ ≺ ———	_	DD.
	~ :			1		l							ermP	San		Į.,	25	tion c	24	05		WET		A
		33	-	╫	+					20		-	Avg.	sample		TAUL #	. · (-1	esigr	24MAY 1146	5.10		BAR.	_	<b>I</b>
									k."				g. Tw	Bottle		#		ation	УH	12		(mb,integer)	_	CHECKED BY:
	. 100	_	-	╁	$\dashv$		_		-	_		$\vdash$	<u>₹</u>			05		if ap	46	47		SEA STATE VISIBILITY	$\exists$	XED XED
					Ì					8			Sal	Data	ď	on station		plicat		8		WIND DIRECTION		BY:
$\vdash \vdash$			-	-	$\dashv$							4.1	B			10%		ě):	-	5		WIND	$\dashv$	
												30	Bot.#	Sal.	1		MOA # 239			28		SPEED (kts) CLOUD (amt		
							1243	Harch	1265	990	1267		Nut Bot	rient tle			<b>\$</b> 2			62		TYPE WEATHER		!
			_	<u> </u>	_			- -	+	6	41		#				39						_}	۵
	_	/	_	-	$\downarrow$	_	V/	-	1	1	1	-	ΜZ	Chlor/			,	,		비비		BOTTOM DEPTH		PAGE
					$\downarrow$			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	N.	\\.\.	13			<u>-</u>										ξη <u>•</u>
					1								Oth	er								STA.	3	요   1
-1 N	<u> </u>	1 0	8			7	တ	<u>س</u>	4	ယ	N		Pos	ition						ВП		<del></del>	$\bot$	

						0.0											<del></del>		4		Lo.		CONCECTOR		
7 22	-	- 1	- 1	g	000	7		,	5	4	ω	2	_	Po	sition	COND. SN	TEMP. SN	PRESS, SN	TYPE & SN		000		CONSECUTIVI CAST NUMVER		VESSEL:
							0	2 }	22	S	27	33	8		. #	, SZ	8	\$2	NS S	CID	656	NG S	· · · · · · · · · · · · · · · · · · ·	1.	
							, C	k	วี	20	30	0	60	Trip			6	12	2		0	5)	l		MIN
	-		7		T			$\uparrow$					<	T∙ra		12	716	25084	9/2201		o_	Ĭ₹	ATITUDE		2
							,	1					133230	Depth			554160	3	0		26		m		3,
_	╀-		$\dashv$	-	-	+	1,2	- I	7	12	13	2	30 13	1	TIME @	<u> </u>								-	Miller Freeman
							1342	-   -	1247	1340	1339	1339	1337	Trip	8		OTHER:	ROU	SHT		57	RG G	<u>ر</u>		(
							2.66	j	). O.	20.	30.	40.	59.531	P				FLUOROMETER (1)	LIGHT METER (1)	ATTA			ONGITUDE		PAO
	125						19	2	10.687	20.806	30.782	40.901	531	Press.				ER (V	R 3	CHM	1.86	Š	JDE L		E E
		1	1			十	4.191	<u> }</u>	101 17	4,197	4.149	3.979	3.178	T <sub>e</sub>	- Fig.			ا حا	_	ATTACHMENTS:	<u>6</u> ×	$\vdash$	,		PROJECT & LEG:
İ			.				161	}	٥	97	49	79	18	Temp.			15.		`	<b>.</b>	24	DAY	DATE	اء	
		$\dagger$	1			$\top$	<u>د</u>	Ú.	2	31.	<u>v</u>	3 8	31.8	Sa	Monitor	Q.		di -	ָ ת	3	MAY		E JD=		8056 AM
							31.807	100	21.807	807	31.806	812	31.879	Salinity		Z.	GRID	No	EMAI	FILENAME:	9	Н	<u> </u>		S
330	-	T	1		Γ	1	30	U.C.	) U	30	29.	29.	29.	ဂ္ဂ	Values	MAX CAST		2	3KS	ÿ	5 /	¥ ¥	-	-	<b>્ર</b>
	İ						0160	0,40	2	0236	29.9935	8627	29.2673	Cond.			STA	STATE MENTAL	REMARKS (include alternate station designation if applicable):	CAS	331	¥.	TIME (GMT)	H	
	ii.	$\dagger$	†			╁	_	L197.7			2.2	+	d. 2331	22	1	DEPTH	D7	Z I	de alt	700		Š			Z
							1.9724	- 6	7	2.2557	2.2831	1.9815	331	Fluor.				*	ernate	CASTOO6_	04180		(°C)		INITIALS:
			1.									<u>S</u>		The		69 m		3	stati		9	_	<u> </u>	- (	A
			ą.											ThermP	Sample			comse	on de	24MAY/328	141.		WET BULB		
			†			十	-	T			97			Avg.	al i				signa	1/32	4.87		BAR.	┨╏	۸
	3.4									7				J. Tw	Bottle		HAUL #1		ation i	Co	347		(mb,integer) SEA STATE		CHECKED BY:
			$\dagger$			T	$\dagger$	$\dagger$	7				Г		) 1		. #		f app		171/		VISIBILITY WIND		
														Sal.	Data		0		licable		50		DIRECTION	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	BY:
			十				$\dagger$	+	7				_	Bo	S		on station		<b>!</b>		10		WIND SPEED (kts)		Ì
	<u> </u>					_							13	Bot.#	Sal.		+10W	·,	.		86		CLOUD (amt) TYPE		
							SOE S	1961	2	SEC FC	17	1272		Bot	rient tle			NOA 1	)		02	1	WEATHER	╣ .	
-			╁	-			X	10		2	7	2 1	ξ.	#	$\overline{}$			1	ا ، د			-	BOTTOM DEPTH	3	PAGE
$\neg$	_	_	. -	$\neg$	_	_	7	7	1	7	7	7		MΖ	Chlor/			1	112	,	77		_ 크 &	- 1	
_	_		+	-		-	+-	+	$\dashv$			4											× s	6	
_	-		╀	$\dashv$	<u>.                                    </u>		-	- -	_					Oth							Ð	[	STA.		<u>.</u>
N		0	60		<u></u>	7	<u>_</u>	U	,	4	ω	72	_	Pos	ition						7		<del></del>	11	

_	-	14			Т-	$\top$	T		Γ	T -	Τ	Τ	T	T	GZ.	8	ᆏ	-PA	7		0	Γ	CONSECUTIVE	ī sā
2	-	0	+	9	00	-	-	<b>6</b>	S)	4 34	3 27	2	- <b>1</b> :	1-	sition	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN	ß	0 7		CAST NUMVER	VESSEL:
,	-	-	+		-	-	$\dashv$		22			33 4		Bot Trip		ď	Ź	22	S	CID	55	R R		1.
		$\perp$	_[		_	$\perp$	(	) 	ō	20	30	40	MAX	Dep		114	0	7	9/		53	7	LATI	The
	_	-	4		↓_	$\bot$	_	<del></del> ,		ļ	_	┼	PEPPH	T-ra	ICK	黄	554160	25084	9/2201		÷	₹ Ž	ATITUDE	12
								٠					1	Depth	TIM		8	+	~		6 z	-		Car
		1	$\dagger$				Č	ر ارزا عر	1517	1516	1515	15/2	1	Trip	TIME @	OTHER:	OTHER:	FLUC	HBIJ		5	떲		Miller Freeman
	╀	╀	+		╀	+	+		-	<u> </u>	┼—	+	9	╂	+-	2	;;; 	FLUOROMETER (1)	LIGHT METER (1)	A	72		LON	
						İ		2712	10.618	20.940	30.729	40.762	84.690	Press.					TER (	ATTACHMENTS:	8.06	S	ONGITUDE	PROJECT & LEG:
	_	-	╀		├-	╁	$\perp$			1	<del> </del>	╂╍╍	+	╂	-			3	5	MEN	06		lΨ	1&L
		.					1	4.100	4.128	4.184	4.186	4.077	3.390	Temp.				V	<	હિં	w 2 4	DAY	D <sub>A</sub>	, jö
	-	-	+		├	V.	-		(1)		ļ	<b></b>	$\vdash$	1	Monitor	L	:	34			면 명	Υ.	DATE J	N. T.
						ı	31.07	00	\$1.930	31.970	31.980	31.977	31.960	Salinity				>	REM,		MAY	δ	JD= I	8056AM
<del></del>		┼-	╀		$\vdash$	+		_		<del> </del> —	1	╄	<b>↓</b> —	╁─	Values			20	ARKS	FILENAME:	9 5	ð	44	×
		Ì					0410.00	7 7 10	30.0720	30.1580	30.1730	30,6833	29.5197	Cond.	Se			CHLAM	incl		15	35	TIME (GMT)	
<del></del>	3	-	╀		-	-				⊢—			<del> </del>	<del>  :-</del>				3	ude a	A5T	12	MN	角色	Z
							711010	21.7	0.5055	0.6182	0.5774	0.4381	0.1287	Fluor.		W 150	GRID	3444	uterna	CAST Ø Ø 7	04.9		DRY	INITIALS:
	90	┝	+		-	╁	╫		9_	2	14		7			eout		2	ite sta	1	_		으 등록 ———	
												*		ThermP	San			Semise	tion c	24MAY 1509	0 4		WET BULB WET	
	-	20	+	_	_	╁	$\dagger$	-		le .	<u> </u>			Avg.	ample	W SB	, T	1 } . 61	esigr	1/15	4.8/		BAR.	
	Q		ſ											g. Tw	Bottle	3			ation	60.	3		(mb,integer) SEA STATE	CHECKED BY:
		-	╁	_		$\vdash$	$\dagger$				-	$\vdash$	H		1 1	XX	Hayl #1		if ap		47		VISIBILITY	Ř
			İ								ē			Sal.	Data			-	REMARKS (include alternate station designation if applicable):		160		WIND DIRECTION	BY:
		┞		1		$\vdash$	+					0		B	<u>(</u>		05		9		10		WIND SPEED (kts)	
	4											,2		Bot.#	Sal.		Stat		ĺ		7		CLOUD (amt)	
							17/0	177	1274	1275	1276	127		Bott	rient Ie		Station 44	· .	2		62		TYPE WEATHER	
-			-	$\dashv$			0	<i>y</i> .	\ \ \	× >		77 ×		#	_		Ī		MOA #				<u> </u>	P,
_	/	_	-	-	_	_	. -	_	$\widehat{}$	( )	*:/	<u> </u>	_	ΝZ	Chlor/			ļ	247		92		BOTTOM DEPTH (m)	PAGE_
-				-		ļ	+	$\dashv$										-	7				Z Σ	1,
_			_	-			$\perp$	$\dashv$					_	Othe							17		STA.	<u>유</u>
ა		0	ω	$\perp$	œ	7	0	,	თ	4	ω	2		Posi	tion				1		7			

	-4 -1	1 0	8			7	<u>б</u>	ហ	4	3	2		Posi	tion				۶. ۱		H 7	ō	
													Othe	er			( "	maldosq			45-1 STA. NAME/ID	of 1
	1	/	\	-		/	/ X	x /	χ/	/ X	×/	_	MΖ	Chlor/		Uta 40	1	had		84	BOTTOM DEPTH (m)	PAGE 8
							93	194	195	196	197	,	Bott #		80.5 m	25	β	a Niskin		2	WEATHER	
												6	Bot.#	Sa. ient		#	-	Surface		886	SPEED (kts) CLOUD (amt	
			_	_	$\dashv$							_			depth	Haul #				00	WIND	$ \parallel$
										5			Sal.	Data			253	applica		7 1 4	VISIBILITY WIND DIRECTION	ED BY:
	23								2:				). Tw	Bottle	may cast		MOD #	tion if	S	44	(mb,integer) SEA STATE	CHECKED
	_	-		†						핖			Avg.	1 1	<u> </u>		2	esigna	1/6	F	BAR.	$ \frac{1}{2}$ $\frac{1}{2}$
			ŀ								7gi.		ThermP	Sample	N.	正	Fermer	tation d	24MAY 1653	05.3	WET BULB (° C)	- G
	_						2.5656	2.2642	2.0153	1.5468	1.2420	0.1805	Fluor. T		out 80	GRID STA	THE C	REMARKS (include alternate station designation if applicable):	1	05.8	DRY BULB (°C)	INITIALS: I
•	es es	$\vdash$	-	+		_		ļ		<del> </del>	2072 1.2	<del></del>	<u> </u>		wire out	SR	CHEMIN :	clude al	CAST OOS	56	TIME (GMT)	
				1			30.4543	30.4570	30.4497	30.2528	30.20	30.0756	Cond.	Values			· Str	KS (in		5 16	<u>-</u>	_   ~
							31.9230	31.9230	31.9221	31.9371	31.9538	32.0408	Salinity	Monitor V		Ŧ	20	REMA	FILENAME:	MAY9	5D - 1년년 1년년	750
		ļ.		1			4.599	4.598 3	584 3	<del> </del>	4.2504 3		Temp.	Mor						24	DATE ,	WR
	-		2	+		-	<del> </del>	<del>                                     </del>	4	6 4.327	<del> </del>	3 3.9975	<del> </del>				3. <b>k</b>	<u>-</u>	MENTS:	3108W		T & LEG
							2.629	10.556	20.834	30.696	39.769	68.873	Press.			1	FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	13.	ONGITUDE	PROJECT & LEG
							1707	1706	1705	704	1704	1702	Trip	<b>®</b>	OTHER:	OTHER:	FLUORC	LIGHT N		157	<del>8</del> 5	
					. –							165 730	Depth	TIME @			1	0/		6 4 Z	m	Meman
	-											<	Dep T-ra		748	554160	25084	9/2201		5	ATITUDE	Wille
	+-	+-	+	+		-	0	2 10	4 20	7 30	3 40	3 70	Bot Trip		1.				Ю	51514		twi.
N	-	0	9	<u> </u>	00	7	6 3	5 22	4 34	3 27	33	1 18	1	ition	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN	CID	008	CAST NUMVER	VESSEL:

1-	-	T-		$\neg$		T	Т	$\top$	T	T	T	T	T.	oith =	8	료	ğ	₹		0		CONSECUTIVE CAST	Ϋ́
2	·	- 0	4	2	<b>00</b>	7	<u>(2)</u>	5 22	34	3 27	2 33			sition t. #	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN	CID	9		NUMVER	VESSEL
	-		+	$\dashv$		$\vdash$	0	10	20	30	3 40	+	Trip	)	1			1 :	Ø	55	8	 	13
$\vdash$	+	+	+	+	<u> </u>	-	-	Ĭ	Ť			++	De <sub>l</sub>		老	554160	75084	9/2201		38	Z Z	<u>LATITUDE</u>	Miller Freeman
┢	+		+	+		-	<del>                                     </del>	1		+	+-	MAX	Depth	Τ.	વર	458	\$	20/		.50	_	DE .	3
		_		$\downarrow$		<u> </u>	<u> </u>		_		=		1	TIME	<u> </u>			<u> </u>		Z			3
							1842	184	1840	1840	1839	CAST	Trip	9	OTHER:	OTHER:	HOL	GHT	71	5	R 8		ΙK
┢			╁╴	┪			+	+	20.	┽	40	79.	T <sub>D</sub>				FLUOROMETER (1)	LIGHT METER (1)	AH	5		- LONGITUDE	꿇
							1,504	10.941	. 335	30.678	40.637	79. 580	Press.				<u>ਜ਼</u> (	∺R ∢	ACHI	8.19	Š		)ECT
	+	+	十	+			<u>}_</u>	1-	+-	7	4.2	2.5	1	1 =			ڪ ا	ı	ATTACHMENTS:	7 W	Ц		PROJECT & LEG:
							4.4415	4.4334	4.4318	4.3811	4.2178	3.9122	Temp.				<u></u>	<	ţ.	2 4	DAY	DATE	I.
	$\top$	$\dagger$	+	†			+	1	31	3	31.	(N	Sa	Monitor	-	<u>.</u> 2 3		, 	71	MAY		ய் 	N. P.
							31.9006	31.9012	31,9036	31.9006	31.9095	31.9585	Salinity				Ž	EMA	FILENAME:	. Y 9			8056AM
27	1	T	T	$\dagger$				+	<del>↓</del>	30.	-	+	1	Values			2	RKS	ME:	5 /	ž	<u>. E.</u>	∞
						!	30.3039	30,3017	30.3065	30,2663	30.1427	29.9480	Cond.		Ha	35	7	(inclu	CAS	83	<u>7</u>	(GMT)	
	11	T		†			1.76	1.5	<del>                                     </del>	1.50	7.0	+	1		Haul # /	CRID	Z Z	de alte	CAST 009-	7 (	<u>\$</u>		N.
					ļ		1.7686	1.5492	1.7522	1.5069	1.0493	0.2878	Fluor.		1 on	STA	#	REMARKS (include alternate station designation if applicable):		7		DRY BULB	INITIALS:
	186										100		ThermP		Sta	7	Z.	stati	24MAY 1834	.00			Ħ
		300			İ							1	P	Sample	45		. L	on de	AY 18	6.2	•	(° C)	
										100		i	Avg.		,			signat	34			BAR.	<u>Ω</u>
												20.5	Τw	Bottle	1			Š F		44	;	(mb,integer) SEA STATE	CHECKED BY:
												1	Sal	Data				applic		7	1	VISIBILITY WIND	ED B
													<u> </u>	ន				able)		60		DIRECTION	<u>:</u> ≾ 
											03	1	Bot.#	Sal.						12	:	WIND SPEED (kts)	
			-	+	+	_			A)	N	-		Nut	rient	99		MOA #		- [	86	-	CLOUD (amt) TYPE	
							198	99	200	201	202		Bot #	tle						2		WEATHER D 图	
							/ X	×/	×	× \	×/		MΖ	Chlor/			258	4		00	(111)	BOTTOM DEPTH	PAGE
													7	or/			ŕ		ŀ	6			9
													Oth	er							5 1	46-1 STA.	of.
1 2	1 1	1 0	8	8		7	6	5	4	ω	N		Pos	ition						7	ā	ਤੇ <sup>.</sup>	

1 2	_	0	ď	,	8	7	ഗ	S	4	ω	2			sition	SND. SN	TEMP. SN	PRESS. SN	TYPE & SN		0110	CONSECUTI CAST NUMVER	/E
	-	_	-	_		_	3	22	34 2	27 3	33 /	18	Bot Trip	SKIN 1.#	<u>\$</u>	SS	SZ Z	S S N	CID	0 5/5	8	
	-	$\perp$	_	4		-	0	Ō	20	30	40	·,	Dep T-ra	oth	#	160	250	9/2201		30	MIN	
						T	,	1			-	. 23:36	Depth	Į.	ब्ह	554160	25084	201		. 5 JN	Z D	
									-				Trip	TIME @	OTHER	OTHER:	FLUOR	LIGHT		156	DEG _	
							2.1405	1,39/L'b	30. 1372	30.0118	70.4125	101.0692	Press.				FLUOROMETER (小	LIGHT METER (1)	ATTACHMENTS:	4 3.2	LONGITUDE	
							4.703/	46974	19081	4.3203	4.17%	39090	Temp.	~			K	<	ENTS:	3 W 2 4	DATE	
	-				_		31,7884	3 1. 7885	1961	31.8219	31.86 84	31.9903	Salinity	Monitor Va	¢		χ.	REMAR	FILENAME:	MAYS	ND= 144	
-							30,4248	300000	30.1624	30.1481	30. OY94	29.9816	Cond.	Values	7	C.R.	CHLAN	REMARKS (include alternate station designation if applicable):		52022	TIME (GMT)	
							0,4558	0,9093	D 3/50	0.4694	.3120	451969	Fluor.		Max dit	GRID STA	CHEMON THIS	e alternate	CAST PID-2	2 5.2	DRY	
	•										74		ThermP	Sample	2 - 123	17	Semse	station des	24 MAY	2 5	WET BULB (° C)	
	19								ea.				Avg. Tw	le Bottle	) · M			signation if	•	1 1 44	BAR. (mb,integer) SEA STATE	
										15.			Sal.	Data		٠		applicable		7200	VISIBILITY WIND DIRECTION	
		·										32	Bot.#	S <u>e</u>				):		9840	WIND SPEED (kts) CLOUD (ami	)
						:	203	204	205	206	207		Bot #							ע	WEATHER	7
	\	/	_		\	/	X /	× /	/ ×	× /	Χ/	_	MΖ	Chlor/			,	,			BOTTOM DEPTH (m)	
				1									Oth	er						· · · · ·	4 7-  STA. NAME/ID	
- 1	A	1 0	89		α	7	6	ڻ ن	4	3	2	_	Pos	ition						7	0	

	-4	0	<u> </u>		8	7	6	ر ن	4	ω	2		Pos	sition	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN		0		CONSECUTIVE CAST NUMVER	VESSEL
							0	9	20	30	9	hot	Dop L-ra	oth	SHE NS	5.54/E.O NS		8 SN 9/2201	CID	5546.5	OMO SER	LATTUDE	Miller freeman
													Depth Trip	TIME @	OTHER:	OTHER:		LIGHT		01/56	DE CE	l <u> </u>	mm
							2.0327	0. 2750	20.7537	30.6843	40.6938	600.065	Press.				FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	45.1	NIN.	LONGITUDE	PROJECT & LEG:
	į.	<u>.</u>					5.0957	4.8914	C80 1.4	1-16 101	4.5584 3	4.6529	Temp.	Mo			<b>K</b>	<	NIS:	W 2 5 A	DAY	DATE	1
_							31,7485 31		31,7926 3	1 8 85 F	31, 8000 3	32.8805 3	Salinity	Monitor Values			20	REMARKS	FILENAME:	MAY95	<b>₹</b>	JD=	NE 9508
							30.733) 0.	30.5709 0.	67	9	30.3644 0.	31.43% 0	╁	es			CHLAM	S (include a	CAST	0640	T) Mil	TIME (GMT)	
				+			0,1380	D. 2445	SERT	1364	-0 -1 -17	49120.0	Fluor. Th				THE CA	(include alternate station	110	5.0		DRY BULB	INITIALS: (-
$\frac{1}{1}$		.13		<u> </u>									ThermP Avg.	Sample			comse		25MAY0633	4.0		O BUET	WF
$\frac{1}{1}$	X.												<b>⊣</b> ¥	Bottle D		7.		designation if applicable):	289	1248		(mb,integer) SEA STATE VISIBILITY WIND	CHECKED BY:
+				-								24	Sal. Bot.#	Data Sal.				licable):		00		DIRECTION WIND SPEED (kts)	BY:
+					>	<del></del>	200	200	9 8	= 2	<u>0</u>	1		rient						761		CLOUD (amt) TYPE WEATHER	
	\	\				_	_	/		_	_	\	MΖ	Chlor/				· Sty		187		BOTTOM DEPTH	PAGE //
  -	_												Othe Posi	254				5,00		477	(	STA.	ot

ب 2	13	1-		—- o	T	7		\	4	w	2		Pos	sition	8	TEM.	PR	JAKL		0		CONSECUTIVE CAST	VESSEL:
	+			_		(1)	22	7.	<del></del>	33			Bot	#	NS .CINOC	TEMP. SN	PRESS. SN	TYPE & SN	CID	12/5		NUMVER	Į Ĕ
	-		$\dagger$		T	0	, O	20	30	40	100		Trip	,	<b>1</b> ,	1	1	•	,~	15/5	8	C	Mi
	+-	+	+		[-	+-	+	Ť	Ť	Ť	<	-	Dep T-ra		#	180	25084	9/2201		3.	MIN	ATITUDE	1/2
						,		1			082100	MAX CAST	Depth	Į,	%	031455	4	101		50 N		D m	Miller Freeman
	-	+				0831	0830	0830	0829	0828	00826	CAST	Trip	TIME @	OTHER	OTHER:	FLUOR	LIGHT	,	156	ŒG		1
						1.405	10.175	, 20.075	30.441	40.550	101.468	119.084	Press.				FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	58176	MN	-ONGITUDE	PROJECT & LEG:
	,	<del> -</del>				5,108	4.9489	4.6055	4.5749	4.4490	4.0402	4.0310	Temp.	#		,	5	<u> </u>	MENTS:	N	DAY	DATE	% LEG:
						1 31.7086	9 31.7048	31.7330	31.7559	0 31.7761	31.8890	0 32.0481	Salinity	Monitor	ω.	#	ij.	REM	FLE	SMAY		JD= /	8056AM
						86 30.6916	48 30,5597	30,3035	59 30.3024	30.2199	90 30.0042	61 30.1396	ty Cond.	Values	wire out	Haul # 1	No ch	REMARKS (include alternate station	FILENAME: CASTOLZ	9508	<b>-</b>	100 T	88
	10)	_	_	4			↓	+	_		+	₩	-		MBII	0	3	clude :	1576	3 1 9	<u> </u>	TIME	Z
						0.1943	0.1798	0.1843	0.1492	0.2320	0.0990	0.0812	Fluor.			45	. •	alternate	012 _	04.9		DRY BULB	INITIALS:
			ŀ						11		Š		ThermP	Sample		40	· £		25 M	0 4		WET BULB	DD
:	343								18			,	Avg. Tw	ole Bottle				signation	MAYOSIH	8 11 3		BAR. (mb,integer) SEA STATE	- CHEC
			-									<u> </u>	v Sal.	e Data				designation if applicable):	上	37		VISIBILITY WIND DIRECTION	CHECKED BY:
				1							20		Bot.#	Sal.			MOA #	ole):		7	:	WIND SPEED (kts) CLOUD (amt)	
	:			1		213	214	215	216	217				rient tle			# 302			61		TYPE WEATHER	
	/	/	\		_	×	×	×	×	×/	_	_	ΜZ	Chlor/					·	125		воттом рертн	PAGE 12
													Othe	er							:	54-1 H-9 STA.	2 of _
,	1 1	1 0	8		8	7	6	5	4	3	2		Pos	ition						49		o V	

-1 2	1	0	- 1	9	00		1	О	5	4	ယ	2		Pos	ition	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN	<del></del>	0	ĺ	CONSECUTIVE CAST	VESSEL:
						C	12	22	34	27	33			Bot	. #	SN	SN	S. SN	SS SS	CID	35	몺	NUMVER	1.
		1		•	T	C	>	10	20	30	40	<u> </u>	MAX	Trip		$l_{i}$	_		1		5.5		C	37
	+	+	-		$\vdash$	+-			-	-	+	+	CAS	Dep T-ra		12	031455	75084	9/2201		3	<u>₹</u>	ATITUDE	Miller Freeman
	╁╴	+	$\dashv$		十	+			-	<del> </del>	<del> </del>	十	4	D <sub>0</sub>	Τ	100	45	48	20/		0	~	Ö m	17
								*						Depth	TIME @	<u>L</u> _					8 2	H		] \$
	Ti-		1			1034		1033	1032	1031	1030		1028	Trip	<b>®</b>	OTHER:	OTHER:	Z	면	10.	15	K K		
	_	-	4		}_		=		<del> </del>	<del> </del>	╂──	╀	O	<del>                                     </del>	<u> </u>	┨╷ <sup>⋙</sup>	;;; 	FLUOROMETER (1)	LIGHT METER (1)	B	72		5	
						1.093	3	10.148	19.978	29.907	40.2049		86.225	Press.			-	品	TER	TAC	71.6	XX.	LONGITUDE	
		L				0	1	18	7.3	. I		_	25	Š	×	•	2	R 3	3	HME	6	Ż	Ä	CT &
					ĺ	4.7461		4.6	4.4	4.2892	4.2370		4.0190	de	A-216		s	e	~	ATTACHMENTS:	5 W 2	Н		PROJECT & LEG:
			1			161		4.6836	4.4045	392	370		90	Temp.	7		¥ .		•	•	6	DAY	DATE	1
	1	<del> </del>	+		十	Liv.	-+		t	<u>C&gt;3</u>	3/		32	SS	Monitor			\$15 m	<del></del>	71	MAY	8	ш Д	8056AM
					1	31.9666		31.9663	31.9664	31.9694	31.9762	1	32.0023	Salinity			÷	z	ĒΜ,		<u>  M</u>			150
	-	-	+		$\vdash$		-				t –	-	+	1	Values		513	No a	PK:	FILENAME:	9 5	∌	4	00
						30.6144		30,57659	30.3376	30.2485	30.2155		30.0765	Cond.	Se			cothern THES	(in	ł	10	₹	ରି ଅ	
	-21	_	_		<u> </u>	+	_			<del>                                     </del>		-		ļ			P -	3	lude	45T	29	<u>S</u>	GMT MMT	=
			۱			0,9962	9	1.5863	1.8030	1.2288	0.7230		0.2052	Fluor.			many	#	alter	ÞI3	0		~ B = 1	INITIALS:
			ŀ			62	Ġ	W	30	88	30		52	J	3		1	₩ 2	REMARKS (include alternate station designation if applicable):	CASTØ13 - 25 MA	10290510		C) BULB	[S:
			ŀ				İ		2	ų.		51 83		ThermP	S		W.SS	Ě	statio	MA	0			4
		20				_							1	큠	ample		3	K	de n	11024	41.81		WET WET	
			T			Т					93		214	Avg.					signa	24	81		BAR.	
										7	٨			. Tw	Bottle	٠.			ğ		13	(	(mb,integer) SEA STATE	CHECKED BY:
		一	-		- 8	T	1						П		1 1			tau	e B		171		VISIBILITY WIND	e e
			ĺ								ő.			Sal.	Data	10	\$	#	ča				DIRECTION	BY:
			╀	_	<u>.</u>	╀	+					'	<u> </u>	_	,		ŢF-	_	إ قِ				WIND	$\{ \mid$
										·	ည က	1	1	Bot.#	Sal.	2	5,	3 ,	Ø		3		SPEED (kts) CLOUD (amt)	┨
		-	╁	ᅦ		218	+	N	Ŋ	22	2			Nuti	ient		3	Ota + in	Popeat		86		TYPE WEATHER	1
						Cc	-	2 9	220	21	222			Bott #	ie			5	45		2			<b>-</b>
						><	<u> </u>	×	×	×	×			7	ç.				\$		9	1117	BOTTOM DEPTH	PAGE
	/	_	`	<u> </u>			`				`			ΜZ	Chlor/			1	Station		四			上
$\dashv$			-	$\dashv$		-	$\dagger$	$\dashv$					-										IS T S	13 of
-		-4	-	$\dashv$		├	+							Othe				-	4-1-		Π	į	STA.	
,		0	α	<u> </u>	<u></u>	7	1	თ_	5	4	ω	12		Posi	tion		···				~		<u>.                                    </u>	<u> </u>

 	- 1				8	7	6	<sub>5</sub>	4	w	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Pos	sition	8	펖	PRE	JAYT		0		CONSECUTIVE CAST	אבטטבר.
<u></u>		†				3	22	34	27	S		3	Bot		COND. SN	TEMP. SN	PRESS. SN	TYPE & SN	CID	45	ā	NUMVER	i
	+	+	+-			0	10	20	30	40		1	Trip	)	1,~	l i	1		P	6	8	_	12
		+	+	-			-	<del> </del>		+	+	DEP	T∙ra		742	554160	25084	912201		0	<u>₹</u>	ATITUDE	Title Comme
	╁┈	+	+	$\dashv$		<u> </u>	-	╀	+	+	+-	177	1	T	न्र	45	480	20		. 2	_	DE CO	
												1	Depth	TIME @	  -	6		`		Q Z			
						1216	1215	1214	1214	213		1210	Trip	®	OTHER:	OTHER:	דע	디		- 5	8		
	_	-	4	4			+	┼	╂—	<del> </del>	-	-	╂──			.;;; 	FLUOROMETER (1)	LIGHT METER (1)	A	7/	<u>"</u>	5	L
						2.25	10.777	21.010	31.119	41.112		106.440	Press.			150		TER	TAC	W	S S	LONGITUDE	ה הכשבטו א נובט.
				$\rfloor$		57	77	<del></del>	<u> </u>	2		017	ÿ.	_ .			<u>3</u>	3	ATTACHMENTS:	3.192	Z	R	2
		İ	ŀ	Ì		4.8527	4.8480	4.5891	4.3820	4.2700		3.8190	Temp.		.	.	7	<	NIS:	W			F
		.		ı		27	180	191	820	700		190	jë.	_ _≤		211		`		25	DAY	DATE	1 <u>3</u>
			T	7		31:7	(A)	3	31.	31.8		31.9421	Sa	Monitor	_		X 999	D.	3	MAY		D <u>.</u>	0001
				1		31:7724	31.7709	31.7701	31.7881	31.8097		421	Salinity	1	Σ E	Ta	2	EMA	FILENAME:	8 K	Н	: <i>H</i>	
3	+	$\dagger$	†	1		30.		-	30	30.		29	<del> </del>	Values	wife out	Hau! #	2	RKS	Įį.	5	∌	4	°
				ļ		.5352	30.5336	30.3223	30.1707	.1008		29.8685	Cond.	S		-	\$	(inclu	CA	1210	<del>1</del>	TIME (GMT)	
	)f	╁	╁	+	_		_	0	7 0	0		+			the w	NO.	्रे	ор а	CAST		MZ	3 M	-
				1		0.1039	0,1136	1368	, 1578	. 1403		0.1302	Fluor.		104 M		STATE WEATH	REMARKS (include alternate station	φ14-	0610		· ₽₽ ·	ואווארט.
	-			Ĭ	-	9	6	Ö	S	W		2	1		M	Station	211	ate st		مارا		DRY BULB	9. 1/1/
			-					3			į.		ThermP	Sa			∴.15-	ation	25 MAY 1206	0.3	,	(° B.₩	þ
	-	20	1_	4	_				_	ļ		_		ample		6	(h	n designation if applicable):	X 1 ك	d5.510		WET BULB	
	İ			1	İ								Avg.					gnati	06	171		BAR. (mb,integer)	5
	Ŀ				Ŷ						<u> </u>	·	¥	Bottle			• •	S ==		2		SEA STATE	L C Z
							l			á			S	Data	٤			appli		7 🕒		VISIBILITY WIND	CHECKED BY:
				1						3			Sal.	वि	9	-		cable		1		DIRECTION	:: 
-			Τ	T			<b>.</b>			28			Во	ပ္သ	21.0	J		۳		1		WIND SPEED (kts)	
										Oc .	_	0	Bot.#	Sal.	clos	_		<u>3</u>		86		CLOUD (amt)	
						223	224	225	226	227			Bott	rient le	pee			MOA 中		6 2		TYPE WEATHER	
_			-	+		(N)	イン	>	\ <u>\</u>		<u> </u> -	$\vdash$	#		1 10			315					
_	_	_	_	. .	_	た	/	/	<u> </u>	^	_	_	MΖ.	Chlor/	360			~		- 3		BOTTOM DEPTH	PAGE
			_		_		-		<u> </u>					7	6.3								<u> </u>
													Oth	er	wind Directopeed loggen as variation							STA.	_ ti ot _
	1 1	1 0	<u>ش</u>			7	9	ر ن	4	3	2	_	Posi	tion	7					63	i	ਰੋ `	

٠ ১	_	0	؈	00	_		(N	4	ω	2	_	Pos	sition	COND. SN	TEMP. SN	PRESS. SN	NS & 34AL	<b>5</b>	0115	1	CONSECUTIVE CAST NUMVER	VESSEL:
	_	_	1_	_	5	22	<del></del> -	27	33	00	ļ	Bot Trip		S S	S	Se Se	SN	CID	156	쭚		Ι.
_		10			0	, 10	20	30	40	601	3	Dep	th		6	7	9/		0	Н	<u> </u>	211/6
						_			ļ	<	Ž	T-ra	ıck	#	031455	25084	9/2201		0.12	<u>₹</u>	ATITUDE	1
i i						,				141110	CAST	Depth	TIME @	<u>'</u>	2	+	~		7 7 2			Willer Freeman
76					1420	1419	1418	14/8	1417	1416	1410	Trip	@	OTHER:	OTHER:	FLUOR	LIGHT N		11517	R R	۲ ۱	1
					2.281	10.750	20.822	30.743	40.844	65.756	70.4/5	Press.			Œ,	FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	4 1.17	SE SE	- LONGITUDE	PROJECT & LEG:
		-	$\vdash$	+	4.5		<del>-  `</del>	w	+	W	╂	╆	20 20		70	<u>چ</u>	ح ا_	MENTS	75W2		m 	I & IEG
			_	_	4.5287	4.3789	4.0583	7719	3.6361	2214	3.2232	Temp.	Mo		200		`	p+ •	5	DAY	DATE	
			İ		31.8073	31.8060	31.8093	31.8292	31.8398	31.8755	31.8754	Salinity	Monitor	· May	ta	χ.	REMA	FILENAME:	MAY9	l 1.	JD: /-/	WF 75 0 8
-		-		╂-	+	0 30,	_	_	-	1.	_	1	Values		<u>∪</u>	. 0	RKS	ij.	9 5	3)	CT	🛚
					30.2963	1746	29.9167	29.7016	29.6030	29.3028	29.3063	Cond.	Š	wire out	, on	STATE WEATH	(include	CA:	14110	TO ME	GMT)	
					2.2977	2.5814	2.0859	0.8603	0.9548	0.2038	0.1946	Fluor.	€	1 68	Haul # 1, on Station	北京	REMARKS (include alternate station designation if applicable): Repeat	CAST 015	05.2		DRY BULB	INITIALS: UU
1								£3		. 88		ThermP	Sa	Mo	57	cemse	e station	- 25N	0	<u> </u>	a Shakiya	
$\downarrow$		52.0	_	-	-		-	-	ta.	-			ample	MOA # 320		(y	desig	25MAY 1407	5 2		WET BULB	
									.2			Avg. Tw	Bottle	20			nation	407	5 2 0 9 2	(	BAR. (mb,integer) SEA STATE	유등
$\dagger$					-	=						v Sal	e Data	. ;		ς.	if applic		<u> 171  </u>	7	VISIBILITY WIND	CHECKED BY:
									31			<u> </u>	ន	reson	twas points	711	cable)				DIRECTION	] ::   
T										21	,	Bot.#	Sal.	pled	المحريج	-	Repe		S	5	WIND SPEED (kts) CLOUD (amt)	
1					228	229	230	231	232		-	Nuti Boti	rient lle	C	down to 20 m and		to +2		61	_‴¬	IYPE WEATHER	1
+					X	×	×	~ ×	۲۰ ×		_	# ~	<u>ς</u>		七 20	= D	Station		17	(111)	BOTTOM DEPTH	PAGE
			_							_		ΜZ	Chlor/	logging CTD date	20 m and		10m 43		5	<del></del>		1/2
						_	*					Othe	er	130 Q	ran T	-	3		$\Theta$		STA.	5 of _
1		- 0	9	00	7	თ	رى د	4	ω	2		Posi	tion	II ,d		Š			7	<u></u>	<del></del>	

1 2		0		1601 1.675 4.7728 31.8051 30.4968 0.7346	21 0 1 2 2 2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	11 000 12 5253 12 2051	4.4793 31.8057 30.2620	4 27 30 1559 31.067 4.4068 31.8059 30.2065 1.1766	3 3 40 1558 40.855 4.0792 31.8385 29.9675 0.6731		MAN CAST 1555 143.277 2.8582 31.9129 29.0697 0.0866	BOLT Depth Trip Press. Temp. Salinity Cond. Fluor.	oth	COND. SN 748 OTHER: May wire out 141 M	TEMP SN 03/455 OTHER: Haul # 1 on Station 5	FLUOROMETER (1)	TYPE & SN 9/220/ LIGHT METER (1) Y REMARKS (include alternate s	ENTS: FILENAME:	01165608.24N15728100W25MAY95115541061	DEG MIN DEG MIN DAY MD YA HA MIN	CAST VER  LATITUDE LONGITUDE DATE JD= /4/5 (GMT) (° C)	VESSEL: MINIMA PICCINA PROJECT & LEG: MF 95 0 8 INITIALS:
								E.	100	540		ThermP Avg. Tw Sal. Bo	Sample Bottle Data S	M	A 58	cremen	REMARKS (include alternate station designation if applicable):	CAST \$16-25MAY 1549	105.2082825006	1	BAR. (mb,integer) SEA STATE VISIBILITY WIND DIRECTION	CHECKED BY:
	/	/   1		233 X /	7 X 457		235 X /	236 X /	9 237 X/			Bot.# Not # MZ	Chlor/			MOA # 324	- !		6461 /50 D9		SPEED (kts) CLOUD (amt) TYPE WEATHER DEPTH STA. NAME/ID	PAGE 16 of

_	]=	T	T		8	7		5	4	w	2		Pos	ition	8		-TY		0		CONSECUTIVE CAST	VESSEL:
2	1-	0	4		<u></u>	(3)	6 22	34	27	32	"		Bot		COND. SN	PRESS. SN	TYPE & SN	CID	75	ш,	NUMVER	KE
	-					0	ò	20	30	40		3	Trip Dep T-ra	th	1		1	~	6   5	DEG MIN	LATITUDE	Mither
,	-	-	-				P			-		CAST	Depth		748	5541E	9/2201		- 3 z	Z	UDE	Miller Freeman
	-		+	-		1740	1739	1739	1738	1737		1734	Trip	TIME @	OTHER:	FLUOR OTHER:	LIGHT		1/15/7	ŒG	c	1
						1.724	10.292	20.317	30.238	40.762		90.790	Press.			FLUOROMETER (v)	LIGHT METER (1)	ATTACHMENTS:	411.7	N.E.	LONGITUDE	PROJECT & LEG:
						4.7431	4.4578	4.2042	4.0927	3.9347		3.7915	Temp.			<u> </u>	<b>\</b>	ENTS:	9 W 2 5	DAY	DATE	l
						31.6048	31.663	2 31.7035	31.7231	31.7302	=	31.7360	Salinity	Monitor V		Z 2	REMA	FILENAME:	MAYS	8	JD= /4	8056AM
10						8 30.2985	30.1169	5 29.9466	29.8757	2 29.7558		029.6647	Cond.	Values	3	No chine out	REMARKS (include alternate station designation if applicable):		5 17	<u>.</u>	(GMT)	8
		I.		+		5 0.0911	9 0.1307	6 0.1194	7 0.1472	8 0.1057		17 0.1160	Fluor.				ide alterna	CAST \$17-	3141015	Z		INITIALS:
	. 1					=	7		12	7	- 4	0		25.	(	88M	ate stat	7-25	15		DRY BULB	s: DD
					3-				20		- 355 	2.9	ThermP /	Sample			tion desi	SMAY	04.80		WET BULB	
	1.04	_								100 (R)			Avg. Tw	e Bottle		Hao #	gnation if	1730	8 2		BAR. (mb,integer) SEA STATE	CHECKED BY:
					ŧ.								Sal.	Data	MOD		applicable	_	8250	1	VISIBILITY WIND SO DIRECTION	ED BY:
				1						17		*	Bot.#	Sal	MOA # 329	ovi 5ta. 59	771		044	\$	WIND SPEED (kts) CLOUD (amt) TYPE	
						238	239	240	241	242			Nuti Bott #	ient le	*		6 rud		3		WEATHER	l
\	_	/	/		_	×	× /	× /	× /	×/	/	/	MΖ	Chlor/			Sta B9		97		BOTTOM DEPTH MOTTOM	PAGE _
		-4		1	-								Othe						H)		579 STA.	7 of
,		0	8	0	, a	7	6	ហ	4	ယ	N		Posi	tion					ъ В			

	۔ ا		<u> </u>		- <u>'</u>				γ		γ-	1	Τ_			\(\alpha \) \(\mu \)		0	CONSECUTIV	E S	7
	2	-	0	ြုဖ	α		<u>,                                    </u>	о О	رى د د	4	ω (u)	2	-	Pos	ition	PRESS. SN TEMP. SN COND. SN	l lo	18	CAST NUMVER	VESSEL:	
	_	_	_		$\perp$	10	-	22	34	27	33	18	2	Bot Trip		S S S	CIP CIP	856	R S		
					L	C		0	20	30	40		AX D	Dep	th	0 72			<u> </u>	Miller	
- 68				L								<	HLG3A	T-ra	.ck	25084 031455		6	ATITUDE	I I .	20
												193410		Depth		1 12/4/0		4		5	
		+	+	+-	-	+	$\dashv$			75	19	<del></del>	19	+	TIME @	9925		<u>Z</u>	0	Freman	
										1942	1941	1939	1932	Trip		FLUOROMETER (*) OTHER: OTHER:	9.	57	8 5	17	49
					T	1,5		/(D. )(d.> /	20,2665	30, 9	40.	81.0	128	Pro		METE	ATA	14	LONGITUDE	異り	
ı						5360	7/2	5	bles	30, 2120	40.667	81,038	128.617	Press.		ER (3		41.1		27	
Ì			ž		T	-	7	T.	8.4	4.5	4.5	+	Ç.	Te			ATTACHMENTS:	2 W		PROJECT & LEG:	Æ.
			.			11710	170	4.7397	4.5326	4,5443	4.5055	3.9663	3.4503	Temp.			,	25	DATE	7,"	
		-	$\dagger$	+	T	- J	7	22	, M	30	3.6	31	+	ပ္သ	Monitor		1 70	MAY	8 p	E.	
					ı	31.151	֡֞֝֝֝֝֝֝֝֝֝֝֝֝֝֝֝ ֓֞֜֞֞֜֞֜֞֜֝֓֓֞֜֜֝֓֓֓֞֜֡֓֓֓֡֓֜֡֓֜֡֓֓֡֓֜֡֜֜֡	905t	7730	,3185	3.8080	31.8251	31.8602	Salinity		REMAR ✓•	FILENAME:	(Y)		750	
1		-	$\vdash$		╁	<del>-   -</del>				83	1 .		<u> </u>	<b>!</b>	Values	9 KRKS	N.	9 5	N E	_ ∞	
						20.4434	-	4524,08	20,2777	385	30.2943	29.8800	29.5052	Cond.	Š	REMARKS (include alternate station No CHLAM THIS CAME	Ď.	/ 19	H (GMT)		1
		7,	-	-		0.	-	.a E	0 14	0	3 0.	_		•	-	7 2	CAST Ø18	932	<u> </u>	Z	
						. 07524		-1137	2287	376	3814	0.1137	0.0914	Fluor.		alternat	310	4	ره ۱۹۵۵ ز	INITIALS:	
		_	<u> </u>		-	42		4.3	F	6	4	7		L		2 St est	1	4.3	DRY BULB		
	,		Ì	ŀ						,		8.		ThermP	လ္အ		25MAY 1927	4	^ B. ¥	13	1
-			_	_	┼	1	+			_	£.		_	├	Sample	(f) des	IAY	2	(° C)		
١										.83	33			Avg. Tw		gnatic	92	06	BAR. (mb,integer)	울	
		33	_		_	<u> </u>	$\downarrow$	_						¥	Bottle	F ∓	7	ک	SEA STATE VISIBILITY	CHECKED	
1														Sal	Data	if applicable 升aul # 1		2 2	WIND	− BY:	
L										:				٦	മ	designation if applicable):		20	DIRECTION		
												04		Bot.#	Sal.	ov S		10	WIND SPEED (kts)		
┟				_	-	_	\ \ \		N1					i⊭ Nuti	. <del>-</del> ieлt	1_		-	CLOUD (amt)		
		i				23		244	245	246	247			Bott #	le	a 60		4	WEATHER		
+				<u></u>		×	.  >	×	×	×	×				0	ta 60		1/3	BOTTOM DEPTH (m)	PAGE	1 .
		_	/	_	_	.  `	- -	_	/	/	/	/	_	ΝZ	Chlor/	= A		3 7	`₹\$	<b></b> -  ₁	
-	$\dashv$					+	+	$\dashv$											NAS 6	8/	-
	_	_	- <b>A</b>			-	+							Othe				<del>U</del>	STA.	<u> </u>	
Ŀ	<u>.  </u>		٥	89	ω	7	0	מ	თ	4	3	2		Posi	tion			<u> </u>			j

_	1-	- 1	- 1		T		1		Τ.		T.	Τ.	Po	sition	8	혁	PA	궃		0		CONSECUTIVE CAST	SHA
N	-	19	-	9	<b>8</b> 29	7 3	6 22	5 34	4 27	333	2	<u>-</u> ادم	1-	. #	OND. SN	TEMP. SN	PRESS. SN	TYPE & SN	CID	25	Q	NUMVER	VESSEL:
					0	20	+	30	40	5	**	マナナ マナー	Trip Dep T-ra	oth	1	0			,	61	Ω Ω Ω	LA III	MINICA
		Si Si	1			-	<del> </del>	1	-		-		Depth		348	031455	25084	9/2201		8.06	XZ	LATITUDE	Miller freeman
	-	+	$\frac{1}{1}$		-	-	-				-		th Trip	TIME @	OTHER:	OTHER:	דווכ	- Ligh		N 1.5	0 <del>3</del> 0		32
<del></del>		+	$\dagger$		1,1622	10.6189	20.58/1	29.5746	40.5413	501760	75.7.739	99.8528	Press.		    	;;;   	FLUOROMETER (1)	LIGHT METER (小)	ATTACHMENTS:	647		LONGITUDE	PROJECT & LEG:
	-	  -  -	+		5	5	<u> </u>	<u> </u>	l	<u> </u>	ì	┦——	-	4 .01		200 1	3 3	子 '	HMENT	89	Z	M	CT & LE
			.		1724	1726	5.1383	5-1225	4.8243	4,7736	7 4348	4.2559	Temp.	_ ₹		300	V	<	ξċ	w 26	DAY	DATE	l,
					31.5834	8785.16	7185.18	31,5954	3.5889	31,6046	3/6755	3/.7253	Salinity	Monitor V	al7	70	٦	REMAI	FILENAME:	MAYS	8	JD= 146	NF 95 0 8
٨			1		30.6351	30.6388	30.6134	30.5989	30, 36 85	30,3444	30,1365	30.0750	Cond.	Values	Line 16	Sta 14	No chrism	RKS (inclu		507	新 ま っ	) (GMT)	
	÷.				1 0,12\$7	0.1218	0,1243	0.128043	0.117808	0.107205	0.08333/	0.08595	Fluor.				344	de alternat	CASTOIR-	3606	Z	DRY	INITIALS:
											94		ThermP	Sample		Se: Stat	Smar	e station d	26MAYD731	205		(°C)	11
		5.5	-					-	.19	377			Avg.	iple Bottle		10M 66	, (a	esignation	127	5.802		BAR. (mb,integer)	유 유
	9	- 							 				Tw Sal.	tle Data	21	Cruise Station 66 1401 "	1 +	REMARKS (include alternate station designation if applicable):		3714		SEA STATE VISIBILITY WIND DIRECTION	CHECKED BY:
			-									57	Bot.#	Sal.				ole):		400876		WIND SPEED (kts) CLOUD (amt)	
		-			248	249	250	251	252	253	254	255		rient tle			NO.	1101 4 3/-9		6	,	TYPE WEATHER	
\	/	/		\	×/×	× /×	× /×	×/×	×/×	X / X	/		MΖ	Chlor/			8	2/-0	,	107		BOTTOM DEPTH	PAGE _
1													Oth	er								FOX 147 STA. NAME/ID	17 of _
	1 1	<u>-</u>	80	<u>,</u> [	œ	7	6	ڻ ن	4	ယ	N		Pos	ition								<del></del>	

CREST   CANTILLE   CANSILLE   C	VESSEL:
LATITUDE   LONGITUDE   DATE JD=  4	1.
TITUDE	MIL
LONGITUDE   DATE JD=  4 6   GMT    W   BULB   Bulb   Bul	12
CONGINUE   DATE JD=  4 6   GMT    W   BULB   Bulb	Miller Freeman
CONGITUDE   DATE JD=   4 6   GMT    C° C)   C° GMT    C° C)   C° C  C° C° C° C° C° C° C° C° C° C° C° C° C°	<b>-  </b>   <b>§</b>
DATE JD= 146   CGMT  (° C) (° C)   DAY   MO   YA   HA   MMU     ENTS:   FILENAME: CAST 020 - 26 M.     REMARKS (include alternate station   No chiam   148   Line     Cruise Station   148     Cruise Station   148     Cond. Indiana   148     Cruise Stati	
DATE JD= 146   GMT  (° C) (° C) (° C)   DAY   MO   YA   HA   MMN   ENTS:   FILENAME: CAST 020 - 26 M.   REMARKS (include alternate station   No chi.   Monitor Values   Fox Station   148   Line   Croise Station   148   Line   Lin	P
DATE JD= 146   CMT  (° C) (° C)   DAY   MO   YR   HR   MIN	ECT
DATE JD= 146 (GMT) (°C) (°C)  DAY MO YA HA MIN (°C) (°C)  FILENAME: CAST O 20 - 26 M.  REMARKS (include alternate station  No Chiram This Cause  FOX Station 148 Line Cruise Station 148 Line Cruise Station 67 Hour  Monitor Values  Salinity Cond. Fluor. Therm  Salinity Cond. Fluor. Therm  Salinity Cond. Fluor. Therm  360 31.6625 30.4940 0.0985  876 31.6625 30.4991 0.1254  876 31.6450 30.9611 0.2392  941 31.6450 30.9650 0.1647  941 31.6535 30.9650 0.1647  941 31.6535 30.9650 0.1647	PROJECT & LEG:
DRY   W   BULB   BI   BULB   BI   BULB   BI   BULB   BI   BULB   BI   CONT   CO   CO   CO   CO   CO   CO   CO   C	4
14 6   (GMT) (° C) (° C)   YR   HR   MIN   (° C) (° C)   (°	N= 9508
TIME BULB BULB BULB BULB BULB BULB BULB BUL	803
C) (° C) (°	
C) (° C) (°	
C) (° C) (°	-   ₹
Therm Se # # Se Se Se Se Se Se Se Se Se Se Se Se Se	INITIALS: DD
nn designa AYO BARL	
	,
Tw bottom by SEASTATE	
Sal ta Z DIRECTION	CHECKED BY:
Sal Boy Sa Se Se Se Se Se Se Se Se Se Se Se Se Se	
SPEED (kts	
Nutrion 5	9
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
BOTTOM DEPTH (m)  129 M  Chlor  S4 X/X  33 X/X  33 X/X  33 X/X  33 X/X  33 X/X	PAGE
	<del>- 1</del> k.
Other Other	20 of FOX 148
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CC .

1 2		- 1	7		<b>6</b>	7	6	5	4	w	72		Pos	sition	8	TEM.	PAR	TYP(		02		CONSECUTI CAST	VĒ	VESSEL:
Ï		29	0	-	22	34	27	33	7	S	18	×	Bot	. #	SND. SN	TEMP. SN	PRESS. SN	TYPE & SN	CID	156	] - - - - - -	NUMVER	_	Ж
		50	С	>	10	20	30	10	50	75	120	1 × C	Trip Des			0	4			2	ြ	<u> </u>		Mill
										_	Z	ST	1-ra	ack	12	554160	25084	9/2201		3 . 8	<b> </b>	LATITUDE		77
		. 20					-				100340		Depth	M H		8	14	-		3 7 N		111		Miller Freeman
	+	1024	7017		1016	1015	1015	1074	1013	1011	1009	1002	7 rip	TIME @	OTHER:	OTHER:	FLUC	LIGH,	W	5	230			3
-	+	-E		ᆛ		<u> </u>	╄	$\perp$		7		╁	╁╌	┼	37	;;; 	ŘOME	T MET	A	65	3 1	LONG	ŀ	
		1	416		10.435	20.3%	30.745	40.620	50.715	74.568	118.317	123.676	Press.	•		81	FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	4 9	Ş	ONGTUDE		PROJECT & LEG:
	+	124	5,		5	5.1	+-	<del> </del>	1-	<del></del>	4.0100	+	16	· 4.		50	ڪ اما	  _	ENIS	9 W	Н			& LEG
		.	4006		3614	5.1875	4.9197	4.6555	4.6357	4.5761	100	4.0082	Temp.	<b>S</b>					<b>.</b>	26	DAY	DATE		4
		1	31.6214		31.6122	31.6155	31.6092	31.6373	31.6672	31.7112	32.0045	32.0053	Salinity	Monitor	- 191	•		RE	골	MAY		ם ב		8056=M
	_	Ľ	214	-			-	<b></b>	-	╂┷┷	_	+	<u> </u>	Values	Max Wire	TOX S	20	REMARKS	FILENAME:	9 5	∌	146		80
			30.8583		30.8214	30.6841	30.4610	30.2710	30.2848	30.2838	30.0848	30.0862	Cond.	Sen	_	- 10	CHLYM	(S (inc		10	3	 ଜୁ <del>ପ</del>		
_	-	-	_	-		41 0.						_	-	-	04	ta 149	3	iude a	CASTØ21	02	<u>\$</u>	GMT)		Z
			0.14.29		0.1530	1575	0.1605	0.1065	0.0997	0.0985	0.0715	0.0680	Fluor.		: 122	3017	777%	(include alternate station designation if applicable):	\$21-	0516		(° C) BULB PRY		INITIALS:
-		Т		1		<u>'</u>			-				The		ž	Fac.	Cent	e stati	-26M	5 I	_	≥ bo ≺	_	DD
		·											ThermP	Sample		£	the state of	on de		92-1		WET BULB		ľ
				1						8:			Avg.			1	MOA	signati	AYØ958	 O		BAR.	$\exists$	유
	St.		_	1							<u> </u>		¥	Bottle			MOA= 378	on if a	8	12		(mb,integer SEA STATE VISIBILITY		THO KE
						i				î		•	Sal	Data		•	Œ	pplica		1 3		WIND DIRECTION		CHECKED BY:
_	_			╀					_		2		<u> </u>	<u>l                                     </u>	Son	9 6				0	- ,	WIND	$\dashv$	
											22		Bot.#	Sal.	somples		SIZE	Cast ,		148	- (	SPEED (kts) CLOUD (am	t)	
		846	841	014	242	843	844	845	1	847	848	T	Nut Bot! #	rient Ile	for	L.		made		882		TYPE WEATHER	$\exists$	'
		<u>у</u>	×	+	<	% ×	×	<u>۲</u>		7	<u> </u>	1 .		C	M PY		9	MA T		/ X	1	BOTTOM DEPTH OM)	F	PAGE
6	/	/ X	/ ×	>	<	<u>/</u>	<u>/</u> ×	$\times$		_	_	_	M Z	Chlor/		<i>&gt;</i>	-	W RY W		28				ie 21
				T	_								Oth	er	200	inst t	1	is bother			;	&8 STA.	EOX 149	<u> </u>
1 2	1 1	1 0	9	۰		7	თ	ເກ	4	ω	22		Posi	tion		_	1	te				<del>-</del>	19	

1 2	- 1	- 1	_	٥	· ·	Τ.	,	<b>o</b>	5	4	ω	N	_	Pos	sition	8	TEM.	PRES	TYPE	<u> </u>	0.2		CONSECUTIVE CAST	VESSEL:
ř	1	_	79	31	22	-	-1	27	33	7	N	-	MAX		#	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN	CID	25	88	NUMVER	
	<del> </del>		)	10	20	30	)	40	50	75	99		X CA	Trip Dep			6	۲			62	T	<u> </u>	Miller Freeman
												_	Ť	T-ra	ack	美	554160	75084	9/2201		6.5	<u>Ş</u>	ATITUDE	7
	. 2	ey s						•						Depth	T <sub>M</sub>		2	14	1		N N			rem
		1100	1122	1132	1132	1151	:	//30	1129	1128	1126		1125	Trip	TIME @	OTHER:	OTHER:	FLUOR	LIGHT !		156	DEG		1
		0,000	2280	10.295	20.007	29.999		40.315	50.145	75.616	98.754		98.169	Press.				FLUOROMETER (1)	LIGHT METER (小)	ATTACHMENTS:	5711	MM	LONGITUDE	PROJECT & LEG:
		2,000	772	5.5342	5.3905	4.9430			4.7466	4.5577	4.3977			Temp.		ভ		7	<	ENTS:	9 W 26	DAY	DATE	
		01.076	21 (-7)	2 31.5747	31.5930	31.6424	4	31.6956	31.6933	31.7306	31.8064			Salinity	Monitor	A C		1	REM	門匠	MAY	₹	JD/	WE 75 0 8
*		┵	782 200		30.8328	+	+			_	60			ty Cond.	Values	Max Wire out	OX Station /	No CH	ARKS (i	FILENAME:	9 5 1	-	46	8
		30,7374 0	_	30.9321 0.		30.5089 0	-	30,4949 0.	30.3989 0.	30.2857 0.	2285 0.		_	<u>.</u>	1	cost	ATOM /	MENTE	nclude a	CAST	126	<u></u>	GMT)	   <u>                                </u>
		0.13/0	0	1575	0.1766	0.1365	1	0./052	0.0952	0,0905	0.0908			Fluor.		= 9	\$ 0	<b>V</b>	REMARKS (include alternate station	φ22 -	05.1		DRY BULB	INITIALS: 💯
	•			•						53				ThermP	Sample	=	# #	Semse		26MAY	05.0		WET BULB	
	12									***	E			Avg. Tw	le Bottle	33	è	11	designation if applicable):	1121	0012		BAR. (mb,integer) SEA STATE	유민
			+				1							v Sal.	e Data		•		if applica		2711		VISIBILITY WIND DIRECTION	CHECKED BY:
			+			-	+	-			_				<u></u>				abie):		516		WIND SPEED (kts)	
_		~			64	~			~	CC	~		-		rient :				7		88		CLOUD (amt) TYPE	
		849	000	5/5	851	852	9	N	854	858	856			Boti #	tle				MOA #		2		WEATHER  D B	-
	_	× /×		× /×	× ×	X/X	- -	\ \ \	×/×	- /	- /	_	_	MΖ	Chlor/				۲۹7	,	103		BOTTOM DEPTH	PAGE _
			1				-				,			Oth									FOX/SO 69 STA. NAME/ID	22 of _
3	-1	0		۵	ω	7		<u>,                                    </u>	σ	4	3_	N		Pos	ition								0 8	

The second section is a second

CONSTRUCT   CONS	<u> </u>	14	1	ı	 •	00			6	5	4	ယ	<b>N</b>	T_	Po	sition	8	TE M	PRK	34/T		0/2		CONSEC CAST		VESSEL:
LATITUDE   LONGITUDE   DATE   DPY   MET   DRY   DRY   MET   DRY									22	34		33		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			] P. S.	NS.	% <b>9</b>	& SN	CID	5	R R	NUMVER		١.
CONGINUE   DATE UD.   146   TIME   BULB		_		_		ō	. 0	3 (	30	40	o O	ô	-		De	oth	14	6	25	9/2		34		LATIT		7. Mer
CNGITUDE   DATE   10-   146   GMT    CO   CO   CO   CO   CO   CO   CO	. !		-	+		-	+	-		-			<del> </del>	<del> </del>   ~			12	455	480	201		93	z	UDE UDE		Miller Freeman
TIME   BULB		 	-	+		143	<i>H</i> 3	, (	143	14/3	143	143	-	1420	1	ME @	SHE OF	일품	-FUC	LIGH	20	15	<u> </u>		····	3
DATE JD.   146   COMT   (° C)   CO   BULB				+		10.	+	-	,		╁	61.			+			; <del>;;</del> ;	HOMET	T METE	ATTA	5		LONGI		
DRY   WET   Spile   DRY   WET   Spile   DRY   WET   Spile   DRY   WET   Spile   DRY   DR						819	╫			⊢		+	_		╂				ER (3)	3 3	CHMEN	7	₹	<b>30</b>		PROJECT & LEG:
DRY   WET   SQUE   BULB   BU			2			5,2207	5.0170	160	7654	4.6951	1.6508	4.554		3.6952	Temp.			30	<	<	TS:	W 2 6	DA)	DAI	<u></u>	l <sub>*</sub>
Alc   CMM   CO   CO   BALLB   SILE				$\dagger$	_	31.5	╌	(), (	31,50	31.60	<b>├</b>			+	Salir	Monitor	-	: :		RE	긛	MAI				NF 7508
BOOT SPEED (kts) SPEED (kts) CLOUD (amt) TYPE Bottle # MZ Chlor/ X X X X X X X X X X X X X X X X X X X	_		_	+					_	-	<del> </del>			+-	╂	1	MING	Cruise	No	MARKS	ENAME:	9	<b>≾</b>	146		8
BOOTOM SPEED (kts) SPEED (kts) CLOUD (amt) TYPE Bottle # MZ Chlor/ MZ Chlor/ MZ Chlor/ MZ Chlor/	1					0.6568	0.5181	). UP U	3235	2732	0.2421	5.1738		1.6016	ond.	Š	out	Vtat.	さずま	(includ		142		(GMT)		
Boot.# SPEED (kts) SPEED (kts) CLOUD (amt) TYPE Bottle # MZ Chlor/ MZ Chlor/ MZ Chlor/ MZ Chlor/ MZ						0.1211	0.1200	0.1101	h811:0	0.1175	0.1158	0.1096		0.0940	Fluor.		7,	- 7/ By	3446	e alternat	Φ23	0	Z		•	INITIALS:
BOOTOM SPEED (kts) SPEED (kts) CLOUD (amt) TYPE Bottle # MZ Chlor/ MZ Chlor/ MZ Chlor/ MZ Chlor/	1	٠					J	T					1915		Therm	Sa			cternes	e station		0	<u> </u>		-	
BOOT SPEED (kts) SPEED (kts) CLOUD (amt) TYPE Bottle # MZ Chlor/ X X X X X X X X X X X X X X X X X X X	+		9	-	_	_	-	+		4		72		-				. #	e (h	design	14142	1118				
BOOTOM SPEED (kts) SPEED (kts) CLOUD (amt) TYPE Bottle # MZ Chlor/ MZ Chlor/ MZ Chlor/ MZ Chlor/	á			L			_				7		8			Bottle	477 477		Ģ.	ation if a	3	9		(mb,integ SEA STA	TE	CHECKED BY:
Boot.# SPEED (kts) SPEED (kts) CLOUD (amt) TYPE Bottle # MZ Chlor/ MZ Chlor/ MZ Chlor/ MZ Chlor/ MZ												æ			Sal.	Data		•		pplicab		108		WIND		D BY:
Bottle # Sag PITOM (m) Y X X X X X X X X X X X X X X X X X X	- -					-									Bot.	Sal				9		020	. ;	SPEED (H		
ВОПТОМ ВЕРПН (m) # 389 1/2/9 (m) # 389 1/2/9 (m) # 389	-	-		-											Nut Bot	rient				MO A		862	•	ΤΥΡΕ		
	1				1	-		+								유		29		<b>1</b> ⊨				BOTTO DEPTI-		PAGE
	-		/			*	*	>	×	×	×	$\times$		_	Z	lor/						9			7	E <u>23</u> of
Other   NAME   7   1   1   1   1   1   1   1   1   1	+=	_			+			+	_			_		_	<b>†</b>							7	i	STA.	1-1	o <del>,</del>

1 2	H		- 1	9	8	T 7			5	4	w	2	_	Pos	sition	8	¥ ¥	PRES	] ] ]		02		CONSECUTIVE CAST	VESSEL:
Ť	1	1	7		29	(3)		22	34	27	33	18	MΑ	Bot		SND. SN	TEMP. SN	PRESS. SN	TYPE & SN	CID	456	몺	NUMVER	1.
		$\top$			70	20		ω 0	40	50	60	/00	×	Trip Dep			0	4	ŀ		S	ြ	   <b> </b>	Mill
													DEPT	T-ra		美	031455	25084	912201		7	₹ Ž	ATITUDE	2
Γ														Depth	I		5.5	1	0		上又		m	Miller Freeman
-	+	+	+		15	751	ù	7	152	15	50	127	15	Trip	TIME@	OTHER	OTHER:	FLU			7/2	ŒG		\$
_	╀	_	4		1529	28	十	α	-1	1526	1525	1523	1521	+-	-	1,9	ı I	ORON	T ME	Ð	6		D D	
			l		11.015	20.112	00	20 147	40,432	51.216	60.242	104.109	121.949	Press.			85	FLUOROMETER (1)	LIGHT METER (小	ATTACHMENTS:	55.	M	LONGITUDE	PROJECT & LEG:
_	┼-		$\downarrow$		+ -	+		_	<del></del>	⊢		+	+	<b>⊹</b> −	EV.,		20	Ĩ.	3	MEN			M	1 & L
					5,1032	5.0586	,000	1 2 2 K	4.6630	4.5827	4.5518	4.1520	3.7721	Temp.		9	8	1	<	Ω.	3 W26	DAY	DATE	<b>ໄ</b> ້ ູ່ວ່
	-	+	╁	_	-		+	$\neg$	_		╁	<b>-</b>	╄	+	Monitor				 	_	o MA	٧	TE JD_	MA
					31.5770	31.5817	31.0754	\ \ \ \ \ \ \ \	31.6026	31.6059	31.6070	31.6626	31.7317	Salinity				3	<b>AEMA</b>	FILENAME:	। ४	$\vdash$	)= /4/6	NF 9508
£	-	1	$\dagger$		+	╂	~	_	_	<del> </del>	1	<del> </del>	29	$oldsymbol{oldsymbol{ iny}}$	Values	Wing.	Cruise	. C	RKS	MH.	5 /		6	8
					30.5764	30.5475	00.5/10	277	30.2470	30.1882	30.1675	29.9046	29.6585	Cond.		1-20		CHLYSM THIS	(includ	CAS	52	<b>∃</b>	(GMT)	
	500		T		0.1212	0.12	Т		0.1166	0.1121	69010	0,0880	0.0895	끝			Station	ב ב	e alte	CAST \$24	210	Z		INITIALS:
					12	239	0.1223	J J	66	21	69	380	395	Fluor.		126 m	x 71 ·	7	REMARKS (include alternate station designation if applicable):	1	5.9		C C)	
	ŀ									-				ThermP	S		Ţ.	- Aug	station	26MAY 15/6	0		~ B <	Ø
	_	14 E	ř		_	-		4	,	_			_	-	ample		Haul # S	<b>(f</b> )	desi	1415	50	•	(° C)	
								İ		2.5	37			Avg. Tw	Bottle		: [^	3	gnatio	6	99	, ,	BAR. (mb,integer)	욽
	·		-	_		-	╀	-			-	_	$\vdash$	₹	1 1	72			n if ap		47		SEA STATE VISIBILITY	CHECKED BY:
												:		Sal.	Data				plicat		280		WIND DIRECTION	) BY:
		-	╁	-			+	+				101.425	-	œ	L						1		WIND	
						<u> </u>					125	00		Bot.#	Sal.				300		8	- (	SPEED (kts) CLOUD (amt) TYPE	
											,			Boti	rient Ie				tt-		62		WEATHER	<b>'</b>
			-	1			$\dagger$	+					<del> </del>		0		83	Ĩ	397		~	1	BOTTOM DEPTH	PAGE
_	_	_	`	1	X	X	×	<i>&gt;</i>	$\times$	<del>/</del>	×	_	_	ΜZ	Chlor/				Ì		20			
			-	1									-	Othe	er							:	71-3 STA.	24 of
3	7 7	1 0			00	7	6	<u>,</u>	5	4	ယ	N	_	Posi										

J N	<u></u>	0	- 1	9	œ	7		თ	Ŋ	4	ယ	2		Pos	sition	COND. SN	TEMP. SN	PRESS, SN	TYPE & SN		0.2		CONSECUTIVE CAST NUMVER	VESSEL:
	_	+	-		29 /0	31 20	<del></del>	27 30	34 40	27 50	33 60	18 100	MAX	Bot Trip	,	SN	SZ	S.S.	& SN	CID	556	R R		1.
	-		1			0		<i>-</i>	0	0		<	CAST	T-ra		74.20	031455	25084	9/2201		35	<u>₹</u>	LATITUDE	Mer F
,	19	e e		_			•					162750	l'	Depth	TIME @			7	o/		0 2 2		m 	Miller Freeman
	1				1638	1637	163/	L 6 / 1	1636	1635	1634	1633	1627	Trip	9	OTHER:	OTHER:	FLUOR	LIGHT N		156	ŒG	ĸ	
					10.465	21.483	29.255	Jan 26 06	39.687	50.088	60.870	100.849	121.352	Press.				FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	541.9	N.Z	LONGITUDE	PROJECT & LEG:
		2			5,1238	4.8577	4.6770	0 1001 F	4.5855	4.5534	4.4955	4.3365	3.7588	Temp.		ä	5 544	<u> </u>	<	NIS:	7 W 2 6	DAY	DATE	<u>ا</u> ا
					31.5662	31,5900	31.0 783	21 5002	31.6056	31.6047	31.6101	31.6339	31.7337	Salinity	Monitor Va	Live	Chrise	2	REMAR	FILENAME:	MAY9	δ	JD:: /나6	N# 9508
272				-	30.5837	30.3890	30.2647	_	30.1853	30-1625	30.1240	30.0306	29.6490	Cond.	Values	Wire out max	se Station 71	No chim This cruse	KS (include		5/626		(GMT)	
			ŀ		0.1240	0.1236	0.1153	2 162	0.1130	0.1088	0.1057	0.0878	0.0948	Fluor.	ű,	11:	71	7475 0	alternate :	CAST 025_ 2	06 5	_	ORY BULB	INITIALS:
			ŀ							89				ThermP /	Sample	119 M	How # 3	Some	station desi	26MAY 1622	062		WET BULB	
	%				10					S <sub>e</sub>				Avg. Tw	Bottle	· · ·	.~1		gnation if	622	994	! ;	BAR. (mb,integer) SEA STATE VISIBILITY	CHECKED
											÷3			Sal.	Data		•		applicable)		1085	1	WIND DIRECTION	D BY:
												19			လူ ient				- 1		22.85	- (	WIND SPEED (kts) CLOUD (amt) TYPE	
$\frac{1}{1}$							_	-	.		, <u></u>			Bott #				NOT A DIO			5 /		WEATHER	Ţ.
			-		7	7	7	,	7	1	14	/		MZ	Chlor/						28		BOTTOM DEPTH	PAGE 25
	_	-					-	$\downarrow$						Othe	er								7/-S	'\   <u> </u> 
		0	80	.	ω _	7	6	. ]	ن ن	4	ω	2	8	Posi	tion									

1 2	1		1 0	ဖွ	00	Ţ		ຫ	(J)	4	မ	2	_	Pos	sition	SND. SN	TEMP. SN	PRESS. SN	TYPE & SN		02		CONSECUTI CAST	VE	VESSEL:
					29 10	31 20	<del>-   `</del>	20	34 40	27 50	33 60	5 110	MAXC	Bol Trip	)	) SN	!!	. I		CID	6563	8	NUMVER		١.
								_					\$ 7	Dep T∙ra		12	031456	78084	9/2201		5	<u>₹</u>	LATITUDE		Mer F
		90 -				J.	,						<u> </u>	Depth	TIME @		• •				Z				Miller Freeman
!					1727	1727	1126	_	1725	1724	1724	1721	1721	Trip	19	OIHER:	OTHER:	LUORO	GHT M		56	쫎	5		
					10.958	21.085	30.602	_	40.910	50.969	61.211	115.009	123, 250	Press.				FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	541.45W26	<u> </u>	LONGITUDE		PROJECT & LEG:
		្ត្រី			5.1655	5.1279	5.088)		4.6923	4.5159	4.4510	4.2282	4.0476	Temp.	M		3444	<u> </u>	<	·	5 W261	DAY	DATE	_	7
					31.5296	31.5477	31.5406		31.5933	31.6073	31.6182	31.6431	31.6891	Salinity	Monitor Va	Mire	Cruise	٧.	REMAR	FILENAME:	MAY95	₹	JD= /46		NF 9508
M					30.5864	30.5755	30.5404		30.2634	30.1342	30.0945	29.9553	29.8494	Cond.	Values	0	X.	chrysm this	REMARKS (include alternate station designation if applicable):	E CAST \$26	5   7 2 0		GMT)		
			1		0.1383	0.1321	0.1295		0.1243	0.0978	0.0969	0.0872	0.0874	Fluor.		may = 1	19x 7	THIS C	alternate:	1	005 5	_	DRY BULB		INITIALS:
-			ē.											ThermP	Sample	23 m	Haul #	Jenne C.	station des	26MAY 1716	052	-	WET BULB	_	ALC.
	23-									24				Avg. Tw	e Bottle		7	•	ignation if	716	2994	(	BAR. (mb,integer) SEA STATE		_ CHECKED
														Sal.	Data	:	•		applicable)		7085	(	VISIBILITY WIND DIRECTION		ED BY:
												07		Bot.#	Sa. ient						2485	- (	WIND SPEED (kts) CLOUD (amt	)	
														Boti #			555		MOA # 30		4		WEATHER	$\exists$	-Ti
	/	_	-	_	1+	17	7	,	1+	14	1×	/	_	ΜZ	Chlor/			4	397		128		ВОТТОМ ДЕРТН		PAGE 26
A.I								1						Othe	er					Ī			71-7 STA.		р Э
)	<u></u>	0	œ	,	<u>∞</u>	7	6		ហ	4	ω	12		Posi	tion								J <del></del>		

PROJECT & LEGY   PROJ	~	-			T	Т	$\overline{}$	T		_	Τ-	T	T	<u> </u>		500	8	료	PA	<u> </u>		0.2	Γ	CONSECUTIVE	Į,
MITTUDE   LONGITUDE   DATE   D.   H.   MITALS   DAY   WET   SO   MITALS	2	┤	-   -	<u> </u>	ဖ				_	-	2	+-	+-		1	<del>'</del>	No. o	Si Si	ESS. S	% ∃c	2	7	—		SSEL:
PROJECT & LEG:	-	-	+		-	+	-	$\dashv$		<del></del> -	<del>                                     </del>	+	—		_		1.			ž	Ю	6	Н	_	3
PROJECT & LEG:	_		-		_	0	0	- (	0	0	O,	0	0	1	_		4	6.0	25	9/2		王	≩	S II	The
PROJECT & LEG:	-	╁	+		-	+-	+	+	•	$\vdash$	-	-	-	<del>\(\tilde{\tilie{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde</del>	1		रि	45	180	20/		9	z	<b>C</b>	3
PROJECT & LEG:			*3 S	\					•					<u> </u>	D T	MET.	L	<u>ا ي</u>		l 					282
ALEG: MITALS: DD CHECKED BY:   PAGE 27 of						182	182	701	187	182	/82	182	182	182	Į,	<b>®</b>	몵	몵	ברווס	LIGH.		5	DE CO		
ALEG: MITALS: DD CHECKED BY:   PAGE 27 of	├	┼-	+	$\dashv$	_	-		-	_	,	<del>                                     </del>	╁	+	₩	╁╌		177	)   	ĎOM M	ME	A	S		LO X	밁
ALEG: MITALS: DD CHECKED BY:   PAGE 27 of				ĺ		0.22	0.52	0.40	0	0.68	0,93	1.05	30:68	23.2	Ssal				ETER	TER (	IACH	1/4	<b>∑</b>		D HC
PAGE 27 of   PAG	$\vdash$	$\vdash$	. 0	$\dashv$		-	+			$\vdash$	<del> </del>	<del> </del>	-			8 36		-28 	3	<del>5</del>	MEN	2		m .	7 & LE
PAGE 27 of   PAG			ार्ट				.026	1.020	1021	1.715	1.678	.628	.358	1.072	emp		22	#i	1	<	S:	W_2	Ď Š	2	, , ,
MITIALS: DE CHECKED BY: PAGE 27 of Time:   DRY   WET   SOULB   SULB	_	-	+	4		+	+-				<del> </del>	ļ	+	₩	ļ	M <sub>O</sub>	<b>  </b>	200				6 M	*	JE J	Mar
INITIALS: DD   CHECKED BY:   PAGE 27 of						1.57	31.57	1.07	50	1.608	1.60	1.60	1.610	1.671	Salini					REM		ЛV	l I,		75
NITIALS: DECKED BY:   PAGE 27 of				_		┿		+	-		$\vdash$	·	╁	L		Valu	Mir	ini	5	ARK	AME	9 5	∌	1	8
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID	. A1					30,5	0.51	50. 56	7	0.29	30.26	30.22	30.02	9.85	Conc	es	f o		7	S (inc		/ 8	5	<u></u> ਿ ਤ	
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID		_	_	_		+	_		_		_			_	-			10	3	iude	AST	21	3	<b>₹</b>	=
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID		ĺ				0.13	0.133	0.111	0.116	0.103	7.097	0.09	0.090	0.09	Fluo		work of 15	9	#	alterr	<b>ø</b> 27	0	_	~ <u> </u>	AITIA!
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID		_	_	_		7	9	(	2	15	21	0	4	-			11 5	71	₹ 1	ate s	-26	8	,	C F X	
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID				ŀ	•						S		2		herm	Sa	121	Hau	3	tation	MA		,	~ B €	Ħ
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID		_	120	4		<u> </u> -	-	$\downarrow$	$\dashv$					_		mple		ļļ.	i (h	desi	1/8	5-11	! ;	S P I	
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID				1							()	8					,	9		gnatio	6	98			엁
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID		570	ļ	1		_	<u> </u>	_	_					_	×	1 1	45			n if a		7	;	SEA STATE	CKE
BOTTOM STA.  WIND SPEED (kts) SPEED (kts) CLOUD (amt) STA.  WIND SPEED (kts) CLOUD (amt) STA.  WEATHER  MAZ  Other  Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  NAME/ID												(1			Sal	Data		•		pplica		0	١	MIND	ув о
SPEED (kts) SPEED (kts) CLOUD (amt) STA Nutrient Bottle  MAZ Other  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of  PAGE 27 of				_				_							_					Ďie):	,				
Nutrient Bottle # WEATHER BOTTOM STA NAME/ID Other Page 27 of Page													$\overline{\infty}$		Bot.≠	Sal.						2	:	SPEED (kts)	
PAGE 27 of  PAGE 27 of  MEPTH STA  MAZ  Chlor/  MZ  Other  PAGE 27 of  PAGE 27				+				+	$\dashv$					-	Nuti					_		5		YPE	
Other Position																ie			į	OA		5			
Other Position						/						/			∡ .	Ch Ch				11-		1 2	(111)	E PER SE	PAGE
Pocition S						×	×	<b>\</b>		$\times$	×	× _			Z	lor/			,	399		9			
				1					_						Othe	er								ZINANA ST. ST. ST. ST. ST. ST. ST. ST. ST. ST.	Z of .
/=	-1 22	1 1	10	<b>†</b>		60	7	6	,	5	4	3	2	_	Posi	tion							(	5 9	

1 2	-			6	60	T.,	<b>S</b>	ď	4	ω	T <sub>2</sub>		Pos	sition	8		PHM	TYPE		02		CONSECUTIVE CAST	VESSEL:
	1	1			29	31	22	34	27	33	/8	MAX	Bot	. #	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN		8	K K	NUMVER	Ι.
					10	20	30	40	50	60	100	CAS	Trip		lı	6	,			3	1	<u> </u>	MIL
_		2											T-ra	ick	74	031456	75084	9/220/		in	Z N	<u>LATITUDE</u>	18
							-				192425		Depth	TIME		58	7	0		0 9 N		m	Miller Freeman
	╁	$\dagger$	1		19.	19	19	19	1931	19	5 1929	1923	Trip	@  @	OTHER:	OTHER:	77 72 72	디G		1/5	8		1 5
	_	-	4		1934	1933	1932	1932	+-	1930	+	_	<del> </del>		<b>│</b> ,∄	<u> </u>	ORO.	† ME	B	65		Ş	
		ļ	ĺ		10.15	20.062	29.931	39.845	50.334	60.903	100.821	121.953	Press.				FLUOROMETER (1)	LIGHT METER (小)	ATTACHMENTS:	- 41.17	MZ	CONGITUDE	PROJECT & LEG:
	É	ā.	4			<del>-</del>	-	+	╁	┼	<del>-</del>	-	├				<u> </u>	ક	MEN	73	~	Ж	<b>月&amp;</b> 日
					4.9943	4.9434	4.9003	4.7151	4.6838	4.6540	4.2046	39792	Temp.			:=6 :	<	<	S	w/2	DAY	<b>D</b>	] [jj
	┨—	+	+		┰			┦	1-		$\vdash$	ļ	}	Monitor	L					6 M		DATE J	MA
					31.5728	31.5866	31.5889	31.6054	31.6055	31.6032	31.6442	31.7062	Salinity		ر ج	-5	Z	REM/	FILENAME:	MAY		JD= <i>}</i> -	8056 AM
		╁	+		1	+	+	<b>┼</b> —	<del>                                     </del>	1	+		1	Values	Mise	rivise	No c	AKS	AME:	9 5	∌	6	<b>  0</b> 2
		1	l		30,4822	30.4563	30.4269	30.2923	30.2710	30.2489	29.9307	29.8072	Cond.	S	00+	4 .	CALTUM THE	(inclu	C	192	E E	TIME (GMT)	
		╁╴	$\dagger$		-	+	<del></del>	<del> </del>	+	_		+	77	1		J.	3	de alt	AST	23	₹		Z
					0.1433	0.1361	0.1269	0.1016	0.1031	0.1016	0.0869	0.0850	Fluor.		max =	Station 71	No chitm this cause	ernate	CAST 028	0515		(° C)	INITIALS:
			1.										ThermP	S	12		cau	statio	1	50			H
		10	1										<del> </del>	ample	3	Hau	(y	on des	26 MAY	4.		(° C) BULB WET	
		İ	ł							33	ļ		Avg.			此二		ignati	8161 h	48 9 9		BAR. (mb,integer)	문
				_						1		-	¥	Bottle				on if	8	47		SEA STATE VISIBILITY	E C C C C C C C C C C C C C C C C C C C
										Œ			Sal	Data		•	•	polica		0	,	WIND DIRECTION	CHECKED BY:
			1			_			_					1			•	(e):		902		WIND	
											7.		Bot.#	Sal.				3		248	. (	SPEED (kts) CLOUD (amt)	
			T						, , ,		(9		Bott	rient Ite				MOA #		855		TYPE WEATHER	
-		_	-			<u> </u>		-				-	#					402			-	BOTTOM DEPTH	P
\	/	_	-	_	/ 7	1+	1+	1+1	17	17	_	_	MΖ	Chlor/			. '			132		<sup>-</sup>	PAGE _
_			$\vdash$		1			7	<u></u>	1			<u> </u>								:	NAS. 7	28 of
_			L	$\dashv$								_	Othe								ļ	71-11 STA.	
<u>ه</u>		0	4	٥	80	7	თ	5	4	ω	N		Posi	แดก	<u> </u>								<u> </u>

1 2	1	1	ı		σ.	7	o	G	4	ယ	2	_	Pos	sition	8	TEMP. SN	PAEC	JYPE		02		CONSECUTIVE CAST	VESSEL:
٢	29	(4)	<del></del>	22	34	27	33	7	Ŋ	00	9		Bot		COND. SN	NS.	PRESS. SN	TYPE & SN	CID	2 6	E E	NUMVER	1.
	0	10	. ?	70	30	40	50	75	100	150	MAX		Trip Dep			0	4			7 4	ြ	<u> </u>	Miller
		23											T-ra	ick	是	031455	25084	912201		2.8	<u>S</u>	ATITUDE	7
													Depth	<b>₩</b>		8	4	10		3  -   Z			Scan.
-	1235	1234	1224	1,001	1233	1232	1231	1230	1229	1226	1223		Ţŗij	TIME @	SHEE.	OTHER:	FLUOR	LIGHT		- 5	250	C	Freeman
	2.140	10.889	21.090	2	30,856	40.611	49.526	75.805	100.971	150.716	210.429		Press.			9 <sub>1</sub>	FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	15.9	Z.	ONGITUDE	PROJECT & LEG:
	5.	ý.	╌	_		1	+	5	71 5.	₩	<del>-</del>		1	38 61			3	<u>چ</u>	MENI	6		m	7 & LE
	.724र्भ	5.7270	5.7187		5.7240	5.7372	5.7203	7164	1533	4.7666	4.4433		Temp.	_≤		· · · · · · · · · · · · · · · · · · ·	<b>/</b>	<	κi	w28	DAY	DATE	٦
	31.3755	31.3767	31.4130		31.4422	31.4422	31,5663	31.6931	31.8828	32.1354	32.2428		Salinity	Monitor	, S	; ; , T	1>	REM	FILE	MAY		JD= /	8056AM
	+	+		_		-		-	1		╁──		1	Values	May	Lox 1		REMARKS	FILENAME:	9 5	<b>≾</b>	48	8
	30.9096	30.9165	30.9464		30.9809	30,9959	30.0%3	31.2171	30.9247	30.8424	30.6898		Cond.		Wife ou	Line 8	atrita	(include	CAS	122	H M	TIME (GMT)	
	0.6380	0.6494	0.7067		0.6716	0.8260	0.7275	0.8439	0.1718	0.0617	0.0540		Fluor.		" (	2 to 10	7.		5 1 4 29	306.	Г	DRY BULB	INITIALS:
									90		vini Vini		ThermP	San	243	Ham (6.)	- L	alternate station designation if applicable):	- 2	20	-	(° C)	
, <u></u>		-	$\dagger$	$\dagger$									Avg.	sample	<b>a</b> ,		<sub>}</sub> (n	esigna	8MAY1213	6.00		S bo → BAR.	
	(ii)								12.				J. Tw	Bottle	out boar	•	2	ation if	213	43	-	(mb,integer) SEA STATE	光田の名
													Sal	Data	2-	gurio	depth +	applic		70		VISIBILITY WIND	CHECKED BY:
				_					_					В	e am	during rest.	9	abie):		50	-	DIRECTION WIND	
						•					15		Bot.#	Sal.	i .	•	rouce from	MOA		05		SPEED (kts) CLOUD (amt)	
	849	850	851	1	852	823	hs8	855	856	857	858		Nut Bot	menit	0		ISDm ->	世		561		TYPE WEATHER	1
	9	ŏ' ≭	×	-	> ×	×	X	S	0	7	CC.		#	Ω		,	7 25	527		24		BOTTOM DEPTH (m)	PAGE
	/	/	`			_	_	_	_		_	_	MΖ	Chlor/		MO	250 M			2			) .
				1									Oth	er		210 m cast depth						FOX 61 96-1 STA NAME/ID	29 of _
 N		- 0	9		<u>∞</u>	7	ි ග	ຫຼ	4	ω	N		Pos	ition		op the						ō <u>~</u>	

1 2	1 4	70	<b>(</b>	,	80	7	<b>o</b>	u	4	ω	N		Pos	sition	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN	_	03		CONSECUTIVE CAST	VESSEL:
	29	31	77	) )	34	27	33	7	5	8	9	23	Bot Trip		SN	SZ	S. SN	NS %	CID	05-	R <sub>S</sub>	NUMVER	1.
	0	0	20		30	40	50	75	100	150	250	MAX	Dep	oth	1111	6	2	9/		140		LAT!	Miller Freeman
	┼-	+	+	4			+			13	-	-	T-ra	ick	748	621458	25084	9/2201		) 8	<u>₹</u>	ATITUDE	13/
							۲			1354/30			Depth	TIME @				<u> </u>		0 Z			is
	1407	1407	1406		1405	1404	1404	1402	1401	1359	1350	1348	T Tib	<b>®</b>	OTHER:	OTHER:	FLUOROMETER (1)	LIGHT METER (小)		155	쫎	۲	K
	2.503	<del>                                     </del>	20.95%	7		40.885	50,	74.	99.0	152.	251.432	275.155	Press.			8,	OMETI	VETER	АПА	10	_	ONGITUDE	2
	03	11.009	95%	4			50,645	74.696	99.052	122	₩	₩-	SS.			Ŕ	H 3	3	ATTACHMENTS:	0.23	N	) M	PROJECT & LEG:
	5.5224	5.5269	5.5141		5,5163	5.503	5.3054	4.8900	4.6187	4.5031	4.4291	4.6343	Temp.	ķ#		.330	<	<	SIS.	3 W 2	0	D .	<u> </u>
	<del> </del>	+-	<del> </del>	_		3	<del> </del>	0 32	-	ļ	1 32.		<del> </del>	Monitor		1	* 	-		8 MAY		DATE J	MA
	31.8847	31.8841	31.8848		31.8845	31.8847	31.9134	2.0296	32.1352	32.2545	2.5/58	30.7092	Salinity	ğ	May 1	3 6	2	REMARKS	FILENAME:	_	8	JD= / <sup>/</sup> -	NE 1508
		11 31.	+	-			-		_	I —	_	├	1	Values		I		RKS	AME:	9 5 /	Ή	48	∞
	31.1932	2000	31.1942		31.2002	31.1936	31.0572	30.8212	30.6959	30.7248	30.9302	31.2810	Cond.		ine out	- (°	CHLAM	(includ	CAS	34	HR MAN	TIME (GMT)	
	5.	0.40	0.4021	9	0.3921	0.3801	0.2786	0.0974	0.05	0.0503	0.0475	0.0678	Fluor.		" ,			e alter	$\vdash$	70	2		INITIALS:
	4062	4033	21.		2	0	186	74	.0586	03	75	78		1	<u></u>	0	4 * -	(include alternate station	φ3φ-	6.0		(°C)	LS: D
			ŀ					-			×		ThermP	San	, c	-60	Chemise	lation (	281	0		(° C)	0
		10	_	+	_				<u> </u>	-			Avg.	ample		39)(	. (II	design	MAY	5.90		BAR.	
	я Т								*				g. Tw	Bottle	4		.13	designation if applicable):	1337	) 4 3		(mb,integer) SEA STATE	CHECKED BY:
		_		T									Sal	Data	S.*	٠		appli		70		VISIBILITY WIND	(ED B
													<u>.</u>	la				cable):		50		DIRECTION WIND	:*
					ļ					25			Bot.#	Sal.						1415		SPEED (kts) CLOUD (amt)	
	259	260	261	7.6	2	263	264	265	266	267	768	269		rient lle				MOA		561		TYPE WEATHER	
		_		107	_	,3 X	4 ×	Š	6	7	8	9	#					#531		2		BOTTOM DEPTH (m)	\
$\overline{}$	×	×	$\times$	-	$\times$		/	_	/	_	_	_	ΖM	Chlor/				-		284		- 70 	PAGE _
+				-	$\dashv$								Oth		,							FOX 60 97-1 STA NAME/ID	30 of
<u>.</u>		_	9	<b>†</b>	<u>.</u>	7	o,	5	4	3	22	_	Pos									END 60	

	-					8	7	6	55	4	w	2		Pos	ition	8	HA HE	D M	TYP		03		CONSECUTIVE CAST	VESSEL:
	2	1 29		-	22	34	27	33	7	C	23	9		Bot.		COND. SN	TEMP. SN		TYPE & SN	CID	115	OEG	NUMVER	SEL:
		0	/0	1	20	30	40	50	75	100	150	MAX		Trip Dep			6	1			73	Н	5	MIM
) H •												,		T-ra		12	554160	1000	9/220/		8	MIN	ATITUDE	4 12
								.				55.		Depth	TIME		8	*	9		47 N		m	rem
		1544	15	ù	ñ	1541	1541	1540	1539	/537	1535	1532	$\vdash$	Trip	)E (0)	OHER	OTHER:	<u></u>	<u></u> 등		1/5	ŒG		Miller Freeman
		+	1543 /	┰	CH3.	├	↓	╫╌	╂━-	┢	<del>} ``</del>		-	╂		<del> </del>	;;; 		T ME	P.	50		LON	
		2.546	10.641	0.00	7 a 2 0 c	30.402	40.980	50,225	74.424	100.026	149.600	242.180		Press.			Ž.		LIGHT METER (1)	IACHI	3 9	S Z	CONGITUDE	OEC.
		+-	<u>ن</u>	+		┢╼	—	+-	╄	ļ. —	╁	4.1	-	7	60  (1986		3	≩_` . Ι		ATTACHMENTS:	)   9   W			PROJECT & LEG:
	,	5.4960	5.4945	3.7731	1027	5.4374	5.0455	4.8109	4.5378	4 3339	4.5069	4.7620		Temp.	2			Ì	<b>\</b>	t.	28	DAY	DATE	
		31.7	+	31.1048	4 16	31.7601	31.9685	32.0279	32.1253	32,1947	32.3150	32.8		Salinity	Monitor				낊	7	MAY		D III	8056±11
and stores		31.7044	31.7043	048	010	10%	685	279	253	947	150	8366		]; V		Wire	. b	2	REMARKS	FILENAME:	9		148	808
B by a special service		31.0117	31.0138	31.01/8	3	31.0239	30.8836	30.7429	30.6091	30.5091	30.7790	31.4857		Cond.	Values		Person B	£	<b>⇒</b> I		5 / 5	_		
Section of the section of		<u> </u>	-	0,	_		-	<u> </u>	┸	ŀ	-	<del> </del>		- 59		Mod	2 8 9 6 C	3	(include	CAST	31	<u>S</u>	(GMT)	7
more years to		0.2107	0.2788	97179	777	0.2427	0.1727	0.1206	0.078	0.0570	0.0482	0.0541		Fluor.		10		7#5	alternate station designation if applicable):	931-	06		DRY BULB	INITIALS:
		7	8		4	7	7		W.	)	-			<u> </u>		249 M	E 2	2	te sta		-1		<u> </u>	J.D.
			1							3.0				ThermP	Sample		9 #	emse.	ion de	28MAY152	05.9		WET WET	
			Γ	T									,	Avg.		22	:	q	sionat	522	0		BAR.	) 우
		38												₹	Bottle		,			*	43		(mb,integer) SEA STATE VISIBILITY	TH CKE
				İ		i								Sal	Data		•	4	polica		105	1	WIND DIRECTION	CHECKED BY:
-				-	-							6.3		<u> </u>				,	ble):		0 /		WIND	
												35		<b>*</b> *	Sal.				MOA #		55		SPEED (kts) CLOUD (amt)	
		870	871	872		873	874	875	876	877	878	879		Bott	ient Ie			÷	# 427		61		TYPE WEATHER	'
ŀ		×	~	×		×	×	×	0	7	(C)			#	C.			C	3		24		BOTTOM DEPTH	PAGE
		/	_		`		_	/	_	/	_	/	/	MΖ	Chlor/						00			
														Othe	er							:	FOX59 98-1 STA.	31 of _
ŀ	<u>،</u> ن	-1 -4	-1 O	8		ω	7	6	თ	4	ω	2	1	Posi	tion							i	10 10 10 10 10 10 10 10 10 10 10 10 10 1	

<u> </u>	-	- 0	g	α		,	on .	(J)	4	ယ	N	_	Pos	sition	COND. SN	TEMP. SN	PRESS. SN	TYPE & SN		032		CONSECUTIVE CAST NUMVER	VE SSEL:
	29	31	22	34		7 6	S	7	5	18	9		Bot		] ·s	S	SS	S S S S	CID	15	R	NOMVEN	Ι.
	0	10	20	30	70	2	50	75	100	150	MAX		Trip Dep			0	<i>y</i>	e		73	57	<u> </u>	William Licensia
		42								7			T-ra	ick	348	031455	78084	9/2201		6	<u>₹</u>	ATITUDE	2
										170515			Depth		`	25	3	0		25		m	100
				-	+	_	=	17	17	1 -	1701	$\vdash$	† –	TIME @	9	9	<u> </u>			Z	0		Ş
	1718	1718	1717	1716	7/5		7/4	713	1712	1710	2		Trip			OTHER:	S S S	Ϋ́ΤΜ	10	55	93C	5	
4	1.5	10.998	21.0	30.	41.208	- 1	50.823	75.243	99.	149.042	224.696		Press.				FLUOROMETER (1)	LIGHT METER (1)	M	00	7	LONGITUDE:	PHONECT & LEG
	983	198	21.022	30.684	80	Ì	23	243	99.435	)42	696	L	SS.			d d	₩ 3-	Ĩ	ATTACHMENTS:	14	<u>\$</u>	, D	2
•	5.3	5.33	5.30	5.2004	4.7568		4.2980	4.1886	4.2860	4.3475	4.7705		Temp.	ät	<u>.                                    </u>		ا ۲	<b>&lt;</b>	NIS:	4W	-		Fr G
	3634	3572	3655	004	60	. (	80	86		175	20		ŏ.	_   ≤		9		`		281	DAY	DATE	13
	31.7	31	31.7	31 7995	31.9978	1	32.0017	32.0704	32.1597	32.2837	32.8403		Salinity	Monitor		e e e	100	교	2	MAY		p D	W- 73
	31.7367	31.7314	31.7302	995	978	3	0017	704	597	837	403		P.	1	Mile	, Š	>	MAR	FILENAME:	9	     	148	73 9 0
13	30.	30.	30.5	30.€	30.6		2.08	30.2708	30,4389	30.6181	31.4886		Cond.	Values	e out	Line	2	REMARKS (include		5 /	_		
	30.9239	30.9232	30.9334	30.8607	30.6676		30.2926	708	1389	181	886		₫.			F 60	Wert.	nclud	CAST	701	S	OMT)	Ľ
	0.2864	0.3664	0.3575	0.2	0.0662	9	9650'0	0.0479	0.04	0.0448	0.0552		Fluor.		Mod	, cv	7746	e alte	φ32	0		3:	INITIALS:
	864	664	575	0.2020	62	. 6	96	179	0466	148	52		L		11 /	Station	¥.	<u> </u>	1	6 1		(° C)	
					Τ			×	(A)		50		ThermP	S	227	FO	France	statio	MS	10			
						1	[					L	<b>↓</b>	sample	. 5	500	(h	n deg	28MA 165	5 80		(° C) BULB WET	
										Ÿ		-	Avg.	. I			•	signat	S	80		BAR.	် ပူ
	Ø												₹ ×	Bottle				<u>8</u> ∓		43		(mb,integer) SEA STATE	iti CX
													Sal	Data	İ	٠	:	applic		70		VISIBILITY WIND	CHECKED BY:
		L						:						ଇ				if applicable):		0501		DIRECTION	:≾ 
										03			Bot.#	Sal.				- 1		4		WIND SPEED (kts)	
4	~	_			-	-	_		•		ca	_	Nut	rient				MOA #		56		CLOUD (amt) TYPE	
	088	188	882	883	884	000	0	983	887	888	889		Bot #	tle				* 540			-	WEATHER	
1	×	×	У	×	<b>&gt;</b>	; <b> </b>	Z		_					δ			i	0		23		BOTTOM DEPTH	PAGE
1	_			_	\	` `			_			_	Z W	Chlor/						1			ž.
+	$\dashv$	$\neg$			T	$\dagger$							Oth	er								FOX 58 99-1 STA.	34 of
$\dashv$		_	9	8	7	+	5	S.	4	3	2		Pos								į	58 A. A. A. A. A. A. A. A. A. A. A. A. A. A	

(4.545.648)

	1   N		T-	9		<b></b>	7	o o	(5)	4	ω	2		Pos	sition	COND. SN	PAEC	14 YPE	<del></del>	03	Γ	CONSECUTIVE CAST	VESSEL:
		29	3/	22		<u>γ</u>	27	33	7	S	23	9		Bot		O. SN	PRESS. SN	TYPE & SN	CIP CIP	35	88	NUMVER	1.
	_	0	0	20		30	40	50	75	100	150	MAX	_	Trip Dep T-ra	oth	1 0 3	25	9/2		133		LATII	Miller Freeman
	-	┼-	-	+	+		_	1	╀	-	-	-	+		ick	84£ \$54160	48052	9/2201		7	<u>S</u>	LATITUDE	m
		_	_	_		_	-	,	_				_	Depth	TIME					6 N			ma
		1849	1848	1847		1847	1846	1845	1844	1843	1841	1838		Trip	®	OTHER:		IGHT N	,	54	RG RG	2	
		1.34	10.7	21.2	01.100	2	40.935	50.292	75.745	100.425	150.133	219.4		Press.		8	FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	52	Z Z	LONGITUDE	PROJECT & LEG:
	_	342 5	783 5	246 5.	┵		H	ļ	╁	+ -	<b>↓</b>	452 4		╁	8 9		₩ 3- 3-	3	HMEN	90	Z	<b>R</b>	CT & LE
		3953	.3915	. 2701	77.11	< 1192	4.7458	4.4060	4.2705	4.2711	4.1657	4.5382		Temp.			!	<	હિ	W 28	DAY	DATE	1
		<del>                                     </del>		╄	O1. 0	2 12	32.0		ļ	┢	32.2	╁		Sal	Monitor	- 1	93	<b>.</b>	<u> </u>	MA		mi D₽	N=1508
a delication of		31.8738	3).8733	31.8805	31. 0773	20212	32.0076	32.0367	32,1225	32.1959	32.2922	32.6735		Salinity		FOX L Cruise Wire	ζ,	EMAR	FILENAME:	<u>Y</u> 9		. 148	808
		31.0764	31.0769	30.9860	30.8161	20 8	30.6668	30.4123	30.3888	30.4579	30.4734	31.1443		Cond.	Values	ont Sta Jue	STATE	KS (inc	i	5 / 8	Ţ		
and and remains the first of		-	╄	-	_	>	0	├	+		<del> </del>		-	77		Ma	3	iude a	CAST $\phi$	38	<u>S</u>	GMT)	Z
Calgarithm of the Comment		0.2714	0.2907	0.2226	0.10 11	(C )	.0602	0.0549	0.0463	0.0435	0.0449	0.0525		Fluor.	8	Station 57.	2747	REMARKS (include alternate station designation if applicable):	33-1	05.8		DRY BULB	INITIALS: DD
					T				٠.					ThermP	S	Haul 223 m	cremise	statio	28 MAY 18	0			A.C.
				-	1	_					_			₩-	ample	#	Ę,	n desiç	¥183	5 3		(° C)	
		:a								<u>::</u>				Avg. Tw	Bottle			nation	30	04		BAR. (mb,integer)	오뉴
-				_	+	-	Ti.							1	7			if app		470		SEA STATE VISIBILITY WIND	CHECKED BY:
	i													Sal.	Data			licable)		60		DIRECTION	BY:
											26	) ji t		Bot.#	Sal.					146		WIND SPEED (kts) CLOUD (amt)	
f		890	89	892	568	5 (	894	895	896	6	6	67	-		rient lle			MOA #		199		TYPE WEATHER	
-	-	ŏ ×	<u> </u> 	)2 X	73 /	-	×	S X	6	65	66			#				# 5544		2		BOTTOM DEPTH	P <sub>A</sub>
	$\neg$	/	, /	_	\  -	-			/	/	_	_	_	ΜZ	Chlor/					24			PAGE 2
-	-				-	$\dashv$								Oth								FOX 57 100 -1 STA. NAME/ID	33 of
1	7 2		1 0	8	∞		7	თ	ഗ	4	ယ	N		Pos	ition							S - 2	

1 22	- (	10	؈		<b>60</b>	7	о О	(J)	4	ω	N	_	Pos	sition	SNO. SN	TEMP. SN	PRESS. SN	TYPE & SN		03'		CONSECUTIVE CAST	VESSEL:
	29	31	77	ا د	34	27	33	7	S	23	18	_	Bot		) SN	SS	S. SE	S S S	CID	45	E E	NUMVER	
	0	10	20	K	8	40	50	75	100	150	MAX		Dep Dep			0	4	16		73		i	Miller
		83	I								L		T-ra	ıck	126	554160	25084	9/2201		0.19	<u>₹</u>	ATITUDE	71
							,						Depth	Į.		8	+	~		) 4 N		,,,	Freuman
$\vdash$	╁╴	-	†-					<del> </del>			<del>                                     </del>		T rip	TIME @	SHE	OTHER:	FLO	니다		-	R R		3
_			1			_			-	_	<u> </u>		┼		<sup>  9</sup>	罗	SPON	± ME	B	4	မ	Q <del>X</del>	
	4811.6	110.0	1-130, OF	70, 17	0 12 20	39.9.900	50. W9 79	15.4072	100.6468	149.6501	101,897		Press.			9. 22	FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	5	Š	ONGITUDE	PROJECT & LEG:
-	- <del> </del>	,	75		7	00 4	_	<del> </del> -	4		ì	-	<del> </del>			8	<u>ઽ</u>	ક		. 9 9	_	l <b>m</b>	1 % [
	9664.	الما المر	518re.		, عز (۱	185	4,745.	1.6815	5146	4.2482	4.30 to		Temp.		€ .		1	<	S	w 2	DAY	D.	<u>ធូ</u>
-	<u>v</u>	٠.	757			<u> </u>	۲		46	Щ.	35.	-	-	Monitor			\$576 ·			3		DATE J	MA
	988F.	31.7900	. \$000	71.28	\$ \frac{1}{2}	32.0200	32.0912	32.1559	y Jose	32.28 49	2.463		Salinity		2	27	١>	REM.	FILENAME:	MAY	δ	JD= /	WF9S08
-		-	-				L	,0%	26 30.	7 30.	8 30.	┢		Values	Max	C X Y		REMARKS	AME:	9 5	∌	48	%
	30,9211	1476108	30,9243		4 July 1	30.8217	30.7430	1,7562	1.6675	,5360	.7587		Cond.	Š	C		Strate		CA	200	₹	TIME (GMT)	
$\vdash$	0	0	-						Ó		0.	$\vdash$	 	1	out	STATION OF	3	de al	CAST Ø34	୦୦	<u>S</u>	9 <b>m</b>	Z
	85 K	स्वीम्द	95450	9	3/8/4.0	0103	0.0697	8850.0	b552	0.0463	0540	•	Fluor.				7 7	(include alternate station designation if applicable):	34_	05		(° C)	INITIALS:
H				Ť	0						,		The		1	= 1	£	e stati	. 28 M	80			
		1											ThermP	Sample		# Nan #	Seme	on de	N PY	15/6		WET BULB	
				T						8			Avg.			#- V		signa	-	60	-	BAR.	Ω
ĺ									1				∀ ×_	Bottle	,		٠.	ion if		44		(mb,integer) SEA STATE	CHECKED BY:
		7.		T								-	Sal	Data		٠		applic		70		VISIBILITY WIND	ED B
														ឆ				able)		43		DIRECTION	] : <del>*</del>
											29		Bot.#	Sal.						16		WIND SPEED (kts)	]
}	6	6	47	4		4	7	4	7	4		$\vdash$	Nut.	rient						86		CLOUD (amt) TYPE	
	00	G.	0	1	_	2	3	þf	V,	6	77		Bot! #	(16						2		WEATHER  O B	  - <u>-</u>
7	/ *	1 1	1 *	7	4	1	/ ×	/	_		_	_	MΖ	Chlor/						209		BOTTOM DEPTH	PAGE
				L									7	01/									34 of
					_								Oth	er					,	F079		FOX 56 101-1 STA. NAME/ID	약
1 2	1 1	-1 0	80	œ		7	თ	Сħ	4	ω	N_		Pos	ition						96		0 6	