	STA, NAME/ID	व्रष्टा	2							WHIT'S												
P	_	<u> </u>	4			valve	Ε		LE NUMBER	į	į											
NOT NOT	SOTTOM DEPTH	(E)	2			Cleaned air bleed valve	1- 64		SAMPLE BOTTLE NUMBER		-	7	W	<b>t</b>	'n	11	7			ï		
STATION DESIGNATION	CLOUD (amt) TYPE WEATHER	. *	REMARKS			Cleaned	MAX. DEPTH =		VS .	-	172											
STATIO	WIND SPD.	(S/E) <	<u> </u>			 I	!		E DATA													
	YTLIBILITY S S S	7 (deg)	4	der			<b>!</b>		SAMPLE BOTTLE DATA	A Control of the Cont												
	PRESSURE SEA STATE	<del>    _</del>	+	File Name/Header					SAM													
	WET BULB		DATA LOCATION	File N					5-	,						į						
DSDB I.D.		200	DATA					•		A Paris							s					
	DRY BULB	0 Q		e ID																		
KM0309	TIME (GMT)	NIM -	7	Tape/Diskette ID																		
1 F		표 -		Tap				FLUOR S/N	or values	CEC TEMO												
PROJECT & LEG KM0305tr	721 -	MO W						FLUC	ED MONIT						10							
- x	DATE JD=	VAQ O							CTD CONVERTED MONITOR VALUES	gy.												
	<b>.</b>	100	JD/TIME						טו	<u> </u>												
	LONGITUDE	4 S		•	N.A.		3	Ņ														
		1 <u>1</u> 1		DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		<u> </u>							19	-				
	944	2 ال								301003300												
	LATITUDE	MIN 4				j			<b>T</b>								130					
Moana		ا ن	} '	z	. Š	IP SN	NS C	SEC COND SN	TRIP DEPTI		Bottom	50	40	30	20	10	0					
VESSEL R/V Kilo Moana	CONSC CAST #	0 00 DE	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC CON	POS.		5 , 8	2	3	4	10 5	9 11	7	æ	6	10	-	12

	STA. NAME/ID	700	<u> </u>			 			ec	WHIT'S NUTR.												
粉	<del></del>					valve	ε		TLE NUMBE	움												
NO.	BOTTOM DEPTH	€	<u>9</u>		İ	Cleaned air bleed valve	- 65		SAMPLE BOTTLE NUMBER	NCTR.	S/	9	4	7	9	20	12					-
STATION DESIGNATION	CLOUD (amt) TYPE WEATHER	* (	<u>⊿</u> ≅			Cleaned	MAX. DEPTH =		<b>3</b>	SAL.	173											
STATION	WIND SPD.	* (m/s)	REMAR				]_≊.		DATA													
	WIND DIRN.	(deg)	1	<u>.</u>					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE VISIBILITY	. 0 .		File Name/Header					SAMPL	· · · · · ·												
	PRESSURE	GE C	CATION	File Na												10						
.D.	WET BULB	(°C) (mb)	DATA LOCATION						Ж	SALINITY			,									
DSDB 1.D.	DRY BULB	(3)	<b>-</b>	0						ŭ												
KM0309	TIME (GMT)	N C	10	Tape/Diskette ID																		
	TIME	YR I	<u>-</u>	Tape,				S/N	VALUES	SEC. TEMP												
PROJECT & LEG KMB305b-	727	,	<b>⊣</b>		l I	! <b>1</b>	۱ ا	FLUOR S/N	MONITOR	SS												
PRO ##	DATE JD=	DAY	<u> </u>						CTD CONVERTED MONITOR VALUES			I									-	
		· · ·	₹ E						сто с	PRi. TEMP.												
	LONGITUDE	NIW 20	·l																		10	
	07	DEG -	MES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		ш								1	8			
		2 (- "	S E	Ď	Š	×	.A			PRESSURE											}	
	LATITUDE	MIN 2	•																			
ana	د	DEG 7	7 '			<u> </u>	z	×	Р ОЕРТН		Pottom	B	40	ଞ୍ଚ	20	0	0					
VESSEL. R/V Kilo Moana	CONSC	0 0	_	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	os.		-	2	°	4	20	9	7	80	6	10	11	1,3
<u>[&gt; ≃</u> ]	- 0		<u> </u>	<u>a.</u>	<u>ā.</u>	<u>s</u>	_₹_	S	<u></u>		r)	<u>ا</u>	<u>ක</u>	<u>၈</u>	9	=					L	_

2	SJ.	STA. NAME/ID		CBIRA							85	WHIT'S NUTR.											
3	A	<del></del>		9				wake	~ E		TLE NUMBI	CHL.	:										
	NOL	воттом рертн	Έ)	013			İ	Cleaned air bieed valve	4- 133		SAMPLE BOTTLE NUMBER	NUTR.	22	23	24	25	26	27	787	296	30F	316	
	STATION DESIGNATION	CLOUD (amt) TYPE RATHER	*	842	REMARKS			Cleaned	MAX. DEPTH =		₹S	SAL							_ `				
	STATIO	WIND SPD.	(m/s)	206			,	<u> </u>	и I		E DATA	<b>&gt;</b>											
		VISIBILITY VISIBILITY DIRN	(deg)	1311		der					SAMPLE BOTTLE DATA	SALINITY						5					
		PRESSURE STATE A32	(mb) * *	0233-	z	File Name/Header					SAM	:		Ž.									
		WET BULB	(c)	•	DATA LOCATION	File I						≽						÷					
	DSDB I.D.			408	DATA						:	SALINITY											
4		DRY BULB	(C)	800		tte ID																	
	K~10309	TIME (GMT)	HR	S .		Tape/Diskette ID					JES	MP											
		83.	YR	Y 0 3		<u> </u>				FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP											
	KMO3059	DATE JD- 122	Q.	δ							ERTED MON	5											
	,	DATE	DAY	9 10 2	JD/TIME						CTD CONV	PRI. TEMP.											
		LONGITUDE	NEW NEW		₹	l						PRI											
			DEG	5132	s	NO N	START DOWN	ЕРТН	AT SURFACE	PAR S/N										90	<b>1</b> 29		
ŀ			Ճ	Z (5)	TIMES	DATA ON	STAR	АТ ОЕРТН	AT S			PRESSURE										3	
		LATITUDE	Z	9.01					77			ā											
	ina	-	DEG MIN	5728				-			DEPTH		Bottom	0	96	70	50	<b>Φ</b> 0	30	20	0	0	
1	VESSEL R/V Kilo Moana	CONSC CAST #	٥	06357	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.   TRIP DEPTH	-	1 190	2	e	4	2	9	7	80	6	10	 12
Ŀ	> 골			9	<u>ਲ</u>	<u> </u>	<u> </u>	ਲ	<u> </u>	<u>ا تت</u>	<u>.                                    </u>		Ŋ	٩	8	<u>ග</u>	<u> </u>	=	#	20	7		

	ME/ID	222	2							WHIT'S NUTR.						<u> </u>						
1	STA. NAME/ID	7	)			5	ε		VUMBER	CH.	-			<del> </del>								
No.	обратном рертн	€ r	5			Cleaned air bised valve	50		SAMPLE BOTTLE NUMBER		$\vdash$		_				П	77	1	u		_
VATION	WEATHER P	)       				ed air b	¥		SAMPLE	NOTR.	32	33	20	35	3.6	100 H	$\omega_{\infty}$	39	40	15		
STATION DESIGNATION	CLOUD (amt)	. 0	REMARKS			26	MAX. DEPTH =			SAL	174			İ				İ			!	
STATIO	WIND SPD.	(m/s)			·—.	t.			DATA													0
	WIND DIRN.	\$ 00 00 00		L					SAMPLE BOTTLE DATA	SALINITY							-=					
	SEA STATE VISIBILITY	3.		File Name/Header					SAMPLE	J.												
	PRESSURE	(mb)	NOF	le Name												50.4						
	WET BULB	07.17	DATA LOCATION	正		I	Į.			λIJ						.⊊						
DSDB I.D.		00	PA		;					SALINITY												
	DRY BULB	09 (3)		<u>Q</u>																		
KM0309	TIME (GMT)	™ N ™ N		Tape/Diskette ID			ļ ·															
	TIME	= =		Tape/				N	ALUES	SEC. TEMP												
PROJECT & LEG	27	× 0						FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC												
PROJECT (	521 =0t 3TAG	¥ ¥							ERTED M													
	DATE	S w O Z w	JD/TIME	- 12					TD CONV	EMP.												
	w	S	òg.			;			5	PRI. TEMP.												
	LONGITUDE	30 Min			Z		٠										_			_		
		2 EB	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N.											ю	ς.		
		Z	F	8	ŠŤ.	4	ΑŢ			PRESSURE			-						ļ			
	GDE	.34								ă												
	LATITUDE	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\							<u> </u>		کا		_								_	
Моапа		7 G		z	P SN	IP SN	NS Q	NS OF	POS. TRIP DEPTH		Softon	125	00	8	8	40	30	20	9	9		
VESSEL R/V Kilo Moana	CONSC CAST #	064	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		-	2	ъ	4	25	9	~	80	6	0	-	12
											N	و	00	D	0	=		20	7	53	24	

	VE/ID	87						Π		WHIT'S NUTR.												
8	STA, NAME/ID	1 1				Ne	٤		NUMBER	CH.												
2	<i>у</i> Воттом рертн	(E) (C) (C) (D) (D) (D) (D) (D) (D) (D) (D) (D) (D				Cleaned air bleed valve	R		SAMPLE BOTTLE NUMBER	NUTR.		3	<u></u> 1/2	~		77	185		_			
STATION DESIGNATION	WEATHER	0	REMARKS			leaned air	MAX. DEPTH =		SAMPI	<b></b>	10	2	5	8	3	25	1		_			
ATION DE	S WING CLOUD (amt)	+ 00	REM/				<u>¥</u>	_	¥.	SAL	17											
ST	WIND W	20							SAMPLE BOTTLE DATA	SALINITY												
ŀ	SEA STATE VISIBILITY  P =	100		Header					SAMPLE BY	SAI												
	PRESSURE	(mb) 2 2	NO	File Name/Header					<b>V</b> /													
	WET BULB	(°C) T	DATA LOCATION	Ē						SALINITY						98						
DSDB LD.	DRY BULB	100	à							SAL												
9		9		ette ID																		
KM0309	TIME (GMT)	1 7 2 B	i.	Tape/Diskette ID					UES	EMP												
LEG	122	YR 0 3						FLUOR S/N	D CONVERTED MONITOR VALUES	SEC. TEMP												
PROJECT & LEG		MO M							ERTED MOI	:												
	DATE JD.		JD/TIME						CTD CONVE	PRI. TEMP.												
	JOE	MIN . (0 W	•			.			5	PRI.												
	LONGITUDE	7 0 7		7	NWO	<sub></sub>	ACE	S/N									_					
		DEC	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		J. C. C.										•	0,0	2
:	ш	N 2 3								PRESSURE												
	LATITUDE	MIN 2	i						I													
Moana		DEG 57	•	<b>z</b>	NS 4	NS de	NS Q	SEC COND SN	TRIP DEPT		Bottom	3	40	જ	30	Q	0					
VESSEL R/V Kilo Moana	CONSC CAST #	990	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC CON	Pos.		-	,2	ю	4	S	G	7	80	6	01	11	12
											N	9	$\infty$	9	0	=	17	20	2	23	Z	_

	STATION DESIGNATION	SPD. CLOUD (smt) TYPE MEATHER METHOR MEATHER DEFIN	0 + 0 (E) (E) (E) (E) (E) (E) (E) (E) (E) (E)	1		Cleaned air bleed valve	MAX. DEPTH = (198) m	}	ATA SAMPLE BOTTLE NUMBER	SAL. NUTR. CHL. NUTR.	59	09	(6)	62	63	49	50)					
1.00	S	SEA STATE VISIBILITY SEA STATE SEA S	(deg) L		File Name/Header				SAMPLE BOTTLE DATA	SALINITY												
	DSDB I.D.	DRY BULB WET BULB	(°C) (°C) (°C) (°C)	DATA LOCATION						SALINITY												
- Te	PROJECT & LEG KM0309	122 TIME (GMT)	1		Tape/Diskette ID			FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
	PRO.	LONGITUDE DATE JO.	2 2 W 0 2 M	JD/TIME					CTD CONVERTED	PRI. TEMP.												
		Š.	7 N J S I	TIMES	DATA ON START DOWN	AT DEPTH	AT SURFACE	PAR S/N		PRESSURE												1
	VESSEL R/V Kilo Moana	C LATITUDE	DEG 5 7 3		NS di	MP SN	ID SN	SEC COND SN	TRIP DEPTH		Bottom	20	40	જ	200	0	0					,
	VESSEL R/V Kilo	CONSC CAST #	90	SBE 9+	PRESS SN PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC CO	POS.		<b>г</b>	2	8	ى 4	0	9	17 7	20 8	6 12	01	24 11	12

Ì_	4E/ID		2889									WHIT'S NUTR.												
A)	STA. NAME/ID		<b>CB</b>					٤		UMBER			┢						_	-				
V	2	Н	067				ed valv	90		DITLE N	ļ	<u></u>				<u> </u>								
NOLL	BOTTOM	Œ	000				Cleaned air bleed valve	]		SAMPLE BOTTLE NUMBER		NUTR.	9	4	9	69	2	Ĭ.	72					
STATION DESIGNATION	CLOUD (amt) TYPE RATHER	*	845	REMARKS			Cleane	MAX. DEPTH =		S		SAL	7											
STATION	SPD. GPD.	(m/s)	138	~			l	Σ.		DATA														
	WIND DIRN.	$\Box$	9							SAMPLE BOTTLE DATA		SALINITY												
	SEA STATE VISIBILITY	*	3712		Header					SAMPLE		73												
	PRESSURE	(qm)	2	8	File Name/Header		-																	
	WET BULB	<u> </u>	<u>-</u>	DATA LOCATION	먎	-				-		>-						381						
DSDB I.D.			107	DATA				,				SALINITY												
lasa	DRY BULB	9	 		0														:					
KM0309		Z.	000		Tape/Diskette ID						-												,	
KMO	TIME (GMT)	뚝	6		Tape/Di					MES		FEMP							·					
& LEG	2	×	0 3						FLUOR S/N	CTD CONVERTED MONITOR VALUES		SEC. TEMP												
PROJECT & LEG KAND306b	D- 122	웆	¥   						H.	TED MON	-													
	DATE JD=	DΑΥ	20	¥,	-			40		CONVER		MP.	-			-								
	,		3 8 8	JD/TIME						5		PRI. TEM						-						
	LONGITUDE	NEW T	1							-														
	FON	9	=		8	START DOWN	HTH	AT SURFACE	PAR S/N															٠,
		DEG	N 5	TIMES	DATA ON	STAR	AT DEPTH	AT SL	74			PRESSURE												
	끧		05							*		PRES												
	LATITUDE	N.	36																					<u> </u>
oana		DEG		ı	1	اج	NS.	ı I	SN	POS. TRIP DEPTH			Botton	20	40	30	20	0	0					
VESSEL R/V Kilo Moana	CONSC CAST #		06857	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	OS.		-	<u>~</u>	2	6	4	2	9	7	8	6	10	11	1,
[> ≥		Ш	<u> </u>	ĸ	ă	8	Š	ž	S	۵.	1		10	9	တ	の	0		1	20	17	23	74	L

	VESSEL R/V Kilo Moana	Moana				K B	PROJECT & LEG KM0305b	KMO2	KM0309 DSDB 1.D.	.D.			STATION	STATION DESIGNATION	NOL	Osk	K
	·		12.95	78	34.4l			65Þ\$					(422)	(amt)	49		
	CONSC CAST #		LATITUDE	PON	LONGITUDE	DATE JD=	21	TIME (GMT)	DRY BULB	WET BULB	SEA S	VISIBII PIRN DIRN DIRN DIRN DIRN DIRN DIRN DIRN D	SPD.	TYPE	BOTTOM DEPTH		STA. NAME/ID
		DEG	MIN	DEG	NIM	DAY	MO YR	HR MIN	(a,c)	(၁.)	(mb)	* (deg)	(m/s)	*	Œ	⊢	
	000	0095743	3.06 0	12	34.26	26 WO3 M	A Y 0 3	2115	<b>  4</b>   -   1   1	9.8	1 83	6623	7 71	1 77	63	14	BC9
-	SBE 9+			TIMES	JD/TIME	IME			_	DATA LOCATION	NOL		~	REMARKS			
	PRESS SN	 z		DATA ON			1	Tape/Diskette ID	te ID	臣	File Name/Header	ader					
	PRI TEMP SN	NS C		START DOWN			ı						Щ				
	SEC TEMP SN	IP SN		АТ ОЕРТН									<u></u>	Cleaned	Cleaned air bleed valve	valve	
	PRI COND SN	NS C		AT SURFACE									<u> </u>	MAX. DEPTH =		Ε	
	SEC COND SN	ID SN		PAR S/N_	•		FLUOR S/N	z								-	
	POS.	POS. TRIP DEPTH			6	D CONVERTE	CONVERTED MONITOR VALUES	ALUES			S	SAMPLE BOTTLE DATA	DATA	NS.	SAMPLE BOTTLE NUMBER	LE NUMBE	~
				•					=								
	· ·	,	MIS KAN	URE	PRI. TEMP.	:MP.	SEC	SEC. TEMP	S	SALINITY	<u></u>	SALINITY		SAL	NUTR.	동	WHIT'S NUTR.
3	4	Bottom	5	0										77	73		
٩	2	50	7 9						,				*		75		
00	ъ	30	8-1	ealeen	- drung	A 200	50				v		; 	,	75		
೧	4	3	16			- 1									26	N	
0	2	0	(0,												27		-
=	9	Ø	1												85		
[]	7		_												44		
2	8					,		,								4	
77	6																
23	10																
74	=																
_	12																
-														4			

CAST 6 LATITUDE LONGTILLOR DAY NO YR 18 HW ("C) ("ED) 1 ("ED)	VESSEL R/V Kilo Moana					PROJECT (	PROJECT & LEG KM0305b		DSD8 I.D.	G.			STATIO	STATION DESIGNATION	VIION	0	0
DEG   WAY   DEG   WAY   NO   NO   NO   NO   NO   NO   NO   N		ATITUDE	ГО 	NGITUDE	DA	TE JD= /	23	TIME (GMT)	DRY BULB	WET BULB		VISIBILITY		TYPE	BOTTOM		NAME/ID
National	DEG	MIN		MIN	П	,Y MO	×	┝╼┪	(၁့)	( <u>)</u>	1				Œ)		
The State   Data Location   File Name/Header   Pash   Pa	70574	. 22	15/	•	₹	Σ	0 3	N	9		-		-	11-2	9	5 C B	008
DATA OW   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tape/Diskette ID   Tape Subscription   Tabelly   Tape/Diskette ID   Tape Subscription   Tabelly   Tape/Diskette ID   Tape/	+6:		TIMES		JD/TIME		2			DATA LOCAT	NOL		<u></u>	EMARKS			
START DOWN   AT DEPTH   AT DEPTH   MAKE DE	NS SS		DATA ON				•	Tape/Disket	te ID	定	e Name/H	eader					_
AT SLIPE ALL   ALL DEPTH   AT SLIPE ALL DESTRUE   AT SLIPE ALL DES	TEMP SN		START DOWN	7													
AT SURFACE   PAR S/N   PAR S/N	C TEMP SN		АТ ОЕРТН	'									I	Cleane	d air bleed	valve	
FETTH CTD CONVENTED MONTOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE NAMBER  The Set temp salunity salunity cal.  Set 887  99  99  983  984  885  885	COND SN		AT SURFACE	•						 			<u>"≗.</u> I	# ¥.  ₹.	   <u>:</u>		
TRIP DEPTH         CTD CONVERITED MONTOR VALLES         SAMPLE BOTTLE NUMBER           CD-4/Th>         5         Number         SALINITY         SALINITY         SALINITY         CH.           20 4         8         <	C COND SN		PAR S/N				FLUOR S/N										
PRESSURE   PRI. TEMP. SALUNITY SAL. NUTR.   CHL.	JS. TRIP DEPTH				CTD CON	VERTED M	ONITOR VAL	nes			ν, ·	NAPLE BOTTL	E DATA	/S	AMPLE BOT	rle numbe	R
20 8 80 80 80 80 80 80 80 80 80 80 80 80		PRESSI	URE		St. TEMP.		SEC. 1	EMP		SALINITY		SALINITY		SAL.	NUTR.	몽	WHIT'S NUTR.
36       8         37       8         38       9         38       6         39       6         30       7         40 <td< td=""><td></td><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>64/</td><td>29</td><td></td><td></td></td<>		5												64/	29		
30     8       70     0       80 <td><math>\vdash</math></td> <td>9</td> <td></td> <td>80</td> <td></td> <td></td>	$\vdash$	9													80		
	$\dashv$	00													00		
	_	6													8		
	N	10													83		
	,							•		3					> &		
															55		
	3																
	0																Ē
2												<b>3</b> 3					
	2	:															

VESSEL R/V Kilo Moana			P 3	PROJECT & LEG KM0305b		DSDB 1.D.			vn _	STATION DESIGNATION	SIGNATION	_		
<del></del>	36.94	41.29			8525			3TA1		(amt)	원	46		
CONSC CAST #	LATITUDE	LONGITUDE	DE DATE JD≈		TIME (GMT)	DRY BULB	WET BULB	AIZIBIF ZEV Z. GEZZ	WIND DIRN.		TYPE  WEAT	BOTTOM DEPTH	STA. NAME/ID	ME/ID
DEG	MIN		IN DAY	MO YR	HR MIN	(2)	() ()	* * (dm)			*	Œ		
47 157	36.85N	1181141	. 28 W 03 M	A Y 0 3	-	11.3	0	1738	302	1426	7		4060	14
SBE 9+		TIMES	JD/TIME				DATA LOCATION	2		REM/	REMARKS			
PRESS SN		DATA ON	-		Tape/Diskette ID	<u>a</u>	File	File Name/Header	ler					
PRI TEMP SN		START DOWN					,							
SEC TEMP SN		АТ ОЕРТН									Cleaned air bleed valve	bleed val		
PRI COND SN		AT SURFACE								¥	MAX. DEPTH =		E	
SEC COND SN		PAR S/N		FLUOR S/N										T
POS. TRIP DEPTH	丰	18	CTD CONVERTE	CONVERTED MONITOR VALUES	UES			SAMP	SAMPLE BOTTLE DATA	ATA	SAMPLE	SAMPLE BOTTLE NUMBER	NUMBER	
	Niskar										-			WHIT's
1	5 -		rki. IÇIMF.	SEC. LEMP		a di	SALINIT		SACINIII	¥ }	AUR.	+	<u>د</u>	5 5 7
-	39									, o	ú	-9		Ī
		d						 			100	43		
4 30											88	90		
5 20	164										00	768	200	
6 10	111										6	906		
7	1 17										9	1		
8											_			
6														
10														
11														
12	_													
	•													

Check   Chec	VESSEL R/V Kilo Moana				PRO.	PROJECT & LEG KM0305b	G	DSDB I.D.	e e			STATION DESIGNATION	ESIGNATI	N 2	24K	
State   Stat		.35,24 LATITUDE	TONK	t3,23 эппре	DATE JD=		TIME (GMT)	DRY BULB	WET BULB	PRESSURE SEA STAT	VISIBILITY DIR.Y	CLOUD (ar	<b>NEATHER</b>	ВОТТОМ	STA	AME/ID
Name	DEG	-		NIM	٨	Н	П	(2,)			П	+		(£)		
N	53	. 7	4 121		₩ ∀	R 0	m	1111.10	•	গ্ৰ	31	2				3
Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   Tape/Disket	SBE 9+	70 70	TIMES	H/dr	IME			٥	NATA LOCATIC	×.		REM	IARKS			
START DOWN   START DOWN   TO DEFTH   TO SAUNTY   SAUNTY   SAUNTY   SAUNTR DOTTE NUMBER   SAUNTR DOWN   SAUNTR DOTTE NUMBER   SAUNT	PRESS SN		DATA ON			<u> </u>	Tape/Diskette	<u>Q</u> 6	File	Name/He	ader					
PAR SAN   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SAL NUTR   CFD CONVERTED MONTOR VALUES   SALINITY   SALINITY   SALINITY   SALINITY   CFD CONVERTED MONTOR VALUES   SALINITY   SALI	PRI TEMP SN		START DOWN				G.								i	
AT SURFACE   PAR S/N   FLUOR S/N     Dys km   PRESSURE   PRIL TEMP   SCT. TEMP   SALIMITY   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SCT. TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SCT. TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SCT. TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   PRESSURE   PRIL TEMP   SALIMITY   SALIMITY   CH.     Dys km   Pressure   PRIL TEMP   SALIMITY   CH.     Dys km   Pressure   PRIL TEMP   SALIMITY   CH.     Dys km   Pressure   PRIL TEMP   PRIL TEMP   CH.     Dys km   Pressure   PRIL TEMP   PRIL TEMP   PRIL TEMP   CH.     Dys km   Pressure   PRIL TEMP	SEC TEMP SN	==	АТ БЕРТН			I			]				Cleaned	air bleed v	alve	
PAR SAN   FLUOR SAN   FLUOR SAN   SALINITY   SALINITY   CAL.	PRI COND SN		AT SURFACE									MAX	C. DEPTH.		E	
Dis. km   CTD CONVERTED MÖNTOR VALUES   SAMPLE BOTTLE DATA   SAMPLE BOTTLE NAMBER	SEC COND SN		PAR S/N		<u></u>	FLUOR S/N			*						: 1	
Dyskm         PRESSURE         PRIL TEMP         SEC. TEMP         SALIMITY         SALIMITY         GAL           100         60         92         93         93           40         10         94         95           40         10         95         96           20         11         97         97           10         20         97         97           10         20         97         97           10         20         97           10         20         97           10         20         97           10         97           10         10	POS. TRIP DEPTH			E	CONVERTED	MONITOR VAL	UES			RS.	MPLE BOTTLE	DATA	SAM	PLE BOTTI	E NUMBER	
100   60   110   100	×	<del> </del>														WHIT's
80 8- 80 8- 140 by 30 111 22 172 20 172 20 172 20 0 212 20 0 212 20 20 20 20 20 20 20 20 20 20 20 20 20	+	1		PRI. TE	<u> </u>	SEC. 1	EMP	YS.	ALINITY	<u> </u>	SALINITY	S		ETR.	+	Ž.
80 & & ~ & ~ & ~ & ~ & ~ & ~ & ~ & ~ & ~	+									<u> </u>		1	4	8	+	
80 & C	_	9 (										1		5		
66 94 46 b2 30 11 2 10 20 2 0 21 2	4	3												94		5
46 lb 2 20 11 7 10 20 4 10 20 4 10 21 7	_	2						==	-87					95		
30 11 7 22 17 7 10 20 4 0 21 7	_	70											18	, 9		
26 17 4 10 20 4 0 21 4	_													920		
0 21 4		174											-	384		
7 17 0		202								}				200		
11 12				•							į			30		
11 3	10	8														
12	11		· 						13							
	12															

VESSEL R/V Kilo Moana					PROJECT (	PROJECT & LEG KM0305b		DSDB 1.D.	l.D.			STATIO	STATION DESIGNATION		BK	
	33,7(	(5)	45,63	63			ISho	_			L		C (smt)			
CONSC CAST #	LATITUDE		LONGITUDE		DATE JD=		TIME (GMT)	DRY BULB	WET BULB	PRESS	NIZIBI	SPD.	CLOUI TYPE TA3W	BOTTOM DEPTH	STA. N	STA, NAME/ID
DEG	Min	DEG	MIN	۱۵	DAY MO	O YR	품	(C)	(0.)					L		
d+3573	3.76 N	151	451. A	2w 63	3 M	Y 0 3	6540	1.01	00	7	39333	3	19284	11 4	470 bC5	5
SBE 9+		TIMES	•	JD/TIME					DATA LOCATION	NOL			REMARKS			
PRESS SN		DATA ON	•				Tape/Diskette ID	te ID	Ē	File Name/Header	Header		2	TV		
PRI TEMP SN		START DOWN	₹.			. 1							i			
SEC TEMP SN		AT DEPTH	1			1						]	Cleane	Cleaned air bleed valve	valve	
PRI COND SN		AT SURFACE	ш		1	. 1						]	MAX. DEPTH =	# #	E	
SEC COND SN		PAR S/N				FLUOR S/N	z									
POS. TRIP DEPTH				сто со	NVERTED !	CTD CONVERTED MONITOR VALUES	ALUES				SAMPLE BOTTLE DATA	LE DATA	Š	SAMPLE BOTTLE NUMBER	E NUMBE	_
				š.			=					·				
	Wiskam Intercaine	101	8	OPI TEMP		0	OF TEMP		CALIMITY		VEN MIN	2	40		Ę	WHIT'S
1 Contton	5										5			141	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	
2. 125	7													142		
3 (00)	60													163		
4	9										:			ኮየተ		
8	107													145		
9	7 =													106		
7 30	74													147 =		
8	702													148 F		
6	1/2													(49)		
10	224													<b>⊿ Φ</b> 11	1	
11		! !														
12					-						s					

VESSEL				PROJEC	, LEG	KMAZAGE	DSDB I.D.	Ġ.			STATION	STATION DESIGNATION	-	1	
R/V Kilo Moana				KM0305b		2	2						7	Jek	
	31.78	_	47.41			4645				П	(tms)		131		
CONSC CAST #	LATITUDE	TONG	LONGITUDE	DATE JD=		TIME (GMT.)	DRY BULB	WET BULB	URESSU TE A3E	VISIBILI VIRIO VIR	SP D	TYPE WEATHI	BOTTOM DEPTH	STA, NAME/ID	ME/ID
DEG	MIN	DEG	NIM	DAY MO	YR	HR	<u>(</u>	(Ç)	(mp)	* (dea)	* (s/m)		<b>(E</b>		
&= 41573	31.83N	471151	0 0	143 M A	Y 0 3	5 13	6 .3	0) •	143	9347	132	192	132	320004	3
SBE 9+		TIMES	JD/TIME	ഴ	<del></del>		_	DATA LOCATION	NO		2	REMARKS			
PRESS SN		DATA ON				Tape/Diskette ID	e ID	Ħ	File Name/Header	ader					
PRI TEMP SN		START DOWN													
SEC TEMP SN		АТ ОЕРТН									_	Cleaned	Cleaned air bleed valve	alve	
PRI COND SN		AT SURFACE						 			_≧	MAX. DEPTH =		ε	
SEC COND SN		PAR S/N			FLUOR S/N.										
POS. TRIP DEPTH	E		СТО	CONVERTED MONITOR VALUES	NITOR VAL	UES			S.	SAMPLE BOTTLE DATA	DATA	SAM	SAMPLE BOTTLE NUMBER	NUMBER	
		ū													
	Visken # PRESSURE		PRI TEMP	. •	SEC. TEMP	i g	Ū	YTINITY		CAI INITY		CAP	OT! IN		WHIT'S
1 bottom	5						5					\$4	┼-	+	
2 125	64		•						<u> </u>				112	-	
3 100													113	-	
4	ナら												नुत		
5 50	0.7												115		
9							No we	احد راها	N.C.	n			9 11		
7 70	7 17												1111		
6 10	20-7												1 & C		
9	7 7 0												1.00		
10	,														
12															

PRI, TEMP. SEC. TEMP SALINITY	MP. SEC. TEMP	MP. SEC. TEMP	MP. SEC. TEMP	MP. SEC. TEMP	WP. SEC. TEMP	MP. SEC. TEMP	MP. SEC. TEMP	MP. SEC. TEMP SALINITY
MP. SEC. TEMP	MP. SEC. TEMP	SEC. TEMP	MP. SEC. TEMP	SEC. TEMP	MP. SEC. TEMP	SEC. TEMP	MP. SEC. TEMP	SEC. TEMP

20	STA. NAME/ID	0000	<u> </u>			A.	E		NUMBER	WHIT'S CHL NUTR.												
VTION	у ВОТТОМ БЕРТН	(	7			Cleaned air bleed valve	H= 7/		SAMPLE BOTTLE NUMBER	NCTR.	t2/	128	129	130	13CF	/32F	/33=					
STATION DESIGNATION	CLOUD (amt) TYPE WEATHER	. 7				Cleane	MAX. DEPTH =		S	SAL.	181											
STATE	VISIBILITY WIND WIND DIRW, SPD.	7		eader			1		SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE	(mb) +	Ĵ	File Name/Header					δS													
.D.	WET BULB	(0.)	DATA LOCATION	豆						SALINITY												
309 psp8 i.b.	DRY BULB	(i)		te ID				,						,			:	:				
KM0309	TIME (GMT)	HR AIN	1	Tape/Diskette ID	,				ILUES	SEC. TEMP		, ,										
PROJECT & LEG	52	}ੂ_⊲						FLUOR S/N	D MONITOR VA	SEC.		,										
ag ay	DATE JD-	M C W	¥.				,		CTD CONVERTED MONITOR VALUES	TEMP.												
	LONGITUDE	MIN C C							5	PRI. TEN												
	LON	DEG 1 C 1	7	DATA ON	START DOWN	АТ ДЕРТН	AT SURFACE	PAR S/N		JRE				,								
	LATITUDE	MIN 0 0 0	- 15151							PRESSURE												
Moana		DEG 6 7 2		7	   %	NS d	NS C	NS O	TRIP DEPTH		Battom	50	40	30	20	0	0					
VESSEL R/V Kilo Moana	CONSC CAST #	920	SBE 9	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	Pos.		5 1	2 0	3	و 4	01	9	7 7	20 <b>8</b>	219	13 10	11	1,

CONCECTOR   CONC		STA. NAME/ID	-	1 0 0 0						_		WHIT'S NUTR.											=	
CONST.   C	No.	<i>1</i> 2					valve	Ε		LE NUMBE		붐												
CONST.   C	NOL	BOTTOM	(E)	007			air bleed	1		MPLE BOTT		NEUTR.	134	135	136	137	138	139F	1901	=				
NOT   TO   TO   TO	N DESIGNA	TYPE	* (	_			Cleaned	MAX, DEPTI		AS.		SAL												
PROJECT & LEG   LONGTILDE	STATIO		(m/s)					, 		LE DATA	( <del>-</del>	<u></u>												
CONSC   CONS			$\Box$		ader					MPLE BOTT		SALIN												
CONSC	-		* (	<u>5</u>	: Name/He					SA														
CONSC		VET BULB	Iی۲	TA LOCAT	ij							NIŢŸ						33						
NAME   PROJECT & LEG   LANGE	DSDB I.D.		اما	$\overline{\mathbf{x}}$								SAL												
CONSC   CONS	906	<del></del>			kette iD																			
CONSC   CAST #   CATITUDE   CONSC   CAST #   CANTILLO   CONSC   CAST #   CATITUDE   CONSC   CAST #   CATITUDE   CONSC   CAST #   CATITUDE   CONSC   CAST #   CATITUDE   CONSC   CAST #   CATITUDE   CONSC   CAST #   CATITUDE   CONSC   CAST #   CAS	XX	TIME (G)	품 (	<u>၈</u>	Tape/Dis	, 			z	ALUES		TEMP												
VESSEL   RAV Kilo Moana	ECT & LEG	123	H≒ا	6 2		<b>1</b> i		1	FLUOR S/	MONITOR V		SEC												
VESSEL   RAV Kilo Moana	PROJ	ATE JD≖	DAY M	\(\rac{1}{2}\)						ONVERTED														
CONSC			•						1	CLD		PRI. TEMP,												
CONSC		ONGITUDE	N.	000		Z.		ш																
CONSC CAST # LATITUDE CONSC CAST # LATITUDE O 7 7 5 7 2 2 8 N SRE 9+ PRESS SN PRI TEMP SN SEC COND SN PRI COND SN PRI COND SN PRI COND SN  2 5 5 0 3 40 4 30 5 20 6 10 7 0 8 8 9 10			DEG -	TIMES	DATA ON	START DOW	АТ ДЕРТН	AT SURFAC	PAR S/N	]		RE												
CONSC CAST # DEG   O   7   7   5   7   2   2   2   2   2   2   2   2   2		ui	6	z	-							PRESSUI											2	
VESSEL  R/V Kilo Moana  CONSC  CAST # DEG  O 7 7 5 7  SBE 9+ PRESS SN PRI TEMP SN SEC TEMP SN SEC TEMP SN  SEC COND SN  1 BOHDON 2 5 50 3 40 4 30 5 7 0 6 10 7 0 8 9 10		INTERP	N C	-   7  7					:	E							##							
	L Moana	<u>v</u> *	1 EG	2	SN	NS div	MP SN	ND SN	NS QN	TRIP DEPT			Botton	50	40	30	20	9	0					
2 2 2 2 2 2 2 4 -	VESSE R/V Kil	CONS	Ţ	SBE 94	PRESS	PRI TE	SEC TE	PRI CO	SEC CC	POS.			-	2	8	9	. s	9	7 71	8 02	6 17	23 10	!	12

	STA. NAME/ID	- 0		•					E.	WHIT'S NUTR.												
W.	<del>&gt;</del>	╄╌┼╌				valve	E		LE NUMB	동												
8	ВОТТОМ	(m) (m) (m) (m)				Cleaned air bleed valve	- 62	ı	SAMPLE BOTTLE NUMBER	WUTR.	141	24	43	たた	45	水	种					
STATION DESIGNATION	39YT WEATHER	1	2			Cleaned	MAX. DEPTH =		SAM	SAL	-		,	_	-	7						
ATION D	S S COUD (amt)		2				MA		¥.	· ·												
<u>s</u>	WIND W	20							SAMPLE BOTTLE DATA	SALINITY						,						
	ALTIBISIA	+ 00	1	eader					IMPLE B	as											ļ	
-	PRESSURE STATS A32	(mb) +	4	File Name/Header					<i>'</i> S							Н		H			_	_
			DATA LOCATION	File												ii.						
9	WET BUL8	(C)	DATA L							SALINITY												
DSDB LD.	DRY BULB	(C) (C) (C) (C)		<u>Ω</u>	, .																	!
KM0309		1-12		Tape/Diskette ID		,						* ,						_				
X	TIME (GMT)			Tape/I				Z	ALUES	SEC. TEMP												
PROJECT & LEG	. 123	7 YR						FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC										-		
PROJECT &		Q ∨ ×							RTED M						•							
	DATE JD#	y O ≥	JD/TIME						D CONVI	MP.				-								i
		\   \	ğ						5	PRI, TEMP,				*					,			i
	LONGITUDE	0 MM .			z																_	_
		15/2 15/2	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N						-								
		Z	F	À	TS	₹	\ <u>\{\}</u>	••	,	PRESSURE												
25	LATITUBE	90.								_												İ
		C)							PTH	1	WX		1		3		S.					
VESSEL R/V Kilo Moana	ಜ್ಞ*	01005-	_	SS	MP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTH		Bottom	8	40	જ	20	0	0					
VESSEL R/V Kilo	CONSC CAST #	0	SBE 9+	PRESS SN	PRI TEMP SN	SEC TI	<b>™</b>	SEC CC	Pos.		-	2	т С	4	25	9	7	8	. 6 12	23 10	24 11	ç

DSDB LD.   STATION DESIGNATION   CLO.   CLo.   CLO.   CL	
NET BULB  WET BULB  WIND	
NET BULB  WET BULB  WIND	
NET BULB  WET BULB  WIND	
WET BULB WITCO  ("C") (mb) * SESSURE  ("C") (mb) * SESSURE  ("C") (mb) * SESSURE  File Name/Header  File Name/Header  SALINITY  SALINITY	
SALINITY  SALINITY  SALINITY  SALINITY  FILE Name  FILE Name	
SALINITY SALINITY SALINITY File Name  File Name	
MET BUL (°C) OO O O O	
WET BUL (°C) OO(O) .	
	1 1
TIME (GMT) DR HR MIN   1   2   7   0   0   0   0   0   0   0   0   0	
R S/N TIME Tabe/ Tabe/ Tabe/ Tabe/ Tabe/ Tabe/	
PROJECT & LANGIGOSDA MO I 23 M A Y CONVERTED MONITCE	
DATE DAY DAY DO 3 DATE TEMP.	
MES ART DO DEPTH ART DO DEPTH PAR S/	
PRESSURE AT ST. P. ST.	
20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
N	$\coprod$
CONSC CAST # CONSC CAST # PRESS SN PRI TEMP PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND PRI COND POS. TI 6 6 6 7 7 7 7 7 7 9 9 8 8 9 9 9 9 9 9 9 9 9 9	2 = 2

	ME/ID	7		1						WHIT'S NUTR.				,								
ne	STA. NAME/ID						E		IUMBER		-		-									
K	5 8 2	200				ed valv	8		OTTLE	₹	┝						_	,		Ī	7	U
ATION	BOTTOM					Cleaned air bleed valve	H.		SAMPLE BOTTLE NUMBER	NOTR.	53	<i>85/</i>	651	9/	)   	/62	163	764	165	99/	167	168 A
STATION DESIGNATION	CLOUD (amt) 19YT WEATHER	N	REMARKS			Clean	MAX. DEPTH =		5	SAL									,			
STATION	WIND SPD.	deg) (m/s)			<u> </u>	<u> </u>			DATA													
	WIND DIRN.	(deg)							вотте	SALINITY												
	SEA STATE YTIJIBIZIV	38		File Name/Header				,	SAMPLE BOTTLE DATA	S												
	PRESSURE	(m)	FION	e Name															l) là			
	WET BULB	0 0 0 0	DATA LOCATION	团			İ			È						Œ.						
DSDB I.D.		000	DAT							SALINITY					,							-
68	DRY BULB	080		<u>_</u>																		
KM0309	TIME (GMT)	32 MIN	13	Tape/Diskette ID																		
3	TIME	3 - E		Tape/				z	ALUES	SEC. TEMP			*				,	4				
PROJECT & LEG	123	× 0						FLUOR S/N	CTD CONVERTED MONITOR VALLIES	SEC												
PROJECT (	OATE JD=	W W							ERTED M													_
	DATE	w Oay	JD/TIME						D CONV	EMP.												
-	ш	<u>3</u> 00 3	)Qr			İ			ច	PRI. TEMP.		,										
	LONGITUDE	· MR			Ę		ш											,		,		
	,	9E6	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N											İ			
	:	Z	F	ă	St	Ā	ΑŢ			PRESSURE				7								
	JOE	.2								2								-				
	LATITUDE	4 ▼ 0							<u> </u> ₹		<u>ر</u>	1-	,	10						<b>.</b>	e e	_
Moana	, 1944.	) 577		z	P SN	P SN	NS Q	NS Q	TRIP DEPTH		Botton	175	150	125	00	8	8	40	જ	20	0	Q
VESSEL R/V Kilo Moana	CONSC	OBK	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	P0.s.		-	2	ť'n	4	S	9	7	80	6	10	11	12
											Ŋ	و	ga	87	<u>ō</u> ,	=	Z.	8	2	स्र	A	_

3	STA. NAME/ID	2	ე ე				٤	*	UMBER	WHIT'S		_	_			÷.						
A	9	╆╅	12			sed valve	180		OTTLE M		_								سلأ	ű.	T	
ATION	BOTTOM	<u>LÌ.</u>	0		İ	Cleaned air bleed valve	# #		SAMPLE BOTTLE NUMBER	NUTR.	169	22/	121	_	7	N	7	8	9	7	8	
STATION DESIGNATION	CLOUD (amt) WEATHER		212-1 REMARKS			Clean	MAX. DEPTH =		<i>y</i> ,	S.	183											
STATIO	WIND SPD.				<u> </u>	i	- !		Е DATA													
	WIND DIRN.	(deg)	200	ē					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE YTIJIBIZIY	<del>                                      </del>	<u>20</u>	File Name/Header					SAMP													
	PRESSURE	<u>151</u>	STION N	File Nan											N							
D.	WET BULB	9	DATA LOCATION			1	I			SALINITY												
DSDB 1.0.	DRY BULB	1 1	<u>ਹ</u> ਨ							Š	2											
309		¥ C	00	kette ID	•				•	34			 									
KM0309	TIME (GMT)		1411	Tape/Diskette ID					NES	EMP												
. & LEG b	60	ا≍⊢	χ 0 3	•				FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJECT & LEG	251 <b>-</b> 01 3740	WO	V Σ				5		RTED MON													_
	DATE	DAY O	SIWIC JD/TIME						D CONVE	MP.				<b>8</b> 3								
	மு	2 (	<u>™</u> 3						ד	PRI, TEN												
	LONGITUDE	NIM C	<u>ام</u>		¥		щ	2								•						
		-	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N		w												
-			Z Z		Š	▼	٧			PRESSURE												
	LATITUDE		<u>a</u>														99					
Ē	2	, E	1.140				_	_	TRIP DEPTH	···	<b>S</b>	150	125	100	8	S	94	ક્ષ	20	0	0	
VESSEL R/V Kilo Moana	CONSC CAST#	Π.	# 38S	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		Botton							_		_	_	_
※ 옷	88	4	SBE	PRE	PR.	SEC	8	SEC	2		<u>-</u>	2	3	4		9		20	2 9	23 10	24 11	

	STA, NAME/ID		CCS				ε		MBER	WHIT'S NUTR.					_							_
B	<u> </u>	Н	0			d valve			TLE NO	윰												
ATION	BOTTOM DEPTH	Έ	0   5			Cleaned air bleed valve	H 1)		SAMPLE BOTTLE NUMBER	NCTR.	2	10		7	63	7	15	79/	1 x P			
STATION DESIGNATION	CLOUD (amt)		2 2 1	REMARKS		Cean	MAX. DEPTH		S	SAL						i						
STATI	WIND SPD.	٦,	<b>3</b> 07				1		LE DATA	≥												
	VISIBILITY Pirv. Dirv.	$\overline{}$	8121	1000	D D				SAMPLE BOTTLE DATA	SALINITY												
	PRESSURE SEA STATE		43	File Name Abadas	rallic/ the				SAI													<u>_</u>
	WET BULB		Ole   .   5  1		<u> </u>				:	Ł						ië.						
DSDB 1.D.			506	Š						SALINITY		-  -  -  -  -  -  -  -  -  -  -  -  -										
_	DRY BULB	(S) (S)	<u>ال</u>	2	3												:					
KM0309	TIME (GMT)	H (	200	Tana/Diskotto ID	and to the				ES	MP												
		¥_	0 3	<u> </u>	<u> </u>	J	<u>.                                    </u>	FLUOR S/N_	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJECT & LEG	DATE JD.   23	œ	Y W						RTED MON											:		
	DATE								TD CONVE	TEMP.												
	UDE	NIM.	<u>₹</u> 5	5		I				PRI, TE								11				
	LONGITUDE	- 1	<u>ବ</u>	N	DOWN	₽	FACE	PAR S/N														
		- 1	~ F	T A P	START DOWN	AT DEPTH	AT SURFACE	PAF		PRESSURE												
	ube	-	0							PRE												
	LATITUDE	¥ .	4						Ħ		W.	0	0	0	0	સ્	30	01	0			
VESSEL R/V Kilo Moana	ပ္တ*	نيان	2	. 3	NS dw	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTH		Rotton	001	8	00	40	ሉ)	cp					
VESSEL R/V Kilo	CONSC CAST #	(		PRESSION	PRI TEMP SN	SEC TI	PRICO	SEC C	So.		5	2	60 W	4	10 s	9	7 7	. 8 07	21 9	23 10	74 11	

	WE/ID		7						1		WHIT'S												
8	STA. NAME/ID		0				alve	E		E NUMBER	CHI	+		-10h									
NO.	DEPTH DEPTH DEPTH DEPTH	Œ	ıv				Cleaned air bleed valve	95		SAMPLE BOTTLE NUMBER	ati N	$\vdash$	5	20	21	22	23	24	52	-			l
STATION DESIGNATION	TYPE ABHTABW		<u>ロ</u> っ	REMARKS			Cleaned a	MAX. DEPTH =		SAME	180	7		.,,	1.7				7	-			
TATION C	SP NO (SMt)		त	Ē		l		₹	-	4TA		7	_										<u> </u> 
S	WIND V		$\overline{a}$		<b>.</b> .					SAMPLE BOTTLE DATA	SALINITY												
	SEA STATE YTUSISILITY	*	38		/Heade					SAMPL													
	PRESSURE	(mp)	114	NOL	File Name/Header		1												,				
r.D.	WET BUCB	(၃)	06.2	DATA LOCATION	Œ		 				SALINITY					4	12		_				
DSDB I.D.	DRY BULB	(၃)	09.5	•	e iD																		
KM6309	TIME (GMT)	HR MIN	1630	•	Tape/Diskette ID			•		UES	EMP									7			
PROJECT & LEG KM0305b		YR	Y 0 3	·					FLUOR S/N	MONITOR VAL	SEC. TEMP												
PROJECT & KM030SB	DATE JD.	DAY MO	03 M A	ш						CONVERTED MONITOR VALUES													
	JE .	z	45 103	JD/TIME						CID	PRI. TEMP.							,					
	LONGITUDE	Mil	54			¥		щ						,									
	<u>-</u>	DEG	151	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		I SE												
	DE		0 0 N								PRESSURE									4-			
	LATITUDE	NIM	7							Ŧ													
Moana		DEG	57	•		S	NS d	NS (	NS Q	TRIP DEPTH		Potton	2	50	40	8	20	01	0				
VESSEL R/V Kilo Moana	CONSC CAST #		08357	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		-	2	e	4	25	9	7	80	9,	10	11	-

	STA. NAME/ID	ζ ()							~	WHIT'S NUTR.										1		
B	<del></del>	<del>        -  </del>				valve	E		SAMPLE BOTTLE NUMBER	몽												
NOIT	осттом Воттом	(E) (O) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A				Cleaned air bleed valve	- 53		MPLE BOTT	NCT.R.	32	33	34	35	36	37						
STATION DESIGNATION	CLOUD (amt) TYPE WEATHER	1	REMARKS			Cleaned	MAX. DEPTH =		S.	SAL.	185											
STATIO	WIND SPD.	(S) =		• • • • • • • • • • • • • • • • • • • •		l	 		LE DATA	>							-,.					
	YTJIBILITY PIRN PIRN PIRN PIRN PIRN PIRN PIRN PIRN	. 00 80 00 00 00		ader					SAMPLE BOTTLE DATA	SALINITY									Ü			
	PRESSURE STATE A38	. 9	×	File Name/Header					SAN	,												
	WET BULB	$\vdash$	DATA LOCATION	표	,					È						0.00						
DSDB I.D.			DAT							SALINITY					,							
	DRY BULB	(C)   -   \		ette ID																		
KM0309	TIME (GMT)	E S S S S S S S S S S S S S S S S S S S		Tape/Diskette ID					UES	ЕМР	,						**					
PROJECT & LEG KRO305b	123	γ γ 3		<u>. F</u>				FLUOR S/N	CONVERTED MONITOR VALUES	SEC. TEMP							,					
PROJECT KIMU30Sb	DATE JD=	l¥l≪							/ERTED MO			$\dashv$										$\dashv$
	DAT	× 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	JD/TIME						CTD CON	PRI. TEMP,							÷					
	LONGITUDE	N N	j	'						PR												
		DEG 51 43	S	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N			-											
		0 / N	TIMES	DAT	STA	AT [	AT S			PRESSURE												
	LATITUDE	Ø . 8								, sat-												
ana	3	DEG MIN		٠.	_	N,	z	NS	ткір бертн		Bottom	40	જ	20	0	0						
VESSEL R/V Kilo Moana	CONSC CAST #	) SISIO	+6 38S	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.		<u>්</u> -	2	3	.4	2	9	7	8	6	10	11	12
<u> </u>											70	9	8	ற	9	Ξ		2	9	23	2	

Conscient   Cons	VESSEL R/V Kilo Moana			ı	PROKWO	PROJECT & LEG KM0305b		DSDB I.D.	G.			STATIO	STATION DESIGNATION	VION		
Color   Colo	8363	52.42		38.14			1955				AJJ18	9		L		
DEG   DEG   NAT   DEG   NAT   ND   NR   NR   CC   CC   CC   CC   CC   CC		ATITUDE	נכ	NGITUDE	DATE JD=		TIME (GMT)	DRY BULB	WET BULB		IISIA	SPD.	JJ/T			NAME/ID
SEE 9+	9	MIN		MIN	Ц		HR	(.c)	(2,)	Н	*	(m/s)	Ŀ	L	╁	
SEC 514   THMES   DATA ON   THMES   DATA DOWN   THRES SN     PRESS SN   DATA ON   THRES SN   THMES SN   THRES SNE   THMES SN   THRES SNE	1	<del>بد</del> 9	121	1	(A)	0 X	200	•	٠	1	921		9	9	00	MAM
PRES SN   PRES	SBE 9+		TIMES	L/dr	IME			•	DATA LOCAT	NOL			EMARKS		3	
SEC TEMP SN   AT DEPTH   AT DEPTH   AT DEPTH   AND D	PRESS SN		DATA ON				Tape/Diskett	οΩ	ご	• Name/	leader					
SEC TEMP SN	PRI TEMP SN		START DOW						:							
SEC COAD SN         ALL DOR SIN -         ALL DOR SI	SEC TEMP SN		АТ ОЕРТН			 			 			<del></del>	Cleane	d air bleec	1 valve	
SEC COMD SN   PAR SN   PAR SN   PAR SN   PAR SN   PAR SN   CTD CONVERTED MONTOR VALUES   SAMPLE BOTTLE DATA   SAMPLE BOTTLE DATA   SAMPLE BOTTLE NAM	PRI COND SN		AT SURFACE			1						<u>~ ہ</u> ا	∰   ¥			
POS. TRIP DEPTH         CTD CONVERTED MONITOR VALLES         SALINITY         SALINITY         SALINITY         SALINITY         SALINITY         SALINITY         CH.           1         PACHOLI S         SALINITY         COND SN</td> <td></td> <td>PAR S/N</td> <td></td> <td></td> <td>FLUOR S/N</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	SEC COND SN		PAR S/N			FLUOR S/N										
Particular   Pressure   Pressur	POS. TRIP DEPTH			5	D CONVERTED	MONITOR VA	viues .			-	AMPLE BOTTI	E DATA	Š	AMPLE BOT	TLE NUMBI	85
1 Packson         Packson         Sec. Temp         Salunty         Salunty         Salunty         Salunty         CHL           2 SS         6 λ         6 λ         32         32         32         42         32         42         32         42         42         42         42         42         42         42         42         42         42         43         42         43         43         43         43         43         43         43         44 <td< td=""><td></td><td>-</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td>+</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>		-		-						+						
1 Mathorn 5 1 2 50 61 3 40 50 10 4 30 90 10 6 10 11 10 10 10 8 10 11 10 10 10 10 11 10 10 10 10 11 11 11 11 11 11 11 11 11 11 11 11 11		PRESS	URE	PRI. TE	MP.	SEC.	TEMP	S	ALINITY		SALINIT		SAL	NUTR.	동	WHIT'S NUTR.
2 50 61 3 40 \$2.4 5 20 9.4 6 10 11 7 8 7 20 12.4 9 10 11 11 11 11 11 11 11 11 11 11 11 11	-	7 10												38		
3 HO E-7  5 20 9-7  6 10 11 -1  8 9 10	2	61												608		
4       30       9       10       1	8	33												<i>ं</i> ग		
5 20 10-7 7 0 17-7 8 1-9 10 1-9 11.		76												ĭ		
6       10       11 </td <td>S</td> <td>107</td> <td>,</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>24</td> <td></td> <td></td>	S	107	,					-						24		
7     8       8       9       10       11.       12	9	7 =					-							43		
<u> </u>	7	127												711		
	- 1						34									
L I																
	I															
12		122							35.							
	1 12	<b>}</b>														

STATION DESIGNATION	WIND (amt) TYPE WEATHER DETH STA. NAME/	(m) 1 9 1	REMARKS			Cleaned air bleed valve	MAX. DEPTH = m		DATA SAMPLE BOTTLE NUMBER	SAL NITE CHE NUTE.	45	ነ ማስ	£71	Ž1	64	\$\$	v					-
1.0.	WET BULB SEA STATE VISIBILITY	(°C) (mb) · · · 1 3 · 3   1   2 9 2	DATA LOCATION	File Name/Header	;				SAMPLE BOTTLE DATA	SALINITY						-				22		
PROJECT & LEG DSDB LD. KM0305b	2432 TIME (GMT) DRY BULB	MO YR HR MIN ("C) A Y 0 3 2 4 4 6 1 7 . 2		Tape/Diskette ID				FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP								4				
PR	37,39 LONGTUDE DATE.	1 S ( 3 P . 8 5 w 4 3 M	TIMES JD/TIME	DATA ON	START DOWN	АТ DEРТН	AT SURFACE	PAR S/N	CTD CONVERTE	LE PRI. TEMP.										•		
VESSEL R/V Kilo Moana	1	OS75755.30 N	T SBE 9+	PRESS SN D	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTH	PRESSURE	1 bollen 51	2 54 6-	3 40 81	4 34 94	5 24 101	6 16 11-1	121 8 121	8	6	10	11	

	DSDB I.D. STATION DESIGNATION	TATE TATE	TIME (GMT) DRY BULLB WET BULLB CHE CAN DRY SPD. CLOCK COMT)	MIN (°C) (°C) (mb) * * (dea) (m/s) * * (m)	35/101.1 7.611.29185101	DATA LOCATION REMARKS	Tape/Diskette ID File Name/Header		Cleaned air bleed valve	MAX, DEPTH = m		S SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER	SEC. TEMP SALINITY SALINITY SALINITY SALINITY	- T	88	hS	7.7.	7		58			30		
**	PROJECT & LEG KM0305b	39.93	LONGITUDE DATE JD=	NIM	2 4 W 4 3 M A Y G	TIMES JD/TIME	DATA ON	START DOWN	Ат ОЕРТН	AT SURFACE		CTD CONVERTED MONITOR VALUES	PRI, TEMP.								100				
	VESSEL R/V Kilo Moana	25,83	CAST # LATITUDE		1 58.11	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTH	PRESSURE	1 botton 5-1	2 56 C	3 146	4 34 94	5 24 100	//1 BX 9	7 6 67	æ	6	10	11	

VESSEL R/V Kilo Moana					PROJECT KM0305b	PROJECT & LEG KM0305b		DSDB I.D.	q.	•		STATIC	STATION DESIGNATION	ATION		
	59.84	74	42.41				74 87			SURE	ILITY	<u> </u>	(tms) O			
CAST #	LATITUDE	, ,	LONGITUDE	Ď	DATE JD-		TIME (GMT)	DRY BULB	WET BULB			SPD.		BOTTOM DEPTH		STA, NAME/ID
DEG	MIN		MIN		DAY MO	Ϋ́R	HR MIN		( <u>)</u>	۴	+	1	*		╁	
489576	59.72 N	17) 	네긴. 🏚	43 WD	3 M A	Y 0 3	5022	15.3	6 11		16	, Q	9	7	46 MA	10)
SBE 9+		TIMES		JD/TIME			,		DATA LOCATION	NOL			REMARKS			
PRESS SN		DATA ON					Tape/Diskette ID	O a	正	File Name/Header	eader					
PRI TEMP SN		START DOWN	Z.													
SEC TEMP SN		АТ ОЕРТН							 			 	Cleane	Cleaned air bleed valve	valve	
PRI COND SN		AT SURFACE	ы						]			- 	MAX. DEPTH -	Ę	ε	
SEC COND SN		PAR S/N		,		FLUOR S/N										
POS. TRIP DEPTH				CTD CO	CTD CONVERTED MONITOR VALUES	NITOR VA	LUES			S	SAMPLE BOTTLE DATA	LE DATA	S	SAMPLE BOTTLE NUMBER	TLE NUMBE	£
	•				-		ż									
	PRESSURE	URE	Δ.	PRI. TEMP,		SEC. TEMP	TEMP	vi	SALINITY		SALINITY	_	SAL	Ë	8	WHIT'S
1 bottom	5.												187	59		
2 90	9	leak	_											V,0		
3 75	00							-						¢.		
4 50	46													-1 -1	7	
5 40	10-7													Z		
6 30	)								•	1				-7 -2,4	1	
7 20	7 4													57	-	
8	700		•					1						<u>ئ</u> ر	1	
6	21/								:SQ					ĽV	1	2
10									57					-		
11																
12					<u> </u>											
	_															

VESSEL R/V Kijo Moana				PROJECT & LEG KM0305b	& LEG		DSDB I.D.	o l			STA	STATION DESIGNATION	*ATION		
CONSC CAST #	OI.89	9	h3,74	DATE JO-	<u>6</u> III	23 c5	DRY BULB	WET BULB	PRESSURE	SEA STATE VISIBILITY S S	WIND WIND DIRN. SPD.	CLOUD (amt	SOTTOM PER PER PER PER PER PER PER PER PER PER		STA NAME AD
Ш	MIN	П		DAY MO	YR	Н	(2.)	(a,c)	-		1	:	Ь.	+	
494580	ン 00 ・	1121	13. न्य.	W & 3 M A Y	0 3 2	3 1 1 1	5 . 2	12.4	2	291	3	1911	# 1	1 48 mA	1
SBE 9+		TIMES	3MtL/Qf	IME			J	DATA LOCATION	NOI			REMARKS	s		
PRESS SN		DATA ON			Таре	Tape/Diskette ID	Ω	Ē	File Name/Header	Header					
PRI TEMP SN		START DOWN	-												
SEC TEMP SN	3	АТ ОЕРТН						<u> </u>				Clear	Cleaned air bleed valve	d valve	
PRI COND SN		AT SURFACE			<u></u>			 				MAX. DEPTH	##.	E	
SEC COND SN		PAR S/N		15	FLUOR S/N										
POS. TRIP DEPTH			5	D CONVERTED MONITOR VALUES	IITOR VALUES					SAMPLE 8	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NUMBE	<b>S</b>
	PRESSURE	URE	PRI. TEMP.	ď	SEC. TEMP		33	SALINITY		SAI	SALINITY	SAL	E N	3	WHIT'S
1 botton	5/											3	63		
2 125	5		a H										59		
3 160	00												2		
4 75	76												т —		
5 50	7 01						5			1	i		75		
6 30	<u>-</u>	8						•					73		
7 15	7												ナカ		
8 12	707		·	100	11								35		
6	7 (4							Œ					36		
10			•					16							
11.	11.														
12															
															Ī

STATION DESIGNATION	WIND WIND SPECTHER SPECTHER SOTTOM SOTTOM SOTTOM STATES	(m) + + + (s/m)   h h	REMARKS	Ģ.		Cleaned air bleed valve	MAX, DEPTH = m		SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER	SALINITY SAL. NITR. CHL. NUTR.	FE 1881 95	<del> </del>	125 pg			50 82	40 83	30 84	58 51	78 0)	43
DSDB 1.D.	MT) ORY BULB WET BULB TATZ A32 SEA STATE	1 (C) (C) (MP) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DATA LOCATION	Tape/Diskette ID File Name/Header					SAMP	SALINITY										W	
PROJECT & LEG KM03QSb	O O O	7 2 w 4 H M A Y 0 3 C O	JD/TIME	Tape/Di				FLUOR S/N	CTD CONVERTED MONITOR VALUES	PRI. TEMP. SEC. TEMP											
	45.51	DEG   MIN   S 1   LL S 1   7	TIMES	DATA ON	START DOWN	АТ БЕРТН	AT SURFACE	PAR S/N		PRESSURE	7	7	2	7	20	7	<u> </u>	`	,	4	4 1
VESSEL R/V Kilo Moana	CONSC CATITUDE	49 1580 H.	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	РОS. ТRIР ОЕРТН		1 bottom 5	2 150 G	3 125 &	4 160 9		6 50 11	다 아 /	8 30 20	9 15 21	10 (5	11. 0 24

Constitution   Cons	VESSEL R/V Kilo Moana				PROJECT	PROJECT & LEG		DSDB I.D.	6			STATION DESIGNATION	SIGNATION	_		
10   10   10   10   10   10   10   10		700	**	1 0			77.0			31		amt)	8	93		
Dec   Lange   Long	CONSC	70:00	*	86 U			9			ATS ,		) an	I3HT/			<del></del>
Sign   Sign		LATITUDE		ПООЕ	DATE JO-		TIME (GMT)	DRY BULB	WET BULB	<b>√3</b> \$		СГО	/3M		STA. NAME/ID	E/ID
	DEG L	Ţ	DEG	¥.	DAY MO	-	$\dashv$	(2)		$\neg$			-			
Times   DATA LOCATION   The Name/Header   The Name/Header   Tape/Diskette   DATA LOCATION   REMARK	49,315,8	司	151	. 93 v	◂	0 3	3246	· 	8.4	0826	5011	180	-	9	MAI	-
START DOWN   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID   File Name/Header   Tape/Diskette ID	SBE 9+		TIMES	4IT/OL	¥				MATA LOCATI	NO		REM/	ARKS		111	<del> </del>
START DOWN   PRUGR SN   SALMITY   SAL	PRESS SN		DATA ON			<u> </u>	spe/Diskette	Q	뫒	: Name/Hea	der					
AT DEPTH   AT DEPTH   AT SURFACE   MAX. DEPTH   MAX. DEPTH   AT SURFACE   MAX. DEPTH   AT SURFACE   MAX. DEPTH   MAX. DEPTH   AT SURFACE   MAX. DEPTH   MAX. DE	PRI TEMP SN		START DOWN													
PAR S/N   FLUOR S/N   FLUOR S/N   SALINITY	SEC TEMP SN		AT DEPTH						[ 				leaned air	bleed valve		
PAR S/N   FILUOR S/N   SALINITY	PRI COND SN		AT SURFACE			L			]			<b>]</b> ¥	DEPTH .		E	Τ
CTD CONVERTED MONTOR VALUES  SAMPLE BOTTLE DATA  SALINITY  SALINIT	SEC COND SN		PAR S/N			-UOR S/N										
Dustum         Sec. Tem         Salunty         "><td>POS. TRIP DEPT</td><td>E</td><td></td><td>CTD</td><td>CONVERTED MO</td><td>INITOR VALU</td><td>ES</td><td></td><td></td><td>SAM</td><td>PLE BOTTLE I</td><td>DATA</td><td>SAMPU</td><td>E BOTTLE N</td><td>UMBER</td><td></td></t<>	POS. TRIP DEPT	E		CTD	CONVERTED MO	INITOR VALU	ES			SAM	PLE BOTTLE I	DATA	SAMPU	E BOTTLE N	UMBER	
Disk			-	1			6					-		į		=
20 6 7 7 8 8 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8		Nisk PRESSU	URE	PRI. TEM	o.	SEC, TE	<del></del>	8	LINITY	• •	YTINI IAZ	. J				WHIT'S
20 20 20 20 20 20 20 20 20 20 20 20 20 2	$\dashv$											20	-	╀	$\vdash$	
20 8 7 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	_	4											-	7.	<u> </u>	
													4			
													1-2	+ <u>[</u>	-	
													2	<b>~</b>		
9 10 11 12	9				7.1				Ö				_			
9 9 11 11 12	7														-	<u> </u>
01 11 12	B													<u> </u> 		
11 12	6									<u> </u> 					$\vdash$	
11	10												<u> </u>		-	
12	11					ļ										
	12															

VESSEL R/V Kilo Moana				PROJECT & LEG KM0305b	& LEG		DSDB I.D.				STATION DESIGNATION	DESIGNATI	the wo	1	
	14.15		16.46		<u>ਹ</u>	C437			<del></del>	- AU-	(amt)		74		
CAST #	LATITUDE	- [		DATE JD=	TIME	TIME (GMT) D	DRY BULB	WET BULB	SEA S		S N S O C TO O C	39YT TYPE	BOTTOM DEPTH	STA. N	STA. NAME/ID
DEG	F	DEG	NIW	DAY MO	YR FE		Ç	(2,)					(ш)		
49141581	1 4.123 N	1 2 1 1	0.68W	¢	0 3 0 4	1 5¢ t	0	<u>و</u> 0	734	28/6	129	19	7 Dast	200	<del>, 1</del>
\$ 38c		TIMES	JD/TIME	щ			Õ	DATA LOCATION	8		<u>8</u>	REMARKS			
PRESS SN		DATA ON	İ		Tape	Tape/Diskette ID	٥		File Name/Header	ader					
PRI TEMP SN		START DOWN	_								<u>.</u>				
SEC TEMP SN		АТ ОЕРТН						1				Cleaned	Cleaned air blaed valve	alve	
PRI COND SN		AT SURFACE			<u></u>						] <u>¥</u>	MAX. DEPTH =		ε	
SEC COND SN		PAR S/N		FL.	FLUOR S/N		1								
POS. TRIP DEPTH			CTD	CONVERTED MONITOR VALUES	TOR VALUES				3	SAMPLE BOTTLE DATA	DATA	SAM	SAMPLE BOTTLE NUMBER	E NUMBER	
												H			Marrie
	PRESSURE	RE	PRI. TEMP.		SEC. TEMP	$\dashv$	SA	SALINITY		SALINITY	,	SAL	NUTR.	. 등	NOTR.
1 64	2 +												/ 60		
2 50	9											 	00/		
3 30	3												110/		
4	7.6		I							-0			777		
SIS	- 10		11							L.			10KK	-	
9	7 =												1946		1
7	17-4												17.77		
8					i è								-		
6									 			<u>                                     </u>		-	D
10								10					-		
11.															
12	_							! !							

		OF SAME	SIA, INAME/IL	74 UST2	v			ive	ε		NUMBER		WHIT'S CHL. NUTR.												
	ATION	SOTTOM		₹	4			Cleaned air bleed valve	Ŧ		SAMPLE BOTTLE NUMBER		NUTR.	8	# \$1	301	+ (45)	7 501	7 1/1/				.: 		
	STATION DESIGNATION	TOUD (smt)  YPE  VEATHER	ı .	920	REMARKS			Cear	MAX. DEPTH -				SAL	96/											
	STAT	ONIW ONIW	т	18							SAMPLE BOTTLE DATA	_	SALINITY		i										
		3TAT2 A3: YTJIBI2N ≥ ⊆	╁	162		/Header					SAMPLE BO		SALI		i										
		RESSURE	듹	4 64	ATION	File Name/Header																	εĵ		
	.D.	WETBUILB	(ဦ)	7	DATA LOCATION	_			; 		<b>!</b>		SALINITY						i î			œ			
	DSDB I.D.	DRY BULB	( <u>;</u> )	9.6		Q							S												
		\$ 5.3%		\$ 6 C		Tape/Diskette ID		ide			ES		d-												-
	r & LEG b	<sup>(50</sup>	YR	× 0 3		<u>⊤</u>			<u> </u>	FLUOR S/N	VITOR VALUI		SEC. TEMP												
4	PROJECT & LEG KM0305b	DATE JO-	اجا	V V				!			CTD CONVERTED MONITOR VALUES														_
			DAY	<b>€3</b> ₩ €	JD/TIME						CTD CON		PRI. TEMP.								řą.				
		LONGTUDE	N.	φ(			_						- E												
		9	1	$\exists$	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N			,												
		7		7 1 N			S	4	¥			k	PRESSURE	7	~	<b>Y</b>	7	7	7				_		
		15.97 LATITUDE	╏ <sub>╼</sub> ┠	15.						ı	······································				٩	ò	6	2	Ĩ				_		
	VESSEL R/V Kilo Moana	e > 56-	DEG	\$952B		ا چ	NS 4	AP SN	NS Q	NS ON	POS. TRIP DEPTH			bollow.	54	30	20	76	Ŕ			1			
	VESSEL R/V Kilo	CONSC CAST #	-	<u>6</u>	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.				2	8	4	S	9	7	80	6	2	1.	ŗ

STATION DESIGNATION	SECSURE STATE ASSUMING WIND (SIME) COUD (S	(°C) (mb) (mc) (m(s) (m/s) (m/s) (mc) (mc) (mc) (mc) (mc) (mc) (mc) (mc		File Name/Header		Cleaned air bleed valve	MAX. DEPTH = 1015 m	0	SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER	WHIT'S SALINITY SAI NITE CHI MITE	60/ 161	0//	///	//2	1/3	J h//	35//	1/6				
PROJECT & LEG KANDSOST DSD8 1.D.	DATE JO- 124 TIME (GMT) DRY BUIR W	DAY MO YR HR MIN ('C)	1014   M A 1 1 U   3 U   D   1 10   U   U   U   U   U   U   U   U   U	Tape/Diskette ID				FLUOR S/N	TD CONVERTED MONITOR VALUES	EMP. SEC. TEMP SALINITY								337				
	LATITUDE	DEC	TIMES	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR S/N	CTD	PRESSURE PRI TEMP.												
VESSEL R/V Kilo Moana	CONSC CAST #	DEG TO TO	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTI		5 1 Rottom	6 2 80	3 60	3 4 40	10 5 01	11 6 20	17 7 10	20 8 0	6 17	23 10	24 11	

TIMES  TIMES  DATA ON  START DOWN  AT DEPTH	DAY	124 TIME	DRY BULB		Thisisic * SEA STATE	* TYPE CLOUD (amt)	язнтазм *		NAME
DATA ON START DOWI	JONE JONE	M Y O 3	10.1/10101010101010101010101010101010101	DATA LOCATION	131/11/51	REMARKS	11011 3 RKS	M	513
START DOW!		Tape/D	Tape/Diskette ID	File Nar	File Name/Header				
АТ ОЕРТН	7							:	
							Cleaned air blead valve	d valve	
AT SURFACE						] <u>×</u>	MAX. DEPTH 12	ر ا	
PAR S/N_		FLUOR S/N							ŀ
	CTD CONVERI	CONVERTED MONITOR VALUES	•		SAMPLE BOTTLE DATA	DATA	SAMPLE BO	SAMPLE BOTTLE NUMBER	85
PRESSURE	PRI, TEMP.	SEC. TEMP	TVS	SALINITY	SALINITY	, AS	X IV	₹	WHIT'S
							8//		
							119		
						×	97)		
							12.(		
				93			127 F		
							/23F		
F	-						124E		
				禁			452/		
				El					

STATION DESIGNATION	WIND (amt) POUD (amt)	(E) C)	KS			Cleaned air bleed valve	MAX. DEPTH = CCC m		DATA SAMPLE BOTTLE NUMBER	SAL NUTR, CHL. NUTR.	134	/35	134	137	\$6)	139	97/					
	SEA STATE  THISISING  SEA STATE	7 3 · · · · · · · · · · · · · · · · · ·		File Name/Header					SAMPLE BOTTLE DATA	SALINITY			<u> </u>						,			
DSDB I.D.	SESSURE SELEC	100 CO CO	DATA LOCATION	File Na						SALINITY						•			111	€0		
KM0309	TIME (GMT) DRY BULB	10		Tape/Diskette ID					LUES	EMP												
PROJECT & LEG KM0305b-	75 JO-124	Σ						FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC. TEMP	1						Lucals	9				
	LONGITUDE	0 9 W	JD/TIME	į	,				стр сом	PRI, TEMP.							- Mangar					
	Eğ	10 N 1 50 5	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		PRESSURE						9	Evel man					
VESSEL R/V Kilo Moana	CONSC	DEG MIN ○○5820.9	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	S. TRIP DEPTH		Bottom	20	$\dashv$	_	20	01	0					
<u> ₹</u>	85		SBE	PRE	2	SEC	æ.	SE	<u> </u>		10	9	တ	<u>ත</u>	0	9	7	8	2	23	24	12