12	1	10	ဖ	œ	7	<b>o</b>	ග	4	ω	N	_	POS	SITION	SECC	PRI CO	SEC T	PRI TE	PRESS SN	0			ONSECUTIVE AST #		VESSEL	
	0	0	12	12	13,5	20	30	40	SOP	60	BOTTOM	TRIP DEPTH		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN SN T	0	· 1	700		NC	)EL	
	,										64	PRESSURE		ব	_			1220A DATA ON		2) 3	LATITUDE L		NOAA Ship MILLER FREEMAN		
												PRIMARY TEMP	CTD CONVERTED	PAR S/N= 4 2 4	AT SURFACE	AT DEPTH	START DOWN	NON IIMIES	6 T 0 0 0 0 0	,	LONGITUDE		FREEMAN		
												P SECONDARY TEMP	i I	2 ✓ FLUOR S/N= 6			_	Tape/Diskette ID	A1 7 7 0 5 0	7	DATE \\\		MF-05-06	PROJECT & LEG	
											,	P SALINITY		7 8				kette ID File Name/Header	SATION 11.10	)	GMT BULB	TIME DRY		DSDB I.D	
														ChLA	MAX.	Cie		_	9	2		RESSURE	- *	i.D	
												SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		2	2 2 2 2	<i>&gt;</i>	VI W DI	EA STATE SIBILITY IND IRECTION			
	*	*,,	u	# 10		4		7.	*		9	SAL NUTR	SAMPLE BOTTLE NUMBER		,	1 valve			MADKS		CI T` W	MND PEED LOUD (amt) YPE EATHER	04-85-20	STATION DESIGNATION	PG /
_	× (87		283	128/		78/2	183	1 832	_		×	CHL	TTLE NUMBE						1181	)	DEPTH NAN	_	Re le	TION	  유 
	×306	ナヤの×	740		765	184	790	797	Pot Too	730	X426	NUTR	7		,			_		_	NAME / ID	STATION	march		

12	<u> </u>	10	မ	œ	7	6,	, (	ייני	4	ω	N	_	POS	ITION	SECO	SEC 1	PRIT	PRESS SN	SBE 9+	0		CONSECUTIVE		VESSEL	
				÷	0	0	2	١	<b>y</b>	HO	J. O	(60)	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI TEMP SN	SSN		ر ا ا	DEG		N N	•	
													PRESSURE		304	0 1 1 1 1	710	1220A	91220A	56.34	ш	LATITUDE	NOAA Ship MILLER FREEMAN		
	8		:						•				RE		PAR S/N=	AT DEPTH	START DOWN	DATA ON		163	DEG		LERE		
													PRIMARY TEMP	CTD CONVERTED MONITOR VALUES	S/N= 424		OWN		TIMES	50 -1 -1	MIN	LONGITUDE	REEMAN		
_							1						<del>                                     </del>	ED MONIT	2					<u>2</u>	DAY				
													SECONDARY TEMP	OR VALUES	FLUOR S/N=			Tape/Diskette ID	DAT	A R R 0 5	MO YR	DATE \\\	MF-05-06	PROJECT & LEG	
						-							EMP		6 7 8	1			00	ر بو ر	돐	TIME	_   	Б	
													SALINITY					File Name/Header		0 1. F.	MIN °C	<b>6</b> 0		DSDB I.D	
																		er		-	ဂိ	WET	2)	8 I.D.	
													SAL	SAN BOI	ChLAM S/N=	MAX DEPTH (m)	Cloano		<del></del>	O H	m <sub>o</sub>	PRESSURE SEA STATE VISIBILITY			
													SALINITY	SAMPLE BOTTLE DATA	¥	X DEPTH (m)	d oir blood		RE	1634	deg	WIND DIRECTION WIND			-
	•											105	SAL	SAM	1_1	AdiAe	volvo		REMARKS	I	m/s	SPEED CLOUD (amt) TYPE		STATION DESIGNATION	
				ii	0	6	5	/	تھ	نز	丘	Śī	NUTR	SAMPLE BOTTLE NUMBER								WEATHER	20.00	) EXIGNA	PG DA
					287	8 0	68C	289	436	28	288		율	TILE NO						69	1	BOTTOM DEPTH I	EAS		    유
>					140	3 -	- - - - -	x389	×3/3	X3IZ	×302	-	NUTR						_			STATION NAME / ID	7		

12	<u> </u>	10	ဖ	œ	7	တ	σı	4	ω	2	_	POSI	TIO	N	SEC C	PRI CO	SEC T	PRI TEMP	SBE 9+	0		CONSE	CUTIVE		VESSEL
											30	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	() () ()	DEG			NO	SEL .
	24											PRESSURE			304	915	884	710	91220A	4.00	MIN	ATITUDE		A Ship MIL	
								•						CTDC	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		- 6 0 1 3	DEG M	LONGITUDE		NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP 8		CTD CONVERTED MONITOR VALUES	4 2 4 2 <sub>V</sub>				TIMES	9 7 2 2	MIN	DE .		MAN	
												SECONDARY TEMP		NITOR VALUES	2 AFLUOR S/N=			a por Ciercono	Tane/Diskette ID	P R P 0 5	ŏ	DATE \\ 2		MF-05-06	PROJECT & LEG
											SALE Y	EMP			6 7 8				Ö		HZ MIN	GMT		5	EG
											ふれた	SALINITY							ATION	I I	╁	DRY WET	- F	n	DSDB I.D.
											25	SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (n	Cleaned air bleed valve			(C)	+		TATE LITY	5-1	
												SAL				2	bleed valve			119	eg m/s		) O (amt)		STATION D
												NUTR CHL		SAMPLE BOTTLE NUMBER					b	27	-	WE DEPTH		1-J	STATION DESIGNATION
												NUTR			)				つなべい-19			NAME / ID			

PG 3 OF

12	<u> </u>	10	ဖ	œ	7	တ	Ο'n	4	ω	N		POS	TIOI	N	SEC C	PRI CO	SEC T	PRI TEMP	SBE 9+	0		CONSECUTIVE		VESSEL
											J	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	# UT 6	DEG		NO	Ĕ
	*											PRESSURE			304	3		710		2 6 9	MIN	ATITUDE	AA Ship MIL	
												RE PRIMARY TEMP		CTD CONVER	PAR S/N= 4 2	AT SURFACE	AT DEPTH	START DOWN	TIMES	-6059.38	DEG MIN	LONGITUDE	NOAA Ship MILLER FREEMAN	
			-									SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	4 2 FLUOR S/N=			900000	DATA L	シタマオ	DAY MO	DATE	MF-05-06	PROJECT & LEG
												RY TEMP		ES	N= 6 7 8			ŀ	ဂ္ဂ	0 5 2 1 1	YR HR MIN	TIME	5-06	& LEG
												SALINITY							ATION	H. 1 3.0	റ്	w ~	I	DSDB I.D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve	`	<u> </u>	<u>ー</u>	mb deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION	-	
										-	9)	SAL	2)	SAMP		1	d valve		REMARKS	UI	m/s	WIND SPEED CLOUD (amt) TYPE WEATHER	- - - -	STATION DESIGNATION
												NUTR CHL		SAMPLE BOTTER NUMBER						64	-	BOTTOM	C-2	SIGNATION
												NUTR			)				_			STATION NAME / ID		

PG H OF

12	1	10	ဖ	œ	7	တ	ζ.	4	ω	2	_	POS	ITIO	N	SEC C	PRI C	SEC T	PRI TEMP	SBE 9+	0	-	CONSE	CUTIVE		VESSEL
					0	10	30	٥٢	40	کر کر	68	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	<u>5</u>	DEG	1—	··-·	NO	SEL
												PRESSURE			304	915	884	710	91220A	000	<u>S</u> Z	ATITUDE		NOAA Ship MILLER FREEMAN	
		<u> </u>						•						0	V PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		163	DEG	LONGITUDE		ILLER FR	
								! !				PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	N= 424			N N	IMES	ر ا ا	<u> </u>	GITUDE		EEMAN	
		!										<del>                                     </del>		D MONITOR VAI	2 FLUOR S/N=				Tana	2) P 7 8	DAY	10		MF	PROJE
		:										SECONDARY TEMP		LUES	S/N= 6 7				Tane/Diskette ID	<del></del>	分長	ତ		MF-05-06	PROJECT & LEG
												SALINITY	!		8			400000000000000000000000000000000000000	ATION	い と り ・	N C	<b>a</b> 5			- D
												₹   							- -	- 5	င်	WET		CI	DSDB I.D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		-	21 93	mb deg	PRESS SEA ST VISIBIL WIND DIRECT	ITY	6	
	•			:	<u> </u>						103	SAL		SAM		<u></u>	ed valve		ZEMAZZO	10	m/s	WIND SPEED CLOUD TYPE	) (amt)	328	STATION DESIGNATION
					L L	18	ಬ	رد	על	2)	0	NUTR		SAMPLE BOTTLE NUMBER							-	WEATH	IER		DESIGNA
					289	289	88	287	283	283		윋		TLE NU						9 71	1	BOTTOM DEPTH I		SOUT	TION
					G1525	G1536	× 351	x363	×381	G1757	G1776	NUTR		MBER					_			STATION NAME / ID		X	

PG S OF

12	1	10	9	8	7	တ	თ	4	ω	2	1	POS	ITIO	N		SEC C	PRI C	SEC T	PRI T	0000000 94	CBE D	0		CAS	NSECUTIV	VE		VESSEL
					0	0	シ ()	ري (ي	<b>H</b> 5	05	689	TRIP DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	0 1 2		0 0	DEG			_		ĘĽ
																u	9	œ	7	7 <del>.</del>	01	6	_	LATITUDE		3	NOAA Shin MII I ER EREEMAN	
	23						i		:			PRESSURE				304	915	884	710	12202	2000	رو الا	Z	DE		THE WITE		
												RE				V PAF	AT SURFACE	AT DEPTH	START DOWN	DATA ON		6	DEG				ם ס	
						-		 				PRIM			CTDC	PAR S/N=	FACE	<b>로</b>	DOWN			70	<u> </u>	LONGITUDE		ָרָ רַ		
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	42				Ī	TIMES	47 00	ž	JDE			Š	
					<u> </u>										ED MONI	4 2 V			:		_	رن	DAY					
											 	SECONDARY TEMP			TOR VALI	2 VFLUOR S/N=			-	Tape/Diskette ID	Ī	ア マ ア	MO	DATE		E A A	<u> </u>	PROJECT & LEG
												RY TEN			UES	S/N= 6					ΠΑΤΑΙ	0 5	χ Ŧ			— 8 — 8	MF-05-06	T & LEC
												ð				7 8			•	Š	DATA I OCATION	ນ ວ ກ	HR MIN	GMT	TIME			(J
												SALI								File Name/Header	<b>≥</b> }	رو	П	влгв	DRY			_
												SALINITY								eader c	-	<u>ਸ</u> ਸ		-				DSDB I.D
						<u> </u>										Ω	<u>₹</u>			<b>X</b>		٠ ټ	<del> </del>	BULB	WET		アーク	
						;						SA	_	B SA		ChLAM S/N=	AX. DE	Cleane		307778		يو	퓹	SE/	STATE			
												SALINITY	DATA	SAMPLE BOTTLE		Ž.	MAX. DEPTH (m)	Cleaned air bleed valve					deg	WIN	IBILITY ID ECTION			
											0	(0)						ed valv		7100	REMARKS	0 0 1	m/s	WIN	EED		) (1)	STAT
						-					2	SAL			SAMP			<b>0</b> (	0		Š			CLC	OUD (amt PE ATHER		ر ۱	ION DE
					U U	<b>D</b>	لد له	200	22	00	¥	NUTR			LE BOT			1	0	US CAST						Y	J	STATION DESIGNATION
				i	289	288	289	287	283	283	ļ	윉			SAMPLE BOTTLE NUMBER							<u> </u>	-	DEPTH	MOTTOM	(	このでと	NOI
					44	46	47	84		×364	×308	WHIT'S NUTR			MBER					TOP O				NAME / ID	STATION		Á	
	<u></u>				1"	ľ			Ť.	4	80		<u></u>					_		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			1_	Ō	Z			

PG 6 C

12	<u> </u>	10	ဖ	œ	7	တ	თ	4	ω	2		POS	TIO	N	SEC C	PRI CC	SEC T	PRI TEMP	SBE 9+	0		CONSECUT	IVE		VESSEL
					Э	5	<b>ا</b>	3	٦ ا	ग्र )	Øł.	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	*	1 1 1 1 1	DEG			VOV	ĔP.
	8										-	PRESSURE			304	915	884	710	91220A	- - -	MIN	ATITUDE		NOAA Ship MILLER FREEMAN	
								•						Ω	VPAR S/N=	AT SURFACE	AT DEPTH	START DOWN		- 6 -	DEG	LONG		LER FRE	
												PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	= 424			<b>z</b>	TIMES	رد ۹ ک	MIN	LONGITUDE		EMAN	
														D MONITO	2 VE			<u> </u>	<del>,</del>	か の か	DAY	D			뀌
												SECONDARY TEMP		R VALUES	FLUOR S/N=			ape/Diskette 10	DA	7	MO YR	DATE		MF-05-06	PROJECT & LEG
												TEMP			6 7 8		 	•	Ö Ç	5           	TR MIN	TIME		6	LEG
												SALINITY						le Nallie/Lieade		ا الا الا	റ്	DRY			DS
												7						5	_	ر س ا	റ്	WET		1) T	DSDB I.D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned	l		<u>છ</u>	콩	SEA STATE	<b>E</b>		
			] 									YTIN	TΑ	TLE PLE		H (m)	Cleaned air bleed valve		Z.	्र ज	deg	WIND DIRECTION	1		
	•										6)	SAL		SAM		٠	valve		REMARKS	Ø	m/s	WIND SPEED CLOUD (an TYPE WEATHER	nt)	5	STATION DESIGNATION
					.0	رر. ري	3	الر. الر	77 27	وره د	たい	NUTR		SAMPLE BOTTLE NUMBER	  - 						-		<u> </u>	D	DESIGNA
					289	289	289	287	283	283		윘		TLE NU						69		BOTTOM S		てつか	NOIT
					X301	×304	X335	×347	1756	×178	+0+×	WHIT'S NUTR		BER					_			STATION NAME / ID		#	

PG 7 OF

12	1	10	ဖ	ω	7	თ	Ch	4	ω	N	_	POSI	TION	SEC C	PRI CO	SEC T	PRESS SN	SBE 9+	0		CONSECUTIVE CAST #		VESSEL
	0	Ó.	ઇ	\$	බ <u>ර</u>	ا ت	り エ	) 0	T <sub>O</sub>	ਹ 0	XXXX	TRIP DEPTH		SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN	:	856	DEG		N	Ě
				015 251							EXW.	PRESSURE		304				91220A	51.67 W	П	LATITUDE	AA Ship MIL	
				RI?								E PRIMARY TEMP	CTD CONVERTI	✓PAR S/N= 4 2 4	AT SURFACE	AT DEPTH	START DOWN	TIMES	1 6 4 0 3.7 6 w	DEG MIN	LONGITUDE	NOAA Ship MILLER FREEMAN	
												WP SECONDARY TEMP	CTD CONVERTED MONITOR VALUES	4 2 VIFLUOR S/N= 6			lape/Diskette iD	DATAL	() ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )	Ř	DATE	MF-05-06	PROJECT & LEG
												SALINITY		7 8			CTD 008	DATA LOCATION	158 4.2	$\vdash$	TIME DRY		DSDB I.D.
												SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air blee	See ach		4.02428116	°C mb deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION	\$	I.D.
			7		*;	*				*	0	SAL NUTR	SAMPLE BC			id valve	of Control of the Control	REMARKS	106		WIND SPEED CLOUD (amt) TYPE WEATHER	882	STATION DESIGNATION
	,289 61521	.289 61551	289	•	.289 61736	289	.289	·287 91786	. 283 ×550	.283 ×256	¥36 ¥	R CHL NUTR	SAMPLE BOTTLE NUMBER					oのはいるシャンのはって	72	-	BOTTOM STATION	9	IATION

PG & OF

12	1	10	ဖ	8	7	တ	ď	ת	4	ω	2	_	POS	ITIO	N		SEC C	PRI CO	SEC T	PRI TEMP	SBE 9+	0		CONS	SECUT	IVE		VESSEL
								·				3	TRIP DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2 +	952	DEG				NO	Ę
	į.												PRESSURE				304				91220A	F 0 60	MIN	ATITUDE			AA Ship MIL	
									•	:						CTD CC	√PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	IMES	16934.	DEG MIN	LONGITUDE			NOAA Ship MILLER FREEMAN	
						3	漢						PRIMARY TEMP SI				4242	200			Ü.	り マ り び	DAY	DE .	<u> </u>		AN	
													SECONDARY TEMP			TOR VALUES	2 ✓ FLUOR S/N=			i aperbishene ib	Tana/Diska#a	A 7 R 0 5	MO YR	'''			MF-05-06	PROJECT & LEG
			:				7						N D				6 7 8			•		1300	HE MIN	GMT				G
													SALINITY						70000	all college	AION	<u>ज</u>	റ്	BULB	) V			DSDB I.D
																	0	7			_	(N) (N)	╆	-	≨ 1		9-1	31.D.
													SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve	CONTRACTOR OF THE PARTY OF THE		2   1   1   1	mb deg	SEA VISIE WINE	STATE STATE SILITY CTION			
													SAL			SAM			d valve	70	KEMAKNO	<u>_</u>	m/s			nt)	5	STATION DESIGNATION
													NUTR			SAMPLE BOTTLE NUMBER				8	からず			WEA	THER	3	エ	DESIGNAT
										ļ 			욷			LE NUMI					1	OT .	-		BOTTOM S			ĬON
													NUTR NUTR			BER								NAME / ID	STATION			

PG G OF\_

12	11	<del>1</del> 0	ဖ	ω	7	တ	ن ن	4	ω	2		POS	TIO	N	ï	SEC C	PRI CC	SEC T	PRI TE	SBE 9+	0		CON		UTIVE		VESSEL
							:			क्र	150	TRIP DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	מ צ	- 50	DEG				NO	Ä
	53											PRESSURE								91220A 1220A	13.76n	M.Z	LATITUDE			NOAA Ship MILLER FREEMAN	
															CTD CC	PAR S/N=	AT SURFACE	AT DEPTH _	START DOWN	DATA ON	7003.	DEG MIN	LONGITUDE			LER FREEM	
												PRIMARY TEMP SE			CTD CONVERTED MONITOR VALUES	4 2 4 2					8 W26	N DAY	DE .			AN	
								:				SECONDARY TEMP			TOR VALUES	FLUOR S/N=			1	DATA L Tape/Diskette ID	A O R 0 5	ΥR	DATE			MF-05-06	PROJECT & LEG
												Š				678		CTDOIO	•	Ö	106	HR MIN	GMT	TIME			G
												SALINITY						010		ATION File Name/Header	5 0	$\vdash$	ĊΨ	DRY			DSDB I.D
			į													0	7		 		4.	ဂိ	BULB	WET		0-1	Ē
												SALINITY	DATA	BOTTLE	o A MD	ChLAM S/N=	MAX. DEPTH (m) /	Cleaned air bleed valve	ı	z	9956063	mb deg	SEA VISI WIN	SSU STA BILIT D ECTI	TE Y	- - - -	
											63	SAL			SAME	<u>1</u>			~	KEMAKNS	7 88	m/s	WIN SPE CLC TYF		amt)	alask	STATION DESIGNATION
												NUTR			SAMPLE BOTTLE NUMBER		-	Dente 1	6.7		7300		W DEPTH	ATHE BOTTOM	R.	alaskan Stream	ESIGNATIO
									_			CHL NUTR		/	E NUMBER		•	4 Chan	_		0		TH NAME / ID	OM STATION		1	X
												ਲ ਨੂੰ						Z	*	_			/ ID	<u>ō</u>		Exec.	, , , , , , , , , , , , , , , , , , ,

PG 10 OF

EAST

12	⇉	10	ဖ	œ	7	တ	ڻ.	4	ω	2	_	ļ	ITION	SEC C	PRI CC	SEC T	PRI TE	PRESS SN	40 HRS	0		CONS	SECUT	IVE		VESSEL
												TRIP DEPTH		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN	•	7	DEG				NO	Ä
												PRESSURE	CTD wai	304	915				1220A	\(\frac{1}{2}\)	_	LATITUDE			NOAA Ship MILLER FREEMAN	
								•					Save C	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON		70/	DEG	LONG			LER FRE	
												PRIMARY TEMP	50	= 424			z		TIMES	~ ~ ~ ~		LONGITUDE			EMAN	
												+	CONVERTED MONITOR VALUES	2 FLUOR S/N=				Tape/D	-	26APR	DAY MO	0			MF	PROJE
					i.		-			i		SECONDARY TEMP	~	S/N= 6 7				Tape/Diskette ID		5//	YR HR	<u>o</u> :			MF-05-06	PROJECT & LEG
												SAL	at 853 m	8		CTW 01		File Name/Header	ATION	5	MIN	_				
				]								SALINITY	×					leader		Z ~			<  ₩ <u>F</u> T		11-	DSDB I.D.
												SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve	Deside	·		9995567	mb deg	PRES	STATE STATE SILITY CTION			
												SAL	SAN		3	leed valvě	7		REMARKS	2000	m/s	WINE SPEE	D JD (am		Dank D	STATION
												NUTR	SAMPLE BOTTLE NUMBER				Carl	4	,	4 2 o		I	THER		SAGE A	STATION DESIGNATION
												욷	TLE NUM			7	<b>5</b>	1		<u>_</u> Q	-	1	BOTTOM S		SS 58	NOI
												NUTR	BER			7		_				NAME / ID	STATION		AST	

12	<b>1</b>	10	ဖ	œ	7	o	σı	4	ω	2	_	POS	TION	SEC C	PRI CO	SEC T	PRI TE	SBE 9+	0		CONSECUTIV	Æ	VESSEL
										1502	1501	TRIP DEPTH		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN SSN	5	DEG		- NO	žĘĮ,
	1700											PRESSURE		304	915			91220A 1220A	30.90 M	MZ	LATITUDE	NOAA Ship MILLER FREEMAN	
								•					c <sub>1</sub>	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	701	DEG	LONG	ER FRE	
												PRIMARY TEMP	D CONVERTED	424			z	IMES	1.79 62	MZ	ONGITUDE	EMAN	
												SECONDARY TEMP	CTD CONVERTED MONITOR VALUES	2 FLUOR S/N=				Tape/Diskette ID	-6 A PR	DAY MO	DATE	MF-05-06	PROJECT & LEG
			:						:			Y TEMP	ij	N= 6 7 8		  -	'	Ö	0 5 / 7 0	YR HR MIN	TIME	-\f	& LEG
												SALINITY			]	CT0012		A I ION   File Name/Header	7 6.0	z ဂိ	В 5		DSDB I.D.
																	  -	<u> </u>	6	റ്	WET	トシ	BI.D.
												SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve	Dela M		9257097	mb deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION		
											59	SAL	SAN		20/2	ed valve		KEMAKNO	228		WIND SPEED CLOUD (amt) TYPE	Amux	STATION DESIGNATION
					,							NUTR	SAMPLE BOTTLE NUMBER			-	a .	1	42		WEATHER	KIN D	DESIGNA
												유	TLE NU			ave.	1		0		BOTTOM S	PASSE	NOIT
												WHIT'S NUTR	ABER					_			STATION NAME / ID	EAST	

PG 12 OF

12	1	10	ဖ	ω	7	တ	Ch	4	ω	N	-	1	ITION		SEC C	PRI CC	SEC T	PRI TEMP	SBE 9+	0		CONSEC CAST #	UTIVE		VESSEL
										503	570	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	3511	DEG			NO NO	Ě
										i		PRESSURE			304	915	884	710	91220A	5.73	MIN	ATITUDE		NOAA Ship MILLER FREEMAN	
								•							PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	2	10	DEG	LON		LER FR	
								i				PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	/N= 424	)   		N N	TIMES	00	M Z	LONGITUDE		EEMAN	
												-		D MONITO	2			ءَ ا	<u></u>	82 8	DΑΥ	ַם			PR
												SECONDARY TEMP		R VALUES	FLUOR S/N=				DATA L	R 7 0 5	MO YR	DATE		MF-05-06	PROJECT & LEG
												₩.			6 7 8		!   		Ö	2027	牙	TIME			ဂ
												SALINITY							Eile Name/Header	6.1	റ്	DRY			DSD
	:																	,	P -	6	ဂိ	WET		2	DSDB I.D.
												SALINITY	SAMPLE BOTTLE DATA		ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		- ·	42 123	deg	PRESSU SEA STA VISIBILIT WIND DIRECTION	TE Y		
	•						i.				0	SAL		SAN			d valve		KEMAKNU	35	m/s	CLOUD (	amt)	ANILY	STATION DESIGNATION
												NUTR		SAMPLE BOTTLE NUMBER						al	1 1 1 1	TYPE WEATHE	R	A PASS	DESIGNATION
								25				욷		TLE NUM						25		BOTTOM S		13 S	NOIT
												NUTR NUTR		BER					_			STATION NAME / ID		153	

PG 13 OF\_

12	⇉	<del>1</del> 0	ဖ	ω	7	တ	CJI	4	ω	2	_	POS	ITIO	N	SEC C	PRI CC	SEC TI	PRI TE	SBE 9+	0		CONSECUTIV	E	VESSEL
												TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工	DEG		NO.	· 1
	47	:										PRESSURE			304	915	884	710	97220A	1	S Z	LATITUDE	NOAA Ship MILLER FREEMAN	
														Ç.	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	1302	DEG	LONG	LER FRE	
												PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	v= 424	m		<b>≥</b>		2.96	MZ	LONGITUDE	EMAN	
												<del>                                     </del>		D MONITOR \	2	ľ			Tane	2 6 A 4.	DAY MO	<u> </u>		PRO
												SECONDARY TEMP		/ALUES	FLUOR S/N= 6				DAIAL Tane/Diskette ID	70	Ŕ		MF-05-06	PROJECT & LEG
												P			7 8				DATA LUCATION	<u>ය</u> හ	HR ME	M ME	_	y,
												SALINITY							AIION File Name/Header	6	റ്	₩ <b>~</b>		DSDB I.D
													:	7.00 6.5	C	Z		1	<u></u>	6 20	ဂိ	<b>6</b> ≒		.D.
									<u>.</u>			SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve	•	-	9) - 9)	mb deg	SEA STATE VISIBILITY WIND		
											v o	SAL		SAM			d valve		KEWAKNO	00	m/s	WIND SPEED CLOUD (amt) TYPE	AMAKT	STATION
												NUTR		SAMPLE BOTTLE NUMBER						F O		WEATHER	TA PASS	STATION DESIGNATION
						_						CH		TE NOM						0	1	BOTTOM S	3	Ö
												NUTR		BER					_			STATION NAME / ID	界	

PG 14 OF

12	<u> </u>	10	ဖ	ω	7	တ	თ	4	ω	N	_	POS	ITIO	N	SEC C	PRI CO	SEC T	PRESS SN	SBE 9+	0		CONSECUT	IVE		VESSEL
		i								500	1500	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN	+	552	DEG				Ť.
											i	PRESSURE		:	304	<b>.</b>		1220A <b>710</b>		ा ज ज	MIZ	ATITUDE		AA Shib MIL	
								•				RE PRIMARY TEMP		CTD CONVERTE	PAR S/N= 4 2 4	AT SURFACE	AT DEPTH	START DOWN	TIMES	20 20 20 20	DEG MIN	LONGITUDE		NOAA Ship MILLER FREEMAN	
												SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	2 FLUOR S/N= 6			Tape/Diskette ID	DATA	22 22 22 27 0 5 0	ΥR	DATE		MF-05-06	PROJECT & LEG
										100				;	7 8			File Name/Header	00	00	HR MIN .	TIME DI			9
			! !									SALINITY						Header	-	6	╁	DRY WET		F	DSDB I.D.
												SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		RE	(v)	mb deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION			
9											4	SAL		SAMP			valve		REMARKS	Ü	m/s	SPEED CLOUD (am TYPE	nt)		TATION DE
												NUTR CHL		SAMPLE BOTTLE NUMBER			ルパソ			(3) (3) (3)		WEATHER BOTTOM			STATION DESIGNATION
												L NUTR		NUMBER			ال <u>ال</u> م					NAME / ID			

PG 15 OF

12	11	10	ဖ	ထ	7	တ	വ	4	ω	2	_	POS	TIO	N	SEC C	PRI CO	SEC T	PRI TEMP	SBE 9+	0		CONSECUTIVE CAST #		VESSEL
				!							2511	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	0 + 2	6 51 92	DEG		N	E
	.*:											PRESSURE			304	915	884	710	91220A	に み ・ ・ ・ ・	MIN	LATITUDE	DAA Ship MIL	
	1929							•						CTD CO	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	TIMES	1 0 3 1	DEG MIN	LONGITUDE	NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP SEC		CTD CONVERTED MONITOR VALUES	4 2 4 2 FL					13 2 A	DAY		Z	밀
												SECONDARY TEMP		OR VALUES	FLUOR S/N= 6				DATA LOCATION	マ R O 5 O シ	MO YR HR		MF-05-06	PROJECT & LEG
															7 8				CATION   File Name/Header	ļ	<u>≼</u>			
												SALINITY	:	ļ					Header —		റ്	B ~	R	DSDB I.D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		XEMAKKS	594 130	mb deg			
												SAL		SAME					KEMAKKU	니	m/s	CLOUD (amt) TYPE		STATION DI
												NUTR CHL		SAMPLE BOTTLE NUMBER			m10 1152		03 513420	1100		WEATHER BOTTOM DEPTH		STATION DESIGNATION
												- WHIT's		NUMBER			3		1993 CYT	016		M STATION		

PG 16 OF

な	1	10	ဖ	ω	7	၈	ڻ.	4	ω	N	_	POS	ITIO	N	SEC	PRI C	SEC 1	PRI T	SBE 9+	0			NSECU	JTIVE		VESSEL
											499	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n N N	ليد ال	DEG				z	SEL
															u	ေ	œ	7	- 91 - 5	95 O		LATITUDE			NOAA Ship MILLER FREEMAN	
												PRESSURE			304	915	884	710	91220A 1220A	4	Z	P H			hip MIL	
								•				R			MPAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	- 10 10	DEG	ר			LERF	
												PRIM/		CIDCO	PAR S/N=	ACE	Ξ I	NWO		رب	ME	LONGITUDE			REEM	
: !		:						į				PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	4 2 4				Ü	UI.	_	Œ			A	:
												<del>                                     </del>		MONITO	2 V F		Ļ		<del>!</del>	92 14 19	DAY	]				
							i					SECONDARY TEMP		OR VALO	V FLUOR S/N=				DATA L Tape/Diskette ID	7	O	DATE			MF-05-06	PROJECT & LEG
												Y TEMI		Ü	0	1			ette ID	о 5	分景	2.0			5-06	931 %.
											<del>                                     </del>				7 8				Kette ID File Na	T ()	MIN	GMT	TIME			1
											i i	SALINITY							AIION   File Name/Header	6	ဂိ	BULB	DRY		_	D
					:							NTY YEL							<u> </u>	4	╀	m	WET		16	DSDB I.D.
				_							<u> </u>				<u> </u>	MA.			_	~ 0	₩.	-	=  ESSUF		- 0	
												SAL	ō Č	SAN	ChLAM S/N=	MAX. DEPTH (m)	Cleaned			I-	0	SE/	STATIBILIT	TE_		
!											!	SALINITY	DATA	SAMPLE BOTTLE		H (m)	air ble			100	deg	WIN	ND ECTIO			
_												S					Cleaned air bleed valve		KEMAKNU	<u>9</u>	m/s	WIN SPE	EED			STATI
_				_			-			_		SAL		SAMITE				ถ	Ü			TYF	OUD (a PE ATHEI	-	-	ON DE
												NUTR		in 0 -	1		1	S S S S S S S S S S S S S S S S S S S		JT.						STATION DESIGNATION
												욷		מאמירה סכן -רה אכאסתא	1 1		(	5		0	-	DEPTH I	воттом			N
	SI											WHIT'S NUTR		ב ח ת								NAME / ID	STATION			
												<b></b>										₫	Z			

PG VA OF

12	11	10	9	œ	7	თ	O1	4	ω	2	_	POS	ITIO	N	SEC (	PRIC	SEC 1	PRIT	SBE 9+	0		CONS		TIVE		VESSEL
											314	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n ∓ n ≥	ω (Λ	DEG				Z	SEL
												PRESSURE			304	915			91220A	28. IIA	$\Box$	LATITUDE			OAA Ship MILI	
								•				E PRIMARY TEMP		CTD CONVERTE	PAR S/N= 4 2 4	ATSURFACE	AT DEPTH	START DOWN	DATA ON	17033.680	DEG MIN	LONGITUDE			NOAA Ship MILLER FREEMAN	
												RP SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	2 FLUOR S/N= 6				Tane/Diskette ID	27 APR.050	ΥR	DATE			MF-05-06	PROJECT & LEG
												IP SALINITY			7 8		CTOOIX		bata Location   	536 6.3	HR MIN °C		TIME DRY			
												7							der –	5.0	:	BULB	₩ET		1-1	DSDB I.D.
:												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m) 3/	Cleaned air bleed valve	•	7.	91437126	deg	VISIE WIND DIRE	STAT BILITY O CTIO	E ′		
	٠										7/	SAL		SAM		ڄـ	valve		REMARKS	2 78 I	m/s	CLO	D JD (ai	mt)	Aland	STATION DESIGNATION
		:										NUTR		SAMPLE BOTTLE NUMBER						CA N		WEA	THER	₹	6.3 E	ESIGNATI
-							:				_	오동		L NOMB						7	1				trean!	2
												NUTR		,					_			NAME / ID	STATION		7	

PG 18 OF

12	11	10	ဖ	ω	7	တ	O1	4	ω	2		POS	ITIO	N	SECC	PRIC	SEC 1	PRI T	SBE 9+	0			NSECUTIVE ST #		VESSEL
												TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	ρ ∓ Ω Σ	952	DEG			Z	
															304	915	884	710	91220A 1220A	271.3	_	LATITUDE		DAA Shi	
												PRESSURE				≧				) M		m		NOAA Ship MILLER FREEMAN	
_												<b>P</b>		2	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	7/2	DEG	LONG		RFRE	
				-								PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	= 424				TIMES	781118	<u>≅</u>	LONGITUDE		EMAN	
<u> </u>				-			-		-	-		<del>                                     </del>		ED MON	‡ 					7	DAY			L	
												SECONDARY TEMP		ITOR VALUE	FLUOR S/N=				DATA L Tane/Diskette ID	APR	MO	""		MF-05-06	PROJECT & LEG
												Y TEMI		Ü	6	1		i	ette ID	0 5	が ま			-66	& LEG
												U			7 8		C		DATA LOCATION	022	MIN	12	TIME		
												SALINITY				]	0(0010		ATION File Name/Header	2 9	റ്	BULB	DRY		asa
												~							<u> </u>	5.5	റ്	вицв	WET	18-	DSDB I.D.
		-										SA		BO SA	ChLAM S/N=	MAX. DEF	Cleane	ŀ		724	a B	SE	ESSURE A STATE		
												SALINITY	DATA	SAMPLE BOTTLE	NIII	7H (m) 4	Cleaned air bleed valve		7	7106	deg	WII	SIBILITY ND RECTION		_
											107	SAL			3	27	d valve		KEMAKNU	328	m/s	CL	EED OUD (amt)	Ama	STATION
												NUTR		<u>\$</u> 10 0						4		]	ATHER	CAT &	STATION DESIGNATION
												윉		מאמרנה סט ברה מכאסהא						0 44		DEPTH	воттом	Jas	ATION
												NUTR NUTR	• •	₹ 0 7	0				_			NAME / ID	STATION		

PG 1 G 유

12	1	10	ဖ	œ	7	თ	U	ח	4	ω	N	_	POS	ITIO	N	SEC C	PRI C	SEC 1	PRI T	PRESS SN	0	<del> </del>		NSECU	JTIVE		VESSEL	
												500	TRIP DEPTH		Ēi .	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S F	052	DEG			<u> </u>	NO	SEL	
	**								•				PRESSURE			304 PAF	915 AT SURFACE			1220A DATA ON	251.79m117	MIN	m			NOAA Ship MILLER FREEMAN		
													PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	PAR S/N= 4 2 4 2	FACE	TH	DOWN		Z M S	- AIX	ONGITUDE			FREEMAN		
							:						SECONDARY TEMP		ONITOR VALUES	FLUOR S/N= 6				Tape/Diskette ID	# 1 RLO 5 11	十	DATE			MF-05-06	PROJECT & LEG	
													SALINITY			7 8		CT0020		D File Name/Header	199 5.17	Z Z	MT	TIME DRY			DSDB I.D	
																				<u>-</u>	7.11	1	BULB	WET		19-1	8 I.D.	
													SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m) So	Cleaned air bleed valve	•	7	115194 KILL	deg	SE VIS WII	A STATISIBILITY	TE Y		(0)	
	•											98	SAL		SAMPL			valve			200 ×	S/m/s	CL TY	ND EED OUD (a PE EATHE			STATION DESIGNATION	-
							+						NUTR		E BOTTLE						0		DEPTH	воттом			SIGNATIO	
								·					CHL NUTR		SAMPLE BOTTLE NUMBER					_	7		TH NAME / ID	OM STATION			Ž	

유

12	11	10	ဖ	ω	7	စ	СЛ	4	ω	2	<u>_</u>	POS	ITIO	N	SEC C	PRI C	SEC 1	PRI TEMP	SBE 9+	٥ رو		CON		UTIVE		VESSEL
											294	TRIP DEPTH		<del></del>	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	0 <del>T</del>	- 52	DEG				NO.	SEL
												PRESSURE			304	915			91220A	2 4.145 M	NIN	ATITUDE			AA Ship MILL	
			-					•				E PRIMARY TEMP		CTD CONVER	PAR S/N= 4 2		AT DEPTH	START DOWN	TIMES	171155.41	DEG MIN	LONGITUDE			NOAA Ship MILLER FREEMAN	
												-		CTD CONVERTED MONITOR VALUES	4 2 FLUOR S/N=	l l		2	Tane/Di	WZZZAR	DAY MO	DATE			MF	PROJE
												SECONDARY TEMP		UES	S/N= 6 7 8				DATA LOCATION	۳	YR HR MIN	GMT	TIME		MF-05-06	PROJECT & LEG
												SALINITY							ATION	5   5   5	°C .	BULB BULB	DRY WET		0.2	DSDB I.D
		:										SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)294	Cleaned air bleed valve		_	10897712	m <sub>b</sub>	PRE SEA VISI WIN	SSU STA BILIT	Y	20-	
											7	SAL		· · · · · · · · · · · · · · · · · · ·	_	n)294	bleed valve	<i>S</i>	REMARKS	10268		WIN SPE CLC			Ana	STATION DE
												NUTR CHL		SAMPLE BOTTLE NUMBER			S-NY-	\		306		DEPTH	воттом	ir	KTP para	STATION DESIGNATION
												NUTR NUTR		BER					_			NAME / ID	STATION			

PG 2-1 OF

12	3	10	ဖ	œ	7	თ	υ	4	ω	2	_	POS	ITIO	N	SEC C	PRI CO	SEC T	PRI TE	SBE 9+	0		CONSECUTIVE		VESSEL
											375	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n + n Z	252	DEG	1 —	NO	JEL
												PRESSURE			304		884		91220A	2 2.66 M	MIN	ATITUDE	AA Ship MIL	
								•				PRIMARY TEMP		CTD CONVER	PAR S/N= 4 2	AT SURFACE	AT DEPTH	START DOWN	TIMES	17267.63	DEG MIN	LONGITUDE	NOAA Ship MILLER FREEMAN	
												MP SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	4 2 FLUOR S/N=				Tane/Diskette ID	127 APR0	DAY MO YR	DATE	MF-05-06	PROJECT & LEG
															= 678				O C	51722	TR MIN	TIME	8	LEG
												SALINITY							ATION [	5.5 4.9	╁	DRY WET	97-	DSDB I.D.
												SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m) 3	Cleaned air bleed valve		 Z	8957110	mb deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION		
										-	109	SAL		SAM	<u>I</u>	~	valve		KEMAKKS	248	m/s	WIND SPEED CLOUD (amt) TYPE	Ama	STATION DESIGNATION
												NUTR		IPLE BOTH						u		WEATHER	Kt a	DESIGNAT
					-							CHL N. ≸		SAMPLE BOTTLE NUMBER						78		BOTTOM STA	200	ρ <mark>Ω</mark>
												NUTR S		;;; 	-				_			STATION NAME / ID		

PG 72 OF

120	<u> </u>	10	ဖ	ω	7	တ	თ	4	ω	2		POS	ITIO	N	SEC (	PRI C	SEC 1	PRIT	PRESS SN	ر 10			NSECUTIVE ST#	T	VESSEL
											=	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	ω∓ SZ	5	DEG			Z	SEL
																<b>10</b>	•	~.	<u> </u>	<u>5</u>		$\mathbb{R}$		NOAA Ship MILLER FREEMAN	
			: !									PRESSURE			304	915	884	710	1220A	<u> </u>	- <u>*</u>	Ä		hip MI	
	**											RE			√PA	AT SU	AT DEPTH	START	DATA ON	1	DEG			幅	
												PRE		CTD	PAR S/N=	AT SURFACE	HTc	START DOWN		(C)	+	ONG		FREE	
												PRIMARY TEMP		CONVER	4 2					 こ こ え	- <u>M</u>	Man.		MAN	
								<u> </u>						CTD CONVERTED MONITOR VALUES	4 2 <				:	الا 3	- DAY			-	:
				:								SECONDARY TEMP		NITOR V	FLUOR S/N=				Tape/[	B 20	_ ≦ C	10		₹ Fi	PROJE
												ARY TE	  - 	LUES	S/N=				Tape/Diskette ID		1	-		MF-05-06	PROJECT & LEG
							-					Ť			6 7 8		l L		Š	3115	- <del>₹</del>	J >	TIME		G
												ş							File Name/Header	<u>I</u>	- 3 - 2	-		-	
												SALINITY							/Header	6		IDD	DRY		DSDB I.D.
																	 			41.5		BULB	WET	22-1	.D
												(0)		(A	ChLAM S/N=	MAX. D	Clea			8	_   		ESSURE A STATE		
												SALINITY	DATA	SAMPLE BOTTLE	S/N=	MAX. DEPTH (m)	Cleaned air bleed valve			رو		VIS	SIBILITY ND		
												_		[11]		3	bleed v		į		deg	-	RECTION ND	AM	<u>S</u>
												SAL		y A	)				(	DEMARKS		SP CL	EED OUD (amt) PE	13	ATION
												NUTR		₹ π ¤			106			E		WE	EATHER	A	STATION DESIGNATION
												유		A WANTER BOTTER NOMBER			8	7		1		DEPTH	воттом	PR55	ATION
				+				-	-	-		NUTR										NAME / ID	A STATION	WEST	
												TR TR							-			E/ID	TION .	-1	

PG\_23\_\_ OF\_

12	11	10	ဖ	8	7	ဝ	σı	4	ω	2		POS	iTIOI	N		SEC C	PRI CC	SEC TI	PRI TEMP SN	SBE 9+	<i>ه</i>			NSEC ST#	UTIVE		VESSEL
											J	TRIP DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	MPSN		<u>ド</u> び	DEG				NO	P
	-											PRESSURE							710		UT CU T	MIN	ATITUDE			NOAA Ship MILLER FREEMAN	
												m				✓ PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		(1) (1)	DEG	<u> </u>			ER FF	
							:					PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	/N= 424	CE		NW	TIMES	か い い	MIZ	LONGITUDE			REMAN	
-							+		_			1			MONITO	2. FL				<del>1</del>	<b>1</b> 1	DAY	0			_	<u> </u>
												SECONDARY TEMP			OR VALUE	FLUOR S/N=			i por Diore	DATA L	7) 7)	ð	DATE			MF-05-06	PROJECT & LEG
												Y TEMP			S	V= 6 7			-	DATA LOCATION	5	H H		<u> </u>		-8	& LEG
																8				CATION	8	<u>M</u>	GMT	TIME		_	
		:										SALINITY								ATION	TO OQ	ဂိ	BULB	DRY		_	DSI
												77								<u>-</u>	구. U	റ്	BULB	WET		23-1	DSDB I.D.
												S		œ δ	)	ChLAM S/N=	MAX. DE	Clear	Proces	1	9	큥	SE/	ESSL A ST	ATE		
;		:										SALINITY	DATA	BOTTLE	1	S/N=	MAX. DEPTH (m)	Cleaned air bleed valve	S DEST	- Z	<b>8</b> 55 0	deg	VIS WIN	IBILI ND RECT	ION		
												SAL			-S			d valve	ادل نید	NA K	لد	m/s	CL	EED OUD	(amt)	DMWK	STATION DESIGNATION
		<u> </u>				+						NUTR		3	MPLEE				H24 1016	<b>.</b>			WE	PE ATH	ĒR	7	V DESIGNA
												문		NO WETSTAT	)OTTLE!				Ć	)	4 8 H		DEPTH	BOTTOM		PASS	NATION
					-		-			+		₩HIT's		XPT	SAMPLE BOTTLE NUMBER								NAME / ID	M STATION		En	
								:				7 3			~					_			<u>"</u> /	Ö.		5	

PG 24

읶

12	<u> </u>	10	9	ω	7	თ	O)	4	ω	2		POS	ITIO	N	SEC C	PRI CC	SEC TI	PRI TEMP	SBE 9+	0 (k		CONSECUTIVI CAST #		VESSEL
											576	RPTH RPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	55-	DEG		Z	P
	*											PRESSURE			304	915	884	710	91220A	50.26	MIN	LATITUDE	NOAA Ship MILLER FREEMAN	
								•						o	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	1333	DEG	LON TO THE PROPERTY OF THE PRO	LER FRE	
												PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	N= 424	m		Ž	TIMES	رو رو –	MZ	LONGITUDE	EMAN	
											$\vdash$	+		MONITO	2 F				<del></del> 1	D T D	DAY	i	_	P
	į											SECONDARY TEMP		OR VALU	FLUOR S/N=				DATA L Tane/Diskette ID	7	ŏ	DATE	MF-05-06	PROJECT & LEG
												RY TEN		ES	N= 6					0 5 2	₩ F		5-06	T & LEC
										<u> </u> 		P			7 8			•	00	<b>℧</b>	HR MIN	<b>∤</b> ラ ラ		(J)
								_				SALINITY	-						ATION	υī 6	ဂိ	DRY		DSD
	, i											_					 _	'	<b>-</b>	<u>তা</u>	ဂိ	WET	90 F	DSDB I.D.
												(0		(O	ChLAM S/N=	MAX. D	Clea			<u>0</u>	콩	PRESSURE SEA STATE		
			: :		:							SALINITY	DATA	SAMPLE BOTTLE	S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		7	<b>D</b>	deg	VISIBILITY WIND DIRECTION		
	•			<u> </u>	-						$\vdash$	ဖွ					d valve		KEMAKNU	(1) (7)	m/s			STATIO
					-			_		-		SAL		AMT.	į					<u> </u>	+	CLOUD (amt) TYPE WEATHER		ON DE
			III									NOTR		in C	1 )			NO KIN	)	\ \( \mathred{I} \)		1		STATION DESIGNATION
												욷		מאמירה מכן - רה מכשפתא	] ] 			7	)	UI P UI	_	воттом		NOI
												NUTR						7	1 1675		1	STATION NAME / ID		

PG 25\_ OF\_

7	5	1	ō	ဖ	ω	7	တ	On	4	ω	N	_	POSI	TION	SEC C	SEC T	PRI TE	SBE 9+ PRESS SN	ر رو		CONSECUTIVE CAST #		VESSEL
												175	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI TEMP SN	SS SS +	5 5 1	DEG		NO	SEL
		76											PRESSURE		304	884	710	91220A 1220A	F -8	Miz	LATITUDE	NOAA Ship MILLER FREEMAN	;
		27							.						PAR S/N=	AT DEPTH	START DOWN	DATA ON	/ い い	DEG		LER FR	
				E			e3						PRIMARY TEMP	CTD CONVERTED MONITOR VALUES	N= 424	i   	NN	TIMES	_	<u>S</u>	LONGITUDE	EEMAN	
_				$\vdash$										D MONIT	2				(بو چ ع	DAY			
													SECONDARY TEMP	OR VALUES	FLUOR S/N=			DATA L Tape/Diskette ID	,46 <b>)</b> (3	MO YR	DATE	MF-05-06	PROJECT & LEG
	-												EMP	·	678			Ö Ç	50209	HR MIN	TIME	8	EG
													SALINITY					ATION   File Name/Header	JI.	T	BULB		USU
_													*						エ	റ്	WET .	20	DSDB I.D.
													ş	] 88 <b>%</b>	ChLAM S/N=	Clean	2	CTU	5		PRESSURE SEA STATE		
			:	:	1					:			SALINITY	SAMPLE BOTTLE	ChLAM S/N=	ed air blee		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	دو رو آ	deg	VISIBILITY WIND DIRECTION		
		•											SAL	SAN	<u> </u>	d valve	discourse deplements	REMARKS	رة رة		WIND SPEED CLOUD (amt) TYPE		STATION DESIGNATION
													NUTR	IPLE BO	(a) (a)		Total Co	66-	رو لان	H	WEATHER		DECIGINA
													윉	SAMPLE BOTTLE NUMBER	いい面形の			2	67	П	BOTTOM		
										<del> </del>			NUTR	MBER	000	- 10	A &	100 m		-	STATION		

PG 26 . 유

12	1	10	ဖ	ω	7	တ	رن ن	4	ω	2	_	POS	ITIO	N	SEC C	PRI C	SEC T	PRESS SN	SBE 9+	o v		CONS	ECUTIV	E	VESSEL
											5000	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN PRI TEMP SN	*	<b>リ</b>	DEG			NO.	ŽĖ.
	*									:		PRESSURE			304	915	884	710A		3 9 0	MZ	ATITUDE		NOAA Ship MILLER FREEMAN	
								•						ć	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		\         	DEG	LONG		LER FRE	
												PRIMARY TEMP		C D COMACINATION TO MICHAEL CON A DEGLE	TD CONVERTE			<b>≥</b>	TIMES	) () ト	MIN	LONGITUDE		EMAN	
														C	2 FLUC			= <u>a</u>	1	9) 8 P P	DAY MO	DATE		~	PRO
												SECONDARY TEMP		i C	FLUOR S/N= 6			ape/Diskette (D	DATA	<b>7</b> 0 50	ΥR	ति		MF-05-06	PROJECT & LEG
												ð			8				Ö	14	HR MIN	GMT			G
						-						SALINITY						rile Name/neadel		7		BULB		_	DSDB I.D.
														12-2	 	×			_	0	╀	BULB		36-1	j.b
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		_	2) 2) 2)		PRES SEA S VISIBI WIND DIREC	TATE		
												SAL		<u> </u>	SAM		ed valve		REMARKS	8) (8)	m/s	WIND SPEE CLOU TYPE	D (amt)		STATION DESIGNATION
												NUTR		1 1 0	SAMDI E ROTTI E NI IMRER			15000		س	F	WEAT	HER		DESIGNAT
												웃		[	T N N			6 60 0	-	00	П	DEPTH N			NOI
												NUTR S			<b>D</b>							NAME / ID	!		

PG 27 OF

12	<u> </u>	<del>5</del>	9	∞	7	တ	വ	4	ω	2	_	POS	ITIO	N	SEC C	PRI CC	SEC TI	PRI TE	PRESS SN	ף נ	O'		CON		UTIVE		VESSEL
V	(5) (4)	·		2000					- 200		1502	TRIP			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SS.		νς ' \ ' \	DEG	<u></u>	50,000		NOA	SEL .
												PRESSURE			304	915	884			91220A	0	X Z	ATITUDE			NOAA Ship MILLER FREEMAN	
								•						СТ	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON		いい	DEG	LONG			LER FRE	
												PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	= 424					TIMES	∞ >	MIN	LONGITUDE			EMAN	
														DMONITOR	2 FLU	L			Тар		2 8 A P	DAY MO	DATE				몽
												SECONDARY TEMP		VALUES	FLUOR S/N=				Tape/Diskette ID	DATA	20 0	O YR	TE			MF-05-06	PROJECT & LEG
						-						Mp			6 7 8		13	•	į	DATA LOCATION	0000	HR MIN	GMT	TIME			G
												SALINITY					000	3	File Name/Header		2 2	റ്	BULB	DRY			DSDB I.D
					L											-	  -		er —		2	റ്	BULB	WET		1-EC	B I.D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve	1			3582	8	SEA VISI WIN	SSUI STA BILIT	TE Y	-	
											u		!	,,,		m) /5/02	bleed valv			REMARKS	0 2 2 0	Ľ	WIN SPE	ECTION TO THE PERSON TO THE PE	ON 		STAT
										-	_	SALN		SAMPLE	)	`	la la			ŝ	6		TYP	OOO (4			JON DES
												NUTR CHL		SAMPLE BOTTER NOMBER							4518		DEPTH	воттом			STATION DESIGNATION
												NUTR		ברי ביים ביים ביים ביים ביים ביים ביים ב									NAME / ID	STATION			

PG 78 OF

12	⇉	10	9	00	7	თ	σı	4	ω	2	_	POS	ITIO	N		SEC C	PRI CC	SEC T	PRI TE	SBE 9+	02		CON	ISECL	JTIVE		VESSEL
										Sol	12.3	TRIP DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	,, + ,,	158	DEG				NO	Ĭ,
												PRESSURE							710 s		) y . 0 3 M	NIN.	LATITUDE			AA Ship MILL	
												PRIMARY TEMP			CTD CONVERTI	= 42	AT SURFACE	AT DEPTH	START DOWN	DATA ON	7330.224	DEG MIN	LONGITUDE			NOAA Ship MILLER FREEMAN	
			:									MP SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	4 2 FLUOR S/N=				Tane/Diskette ID	128 APR0	DAY MO YR	DATE			MF-05-06	PROJECT & LEG
												TEMP				= 678	(	CIDOT	•	Ö	50956	HR MIN	GMT	TIME		6	LEG
												SALINITY		30				のとい		ATION File Name/Header	5.6 0.6	ငိ	висв висв	DRY WET		28-1	DSDB I.D.
												SALINITY	DATA	BOTTLE			MAX. DEPTH (m) /S	Cleaned air bleed valve			11/1/1/1	mb deg	SEA VIS WIN DIR	ECTIC	ΓE Υ		
											×	SAL			SAMPI		1503	valve K	5	KEMAKNU	88	m/s	SPE CLC TYF	ED DUD (a PE ATHEI	amt)	-	TATION DE
												NUTR CHL			SAMPLE BOTTLE NUMBER		,	\$S			4628	<del> </del>	DEPTH	BOTTOM	13		STATION DESIGNATION
												WHIT'S			NUMBER							1	NAME / ID	M STATION			

PG 29

유

12	<u> </u>	<b>1</b>	ဖ	ω	7	თ	σı	4	ω	N		POS	ITIOI	N	SEC C	PRI CO	SECT	PRI TE	PRESS SN	03		CON	SECUTIVE		VESSEL
										1831	1500	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN NSN	55	DEG	1—		NO	ř
								•				PRESSURE			304	<b></b>			1220A DA	5	MIN	m		NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP		CTD CONVERTED	PAR S/N= 4 2 4	AT SURFACE	AT DEPTH	START DOWN	DATA ON	7329.83W		LONGITUDE		R FREEMAN	
												SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	2 FLUOR S/N= 6	ı			Tape/Diskette ID File Na	28 APR-051	DAY MO YR HR	DATE		MF-05-06	PROJECT & LEG
											•	SALINITY			7 8		CX1) 030		File Name/Header	234 5.1	MIN	MT	TIME DRY		DSDB I.D
																			~ 	411	റീ	BULB	WET	29-1	31.D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		ř	19781651	mb deg	SEA VISI WIN DIRI	ECTION		8
											23	SAL		SAN		1	valve			72	m/s		ED (amt)		STATION
												NUTR		SAMPLE BOTTLE NUMBER						25		WE	ATHER		STATION DESIGNATION
												얼								~Q		DEPTH	воттом		TION
												WHIT's NUTR			;				_			NAME / ID	STATION		

PG 330

OF-

	11	10	9	8	÷	7	o	On .	4	ш	2	1 150	O DEPTH PRESSURE		N	SEC COND SN 304 PAF	]≥	884	SN 710	SBE 9+ 91220A DATA ON	0315043.27417	DEG MIN DEG	CATITUDE		UTIVE	NOAA Ship MILLER FREEMAN	VESSEL
													PRIMARY TEMP		CIO CONVEXTED MONITOR VALOES	PAR S/N= 4 2 4 2		로	DOWN	TIMES	330.26w28	MIN DAY	LONGITUDE			REEMAN	
				i i									SECONDARY TEMP		MI OK VALORO	FLUOR S/N= 6 7	1			Tane/Diskette ID File Na	APR	Y MO YR HR	DATE	 ⊒		MF-05-06	PROJECT & LEG
						12							SALINITY			8		CTD 03/		File Name/Header	2	MIN °C	BULB Bt	TIME DRY WET		30	USDB I.D.
						123							SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)/50	Cleaned air bleed valve	Dept-		8 2 1 3 8 1 7 8 8 1 7 8	mb deg	PRES SEA VISIE WINI DIRE	STA STA BILIT C	TE Y	0-1	
_	•											30	SÅL		' () XX		**	valve	I Char	REMARKS	282	m/s	WINI SPEI CLOI TYPE WEA	D (a		- - -	STATION DESIGNATION
													NUTR CHL		OVELLED DO LICE MOMBELS					7	9999		DEPTH	воттом			GNATION
										==			NUTR		2								NAME / ID	STATION			

PG OF

								12
	•					X1		1
								10
								မ
							×	ထ
								7
								თ
								Ch
								4
								ω
								2
							946	>
SAL NUTR CHL NUTR	_	SALINITY	SECONDARY TEMP	<del> </del>	PRIMARY TEMP	PRESSURE	TRIP DEPTH	POS
	DATA						·	ITIO
	SAMPLE BOTTLE						, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	N
SAMPLE BOTTLE NUMBER		C		MONITOR V	CONVERT			0,000
	MAX. DEPTH (m)		FILIOR SANE 6 7 8	یا	AT SURFACE  PAR S/N= 4 2 4	915 AT	PRI COND SN	PRIC
Ve	Cleaned air bleed valve			*	AT DEPTH		SEC TEMP SN	SEC 1
	i				START DOWN		PRI TEMP SN	PRI T
		File Name/Header	Tape/Diskette ID File N	Таре	DATA ON		S SN	PRESS SN
RKS	REMARKS	2	DATAL	$\dashv$	TIMES	×	¥	SBE 9+
- 8 - 8 - 0	30 15	UT	P 0 5 2 0 3 1	2987	69 59.87	0 0 U	り 5 エ	O W
	deg m	ငိ	K H	DAY MO	DEG MIN		DEG	
	PRESSEA SEA SEA SEA SEA SEA SEA SEA SEA SE		E SMT	DAT	LONGITUDE	ATITUDE		CONS CAST
D (amt)	TATE LITY		<u> </u>					ECUTIV
ART-		31-1	MF-05-06		R FREEMAN	NOAA Ship MILLER FREEMAN	NO.	E
STATION DESIGNATION	STA	DSDB I.D.	PROJECT & LEG	PRO			SEL	VESSEL

PG<u>3</u>실 OF

12	1	<b>1</b> 0	ဖ	ထ	7	თ	ر ن	4	ω	N		POS	ITION	SEC C	PRI C	SEC 1	PRI TI	SBE 9+	S		CONSECUTIV	VE		VESSEL
	ı			9.5							196	TRIP DEPTH		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	Ø ∓ Ø	356	DEG		_		뛰
	E.											PRESSURE		304	915	884	710	91220A 1220A	_	$\blacksquare$	LATITUDE	C. C. C	OAA Ship MIL	
								•				RE PRIMARY TEMP	CTD CON	PAR S/N= 4	AT SURFACE	AT DEPTH	START DOWN	DATA ON TIMES	1189119	DEG MIN	LONGITUDE		NOAA Ship MILLER FREEMAN	
				<u>.</u>									CTD CONVERTED MONITOR VALUES	2 4 2 VFLUC	1		1		0 W3 0 A	DAY	П			PRO
					ः							SECONDARY TEMP	VALUES	FLUOR S/N= 6 7 8			•	DATA LOCATION Tane/Diskette ID File Na	PR 05/145	YR HR	ଜୁ	- 3	MF-05-06	PROJECT & LEG
												SALINITY				TOOSS		ATION File Name/Header	4	MIN	DRY	_ _ _		DSDB I.D.
							_			_				0	X	 		_	7.82	⊢	8 7	ن ا ا	لر د -	.D
												SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	AX. DEPTH (m) /6	Cleaned air bleed valve		<i>λ</i>	000284	mb deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION			
	•										62	SAL	SAMPL	1	6	valve		REMARKS	8.5	m/s	WIND SPEED CLOUD (amt) TYPE WEATHER	) ·	Pre recover	STATION DESIGNATION
												NUTR CHL	SAMPLE BOTTLE NUMBER						205		BOTTOM	,	20	
												WHIT'S	UMBER								STATION NAME / ID		ALIO	

유

12	1	10	9	00	7	თ	ĊΊ	4	ω.	2		POS	ITIO	)N	250	מות כ	SEC T	PRI TE	PRESS SN	0 3			NSE	CUTIV	E	VESSEL
	0	ō	ور 0	O O	40	ত ত	75	100	15.	550	195	DEPTH				SEC COND SN	SEC TEMP SN	PRI TEMP SN	SSN	954	DEG	<b></b>		·	- NO	Ä
	Cas						!					PRESSURE			7	30 S			1220A D	17.10.7 N.1	_ <u>₹</u>	m			AA Ship MILL	
												PRIMARY TEMP			CTD CONVERTE	AL SUKFACE	AT DEPTH	START DOWN	DATA ON	6919116111	DEG MIN	ONG			NOAA Ship MILLER FREEMAN	
												MP SECONDARY TEMP			D MONITOR VALUES				Tape/Diskette ID	30 APR 051	DAY MO YR	DATE			MF-05-06	PROJECT & LEG
										:		MP SALINITY			-	6 7 8	CTDO	1	kette ID File Name/Header		MIN C	MT	TIME DRY		-	
												TΥ					7		ader	8 11.1217	- c	BULB	WET		33	DSDB I.D.
												SALINITY	DATA	SAMPLE BOTTLE	Sill City	CHIAM SALT	Cleaned air bleed valve		2	2337005	mb deg	SE VIS WII DIF	RECT	ATE TY		
	•										42	SAL		*.	SAM	7	valve		7		m/s		EED OUD	(amt)	Post see	STATION DESIGNATION
	154	46	5	48	49	50	5/	25	\$3	45	S	NUTR			SAMPLE BOTTLE NUMBER		:			12	+	WE	ATH	ĒR	recover of	DESIGNA
	23/9	289	289	487	283	283						웆			TLE NUM					o U		DEPTH N	воттом		-13-	
												NUTR S			BER				_			NAME / ID	STATION		77	Þ

PG 174 읶

NOAA Ship MILLER FREEMAN  MF-05-06  LATITUDE  LONGITUDE  LONGITUDE	12	11	10	မှ	œ	7	თ	Ch	4	ω	N	_	POS	ITIO	N	SEC C	PRI C	SEC T	PRI TE	SSEED STATES OF	O U	T	CON		JTIVE		VESSEL
TIME DRY WET SUSTATIVE DRY WET SUSTATIVE DAY MO 1/R HR MIN °C °C mb SUSIN SUSI					all a	o	O	ม O	C)	70	びつ	6	DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	ທ ∓ ເທ		DEG				YON	SEL
TIME DRY WET SUNTY OF TEMP SECONDARY TEMP SECONDARY TEMP SALINITY  TEMP SECONDARY TEMP SALINITY  TEMP SECONDARY TEMP SALINITY		420											PRESSU			304	915	884	710	1220A	<del></del> ا	MZ	ATITUDE			A Ship Mil	
TIME DRY WET SUNTY OF TEMP SECONDARY TEMP SECONDARY TEMP SALINITY  TEMP SECONDARY TEMP SALINITY  TEMP SECONDARY TEMP SALINITY															ා <u>ය</u>		AT SURFACE	AT DEPTH	START DOW	DATA ON	٥_	DEG	LONG			LLER FRE	
TEMP  TIME  TIME  TIME  TIME  TIME  TIME  TIME  TIME  TIME  TRY  TIME  TIME  TRY  TRY  TRY  TRY  TRY  TRY  TRY  TR	:						:						RIMARY TEM		TD CONVERTE	4 2				11MCO	0.84	Z Z	SITUDE			EMAN	
TEMP  TIME  TIME  TIME  TIME  TIME  TIME  TIME  TIME  TIME  TORY											-		<del>                                     </del>		D MONITOR V					Tape/I	R	Т	1	-		Mar	PROJ
BULB BULB PRESSURE  "C "C mb SEASTATE VISIBILITY  MAX. DEPTH (m)  Chlam S/N=  SALINITY  SALINITY													DARY TEMP		ALUES	6				Diskette ID	_	+-				05-06	PROJECT & LEG
BULB WET  C C B WET  C C B WET  C C C C C C C C C C C C C C C C C C C			i										SA			1				File Name		<u>₹</u>	MT		<b></b>		
SAMPLE BOTTLE  SAMPLE  BOTTLE  SAMPLE  BOTTLE  SAMPLE  SAMPLE  BOTTLE  SAMPLE		•											LINITY			- 1				Header	6	╀	<del>                                     </del>				DSDB I.D.
WIND SPEED													SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m	Cleaned air t			-	쿒	PRE SEA VISI	SSUF STAT BILIT	re Y		
MPLE BOTTLE NUTR CHL 283 283 CHL 283 CHL WEATHER									-						SA			pleed valve		KEMAKNO	0 'U	╄	WIN SPE	ID ED OUD (a			STATION
TOM PTH MAN TOWN											-	-	-		MPLE BOTT			0.1	RALLO		7		WE	ATHE	R		STATION DESIGNATION
NAME / ID  NAME / ID  WHIT'S NUTR NUTR NUTR NUTR NUTR		<del></del>					289	<u> </u>	420	↓	283		CHL NUT		LE NUMBER			,			9	-	1				Ō

PG 35 OF

12	11	10	9	æ	7	თ	υı	4	ω	2		POS	ITIO	N	SEC C	PRI CC	SEC T	PRI TEMP	SBE 9+	(y)			NSECUTIVE ST#		VESSEL
	×	*		0	ĵo	13,5	20	30	40	50	66	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	657	DEG			NO	Ĕ
	ē,								 			PRESSURE			304	915		710		50.59	MIN	LATITUDE	, , , , ,	AA Ship MILI	
		!						•				E PRIMARY TEMP		CTD CONVE	PAR S/N= 4 2	AT SURFACE	AT DEPTH	START DOWN	TIMES	16852154	DEG MIN	LONGITUDE		NOAA Ship MILLER FREEMAN	
												<del></del>		CTD CONVERTED MONITOR VALUES	4 2 FLUOR S/N=			aport	Tabel J	01 WAY	DAY MO	DATE		MF	PROJE
												SECONDARY TEMP		LUES	S/N= 6 7 8				Tabe/Disks#6 ID File No	0 5 1 5 48	YR HR MIN	GMT	TIME	MF-05-06	PROJECT & LEG
												SALINITY						Adilion roduci	ATION , ,	11.9	Ĉ	висв висв	DRY WET	U) JI	DSDB I.D
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m) 6 6	Cleaned air bleed valve		_	SERET-0.	C mb deg	PRI SE/ VIS	ESSURE A STATE IBILITY		,
	. •			-							5	SAL		SAN		99(	leed valve		REMARKS	0 1 6 4	g m/s	WIN SPE	ND EED OUD (amt)	64 B	STATION
				6 63	69	70	71	ر ک	73	74	75	NUTR		SAMPLE BOTTLE NUMBER									ATHER	2-48	STATION DESIGNATION
				· 289	1 282		v 289	1861	283	, 183		CHL		TLE NOM						76		DEPTH N	BOTTOM S	3	NOI
				45	S)	88	X I YO	× 383	×463	×414	62041	WHIT'S NUTR		BER							4	NAME / ID	STATION	merconary	

PG 36 OF

12	11	10	ဖ	ω	7	თ	5	4	ω	2	_	POS	ITIO	N	SEC C	PRI C	SEC T	PRI TEMP	SBE 9+	0 W	-	CON	ISECU	TIVE		VESSEL
:				83				10.5	15	5	65	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n ∓	757	DEG				NO/	SEL
	100											PRESSURE			304	915	884	710	91220A	51.44	<u>≼</u>	ATITUDE			NOAA Ship MILLER FREEMAN	
								•					,	9	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA 22	\ 6 8 8	DEG	LONG			LLER FRE	
												PRIMARY TEMP		CTO CONVERTED MONITOR VALUES	J= 424			z 	TIMES	- 4	Z	LONGITUDE			EMAN	
_		 						-				<del> </del>		S S S	2 FLUOR S/N=			1	Tane/	0 - 3 ?	DAY MO	DATE		-	MF	PROJ
						İ						SECONDARY TEMP		יני פרי	6				DATA LOCATION	7 0 5 2 3	がま				MF-05-06	PROJECT & LEG
												SA			7 8	ı			CATION	300	MIN	MT	TIME DRY	···		
												SALINITY					7		Leader	(V)	1	вогв	Υ . WET		<b>U</b> U	DSDB I.D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		-	0143 06	mb deg	PRE SEA VISI	SSUR STAT BILITY	E		
	•										15	SAL		N N		59	ed valve		REMARKS	3 1 1 8	m/s		ED UD (ar	nt)	056	STATION
							33.	7.8	76	Sign Post		NUTR C		מאמריה סמים ברה אמאסמא						7,		WE DEPTH	ATHER BOTTOM		854A pa	STATION DESIGNATION
								89	G1752	61762		CHL NUTR				;			_	2		H NAME / ID	OM STATION	,	post deploy	Z

PG 37 OF

																12
		_	•										*			=
																10
																ဖ
4361 63	329	L 00			Ų										Qv.	œ
75	1 289	ه ر												: :	10	7
3861 68	0 289	8	Ä												20	თ
4	1\) Op	13/												1	0	თ
3 1936	78	181											•		40	4
77	3 283	- -													25	ω
												1				2
2009	7	181	0												53	_
CHL NUTR		NUTR	SAL	SALINITY	SAL		SALINITY	MP -	SECONDARY TEMP	SECON	PRIMARY TEMP	PRIM.	SURE	PRESSURE	DEPTH	POS
				DATA	Q						}					ITIO
	-	:	(	SAMPLE BOTTLE	SAN BO'				1		!					N
SAMPI E ROTTI E NI IMBER	5 1 1	ת ח			CNLAM S/N=		R	σ ~	X U/N	DNITOR VALUES	CTD CONVERTED MONITOR VALUES	TAK WINE	TA ZA	304	SEC COND SN	SEC CC
			<del>-</del>	7H (m)65	MAX. DEP			•				RFACE .	AT SURFACE	915	ND SN	PRI COND SN
			valve	Cleaned air bleed yalve	Cleane		0038	[J				HTc	AT DEPTH	884	EMP SN	SEC TEMP SN
							File Name/Header		Tape/Diskette iD	l'ape/i		START DOWN _	START DO	710	MPSN	PRI TEMP SN
			REMARKS	REJ		-	2	Ö	DATA		ES	TIMES	?	91220A		SBE 9+
	J		98	0560	15/218	0 0	4 0	0125	0 5	2 M c	0	8 2 1	16	75 86	8/5/7	03
П			/s	deg	짱	റ്	റ്	HR MIN	χŔ	DAY MO	$\sqcup$	MIN	DEG	MIN	DEG	
	DEPTH	TYPE WEAT	SPEE CLOU	WIND	SEAS	BULB	BULB	GMT		DATE	<u></u>	LONGITUDE		ATITUDE		CONS
NOITATION	BOTTOM	THER	D JD (an	CTION	SURE STATE	₩FT	) 	T)ME							<u></u>	SECU
			nt)		Ξ											TIVE
Hawr	17 00	36	57a					5,	MF-05-06	<u> </u>	AN	FREEM	<b>MILLER</b>	NOAA Ship MILLER FREEMAN	NO	
Z	NATIO	DESIG	STATION DESIGNATION	S		DSDB I.D.	DSD	EG	PROJECT & LEG	PROJ					μ̈́	VESSEL
<u> </u>	PG J U	6														

PG 3 8 OF

12	11	70	ဖ	œ	Ţ	7	თ	თ	4	ω	N		POS	ITION	SEC	SEC.	PRI T	PRES	SBE 9+	ω 6		CONSECUTIV	Æ	VESSEL	
					. C	<b>)</b>	0	70	30	40	3	5	TRIP		SEC COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN		2	DEG				1
	•6												PRESSURE		304	0 00	710	1220A	91220	ري دو		LATITUDE		NOAA Ship MILLER FREEMAN	
									•						A PAR S/N=	AT DEPTH	START DOWN	DATA ON		1891	DEG	Го <u>х</u>		LER FR	
													PRIMARY TEMP	CTD CONVERTED MONITOR VALUES	N= 424	1	NZ		TIMES	30.9	MIZ	LONGITUDE		EEMAN	
					+								<del> </del>	ED MONITO						٥ ۲ چ	DAY			- τ	5
													SECONDARY TEMP	OR VALUES	2 X FLUOR S/N=			Tape/Diskette ID	1	120 5	MO YR	DATE		MF-05-06	1
				-									MP		6 7 8	1 57			DATA LOCATION	1 110	HR MIN	TIME		o, ii	,
:				-		:				2	:		SALINITY			20057		File Name/Header		رن س	Н	DRY			17.22
																		_	1	ಬ ೦	ငံ	WET BULB	(	رب الد	7
													SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	Cleaned air bleed valve				1533092		PRESSURE SEA STATE VISIBILITY WIND DIRECTION		20	
	•											66	<sub>φ</sub>	(0)		ed valve			띩		/s	WIND SPEED		<del></del>	174,477
			_	-	c	οQ • • • • • • • • • • • • • • • • • • •	23	op.	25	Z.	90	—	SAL	SAMPLE			6		(S	~~\		CLOUD (amt) TYPE WEATHER		ON DESIG	פון פון
		_			1	\ \J							고	SAMPLE BOTTLE NUMBER			01010		1	6		ВОТТОМ		854 Company Station	)   
					1	1 68	289	259 /	47	7837	283	0	오동	NUMB			3			٥				CH Z	ξ     <u>ς</u>
					101	226	•	445		9820		1847	NUTR	<u> </u>				-				STATION NAME / ID		4 Hamby 4	

						12
					**	11
						10
		G.				g
						æ
92 289 1760						7 0
93 289						6 10
35 CI 182 46						5 220
95 287						4 30
96 283 1744						3 40
97 283						2 50
51 98 61508						ე ე 1
SAL NUTR CHL NUTR	SALINITY	SALINITY	SECONDARY TEMP	PRIMARY TEMP SE	PRESSURE	POS TRIP
	DATA	<b>h</b>				ITIO
	SAMPLE BOTTLE					N
SAMPLE BOTTLE NUMBER			OR VALUES	CONVERTED		
	ChLAM S/N=		2 K FLUOR S/N= 6 7 8	= 424	ম	SEC COND SN
	MAX. DEPTH (m)			ACE		PRI COND SN
alve	Cleaned air bleed valve	040	CTD	<b>I</b>		SEC TEMP SN
30 × 20		File Name/Header	lape/Diskette ID File N		710 START DOWN	PRI TEMP SN
REMARKS	REM		Ö	TIMES		SBE 9+
6 UR	16 10920	9) Ø	<b>第</b>		5.60 169	0 以 以 小
	) deg m	င်	Ж Н	DAY	DEC	DEG
SPEED CLOUD (ar TYPE WEATHER BOTTOM STATION DEPTH NAME / ID	PRESSUR SEA STAT VISIBILITY WIND DIRECTION		TIME GMT	LONGITUDE	LATITUDE LO	CONSECU CAST#
	E					• · · · · · · · ·
	ø)	က တ 1	MF-05-06	REEMAN	NOAA Ship MILLER FREEMAN	NO/
STATION DESIGNATION	ST	DSDB I.D.	PROJECT & LEG			VESSEL
re le or						

PG 40 OF

12	1	10	ဖ	ω	-	7	თ	თ	4	ω	2		POS	ITION		SEC C	PRIC	SEC 1	PRI T	PRESS SN	O J	T		NSEC	UTIV	=	VESSEL
			0	To the	1	5	E .	30	(ر 0	45	UT O	56	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	is ¥	159	DEG			,	NO	SEL
	\$												PRESSURE			304	915			91ZZUA 1220A	53.94	Z Z	LATITUDE			NOAA Ship MILLER FREEMAN	
									•		World A.		ñ			₩PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	14	DEG	Б		•	LER FF	:
											IL War		PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	S/N= 424	CE		NAC	TIMICO	19 UR 9	- <u>≤</u>	LONGITUDE			REEMAN	
					-					-	7.		+		INOM C	2 <b>V</b>				1	0	DAY					
							:		:	c	NEI CONTON		SECONDARY TEMP		TOR VALUES	FLUOR S/N=	×			Tape/Diskette ID	<b>11 12 1 1 1 1 1 1 1 1 1 1</b>	MO YR	l'''			MF-05-06	PROJECT & LEG
						•			-	-	2		EMP			678		   		5	2) []	HR MIN		TIME		<u> </u> ගි	EG
			(6)								Ments Brow	1	SALINITY							File Name/Header	0.9	Z ဂိ		DRY		(v)	DSDB I.D.
						,					100									<u>-</u>	۲٦. دره دره	ဂိ	BULB	WET			31.D.
											of Winor		SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH	Cleaned air bleed valve			2	8	SE/	ESSL A ST/	ATE		
	:		!								Cod Co		Π̈́	> E	ΪÄ		1 (m)	air bleed		2	工工	deg	1	RECTI	ON		
									-		The same		SAL	ii.	SAN	<u> </u>	L			KEMAKKS	41	m/s	CL	EED OUD	(amt)		STATION DESIGNATION
			-								The Care		NUTR		MPLE BC			17 OB		The state of the s		+	1	ATH	ĒR		DESIGN
					1			-					유		SAMPLE BOTTLE NUMBER			CADO'S SOR	1	3	111		DEPTH	воттом			ATION
													NUTR		JMBER			**************************************	4	CANADA SON			NAME / ID	STATION			

읶

12	1	70	ဖ	00	7	თ	σı	4	ယ	2	_	POS	ITIO	N	SEC C	PRI C	SEC T	PRI TE	SBE 9+	40		CON		UTIV	Ξ	VESSEL
	Ī	77	7	4	13	13	-3	45	57	57	864	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n ¥	4259	DEG				- NC	SEL
												PRESSURE			304				91220A 1220A	54.59n		LATITUDE _			DAA Ship MILI	
												E PRIMARY TEMP	:	CTD CONVER	X PAR S/N= 4 2	AT SURFACE	AT DEPTH	START DOWN	DATA ON	17141.62	DEG MIN	LONGITUDE			NOAA Ship MILLER FREEMAN	
					-			_						CTD CONVERTED MONITOR VALUES	4				<u>u</u>	W 03 M	DAY	D				PR
												SECONDARY TEMP		RVALUES	2 X FLUOR S/N=			1	DATA L Tane/Diskette ID	7	MO YR	DATE			MF-05-06	PROJECT & LEG
	_											Š			6 7 8		CTDO	•	Ö	03/6	H MIN	GMT	TIME			G
										4		SALINITY					140		File Name/Header	077	റ്	BULB BI	DRY W		40	DSDB I.D.
															ChLA	MAX.	ୁ   		<del></del>	1.922	က် mb		VET SSU		0-1	D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m) &	Cleaned air bleed valve		7	18040	deg	VIS WIN	STA IBILIT ID ECTI	Υ		
						<		<	-	6	47	SAL	2	SAMP		~	d valve		KEMAKKU	028	m/s	SPE CLC TYF		amt)	10 A 20 C	STATION DESIGNATION
	0	256	524	289	101	1100	199	VJOY	103	1102		NUTR CHL		SAMPLE BOTTLE NUMBER						170	-	₩ DEPTH	BOTTOM	.rx	S o has	ESIGNATION
				7								WHIT's		NUMBER					_			NAME / ID	STATION		05-BS-5P	

PG 42

읶

12	11	10	ဖ	8	7	თ	თ	4	ω	2	->	POS	ITIO	N	SEC C	PRI C	SEC 1	PRI T	PRESS SN	C			NSECU	JTIVE		VESSEL
				85	0	5	o O	O)	HO	ហ	29	TRIP			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S 7 SS Z	5					z	SEL
																Ģ		7	12:	3		LATITUDE			NOAA Ship MILLER FREEMAN	
	42											PRESSURE			304	<b>.</b>			1220A	6					nip MIL	
								•				m	İ		PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	1	_				ER FF	
												PRIMARY TEMP		CTD CON	/N= 4	CE CE		<u>`</u> 		26.00		LONGITUDE			REEMA	
,			-							i		Y TEMP		CTD CONVERTED MONITOR VALUES	2 4 2					0		_			Z	
												SECO		MONITOR V	S				Tabe	0 3 3		DATE			~	PRO
			:									SECONDARY TEMP		VALUES	FLUOR S/N=				DATA ב Tabe/Diskette ID	ی		) mi			MF-05-06	PROJECT & LEG
				-						_		EMP			6 7 8		 	•	Ç	01010		E GMT	TIME		) ග	EG
												SAI							File Name/Header	<u>5</u> -0		MIN BULB	DRY			
<u> </u>									:	! !		SALINITY							leader	6		+		,	I	DSDB I.D.
						-	-		_						Ω	Z	' 	' 	_	100	+	S B	WET		-	, D
												SAL	o	SAI BO	ChLAM S/N=	AX DEF	Cleane	•				SE	A STA SIBILIT	ΤE		
	:										ļ	SALINITY	DATA	SAMPLE BOTTLE	7	(m)	Cleaned air bleed valve	60		<u>ن</u>		W	ND RECTIO			
-	•					-	-					ε			<u> </u>		ed valve	6	, VEINAVAO	6		ੈ SF	ND PEED			STATIO
			_	-	Ε	_			ar.			SAL		SAMPLI					ć	6		TY	OUD (2 PE EATHE			STATION DESIGNATION
					HI	106	40		09	10		NUTR		E BOTI								7				ESIGNAT
	!				289	289	259	287	35	283		욷	1	SAMPLE BOTTLE NUMBER						1	4	DEPTH	воттом			NO.
												NUTR		MBER					_			NAME / ID	STATION			

PG H3 OF

OHH SBE 9+ SEC COND SN PRI COND SN SEC TEMP SN PRESS SN CONSECUTIVE PRI TEMP SN VESSEL 12 10 ထ POSITION œ თ Ć N Ç CAST# 40 DEPTH B 0 3 S. 上口 TRIP UT( O DEG NOAA Ship MILLER FREEMAN LATITUDE 4 91220A Z Z 1220A 915 884 710 PRESSURE 235 とという AT DEPTH START DOWN DATA ON AT SURFACE PAR S/N≃ DHG G COME THOSE CONO LONGITUDE CTD CONVERTED MONITOR VALUES PRIMARY TEMP 9 TIMES Z Z 14 とおう N 4 2 DAY 0 (DURING THIS CAST v FLUOR S/N= SECONDARY TEMP 5000 3 Tape/Diskette ID PROJECT & LEG MORE MF-05-06 0 5 DATA LOCATION REPLACED 숲 တ HR MIN TIME GMT File Name/Header α BULB SALINITY DRY アイスのア റ് DSDB I.D. (A)140 BULB WET റ് 五五万 ChLAM S/N= MAX. DEPTH (m) Course. PRESSURE Cleaned air bleed valve and mount م SAMPLE BOTTLE SEA STATE SALINITY DATA VISIBILITY い 上 WIND CACA DIRECTION tit REMARKS STATION DESIGNATION WIND 3/5 20 ij **∞** SPEED ध्र ζ Q 42 SAL 100 CLOUD (amt) SAMPLE BOTTLE NUMBER Chan of Charter Can 7 and her ymound and has TYPE WEATHER Si' 17 18 1 NUTR アスマイアア 1 16 BOTTOM STATION DEPTH 28.3 285 283 286 23. 250 托 NAME / ID Carp Carporton WHIT's NUTR Opmiss.

PG TH 읶

DATE LONGITUDE LONGITUDE DATE GMT BULB RE GEN GIBLD CONDITION OF THE GMT GMT GMT GMT GMT GMT GMT GMT GMT GMT	12	<u> </u>	10	9	8	7 10	စ ည	5 30	4 40	3 50	2 60	1 15	P DEPTH		N		SEC COND, SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SBE 9+	© F SI SI 9	DEG	CONSECUTIVE CAST #		VE OOEL
TIME DRY WET SUBJECT ON TOWN TOWN TOWN TOWN TOWN TOWN TOWN		40								:			PRESSU			68.9	364	915	89	710	91220A	92	_	1—	DAA Ship MII	
TIME DRY WET SUBJECT ON TOWN TOWN TOWN TOWN TOWN TOWN TOWN																CTD CON		AT SURFACE	AT DEPTH	START DOWN		رو		LONGITUDE	LER FREEMA	
TIME DRY WET SETATE  GMT BULB BULB PRESSTATE  A HR MIN °C °C mb STATE  TALOCATION  TEMP SALINITY  SALINITY													+			VERTED MONITOR VALU	2 4	4		aperoa		A D H WA			-	
BULB WET  O O O O O O O O O O O O O O O O O O O			X													ES	6 7				00		五 MN	TIME	)5-06	
DIRECTION  TO SEED  WIND  WIND  SPEED													ALINITY				Ct	₹[	_		_	6-0.1	റ്	WET WET	Ϋ́	
SAMPO SPEED  CLOUD (amt)  TYPE  WIND  SPEED  TYPE													SALINITY	DATA	BOTTLE		TAM S/N=	AX. DEPTH (m)	Cleaned air bleed		79.	/ の む	deg	SEA STATE VISIBILITY WIND DIRECTION		
WEATHER BOT TO BE BUT TO BE BOT TO B		-			1	120	161	122	123	hei	125	gier	SAL NUTR			SAMPLE BOT	See con	70	valve		]		m/s	SPEED CLOUD (amt) TYPE WEATHER		
SAMPLE BOTTLE NUMBER SAMPLE BOTTLE BO					289	289	289	287	287						1	TLE NUMBER 59	FILE WSE	(Maryon)	1		10000	8		1		

PG LIST OF

12	3	10	ဖ	œ	7	თ	თ	4	ω	2	_	POS	ITION	SECC	PRI C	SEC T	PRI T	SBE 9+	O		CON	ISECU	TIVE		VESSEL
				ě	0	5	2	31	ず	SI O	6	TRIP DEPTH		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	.α ∓ .α .Σ	701	DEG				1	EE
	9							4				PRESSURE	J	K	` ]≥			91220A   1220A   DATA ON	_	MIN DEG	LATITUDE	-		NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP	CID CONVERTED MONITOR VALUES	TAK UN= 4 / 4		PTH	START DOWN	ON	7024.03	MIZ	LONGITUDE			FREEMAN	
												SECONDARY TEMP	MONITOR VALUES	ZNFLOOK S/N= 6				Tape/Diskette ID	1 may 0 5	ž	DATE			MF-05-06	PROJECT & LEG
												P SALINITY		^ 0	7			DATA LOCATION   kette ID	040-11.4	HR MIN °C	GMT BULB	TIME DRY			
												~						er –	51	റ്	BULB	WET		1	)B I.D.
			13								1	SALINITY	SAMPLE BOTTLE DATA	CULWM O/N=	MAX. DEPTH (m)	Cleaned air bleed valve		7. III	7	mb deg r	SEA VISI WIN	ECTIO	E		S
											_0_	SAL	SAM	}		valve		REMARKS	2	m/s	SPE	ED UD (ar	nt)	-	STATION DESIGNATION
					1	-	-	3	سَ	4	نر نر	NUTR	WAMPER BOTTER NOMBER	1				3 layers				E ATHER			ESIGNAT
					289	289	200	207	83 69 63	283		왉	2	! !				357	ব		DEPTH N	BOTTOM			NATION
												NUTR		)							NAME / ID	STATION			

PG HIG OF

	12	11	<b>1</b> 0	မ	œ	7	თ	رن ن	4	ω	2		POS	ITIOI	N .	SEC C	PRI C	SEC T	PRI TEMP	SBE 9+	O	-	CON		UTIVE		VESSEL
	! !				. 44	0	5	3	1 P	TO O	70	5	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2 +	17 170	DEG				Z	
of source of		2											PRESSURE		VI 190	304	\ ]≥		710 START DOWN		<u> </u>	MIN DEC	LATITUDE L		_	NOAA Ship MILLER FREEMAN	
The wasterne													PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	PAR S/N= 4 2 4 2		Ĭ	NAOC	TIMES	11.10	MIN DAY	LONGITUDE			REEMAN	
unitized of 30 =													SECONDARY TEMP		ONITOR VALUES	VFLUOR S/N= 6			lape/Diskette ID	DATA LOCATION	日	Н	DATE			MF-05-06	PROJECT & LEG
8											3		SALINITY			7 8			rile Naille/Headel	CATION	#55 3 - 0.9 - 0	MIN °C	GMT BULB BU	TIME DRY W		Î	DSDB I.D.
													SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		-	9 5 5	-	SEA VIS	SSU STA BILIT ID ECTIO	TE Y	という	). 
												7	SAL		SAMI			ed valve		REMARKS	رو 0	m/s	WIN SPE CLC TYF	ED OUD (	amt)		STATION
:						461	135	136	しいコ	(J)	اور	140	NUTR		SAMPLE BOTTLE NUMBER						T.		S DEPTH	ATHE BOTTOM	R		STATION DESIGNATION
													CHL NUTR		E NUMBER					_	0	П	TH NAME / ID	OM STATION			ž

PG 47 OF

										:				12
***												547		13
														10
														9
														œ
~ *	141		10	-				i)					0	7
200	142												0	თ
289	143			!									20	Ωı
287	144										•		30	4
No SAMPLE	5h	4											49	ω
292	146			-									প্ত	N
	461	তা ত											late	>
CHL NUTR	NUTR	SAL	SALINITY		T Y	SALINITY	TEMP	SECONDARY TEMP		PRIMARY TEMP		PRESSURE	TRIP DEPTH	POS
			DATA											ITIO
		310	SAMPLE BOTTLE											N
SAMPLE BOTTLE NUMBER	JE BO	SAME			8			₹ VALUES	MONITOR	CTD CONVERTED MONITOR VALUES		050		
		14	ChLAM S/N=	ChL			= 678	2 √FLUOR S/N=	2 <b>√</b> FLL	= 424	VPAR S/N=	304	SEC COND SN	SEC C
			MAX. DEPTH (m)	<u>₹</u>						m	AT SURFACE	915	PRI COND SN	PRI CC
		alve	leaned air bleed v	<u>ا</u>		イクログ	ان ا		_		AT DEPTH	884	SEC TEMP SN	SEC T
				<del></del>		The Name/Header		Tape/Diskette ID	i a	VZ	START DOWN	710	PRI TEMP SN	PRI TEMP
		REMARKS	REN	-	_	ÖN	00	DA	1	TIMES		91220A	•	SBE 9+
3.1 O		<b>3</b>		<u>v</u>	1	0	5   2	3) A 13 0	3	of	6 9	200	00 UT 03	O L
П			deg m	ф	Н	Н	Ξ	MO YR	DAY N		DEG	MIZ	DEG	
DEPTH NAME / ID	WE	SPE CLC TYP	VISI WIN DIRI WIN		BB	BULB	GMT	DATE	D <sub>A</sub>	LONGITUDE	LON	ATITUDE		CON
BOTTOM STATION	ATHE	ED UD (	ECTI D	SSU	WET	DRY	TIME							
	R		Υ	RE			·-							UTIVE
JOM IROGITA	٢	-94					8	MF-05-06		EEMAN	LER FR	NOAA Ship MILLER FREEMAN	NO	
ATION	ESIGN/	STATION DESIGNATION	SI		DSDB I.D.	Ď	LEG	PROJECT & LEG	PŖ				ËL	VESSEL
C C	FG /													

PG 48 OF

3	11	10	မ	00	11/4	7	<u>ი</u>	ن ن	4	ω	2	-1 88	POS TRIP DEPTH	TION		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9 (12160	7		NSECUTIVE ST#		VESSEL	
	10												PRESSURE	ن (	1,22	384	\			1220A	19.108 M	- 1	ATITUDE		NOAA Ship MILLER		
						9							E PRIMARY TEMP	CON	OTD COM	V PAR S/N= 4	AT SURFACE	AT DEPTH	START DOWN	DATA ON	1 10 0 41.8		LONGITUDE	ii	LER FREEMAN		
-													-	CID CONVEXTED MONIFOR VALUES		2 4					WISIOMO		DAV			PR	
							i						SECONDARY TEMP	CVALUEO	١	2 / FLUOR S/N= 6 7				Tape/Diskette ID File Na	MC 015 115	: ;	DATE G		MF-05-06	PROJECT & LEG	
													SALINITY			8	, ,	640 042		File Name/Header	43 017	, ,	GMT BULB	TIME DRY	r.	DSI DSI	
													7	-		C <sub>E</sub>	ΜA			er –	701800		BULB PR	¥ ∰ ESSURE	77-14	DSDB I.D.	3
													SALINITY	SAMPLE BOTTLE DATA		ChLAM S/N=	x. DEPTH (m) ኤን	Cleaned air bleed valve		7	252	2	SE VIS WII DIF	RECTION		STATION C	100 P. S. C.
	•											92	SAL	0 2 2 2	SAMO			l valve			7 7 6		CL	ND EED OUD (amt) PE ATHER	04-P=P		
													NUTR	מאשירה סטיירה מטאסחא	= n D 1										الم	PG HAT	
													윉	72 0 3							7 6	_	DEPTH N	воттом	an	N P	
													NUTR NUTR	ה ק	0					_			NAME / ID	STATION	- Dela	Warming and the State of the St	

12	<u> </u>	10	ဖ	8	7	თ	Ch	4	ω	2		POS	ITIO	N	SEC C	PRI CO	SEC T	PRESS SN	SBE 9+	0		CON		JTIVE		VESSEL
	c.**	0	0	0	30	O TO	јі 0	뷨	9	9	9	DEPTH TRIP			SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN		056	DEG				NO	ξĒΓ
	77											PRESSURE		(J) (3)	304	915	884	710 710	91220A	39.30	<u>⊀</u> iz	LATITUDE			NOAA Ship MILLER FREEMAN	
								•						CT	LAPAR S/N=	AT SURFACE	AT DEPTH	START DOWN		1700	DEG	LONG			LLER FRE	
										:		PRIMARY TEMP		CTO CONVERTED MONITOR VALUES	424				TIMES	עפ		LONGITUDE			EMAN	
												-		MONITOR VA	2 VFLUOR S/N=			lape/U	f ;	05 MA 9	DAY MO	DATE			MF	PROJE
						!		:				SECONDARY TEMP		LUES	S/N= 6 7			l ape/Diskette ID	DATA LOCATION		がま	o ်	<u>-</u>		MF-05-06	PROJECT & LEG
						:						SA			00	-		File Name/Header	ATION	ر رر	MIN	GMT BULB	TIME DRY			
						: !						SALINITY						Header		р 0	_	LB BULB	₩ET		-EH	DSDB I.D.
												ς,		Φ. δ.	ChLAM S/N=	MAX. DE	Clear		-	503	╀	PRE SEA	SSUF	RE re	2	
										:		SALINITY	DATA	SAMPLE BOTTLE	S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		70	3 5 3	deg	VISI	BILIT	Y		
	•										H	SAL		SAM	<u> </u>	L_	d valve		REMARKS	<u>ာ</u>	m/s	WIN SPE CLC TYP	ED OUD (a	ımt)	8 HO	STATION DESIGNATION
	*	148 2	149 7	150	12	15.2	1537	154	15:5	156	157	NUTR		NAMPLE BOTTLE NOMBER						9		W DEPTH	ATHE	₹	45-20	ESIGNATI
	<del></del>	285	285	789	287	183	283	-				오 모		E NOMBE						6			BOTTOM ST/			N <sub>O</sub>
												NUTR		<u> </u>	j 				_			NAME / ID	STATION			

PGOTO OF

3

12	11	<b>7</b>	ဖ	8	7	თ	ζī	4	ω	N	_	POS	ITIO	N	SEC CC	PRI COND SN	SEC TE	PRI TEMP SN	SBE 9+	<u>O</u>		CON	ISEC	UTIVE		VESSEL
											501	TRIP DEPTH			SEC COND SN	ND SN	SEC TEMP SN	MPSN	2	に な 年 92	DEG				NO	F
	*											PRESSURE			304 530	915	884		1220A		MIZ	ATITUDE			NOAA Ship MILLER FREEMAN	
						_		•							PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	169	DEG	LON			LER FR	
												PRIMARY TEMP		CID CONVERTED MONITOR VALUES	N= 424			<b>X</b>	IIWES	9	MIN	LONGITUDE			EEMAN	
								:				<del> </del>		D MONITO	2   FLU					0	DAY	۵/				PR
												SECONDARY TEMP		Y VALUES	FLUOR S/N=				Tane/Diskette ID	7 5 0	MO YR	ΊE			MF-05-06	PROJECT & LEG
											:	TEMP			6 7 8		 	1	Ş	5 / Ø	TR MIN	GMT	TIME		8	LEG
												SALINITY							File Name/Header		Z ဂိ	BULB	DRY			Ö
												YTI							<u> </u>	@ 9)	റ്		WET		LA.	DSDB I.D.
												SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		_	0 0 0 0	mb deg	SEA VISII WIN	SSUI STA BILIT D	TE Y		
	•										32	SAL		OA			ed valve		KEWAKNO	5	m/s	WIN SPE CLO TYP	ED UD (a	amt)		STATION DESIGNATION
												NUTR		מאמידרת סטיי ברת אכאוסתא						<del>20</del>	-	WEA	THE	R		DESIGNA
												유								6			воттом			TION
												NUTR							_			NAME / ID	STATION			

PG 51 OF

12	<u> </u>	<del>1</del> 0	9	ω	7	თ	ΟΊ	4	ω	2	_	POS	ITIC	N	SEC C	PRIC	SEC T	PRI TE	PRESS SN	SBE 9+	ා ග		CON:	SECUTIVE		VESSEL
				5.5							1506	DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SN	<b>.</b>	り <u> ボ</u>	DEG	<u> </u>		NOA	
												PRESSURE			25	915	884	710	1220A	91220A	J. 1	<b>X</b>	ATITUDE		NOAA Ship MILLER FREEMAN	
														_	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON		1692	DEG	<u></u>		LLER FR	
												PRIMARY TEMP		CID CONVEXTED MONITOR VALUES	N= 4 2			NN		TIMES	& ⊗ LL	MiN N	LONGITUDE		EEMAN	
					23			_				1		- NO. 30	4 2	2					0	DΑΥ				
	- 1				:							SECONDARY TEMP		- OZ <b>V</b> X-COR	FLOOR S/N=				Tape/Diskette ID	D,	3 2 0	$\vdash$	DATE		MF-05-06	PROJECT & LEG
												TEMP		O	6.	1	   	'		N LOC	<u>5</u> ට	が まっ	G I		-6	& LEG
									52	! !		SAI			C		2700		File Name/Header		<u>ั</u> ช	z		 DRY		
												SALINITY				1	27	1	-leader		<u>.</u> س	Н				on Basa
_					_	_									<u> </u>	2 3	,	'  -			<u>်</u> စ	ငိ n		NATION OF THE PROPERTY OF THE	1	ō.
												SALI	Ş	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cleaned				6	mb	SEA	STATE BILITY	-	enterer
												SALINITY	DATA	TLE PLE		[H (m)	Cleaned air bleed valve				3 0 7	deg	WIND			
											٦ ار	SAL		۷	<u> </u>	<u> </u>	d valve			REMARKS	9		WINE SPEE CLOU	JD (amt)		STATION DESIGNATION
												NUTR		מאמירה סכ - בה אכאיסהא	j 1						- 8			THER		DESIGN
												윒	-								<u>-</u>		DEPTH	BOTTOM		ATION
												NUTR		2	j j				•				NAME / ID	STATION		

PG 52 OF

12	<u>-</u>	ō	ဖ	œ	7	o	ഗ	4	ω	N	_		ITION	SEC C	PRI CO	SEC T	PRI TEMP	SBE 9+	SO		CONSECUTIVE		VESSEL
				i				:			1519	TRIP DEPTH		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2 +	353	DEG		×	ř
												PRESSURE		530	-			91220A	46.64 N	_	LATITUDE	DAA Ship MILI	
		i										E PRIMARY TEMP	CTD CONVE	PAR S/N= 4 :	AT SURFACE	AT DEPTH	START DOWN	TIMES	166,5.	DEG MIN	LONGITUDE	NOAA Ship MILLER FREEMAN	
												<del>                                     </del>	RTED MON	2 4 2					906	DAY			
												SECONDARY TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N=			ape/Diskette ID	Tana/Diska#a	MM 64 1/1 0 5	MO YR	DATE	MF-05-06	PROJECT & LEG
							<u> </u>				ļ 	EMP		678		  -	•		11606	TR MIN	TIME	16	EG
				:						:		SALINITY				10053	File Naille/Header	Namo/Lood	2.7	റ്	DRY	 	DSD
																	"		1/12	ငံ	WET		DSDB I.D.
												SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m) / \( \) / \( \)	Cleaned air blee		7	1628277		PRESSURE SEA STATE VISIBILITY WIND DIRECTION		
•								:		-	44	SAL	SA	_	6/15	d valve		REMARKS	24	S	WIND SPEED CLOUD (amt)		STATION
				-								NUTR	SAMPLE BOTTLE NUMBER						5	Н	TYPE WEATHER	1	STATION DESIGNATION
												운	TTLE NUN		*				40	П	BOTTOM :		ATION
												WHIT'S NUTR	ABER					_			STATION		

PG 53 OF\_

12	1	10	ဖ	ထ	7	თ	σı	4	ω	2	_	POS	ITION		SEC C	PRIC	SEC T	PRIT	SBE 9+	20			NSEC	UTIVE		VESSEL
										:	1500	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n + (	4 53	DEG				N N	EL.
							:					PRESSURE			530				91220A	35.85 N	$\overline{}$	LATITUDE			)AA Ship MILL	
												PRIMARY TEMP		CTD CONVERTE	PAR S/N= 4 2 4	AT SURFACE	AT DEPTH	START DOWN	DATA ON	6903.52w	DEG MIN	LONGITUDE			NOAA Ship MILLER FREEMAN	
												SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	2 FLUOR S/N=			400000000000000000000000000000000000000	Tane/Diskette ID	06 Way	Ϋ́R	DATE			MF-05-06	PROJECT & LEG
									in the second			MP SALINITY			6 7 8		CT1) 051	,	DATA LOCATION   	8302	Z	GMT BULB	TIME DRY	<del></del>	-	
																	1	3		7 1.2	ငိ	BULB	WET			DSDB I.D.
												SALINITY	SAMPLE BOTTLE DATA		ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		20	0728333	mb deg	SE/ VIS	A STA IBILIT ND ECTIO	TE Y		
											42	SAL		SAM		00	d valve		REMARKS	138	m/s	CLO	ED OUD (	amt)		STATION DESIGNATION
												NUTR		SAMPLE BOTTLE NUMBER						109			ATHE	R		DESIGNAT
												CH 모		LE NUMB						~		DEPTH NA	BOTTOM ST			ŌN
		;										WHIT'S NUTR		<u> </u>					_			NAME / ID	STATION	ノ\		

PG 54 유

12	=	ô	9	ω	7	တ	Ch	4	ω	2	_	POS	ITION	 	SEC C	PRI C	SEC T	PRESS SN	SBE 9+	0		CONSEC	UTIVE		VESSEL
											1519	TRIP DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN	Ŧ	553	DEG			Z	SEL
												PRESSURE			530			710 710		30.911		LATITUDE		DAA Ship MIL	
											No B	E PRIMARY TEMP		CTD CONVERTE	PAR S/N= 4 2 4	AT SURFACE	AT DEPTH	START DOWN	TIMES	16854.91W	DEG MIN	LONGITUDE		NOAA Ship MILLER FREEMAN	
											But the tru	MP SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	2 FLUOR S/N=			Tape/Diskette ID	DATA	061	DAY MO YR	DATE		MF-05-06	PROJECT & LEG
-	_									•	7	>			6 7 8		CTDOS	D File Name/Header	00	2020 3	Z	GMT B			G
										<	Cat us	SALINITY					S	/Header		3030	റ റ				DSDB I.D.
											^	တ	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)/5	Cleaned air bleed valve		- 70	08383		PRESSU SEA STA VISIBILIT WIND DIRECTION	TE Y		
•										, r. r.		SAL		SAN		14	d valve		REMARKS	188	Ś	WIND SPEED CLOUD (	amt)	14.7 19.1	STATION
												NUTR		SAMPLE BOTTLE NUMBER				`		20	H	TYPE WEATHE	R	-	STATION DESIGNATION
												어느		TLE NUN					,	7	П	BOTTOM S			NOIT
												WHIT'S NUTR		ABER					_			STATION NAME / ID			

PG 55 OF\_

12	=	10	ဖ	œ	7	o	(J)	4	ω	N		POS		)N	SEC C	PRI C	SEC 1	PRI TEMP	SBE 9+	S	Γ	CONSECUTIV	E	VESSEL
											1120	DEPTH		<u>_</u>	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n ∓ n ≥	653	DEG		N N	SEL
									:			PRESSURE			530	≧			91220A	>	MIN	LATITUDE	NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP		CTD CONVERTED	PAR S/N= 4 2 4	AT SURFACE	AT DEPTH	START DOWN	TIMES	50		LONGITUDE	R FREEMAN	
												SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	2 FLUOR S/N= 6			apar Dianette 10	Tane/Diskets ID	66 MQ4 052	¥	DATE	MF-05-06	PROJECT & LEG
				-											7 8		(I)	•	ဂ္ဂ	عد 06	HR MIN	TIME		O
												SALINITY					056	The Maillest leader		2.0 4	ငိ	DRY W	_	DSDB I.D.
			-				<u> </u>						_		S	N/	[]		_	10	H	PRESSURE		١
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m) / 2	Cleaned air bleed valve	•	RE		mb deg	SEA STATE VISIBILITY WIND DIRECTION		
											94	SAL		SAM	<u>                                     </u>	0	valve		REMARKS	35	m/s	WIND SPEED CLOUD (amt) TYPE	14.	STATION DESIGNATION
												NUTR		SAMPLE BOTTLE NUMBER								WEATHER		DESIGNA
												윘		TE NO						48	Γ	BOTTOM DEPTH_!		NOIT
												WHIT'S NUTR		¥8 7.								STATION		

PG 56 유

12	<u> </u>	ō	ဖ	œ	7	თ	σı	4	ω	N	_	POS	ITION	SEC C	PRI CO	SEC T	PRI TEMP	SBE 9+	o S	П	CONS		TIVE		VESSEL
		1									429	DEPTH I		SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN	*	753	DEG		<del></del>		NC	Ä
												PRESSURE		530			1220A 710		22.04	NIM	LATITUDE			NOAA Ship MILLER FREEMAN	
				_			-	_					0	PAR S/N=	AT SURFACE	AT DEPTH	DATA ON START DOWN		ज व्य	DEG	LON			LER FR	
												PRIMARY TEMP	CTD CONVERTED MONITOR VALUES	N= 424	m		<b>§</b>	TIMES	1 3 4 V	MIN	LONGITUDE			EEMAN	
													MONITOR V	2 FLUO			Tape/		0 6 N	DAY MO	DATE				PROJ
												SECONDARY TEMP	ALUES	FLUOR S/N= 6			Tape/Diskette ID	DATA LOCATION	0 5 2	Ж Н	15		_	MF-05-06	PROJECT & LEG
														7 8			File Nar	CATION	3/6	MZ					
		:										SALINITY					File Name/Header		12 00	റ്					DSDB I.D.
														ဂ	3			-	2.0	ငိ -		×/FT		   	D
		:										SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m)ゲンタ	Cleaned air			0383		SEAS VISIB WIND DIRE	STATI			
•		-									2				12 14 (L	bleed valve		REMARKS	3114	3	WIND SPEE	D			STATI
											27	SAL NUTR	SAMPLEE			-		S	8		CLOL TYPE WEA				STATION DESIGNATION
				-								운	SAMPLE BOTTLE NUMBER					•	(i)		DEPTH	BOTTOM M			NATION
												NUTR NUTR	JMBER								NAME / ID	NOITATA			

PG ST OF