12	1	5	9	ω	7	თ	σı	4	ω	2		POS	SITIO	N		SEC C	PRI CO	SEC T	PRITE	SBE 9+	0		CONSE	CUTIVE		VESSEL
												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n +	154	DEG			3	SEL.
											2	PRESSURE				530 X PAI	915 AT SURFACE			91220a DATA ON	1918541165	MIN DEC	LATITUDE		NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	PAR SIN= 4242	FACE	H	DOWN	IMES	7	X Z	LONGITUDE		FREEMAN	
				11.6								SECONDARY TEMP				K FLUOR S/N= 6				DATA L	0 M A Y 0 50	ź	DATE		MF-0507	PROJECT & LEG
												SALINITY				,78				DATA LOCATION	5062866.4	Z	TIME DRY			
												~							<u>a</u>	2	05.2	ဂိ	WET	<u>@</u> a		COD I.D.
												SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX. DEPTH (m) 137	x Cleaned air bleed valve		REMARKS	2111 80	deg	PRESSU SEA ST/ VISIBILI WIND DIRECT WIND SI	ATE TY	UNIMAK	STATION DESIGNATION
												SAL		8	SAM					₹KS			CLOUD TYPE WEATHI		AK	DESIGNA
												NUTR			SAMPLE BOTTLE NUMBER			6)		0146	П	ВОТТОМ		4	ATION
_												ᅄ			TLE NUN						7	H		12		
												WHIT'S			BER						00		STATION			

ဓိ

12	<u> </u>	10	ဖ	œ	7	თ	ΟΊ	4	ω	2	_	POS	ITIC)N		SEC C	PRI CC	SEC T	PRITE	SBE 9+	0		CONSEC	UTIVE		VESSEL
												DEPTH TRIP				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	" *	754	DEG		·	Z	Ĕ
												PRESSURE					· -			91220a	12		LATITUDE		OAA Ship MILI	
												E PRIMARY TEMP			CTD CONVER	PAR S/N= 4242	AT SURFACE	AT DEPTH	START DOWN	DATA ON	11651161137	DEG MIN	LONGITUDE		NOAA Ship MILLER FREEMAN	
															CTD CONVERTED MONITOR VALUES	FLUOR S/N=				Tapa	6 1 0 MAY	DAY MO	DATE	s'	ST.	PROJE
						1						SECONDARY TEMP			LUES	S/N= 678			_	DATA LOCATION	 	YR HR MIN	GMT		MF-0507	PROJECT & LEG
												SALINITY				Z			1500 1500 1500 1500 1500 1500 1500 1500	ATION	305.905	റ്				COD I.D.
																ChLAM S/N=	MAX	× Ces		-	5.501	۱۲	PRESSU			Þ
										50		SALINITY	DATA	SAMPLE BOTTLE		S/N=	MAX. DEPTH (m) しらん	ined air bleed v		7	0992	deg	VISIBILIT WIND DIRECTI	Υ		STA
			i									SAL			SAM		75	/aive		REMARKS	25	8	WIND SF CLOUD (TYPE WEATHE	amt)	NIMAK	STATION DESIGNATION
-												NUTR CHL			SAMPLE BOTTLE NUMBER						01620		BOTTOM		7	ATION
												WHIT'S NUTR			VUMBER						CT 002		STATION NAME / ID			

12	1	ಕ	ဖ	ω	7	თ	თ	4	ω	2	_	POS	SITIC	N		SEC C	PRI CC	SEC T	PRI TEMP	SBE 9+	0			NSECUTIVE		VESSEL
												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN		354	DEG			NO	Ä
												PRESSURE				30 4	915	88 4	710	91220a	24.986	NIM	LATITUDE		NOAA Ship MILLER FREEMAN	
										3.4		m				X PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		165	DEG	و 9		LER FF	
												PRIMARY TEMP			o١	N= 4242	(C)		NAC	TIMES	09 295	MiN	LONGITUDE		REEMAN	
		-	_	_			ļ				-	+			Ö M Q						7	DAY		<u> </u>		
! 												SECONDARY TEMP			AITOR VAL	X FLUOR S/N=			l aperdiskene io	1	<u>×</u> ×		DATE		M.	PROJECT & LEG
												ARY TI			UES	SN=			SKelle	DAT/	0 5	Æ			MF-0507	CT & L
												N P				613	1	 		Ö	8580	HR MIN	GMT	TIME		E
			į									SALINITY							File Ivalille/Teacel	2	806.3	೧	BULB	DRY		CO
												7							Ğ		0.15	ငိ	висв	WET		COD I.D.
		20														ChLA	₹	있 있		-	62	тb		SSURE		
												S _A		B S A		ChLAM S/N=	MAX. DEPTH (m)	aned					VIS	STATE BILITY		
												SALINITY	DATA	SAMPLE BOTTLE		"	m	air ble			097	deg	WIN		_	
																		Cieaned air bleed valve		REMARKS	129	knťs		ECTION ID SPEED	NIN I	STATION DESIGNATION
												SAL			ا چ	7				RKS	X		CLC	OUD (amt) PE ATHER	NEAK	DESIG
	\dashv											NOTR		<u>;</u>	SAMPLE BOTTLE NUMBER			146.1			1 6	1 1	W DEPTH	ATHER BOTTOM	-W	NATION
ã.												CH CH						\			58 C	Н				
												WHIT'S NUTR			UMBER						7003		NAME / ID	STATION		

PG_____OF_

12	<u> </u>	10	ဖ	00	7	თ	Cr	4	З	N	_	POS	SITIC)N		SEC C	PRI C	SEC T	PRI TEMP	SBE 9+			CON	SECUTI\	Æ		VESSEL
							;					DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n ∓ 2		DEG			\dashv	Z	SEL
												PRESSURE								91220a	54.2771		LATITUDE			NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP			CTD CONVERTE	PAR SIN= 4242	AT SURFACE	AT DEPTH	START DOWN	TIMES	650111111	DEG MIN	LONGITUDE			ER FREEMAN	
	91.] s=								MP SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N=			ape/Diaxette 10	DATA	10 MAY 0 5	DAY MO YR	DATE			MF-0507	PROJECT & LEG
				83								MP SALINITY			10	678				Ö	1.022061	HR MIN °C		TIME DRY			
												YTI				Chi	<u> </u>		<u>a</u>		7 5.51	Н	BULB	SSURE			COD I.D.
												SALINITY	DATA	SAMPLE BOTTLE			MAX DEPTH (m) 45,	x Cleaned air bleed vaive		REM	7 11/0/29	deg	SEA VISIE WIND	STATE			STATIO
									_			SAL		<u></u>	SAN		À	Ď		REMARKS	8	H	CLO	JD (amt) THER		のながら	N DESIGN
												NUTR			SAMPLE BOTTLE NUMBER						0053	1 1		BOT OF	2	3	ATION
_	_											얼			TLE NUM						4	H					
												WHIT's			BER						D04		NAME / ID	STATION INC.		_	

유 |

12	<u> </u>	10	ဖ	œ	7	თ	Οī	4	ω	N	_	POS	SITIC)N		SEC C	PRICC	SEC T	PRI TEMP	SBE 9+			CONSECUTIVE		VESSEL
<u> </u>												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	524	DEG		NO/	•
												PRESSURE	i			530	915	884	710	91220a	10.5°Z	MIN	ATITUDE	NOAA Ship MILLER FREEMAN	
												<u> </u>			C	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN)	2271	DEG	LONG	LER FRE	
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	1= 424z			2	TIMES	0.56	MIN	LONGITUDE	EMAN	
												1			D MONITO					1		DAY		_	<u></u>
												SECONDARY TEMP			R VALUES	Z FLUOR S/N=			l ape/Diskette iD	DAT/	M A Y 0 5	MO YR	DATE	MF-0507	PROJECT & LEG
		-										NP P			- 1	672				Ö	7227	HR MIN	TIME		EG
					!							SALINITY				X	1		CTD 005	-	9	റ്		_	COD I.D.
				340													_ 	<u> </u>		_	7	റ്	WET		Ē
							;					SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve			021 07	dm	PRESSURE SEA STATE VISIBILITY WIND		
			ri.									YTI	[A	LE FE		1	m) \% , \	bleed valve		REMARKS	741 19	deg knt's	DIRECTION WIND SPEED	AU4	STATION DESIGNATION
										-		SAL		s	SAM		^			RKS			CLOUD (amt) TYPE WEATHER		DESIGN.
												NUTR			SAMPLE BOTTLE NUMBER						14		BOTTOM		ATION
												ᅄ			TLE NU						45 cT	Н			
										2%		WHIT'S			IBER						D05		STATION NAME / ID		

12	<u> </u>	ô	ဖ	ω	7	თ	ڻ ن	4	ω	2	_	POS	ITIC	N		SEC C	SEC TI	PRI TE	PRESS SN	000		CONSECUTIVI	E	VESSEL
												DEPTH				SEC COND SN	SEC TEMP SN	PRI TEMP SN	SN	635	DEG		- N	
8												PRESSURE				530 A S			91220A DAT	01330	- MIZ	LATITUDE	NOAA Ship MILLER FREEMAN	
											1	PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	LPAR S/N= 4242	AT DEPTH	START DOWN	DATA ON	6432.1163		LONGITUDE	REEMAN	
												SECONDARY TEMP				FLUOR S/N=			Tape/Diskette ID	MAY 05	Ŕ	DATE	MF-0507	PROJECT & LEG
												P SALINITY				678		CIDCOG	File Name/Header	0 5 16 54 6.1-	1	TIME DRY	_	
												7				7		9.	er er	55	မင်္ဂ	WET		COD I.D.
			*									SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	8			03 1064	nb b	PRESSURE SEA STATE VISIBILITY WIND DIRECTION WIND SPEED	AU	STATION DESIGNATION
												SAL			SAM				í			CLOUD (amt) TYPE WEATHER		DESIGNA
												NUTR			SAMPLE BOTTLE NUMBER					1026		BOTTOM		ATION
												댅			TLE NUN					2C T	+-	***		
												WHIT's NUTR	-		BER					T DOG		STATION NAME / ID		

G .

유 |

12	1	10	ဖ	œ	7	တ	σı	4	ω	N	_	POS	SITIC	ON	SEC. C	PRIC	SEC T	PRI TEMP	SBE 9+	00		CONSECUTIVE		VESSEL
									€:			DEPTH			SEC COND SIN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	7	DEG		z	-
												PRESSURE			200	915		710 ST		170781	MIN		NOAA Ship MILLER FREEMAN	
							- 6					PRIMARY TEMP		CTD CONVERTED	SPAR SIVE RAIL		AT DEPTH	START DOWN		119.690	DEG MIN		RFREEMAN	35:
												SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	TATLUCK SIN= 6	1		l ape/Diskette iD	DATALO	MAY	DAY MO YR HR		MF-0507	PROJECT & LEG
					4							SALINITY			X			riie Name/Header	DATA LOCATION	234 6.5	MIN °C			COD I.D
2															ChLAM S/N=	L.	× Clean		-	\approx	s	RESSURE		I.D.
			į.				100					SALINITY	DATA	SAMPLE BOTTLE		6.6% (W) HIA	eed v		REMARKS	W	deg D	VISIBILITY VIND PIRECTION VIND SPEED	AIZ.	STATION
											_	SAL		SAN			•		RKS		C	LOUD (amt)	17	STATION DESIGNATION
				400								NUTR	 	SAMPLE BOTTLE NUMBER						_0	DEPTH	VEATHER WO 11 O M		MATION
												었는		TTLE NO						9607	+		}	
		Λ										WHIT's		MBER						00	NAME / ID	STATION		

우__

12	<u> </u>	10	9	œ	7		တ	O)	4	ω	2	 POS	ITIO)N		SEC (PRI C	SEC 1	PRI TEMP	SBE 9+	0 0		CONS CAST	ECUTIVE	<u> </u>	VESSEL
												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	0855	DEG			_	Ė
												H PRESSURE					915	884	710	91220a	_	MIN	LATITUDE		NOAA Ship MILLER FREEMAN	
:	n n														<u></u>	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		1634	DEG	LONG	'	LER FRE	
				2/								PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	1777 =1			Ž	TIMES	41.2411		LONGITUDE	527	EMAN	
					-	\dagger		_							TINOM (¥				_		DAY				_
				70	:							SECONDARY TEMP			OR VALUES	FLUOR S/N=			ape/Diskette iD	DATA	M A Y 0	MO YR	DATE		MF-0507	PROJECT & LEG
						+						TEMP				- 678			_	Ö	5025	~ HR MIN	GMT)7	LEG
							:					SALINITY								2	607.7	1	BULB			Ω
												TY					=		idei		9.1907	റ്	BULB	-	ÇV.	COD I.D.
				<u>.</u>												ChLAM S/N=	MAX. DEPTH (m)	× C		-	8148	콩	PRES			
												SAI	o	BO SA		NS/N=		aned					SEA S	TATE LITY		
		i.										SALINITY	DATA	SAMPLE			3	북 ble			7	deg	WIND	TION		
			ų.														24.25	x Cleaned air bleed valve		REMARKS	19	knt's	WIND	SPEED		STATION DESIGNATION
												SAL			SA					Š	5	L	TYPE	D (amt)	}	ESIG
						+						NUTR			SAMPLE BOTTLE NUMBER						0043		WEAT BOTTOM			VATION
												었			TLE NUN						<u>C</u>	-			-	
												WHIT'S NUTR			BER			_			50 8		NAME / ID			

<u>ര്</u>

우

12	11	10	ဖ	œ	7	თ	O	4	ω	N	 POS	ITIC)N		SEC C	PRI COND SN	SEC TE	PRI TEMP SN	SBE 9+	0	T		NSECUTIVE ST#		VESSEL
					į						DEPTH				SEC COND SN	ND SN	SEC TEMP SN	MPSN	2	955	DEG			N.	
											PRESSURE								91220a	,	MZ.	LATITUDE		NOAA Ship MILLER FREEMAN	
											PRIMARY TEMP			CTD CONVERTED	PAR SIN= 4242	AT SURFACE	AT DEPTH	START DOWN		6320.260		LONGITUDE		R FREEMAN	
											SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N=			apor Dienotto	Tane/Distate IT	1 MAY 05	Ř	DATE		MF-0507	PROJECT & LEG
											MP SALINITY	- ;			672			CT POO 9	Ċ	045407.5	HR MIN °C	GMT BULB	TIME DRY		
											7				Ch	N N	_		-	06.1249	dm 0°	BULB B	SSURE		COD I.D.
			€:								SALINITY	DATA	SAMPLE BOTTLE			MAX. DEPTH (m) 40.5	x Cleaned air bleed valve			1994		SEA VIS WIN	STATE	717	STATION
											SAL			SAM			D.		REMARKS	2		TYF	OUD (amt) PE ATHER	ţ	ION DESIGNATION
											NUTR			SAMPLE BOTTLE NUMBER						00486		DEPTH	ВОТТОМ		ATION
											 엄			TLE NUMI						7	Н			_	
											WHIT'S NUTR			盟						009		NAME / ID	STATION		

' 유

12	<u> </u>	1 0	ဖ	œ	7	თ	رن د	4	ω	2	 POS	ITIO	N		SEC C	PRI C	SEC T	PRI TE	PRESS SN		زد		NSECU	ITIVE		VESSEL
											DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN	7		DEG			Z	Ĕ
											PRESSURE								91220A		115	LATITUDE			NOAA Ship MILLER FREEMAN	
														CTD CC	"[AT SURFACE	AT DEPTH	START DOWN	DATA ON	10		LONGITUDE DEG MIN			ER FREEM	
											PRIMARY TEMP S			MON GE	4242				ē	Γ	7.72	DAY			AN	10
											SECONDARY TEMP			TOR VALUES	FLUOR S/N=				Tape/Diskette ID	MIAIYIOIS	-	DATE MO YR	¥		MF-0507	PROJECT & LEG
:															द्रा		_		Š	- C		HR GMT	TIME		y	EG
	:										SALINITY								File Name/Header	1010 010	۲ س	BULB BU	DRY W			COD I.D.
													•		ChLAM S/N=				_	1.07	<u>, </u>	SE	ESSUR	E		
			A								SALINITY	DATA	SAMPLE BOTTLE		SN=	MAX DEPTH (m) ない	ed air bleed		-	1120	1 5 1		SIBILITY ND RECTIO		_	STA
			8													, ,	valve		ָרְבָּיבְּיבְיבִייבְיבִייבְיבִייבִייבְיבִייבִייבְיבִייבִי	DEMARKS	4	9	ND SPE		47	STATION DESIGNATION
											SAL			SAME					ć	L		TY	PE ATHER	?	7	SIGNA
_											NUTR			SAMPLE BOTTLE NUMBER						999	77.00	DEPTH	BOTTOM			TION
							_				달			TE NUME						11(1)		+	 -	· · · · · ·		
											WHIT's									0 1 0	.	NAME / ID	STATION	<u></u> .		

유 |

12	1	1 0	ဖ	ω	7	တ	σı	4	ω	2	_	POS	SITIC)N		SEC	PRIC	SEC 1	PRI T	PRESS SN	0	-	CO	NSECUT	IVE		VESSEL
												DEPTH		"		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S ¥	立					z	SEL
												PRESSURE				530	915	884		91220A	202.292	S S	LATITUDE			OAA Ship MILL	
												E PRIMARY TEMP			CTD CONVERTE	PAR SIN= 4242	١.	AT DEPTH	START DOWN	DATA ON	16 223 298	DEG MIN	LONGITUDE			NOAA Ship MILLER FREEMAN	
												MP SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N= C			30	Tape/Diskette ID	1 M A Y	ź	DATE			MF-0507	PROJECT & LEG
									M			P SALINITY				78			CTDOIL	vette ID File Name/Heade	54258	Ž	GMT BULB	TIME DRY			con i.b.
																ChLAM S/N=	MAX. DEF	x Cleane		_	5.006	ဂိ	SEA	SSURE STATE			I.D.
			Œ								7	SALINITY	DATA	BOTTLE	SAMPI TI	N=	MAX. DEPTH (m) 59.1	ed air bleed valve		XII NO	04095	deg knt's	DIRI	BILITY D ECTION D SPEE	D	DCT	STATION
												SAL			SAN					KEMAKKS			TYP	UD (amt)	Ľ	STATION DESIGNATION
		÷										NUTR			SAMPLE BOTTLE NUMBER						90		DEPTH	ATHER BOTTOM	=		ATION
												CHL			TLE NUM						DEH CTDI	\vdash					
												WHIT's			BER				_		0 1		NAME / ID	STATION			

မရိ မြ

음 | |

	<u> </u>	<u></u>	9	ω	7	0	رن ا	4	ω	N	-	-	ITIO T	N		EC CC		OF TENE SN	PRESS SN	SBE 9+	3		CONSECUTIVE CAST #		VESSEL
												DEPTH				SEC COND SN	DELCOND SN	ST CN	SZ		256	DEG		NO.	P
												PRESSURE					0 00		>		01.248	MZ	ATITUDE	NOAA Ship MILLER FREEMAN	
: :															CTDC	PAR S/N=	AT SUBFACE	START DOWN	DATA ON		16156	DEG N	LONGITUDE	ER FREEN	
									<u>.</u>			PRIMARY TEMP			CONVERTED N	4242				TIMES	346 1	MIN DAY	UDE	MAN	
												SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N=			Tape/Diskette ID	DATA	MAY 05	Н	DATE	MF-0507	PROJECT & LEG
												MP				るな				00	1925	z	TIME		E G
į			:									SALINITY				区		2016	File Name/Header	. —	ত ই	റ്	DRY WET		COD I.D.
																ChLAM S/N=	X Ciea			-	100	тb	PRESSURE SEA STATE		
								ń				SALINITY	DATA	SAMPLE			192				049	deg	VISIBILITY WIND DIRECTION		TS
												SAL			S/		Valve			REMARKS	12.4	knts	WIND SPEED CLOUD (amt) TYPE	N	STATION DESIGNATION
												NUTR			SAMPLE BOTTLE NUMBER						<u>D</u>		WEATHER DEPTH	7	NATION
												CHL NUTR			LE NUMBEF						55 cr 01	Н	NAME / ID	 	

| 유 |

12	<u> </u>	ō	ဖ	œ	7	တ	СЛ	4	ω	N	_	POS	ITIC	N		SEC C	PRI CC	SEC TI	PRI TEMP SN	00 00 0N 00 00 0H 00 00 0H	0	Γ	CONS	ECUTIVE #		VESSEL
												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	MP SN	ב ב	356	DEG			Z	Ē
												PR				530	915	884	710	91220a	91.4	MIZ	LATITUDE		NOAA Ship MILLER FREEMAN	
									:			PRESSURE					.				0				MILLE	
												R R			СТВ	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	に	ONG		R FREE	
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	4242				MEG	36,	MZ	TUDE		MAN	
												 			ED MONIT					_	2	DAY	1			~
												SECONDARY TEMP			OR VALUE	FLUOR S/N=			200	Tane/Diskette ID	MAYO	ĕ ō	l'''		MF-0507	PROJECT & LEG
												Y TEMP			S	ଚ				DAIA LUCATION	7	话语			507	& LEG
													55	š		21		3	CFO		n n	<u>≤</u>	GMT			
												SALINITY			2	X			2013		772	റ്	BULB .	2	-	COD I.D.
																				 -	62	1	BULB	Š N		Đ
																ChLAM S/N=	MAX. DE	x Clea			<u> </u>	큥		SURE		
8											:	SALINITY	DATA	SAMPLE		S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve			7	deg	VISIB	ILITY		
												₹		u ju		1) 4/	leed va		X Ti	0	┢		CTION	8	STATI
-						:					<u> </u>	G				-	2,2	Ve		KEMAKNO		knt's	CLOU	SPEED D (amt)	7	STATION DESIGNATION
	\dashv									-		SAL			SAMPL	e.f	•						TYPE WEA	HER		SIGNAT
												NUTR			E BOT						J		DEPTH			Ö
												윉			SAMPLE BOTTLE NUMBER						25.62	_				
												WHIT's			BER				4		7 2		NAME / ID			

12	1	10	φ	ω	7	တ	5	4	ω	N	_	POS)N		SEC C	PRI C	SEC T	PRI TEMP	SBE 9+	0			NSECUTIV ST #	E	
												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	726	DEG			_	-
																-		-	ď	9 9			LATITUDE		NOAA SIIID WILLER FREEWAN) > 0
												PRESSURE				530	915	884	710	91220a	04	<u>X</u>	E C		IAI CILIC	š S
												煀				XP/	AT SU	AT DEPTH	START DO	7	2	DEG		<u></u>		ב ח
-	-				_	<u> </u>					ļ	<u>B</u>			CTD	PAR S/N=	AT SURFACE	PTH	START DOWN			G	LONGITUDE		ראכני	ב ה ה
•		:										PRIMARY TEMP			CONVE	4242				TIMES	刘	<u>S</u>	TUDE		NIVIA	
												TEMP			CTD CONVERTED MONITOR VALUES	7					/71	DAY			_	
												SECON			NITOR \	FLUC	ii.		i ab	1	2 M A		DATE		₹	
												SECONDARY TEMP			VALUES	FLUOR S/N=			rape/Diskette iD	DATA	Y 0	Σ Ή	mi		VICO-TIVI	ME OROZ
			-				:					TEMP				677				000	<u>0</u>	품	GMT	TIME		ָס רַהַּ
																2			rile Nai	ATION	7	z	_	m 	4	
									•			SALINITY			i E	X			rile Name/Header		N N	ငံ	BULB	DRY	-	
												7			Ī			23	ė	ŧ.	0	ငိ	BULI	WET		001.0.
																었	 ≷	×		-	9603	mb		ESSURE	1	
												SA		B S		ChLAM S/N=	MAX. DEPTH (m)	eaned				1	VIS	A STATE		
												SALINITY	DATA	SAMPLE BOTTLE		11	(E)	air ble			2	deg	WII	ND ECTION		
																	3	Cleaned air bleed valve		REM.	2	knt's		ND SPEED	1	STATION DESIGNATION
-							N.					SAL			S.	2	9	Ф		REMARKS		<u> </u>		OUD (amt)	-	
			\dashv									<u> </u>	:		MPLE								WE	ATHER	1	J Ž
		-	-						_			NUTR	 								45		DEPTH	BOTTOM		ž
												呈			SAMPLE BOTTLE NUMBER						45CT		NAM			
												WHIT's			別						7		NAME / ID	STATION		

<u>ရိ</u>

위 |

NOAA Ship MILER FREEMAN MF-0507 TIME DATE MIN DEG MIN DEG MIN DATE ST2004 ST2004 ST300 ST2004 ST300 ST30	12	<u> </u>	ō	ဖ	ω	-	7	တ	ΟΊ	4	ω	N		POS	ITIC)N		SEC C	SECT	PRITE	PRESS SN	SBE 9+	0		CONSECUTIVE		VESSEL
AATTIUDE LONGITUDE DATE ONLY TEMP SECONDARY TEMP SALINITY														DEPTH				OND SN	EMP SN	MP SN	SSN	*		DEG		Z	`
TIME DRY WET SECONDARY TEMP SECONDARY TEMP SECONDARY TEMP SALINITY																						91220a	111111111111111111111111111111111111111	Н	LATITUDE	OAA SNIP WIILL	
TIME DRY WET SECONDARY TEMP SECONDARY TEMP SECONDARY TEMP SALINITY																	CTD CON	"	T SUBSACS	START DOWN	DATA ON		99	DEG MIN	LONGITUDE	הא דארראואו	
TIME DRY WET SUBJECTION BULB BULB PRESSTATTY TALOCATION TEMP SALINITY TEMP SALINITY SALINIT														-			ERTED MONITO						1112	DAY		_	
IME DRY WET SURE MIN CATION FILE Name/Header CTOOLS SALINITY														ONDARY TEM							pe/Diskette ID		٧ 0	ХŔ	ATE	/UCU-TIM	PROJECT & LEG
SALINITY SALINI																		7		Ct00	File Name/I	OCATION	801116	MN		-	
Ø CLOUD (amt) TYPE WEATHER													:	YTINI						1	Header		6		σ <		COD I.D.
Ø CLOUD (amt) TYPE WEATHER					1						100			SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	x Cleaned air bleed				7	deg	SEA STATE VISIBILITY WIND		135
P				20		-												ď	valve			REMARK	A CONTRACTOR OF THE PERSONS ASSESSMENT ASSESSMENT OF THE PERSONS ASSESSMENT OF THE PERSONS ASSESSMENT OF THE PERSONS ASSESSMENT ASSESSMENT OF THE PERSONS ASSESSMENT ASS				STATION DESIGNATION
BOTT BOTT			_			-	-										SAMPI								TYPE WEATHER	(SIGNAT
			83				_							NUTR			E BOTT						1400		BOTTOM		Ö
DEPTH NAME / ID OF THE NUMBER NUTR CHL NUTR NUTR																	LE NUMBEI						10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17 10-17	\dashv			

| 유

12	<u> </u>	õ	ဖ	œ	7	တ	5	4	ω	N	_	POS	ITIC	N	·	SEC C	PRI CO	SEC T	PRI TEMP	SBE 9+	0		CON	NSECUTIVE		VESSEL
ŀ												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2 +	<u>1</u> 2	DEG			z	•
			n									PRESSURE				530				91220a	710.542		LATITUDE		NOAA Ship MILLER FREEMAN	
			ā												CTD	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		15901	DEG N	LONGITUDE		LER FREE!	
												PRIMARY TEMP			CONVERTED M	4242				IMES	791	MIN DAY	UDE		MAN	
												SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N=			apor Disnotto ID	Tana/Diaka	ZMAY O	MO	DATE		MF-0507	PROJECT & LEG
												TEMP				1= 678				Ö	52357	YR HR MIN	GMT	TIME	07	& LEG
					:					ī		SALINITY				X		1010	SIO GIO	No Property of the Property of	77.3	ငိ	BULB	DRY		COD I.D.
									=^							_				_	22	ငိ	BULB	WET		ī.
												SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve			93 085	mb deg	SEA VISI WIN	STATE BILITY D ECTION		SI
			r														6	d valve		REMARKS	3,2	knt's		D SPEED	IX O	
41												SAL			SAMI		Y		9	X S			TYP	OUD (amt) E ATHER	7	STATION DESIGNATION
										2.		NUTR			PLE BOTTL	. C.					42		DEPTH	воттом		ATION
					-							CHL NUTR	U		SAMPLE BOTTLE NUMBER						42(TD16		NAME / ID	STATION		

Ğ

| |유 |

12	=	1 0	ဖ	œ	7	თ	თ	4	ω	N	_	POS	ITIO	N		SEC C		7 7 7	PRESSISN	SBE 9+			CONSEC	ÜTIVE		VESSEL
												TRIP DEPTH				SEC COND SN		SEC TEMP SN	SSN		7197	DEG			N	缸
												PRESSURE			-	\ \\\			9122UA DATA ON		3	- I	ATITUDE		NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	PAR SIN= 4242		DTH.	START DOWN	Į	7	MZ (ONGITUDE		FREEMAN	
												SECONDARY TEMP				MFLUOR S/N= 6			l ape/Diskene ID	DATAL	> MAY 050	ź	DATE		MF-0507	PROJECT & LEG
												SALINITY				78			rile Name/Header	DATA LOCATION	613 6.5	Ż	TIME DRY			co
											5%	7	7						er	*	2.9	ဂို	WET			COD I.D.
				× :								SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAY DEDTH (m)	y Cleaned air bleed valve	VA III	REMARKS	960 18	deg	PRESSUI SEA STA VISIBILIT WIND DIRECTION	TE Y	213	STATION DESIGNATION
												SAL			SAM		7			SKS		П	CLOUD (: TYPE WEATHE			DESIGNA
							-					NUTR			TE BOTT		7				6039	ТΤ	BOTTOM			TION
												CHL NUTR			SAMPLE BOTTLE NUMBER					3	1 (7017	Н	NAME / ID			

PG____OF

12	1	10	မ	ω	7	တ	σ	4	ω	N	-3	-	ITION		PRI COND SN	SEC TEMP SN	PRESS SN	SBE 9+	0		CONSECUTIVE CAST #	
3												DEPTH P			PRI COND SN	WP SN	MP SN		857	DEG		1
			:									PRESSURE					91220A D		24.0961	MZ (ATITUDE	AA Ship MILL
												PRIMARY TEMP		CTD CONVERTE	PAR S/N= 4242	AT DEPTH	START DOWN	TIMES	1591141700	DEG MIN	LONGITUDE	NOAA Ship MILLER FREEMAN
									3-			MP SECONDARY TEMP	- I	CTD CONVERTED MONITOR VALUES	FLUOR S/N=		rape/Diskette ID	DATA	1 3MAY	DAY MO YR	DATE	MF-0507
												AP SALINITY			269	- 4100	Tile Name/Header	Ö	01805.604	c	TIME DRY W	
3												SALINITY	SAMPLE BOTTLE DATA		AX. DEPTH (m)	x iCleaned air bleed valve		_	1279	deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION	÷
			£									SAL		MAS	5.44	valve		REMARKS	20	S	WIND SPEED CLOUD (amt) TYPE WEATHER	<u>813</u>
												NOTR	9	PLE BOTTL					0800		BOTTOM	
												CHL NUTR		SAMPLE BOTTLE NUMBER					16+1018		STATION	

12	11	10	9	8	7	6	(J)	4	ω	2		POS	SITIC	N	SEC C	PRI CC	SEC TI	PRI TE	PRESS SN	011	-	CON	ISECUTIVE T#		VESSEL
		į										PERTY.			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SS	ならっ	DEG			Z	Ë
					-	+	+	+	\dagger	_		1								500	<u> </u>			NOAA Ship MILLER FREEMAN	
												PR			530	915	884	710	91220a 91220A	1	N Z	ATITUDE		Ship	
												PRESSURE								7	-			 	
												m			XPA	AT SU	AT DEPTH	START	DATA ON	5	DEG DEG			E	
		-	-	ļ		+	+	+	+	\vdash	┢	꿁		<u>c</u>	SPAR S/N=	AT SURFACE	포	START DOWN		594	ľ	LONGITUDE		RE	
												≅MAR		D CON	142	L		_ 	IMES		ĕ	TUDE		EMA	
												PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	4242				•	67	1	' ''		Z	
						-	-	+	\vdash	-	ļ	 	-	D MOP						13	DAY				
									Ì			SECONDARY TEMP		IITOR \	FLUC				Tape	MA	No	DATE		Z	찡
												IDAR'		/ALUES	FLUOR S/N=				DATA L Tape/Diskette ID	Y 0		mi		MF-0507	PROJECT & LEG
												TEMI		0.	Ī				#	ن حســــــــــــــــــــــــــــــــــــ	活法			8	& LEG
									-	-		0			270			A	DATA LOCATION	300	R	GMT	T WE		_
												SA						10019	ATION File Name/Header			BULB	DRY		
	F											SALINITY			区			٥	드 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ת		<u>6</u>	≈		COD I.D.
																		-	=		റ്	BULB	WET		ē
\dashv	2.7					-		+							오	<u>₹</u>	×			29	ag-		SSURE	-	
															ChLAM S/N=	X DE	Clean			2	ь	SEA	STATE	1	
	==											SALINITY	DATA	SAMPLE BOTTLE	Ž	PTH (ed air		2.5	Ö		VISI	BILITY D	┨	
											i	T	Ď	Ľ,	١,	n Ti	bleed			086	deg	DIRE	ECTION		TS
															ľ	MAX. DEPTH (m) らる.	valve		REMARKS	=	knťs	WIN	D SPEED	生る	STATION DESIGNATION
												SAL		(0					RKS			CLO TYP	UD (amt)	0	DESI
_	_						-	<u> </u>	_					šAMP								WEA	THER	1	GNA
												NUTR		SAMPLE BOTTLE NUMBER						5		DEPTH	BOTTOM		NO
												욷		TLE NC						516CTD1	\vdash			-	
	1				_							WHIT'S		MBER						D 19		NAME / ID	STATION		

12	=	10	9	œ	7	თ	(J)	4	ω	N	-	POS	SITIC	ON	()	SEC C	PRI CC	SEC T	PRI TE	PRESS SN	020	T		NSE(CUTIV	E		VESSEL
										%	ıč.	DEPTY				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN	5	DEG				١,	z	Ä
												PRESSURE				530	915			91220A	702.427	MZ	E			() d (() iip	NOAA Ship MILLER FREEMAN	
								13.							CTD	RAR SIN=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	16026	DEG	ONG				LER FREE	
												PRIMARY TEMP			CONVERTED	4242					071	MIN DAY					MAN N	
												SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N=		77		Tane/Diskette ID	4 MAYO	ĕ	۱				MF-0507	PROJECT & LEG
		7.					77					TEMP				8C9 =1				Š	501109	YR HR MIN	GMT	TIME		_	507	& LEG
						82						SALINITY			d	7			D020	File Name/Hearier	<u> </u>	┿	BULB	DRY		-		
																C)	MA	 ×			5 2AB	ီ mb	BULB	WET SSU	IDE			I.D.
												SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX. DEPTH (m)	Cleaned air blee			5 357	deg	SEA VIS	ST/	ATE TY	-		S
			5											<u> </u>	11		8	d valve		KCMAKNO	ō	knt's	WIN	ID SI	PEED			NOTATION DESIGNATION
		-										SAL			SAMPL		7	2		3			TYF WE	PE ATHE	(amt)	1	アン	ESIGNAT
		_									188	NUTR CHL		ĮĮ.	SAMPLE BOTTLE NUMBER			31			Ž Do		DEPTH	ВОТТОМ	¥8		27	ŌN N
										7)		WHIT'S	9.		NUMBER				•		65CTD20		NAME / ID	STATION		8		

위 |

12	1	õ	ဖ	ω	7	თ	ΟΊ	4	ω	2	 POS	ITIO	N		SEC C	PRI C	SEC T	PRESS SN	SBE 9+	C		CONSE	CUTIVE		VESSEL
											DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN	+	1156	DEG	<u> </u>		N.	Ħ
											PRESSURE				: :			91/22/0A DATA ON START DO		9016	MIN DEC	LATITUDE		NOAA Ship MILLER FREEMAN	
											PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	PAR S/N= 4242	REACE	HIC	START DOWN	TIMES	1 9%	MZ	LONGITUDE	3	FREEMAN	
								48			SECONDARY TEMP				FLUOR S/N= ((ape/Diskette iD	DATALO	MMAY 050	Ж Н	DATE		MF-0507	PROJECT & LEG
											SALINITY				78			TIVOZI	DATA LOCATION	53 1 6.1	MIN °C	TIME DRY		88.3	COD I.D.
															ChL	MAX O	× N		-	5.63Y	င္က	B VET	URE		I.D.
							1				SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX DEBTH (m) C7	leaned air bleed v		22.		deg	SEA ST VISIBIL WIND DIREC	ITY FION		STAT
		:									SAL			SAI		7	alve		REMARKS	4	<i>σ</i>	WIND S CLOUD TYPE	(amt)	V10	STATION DESIGNATION
						CX.		3			NUTR			SAMPLE BOTTLE NUMBER						0067	ГТ	WEATH DEPTH DEPTH	IER_		VATION
_											CHL W			TE NUMBE						<u>C</u>	\vdash	NAME / ID	Ξ'	1	
											WHIT'S			ä						120	j	}			

12	<u> </u>	10	ဖ	ω	7	တ	(J)	4	ú	N	<u>_</u>	POS	ITIO)N		SEC C	PRI CC	2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	PRESS SN	SBE 9+	2		CONSE	CUTIVE		VESSEL
												DEPTH TRIP				SEC COND SN	PRI COND SN	SEC TEMP ON	SNS	•	25	DEG			Z	-
												PRESSURE				530	945 5	9 -	91220A	91220a	1911.d6		LATITUDE		NOAA Ship MILLER FREEMAN	
							2									PAR S/N=	AT SURFACE	AT DESTU	DATA ON		71611	DEG	LON		MILLER FR	
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	N= 4242	m 			TIMES	26.771	MZ.	LONGITUDE		EEMAN	
												╆──			D MONI						<u>-</u> 4	DAY				
:												SECONDARY TEMP			FOR VALUES	FLUOR S/N=			Tape/Diskette ID	DA1	MAY05	MO YR	DATE		MF-0507	PROJECT & LEG
	ŲŽ.											EMP				672				Ö	11159	픘	TIME		7	LEG
												SALINITY				X			File Name/Header	ž	106.0	റ്	DRY BULB			- - -
												7					 	 a	ल	-	27.pl	റ്	WET			COD I.D.
																ChLAM S/N=	MAX DE				16	퓽	PRESS		1	
												SALINITY	DATA	SAMPLE BOTTLE		S/N=	MAX DEPTH (m) C				025	g eg	VISIBIL WIND DIRECT	ITY		
			ġ.		=			·										91		REMARKS	11	knťs	WIND S	SPEED	V 10) NOIN
												SAL			SAME					RKS			CLOUD TYPE WEATH		V	STATION DESIGNATION
			:						į			NUTR			JE BO						do 7		BOTTOM			
		7,1										ᅄ			SAMPLE BOTTLE NUMBER						172/	Н			交子で	くこう
												WHIT's NUTR			MBER						220		STATION NAME / ID			

_ 유 |

12	1	10	ဖ	8	7	თ	σı	4	ω	2	 POS	ITIC	N	27	SEC C	PRI CC	SEC T	PRI TEMP	SBE 9+	073		CONSECUTIVE CAST#		VESSEL
								ļ			DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN		7995	DEG		NO/	•
											PRESSURE								> Ø	95.5ch	MZ	ATITUDE	NOAA Ship MILLER FREEMAN	
														СТВ	Y PAR S/N=	AT, SURFACE	AT DEPTH	START DOWN		161100	DEG	LONGITUDE	LER FREE	
											PRIMARY TEMP			CONVERTED N	4242				TIMES	35	Н		MAN	
											SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N=			ape/Diskette iD	DAT	M A Y 0 5	DAY MO YR	DATE	MF-0507	PROJECT & LEG
			-	12							EMP				673		1.		ဂ္ဂ	11710	HR MIN	TIME	7	LEG
				:							SALINITY				X			ですり クレ OTD DIP Tile Name Planter		4.6	റ്	·	-	COD I.D.
															Ö	 	×I		_	000	റ്	·		Þ
			Lace								SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX. DEPTH (m) / 4	x Cleaned air bleed valve		70	12	deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION		STAI
			23								တ္တ			-		-	aive		REMARKS	7	S	WIND SPEED CLOUD (amt)	2	ON DES
	55					_					SAL NUTR			SAMPLE E								TYPE WEATHER		STATION DESIGNATION
											유			SAMPLE BOTTLE NUMBER						70C+ PZ		BOTTOM S	-	-
	*										WHIT's			JMBER						-p23		STATION NAME / ID		

12	1	6	မ	œ	7	თ	(J)	4	ω	2	 POS	SITIC	N		SEC CC	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SBE 9+	07			NSECUTIVE ST#		VESSEL
											DEPTH				SEC COND SN	ND SN	MP SN	MP SN	2	456	DEG			N N	•
											PRESSURE			•		.			91220a	2	MIN	LATITUDE)AA Ship MILL	
											PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	PAR SIN= 4242	AT SURFACE	AT DEPTH	START DOWN	TIMES	6/38.16	DEG MIN	LONGITUDE		NOAA Ship MILLER FREEMAN	
				_							+	-		TED MON						3114	DAY				73
											SECONDARY TEMP			ITOR VALUES	FLUOR S/N=			raper Distance in	DATA	MAY 052	MO YR	DATE		MF-0507	PROJECT & LEG
											N U			•	678				OC	2201	HR MIN	GMT	TIME		G
											SALINITY			1	×			CTV OZ4		7.5	၁	BULB	DRY		COD I.D.
																			.	8 7	ငိ	BULB	WET		Ö
		12		Ð							SALINITY	DATA	SAMPLE		ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve			894 337	mb deg	SE/ VIS	STATE IBILITY ID ECTION		<u>-</u>
																74.2	ed valve		REMARKS		knťs		ID SPEED	7	TATION
											SAL			SAM		'			~KS			CLC TYF WE.	OUD (amt) PE ATHER		STATION DESIGNATION
											NUTR			SAMPLE BOTTLE NUMBER						8		DEPTH	воттом		NOIT
										×	유 구			TE NUMI						80cr p24				<u> </u> 	
											NUTR NUTR		··	BER						42/0		NAME / ID	STATION		_

12	=	ō	ဖ	ω	7	6	Оī	4	ω	2	_	POS	SITIC	ON		SEC C	SEC T	PRITE	PRESS SN	SBE 9+	0 2		CONSECUTIVE		VESSEL
												DEPTH				SEC COND SN	SEC TEMP SN	PRI TEMP SN	S SN	*	5	DEG		Z	
						2						PRESSURE				530 PAR S/N			91220A DATA ON	91220a	47 08 7 1	MIN DEC		NOAA Ship MILLER FREEMAN	
				83								PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	PAR S/N= 4242	TH	START DOWN		TIMES	1112119	MIN		FREEMAN	
												SECONDARY TEMP				FLUOR S/N= 6			Tape/Diskette ID	-	M A Y 0 5	DAY MO YR HR		MF-0507	PROJECT & LEG
												SALINITY				78		G20017	File Name/Heade	ATION	370	R MIN °C	<u> </u>	-	COD I.D.
	22								1							Ch.	 X		_		~	SC MB	RESSURE		.D
												SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	x Cleaned air bleed valve		į		(4)	S V dea	SEA STATE VISIBILITY VIND DIRECTION VIND SPEED		STATIC
											`	SAL			SAME		Ve		1	REMARKS		C	LOUD (amt) YPE VEATHER	W13	STATION DESIGNATION
												NUTR C		•	SAMPLE BOTTLE NUMBER						6070	DEPIH			NOIT
												CHL WHIT'S			NOMBER						CF075	NAME / ID	STATION		

' 유 |

12	11	10	မ	œ	7	თ	Ŋ	4	ω	2	_	POS	ITION			SEC C	PRIC	SEC T	P	SBE 9+	70		CONSECUTIVE		VESSEL
												TRIP DEPTH		-		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	0 T	656	DEG		NO.	SEL
												PRESSURE				,				91220a	20.526	NIN	ATITUDE	NOAA Ship MILLER FREEMAN	
															ا	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	16114	DEG	LONGITUDE	LER FR	
												PRIMARY TEMP			ဂ၂	7777 =N	m		\{\}	TIMES	.—		GITUDE	EEMAN	
		-							-			╁			MONIT	T T	\downarrow	_		.	15 M	DAY			70
												SECONDARY TEMP			OR VALUES	FLUOR S/N=			apor Disnotto	DAT DAT	A Y	MO YR	DATE	MF-0507	PROJECT & LEG
												EMP				678		[Ö C	0707	HR MIN	TIME	7	LEG
												SALINITY									106.8	ငိ	DRY		8
												~	88				= 3	 ส	<u>q</u>	P	07.29	ငိ	WET BULB		COD I.D.
					į										9	ChLAM S/N=	AX DE				2	큠	PRESSURE SEA STATE	4	
				:								SALINITY	DATA	SAMPLE		S/N=	MAX DEPTH (m)	and six bloom			331	deg	VISIBILITY WIND DIRECTION		ST
			e.															l velve		REMARKS	0	knt's	WIND SPEED	2	ATION
												SAL	-	9	SAME					RKS			CLOUD (amt) TYPE WEATHER	O	STATION DESIGNATION
		_										NUTR		[] (SAMPLE BOTTLE NI IMBED						0800		ВОТТОМ	! !	NOIT
<u> </u>			-					***				CHL W		i 2	T NI MR						a 17		STATION	1	
												WHIT'S	<u> </u>	<u></u>	ΰ	\perp					26		P Q		

읶

12	1	1 0	ဖ	ω	7	တ	σ	4	ω	2	_	POS	SITIC	ON	SEC C	PRI CC	SEC TI	PRI TEMP SN	SBE 9+	02		CONSECUTIVE		VESSEL
					:			<i>y</i>				RFIX T			SEC COND SN	PRI COND SN	SEC TEMP SN	MPSN	2	156	DEG		Z.	
												PRESSURE			530	915	884	710	91220a 91220a	13	MZ	LATITUDE	NOAA Ship MILLER FREEMAN	
												200			X PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	161	DEG	5	LER F	
		33										PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	272 = N/S	l		OWN	TIMES	45.39	MIZ	LONGITUDE	REEMAN	
								_	_					ED MONIT	¥				-1	\ <u>N</u>	DAY			
												SECONDARY TEMP		OR VALUE	XIFLUOR S/N=				DATA L	A Y	<u> </u>	DATE	MF-0507	PROJECT & LEG
												Y TEMP		Ö	のつの			7	DATA LOCATION	0509	K H H	e ∃	507	& LEG
															Ø			CTVDG	CATION		<u>≤</u>	TIME GMT		
												SALINITY						CTYDO 27	# 0/L	06.18	റ്	DRY BULB	_	8
												 							2	08.0	റ്	WET	23	COD I.D.
														•	ChLAM S/N=	MAX. DEPTH (m)	× Clea			74	mb	PRESSURE		
												SAL	Q	SAN	S/N=)EPTH	ned a			2		SEA STATE VISIBILITY WIND	-	
												SALINITY	DATA	SAMPLE BOTTLE		3	Cleaned air bleed valve			277	deg	DIRECTION		IST
)												,	97	valve		REMARKS	6	knt's	WIND SPEED	11/	ATION
												SAL		SAM					RKS			CLOUD (amt) TYPE WEATHER	H	ON DESIGNATION
					ļ							NUTR		SAMPLE BOTTLE NUMBER						000 5		BOTTOM		VATION
												烇		JLE NO						25	H			
												WHIT's NUTR		MBER						<u>5</u> 27		STATION		

ព

ဝူ

12	<u> </u>	10	ဖ	ω	7	თ	ر ن	4	ω	N	 POS	SITIC)N		SEC C	PRI C	SECT	PRI TE	PRESS SN	202			VSEC	UTIVE		VESSEL
											DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	7856	DEG				z	短
									3						530	915	884	710	91220A	00		M			NOAA Ship MILLER FREEMAN	
				:							PRESSURE									मप्रा			134		MILL	
								-	ă.						PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	6115	DEG	Ď			ER FR	
											PRIMAR			CTD CON	H	CH	l	≨ 		1	MIZ	LONGITUDE			EEMA	10
											PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	4242		1			34					Z	
									_		+			MONITO	FL					N N	DAY				<u> </u>	70
											SECONDARY TEMP			R VALUE	FLUOR S/N=			, ,	Tape/Diskette ID	Α	╁	DATE		10	MF-0507	PROJECT & LEG
			÷								Y TEMP				.e ⊩			i		5	X 표				507	Bal %.
								-							7				Cette ID File No	76	MIN	GMT	TIME			
											SALINITY								File Name/Header	<u> </u>	ငိ	BULB	DRY		_	0
B						000					YT								<u>ader</u> —	07.0	-	BULB	WET			COD I.D.
						-									었	₹	×		<u></u>	380	dm		⊣ ESSUI	RF	$\left\{ \right.$	
											(O		m (0		ChLAM S/N=	MAX. DEPTH (m) 5/	Cleane					SEA	STA	TE	1	
		=									SALINITY	DATA	SAMPLE		픾	의	dairt			126	deg	WIN	ID			
											₹ 		ini in			_ 	Dieed		_	od.		DIR	ECTIO	ON	一	ATS
			X													<u>~</u>	valve		KEMAKNO	1	knt's		ID SP],,	NOIL
											SAL			SAN		84			3			TYF			M	ESIGN
										<u></u>	NOTR			MPLEE						50	\vdash		ATHE B	<u>K</u>	7	STATION DESIGNATION
	-	_				_			-					OTTLE						0/3/5/6/0		DEPTH	BOTTOM			
-									4		 CHL NUTR			SAMPLE BOTTLE NUMBER						CT028		NAME / ID	STATION			
											WHIT'S									28		0	ž	<u>.</u>		

7	,	<u> </u>	10	ဖ	œ	7	თ	ر ن	4	ω	N		POS	SITIC	N		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	029			NSECUTIVE ST#		VESSEL
													DEPTH		-		ND SN	ND SN	MP SN	MP SN	S	アロス	DEG.			NO	臣
2			7,6										PRESSURE				530	915			91220A	77778	N N	ATITUDE		NOAA Ship MILLER FREEMAN	
			_		337					9						•	X PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	1622	DEG	5		LER FR	
				Æ									PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	N= 4242	Ä		Ž	- Salt		<u>≤</u>	LONGITUDE		EEMAN	
\mid	+												 			LINOM		L				2	- PAY	1			
									<u>.</u>			<u>e</u>	SECONDARY TEMP			OR VALU	FLUOR S/N=		•)ž	Tape/Diskette ID	MAY	8	DATE		MF-0507	PROJECT & LEG
											<u> </u>		RY TEN			ES	Ž.					0 5/2	 ₹	+)507	T & LE
-													Ť				-			•	Š	No.	HANNE MEN		TIME		០
		e .											SALINITY			1	X			CTD 029	lame/Heac	41	L C	BULB	DRY	-	8
													~		-17		000			2	œ T	×	ြီ	BULB	WET		COD I.D.
														, The state of the			ChLAM S/N=		X Cle		_	722	■		ESSURE		
													SAL	D	B S O ≱		N/S/N=)EPTH	aned a				+	VIS	A STATE IBILITY		
													SALINITY	DATA	SAMPLE BOTTLE			(m)	air ble			OSS	<u>@</u>	1	RECTION		(O
				,														56,7	Cleaned air bleed valve		ZEMAKKO	 		T	ND SPEED	K	TATION
							5						SAL			SA		7	-		770			CLO	OUD (amt) PE ATHER	11	STATION DESIGNATION
	†	1											NUTR			SAMPLE BOTTLE NUMBER						519	. 1	W DEPTH	ATHER BOTTOM		VATION
	+	+							\dashv		·		R CHL			3711						122CI	-	Ħ	MOT		
-	+	+	_	\dashv												NUMBE						Z		NAME / ID	STATION		
L.													WHIT'S			7						72	1	ō	¥ ————		

12	1	10	9	œ	7	თ	ű	4	З	2	-1		SITION	SEC C	PRI CC	SEC TI	PRI TEMP SN	SBE 9+	020		CONSECUTIVE CAST #	VE 3 SE	777
												무무로		SEC COND SN	PRI COND SN	SEC TEMP SN	MPSN	Z Z	S S S S S S S S S S S S S S S S S S S	DEG) '	
										23		PRESSURE		530 XIP/	≥			91220a 91220a DATA ON	Ė	MIN DEG	LATITUDE	NOAA Ship MILLER FREEMAN	
										8		PRIMARY TEMP	C TO CONVEX TED MONITOR VALUES	PAR S/N= 4242	L	PTH	START DOWN	TIMES	C42/16261	Min	LONGITUDE	FREEMAN	
												SECONDARY TEMP	NOW FOR VALUE	FLUOR S/N=	224		rapor Dionono i D	DATA L	7 MAY 0 50	DAY MO YR H	DATE	MF-0507	
												P SALINITY		X	100		CTD GJ6	DATA LOCATION	1 53 7.0	HR MIN °C	TIME DRY	-	
	-											*		ChL	MAX	×		-	6.399	├	BU WEI	COD I.D.	
	V)		i.							2		SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		R	2002	deg ki	SEA STATE VISIBILITY WIND DIRECTION	A STATE	24.44
									-			SAL	y.		α 	alve		REMARKS	7	knt's	WIND SPEED CLOUD (amt) TYPE	ATION DESIGN	
												NOTR	WHEE BOIL						92		WEATHER BOTTOM	A013 # 67	
												CHL WHIT'S	SAMPLE BOTTLE NUMBER						PC+D3	Н	M STATION	Z	<u> </u>

12	1	1 0	ဖ	ω	7	တ	σı	4	ω	N	_	POS	ITIO	N		SEC C	PRI CO	SEC T	PRI TE	PRESS SN		0		CON		JTIVE		VESSEL
												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN	*	2 5 5 1	DEG				NOA	•
												PRESSURE				304	915	884	710	91220A	91220a	7 407	MIN	ATITUDE			NOAA Ship MILLER FREEMAN	
															C	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON		111641	DEG	LON			LER FRE	
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	fi	E		Ž		TIMES	2019 B	MZ	LONGITUDE			EMAN	
			_								_	-			D MONI							<u> </u>	DAY					
												SECONDARY TEMP			TOR VALUES	FLUOR S/N=				Tape/Diskette ID	Ω	9 0 4 V W	MO YR	DATE			MF-0507	PROJECT & LEG
							:					EMP				678			•			1037	HR MIN	GMT	I M M			in G
												SALINITY							CTD031	ame/Header	_	15/50	റ്	вицв	DRY			COD 1.D.
																				•		0 5	റ്	BULB	WET			Ċ
			N.					igi.				SALINITY	DATA	SAMPLE BOTTLE	10	ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve			- 1	0	\square	SEA VISII WINI DIRE	STATE STATE OF THE	re r	7	SIA
					O.							SAL			SA		h	e			REMARKS		"	TYP	UD (a		č	
							316.1					NUTR			SAMPLE BOTTLE NUMBER		2					0095			THE	₹	3	SIA ION DESIGNATION
								77				욷			TLE NUM							50TB3	\vdash				10	アノノ
												NUTR NUTR			BER									NAME / ID	STATION			<i>''</i>

12	1	10	9	8	7	თ	On .	4	ω	2		POS	SITIC	DN		SEC C	PRI CC	SEC TI	PRITE	SBE 9+	032	-		NSECUT	TIVE	Γ	VESSEL
ļ 												DEPTH T				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	roz Z	255	DEG		 -		NO	Ĕ
												PRESSURE				530	· ·-			912208	35 241	M Z	ATITUDE			NOAA Ship MILLER FREEMAN	
								_							0	Y PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	1840	DEG	LON			LER FR	
		3				E)						PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	N= 4242	Ė		≨	IIMES		ME	LONGITUDE			EEMAN	
ig Fil			-					<u> </u>	-	-	一	+	$\left\{ \right.$		MON	X					17	DAY					
												SECONDARY TEMP			TOR VAL	X FLUOR S/N=			aporto	Tane/Diekette iD	MAY	MO	DATE			MF-	PROJECT & LEG
											70	RY TE			JES				3,0,00	DAIA Pata I	O 5	Ŕ				MF-0507	OT & LI
			Wh.									Š.			9	869		!	•	i C	1109	HA MIN	GMT	TIME			G
	32						π.			5		SAL							Those leader		5	റ്	BULB	DRY			
						34						SALINITY							1 0000		1 05 5	┢	B BULB	WET			COD I.D.
																었	M A	×			355	빵	 -	ESSURE			
							:					S		m (0		ChLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve			<u> </u>		SE/	STATE			
												SALINITY	DATA	SAMPLE BOTTLE		Ŧ	되	d air t			C	deg	WIN				
	ŀ											₹		m m			-			_		ğ	DIR	ECTION	1		V.
			2 51															Valve		REMARKS	5	knt's	WIN	ID SPEE	ED -	8	>Q
												SAL			SAN			2		RKS			TYF	OUD (am	nt)	W	STATION DESIGNATION
												NUTR			SAMPLE BOTTLE NUMBER		N N	Ī			009		S DEPTH	ATHER BOTTOM			ATION
												CHL			TLE NU		1				93CA					473	
												WHIT's NUTR			MBER						032		NAME / ID	STATION			

읶

12	3	10	g	œ	7	თ	σı	4	ω	2	_	POS	ITION	١		SEC C	PRI CC	SECT	PRI TEMP	SBE 9+	0 %	-		NSEC	UTIVE		VESSEL
												PPI RPI				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	355	DEG				-	Ļ
										<u> </u>	1	ΙΙ				_	•	_			N	_	LĄT			ΟĄ	
												PR				530	915	884	710	91220a	20	N N	ATITUDE			Ship	
												PRESSURE					.				2					ME.	
												m				XPAI	AT SURFACE	AT DEPTH	START DO	1	164	DEG				E	
							-					PR			읨	PAR S/N=	FACE	Ì	START DOWN		20 P	-	ONG			FREE	
												PRIMARY TEMP			CONV	4242	Ĥ			TIMES	-	MN	LONGITUDE			NOAA Ship MILLER FREEMAN	
												TEME	:		ERTED ED	7					60			_			
									_			-			NON	Ş		_	1		N N	DAY					_
												SECONDARY TEMP	•		CTD CONVERTED MONITOR VALUES	FLUOR S/N=			ape/Diskette iD	j	A A	MO	DATE			¥,	PROJECT & LEG
												ARY TI				- 1			SVEILE	DAT	O 5	¥				MF-0507	CT & L
												MP				25				00		돐	GMT	TIME			E G
										58										ATION	370	NIN	AT .	<u>m</u>	A.		
												SALINITY							CTDOSS	2	59	റ്	BJLB	DRY			_
								涎		:		YTIN				-	2				0	Н				-	COD I.D.
						<u></u>														_	5.3	ဂိ	BULB	VET			ب
				E.													<u>X</u>				36	шb		ESSL			
							ļ					SAL	0	Bo ≱		ChLAM S/N=	MAX. DEPTH (m)						VIS	STA	Y TY		
									•		- į	SALINITY	DATA	SAMPLE BOTTLE							OH	deg	MIN	ECTI	ON		w
																	AGIN	Cleaned air bleed valve		REV		knt's			PEED	*	STATION DESIGNATION
\dashv						-				:		G			1			5		REMARKS		S	CLC	DUD (K	N DES
•												SAL			SAMP		#	S					TYF WE	E ATHE	R		SIGNA:
200					ĺ							NUTR		İ							0		DEPTH	BOTTOM		#1	N
												유									60951	Ц	I	Š.		74	
														21	SAMPLE BOTTLE NUMBER						7	12	NAME / ID	STATION			
												WHIT's			Ž						}		:/ ID	NOI			

읶

12	1	ő	9	ω	7	0	(J)	4	ω	2	 —	ITION		PRI CO	PRI TE	PRESS SN	20	1	CONSECUTIVE CAST #		VESSEL
<u> </u>											TRIP DEPTH			PRI COND SN	PRI TEMP SN	SN	20	DEG		NO	-
											PRESSURE		R	530 S		<u>`</u>	30 9411	M.Z	LATITUDE	AA Ship MILL	
											PRIMARY TEMP		CTD CONVERT	AT SURFACE AT SURFACE AT SURFACE	START DOWN	DATA ON	6402.45	DEG MIN	LONGITUDE	NOAA Ship MILLER FREEMAN	
											 		5	X FI I I I I I I I I I I I I I I I I I I		Tape/I	717MA	DAY MO	DATE	<u></u>	PROS
											SECONDARY TEMP		LUES	7		Tape/Diskette ID File Na	Y 0 5 1 20	Ж Ж	G TIME	MF-0507	PROJECT & LEG
										23	SALINITY				1.50 OL)	==	1505.9	MIN °C			
											~	83.				er	11.8 40	റ്	WET .		COD I.D.
	V										SALINITY	SAMPLE BOTTLE DATA		X Juleaned air bleed valve MAX. DEPTH (m)			210	deg	PRESSURE SEA STATE VISIBILITY WIND DIRECTION		ST/
			en e								 SAL		22	Valve		KEIMAKNO	7	σ.	WIND SPEED CLOUD (amt) TYPE	407	STATION DESIGNATION
											NUTR				Š		0095	ГΤ	WEATHER BOTTOM	4	VATION
	+					70					CHL WHIT'S		SAMDIE BOTTIE NI IMBED				5 CT D34	H		サング	i

ြ

유 |

12	1	10	ဖ	œ	7		တ	თ	4	ယ	2		POS	SITIC)N		SEC C	PRIC	SEC 1	PRI TEMP	SBE 9+	0			NSECUTIV	Æ		VESSEL
													DEPTH	1			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n ∓ n ≥	3555	DEG			4		뛛
····					+	+				-	\vdash		I				_		ح.			7		I			ο δ	
			125						i				PRE				530	915	884	710	91220a	9.6	MN	ATITUDE			Shir	
													PRESSURE			•						97					<u> </u>	
													m				PAR	AT SURFACE	AT DEPTH	START DOWN	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	164	DEG					
							i	_					PR			CTD	PAR S/N=	FACE	쿺	DON'S		000		LONGITUDE			NOAA Ship MILLER FREEMAN	
	,		:										PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	4242				TIMES	· N	N	adu.			<u>N</u>	
													TEMP			RTED	7	:				5	0			4		
													SEC]		ONITO		_			-	√	DAY	0		-		ᆿ
													SECONDARY TEMP			Ř VALL	FLUOR S/N=			ape/Diskette iD		ΑY	O	DATE		3	MF-0507	PROJECT & LEG
													RY TE			ES	3N= 6			Velle	DATA	0 5	Æ)507	## ## ##
-					-	+							₹	-		3	2			1	Ö	72	풌	GMT	TIME			ଜା
											:31	į t								(TOOSS		330	Ž			\dashv		
													SALINITY									30G.II	റ്	BULB	DRY	-		8
													7								}	05	°	 В	WET		į	COB 1.D.
\dashv					-	+	-	,					-			36	Ċ	ӡӀ	×		-	٦ ـ	င			_		
																	ChLAM S/N=	X D	Clear			47	콼	50	STATE	\dashv		
													SALINITY	DATA	SAMPLE BOTTLE		S/N=	PTH (0		VIS WIN	BILITY			Ì
													Ę	⋝				3)	bleed			006	deg	DIR	ECTION			ST
			e															MAX. DEPTH (m)	Valve		REMARKS	17	knt's	WIN	ID SPEED	+	5	STATION DESIGNATION
													SAL			S			1		RKS			CLC	OUD (amt)	=	ħ	
+	-					+	\dashv	_								AMPL		7	5			0	H	WE	ATHER	7		
						\perp			30			**	NUTR			SAMPLE BOTTLE NUMBER		3	•			9093ct		DEPTH	BOTTOM		N	왿
													욷			TLE N						30	H			- :	#	
+		-				+	\dashv									UMBE						7	10.00	NAME / ID	STATION	í	76	
				O.									NUTR			Z)						200		-	ž			

12	1	10	g	8	7	6	(J)	4	u.	N		POS	ITIO	N		SEC C	PRI CC	SEC T	PRITE	SBE 9+	036	-		NSEC ST#	UTIVE		VESSEL
												TRIP DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	655	DEG				Z	Ţ
												PRESSURE				530	915			91220a	2		LATITUDE			NOAA Ship MILLER FREEMAN	
-															CTD CC	XIPAR S/N= L	AT SURFACE	AT DEPTH _	START DOWN	DATA ON TIMES	16358	DEG MIN	LONGITUDE			LER FREEM	
												PRIMARY TEMP SI			CTD CONVERTED MONITOR VALUES	4242 X				S	47/11/7	N DAY				AN	
											23	SECONDARY TEMP	w.		ITOR VALUES	1"			i apordiskette i d	DATA	M A Y 0 5	MO YR	DATE			MF-0507	PROJECT & LEG
								X						,		869			•	ဝ	13010	Z	GMT	TIME			G
	:				,	,						SALINITY	• 						(TDO 36		05/1050	1 1	BULB BULI	DRY WET			001.0.
												S,	<u> </u>	₩ Ø)	ChLAM S/N=	MAX. DEPTH (m)	x Cleaned	*.	- ,\	043	Шb	PRE SEA	SSUI	TÉ		
			e :								Æ	SALINITY	DATA	BOTTLE		11	(m)	x Cleaned air bleed valve		RE	007 1	Ļ	WIN DIR	ID ECTION	ON_	1	SIAIIS
									80			SAL		•	SAME			\$ 	3	REMARKS	5	Н	CLC	OUD (a PE ATHE	amt)	0+	STATION DESIGNATION
			-									NUTR CHL			SAMPLE BOTTLE NUMBER						001Z		DEPTH	воттом		477	ON
												WHIT'S			NUMBER						(TD36	84	NAME / ID	STATION			

읶

72	1	10	ဖ	œ	7	o	O1	4	ω	2	>	POS	SITION		SEC C	PRI C	SEC T	PRI TEMP	SBE 9+	C		COL		VITU	Ξ	VESSEL
												DEPTH T		-	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	795	DEG				NO.	SEL
												PRESSURE			530	915	884	710	91220a	24.254	NiM	LATITUDE			NOAA Ship MILLER FREEMAN	
(4)				Į,											X PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		1163	DEG	LO			LER FR	
												PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	N= 4242	m		X	TIMES	26.57	MIN	LONGITUDE			EEMAN	
					_	-	-	-				-		D MONIT	Ž					17	DAY					
												SECONDARY TEMP		FOR VALI	XFLUOR S/N=			aperDiskette ID		M A Y	MO	DATE			¥.	PROJECT & LEG
												RY TEN		UES	SVN= 6			אפוופ ור	DATA	0 5	Ϋ́R		<u> </u>	<u>-</u> -	MF-0507	OT & LE
					N.							Ť			28			•	000	328	HR MIN	GMT	TIME			ଜ
											 	SALINITY						CTD 037		×	റ്	BULB	DRY	5)		COD I.D
												~		13		L.			-	5,0	ငိ	BULB	WET			J.D.
		:													ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve			46	\subseteq		SSU			
			i									SALINITY	DATA	SAMPLE	S/N=	EPTH (ned air			u	\blacksquare	VISI	BILIT	Y	١.,	
												T T	>	i E		<u>m</u>	bleed		_	350	deg	DIR	ECTI	ON	_	\$T.
			ÿ											.,			valve		REMARKS	v	knt's	WIN	D SF	PEED	4	NOLL
		i										SAL		MAS		0			- XX			TYP	UD (E ATHE		707	STATION DESIGNATION
								15				NUTR		SAMPLE BOTTLE NUMBER		7	ii'			800		DEPTH	воттом			ATION
7												足		TLE NU						× 7	Н				47	
										W.	H	WHIT's		MBER				W		1037	2 2	NAME / ID	STATION	<u>-</u>	8	,

12	-:	10	9	œ	7	0	(J)	4	ω	N		POS	SITIO	N	SEC	Z C	SEC	PRIT	PRESS SN	C			NSECUTIVE ST#		VESSEL	
								2				DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SS SE	C 6 10 1C	∖ ⊊	<u> </u>		Z	SEL	
:												PRESSURE	81		530 / PAR	1 ≥			91220A DATA ON	1 4 1	J MEZ	LATITUDE		NOAA Ship MILLER FREEMAN		
												PRIMARY TEMP		C D COMMEN UED MONITOR MATCHES	PAR S/N= 4242		TH	DOWN	Ž IMES	V	N K MIN	ONGITUDE		FREEMAN		
												SECONDARY TEMP		JOHN CK AFFOED	X FLUOR S/N= 6				Tape/Diskette ID	I MIAIY O 5	JAY MO	DATE		MF-0507	PROJECT & LEG	
				-							14	P SALINITY			8			(10038	Rette ID File Name/Header	7.0	१ १	MT	TIME DRY	-	COD I.D	
									3 .			ĺ		A P	ChLAM S/N=	MAX. D				1 1 1	^		ESSURE		Ī.D.	
												SALINITY	DATA	SAMPLE BOTTLE	S/N=	EPTH (m)	x Cleaned air bleed valve		Z.	760	deg	VIS Will DIF	RECTION		STATI	
				••								SAL		9	2		ive		REMARKS		knt's	CLO	OUD (amt)	101	STATION DESIGNATION	
											:	NOTR		SAMTLE BOTTER NOMBER			1	77		11/100)))	W DEPTH	ATHER BOTTOM	is.	VATION	PG
												욷		E NO								-		イン		유
				,								NUTR		ਜ਼ਿਲ ਹ 	;					区でなっ		NAME / ID	STATION			

12	1	ō	φ	00	7	6	(5)	4	ω	2	>		SITIC	ON	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SBE 9+	03		CAS	NSECUTIVE ST #		VESSEL	
										8		RPTE T			ND SN	ND SN	MP SN	MP SN	Z	3965	DEG			Z	밑	
Ĭ.										i		PRESSURE			530	<u>r</u>			91220a 91220a	20	MZ.	LATITUDE		NOAA Ship MILLER FREEMAN		
									(4)			PRIMARY TEMP		CTD CONVERTED	RAR SIN= 4242	l,	AT DEPTH	START DOWN	DATA ON	6352067	DEG MIN	LONGITUDE		R FREEMAN		
		z.										SECONDARY TEMP		CTD CONVERTED MONITOR VALUES			# T	apor Distrocto	Tane/Diskette ID	1 7 MAY 0 5	DAY MO YR	\vdash		MF-0507	PROJECT & LEG	
	#									£3-		AP SALINITY			78			C10039	Ö	427 56	HR MIN °C	MT E	TIME			
		_										7			ChL		×	4	_	51 06	°C mb	BULB	SSURE		COD I.D.	
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m) 67	Cleaned air bleed valve		RE	345	deg	VISI WIN DIRI	ECTION		STATH	
												SAL		SAM		'n	lve		REMARKS	6	ťs	CLO	D SPEED OUD (amt) E ATHER	C	ON DESIGNATION	
												NUTR		SAMPLE BOTTLE NUMBER						67			воттом		TION	
					54							CHL		TLE NUI							Н			拱	,	
						耕						WHIT'S NUTR		ABER						TOBB		NAME / ID	STATION	6		

12	7	1 0	9	00	7	თ	Oī	4	ω	N		POS	SITIC	ON	i c	0 2	0000	0 2	PRI TEMP	SBE 9+	90	-		NSECU	JTIVE	Γ	VESSEL	
												DEPTH	5				SEC FEMILION		PRI TEMP SN	2 +	光	DEG				Z	Ĕ	
												PRESSURE			300	# 0 ~ C	0 0	9 -	710 710	91220a	なロビバ	MIN	LATITUDE			NOAA Ship MILLER FREEMAN		
331															CTD	X DAD SAN-	AT CEPTE	AT DEBTU	START DOWN	_	こるひまり	DEG	LONGITUDE			LER FREE		
												PRIMARY TEMP			CONVERTED MC	144L				TIMES	000	MIN		8:		MAN		
						\$7						SECONDARY TEMP			CTD CONVERTED MONITOR VALUES				ape/Diskette iD	DAT	7 MAY 0 5	Y MO YR	DATE			MF-0507	PROJECT & LEG	
										7.4		MP			0	и				Ö	1456	HR MIN	GMT	TIME			EG	
				Si .								SALINITY			Z	2	!	1	rile Name/Heager	-	ア		BULB BL	DRY W	· <u></u>		COD I.D	
															CRLAM S/N=	MAX. U	× Clea			-	1. ROS	qu o	PR	ESSUR			-	
												SALINITY	DATA	SAMPLE BOTTLE	O/N=	(m) S	Cleaned air bleed valve			.	347	П	VIS	BILITY	<u> </u>		STA	
			,									SAL		9	2	9	valve	•		REMARKS	7	G	CLO	ND SPE OUD (ai	mt)	100	STATION DESIGNATION	
												NUTR		OXMITER OCCUPERS	MDI E BOTT						0	$\Gamma^{-}\Gamma$	WE DEPTH	ATHER BOTTOM		3	VATION	
-						=3.			12		· <u>·</u>	CHL NE									5 5	Н	NAME / ID	STATION		去		ے ا
												WHIT'S NUTR		χ 							<u>۵</u>		ò	2				

<u></u>	3	10	9	ω	7	6	5	4	ω	N		POS	SITION	SEC C	PRI CO	SEC T	PRESS SN	SBE 9+	2		CONSECUTIVE		VESSEL
												무두		SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN	+	ジス	DEG		Z	SEL
												PRESSURE		530	915	884	91220A	91220a	とから、		ATITION	NOAA Ship MILLER FREEMAN	
:														X PAR S/N=	AT SURFACE	AT DEBTH	DATA ON		1163	DEG	<u> </u>	MILLER FR	
						::						PRIMARY TEMP	CTD CONVERTED MONITOR VALUES	N= 4242	Υ H	8814		TIMES	47.731	MiN		EEMAN	7.
											-		D MONITC	X	2	-		_	(7 M	DAY			P
												SECONDARY TEMP	OR VALUES	FLUOR S/N= {			Tape/Diskette ID		A Y 0 5	MO YR	7 1	MF-0507	PROJECT & LEG
												₹ D		869	1	 -		8	1522	HR GM	TIME		EG
						:				100		SALINITY				(1904)	File Name/Header	S		ر د	DRY		C
												7	# @ @				ader		44	c E	1 /		COD I.D.
														ChLAM S/N=	MAX DE				<u>%</u>	s	RESSURE EA STATE		
							į				į	SAI INITY	SAMPLE BOTTLE	¥ - 	MAX DEPTH (m)				347	v dea	VISIBILITY VIND PIRECTION		S
													g.	ļ	2 valve	•		REMARKS	<u>e</u>	Т	VIND SPEED	8	STATION DESIGNATION
											Ç	2	SAM	7	٦			ŝ		T	LOUD (amt) YPE /EATHER	T	DESIGN
									; ; ; ;		2		SAMPLE BOTTLE NUMBER						77	DEPTH	П		ATION
									2		5	2	TLE NUM							+		る本	
											אַכוּ	WHIT'S	ABER						7 7 5 4 -	NAME / ID	STATION	14	

12	<u> </u>	ō	Ø	ω	7	თ	ري ا	4	3	2		РО	SITIO	ON	OF C	77.77	SEC TI	PRI TE	PRESS SN	SBE 9+	20		CONS	ECUTIVE #		VESSEL
	_											DEPTH	1810		SEC COND SIN	PEC COND SN	SEC TEMP SN	PRI TEMP SN	SN	•	が	DEG		 	Z	μ̈́
												PRESSURE			330	The .				91220a	もなると	MIN	LATITUDE		DAA Ship MILI	
												PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	MLAK OW H H LIL	- k	AT DEPTH	START DOWN	DATA ON	TIMES	95.25.20	DEG MIN	LONGITUDE		NOAA Ship MILLER FREEMAN	
												+		ED MONITOR V	N-LUO				Tape/		1 7 M A	DAY MO	DATE		<u> </u>	PRO
												SECONDARY TEMP	75	ALUES	5	1			Tape/Diskette ID		Y 0 5	YR H		- , <u>-</u>	MF-0507	PROJECT & LEG
:		!								iii		SALINITY			X			20001	File Name/Header	MOITA	た <mark>つ</mark> カ	<u>S</u>	GMT BULB	_	_	0
									:			YTIN		57				7	eader		2 2 8	ငိ				COD I.D.
												SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve				25 26	deg	PRESS SEA S VISIBIL WIND	ITY		::3
			ŧ								19.					127	ed valve			DEMADES	9	knt's	WIND S	SPEED	401	STATION DES
	-											SAL		SAMPLE									TYPE WEATH	IER	#	ON DESIGNATION
1	+							-		_		NUTR CHL		SAMPLE BOTTLE NUMBER							77		BOTTOM	gr	28	¥
												WHIT'S		NUMBER							アログイトロン		STATION NAME / ID			

な	<u> </u>	10	9	œ	7	တ	ဟ	4	ω	2	_	POS	ITION		SEC C	PRI CO	PRITE	PRESS SN	SBE 9+	240		CONSECUTIV		VESSEL
											**	DEPTH			SEC COND SN	PRI COND SN	PRI TEMP SN	NS	J	992	DEG	· · · · · · · · · · · · · · · · · · ·	Z	Ļ
												PRESSURE	25		530	915	710	1220A	91220A	1 2 1		LATITUDE	NOAA Ship MILLER FREEMAN	
						×	-	_						Q	XPAR S/N=	AT DEPTH	START DOWN	DATA ON		1634	DEG	0	LER FRE	
												PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	i= 424		2		TIMES	3696	MIN	LONGITUDE	EMAN	
			<u> </u>									 		MONIT	2	_		<u> </u>		7	DAY	(#)		_
												SECONDARY TEMP	e.	OR VALUES	FLUOR S/N=			Tape/Diskette ID	DAT/	0505	MO YR	DATE	MF-05-06	י ייסטרטי מי רדיט
												EMP			678		•		Ž	1620	HR MIN	TIME	ြီ	i
												SALINITY		1	X		070043	ame/Header	_	<u>7</u>	ဂီပို	DRY	-	
					2													_		42	ငိုင္ပြ	WET		
								ii .							ChLAM S/N=	X Cie				8	L	PRESSURE		
		i										SALINITY	BOTTLE		I S/N=	MAX DEPTH (m)	70		70	딧	1	SEA STATE VISIBILITY WIND DIRECTION		
												SAL		SA		Valve		9	REMARKS	6	/s	WIND SPEED CLOUD (amt)	DOL	
+													į δ.	MPLE							\	TYPE WEATHER	-	0
										. :		NUTR CHL	,	SAMPLE BOTTLE NUMBER		¥ 3				17	00	BOTTOM	井谷	
					48							WHIT'S NUTR		NUMBER		2.		-		C+04 2		W STATION		`

| | |유

 7	D (J	4	ω	2	_	POS	SITIO	N		SEC C	PRI C	SEC T	PRI TE	SBE 9+	404	Γ	CON	SECUTIVE T#	VESSEL
	93					DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n + 2	ユチでエ	DEG	11		9
													(ပ္ (၁	442		LATITUDE		NOAA Ship MILLER FREEMAN
						PRESSURE			!	530	915	884	710	91220a	179	MZ	E E		Ship N
						URE			1	7	AT S	AT D	STA	DAT.	2	D.			VILLE!
				-		Ď.			2	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	1212	DEG	LONG		RFRE
						RIMARY		¥	D CON	"	····		z 	TIMES	30	ĭ	LONGITUDE		EMA
						PRIMARY TEMP	, ja		ERTED	7474					155			<u></u>	
				-	 				CTD CONVERTED MONITOR VALUES	7				-	<u>U</u>	DAY	0		<u> </u>
						SECONDARY TEMP			R VALU	FLUOR S/N=			aper Disnette 10		ΑΥ	MO	DATE		PROJECT & LEG
						Y TEM				<u>ا</u> =				DATA L	0 5 7	χ +			7 & LEC
ų:		+	-			ס			Ċ	×			<u> </u>	DATA LOCATION	<u>[</u>	HR MIN	GMT		
						SAL							CAPOLIC REGISTRATE		12	\vdash	BULB	 D R X	
9						SALINITY				X			מים מים מים		12	Н			COD I.D
								14			 			_	<u>51</u>	ဂိ	BULB	XET .	Ď
										CHI AM S/N=	M A.	X Cle			009	шb		SSURE	
					!	SALINITY	DATA	SAMPLE BOTTLE		2	MAX. DEPTH (m)	x iCleaned air bleed valve			(Z)			STATE BILITY	35
						N Y	Ā				(m)	r bieed			27	<u>G</u>		CTION	STA
					oc						2	Valve		REMARKS	7	knt's	WINE	SPEED	1 /1>11
					9	SA			SA					RKS			TYPE	JD (amt)	TION DESIGNATION
	\dagger	-	+			≧ ITR			MPLE P									THER	HOITAN
+-	+-	-	-		\dashv			,	SAMPLE BOTTLE NIJMRED						74		DEPTH	BOTTOK	8
	_	_			\rightarrow	<u> </u>		(14 CT 0 74	33	Z S		υ ,
						WHIT'S		ָ ֪֖֖֞֞֞֞֞							74		NAME / ID		

3	=	10	ဖ	۵	7	၈	CJI	4	C	,	N		PO	SITIO	ON	0 C	PRI CC	SEC TI	PRI TE	PRESS SN	I	T	CAS	NSECUTIVE	VESSEL
													DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	Š	777	DEG			I .
													PRESSURE			930				91220A D	151 152 151 151 152 151	M Z	I≨	****	NOAA Ship MILLER FREEMAN
			8									-	PRIMARY TEMP		C D CONVERT	PAR SIN= 4242	ık -	AT DEPTH	START DOWN	DATA ON	6435.002	DEG MIN	LONGITUDE		ER FREEMAN
													P SECONDARY TEMP		CID CONVERTIED MONITOR VALUES	FLUOR SINE 6				Tape/Diskette ID	1 7 MAY 0 5 2	á	DATE	2	PROJECT & LEG MF-0507
													P SALINITY			X 8			240042	DATA LOCATION	226 27	Z	GMT BULB	TIME DRY	CODID
+									-		+		Y		16	SH	L	I		P.	7.009	qw 0°		SSURE	O I.D.
			í										SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m) 70,	Cleaned air bleed va		70.00	これたっ	deg	SEA VISII WINI DIRE	STATE BILITY	STATI
+											+		SAL				٧,	Ve		REMARKS		S	CLO TYPI	UD (amt)	STATION DESIGNATION
								-		+	+	_	NUTR		SAMPLE BOTTLE NUMBER								WEA	THER BOTTOM	NATION
												7	오		THE NU				,		78c r	H		<u>.</u>	8
													WHIT's		MBER						8c r 075		NAME / ID	STATION	

12	1	10	ω	ω	7	6	Ŋ	4	ယ	N	 POS	SITIC			SEC C	PRIC	SEC 1	PRI TEMP	SBE 9+	204		CON	NSECUT	TIVE		VESSEL
					1						DEPTH	1	-		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	らびら	DEG				Z	SEL
											PRESSURE				530	915	884	91220A	91220a	154.050	$\overline{}$	LATITUDE		£:	NOAA Ship MILLER FREEMAN	
;														0	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN		1643	DEG	LON			LLER FR	
											PRIMARY TEMP			TD CONVERTED	N= 4242	m		NA	TIMES	67. 230	H	LONGITUDE			EEMAN	
											SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N=			Tape/Diskette ID	D	1 7 MAYO	Н	DATE			MF-0507	PROJECT & LEG
											TEMP				BC9=				Ö	0 5 2 2 5 5	YR HR MIN	GMT	TIME		07	& LEG
								6			SALINITY							Tile Name/Header	- : -	20	Н	BULB BI	DRY 			COD I.D
\dashv													_	5	Ch Ch	₹[ě	-	3,509	ငိ m		SSURE			
							:				SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX. DEPTH (m)	x ICleaned air bleed valve			9 329	deg	SEA VISI WIN	STATE			(0)
			e e													7	ed valve		REMARKS	7	knt's		D SPEE	:D	公文	STATION DESIGNATION
											SAL			SAM					₹KS			CLO TYP	UD (am E THER	t)	C	DESIGNA
						_					NUTR			SAMPLE BOTTLE NUMBER						ल्	ΙI		воттом	⊃- -€3	なれ	NÓIL
	\perp										윉			TLE NUM						82CT 0%	\dashv				7	,
											WHIT'S NUTR			BER						240		NAME / ID	STATION	Tig.		

ြိ

12	1	10	ဖ	ω	7	ი	σ	4	ω	2	 	SITIC	ON	n C	2 2	SEC TI	PRITE	PRESS SN		>		NSECUTIVE		VESSEL
				:							DEPTH			OEC COMP ON	PER COND SN	SEC TEMP SN	PRI TEMP SN	SS	12	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			Z	ř
											PRESSURE			330	91:			91220A D/	- 27 K PK	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	LATITUDE	3	NOAA Ship MILLER FREEMAN	
											PRIMARY TEMP			CTD CONVERTE	l,	AT DEPTH	START DOWN	DATA ON	タリブ II MIS /	OFG MIN	ONG		ER FREEMAN	
											P SECONDARY TEMP			CTD CONVERTED MONITOR VALUES				Tape/Diskette ID	LIMAY 056	MO XR	DATE		MF-0507	PROJECT & LEG
										100	SALINITY			X	1		CED 217	Š	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	l C	-129	TIME DRY		GOD I.D.
												==	ğ	ChLAM S/N=	MAX. U	x Clea		_	7007	o d	Į.	ESSURE		I.D.
			v =1		:						SALINITY	DATA	SAMPLE BOTTLE	S/N=	EP IH (m) '%	x Cleaned air bleed valve		Z III	1956		VIS WII DIF	SIBILITY ND RECTION	A	STATI
+											SAL		OAIS			Ve		REMARKS	6	knt's	CL(OUD (amt) PE ATHER	X d	STATION DESIGNATION
				*.		_				×	NUTR C		SAMPLE BO - LE NOMBER					554	77	1	DEPTH	воттом	る井	
									_		CHL NUTR			À					フロマ・レフィ		NAME / ID	STATION	≪	

12	1	6	9	8	-	7	တ	(J)	4	ω	2			SITIC	ON		SEC CO	PRI CO	SEC TE	PRI TEMP SN	SBE 9+	104		CON	SECUTIVE T#		VESSEL
													DEPTH	1			SEC COND SN	PRI COND SN	SEC TEMP SN	MPSN		r Sy	DEG		(8.08	z	严
											1		PRESSURE				530			710 P		158,456	MZ	LATITUDE		OAA Ship MILI	
													E PRIMARY TEMP			CTD CONVERT	YPAR SIN= 4242	T SURFACE	AT DEPTH	START DOWN	TIMES	16501 40	DEG MIN	LONGITUDE		NOAA Ship MILLER FREEMAN	
	-						_						+			ED MON	- FLUOR S/N=		i	lape/U	i j	817MAY	DAY MO	DATE		MF	PROJE
													SECONDARY TEMP		• •		8(-9 =N/S			Pile C	Ö	0 5 22 50	YR HR MIN	GMT	TIME	MF-0507	PROJECT & LEG
	S. S.	:											SALINITY			1	X			CTU OT A		70	ငိ		DRY		COD I.D.
					-			2					_			_	ဌ	 	ا آ		-	170	\vdash		SSURE	-	
								,					SALINITY	DATA	SAMPLE BOTTLE		ChLAM S/N=	MAX DEPTH (m) a/	Cleaned air bleer			9 340	mb deg	SEA VISIE WIND	STATE		ST
			,							1							*	2/2	aviev f		REMARKS	17	knt's		SPEED	安川山	ATION DI
					_	_							SAL	•		SAMPI					S			TYPE	JD (amt) THER	111	ESIGNAT
-		-			_	-					,	2	NUTR R		1	IL BOLLI						1020		DEPTH	BOTTOM	28#	NOI
													CHL NUTR	-		SAMPLE BOTTLE NUMBER						8 4977	Н		STATION	39	

12	11	ō	9	æ	7	თ	Ch	4	ω	N		PO	SITIC	DN	000	77.00	SEC T	PRI TE	PRESS SN	SBE 9+	70		CONS	ECUTIVE #		VESSEL	
						W						DEPTH			OEC COMP ON	REC COND SN	SEC TEMP SN	PRI TEMP SN	NS	•	955	DEG			Z	ĔĹ	!
												PRESSURE			200	- Tax				91220a	00.574	_	LATITUDE		DAA Ship MILL		Z.
								27				PRIMARY TEMP		C D CONVEY	CID CONVENTED	Į,	AT DEPTH	START DOWN	DATA ON	TIMES	16503.749	DEG MIN	LONGITUDE	ž.	NOAA Ship MILLER FREEMAN		
											21	P SECONDARY TEMP		CID CONVEXTED MOMITOR VALUES	I FLOOK WILL G			8%	Tape/Diskette ID		3M A Y 0 5 0	Ϋ́R	DATE		MF-0507	PROJECT & LEG	
				ll.						20		SALINITY			100			CTD 049	File Name/Header		030 31	Z	GMT BULB			COD I.D.	
	5,6													Ţģ.	CRLAM S/N=	MAX. DE	×				2009	C mb	PRESS	SURE	1	I.D.	
			×	5)						65		SALINITY	DATA	SAMPLE BOTTLE	S/N=	MAX. DEPTH (m) JO	Cleaned air bleed valve		į	RE	122	deg	VISIBI WIND DIREC	LITY	D	STATIC	
+												SAL		SA.	L		Ve			REMARKS	Q	+	CLOUI TYPE	O (amt)	艾州	STATION DESIGNATIO	
												NUTR		SAMPLE BOTTLE NUMBER							<u> </u>	П	WEAT BOTTOM		#	VATION	
	_											엄		THE NOW							1280	+		W	0)	
												WHIT'S		BER					11		22		STATION NAME / ID				

2	2	10	9	8	ŀ	7	တ	ر ن	4	ω	N	-	POS	SITIC	ON		SEC C	PRI CC	SEC T	PRESS SN	SBE 9+	90			NSEG	CUTIV	VΕ		VESSEL
													DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRESS SN	•	0 37 17	DEG					z	Ĕ
<u> </u>													PRESSURE				530			91220A		502 8 04	1	LATITUDE				OAA Ship MIL	
													E PRIMARY TEMP	_		CTD CONVERT	YPAR SIN= 4242	AT SURFACE	AT DEPTH	START DOWN	TIMES	16505 49	DEG MIN	LONGITUDE			10	NOAA Ship MILLER FREEMAN	4
													+-			CTD CONVERTED MONITOR VALUES	FLUOR S/N=			Tape/D		FISMAY	DAY MO	DATE	11	36		MF.	PROJE
													SECONDARY TEMP			4	*(-6) = N&			Tape/Diskette ID Fi	Ö	0 501	YR HR N	GMT	TIME			MF-0507	PROJECT & LEG
													SALINITY				Ž.		7000	File Name/Header	NOI	07 23	MIN °C	BULB	DRY			<u></u> .	COD I.D
	1045	ŭ.										3	ıń.		A E		2	<u> </u>	 	-	17	1.01	°C mb		WET ESSU				ij
						馬		60					SALINITY	DATA	SAMPLE BOTTLE		Chi AM S/N=	MAX DEPTH (m) \ 3	Clospod sir hippy			288	deg	SE/ VIS	ST/	ATÉ TY			ST
			,			+					,		ဖ					2 2 2			REMARKS	17	S	CLC	DUD (PEED	,	レメロ	STATION DESIGNATION
1	_	\dashv				+							SAL			SAMPL									ATHE	R		#	İĞNATI
<u> </u>													NUTR			EBOTT					55			DEPTH	BOTTOM		ļ	0	2
-						1		~				(4)	엄			SAMPLE BOTTLE NUMBER						150 101	\dashv	_					
													WHIT'S NUTR		ļ	RR I						D50		NAME / IO	STATION				Ē

<u>お</u>	11	10	9	ω	7	တ	σ	4	ယ	2		PO	SITIC	ON .		300	PRI CO	2 7	PRESS SN	SBE 9+	2		CONSECUTI	IVE		VESSEL
												DEPTH				SEC COND SN	PRI COND SN	SEO TEMP SI	SSN	*	3	DEG				Ĕ
·		-		_	+-	+	-	+	+-		-	I	1			Z	_ 2	-	_		50	ତ	1 _		NOAA Ship MILLER FREEMAN	
												P Z				730 0	915		91220A	91220a	500	X Ž	ATITUDE		A Sh	
												PRESSURE			ľ	-	OI 40	• •	Ã	ò	0		m		ō ≤	
(3												RE .			Į	4	AT S	1 2	DAT.			, E				
				ļ	-	\vdash	+	\perp	 			-	-			DAR SINE	AT SURFACE	AT DESCRIPTION	DATA ON		650	DEG	9		뀨	
-												PRIMARY TEMP			ဂါ	"[Μ̈́	} 	Ž i	TIMES	1	ME	LONGITUDE		MEEN	
												RY T			ONVERT	122				S	45	Z	R		Ž	
						_	\perp	<u> </u>				MP								•	51	Q		_		
												SEC			OT TO		+	+	a		8 м	DAY	0		_	밁
												SECONDARY TEMP			RVAL				Tape/Diskette ID		ΑY	S	DATE	01	₹ F	PROJECT & LEG
												RY T			- ['				skette	DAT/	0 5	¥			MF-0507	27 & L
												MP			0			1	ō	LOC	0	퓼	ତ		`	EG
																			Tie Z	DATA LOCATION	203	MN	TIME			
												SAL						7	File Name/Header	~	2	ဂိ	DRY			
	İ											SALINITY			5	\$		10	ve Vest	_	2		50 ~			COD I.D.
																			٦			ငိ	WET			ē
\dashv	\dashv					-	╁	\vdash	├-			-		<u> </u>	<u>c</u>	? !	<u> X</u>		_	.	21	H	PRESSURE			
Ì															CITCAIM OVIN-		Clear	?			0	mb	SEA STATE			!
												SALINITY	DATA	SAMPLE BOTTLE	1		X Cleaned air bl				3	\Box	VISIBILITY			
		ĺ										두		and and	١		r blee	:			332	deg	DIRECTION			တ္ခ
																	AX DEPTH (m)	•		REMARKS	18	knt's	WIND SPEE	D	X	STATION DESIGNAT
							\top	-				ပ္		·		1	3			RKS			CLOUD (amt		I	DES
4												SAL			AMP	ļ							TYPE WEATHER		ı	GNA A
												NUTR		 									BOTTOM		#	Q Q
												울									32				77)
+		+										WHIT'S		[SAMPLE BOTTLE NIJMAER					- 1	907	90	STATION NAME / ID			İ
\perp												78				\perp							ō Ž ————			

<u>ನ</u>	3	10	9	00	7	တ	5	4	ω	2		├ ─	SITIO	ON	000	מ מוני	SEC TI	PRI TEMP SN	PRESS SN		N		NSECUTIVE		VESSEL
											ļ. 12.	DEPTH			AEC COMP SIN	PEC COND SN	SEC TEMP SN	MP SN	SS	1		?	<u></u>	Z	Ě
									-	70						_			(0 **	00		7***		NOAA Ship MILLER FREEMAN	
								:				PRES			000	2 C	884	710	91220A	1		ATITUDE		Ship	
	:											PRESSURE			K	7 >	>			¥	_	-		 	
-															CTD CAN	A SURFACE	AT DEPTH	START DOWN	DATA ON	6/5		ا ا		ER F	
												PRIM		i i		֓֟֟֝֟֓֟֓֟֓֟֓֟֓֟֓֟ ֓֓֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	. +	NWO		0		LONGITUDE		REE	
												PRIMARY TEMP			カレイト	2			COMIT	7		Ē		AN	
					_				_			MP P		- - - - -	1					X	. DAY			-	
	:			1,67								SECC		0			$\frac{1}{1}$		Tap	<u>×</u>		1		-	Z Z
										-		SECONDARY TEMP		,	FLUCK SINE				DATA ב Tape/Diskette ID	A Y	_ <u>₹</u>	-["		MF-0507	PROJECT & LEG
							 		8	W. F. S.		Y TEM		č	o Si	. (ette ID	9-5FC	− 2	+		507	L & LEC
1												ט			×			<u>က</u>	Kette ID File Na	77		-	TIME		G
										10	,	တ						CTD 052	File Name/Header	O		 		-	
						:						SALINITY			X	1		52	/Head	6	ိုင်	BULB	DRY	-	င္ပ
			6							19.		~							<u> </u>	E	_ _ဂိ	BULB	WET		COD I.D.
\dashv			E	57					157						오	N N	×		_	00	_L		ESSURE	-	
												40			ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve				0	SE.	A STATE		
										ĺ		SALINITY	DATA	SAMPLE BOTTLE		TH (n	함			134		WI	SIBILITY ND	1	
			ĺ									₹		in in		٦	oleed 1		7	1	+	DIF	RECTION	<u>├</u>	STA
			ric .														valve		REMARKS	Ø	A SE	WI	ND SPEED	A	NOI
												SAL		۷ ۶			101	55	Š			TY		×	DESIG
\dagger	+	+	\dashv	1				_		30				3 7 11	,	2	P			Ø	+		ATHER	-	N N
+	+	\dashv	17/4	\dashv				a			_	NUTR		<u> </u>)					DEPTH	BOTTOM	A	STATION DESIGNATION
						× _						유		SAMPLE BOTTLE NUMBER						C7	1/2	Z Z		し	7
												WHIT'S		MBER					87	052		NAME / ID	STATION		
1												₽ %								11	L	0			

12	1	10	9	8	7	6	Ŋ	4	ω	2	<u></u>	РО	SITIO	ON		SEC C	PRI CC	SEC T	PRI TEMP	SBE 9+	05	-		NSECUTI ST#	VE)VESSEL
												DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	355	DEG			_	NO	Ę
												PRESSURE				530 VF	≥		710 STA		12	M Z	LATITUDE		,	NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP			CTD CONVERTED	PAR S/N= 4242	l _M	AT DEPTH	START DOWN		651118116		ONG			REEMAN	
												SECONDARY TEMP			CTD CONVERTED MONITOR VALUES	FLUOR S/N= 6			i ape/Diskette iD	DATA	3MAY05C	DAY MO YR I	DATE			MF-0507	でえらげのこ & にける
										8 3		IP SALINITY				8			Tile Name/Header	Ö	05030302.4	HR MIN °C	GMT BULB	TIME DRY			ים: יים ויים ויים ויים ויים ויים ויים וי
															2	0	20		9	-		റ്	BULB	WET			
												SALINITY	DATA	SAMPLE		ChLAM S/N=	MAX. DEPTH (m)	x iCleaned air bleed valve		REMARKS	0	deg	SE/ VIS WIN	SSURE A STATE IBILITY ID ECTION ID SPEED			STATION DESIGNATION
												SAL			SAN		1	5,		\RKS			TYF	OUD (amt) PE ATHER		為	A DECKEY
												NUTR TR			PLE BOT			7			0 ///	П	DEPTH	BOTTOM			
	-						_					오			SAMPLE BOTTLE NUMBER) ८००	\dashv	· NAME / ID	M STATION	-#	かか	
												WHIT'S			Ø						53		"/ D	Ŏ O		_	

읶

12	1	10	9	00	7	თ	Ŋ	4	ω	N		POS	SITIC	DN	SEC C	PRIC	SEC T	PRI TE	SBE 9+	<u>0</u>			NSECUTIVE		VESSEL
												DEPTH T	j		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	n +	455	DEG	_		z	SEL
												,			Ú	1 40	20	7	9 9		MIN	LATITUDE		NOAA Ship MILLER FREEMAN	
												PRESSURE			530	915	884	710	91220a	6416	2	Ē		hip MI	
												R			PAR	AT SURFACE	AT DEPTH	START DOWN	DATA ON	165	DEG	_		LER	
												PRIM		Ċ	PAR S/N=		<u> </u>	DOWN		_	十	LONGITUDE		REEN	
												PRIMARY TEMP		CTO CONVEXTED MONITOR VALUES	7777				TIMES	187	ME	Ë		AN	
_								-	_			 -	1	I'U MONI	Z					三 公	DAY			-	
						i		!				SECONDARY TEMP		OK VAL	FLUOR S/N=			aperbiskette ib		₩ A Y	M O	DATE		MF-	PROJECT & LEG
		:					:					RY TEM		it.	N= 6			אמנה זכ	DATAL	0 5 0	YR F			MF-0507	T & LEC
												ם			8				DATA LOCATION	334	HR MIN	GMT	TIME		9
										Œ.		SALINITY						CTDO54		402		BULB	DRY		
											:	YTIN			F			- Canel		40	Н				COD I.D
\dashv		_													<u>오</u>	₹	×	-		005	°C п		WET TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERVICE TO SERV	-	
												G		m (0	ChLAM S/N=	X. DEP	Cleane			V		SEA	SSURE STATE IBILITY		
												SALINITY	DATA	SAMPLE BOTTLE	7	ТН (m)	d air ble			3 7	륞	WIN	ND		
																MAX. DEPTH (m)	ed valv		REM	911	Ţ		ECTION ND SPEED	½	STATIO
												SAL		ဖွ		:	Õ		REMARKS				OUD (amt)	X	N DESIG
-	\dashv			_		_				_		NOTR		SAMPLE BOTTLE NUMBER		×				Ô		WE	ATHER		DESIGNATION
	+	_	\dashv	\dashv	_			_						вотп								DEPTH	воттом	#	
+	_	\dashv	\dashv	\dashv	_				-			유 구 조 종		"NUMB						7005Y	Ç)	NAME/ID	STATION	オーノ	Ω Ω
												WHIT'S		 						754			ĬO N		

12	1	10	ဖ	ω	7	o	CI	4	ω	N	->	POS	SITION	SECC	PRI CO	SECT	X	PRESS SN	SBE 9+	65		CONSECUTIVE		VESSEL
												DEPT.		SEC COND SN	PRI COND SN	SEC TEMP SN	TRI TEMP ON	SSN	*	5 35	DEG		1	ř
															. 60		. ~	91.	91	0 1 3	_	LATITUDE	NOAA Ship MILLER FREEMAN	
												PRESSURE		530	915	884	OF?	91220A	91220a	762	Z	DE	hip MI	
,	C.	!										ŽĒ.		TA ₇	AT SURFACE	AT DEPTH	START DOWN	DATA ON		1 6 1	DEG		LLER	
												PRIM		TAK S/N=	FACE	Ŧ.	DOWN	ž		75 - 6	V	LONGITUDE	FREEN	
	:											PRIMARY TEMP		N= 4717 TLUCK S/N					TIMES	0	MZ	JDE	AAN	
				_			<u> </u>													5118	DAY		1	
												SECONDARY TEMP		FLUCK SINE			2	Tape/D	- 	MAY	MO	DATE	ME	PROJE
					:							ARY TE		SIN= 6	1			Tape/Diskette ID	DATA	0 5	ž		MF-0507	PROJECT & LEG
												₹		8	JI .	1			00	40	HR MIN	TIME		ଟ
										3.40		SA					COUNTY	File Name/Header	N _O	5 02	റ്			
												SALINITY						Header		.30	Н		-	00 I.D
													4.73				_		•	1.6	ဂံ	WET		
														ChLAM S/N=	MAX. DE	x Cleaned air bleed valve				604	Ш	PRESSURE SEA STATE	-	
												SALINITY	SAMPLE BOTTLE DATA	S/N=	PTH (n	ed air i				33	deg	VISIBILITY WIND		
			Æ.									7	m m		٦	pleed va			굔	4 1	-1	DIRECTION		STAT
-						_										alve			REMARKS	N	ြိ	WIND SPEED CLOUD (amt)	 	
\dashv	_	_		_								SAL			-	5	7		S)			TYPE WEATHER		STATION DESIGNATION
												NCTR	China LE BO . SEE NOMBER	7						0/2		BOTTOM		ğ
							;					웃								107	Н		#	
												WHIT'S	בו ה ת							CT015		STATION	6	}

	3	1	10	9	ω	7	တ	Ŋ	4	ယ	2		↓	SITIC	ON		PRI CO	SEC TI	PRI TE	PRESS SN	Ĭ,	۵ 77		CONSECUTIVE	VE SIGH	77.0
													DEPTH	1		OEC COND ON	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN	* [553	DEG			<u>í</u>
											*		PRESSURE			300	Z.K			91220A DATA ON	91220a	91882 516	—	LATITUDE	NOAA Ship MILLER FREEMAN	
				Ö									PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	I.	PTH	START DOWN		11	1 128 815	MIN	LONGITUDE	FREEMAN	
													SECONDARY TEMP			MONITOR VALUES				Tape/Diskette ID		٠ ٥	Ř	DATE	MF-0507	777
													SALINITY			2			SECTO	File Name/Heade	Z 7 - -	v ·	Z	TIME DRY	COD l.D.	
											2	**			2	ChLAM S/N=	MAX D	x Clea			Ŀ	702	ᇒ	PRESSURE		
												100	SALINITY	DATA	SAMPLE BOTTLE	S/N=	MAX DEPTH (m)	Cleaned air bleed valve		2		2	deg	VISIBILITY WIND DIRECTION	STAT	
	-									2.5			SAL				100		•	VENAVVO	ENBADES	20	S .	CLOUD (amt) TYPE WEATHER	AX O	71
L													NUTR		COMPLETE OCH TE NOMBEZ		0	100				0/1		BOTTOM	TION TO	G
L													兒		ברת מינים מינים						1	7 7 7	+		97	 유
-5													WHIT's			B					V	7 1	1	STATION		

12	11	10	ဖ	œ	7	თ	5	4	ω	2	 POS	ITIC	ON		SEC C	PRI CC	SEC TO	PRI TEMP SN	PRESS SN	052	Γ		NSEC	UTIVE		VESSEL
		ļ 									TRIP DEPTH				SEC COND SN	PRI COND SN	SEC TEMP SN	MPSN	SS	355	DEG	1—		·	NO	Ä
											PRESSURE			\	530 k	-			91220A	72 22 7	M N	ATITUDE			NOAA Ship MILLER FREEMAN	
	,													СТІ	PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	DATA ON	1655	DEG	LONG			LER FRE	İ
											PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	= 4242				IMES	3.518	<u>≼</u>	LONGITUDE			EMAN	
														MONITOR	Z FIL	,				M M M	DAY	1			_	PR
											SECONDARY TEMP			VALUES	NFLUOR S/N=				יאוא ב באוא ב באוא באו	A Y 0 5	MO YR	ļ'''			MF-0507	PROJECT & LEG
											MP				869				Š	09450	HR MIN	133	TIME			ក ទ
					:				95	70	SALINITY						-	7 o 57	File Name/Header	2 2	റ്	BULB	DRY			COD I.D
													3						_	0 7 1	1	BULB	WET	i.e		I.D.
															ChLAM S/N=	MAX DEF	기 Cleans			09	age -	SEA	SSU	TE		
			į								SALINITY	DATA	SAMPLE BOTTLE	-	Z	MAX. DEPTH (m)	id air bleec			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	deg	WIN	BILIT ID ECTI		-	ST
			¢ä) valve		REMARKS	দ	knťs		ID SP		BA13	ATION D
											SAL			SAMP	-	+	= 1		Ĝ	-		TYF	OUD (E ATHE		2	ESIGNA
	_		_								 NUTR			LE BOT		1	7			0 2		DEPTH	BOTTOM			NOIT
											 욷			SAMPLE BOTTLE NUMBER						olch	Н				#	-
											WHIT's			BER						<u>169a</u>		NAME / ID	STATION	_	2	;

<mark>유</mark>

												SAI INITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve		•••	008 350	mb	PRESSURE SEA STATE VISIBILITY WIND	
					7720						A 100 100 1	SALINITY				-		The Name/Header	ATION	2302202	<u>s</u>	TIME DRY WET	COD I.D.
												SECONDARY TEMP		CINCOT STECCES	FLUOR S/N= 678			aper Dianette a D	DATA LOCATION	MAY 05/ D	á	DATE	PROJECT & LEG
												PRIMARY TEMP		CO COMPLETE INCINITION AND COC	PAR SIN= 4242	1	AT DEPTH	START DOWN	DATA ON	65 57.0371		LONGITUDE	REEMAN
										2.3		PRESSURE			530	915 AT	884		91220a 91220a	7	M.Z.	LATITUDE	NOAA Ship MILLER FREEMAN
12	=	6	9	ω	7	တ	5	4	Э	2	1	PO DEPTH	ITION		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	5,850	DEG	CONSECUTIVE CAST #	ESSEL

12	11	10	ဖ	ω	7	6	σ ₁	4	ω	2		POS	SITION	0000	PRI CC	SEC T	PRI TE	PRESS SN	০	-	CONS	SECUTIVE		VESSEL
-												DEPTH I		SEC COMP SIN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	ν + Σ	N515	DEG			Z	SEL
										8		PRESSURE		JUC VEN	7			91220a DATA ON	119.6351	_	LATITUDE		NOAA Ship MILLER FREEMAN	
								÷				PRIMARY TEMP	CID CONVERTIED MONITOR VALUES	TAR SIN- 2777	ı.	PTH	START DOWN	ON TIMES	1201110999	M.	LONGITUDE	ā:	FREEMAN	
												SECONDARY TEMP	NOW FOR VALUES	NELUCK SINE 6	ı		aperDianene	DATA L	8 MAY 051	Ŕ	DATE	·	MF-0507	PROJECT & LEG
										5		P SALINITY		2				DATA LOCATION	0560191	Ž	GMT BULB			GOD I.D.
														Ω	3	×		-	02.110	റ്			10)I.D.
												SALINITY	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	Cieaned air bleed valve		REMARKS	7 32	deg	VISIBI WIND DIREC	TATE LITY	[]	STATION
						**					Ş	n Þ	SAN				د	RKS		- 1	CLOU	D (amt)	AS A	STATION DESIGNATION
											2		SAMPLE BOTTLE NUMBER			(Ŋ		012		WEAT BOTTOM			VATION
												2	TLE NUN						23CT	+			作	
											2	WHIT'S	BER R			26			059	1	STATION		≚	

12	=======================================	10	ဖ	00	7	თ	CJ	4	ω	2	 POS	SITION	SEC C	PRI C	SEC T	PRI TEMP	SBE 9+	0		CONSE	CUTIVE		VESSEL
											DEPTH	5	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	S. S. S. S. S. S. S. S. S. S. S. S. S. S	DEG			z	SEL
										3%	PRESSURE			95			91220a	6	M Z	LATITUDE		NOAA Ship MILLER FREEMAN	
											PRIMARY TEMP	CTD CONVERTED	747 = N/S PAP	AT SURFACE	AT DEPTH	START DOWN	TIMES	66041.838		LONGITUDE		R FREEMAN	
											SECONDARY TEMP		I FLUOR S/N= 6-			i ape/Diskette iD	DATAL	MAY 051	DAY MO YR F	DATE		MF-0507	PROJECT & LEG
					014					Ş	P SALINITY	I 1.	×			CTDOCO	DATA LOCATION	dz. 3	Z	TIME DRY		4	GOD I.D.
											(n		CHI AM S/N=	MAX. DEPTH (m)	x Cleane		-	02/01/1		PRESSU	ATÉ		.D.
			i.								SALINITY	SAMPLE BOTTLE DATA	Z#	ТН (m)	x ICleaned air bleed valve		REMARKS	0	deg k	VISIBILIT WIND DIRECTI WIND SE	ON	美	STATION
								:			SAL	SAN					RKS			CLOUD (TYPE WEATHE		ď	ON DESIGNATION
								2:			NUTR	SAMPLE BOTTLE NUMBER		+	_	ーフ		0 1 2		BOTTOM	.iX		ATION
											유	TILE NO				-		25(1	-			产	,
										Λ	NUTR NUTR	MBER						080		STATION	C	^2	

บ ด

12	1	10	9	œ	7	တ	Ŋ	4	ω	N		POS	SITION	SEC C	PRIC	SEC T	PRI T	SBE 9+	0	-	CONSECUTIVE	VESSEL
													5	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S +	1155	DEG	5	1 1
8										523		PRESSURE		530 \PAR]	L.		91220a DATA ON		MIN DEG	LATITUDE	NOAA Ship MILLER FREEMAN
												PRIMARY TEMP	CTD CONVERTED MONITOR VALUES	PAR SIN= 4242	Į	₹	DOWN	Z . TIMES	0	MIN	LONGITUDE	REEMAN
												SECONDARY TEMP	ONITOR VALUES	FLUOR S/N= 6				Tane/Diskette ID	CMAY 051	á	DATE	PROJECT & LEG
	:									8		SALINITY	i	8			CD061	DATA LOCATION (0 11.12	┝	DRY BULB	COD I.D.
												(0)	TT (0	ChLAM S/N=	MAX, DEPTH (m)	x Cleane	_	-	2,503	°C mb	PRESSURE SEA STATE	D.
			,									SALINITY	SAMPLE BOTTLE DATA	N.	7H (m)	Cleaned air bleed valve		REMARKS	32223	deg knt's	VISIBILITY WIND DIRECTION WIND SPEED	STATION
												SAL	SAI		,		,	RKS			CLOUD (amt) TYPE	HISION SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE
												NUTR	SAMPLE BOTTLE NUMBER				ا ه		210		WEATHER BOTTOM DEPTH	DESIGNATION #
											:	욷	TTLE NU						2 5 ct	Н		03
ÿ.												WHIT's NUTR	MBER						1061		STATION	

12	=======================================	10	φ	ω	7	თ	Ot	4	ω	N	 POS	SITION	SEC C	PRI C	SEC T	PRI TI	PRESS SN	SBE 9+	0		CONSECUTIV	Ε	V C C C C	T I
								:			DEPTH		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	+	755	DEG			•	2
Đ.										13	PRESSURE		530 \ PA	915 AT SURFACE	884 AT DEPTH		91220A DATA ON		991161169116	X Z	LATITUDE	NOAA SAID WILLER FREEMAN		
											PRIMARY TEMP	CTD CONVERTED MONITOR VALUES	PAR SIN= 4242	RFACE	HI¢	START DOWN	N N	TIMES	8	0	LONGITUDE	TREEWAN		
	:										SECONDARY TEMP		IFLUOR SIN= 67	,			Tape/Diskette ID	DATA LOCATION	× A Y 0 5	MO YR H		/ /UCUIIVI	יארטיניט א רביט	יייי אין פייייי
					8.0					*	SALINITY		8			C70052	File Name/Header	CATION	00112011120	MIN °C		-		
											SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve			REMARKS	<u>V.</u>	deg k	PRESSURE SEA STATE VISIBILITY WIND DIRECTION WIND SPEED			CITATOL
											SAL	SAN				~		RKS	· -		CLOUD (amt) TYPE WEATHER		7 Horoignation	
											NUTR	SAMPLE BOTTLE NUMBER			7	>			210		BOTTOM		Š	TATION OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PART
											엄	TLE NO							776	+		+		
											WHIT's	MBER							2 20		STATION	中	Z	

	12	=======================================	ō	9	ω	7	တ	O1	4	ω	2		РО	SITI	ON	000	PRIC	SEC	PRI T	PRESS SN	0 6	-	CONSE			VE)
													DEPTH			SEC COMP SIN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN SN SN	138	DEG		·	1	VESSEL
													PRESSURE		/	SOU NEWS	7 2			91220A DATA ON	1616	DEC NIW	LATITUDE		NOAA Ship MILLER FREEMAN	
													PRIMARY TEMP		CTD CONVERTED MONITOR VALUES	TAK UN 4242		₹	NWOO	N HMICS	616.9421		LONGITUDE		FREEMAN	
C.													SECONDARY TEMP		TOR VALUES	NELUOR SINE 6				Tane/Diskette ID	MAY 05	ž	DATE	-	MF-0507	1 6 1000 load
						la la					9.		P SALINITY			78	10		C10063	VATA LOCATION	12/20	Ž	TIME DRY			
													,			Chr.		×		-	00.90	c mb	PRESSU	IRF	COD I.D.	
				0									SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve		REMARKS	<u> </u>	deg	SEA STAVISIBILITATION OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE COLUMN OF THE C	ON	STATION	
										C			SAL		SAM		7	77.		RKS		(CLOUD (TYPE WEATHE	amt)	STATION DESIGNATION	9
													NUTR		SAMPLE BOTTLE NUMBER			厂			013	OET III			ATION	PG
	_	_				_			_			-			ILE NUM) (十	+]	G	유
													SLIM		BER						063	NAME / ID	STATION			

12	11	10	9	œ	7	တ	(J)	4	ω	2	3	POSI	TION	SEC (0.00	2 2	PRESS SN	SBE 9+	9		CONSECUTIVE	100
												DEPTH DEPTH		SEC COND SN	PRI COND SN	יאס דואס פון	IS SN	¥	6455	DEG		1
		2,3								83		PRESSURE			915		À		113.7791	MIN	ATITIOE	NOAA Ship MILLER FREEMAN
												PRIMARY TEMP	CTD CONVERTE	PAR S/N= 4242	AT SUBSACS	START COWN	DATA ON	TIMES	6629407	DEG MIN		ER FREEMAN
											┢┈┼	B SECONDARY TEMP	1	X FLUOR S/N= 6			Tape/Diskette ID		MAY 05	DAY MO YR	DATE	MF-0507
										*		VEINI IAS	le le	869		HOOT!	File Name/Header	DATA LOCATION	7 2 18/1	Ž	TIME DRY	
			-									'	7	0 2	 - -		er		Ž.	င္ပိုင္ပြ	WET	, C
			,								O TEIN	SAI UTV	SAMPLE BOTTLE	ChLAM S/N=	X ICleaned air bleed valve			REV	320	deg	PRESSURE BEA STATE VISIBILITY WIND DIRECTION WIND SPEED	
											SY.	2	SAM	- 1	6			REMARKS	3	+	CLOUD (amt) TYPE WEATHER	STATE OF THE
											7		PLE BOTT	6					- \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	י טבר יו	BOTTOM	出06
	+	_		-					ŝ.	9	CH NO	WHIT's	SAMPLE BOTTLE NUMBER						3013	NAME / ID		5

12	1	<u>1</u> 0	ဖ	8	7	တ	Ci	4	ω	2			SITIC	DN		PRI CC	SEC TE	PRI TEMP SN	SBE 9+	065		CONSECUTIVE		VESSEL
												DEPTH T			OEC COMP ON	PRI COND SN	SEC TEMP SN	MPSN	n Z	555	DEG		1	۳
										88		PRESSURE			Jaco IXI	<u>7</u> ≥		710 START DO		17	NN	LATITUDE	NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	- k	AT DEPTH	START DOWN	TIMES	962412171		LONGITUDE	REEMAN	
											2.	SECONDARY TEMP			MONITOR VALUES			- ape/Diskette iD	DATA L	15 MAY 051	Ŕ	DATE	MF-0507	PROJECT & LEG
					5							P SALINITY			6			CID 065	DATA LOCATION	505 2.11	Ž	TIME DRY		
							3.4°s					≺		ε	CDL	MA	×	<u> </u>	_	1119110	°C mb	BU WET	j . §	
												SALINITY	DATA	SAMPLE BOTTLE	COLAM S/N=	MAX. DEPTH (m)	Cleaned air bleed valve		REV	3101	deg l	SEA STATE VISIBILITY WIND DIRECTION WIND SPEED		CITATE
1												SAL		Ş		1/2	ه ا ا		REMARKS	9		CLOUD (amt)	SADI	S DECIDE
											N.	NUTR		<u> </u>	SAMPI E BOTTI E NI IMBED	0./	1			72	П	WEATHER BOTTOM		NCITA
-	_			-								CHL								7CH	Н	···	#10	
											0	WHIT's		0 1 2	n D					59 a		STATION	7	

<u></u>	=======================================	10	9	00	7	6	თ	4	ယ	2	_	POS	SITIC	ON	SEC C	PRI CO	SEC T	PRI TEMP	SBE 9+	000		CONSECUT	TIVE	ř	VESSEI
												RETE	;		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2 +	6515	DEG		 -		1
												PRESSURE		_	530			710 ST		2	MIN	LATITUDE		NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP		CONVENTED	PAR S/N= 4242		AT DEPTH	START DOWN	TIMES	6627.991	DEG MIN	LONGITUDE		R FREEMAN	
										10		SECONDARY TEMP		CID CONVERTED WONTOK VALUES	FLUOR SIN= 6			i ape/∪iskeπe i∪	DATAL	1 D MAY 0 51	ź	DATE		MF-0507	コーダ エンコ くのロ
					23					2.		P SALINITY			18			Tile Name/Header	LOCATION	536 211	Ž	TIME DRY	e ^r		
														vi	<u>당</u>				· •	11.011	ငိ	BU WEIT) I.D.	5
			•								3	SALINITY	DATA	SAMPLE BOTTLE	ChLAM S/N=	MAX. DEPTH (m)	X Cleaned air bleed valve		REI		deg	SEA STATE VISIBILITY WIND DIRECTION WIND SPEE			3
-											11	SAL		SAM		77.1	٠ <u>٠</u>		REMARKS	6		CLOUD (am TYPE WEATHER		ADV DESIGNATION	ノニファラント
												NUTR		PLE BOTTL		\)			851		BOTTOM		H.	11/11
-		-									 - -	CHI WHIT'S		SAMPLE BOTTLE NUMBER						CTD66		STATION NAME / ID		京	

12	=	10	9	ω	7	တ	Ŋ	4	ω	2	_	┼	SITK	ON		2 2 2	SECT	PRI TE	PRESS SN	SBE 9+	<u>ර</u> ආ			NSEC ST#	UTIVE		VESSEL
												DEPTH	<u> </u>			SEC COND SN	SEC TEMP SN	PRI TEMP SN	SSN		<u> </u>	DEG				Z	ř
Á										5/8)		PRESSURE				530 A			91220A DATA ON	-	0.05716	_	LATITUDE			NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	L	AT DEPTH	START DOWN		TIMES	021120	M.Z	LONGITUDE	s fi		REEMAN	
												SECONDARY TEMP			MONITOR VALUES	. I			Tape/Diskette ID		A Y 0 5	Ř	DATE	(g) 5	3	MF-0507	PROJECT & LEG
										55		SALINITY			12			Ø	File Name/Header	₽[630 119	HR MIN °C	GMT BULB	TIME DRY			COD I.D
														ą.						10 101	0 9	റ്	BULB	WET			01.D.
												SALINITY	DATA	SAMPLE BOTTLE	CILAM S/N=	MAX DEPTH (m)	x Cleaned air bleed valve /			 - - -	<u>,</u>	deg	SE/ VIS WIN DIR	SSUF STATE IBILIT ID ECTION	TE Y	\$	STATION
												SAL		V			200		ć	DK?	<u>,</u>	ľ	TYF	OUD (a PE ATHEI		DK.	DESIGNATION
												NUTR			SAMPLE BOTTLE NI MARED	\					- - -			BOTTOM	Τ		NATION
												ᅄ					<u>*</u>				396766	+				FIG	-
												WHIT's			MOND					100	43/9,		NAME / S	STATION	!	0	-

12	=	10	9	ω	7	O	Ŋ	4	3	2	 POS	SITIO	ON		SEC C	0000	ק ה ק ק	PRI TEMP	SBE 9+	0		CON		UTIVE		VESSEL
 											DEP'IL				SEC COND SN	SEC LEVE SN	TENE ON	S SN	¥	200	DEG				Z	SEL
										+3	PRESSURE				53 ° 5			_ 		03.9041	M.N	LATITUDE			NOAA Ship MILLER FREEMAN	
								177			PRIMARY TEMP	10	<i>3</i>	CTD CONVERTED	PAR SIN= 4242	AT SUBSACS	START DOWN	DATA ON	TIMES	66351.5G1	DEG MIN	LONGITUDE	51		R FREEMAN	č
											SECONDARY TEMP				VIFLUOR S/N= 6-			Tape/Diskette ID	DATAL	15 MAY 051	Ŕ	DATE			MF-0507	PROJECT & LEG
					2.50					**	SALINITY				~		C10088	File Name/Header	DATA LOCATION	11/2 8/10	റ്	BULB	TIME DRY	<		COD I.D.
											S/		₩ &		MAX. DEPTH (m)	x Cleaned				11.210		PRES	STAT	É		I.D.
			N.								SALINITY	DATA	SAMPLE BOTTLE		대(m)	x Cleaned air bleed valve			REMARKS	0,	deg knt's	WIND DIRE	CTIC SPE	EED	SAC	STATION DESIGNATION
-	1					_		_			 SAL			CAMD	X	1			Ŝ			TYPE	JD (a		7	ESIGNA
85	1	_					_				NUTR RTUR		SAMITER OF LET NOMBER							1 4	<u>-</u>	DEPTH I	ROTTOM		#	NOLL
											웃		Ž.							707	+				0	
											WHIT'S		<u> </u>						ſ	290	WIE / IO	NAME (1)	STATION			

な	1	ō	9	α	,	7	6	G	4	ω		2	_		SITI	ON		SEC C	PRIC	SEC 1	PRI TEMP	SBE 9+	0	-		NSECU	TIVE		VESSEL
														DEPTH	1000			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN) ¥	200	DEG					SEL
									\dagger	†					-			_			tt		507	Γ				NOAA Ship MILLER FREEMAN	
												ä		PRESSURE				530	915	884	710	91220a	200	Z	_ATITUDE			Ship	
1								}						SURE				4	≥ :	AT.			1/2		-			MILLE	
			<u> </u> 	-					-	+	1			10	-			PAR S/N=	AT SURFACE	AT DEPTH	START DOWN	÷	500	DEG	LON LON			RFR	
														PRIMARY TEMP			ဂါ	"[m 		≨ 	TIMES	10.19	MIN	LONGITUDE	0		EEMA	
														Y TEMP		13	VERTED	4747			=3		- 5					Ž	
					+		-	-		\uparrow	+			 	-		NOM I		1			<u> </u>	\(\frac{1}{2}\)	DAY			3%		_
														ONDA			OR VALL	FI LIOR SINE			ape/Dis	į	A Y	<u>≪</u>	DATE			¥.	PROJECT & LEG
													į	SECONDARY TEMP			- 1	NI= C			lape/Diskette ID	DATA	O Ui	¥				MF-0507	CT & LE
\dashv	\dashv			_	+	\dashv		-		•		-	<u>-</u> .	Ū	-		0	-71	' -	i I		ဂ္ဂ	1/8	HR MIN	GMT	TIME			ິດ
												÷		SA						, i	File Name/Header	2	4		<u></u>	0	2		
			- 13			2								SALINITY			×	4			Header	_	74	င	BULB	DRY			COD I.E
													_						-	[•		0.9	ငိ	BULB	WET		*2	Į.D
																	2	2 2	NAY CIE	2				mb		SSURE			
			â										i	SALI	Ş	SAN	CITAM S/N=		X Cleaned air of				2		VISI WIN	STATE			
				:										SALINITY	DATA	SAMPLE BOTTLE		(III)	MAY DEPTH (m)	, ,			1	deg		<u>ECTION</u>			ଦ୍ର
																			y valve			REMARKS	20	knťs	WIN	D SPEE	:D	8613	ATION
			İ						_		T			SAL		5	2		太			RKS			TYP	UD (am	t)	8613 71	DESIG
\dagger	+	+			+	+	7				\dagger			NUTR		בו ב ב	0	I	小	i L				Ï		ATHER 8		#	Ž
+	+	-		·		+	\dashv				H	+		$\neg \vdash$		2							42		DEPTH	BOTTOM			Z
+	+	+	\dashv	_	-	+	_		-			4		유		STAIT TO BO THE NOMBER							42cF	ġ,		STA			
					į.						a			NUTR'S		ָ ג							9/19		NAME / ID	STATION			

な	1	6	ဖ	ω	7	တ	C)	4	ယ	2	 	ITION		SEC C	PRI CC	SEC TI	PRI TEMP	SBE 9+	07		CONSECUTIVE	
											DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	2	200	먒		
										₹	PRESSURE			930			710	91220a	たりた 図	— i	ATITUDE	NOAA Ship MILLER FREEMAN
													c c	X PAR SIN=	AT SURFACE	AT DEPTH	START DOWN	_	616528	DEG		ILLER FREE
))·								PRIMARY TEMP		CID CONVERTED MONTOR VALUES	4242		(3)		TIMES	80216	MIN DAY	7 7	MAN
					(*)		8				SECONDARY TEMP		OR VALUES	"			l ape/Diskette iD	DATA	7 M A Y 0 50	—	· DATE	MF-0507
	12									Xt.				819				00	0202	Z	TIME	
											SALINITY						CTO 0 70	-	ZH 11	C C C		
+											S/			ChLAM S/N=	MAX. DEPTH (m)	x Cleaned		-	1202	mb F	PRESSURE BEA STATE //SIBILITY	
			*		93,	:					SALINITY	DATA	SAMPLE	Ti	H(m) 12	Cleaned air bleed valve		REI	9	deg	VIND SPEED	Ç
				o.							SAL		SAM		02	¥ e		REMARKS	0		CLOUD (amt) YPE VEATHER	DA7 #
+	+								_		 NUTR		SCE BOTTL						12661	מאלים ביי		155
1		-	14 33 (3.							 CHL WHIT'S		SAMPLE BOTTLE NUMBER						CT07	NAME / ID	STATION	UI

욲

ก๋ —	=======================================	10	ဖ	œ	7	တ	G	4	ω	N		POS	SITION	SEC C	PRI C	2101	PRESS SN	SBE 9+	7		CONSECUTIVE		VESSEL
·												DEPTH	1	SEC COND SN	PRI COND SN	SEC TEMP SN	SSN	Ŧ	HS 1	DEG		N	SEL
	v											PRESSURE		530				91220a	158h 145	MIN		NOAA Ship MILLER FREEMAN	
												PRIMARY TEMP	CTD CONVERTE	PAR SIN= 4242	AT SURFACE	AT DEBTH	DATA ON	TIMES	9 15 25 5 91	DEG MIN		ER FREEMAN	
												P SECONDARY TEMP	CTD CONVERTED MONITOR VALUES	N FLUOR S/N= 6			Tape/Diskette ID		V V W D	DAY MO YR	12 °	MF-0507	יייייייייייייייייייייייייייייייייייייי
												MP SALINITY		300		- (1200)	File Nar	DATA LOCATION	17	HR MIN °C			
												7		Ch	MA X		der		24	SC Mb	! ≰ mi RESSURE	K.	
												SALINITY	SAMPLE BOTTLE DATA	ChLAM S/N=	MAX. DEPTH (m)				394	S V deg D	EA STATE ISIBILITY VIND		- (
		-	,								_	SAL	SAN		Valve		,	REMARKS	9	° C	LOUD (amt) YPE /EATHER	BADB	
												NUTR	MPLE BOTTI		Ψ	1			0127	S DEPTH		*	5
+				_								CHL NUTR	SAMPLE BOTTLE NUMBER						01270167	NAME / ID		6	

ดั

| |유 |

12	==	10	9	8	7	თ	Ŋ	4	ω	_	, _	PC	SITI	ON		ייי פייי מייי אייי מייי מיייי	SEC	PRIT	SBE 9+	70		CONSECUT	IVE	VEC
												DEPTH	d dig			SEC CONDISN	SEC TEMP SN	PRI TEMP SN	SBE 9+	1254	DEG			VESSEL
										1									óφ	13	77.	ATITUDE		NOAA Ship MILLER FREEMAN
											44	PRESSURE			8	730 V	884	710	91220a	29	M.Z	<u> </u>		Ship N
												JRE		_			AT DEPTH	STAR	DATA ON .	316	DEG	ža		
					-	\vdash				+	+	PRI			CTD	AT SURFACE	HIL	START DOWN		6536	9			FREE
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	~н	ŧ		TIMES	50	N C	3 5 11 · 3		MAN
			_		-		-	+	-	+	+								fi I	7	DAY	<u> </u>	\dashv	
i												SECONDARY TEMP			TOR VALUES			apa/	1	M A	MO		-	PRO.
												ARY TE			LUES COIN-			aper Diskelle ID	DAT/	Y 0 5	¥	••		PROJECT & LEG
					_	_	<u> </u>	-		+	-	P P	-		2		[•	00	020	HR GW	TIME		EG
										-		ş						C 1007Z	Š	0	Z			
	1				- 5-			1				SALINITY						/Headel	-	- 30	Ç	DRY	_	CODI
_	_															L	_			20	င္ပိုင္ပြ	WET	č	
															ChLAM S/N=	MAX. DEPTH (m)	X Clea		-	^ {		PRESSURE EA STATE		
	tic .	}		:				i i				SALINITY	DATA	SAMPLE BOTTLE	S/N=	EPTH (r	ned air			N	V	ISIBILITY VIND		
			es.									₹	P	₩ W		2	bieed v		2	1 458		IRECTION	_	1
\dashv	\dashv	-										-		<u>.</u>	-		aive		REMARKS	J		VIND SPEED	\ 	
	-	_	_							_	1	SAL		\(\frac{1}{2}\)		4	7		S		T	LOUD (amt) YPE /EATHER		ON DESIGNATION
	\downarrow	\perp										NUTR		ה ב	2	9	1			3	DEPTH	Воттом	4	NOIT
												윉		מאירנה סל בבה אכאמהא			×		+		+			
		T										WHIT's		N T T T						x 5 7 3	NAME / ID	STATION)

72	<u> </u>	õ	ဖ	00	7	တ	(J1	4	ω	2	 POS	SITION		SEC C	PRI CC	SEC TI	PRI TE	PRESS SN	97	-		NSECU ST#	JTIVE		VESSEL
											DEPTH			SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN	354	DEG		<u>-</u>		1	ξĖ
										53	PRESSURE			530 K				91220a 91220A	5211171	MIN	LATITUDE			NOAA Ship MILLER FREEMAN	
									0		PRIMARY TEMP		CTD CONVERTED	PAR S/N= 4242	ļ.	AT DEPTH	START DOWN	DATA ON	6540.203	DEG MIN	LONGITUDE	₹ ¥3		ER FREEMAN	
											SECONDARY TEMP		CTD CONVERTED MONITOR VALUES	/ FLUOR S/N= 6				Tane/Diskette ID	10 MAY 050	ž	DATE	9		MF-0507	PROJECT & LEG
					17					*	SALINITY			18			CD073	DATA LOCATION [0	HR MIN °C	GMT BULB	TIME DRY			COD I.D
													=	ChLAM S/N=	MAX. D	× Clea	-		01.086	dm 0°	PRE	SSUR		10	.D
	55										SALINITY	BOTTLE	SAMPLE	S/N#	MAX. DEPTH (m)	Cleaned air bleed valve		<u> 20</u>	3302	deg k	VISI WIN	ECTIO	N	CK	STATIO
											SAL	· · · · · · · · · · · · · · · · · · ·	SAM		- 1	alva /7		REMARKS			CLC TYP	D SPE OUD (ar PE ATHER	mt)	J.	ON DESIGNATION
-	+						100				 NUTR		SAMPLE BOTTLE NUMBER			2			GIHOCT	П		воттом			ATION
-			+								 CHL NUTR		E NUMBER						CT073	\$)		STATION		忌	

ゕ	=	ō	9	æ	7	6	G	4	ယ	N		PO	SITK	ON		SEC C	00.00	PRI TE	PRESS SN	70	7		NSECUTI ST#	VE	Š	コンロコン
																SEC COND SN	SECTEMESN	PRI TEMP SN	SSS	7	DEG				·	2
								-				_				_	-	•		4151	$\overline{}$	1 r			NOAA Ship MILLER FREEMAN	
		<u>ai</u>								100		PRES				530	2 2 2	710	91220A		- <u>₹</u>	ATITUDE			Ship	
												PRESSURE			*	J 2	2 2	S		0				_	ME	
		_		_	<u> </u>		_		9							PAR SAUL	AT DEPTH	START DOWN	DATA ON	65	DEG	5			ER F	
					İ							PRIMA			CIDCC	"[, - H	N N	I IMICO	2_[- M	LONGITUDE			REEN	
					i.	į						PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	4447			7	旦	Z	R	. 33		Ž	
-				_	_			_					1		ED MO					1119	• P			\dashv		
												SECONDARY TEMP			NTOR V	5			Tape	MA	No	DATE	1	-	- ₹]]
					2							DARY			TOR VALUES	2			DATA ב Tape/Diskette ID	이 기		mi			MF-0507	1
												TENP			0	3			e P	0 50 4	동			-	§ LEG	;
	ŧ														0			3	kette ID File Na	107	- ME	GMT	TIME			
												SALI						22007-	File Name/Header	<u>2</u>	റ്	BULB	DRY			
	1				er.							SALINITY]			eader —	0	╁		-	_	COD I.D.	
\downarrow	_	25																 		7.12	ဂိ	BULB	WET		, D	1
											1				CALAM S/N=	NA X	X Cle			2	픙		SSURE			
			ĺ								Ş	SA	Q	SAN	N O/N	7 1	aned a			7	 -	VISI WIN	STATE			
												SAI INITY	DATA	SAMPLE BOTTLE		3	ir blee			525	deg		ECTION	-	(0	
		,	ä					ļ				ξ.					x Cleaned air bleed valve		REM.		knt's		D SPEED			
1	7						0		\neg		-	n E			<i>y</i>		0		ARKS	8		CLO	OUD (amt)	_ \	N DES	
+	+	+	\dashv		-	-	\dashv	-	\dashv	+		—		<u>.</u>	AMPI	[\ \ \	j					ATHER		STATION DESIGNATION	
+	1		_	\downarrow							7	7		i C	BOT	-		j		0145C		DEPTH	BOTTOM	13.5		
											5	2		Ī	SAMPI E BOTTI E NI IMBED					5	╁┤			- +	4 10	
T					1		\dashv	+		+	200	WHIT'S		ָ הַאַ	MR				Ē	5		NAME / ID	STATION		42	
_			\perp						,		Ā	3				L,				74		5	ž			

12	=	10	9	8	7	တ	Ŋ	4	з	2	 	OSITI	ON	SEC C	PRI CC	SEC T	PRI TE	SBE 9+	22.0		CONSECUTIVE CAST #		VESSEL
											חלים	콗		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	,	787	DEG		Z	ř
										æ	で大門のひこれに		_	530				91220a	1981181	MZ	LATITUDE	NOAA Ship MILLER FREEMAN	74
										ai .	TAIMAAXY		CTD CONVERTED	PAR S/N= 4242	AT SURFACE	AT DEPTH	START DOWN	TIMES	6542.872	DEG MIN	LONGITUDE	RFREEMAN	
											SECONDARY IEMP	\dashv	CTD CONVERTED MONITOR VALUES	FLUOR SIN= 6			apar Disnata i D	DATA I	9 MAY 0 50	Ϋ́R	DATE	MF-0507	PROJECT & LEG
					UE.					Ş	SALINITY			78				Ö	43903.01	Z	TIME DRY		G COD I.D.
													×	ChLA	MAX	× Ω		_	288110	°C mb	PRESSURE	<u>-i</u>) I.D.
											SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)	eaned air bleed		-	3 9	deg	SEA STATE VISIBILITY WIND DIRECTION		STA
		-									SAL	-	SAA		1	valve /C		REMARKS	<u>a</u>	8	WIND SPEED CLOUD (amt) TYPE	300	TION DESIGNATION
											NUTR		MPLE BOTTI		0	Q			0 5		WEATHER DE DIOM	4	NATION
-				-							CHL NUTR	WHIT's	SAMPLE BOTTLE NUMBER						5747×5	╅	STATION	120	

12	=	10	ဖ	00	7	o	رن ن	4	ω	2	 PO	SITIO	N	100	2 C	SEC T	PRI TE	PRESS SN	0			NSECUTIVI		VESSEL
											DEPTH	5		AEC COMP SIX	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN	407	י הנפ				SEL
											PRESSURE] ≥			91220A DATA		M Z	LATITUDE		NOAA Ship MILLER FREEMAN	
											 PRIMARY TEMP		CID CONVERTIED MONITOR VALUES	TAR SIN- 4777	L	AT DEPTH	START DOWN	DATA ON	11/2/11/2/49	MEZ	ONGITUDE		R FREEMAN	
											SECONDARY TEMP		MONTIOR VALUES	I I LUCK WIN &	. I			Tape/Diskette ID File Na	MAY 050	MO YR	DATE	1.	MF-0507	PROJECT & LEG
					*				1/1	24	SALINITY			2			CTDOTA	File Name/Header	11/10/21/16	M N O	MT BULB	TIME DRY W	- 1	COD I.D
			=								SALINITY	DATA	SAMPLE	ChLAM S/N=	MAX. DEPTH (m)	x Cleaned air bleed valve			1. 1 3K 411	mb deg	SE/ VIS	ESSURE A STATE IBILITY ND ECTION). ISTATIO
											SAL		SAM					REMARKS	8	knt's	CLC TYF	OUD (amt) PE ATHER	697	TION DESIGNATION
		-									 NUTR CHL		SAMPLE BOTTLE NUMBER			55			016Zc	+	DEPTH	ВОТТОМ	#	
											 L WHIT'S		NUMBER						6ZC (1078	2	NAME / iD	STATION	2	

12			/-	_				Τ	T	T	Т	T.	-			ľø	-0	S	T	70 0	2 ~	1	CONOTE	1 10011	т	ات	
2	1	ō	φ	00	7	0	(S)	4	ω	N	-	₩—	SITIO	NC		SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	8	1	CONSEC	UTIVE		VESSEL	
												DEPTH	100			S GNC	ND SI	MPS	MP S	S	75	<u>-</u>	2			Ë	
		-	-	+	+	\vdash	-	+	-		-	I				Ž	~	z	_		1	- PEG	7,─		NOAA Ship MILLER FREEMAN		
																,		~		919	2 =	3	ATITUDE		\$		
					S							RES				530	915	884	710	91220A	3		E E				
										IS.		PRESSURE					-				7				≦		
								1				m				P	AT SURFACE	AT DEPTH	START DOWN	DATA ON	16	- E					
				-	-		-	-	-			_	-		_	PAR S/N=	RFA	PTH	T DO	<u>Q</u> ,	66	- ଜ	Ç		77		
												PRIMARY TEMP			CTD CONVERTED MONITOR VALUES	Z	Ĭ M		Ž		E	_	LONGITUDE		Œ		
												ARY			ÖNVE	4242		্ৰ		CHIMIT	E	Z	DE .		§ A		
							Ì					TEM			RTE	7				ä,	7	╁	,		-		
		_	-	-		_	-	-	-	-			1	*	NO.							DAY	69				
												SECONDARY TEMP			TOR	F				a d	MA	+	δ .			刃	
		į						İ	,			NDA			VALL	FLUOR S/N=			`	עאוא ני Tape/Diskette ID	~	ō	DATE		MF-0507	PROJECT & LEG	
					ļ			E)				RY T			ES	¥				Kette iii	0 5	¥			050	의	
												EMP				67				ב ב	5	듄	J 11		7	띪	
													1			8		1	و	File No	=	MZ	TIME GMT				
					· ·					59				•				į	2XQ\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		0	 	 				
					us!							SALINITY							X	ne/±	3 7	റ	BULB DRY				
21					13(YE!						8	1	Arion File Name/Header	10	╀	800-0 800			CODID	
															· .					•	-	ဂီ	BULB		3		
				,											_	ဂ	Z	×			o(1	1					
																ChLAM S/N=	MAX DEPTH (m)	CE CE			V	a d	PRESSUR				
												Ş		e c		SN	M	aned				H	SEA STAT	rE. Y			
												SALINITY	DATA	SAMPLE BOTTLE		"	E E	9. T			349	deg	WIND				
								:				7		m įn	'			leed		_		Н	DIRECTIO	N	to	<u>s</u>	
								Ì			2							x Cleaned air bleed valve		ZEN.	五	knt's	WIND SPE	ED	3	흴	
+	+	_)		-	\dashv		_	-	\dashv				\dashv			Ф		REMARKS	-		CLOUD (a	mt)	BG7		
				III								SAL			SA		-		7	Ø			TYPE WEATHER			SIGN	
		\dashv				\neg	\dashv		\neg								+	_	7		0	l I		(;		ด ด
									_			NUTR			8		-) _			28		BOTTOM		-	ž	
								\neg				유			릶						02866	Ц	<u> </u>		7		_
		_	ć	3						\perp					Ş							8	NA ST	+	7		읶
ake U												WHIT'S		÷	SAMPLE BOTTLE NUMBER						582	22	STATION NAME / ID				
												χi 🖔		1							72						