ATITUDE LATITUDE	LATITUDE LONGITUDE GMT (note if not GMT) Time Surface	VESSEL	est Exp	lorer :	022	CRUISE ID	- EKMN ai	2-02		PROJECT & L	T & LEG			CTD FileName	N N	me	me
Cast # LATITUDE LATIT	Cast # LATITUDE L DEG		-			N.				-8-			_			+	
DEG MIN DEG N N N N N N N N N	DEG MIN DEG N N N N N N N N N	CTD Ca	**	LATIT	UDE .		LONGITUDE		GMT DATE	(not		GMT Time		urface Ter	-3		BOTTOM DEPTH
or IDS (initially & swap-outs) and SN 2 SNs 2 SNs 2 SNs 2 SNs 2 SNs 3) SN DEPTH Rosette Notes DESIRED SALT Btl Nuc.Btl 10 m 542 001 10 m 503	or IDS (initially & swap-outs) and SN 2 SNs 2 SNs 2 SNs 2 SNs 3) SN DEPTH Rosette Notes A DESIRED SALT Btl Nut.Btl 1 D M 542 001 1 D M 5003			-	MIN	DEG	NIN		DAY	OM	Ϋ́R	HR		(°C)			(m)
or IDS (initially & swap-outs) and SN 2 SNs 2 SNs 2 SNs DEPTH Rosette Notes SALT Btl Nut.Btl DO m 542 001 10 m 542 003 3 0 0 3	or IDS (initially & swap-outs) and SN N 2 SNs 2 SNs 2 SNs N DEPTH Rosette Notes SALT Bti Nut.Bti Nut.					Z		8									:
N 2 2 SNs 2	PAN 2 SNS 2 SNS 2 SNS 2 SNN SNN SNN SNN SN	Sensor	IDS (init	ially &	swap-c	outs)	Weather:										
2 SNs 2 SNs 3) SN DEPTH DESIRED SALT Btl Nut.Btl 10 m	2 SNs 2 SNs N N N N N N N N N N N N N N N N N N	BE type and	NS			ZI.											
2 SNS 2 SNS 3) SN DEPTH Rosette Notes DEPTH SALT Btl Nut.Btl	2 SNs 2 SNs 3) SN DEPTH Rosette Notes SALT Bul Nut.Bul 10 mm 542 001 10 mm 542 001 10 mm 003	PRESS S/N		N			COMMEN	JT: Diffic	ult conc	ditions,	factors	that ma	y affect	mea	suren	surements or	surements or aid pro
V O (UNITY PUMPS I PARTIEUS) SIN	VOI CALIMATE PUMPS I PARCELLE NOTES VOI CALIMATE PUMPS I PARCELLE NOTES SALT BU NULBU VOI VOI VOI VOI VOI VOI VOI VOI VOI VOI	MP 1 &2 SN	is .		×												
N PROSEST OF PROGUS 25 20 ASO	Process Proc	ND 182 SI	5				MON	Mm. p	Samy	2		D WOP	MEN	0	Mount	throughout	throw hout Bits
SN	DEPTH Rosette Notes GFF >5 Vol >10 vol dup dup	FLUOR SAN					proces	200	2)0,22	P	/ .	ナニッ	のづけ	٧	comp	completion	completion of A
DEPTH Rosette Notes GFF 25 Voi 210 Voi 220 Voi dup	DEPTH Rosette Notes SALT Bil Nut.Bil Voi 26 Voi Voi Voi Voi GFF 55 Voi Up Up Up Up Up Up Up U)2 (SBE43) S	Z						The state of the s								
DEPTH Rosette Notes SALT Bil Nut. Bil Voi Yo Voi Yo Voi Yo Salt	DEPTH Rosette Notes GFF >5 Voi >10 voi 20 voi dup	Idismiss SA						,									
DEPTH Rosette Notes SALT Btl Nut Btl Voi Voi Voi Voi Voi Voi Voi Voi Mup M	DEPTH Rosette Notes OFF >5 Voi >6 FF >5 Voi Ovoi Ovoi Oup	02 SBE42S/N	1					i									
DESIRED SALT BU NULBU Voi 26 Voi 20 Voi dup	DESIRED SALT BU NULBU VOI 36 VOI 10 VOI 20 VOI dup dup dup 1 10 VOI 20 VOI dup dup dup dup 1 10 VOI 20 VOI dup dup dup dup 20 VOI 20 VOI dup dup dup dup dup dup 20 VOI 20		DEPI			a la										•	4
DESIRED SALT BH NULBHI VOI	Com SALT Bill Nur.Bill Voi Coi C	<u>*</u>			cosette N	otes							:		5	1.5ml	1.5ml
01m 542 001 250 0m 002 250 250 250 0m 003 250	0m 542 001 250 0m 002 250 250 0m 003 250	#	DESI		% cosette	otes							Preser	\$	15	1.5.	1561
Hand	10m 542 001 250 10m 002 250 250 20m 003 250	ı.t			Rosette N	lotes Nut.Bu		>5 Vol	>10 vol	>20 v			Preser	Ved	2 15	1. Sal FA voi	3 15
01m 542 001 250 01m 002 250 250 0 m 003 250	0/m 542 001 250 0/m 002 250 250 250 0/m 003 250				Rosette N	Nut.Bu		>5 Vol	>10 vol	>20 v			Preser	ved	7 3 5	FA vol	FA vol
10m 542 001 250 250 250 250 250 250 250 250	HOMM 542 001 250 100m 002 250 250 250 3.0 m 003 250			Paled Company	SALT BI	l Nut.Btl		>5 Vol	>10 vol	>20 v			Preser Phyt	Ved	7 5 5	#ABS FA vol	1.5 al Factor FA vol
Om SH2 OO1 250 AS0	10m 542 001 250 10m 002 250 250 250 20m 003 250				SALT B	l Nut.Btl		>5 Vol	>10 vol	>20 v			Preser Phyt	Ved	7 5	FA vol	FA vol
10m 542 001 250 250 250 10m 002 250 250 250 30m 003 250	10m 542 001 250 10m 002 250 250 20m 003 250		3		SALT BI	lotes Nut.Bil		>5 Vol	>10 voi	>20 v			Preser	ve	2 = 5	To FA vol	FA vol
0m 542 001 250 0m 002 250 250 0m 003 250	0/m 542 001 250 002 250 250 250 0 m 003 250	, I	35]]		SALT BI	lotes Nut.Bil		>5 Vol	>10 vol	>20 v			Preser	6	7 - 5	# FA voi	FA vol
10m 002 250 250 10m 003 250	10m 002 250 250 250 10m 003 250		381		SALT BI	lotes Nut.Bti		>5 Vol	>10 vol	>20 v			Preser Phyt	ved	7.5	# FA vol	#AC FA vol
20m 003	20 m 003		0005		SALT BI	lotes I Nut.Bil		>5 Vol	>10 vol	>20 v			Preser	ved		FA vol	FA vol
20m 003	20 m 003	08 7 6 5 4	0 m		SALT BI	lotes I Nuc.Bu	250 250	250	250 voi				Preser			FA vol	FAvol
			Om Om O		SALT BI	I Nut.Bil	250 250	250 250	2SD vol vol				Preser Phyt			FA voi	FAvol
			0900		SALT BI	otes I Nut.Bit	250 aso	250 250	20 vol .				Preser Phyt			FAvoi	FA vol

.

((
VESSEL Northwest Explorer 2022	CRUISE ID	D NW22-02	20	PROJECT &	LEG		CTD FileName	me		
CTD Cast # ATITUDE		ONGITIJDE	GMT	(note if not	not GMT		Surface Temp	воттом	STATION	STN.
DEG	DEG	MIN	DAY	MO	À	M	(°C)	(m)		П
	Z		×		2 2					
Sensor IDS (initially & swap-outs)	outs)	Weather:							CTL	CTD MAX. DEPTH
SBE type and S/N	1 8 8 8 H									
PRESS S/N		COMMENT: Difficult conditions, factors that may affect measurements or aid processing	Difficult con	ditions, fac	tors that m	nay affect	measureme	nts or aid pr	ocessing	
TEMP 1 &2 SNs									ı	
COND 182 S/Ns	P. 11	ZOM NIS	Niskin soin	et ouche	d inside	t	2 × K· Y ·		,	
FLUOR S/N		Back cap was not removed poor to	WAS MOT Y	emoved	at sand		CTO deplyment			
O2 (SBE43) S/N										
Transmiss S/N		one of the brown 21 bother to taky a	PNOMUN 21	- POLLOP	Sharing	7007	titered much slower tres	20015 VD	then the	
PAR S/N		other 2L	ag unaga	the bo	A 2	The state of				
O2 SBE42S/N		Fathyaud Sampling - 2 tra-1-to	= Onl garlo	-0x4 P	δ, ,	<u>\$</u>	botter tiles	Cto to	***	
DEPTH Rosette Notes	lotes						1.501			
Nisk # DESIRED SALT Btl Nut.Btl	NutBu	vol >5 Vol	oi >10 voi	>20 vol	dup dup	p Phyt	HABS	FA vol wol	Notes/other samples	ples #
						_				
J. 1				0						,].
					1					
ω								b- abuaus		ω
4										4
5 Om 126	400	250								υ
6 10m	200	250 250	052 0	250			4	33		6
7 /bm	7) 9.74						<	•••••		7
8 20 m	006	250 250	9				<			OB
9 30 M	4 90	250 250	0			•		Desoupus.		9
10 40 m	800	Ť			1			••••••		10
11										=======================================
12										12

7 6 8 7 10	9 8 7	8 7 6	8 7 6	7 6	o		თ	4	ω	2	-	Zigk #		OZ SBE42S/N	PAR SIN	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	COND 182 S/Ns	PRESS S/N	SBE type and S/N	Senso			CTD Cast#		VESSEL	
												DESIRED	DEPTH	2		Z	SN		SINS		N/S P	Sensor IDS (initially & swap-outs)	_	DEG	ast #		VESSEL Northwest Explorer 2022	(
 																						ally & sw		MIN	LATITUDE		orer 202	
												SALT Bil Nu	Rosette Notes									ap-outs	z		m			
												Nut.Btl	3									۳		DEG			CRUISE ID	
												vo!	GFF							COMM		Weather:		×	LONGITUDE	7	CC/VI.	
_												>5 Vol			•				2	ENT: Di		Ä		MZ	DE .		07	
												>10 vol							7	COMMENT: Difficult conditions, factors that may affect measurements or aid processing			×	DAY	GMT DATE	1		
															5					ondition				MO	1/2	2 2	PROJECT	(
					1				-			>20 vol						Č	NIZEZ	s, facto			2	YR	(note if not GMT)	R	CT &	(
												CERT	GFF >5							rs that			2	품	ot GMT	╢	LEG	
												Р	e de la la						222	may aff				MIN	AAA.			
	ı,												Preserved					ľ		ect mea					Surfac	1	C	
	-	-	4						***************************************			HABs FA			•				two led out	sureme				(°C)	Surface Temp	1	CTD FileName	
****	40000			******	*******							FA voi voi								nts or a				(m)	BOTTOM DEPTH		ame	
	_		4										eDNA	***************************************				7	Control of	id proc	ı			=				
												otes/othe		***					+	essing					STATION		4	
												Notes/other samples		***************************************				Ü	Sa lah			CED MAX, DEPTH			STN. NAME/ID	+		
=	10	9		œ	7	6	51	4	ω	2	_		N N					Î	9						E N			

<u>-</u>

: -	=	10	9	8	7	6	5	4	ω	2	-	Nisk #	
	7										0 M	DESIRED	DEPTH
				-							848	SALT Bit	Rosette Notes
											009	ti Nut.Btl	Votes
											ZSD		GFF
						1179					250 2	>5 Vol >10	
			3					-			250 2	>18 vol >20	VIII
											250	>20 vol dup	GFF
												dup	>5
										i	< <		S//
											4.32	FC L	124/2
											31		eDNA
												Notes/other samples	
-	11	10	9	8	7	ģ	5	4	ω	2			Nisk

VESSEL	VESSEL Northwest Explorer 2022	r 2022	CRUISE ID	2-09			PROJECT & LEG	% LEG				2	CTD FileN	CTD FileName	CTD FileName	
CTD /	ast #	LATITUDE		LONGITUDE	_ a	GMT DATE	(note if not GMT)		GMT Time	ਜ਼	TE T		IT Surface Temp	Surface Temp		Surface Temp
	DEG	MIN	DEG	MIN		DAY	MO	ΥR		HR	HR MIN	NIN	NIN	MIN (°C)	NIN	MIN (°C) (m)
	_	z			\$			2 2								
Sens	Sensor IDS (initially & swap-outs)	& swap-ou	ıts)	Weather:												CTD MAX. DEPTH
SBE type and S/N	and S/N							H	1 1							
PRESS SIN	z		8399	COMMENT:	Difficul	t condi	tions, fa	ctor	S	s that ma	s that may affec	s that may affect meas	s that may affect measureme	s that may affect measurements or	s that may affect measurements or aid pro	Difficult conditions, factors that may affect measurements or aid processing
TEMP 1 82 SNs	2 SNs															
COND 182 S/Ns	2 S/Ns			Surface	ľ	t splat	sample taken using 5	457	26	0	320	320	ger budget,	ger budget,	320	get budget, vinced 3
02 (SBE43) S/N	3) S/N			7217 6	2000	中一井	N		5	200	mond good by	mulaced by Sag	からかい からかい	The same of the sa	The same of the sa	The same of the sa
Transmiss S/N	S/N				1		2	200	1	S. Corie	O WINGS CONTINGENCY CONTINGENCY	John Sept - Parker	included by the contraction	Inches of the state of the stat	July of the Party	The Real Property of the Park
PAR S/N																
O2 SBE42S/N	NSW			FA Sampling =	کی ا		2-L brown bothes t	n both		03 61	es filed t	一つなかさ	es filled to the top	llax to the top	一つなかさ	llax to the top
a	DEPTH	Rosette Notes	ites	n H				2		 V	y n	VA.	y n	VA.	VA.	VA.
Nisk #	DESIRED	SALT Bil Nut.Bil	Nut.Btl		>5 Vol >	>10 vol	>20 voi	dub	3.00	dub	-	Phyt	Phyt Cu	Phyt Cu	Phyt Cut	Phyt Cu
1	W Q	455	010	350 2	350	028	050			156	A 052		V V		ノノナ	ر \ \ \ \ ا ا ا
2																
3																
4																
თ																
6																
7												4	<			
œ																
9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								İ							
10																
1			L				1		İ							
12					_					_		,	,			

VESSEL	CRUISE ID		3	PROJEC	PROJECT & LEG			CTD FileName	Vame
Northwest Explorer 2022		Perm	600	NBS leg	, a F			0	
			GMT		Q.	GMT	?		
DEG MIN	DEG	MIN) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	5	VB VB	up I		College Lemb	,
			_		—I:	H			(117)
			**		2 2				ľ
Sensor IDS (initially & swap-outs)	outs)	Weather:							
SBE type and S/N			į						
PRESS S/N		COMMENT: I	Difficult conditions, factors that may affect measurements or aid processing	enditions,	factors t	hat may	affect m	easurem	ents or a
TEMP 1 &2 SNs									
COND 1&2 S/Ns		surface sample using	Samo	JK W114	5 50	8	Last	bucket rinsed	S W X
FLUOR S/N					4				
02 (SBE43) S/N		tothloud Jampin =-	Samplir	とったの	2-1	marg	OPTRES	brown botter tiled	to the
Transmiss S/N		(-	(•				
PAR S/N									
OZ SBE4ZSN									00 100 100 100 100 100 100 100 100 100
DEPTH Rosette Notes	otes	GEF			2	'' V	0	Flow	
Nisk # DESIRED SALT Btl	Nut.Btl	voi >5 Voi	ol >10 vol	>20 vo			Phyt	£ 1	FA vol
-	2	3))))				
3	011	250 25	50.0	25	5		<	<	1. S&
2		7							
3									0004004
4									*******
G.				1					
7									*******
8									*********
10									*******

,

1	ō	9	8	7	6	Cī	4	ω	N		Nisk #		02 SBE42S/N	PAR S/N	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	TEMP 1 82 SNs	PRESS SIN	SBE type and S/N	Senso			CIDC	VESSE North
										MO	DESIRED	DEPTH	SW		SN) S/N	_	SNS	1	nd S/N	Sensor IDS (initially & swap-outs)		DEG	ast #	VESSEL Northwest Explorer 2022
										560	SALT BU	Rosette Notes									y & swap-o	_	<u>s</u>	ATITUDE	er 2022
										013	Nut.Btl	otes									uts)	Z	DEG		CRUISE ID
										920		G FF			7	C. S.		SICK	COMME		Weather:		SIN	LONGITUDE	
										250	>5 Vol		4			Chi-a hank w 25pml Ritered		Curting famole that a later to	COMMENT: Difficult conditions, factors that may affect measurements or aid processing		••	¥			
			200		0					056	>10 vol		To the second)	(A)	(20 1	ult condit				DAY	GMT DATE	ע צ
					188					950	>20 vol			Cr Governoo	8	1 W C.S	1		tions, fact			2	Mo O	(note if not GMT)	PROJECT & LEG
										230	dup			100		アナさい		Z Z	ors that			2	YR HR	not GMT	LEG
							F			:- 0.Se	70	>5 Pres		A THE					may affe				M		
			,				-			<i>₹</i>		Preserved Row	SE0.00	1010		SCAL WAST		X O A	ct measu				(°C)	Surface Temp	СТВ
1040000	******						*********			淵	Bs FA vol			1075		7		300	rements	200					CTD FileName
i		۰										PON A		mody.				(V)	or aid pro				(m)	BOTTOM DEPTH	
 31		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									Notes/other samples			A STATE OF THE					ocessing					STATION	
11	10	9	8	7	6	5	4	ω	2			Zink	The later)							CTD MAX. DEPTH =			STN. NAME/ID	

1			?			,) 			_	!			
Northwest Explorer 2022	Explorer	2022	CRUISE ID	-KEMN	80-10 10-10		PROJECT & LEG	& LEG			CTD FileName	me		
_0						GMT	(note if not	not GMT	7			воттом	STATION	
CTD Cast #	LAT	LATITUDE		LONGITUDE		DATE	GMT)		ie .	Surfa	Surface Temp	DEPTH	NUMBER	
	DEG	MIN	DEG	MIN		DAY	MO	Ŕ	HR MIN		(°C)	(m)		
		Z		***	8		1	2 2						
Sensor IDS	(initially	(initially & swap-outs)	ıts)	Weather:				167						
PRESS SAV				COMMENT:		ult condi	Difficult conditions, factors that m	tors tha	t may aff	ect mea	suremer	ay affect measurements or aid processing	rocessing	
TEMP 1 &2 SNs		W W S II										3		
COND 182 SAIs				2-Juns	200,00	Samole	م مرای	500		budet	insteal	tod wx		
FLUOR S/N	b				6			(1			
02 (SBE43) S/N				かせゃ	Cid = .	- B ON	10 P	pool unerg	office .	the silved	के ह	parcotnec	Neck	1 1
Transmiss S/N				かけているこうなんでしたけるのとか	24	アよく	としかごか	Sec.	E COWE	さっち	っちくと	LY WOUL	ewinter be to comound of the	5
PAR SN			,			(•					
O2 SBE42S/N	*												,	
	DEPTH	Rosette Notes	les					2			for			
Nisk #	DESIRED	SALTEN	Nut Bil	VO.	>5 Vol	>10 vol	>20 vol	dup	dup P	Phyt	HABS FA vol	Vol 10V	Notes/other samples	65
											2			41
0 3			410	250	250	250	250			<	<u>۷</u> 4	4.32		
2						١						10410011		1
3														7
4			•											
G .												********		
6						0.00	Ī					*****	_	
7												*******		
00													1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
9												***1010**		
10												*********		
11														
									Tongs and a second					ź

VESSEL Northwest Explorer 2022	rer 2022	CRUIS	CRUISE ID	<i>S</i>)	7.77	PROJECT & LEG	& LEG		_	CTDF	CTD FileName		
CTD Cast #	ATITUDE		LONGITUDE		CMT DATE	(note if not GMT)		GMT Time		Surface Temp		BOTTOM DEPTH	STATION
DEG	MIN	DEG	MiN		DAY	MÖ	त्रे	Н	M.	(°C)		(m)	_
		Z		٤_			2 2	,					
Sensor IDS (initia	(initially & swap-outs)	outs)	Weather:								٠		
PRESS S/N			COMMENT:	T: Difficu	ılt cond	itions, fa	ctors ti	nat may	affect	measur	ements	or aid p	Difficult conditions, factors that may affect measurements or aid processing
TEMP 1 &2 SNs													
COND 182 S/Ns			SUITARE SAMPLE IN SOME BULKET MALERCA	e san	D OF	3	020	220	5	DAY	23		
FLUOR S/N		5					(
02 (SBE43) S/N			blankeon Asample will a	NOS	ASON	2000	0/ 11		i water	Ì			
Transmiss S/N						_	-						
AR S/N		THE REAL PROPERTY.											
			L										
02 SBE42S/N					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								
02 SBE42SN DEPTH	Rosette Notes	Notes											***************************************
	20	SALT Btt Nut.Btl	vol ger	>5 Vol	>10 voi	>20 voi	GFF	dup v5	Preserved Phyt	4 E	FA vol	eDNA	Notes/other samples
o I	7	Notes Nut.Btl			>10 voi	250 voi		d v5	Preser Phyt				Notes/other sample
	120	Notes Nut.Bu			250 voi	>20 vol		2. V	Preser Phyt				Notes/other
		Notes Notes			250 voi	25 vol		d v	Preser				Notes/other
		Notes Notes			250 voi	>20 vol		0 V	Preser Phyt				Notes/other
	120	Notes Nut.Btl			250 voi	250 vol		<u>a</u> y	Preser Phyt				Notes/other
		Notes Nut.Bu			250 voi	20 vol		0. V	Preser Phyt				Notes/other
		Notes Notes			250 voi	>20 vol		d v	Preser				Notes/other
		Btt Nut.Btl			250 voi	>20 vo		d %	Preser Phyt				Notes/other
		Notes Nut. Btl			250 voi	25 vol		<u>a</u> y	Preser Phyt				Notes/other
		Notes O)S			250 voi	25 ×20 vol		0. V	Preser Phyt				Notes/other
		Notes Notes			250 voi	>20 vol		d %	Preser Phyt				Notes/other

VESSEL Explorer 2022	3000	CRUISE ID	CCC CCC	D	PROJECT & LEG	LEG		C	CTD FileName	ame		
ordiwest Explore	1 7077				NBS leg	$\ $		L	l			7
=				GMT S		GMT				—— ВОТ	BOTTOM	STATION
CTD Cast # LAT	LATITUDE		LONGITUDE	DATE				Surfac	Surface Temp	ᇛ	DEPTH	NUMBER
DEG	MN	DEG	MIN	DAY	MO	YR HR	MM		(°C)		(m)	
	z			8_	2	2						
Sensor IDS (initially	(initially & swap-outs)	is)	Weather:									
												4 I
PRESS S/N			COMMENT:	Difficult con	Difficult conditions, factors that m	ors that	may aff	ay affect measurements	sureme		or aid processing	= 1
TEMP 1 82 SNs												
COND 1&2 S/Ns			Surface	sample w/ 5	So of	buda,	2 +0	1550	Y WX			
FLUOR SAN					· ·							
O2 (SBE43) S/N												
Transmiss S/N												
PARSIN	12.				*1							
02 SBE42S/N					***************************************							
DEPTH	Rosette Notes	tes	O CE						3			
Nisk #	CAI T B+	N ₁₁ BH	vol >5 Vol	/ol >10 vol	>20 vol	d G	dup Ph	Phyt	91	FA vol	VOI CONA	Notes/other samples
20000									2			11
<u></u>	566	910	३६० वर	250 250	0.Se	250	920		<			
2												4
										*******		•
4												
5										*******		
σ												
7										********		
8												
9												
10												
11										*******		

					((
VESSEL Northwest Explorer 2022		CRUISE ID	- REWN	9)	PROJECT	& LEG		C	CTD FileName	me	:	
CTD Cast #	ATITUDE	_	ONGITUDE	GMT	7/		GMT	<u>, </u>	Surface Temp	BOTTOM	STATION	STN.
DEG	MZ.	DEG	MIN	DAY	MO	Ŕ	HR MIN		(°C)	(m)	_	
	Z			8	****	2 2						
Sensor IDS (initially & swap-outs)	& swap-out	s)	Weather:						*		= CT	CTD MAX. DEPTH
SBE type and S/N									•			
PRESS S/N			COMMENT:	Difficult conditions, factors	nditions, fa	ctors tha	that may af	fect mea	suremer	nay affect measurements or aid processing	rocessing	
TEMP 1 &2 SNs		DX.E.E.E										
COND 182 S/Ns			20 July 1200	ce sample	DAILYN	000	STOP OF	WX	STOLL X			
FLUOR S/N					L	<						
02 (SBE43) S/N			fath acie		H	ad who	DITE O	llook 1	क 500	Str of Me	ド、かけercu	8
Transmiss S/N			かかばんし	る一かけること	8	Seawate)					4
O2 SBE42SN			1									
DEPTH	Rosette Notes	S	O T T			n n	V D	Preserved	792	DNA DNA		2
Nisk # DESIRED	SALT Btl Nut.Btl	ut.Bil	vol >5 Vol	ol >10 voi	1 >20 vol	dup	ъ		SA FA	FA vol	Notes/other samples	mples #
1 0 M)	410	250 2	asc as	250				4	32		1
2												2
ω												ω
4												4
Ch												ហ
о		!		N/m								on .
7										*******		7
Co					_					******		8
9										•1040+10+		9
10						, i				*****		10
1										********		11
12		ı								******		12

(2	(
VESSEL Northwest Explorer 2022	t Explore	r 2022	CRUISE ID	- eewn	8) Q	NB P	PROJECT & LEG	LEG			CTD FileName	ame	:	
(3 cTD Cast #		LATITUDE		LONGITUDE	୭ ଜ	GMT DATE	(note if not	not GMT	AT .	co .	Surface Temp	ВОТТОМ	STATION	STN.
	DEG	Z Z	DEG	MIN	٤	DAY	MO	YR I	\vdash	MIN	(°C)	(m)		
Sensor IDS	S (initially &	swap-c	uts)	Weather:									= 0	CTD MAX, DEPTH
SBE type and S/N									1					
PRESS S/N				COMMENT: Difficult conditions, factors that may	Difficult	conditi	ons, fac	tors tha		affect	affect measurements	or aid	processing	
TEMP 1 &2 SNs		10.0				200								
COND 182 S/Ns				SUNTENCY COMPR W) Sacr buch	JAMP.	(a)	2002	Puc C	2	JAK	2023×			
FLUOR SA							(
02 (SBE43) S/N				eDNA blonk =	MARGIO	-	DI water	Safe	7					
Transmiss S/N					-	-				— 	-			
PAR SIN	1			mater tro	Hyr W	らすい	p had	Schar	Sed.	みよう	ation. Wa	todate	d atstation. Waited a ten minutes	4
O2 SBE42S/N				क्रिका है	taking a sulface sample	ながな	MESAY	200						***************************************
	DEPTH	Rosette Notes	ites								En.			
Nisk #	DESIRED	SALT Btl	Nut.Btl	vol >5 Vol		>10 voi	>20 vol	dup	dnb	Preserved Phyt	\$ P	FA vol vol	Notes/other samples	amples #
1	3		8.00	350 31	3 058	0.58	250				<u> </u>	31	116197K	cp/V4 1
2												********		2
ω												********		ш
4												*********		4
ڻ ا														5
o					0							*******		6
7												*********		7
8														8
9	4 4 9 9 9 9 9											********		9
10										N		*******		10
11												********		11
12					_									12
					i			١						

							(
VESSEL Northwest Explorer 2022	Explorer	2022	CRUISE ID	PRWAD	60-6		PROJECT NBS leg	T & LEG			CTD	CTD FileName	(D		
14						9/6	(note	(note if not	GMT				воттом	STATION	STN.
CID Cast #	2	AIIIUDE		LONGITUDE		DAIE	GA	GMI)	IIme		Suпасе Гетр	emp	DEPIH	NUMBER	NAME/ID
	DEG	NIN	DEG	MIN	. , .	DAY	MO	Ŕ	품	<u>≤</u>	(°C)		(m)		
		Z			€			2 2							
Sensor IDS	(initially a	& swap-outs)	ıts)	Weather:							Ī			CT	CTD MAX. DEPTH
		E													
PRESS S/N				COMMENT:		Difficult conditions,	itions, fa	factors	that ma	y affec	ay affect measurements	rement	익	aid processing	
TEMP 1 &2 SNs								,						ļ	
COND 1&2 S/Ns				r anglins	12 / QV	amolo	5	1000	P012	1 40	S Jost NI	X			
FLUOR SIN	B					-									
02 (SBE43) S/N	Ž,			CM)-02	7 000 la	8	th Here		TOWARY.	ter	de la company de				
Transmiss S/N															
PAR SIN							٠								
O2 SBE42S/N							******	44 44 44 44 44 44 44 44 44 44 44 44 44		**************************************					
	DEPTH	Rosette Notes	tes						9/3		Dan	も			ų
Nisk #	DESIRED	SALT Bil	Nut.Btl	<u>\$</u>	>5 Vol	>10 vol	>20 vol	d GFF	dup	200	erved	FA vol	vol	Notes/other samples	mples #
3	>	542	019	و محدو	350	056	250	77	९ ३६ ६५	0	<	1	6		_
2		•		1				•							2
ω													50,000		3
4	Taylor 10														4
Ch															5
σ															o
7															7
0															8
0															9
9 0			!						_	t		*******			10
9												*****			11
9 0												-		100000000000000000000000000000000000000	

7 6 5	7 6 5	9 8 7 6 5	8 7 6 5	7 6 5	σ υ) U	5	•	4	ω	2	-	Nisk #		O2 SBE42S/N	PAR S/N	Transmiss S/N	FLOOR SIN	COND 182 S/Ns	TEMP 1 82 SNs	PRESS SIN	SBE type and S/N	Senso			CTD Cast #	VESSEL	
					i							0	DESIRED	DEPTH	Z				S/Ns	SNS		NS N	Sensor IDS (initially & swap-outs)		DEG	Cast #	VESSEL Northwest Explorer 2022	(
			I																				illy & swa		MIN	LATITUDE	огег 2022	
						+						020	SALT Btl Nut.Btl	Rosette Notes		7.0							p-outs)	Z	DEG		유	
) } } !	\dagger						250	VOL	G FF			AJMIN A	 	SMS		COMMENT:		Weather:			LONGITUDE	UWBA-0A	
					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							055	>5 Vol		***************************************	1	TALLY SCOTI INS OF LOCIED DE		SULTAILE SCHIPLE		MENT: Diff	**	er:		MIN	JDE		
												057	>10 vol		***	2	ALL TO		P.		Difficult conditions, factors that may affect measurements or aid processing			8	DAY	GMT		
	-									1		250	>20 vol			4	The of the political property) -	1 5000		litions, fa				MO	(note if not GMT)	PROJECT	(
														GFF			L'allo	-	6 proje		ctors tha			2 2	YR HR	f not GMT	& LEG	
													70	>5 Pre	***************************************				4		t may affo				R MIN	e T		
						10						7		Preserved Thu	000000000000000000000000000000000000000	Control of the	to part of		Mased		ect measu				(2°)	Surface Temp	CTD	
		*******		••••••					*******			4.32	Bs FA vol	3	***************************************				2		rements						CTD FileName	
				,								2		e D N A	***	2					or aid pr				(m)	BOTTOM DEPTH		
													Notes/other samples			٠	Her can				ocessing		•		•	STATION		
11		10	9	œ	7	6		5	4	3	2	1		Zisk			-						CTO MAX. DEPTH			STN. NAME/ID		

ons, factors to Sport dup	VESSEL	VESSEL Northwest Explorer 2022	2022	CRUISE ID	NWaa-02		2	PROJECT & LEG	രി			0	CTD FileN:	CTD FileName		
DEG MIN DEG MIN OF IDS (initially & swap-outs) Weather: and SN 2 SNA 2 SNA 3) SN DEPTH Rosette Notes FOR SALT Bit Nut.Bit Voi 3 SA ON ON ON ON ON ON ON ON ON ON ON ON ON O	TD Cast		TUDE		ONGITUDE	GM.	2	note if no GMT)	t GMT] .		Surfa	Surface Temp	-	воттом рертн	-
or IDS (initially & swap-outs) water and SN 2 SNs DEPTH DESIRED DESIRED SALT Bil Nut.Bil OCH OCH OCH OCH OCH OCH OCH OC		DEG	SIN SIN	DEG	MIN	ę.		_			MIN	Mix	\vdash	MiN (°C)	Mix	MiN (°C)
or IDS (initially & swap-outs) and SN 2 SNs 2 SNs 2 SNs DEPTH DESIRED SALT Bill Nut.Bill OAI OAI ASD ASD ASD ASD ASD ASD ASD A			2			8		2	2			-				
AND COMMENT: 2 SNs 2 SNs 3) SN DEPTH DESIRED SALT Bil Nut.Bil O D D D D D D D D D D D D D D D D D D	Sensor ID	DS (initially	& swap-ou	ıts)	Weather:											CID MAX. DEPTH
OMMENT: 2 SNs 2 SNs N N N N N N N N N N N N N N N N N N	SBE type and S/N	_								100						
2 SNRs 2 SNRs N DEPTH Rosette Notes GFF >5 N O M O M O M O M O M O M O M O M O M O M	PRESS SIN				COMMENT	: Difficult c	condition	s, facto	3	that	that may aff	that may affect mea	that may affect measureme	that may affect measurements or a	that may affect measurements or aid proc	that may affect measurements or aid processing
DEPTH ROSETTE NOTES DESIRED SALT BII NULBII VOI 350 350 350 350 350	TEMP 1 82 SNs													•	•	
3) SN DEPTH Rosette Notes GFF >5 Voi >10 voi >20 voi	COND 182 SAS				Surface	e sam	- 1	22	7	E	ar buck	ar bucket, ()	duct,	dut, line	dut, line	dut, line
DEPTH Rosette Notes DESIRED SALT Btl Nut.Btl O3/ 050 350 350 350 350 350 350	- EUON OIL	ĺ			5		\ \ \	7			-					
DEPTH Rosette Notes GFF P5 Vol P10 vol P20 vol P0 PM PN PN PN PN PN PN PN PN PN PN PN PN PN	UZ (SBE43) SIN	1			CUVAC	NAM	- 	7	15	3	5.0					
DEPTH Rosette Notes GFF >5 Vol >10 vol >20 vol	Fransmiss S/N	1											**	•	•	**
DESIRED Rosette Notes SALT Bit Nut.Bit Vol X50 O2 SBE42S/N	1 1				000000000000000000000000000000000000000	***************************************				***************************************						
DESIRED SALT BII Nut.Bii Voi >5 Voi >10 voi >20 voi 3/5 M		DEPTH	Rosette No	les	GE C				2	-	y , ,	Proceedings	Proceedings	<i>F</i> ₀₀	Proceedings	<i>F</i> ₀₀
9m 021 350 350 250 25	Nisk #	DESIRED	SALT Bil	Nut.Bti	1000		10		dub	α,	0	Phyt	Phyt HABs	Phyt HABs FA vol	Phyt HABs FA vol vol	Phyt HABs FA vol
	<u>-</u>	3 FM		021				250		! !!!				✓ 	√ - 3L	J - 3L IL OWAPPUNK
3 4 4 7 6 8 8 10	2			28												
4 5 6 7 8 9 10	3															
5 6 7 7 8 8 9 9	4									1						
6 8 8 9 9 10 10 10 11 1 1 1 1 1 1 1 1 1 1 1 1	5									9						
8 8 9 10 10 10 10 10 10 10 10 10 10 10 10 10	თ															
9 10 10	7															
10	co															
10	9						_			•						
	10									1	2					
	11									1						

10	10	9	_	8	7	σ	n	ن ن	4	ω	2		Nisk #		PAR S/N O2 SBE42S/N	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	TEMP 1 &2 SNs	PRESS SA	SBE type and S/N	Sensor IDS			CTD Cast #	VESSEL	2
												0	DES	DEF	Z	2	SN	SINS	SNS		N/S P	r IDS (in		DEG	ast #	VESSEL Northwest Explorer 2022	(
													DESIRED	DEPTH					Ī	1		itially 8		G	LATI	plorer	
													SALT Btl	Rosette Notes								(initially & swap-outs)		N N	ATITUDE	2022	
						T						660	Nut.Btl	otes	* * * * * * * * * * * * * * * * * * * *		W				V	uts)	z	DEG		CRUISE ID	
					1	†						अङ्	vol	CFF		9	を	2	9	COMA		Weather:			LONGITUDE	1	
-				-		+						25	>5 Vol			Les c	Sup R	SWI WE		MENT: D		er:		N N	UDE	N W B B -	
							-					9	_=10			d	2	4 am	>	ifficult			8		ପ୍ର ଜ	0	
												056	>10 voi			25	क्र	200	4	t cond				DAY	GMT 9/	7 TI	
	-											250	>20 vol			2	9)	3		itions, f				Mo	4	PROJECT	(
											H			GFF	# 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	つか	· popus	00	1	actors			2 2	¥	(note if not GMT)	Γ & LEG	
						<u> </u> 					<u> </u>	ose ose		- F i		w fitered	ج ک	Sa A	-	that m				돐	GMT Time	, ,	
						-						Ö		Pre	***************************************		other Allege	BUCKEY		ay affe				<u>M</u>			
													1	Preserved	***	sequeter	3	1		ct mea	п				Surfa		
												h /	Cart I	Pac	*		ed to	OX XI SEC		surem				င်	Surface Temp	CTD FileName	
	*******	******								*******		1,32	FA vol		**************************************	propre	220	2	-	ents or			,			lame	
				•									vol	eDNA	700 8 0 8 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9		700	,		aid pro				3	BOTTOM DEPTH		
													Notes/other samples			CEMOUING BITE	1200			COMMENT: Difficult conditions, factors that may affect measurements or aid processing					STATION		
	11	10	9	000	7		ת	5	4	3	2	1		Zis		かけた						= CID MAX. DEPTH			STN. NAME/ID	-	(

	11	ō	9	60	7	o	5	4	ω	2		Nisk #		O2 SBE42S/N	PAR SIN	OZ (SBE43) SIN	FLUOR S/N	COND 182 S/Ns	TEMP 1 82 SNs	PRESS SAN	SBE type and S/N	Sens			CTD C	VESSEL	
7											W Q	D	-		V.	a) S/N	Z	2 S/Ns	2 SNs	Z	N/S brie	or IDS (/8 CTD Cast#	:L IWest E	
											***************************************	DESIRED	DEPTH	NEBTH		1	l		1			initially		DEG	Ą	VESSEL Northwest Explorer 2022	
					-						145	SALT Bil	Rosette Notes	Document of the second								Sensor IDS (initially & swap-outs)		MIN	ATITUDE	2022	
											023	ti Nut.Bti	Notes			To Saleston						outs)	Z	DEG		CRUISE ID	
						-				┝	-						S		5			We		"	LONG	D E	
_											0.52		G F				LCDNA		Surface sample	MMEN.		Weather:		MN	LONGITUDE		
											250	>5 Vol					A +		Samp	T: Diffic			8	H			
											250	>10 vol					1		e w	COMMENT: Difficult conditions, factors that m				DAY	GMT DATE		
_					-				-	-	25	>20 vol					DI WATER OF BLANK		Sgall	ditions				MO	ou)	PROJECT NBS leg	
					L						9	100					(20 P			, factor			2	ΥR	(note if not GMT)	CT & LEG	
							•						GFF >5				ant		bucket	s that			2	품	GMT Time		
_	Ğ.									L		P						-	13X	may af				MIN			
												Phyt	Preserved						Orso	fect me					Surf		
						7	İ	7			<	CST CST					d	,	2	asuren				(°C)	Surface Temp	CTD FileName	
	********		••••••					411411	-	*********		FA vol								nents o				\vdash		Name	
											36	vol	eDNA	***************************************						or aid pr				(E)	BOTTOM DEPTH		
											+eDNA bla	Notes/other samples								ay affect measurements or aid processing					STATION		
	September 1										blank							er op y de die man er y no difficulty en die				CID MAX. DEPIH			STN. NAME/ID		'
3	=======================================	ō	9	œ	7	6	5	4	ω	2		#	Nisk	1				the first of the first of				- T			اق ٔ		

12	11	10	9	æ	Ī	7	თ	5	4	ω	2	_	NGX #		Transmiss S/N PAR S/N	02 (SBE43) S/N	FLUOR S/N	COND 1&2 S/Ns	TEMP 1 &2 SNs	SBE type and SA	Sens			CTD	VESSEL	
												0			N/S	3) S/N	2	2 S/Ns	2 SNs	and S/N	or IDS (CTD Cast #	hwest E	
												8	DESIRED	DEPTH				1		1	initially		DEG	Ā	VESSEL Northwest Explorer 2022	
												1	SALT Bit	Rosette Notes							Sensor IDS (initially & swap-outs)		MIN	LATITUDE	2022	
												024	II Nut.Btl	lotes		3				,	outs)	Z	DEG		CRUISE ID	
										1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		250	vol	GFF		-			Children ce	COMMENT.	Weather:		MIN	LONGITUDE	5	
												250	10 A GA					- 4	ce sa	T. Diffi		W	F			
												250	210 001			7%			Samale V				DAY	GMT DATE		
						-						250	>20 00						Samuele With I god	6			MO	(note	PROJECT	
	1											1		GFF				0	2200			2 2	¥	(note if not GMT)	「& LEG	
												1	P	ÇI V					ou chet				HR MIN	GMT Time	<u>.</u>	
												1	Phyt	Preserved		25			et 3x / med			_	Z	Sur		
												<	CYA	To					MED				(°C)	Surface Temp	CTD FileName	
2001							••••••		******	*********	••••••		FA VOI						0180						Vame	
														eDNA					200				(m)	ВОТТОМ DEPTH		
						1		1					Notes/other samples						Geografia					STATION		
<u>.</u>	11	10	9	8	T	7	6	5	4	ω	2	1	ampies #					والمالية والمالية والمالية والمالية والمالية والمالية			=			STN. NAME/ID		

7 8 8	9 8 7	00 7 0	7 0	6	3 D	ڻ ن	4	C	ו מ	2	-	Nisk		02 SBE	PAR SIN	Transmit	FLUOR	COND	TEMP 1	PRESS	SBE type	Sen			CIE	Nort Nort	
											<u></u>			42S/N	~	SS SIN	SN	&2 S/Ns	82 SNs	SN	e and S/N	sor IDS			Cast #	SEL thwest I	
Met of the state o											3	ESIRED	DEPTH			-	1	I				(initially		DEG	LAI	Explore	
83					Ī							SALT B	Rosette I									& swap-		<u>N</u>	TUDE:	r 2022	
											025	II Nut.Bti	lotes								The Control of the Control	outs)	Z.	DEG		CRUISE	
							†				250	vol :	OFF.	CM1-	ナ	つてオ	7	-	Sur	COMM		Weathe		3	LONGITU	D D D D D D D D D D D D D D D D D D D	
					 				1	- 1	250	>5 Voi		200	200	SW TWO			face		č	ä		Z		۶۲	
											750	>10 vol		30ド と	<u>ح</u> ص	2-1) -		Sam	ficult con			×	DAY	9/8 GMT DATE		
	200						+	1	+	_		>20 v		25	14216	MACO	-		(ditions,				Mo	(not	PROJEC	
						-	+		+					3 8 0	07.70	00	- -		9	factors t	0.00		2 2	¥		T & LEG	
												-		かます	2 2	アイプ			5	hat may				\vdash	GMT Time		
	38.35										/	Phyt	Preserve	٩	. (0	100			大され	affect m				Ž	Sur		
														SMEDI		2000	-		SXC	easurem				(°C)	face Tem	CTD File	
******	*******		*******			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								ofer.	-	14 07			in sed	ents or a	Ė			m		Vame	
	-							-								724				id proc	8008						
												otes/other				ナノハマ			A SAND OF THE PARTY AND THE PA	essing					TATION UMBER		
1	1	15	_			1.5										F	no.					CTD MAX. DE			STN.		
												Op 025 250 250 250 250 250 7 1 2	DESIRED SALT Bit Nut.Bit Voi 25 Voi 20 voi 4 tip DEPTH Rosette Notes Ref. Preserved Ref. Preserved Ref. Preserved Ref. Ref	DEFITH ROSERTE NOTES DESIRED SALT BII MILBII OLY OLY OLY OLY OLY OLY OLY O	DEPTH Rosette Notes CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML Attracted Seswater CAN1-A BI ANK W 250 ML ATTRACTED SESWATER CAN1	DEPTH ROSSITE NOTES DESIRED SALT BILL NULL BILL OPEN	DEPTH ROSETTE NOTES DESIRED SALT BEI MULBER OZS ZSD ZSD ZSD ZSD ZSD ZSD ZSD ZSD ZSD Z	13 SAN DEFTH ROSETTE NOTES DESIRED SALT BUI MILBH OZS ZSD ZSD ZSD ZSD ZSD ZSD ZSD ZSD ZSD Z	20806 20806 20806 THE TWO 2-L brown bother fluctor base of nock insent as son CAL-ablank w 250 ml Attract as Esswater DEFTH ROSSIE NOISS OLES 250 250 250 250 250 250 V V V V V V V V V V V V V V V V V V V	COMMENT: Difficult conditions, factors that may affect measurements or aid processing suggested as the second of t	DESIRED SALTER MULBER DESIRED SALTER MULBER DOMMENT: Difficult conditions, factors that may affect measurements or aid processing SUMFACE SAMPLE WILD SQL bulket, 3x Musted CHA-A BIANK WI 250 ML AITWATE OF MCK, MISCAL CHA-A BIANK WI 250 ML AITWATE OF MCK, MISCAL OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 V V V J Z2 T OLM TO 255 Z50 Z50 Z50 Z50 Z50 Z50 Z50 Z50 Z50 Z	Weather: Weather: COMMENT: Difficult conditions, factors that may affect measurements or aid processing COMMENT: Difficult conditions, factors that may affect measurements or aid processing COMMENT: Difficult conditions, factors that may affect measurements or aid processing COMMENT: Difficult conditions, factors that may affect measurements or aid processing COMMENT: Difficult conditions, factors that may affect measurements or aid processing COMMENT: Difficult conditions, factors that may affect measurements or aid processing COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measurements or aid processing AN COMMENT: Difficult conditions, factors that may affect measureme	Or IDS (Initially & swap-outs) Weather: was an an an an an and a swap outs) Weather: COMMENT: Difficult conditions, factors that may affect measurements or aid processing states as a swap of the	DESIRED SALTBUINDES OFF SEVOI 250 250 250 250 250 Vol. 1980 Wolf State of MIN BILL CONTROL OF MIN BILL CON	Cast # LATITUDE LONGITUDE CANT (note final GAT) Time Surface Temp DEPTH NUMBER OF TIME CANT) Time Surface Temp DEPTH NUMBER OF TIME COMP. DEG MIN DEG MIN DAY MO VR HR MIN (C) (m) Weather: Weather: COMMENT: Difficult conditions, factors that may affect measurements or aid processing states with the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the search of the conditions of the condi	Cast # LATITUDE LONGITUDE DAY MO VR IRR MAIN CO (m) DEG MIN DEG MIN DAY MO VR IRR MAIN (C) (m) Tor IDS (Initially & swap-outs) Weather: Wassin DEGTH Reactic Notes DESIRED SALT Bill Nulbill DEGTH Reactic Notes OALT A blank wildling a 250 250 250 AL Altered Sequenced HABE FA vol vol vol (a) DESIRED SALT Bill Nulbill wildling a 250 250 250 250 250 250 250 250 250 250	

VESSEL Northwest 21 CTD Cast #	Expi	Drer 2022 LATITUDE	CRUISE ID	LONGITUDE	9/8 GMT DATE	PROJECT NBS leg		CT & LEG	CT & LEG te if not GMT WR HR	te if not GMT WR HR MIN Surl	te if not GMT WR HR MIN Surl	te if not GMT Time Surface Temp	CTD FileName le if not GMT WR HR MIN (*C) CTD FileName BC BC
			Z		8	2	2						
Sensor IDS	IDS (initially	(initially & swap-outs)	outs)	Weather:									CTD MAX. DEPTH
SBE type and S/N													
PRESS S/N				COMMENT:	Difficult con	ditions, fac	ors th	ן עם	at may af	at may affect me	at may affect measureme	at may affect measurements or aid	COMMENT: Difficult conditions, factors that may affect measurements or aid processing
TEMP 1 &2 SNs	ਲ 			Ship Jus	Sample	0	700		by de	Hucket 3x	bucket 3x sins	bucket 3x sinspe	bullet 3x (insee
COND 1&2 S/Ns	<i>€</i>			1 1			(
FLUOR S/N		W.	N.	PNDS	= 2400/9		H	2	MATER				
02 (SBE43) S/N	2												
Transmiss S/N													
PARSIN													
O2 SBE42S/N				***			***		**************************************	**************************************			*
	DEPTH	Rosette Notes	lotes	GEF.					7.		Descared	Fra.	Fra.
Nisk #	DESIRED	SALT BU	NutBa	vol >5 Vol	Voi >10 voi	>20 vol	dup	<u>a</u> /	ד	up Phyt	Phyt C.	Phyt HABE FA vol	Phyt HABE FA vol
1	ma	445	026	35 aze	036 03	026			_		<	J2	J 3L 1LBankow
2						-							
ω								$\overline{\Gamma}$					
4													
5								1					
თ													
7													
8													
9												0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
10		,						П					
11								1					
25													

(-												
VESSEL Northwes	VESSEL Northwest Explorer 2022	r 2022	CRUISE ID	NWAD-UZ	200	N P	PROJECT &	. & LEG			CTD FileName	lame			
y W						Щ			i						
CTD Cast #		LATITUDE		LONGITUDE	<u> </u>	DATE	(note if not GMT)		GMT Time	တ	Surface Temp	DEPTH		NUMBER	STN.
	DEG	MIN	DEG	MIN		DAY	Mo O	त्रे	Н	MIN	(°C)		Щ		
		z			\$			2 2						-	
Sensor IDS	S (initially	(initially & swap-outs)	uts)	Weather:							,			cr = cr	CTD MAX. DEPTH
SBE type and S/N															
PRESS SIN			Satisfaction (A)	COMMENT:	Difficult conditions, factors that m	conditi	ons, fac	tors th	at may	affect	ay affect measurements	읙	id pro	aid processing	
TEMP 1 82 SNs	1 1														
COND 182 S/Ns	1			ZA NAVY	200	21/2	3	U	000	NO	Circl	3 t	8	X	
FLUOR S/N	1						man in the few testings design and the first mean	-						for faces 1911, the remark of the first remark of the rema	
02 (SBE43) S/N									1						
Transmiss S/N															
PAR S/N															
O2 SBE42S/N	# # # # # # # # # # # # # # # # # # #			***************************************							***************************************				
	DEPTH	Rosette Notes	otes	C.				0	'n			2	2		
Nisk #	DESIRED	SALT Bil	Nut.Btl	vol >5 Vol		>10 vol	>20 voi	dup ?	dub	Phyt	200	FA voi	VO S	Notes/other samples	mpies **
				╫	╬			2			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				-
1	3		027 7	0000	850	920	050				<				
2			7								2	********			2
ω	• • • • • • • • • • • • • • • • • • •					j 1 1 1 1 1 1	• • • • • • •					49424444			ω
4												******			4
نا نا															ن. ن
6		2.													ტ
7	·											********			7
œ	-											*********			œ
မ			-5.									********			9
		=										*******			10
10												*****			
11 10													L		=

12	11	10	9	CO	7	6	Ch	4	ω	2	1	Zisk #		O2 SBE42S/N	PAR SIN	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	COND 182 SAK	PRESS SN	SBE type	Sen			C	VESSEL Northw	
											0			12S/N		NS Sin	43) S/N	SA .	EZ SANS	SA	SBE type and S/N	sor IDS (CTD Cast #	VESSEL Northwest Explorer 2022	
											3	DESIRED	DEPTH			1				ī		initially		DEG	IAT	xplore	
		W									553	SALT Btl	Rosette Notes									Sensor IDS (initially & swap-outs)		MIN	LATITUDE	7 2022	
											228	Nut.Btl	Notes				8 9 1					outs)	Z	DEG		CRUIS	
											250	vo.	GFF							COMMENT:		Weather:			LONGITUDE	CRUISE ID NW22-02	
											ast 0	>5 Vol							WITH I			er:		MIN	JDE .	20-02	
											25	>10 vol				4			2 despe	Difficult conditions, factors			8	DAY	GMT		
								<u> </u>			D 25	>20 voi							2 / 3	nditions,				MO	(not	PROJECT &	
			1								65		GFF	***************************************					5				2 2	¥R	(note if not GMT)	OH & LEG	
									1			10000	či Ci						Backell,	hat may				HR N	GMT Time		
											,	Phyt	Preserved						1110	affect m				MZ	Sur		
											<	GJ HABS	F						3	S				(°C)	Surface Temp	CTD FileName	3
	-400.00100	*******								*******		FA voi voi						- Ambert Chicago (State of State	ents or a				(m)	ВОТТОМ	lame		
						-					Ť		eDNA							or aid processing							
												Notes/other samples								ssing					STATION NUMBER		
12	11	10	9	8	7	6	5	4	3	2	1		Nisk						-			=	200		STN. NAME/ID		

12	11	10	9	∞	7	ō	Ch	4	ω	2	_	NSK #		O2 SBE42S/N	PAR S/N	Transmiss S/N	02 (SBE43) S/N	FLUOR SAN	COND 182 S/Ns	TEMP 1 &2 SNs	PRESS SAN	SBE type and S/N	Sens			CTD	VESSEL	
											3	DESIRED	DEPTH	SN		SN	3) S/N	z	SINS	2 SNs	Z	and S/N	Sensor IDS (initially & swap-outs)		DEG	CTD Cast #	VESSEL Northwest Explorer 2022	
								1 10										ř					Illy & s	H	Z	LATITUDE	orer 20	
į												SALT Btl	Rosette Notes							33	33		wap-ou	z	MIN	E		
											29	Nut.Btl	es						i.				ts)		DEG		CRUISE ID NW 12-01	
											250	VOI	GFF				24			5	COMP		Weather:			LONGITUDE	S S	
							<u> </u>	+			250	25 VOI	LESA .		1					wrta!	COMMENT: [er:		N N	UDE	2-0	
											Ø				97						Difficu			8			7	:
											250	104 01.0							9	a maly c	ılt cond				DAY	GMT DATE		
											150	10A 07c								2	Difficult conditions, factors that				MO	(not	PROJECT	
											ט										factors			2 2	¥	(note if not GMT)	T & LEG	
				12.000	1	+		+				<u>a</u>	GFF >5				er ar d'il dell'alterna chassille ar alternation			414					퓼	GMT Time	0	
					-	ł						up Phyt							,	+ 3/	າay affe	H			MN.			
													Preserved				o			Z X	ct mea					Surfa	C	4
											ر د	Cyt	F6.							X C.	surem				(°C)	Surface Temp	CTD FileName	700
*****		********							********		4 .32	FA VOI									ents or						lame	
					1							lov	eDNA								aid pr				(m)	BOTTOM DEPTH		
												Notes/other samples			•						may affect measurements or aid processing]		STATION NUMBER N		
12	=	10	9	80	7	6	5	4	ω	N	<u> </u> -		Nisk										=			STN. NAME/ID		

3	11	10	မှ	œ	7	o	5	4	ω	2	_	NISK #		O2 SBE42S/N	PAR S/N	Transmiss S/N	FLUOR S/N	COND 182 SANS	TEMP 1 &2 SNs	PRESS SN	2011	0000		e Nie	CTD	VESSEL	
											03	DESIRED	DEPTH	ZSM		S S/N	2	2 S/Ns	2 SNs	2 8000	c	Sansor IDS (initi		DEG	2S CTD Cast #	VESSEL Northwest Explorer 2022	
												E					Ī	Ī			ally or	ally &			LATITUDE	orer 2	
												SALT Bil	Rosette Notes					8	8		(minany a swap-ous)	-dema		MN.	UDE	022	
											30	ti Nut.Bii	Votes			1				10 To 10 To	Jum	oute)	Z	DEG	W.	CRUISE	
											250	vol	G FF			£	3		Swifuc	COMMENT:	AACUTICI.	Waathar		MIN.	LONGITUDE	CRUISE ID NW 22-0	
								254			250	>5 VOI		***************************************		219 6						•	8	2	m	0 12	
											250	SOV DES		174		12071	Blank	•	Sam the w	ult cond				DAY	GMT DATE		
											250	>20 VOI		***************************************		rt	3	C	1500	Difficult conditions, factors				MO	(note if not GMT)	PROJECT NBS leg	
											260	dup	or Fr			The T	7 60		Ź	ctors th			2 2	¥		& LEG	
											250	٥	Š,			77	7		July +	at may a	ŀ			HR MIN	GMT Time		
												Phyt	Preserved				; / tru		254	iffect m				Z	Sur		
											7	CAT	ダン				20		13%	that may affect measurements or aid processing	ľ			(°C)	Surface Temp	CTD FileName	
	100010011	*******		*******	******					*******		FA VOI					Scauster		May - May 40 - 44 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4	ents or						lame	
											36	-	eDNA				(CIEFE			aid pro				(m)	BOTTOM DEPTH		
												Notes/other samples					The second	,	And the first of t	cessing					STATION		
<u></u>	11	10	9	8	7	6	5	4	3	2	1	samples #		+								CTD MAX. DEPTH			STN. NAME/ID		

.

Î	=	ō	9	œ	7	6	•	රා	4	ω	2	-	ZISK N		O2 SBE42S/N	PAR S/N	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	COND 182 S/Ns	TEMP 1 87 SNs	SBE type and S/N	Sens			CTDC	VESSEL	
												Om	DESIRED	DEPTH	Sin		SAN	J) S/N		SINIS	1	and SAV	Sensor IDS (initially & swap-outs)		DEG	ast#	VESSEL Northwest Explorer 2022	
												655	SALT Btl	Rosette Notes							8		& swap-o		MIN	LATITUDE	r 2022	
						Ī						3)	Nut.Btl	otes					11				uts)	Z	DEG		CRUISE ID	
												250		GFF		ŧ	¥e.				7	COMMENT	Weather:		MIN	LONGITUDE	W22-02	
												250	>5 VOI								Tillo	T. Diffica	:	×				
												250	lov üts				W.			3 dimpe	1100101	d+ condit			DAY	GMT DATE	Z 7	
												250	>20 voi								Jones, Ide		gr.	2	MO	(note if not	PROJECT &	
													1000	G F						C	1000	*	-	2	- XR - HR	not GMT Time	& LEG	
						-	-						dup Phyt							2	liay all			k	MIN	e T		
						_								Preserved						1	CO HIGGS				(°C)	Surface Temp	CT	
		•••••						,,,,,,	*****			<u> </u>	ABs FA vol	I t						1 1 310					<u> </u>	Temp	CTD FileName	
														eDNA							י מומים				(m)	BOTTOM DEPTH	ō	
													Notes/other samples								Principle in the second management of an processing					STATION		200
	11	10	9	8	7	6		תט	4	3	2			Zink										CTD MAX DEPTH		STN. NAME/ID		

•

	11	10	9	œ	7		on	ហ	4	ω	2	_	NISK #		02 SBE42S/N	PAR SIN	Transmiss S/N	O2 (SBE43) S/N	FLUOR SAN	COND 1&2 S/Ns	TEMP 1 &2 SNs	PRESS S/N	SBE type and S/N	Sens			CTD	VESSEL	
												20	DE	DE			NVS	3) S/N	Z	SNS	2 SNs	Z		Sensor IDS (i	_	ю	27 CTD Cast#	VESSEL Northwest Explorer 2022	(
												7	DESIRED	DEPTH	HTG			ì						nitially 8		DEG	LAT	cplorer	
													SALT Bu	Rosette Notes	Rosette N									(initially & swap-outs)		MIN	LATITUDE	2022	
												34.	H Nut.Btl	lotes	otes									outs)	Z	DEG		CRUISE	
												250	vol	GFF							5.,	COMMENT:		Weather:		MIZ	LONGITUDE	CRUISE ID	
								1 1 1 1 1 1 1				250	0 4 G	4							JANGE !	NT: Diffic		.a	8	Z	m	70	
							Ì				00.79.0-0	250	NO DIO							,	Samak	Difficult conditions, factors				DAY	GMT DATE	Z TI	
					-							250	10A 07c	ś							100	tions, fac			In adding a separate separate	M O	(note if not GMT)	PROJECT NBS leg	(
												250	dup	GFF							N	tors th			2 2	∌		& LEG	
												250	- 0	Ç			•	1			1	that may a				HR MIN	GMT Time		
												7	Phyt	Preserved							bucke	affect m				Z	Su	ł	
												<	Capt	193							7	affect measurements				(°C)	Surface Temp	CTD FileName	
*****					*****					*********		4 . 32	FA VOI								Thursd.	악						Vame	
													vol	eDNA							W X	aid				(m)	BOTTOM DEPTH		
	f p p p p p p p p p p p p p p p p p p p									0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			Mores/outer samples		0 7 4 0 0 0 7 4 0 0 0 7 4 0 0 0 7 4 0 0 0 0							processing					STATION		
																								= CIU MAX. DEPIH			STN. NAME/ID		
3	=	6	9	∞	╚	4	თ	5	4	ω	N		#	Nisk													₿.		

10	10		9	α	7	6	51	4	ω	2		NiSK #		O2 SBE42S/N	PAR S/N	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	COND 182 S/Ns	TEMP 1 82 SNs	SBE type and SN	Sensor IL			CTD Cast #	Northwes	
											O m	DESIRED	DEPTH		1						1	Sensor IDS (initially & swap-outs)		DEG		Northwest Explorer 2022	
											17	SALT Bti Nut.Bti	Rosette Notes									& swap-ou	2	MZ	LATITUDE	r 2022	
											27	Nut.Btl	otes									ıts)	Ī	DEG		CRUISE	
The state of the s											250		GFF					e DWA		5 n-6	COMMENT.	Weather:		NIZ	LONGITUDE	CRUISE IDW 22-02	
											250	>5 Vol											×			Ä	
											250	>10 vol			E,			lank=		cample and	ondii		_	DAY	GMT DATE	Z T	
118 DECEMBER 1888											250	>20 voi						1 1 1		cample of 5 an	ions fac		2	MO	(note if not GMT)	NBS leg	
												dup	er Fr	,				m I		7			2	- A H	not GMT Time		
-		24										-	čit					water		- 3				MIN			
										CHARLES MAN		Phyt	Preserved							7 2 2					Surf		
									***************************************		<	Cy HAB	不是							PACKT CX				(°C)	Surface Temp	CTD FileName	
	140400000	*******	********					******		*******		FA vol							į	2	2			-	\vdash	lame	
							L	L			32		eDNA							2 P			L	(m)	BOTTOM DEPTH		
												Notes/other samples								S X Salah					STATION NUMBER		
	11	10	9	œ	7	6	5	4	ω	2			Nisk									"	CTD WAY DEPTH		STN. NAME/ID		

	1	10	9	Ç00	7	თ	Cī	4	ω	2	1	NISX #	Z.	O2 SBE42S/N	PAR S/N	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	COND 182 S/Ns	TEMP 1 &2 SNs	DRESS SA	2	Sens			CTC	Northw	VE CC	
														42S/N	. –	N/S S	43) S/N	NS	82 S/Ns	&2 SNs	DRESS SIN		Sensor IDS (CTD Cast #	Northwest Explorer 2022	ň	(
											On	DESIRED	DEPTH				Ì				1	manny	initially		DEG	LAT	xplore		
										91.8.5	ahs	SALT Bil	Rosette Notes									dans.	(initially & swap-outs)		MIN	LATITUDE	2022		
		1 = 1									31	I Nut.Btl	iotes									Jum,		Z	DEG			CDI IIO	
											251	vol	OFF F		<u> </u>					S	COMMENT	44000	Weather:		M	LONGITUDE		5	
											250	10 A G	/n 4	0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4						~/fau	ENT: Diff		ä	×	MIN	유			
										C T	250) OV 010	4		ļ				114		Difficult conditions, factors that may affect measurements			<_	DAY	GMT DATE			
-											25	20 VO	ś	4 a 0 4 a 0					Č	, E	ditions f				OW	(note GA	NBS leg	. Jan (188	(
								-			a		GFF							5	actors th			2 2	Ϋ́R	(note if not GMT)	- G	0 10	
												dup							2		at may a				HR MIN	GMT Time			
			• • • • • • • • • • • • • • • • • • •									Phyt	Preserved							6	ffect me				Н	Surf			
											7	S. HARBS	T)						,	です	asurem				(00)	Surface Temp			
									4. 4524 2434			ra voi voi		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	đ _i						익				(m)	BOTTOM DEPTH			
	<u> </u>												eDNA						2	N	aid proc								
												Notes/other samples			Œ.					C	nrocessing					STATION NUMBER			
														6 8 8 9 9 9 9 9 9					,				CTD MAX. DEPTH			STN. NAME/ID			
<u>3</u>	=	6	9	œ	7	ი	5	4	ω	2		#	Nisk		1								HE			ō			

	11	10	9	8	7	6	G	4	ω	2	-	Nisk #		Sensor IDS SBE type and SM PRESS SM TEMP 1 &2 SNs COND 1&2 SNs COND 1&2 SNs COND 1&2 SNs PLUOR SN 02 (SBE43) SN Transmiss SN	30 CTD Cast #	VESSEL Northy
											0	DES	DE	[ŭ		VESSEL Northwest Explorer 2022
											3	DESIRED	DEPTH	ittally &	LATI:	plorer
												SALT Btl	Rosette Notes	(initially & swap-outs)	LATITUDE	2022
						T		1000			35	ti Nut.Bti	lotes	outs)	DE C	CRUIS
						\vdash		H			2		<u> </u>			CRUISE DW22-02
					-						250 3		GFF ——		LONGITUDE	22-0
											250	>5 Vol				22
											250	>10 vol		Difficult conditions,	GMT DATE	
				-		T		H			25	>20 vol			(not	PROJECT & LEG
						L		L		-	50 25		O FI	factors that m	(note if not GMT)	T & LEG
											5;		rii V	2 2 2 stors that ma	GMT	
						H		H			0 6	Phyt	Prese	ay affect	Š	
						L		L						ect meas	Surface Temp	CH
-											4	HABS FA vol	Theo	× × ×	Temp	CTD FileName
		,,,,,,,,	<u> </u>								32		eDNA	or s	ВОТТОМ	ne
						┞		-					-	uid proce		•
					1							tes/other		processing	STATION	
												Notes/other samples		CTD MAX. DEPTH	STN. NAME/ID	- 1
3	11	1 0	9	œ	7	6	5	4	ω	2	-	#		DEPTH	N.	

PROJECT & LEG NBS leg ODE GMT (note if not gMT) Ther: W DATE DATE DATE MENT: Difficult conditions, factors the surface of the surface	LEG LEG Time YR HR HR 2 2	Surface Temp MIN (°C) may affect measurements	may affec
		Surface Temp MIN (°C) may affect measurements	CTD FileName BOTTOI Surface Temp DEPTH (°C) (m) may affect measurements or aid

VESSEL Northwes	VESSEL Northwest Explorer 2022	r 2022	CRUIS	CRUISE ID W 22 -02	02		PROJECT & LEG	CT & LE			0	CTD FileName	ame		
CTD Cast #		LATITUDE		LONGITUDE	m	GMT DATE	(not	(note if not GMT)	GMT Time		Surfac	Surface Temp	BOT DE	BOTTOM	STATION
	DEG	<u>₹</u>	DEG	1 1	Z	DAY	MO	YR	돐	<u>S</u>		(ငိ)	<u>-</u>	Ц	
32			Z		8	<	his consequence of	2 2							
Sensor IDS		(initially & swap-outs)	outs)	Weather:											
SBE type and S/N			Wild William											5	
PRESS S/N				COMMENT:		Difficult conditions,		factors	that m	ay aff	ay affect measurements	sureme		or aid processing	cess
TEMP 1 &2 SNs			W.T	Sur		Samer				F 33	17	- 1 2 Cr			
COND 182 S/Ns					- 1	1		0							
FLUOR S/N				T NOTE OF THE PARTY OF THE PART											
02 (SBE43) S/N															
ransmiss S/N							,								
PAR S/N															
O2 SBE42S/N															,
	lii														
	DEPTH	Rosette Notes	Votes								September 1				
Nisk #	DEPTH	Rosette N	ti Nut.Bii	GFF VOI	10 A S<	>10 vol	>20 vol		GFF >5	В	Prved	0	FA vol	eDNA vol	Votes/c
Nisk #	DEPTH	Rosette I	ti Nutes	GFF voi	>5 Vol	>10 vol	>20 v			0	Peve e	4	200000000000000		Votes/c
Nisk #	DEPTH DESIRED	Rosette I	Wotes	GFF vol	>5 Vol	>10 vol				В	Prved	4	22222222222222		Notes/other samples
2 1 Nisk #	DEPTH DESIRED	Rosette SALT B		GFF voi	>5 Vol	>10 vol				0	Dev.	4	225125704223425		Votes/c
3 2 1 Nisk #	DEPTH DESIRED	Rosette SALT B		GFF vol	>5 Vol	>16 vol					Neg .	4	200000000000000000000000000000000000000		Votes/
4 3 2 1 Nisk #	DESIRED DESIRED	Rosette I SALT B		GFF vol	>5 Vol 250	>10 vol					. Ned	4 2	2016 (ALC) (ALC		Votes/
5 4 3 2 1 Nisk #	DEPTH DESIRED	Rosette I SALT B		GFF vol	>5 Vol	>10 vol					Type Type Type Type Type Type Type Type		2000 000 000 000 000		Votes/
6 5 4 3 2 1 Nisk #	DESIRED	Rosette SALT B		GFF vol	>5 Vol 250	>16 vol				7	Dev Properties	4 6 7			Votes/
7 6 5 4 3 2 1 Nisk #	DESIRED DESIRED	Rosette I		15 o	>5 Vol 250	>10 vol					May and a second secon	4 2			Votes/
8 7 6 5 4 3 2 1 Nisk#	DESIRED OM	Rosette I SALT B		AS D	>5 Vol	>10 vol					Typed Pryed		200000000000000000000000000000000000000		Votes/r
9 8 7 6 5 4 3 2 1 Nisk#	DEPTH DESIRED	Rosette I		GFF vol.	75 Vol 75 20	>10 vol					Ned .				Votes/
Nisk # Nisk # 10	DESIRED ON	SALT B		GFF vol	25 Vol 250	2.5 d					Ned .	4 6 7			Votes/
11 10 9 8 7 6 5 4 3 2 1 Nisk#	DESIRED	Rosette I		15 o GFF	25 Vol 250	>10 vol 2.5 ∂					The state of the s				Votes/c

3 = =	10	9	00	T	7	6	ڻ.	4	ω	2	_	NISK #		02 SBE42S/N	PAR SIN	Transmiss S/N	02 (SBE	FLUOR S/N	COND	TEMP !	PRESS SAN	SBE typ	Sen	()	J	СП	Nort	7
			T	-)			42S/N	2	SS S/N	02 (SBE43) S/N	SN	COND 182 S/Ns	TEMP 1 &2 SNs	SN	SBE type and S/N	sor IDS	00	ņ	CTD Cast#	SEL thwest	
				-							3	DESIRED	DEPTH		1 1		1						(initially		DEG	<u> </u>	VESSEL Northwest Explorer 2022	
Ī		 	İ	-								SALTB	Rosette Notes										Sensor IDS (initially & swap-outs)		S Z	LATITUDE	r 2022	
								 			36	SALT Bti Nut.Bti	Notes		24								outs)	Z	DEG		CRUISE ID	1
			t	-							250	lov	GFF		· ·					50	COM		Weather:			LONGITUDE	72	
	+	* * * * * * * * * * * * * * * * * * *		-				+	P P P P P P		250	10 A Gc								200	MENT: Di		er:		ME	DE	02	
			1							<u> </u> 	2	IOA DLC								Samola	fficult c			8	DAY	GMT DATE	+	
	1	1	_	-				_	_	L	22									3	onditio				MO		PROJE(┨
											250	>ZU VOI								15	າຣ, facto			2	╀	(note if not GMT)	₩ 27 &	
				1							250		GFF :							3	ors that			2	YR HR	ot GMT	LEG	
											250	70	-5<							N.	may af				MIN			
	l										7	Phyt	Preserved							accepted	fect me				T	Surfa		
							***************************************				<	(yt								47.74	asurem				(°C)	Surface Temp	CTD FileName	
 			*******	- 1	*******			** ******		••••••	4,32	FA VOI								N	ents or				\vdash		Vame	
												vol	eDNA							*	aid pro				(m)	BOTTOM DEPTH		
									***************************************			Notes/other samples		111111111111111111111111111111111111111							COMMENT: Difficult conditions, factors that may affect measurements or aid processing		nc			STATION		
1-		10	-				105		100														CID MAX. DEPIH			STN. NAME/ID		
1 1 1	10	9	œ	1	7	თ	Ch	4	ω	2		#	Nisk	1	12								"			-		

12	=======================================	10	9	œ	7	C	ס	υ	4	ω	2	-	NISK #		OZ SBE4ZS/N	PAR SN	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	COND 1&2 S/Ns	TEMP 1 &2 SNs	PRESS SN	SBE type and S/N	Sens			CTD C	VESSEL
												Om	DESIRED	DEPTH			SIN	43) S/N	ž	k2 S/Ns	12 SNs	¥	and S/N	Sensor IDS (initially & swap-outs)	-	DEG	ast #	VESSEL Northwest Explorer 2022
									64				SALT Btl Nut.Btl	Rosette Notes	Rosette No					XS-21		S. 100 CO. 100		/ & swap-or	Z	MIN	LATITUDE	er 2022
												39	Nut.Btl	otes	tes									uts)		DEG		CRUISE ID
												250 2	- Yalliy	GFF				- LINA			5-11-6	COMMENT:		Weather:		MIN	LONGITUDE	SEID NW22-02
												50 250	>5 VOI >10 VOI			•		200							8	DAY	GMT	
						+						0 25	VOI >2U VOI					<u> </u>			2	Difficult conditions, factors that may affect measurements or aid processing		II		MO		PROJE(
												0	- 386	GFF				L D3		C	5	factors t			2 2	Ϋ́R	(note if not GMT)	PROJECT & LEG
													dup	ÇJ V				200) bucket	hat may a				HR MIN	GMT Time	
														Preserved							Kit / mad	ffect meas					Surface Temp	CT
		**********										<u> </u>	Cyl PA VOI	22		12.5	5	Channed			L L X	urement				(°C)	Temp	CTD FileName
												36		eDNA	***************************************		1	70				s or aid p				(m)	BOTTOM DEPTH	O O
													Notes/other samples		***************************************			water brand				ocessing					STATION	
13	1	10	9	8	7	c	n.	σı	4	ယ	2	1		Nisk			(Ī		= CTD MAX. DEPTH			STN. NAME/ID	

.

VESSEL		CRUISE	ָּס - 			PROJECT & LEG	& LEG			CTD	CTD FileName		
Northwest Explorer 2022			NW22-07	7		NBS leg_			-			,	
GTD Cast # I AT	ATITUDE		ONGITUDE		GMT	(note if not		GMT	· · ·	Surface Temp	3	BOTTOM	STATION
DEG	MIN	. DEG	MIN		DAY	MO	Ř		MIN	(°C)		(m)	
		Z		8			2 2						
Sensor IDS (initially	(initially & swap-outs)	uts)	Weather:										
SBE type and S/N													
PRESS SIN			COMMENT:		Difficult conditions,		factors t	that may	affect	measur	ements	affect measurements or aid processing	rocessin
TEMP 1 &2 SNs	W THE		5	ing And	S 624	7 7 /2	10	S		Ju 1/	7	アランツ	X X
COND 182 S/Ns							**	Q					
FLUOR S/N													
02 (SBE43) S/N	STATE OF												
Transmiss S/N													
PAR SIN													
O2 SBE42S/N												***************************************	***************************************
DEPTH	Rosette Notes	otes					n n		P	Z)		DNA A	
Nisk # DESIRED	SALT Btl	Nut.Btl	771	>5 Vol	>10 vol	>20 vol	dup	dub	Phyt		FA vol	- 4	Notes/other samples
- Om	552	90	250 :	250	250	250)			<			
2					1					1			
ω													
4													
Sh.													
6											******		
7											********	Oliven	
8													
9													
							_				••••		
10							L						
10							_						

VESSEL Northwest Explorer 2022	Explore	2022	CRUISE ID	~W22.02	2.02		PROJEC	77 & L	E E			CTD FileName	ame		
34 CTD Cast #	ΓΑΤ	LATITUDE		LONGITUDE	JDE .	GMT		(note if no: GMT)	t GMT		Surf	Surface Temp	BOTTOM		STATION
	DEG	<u>M</u>	DEG	1 1	NIN	DAY	MO	Ϋ́R		M	\vdash	(°C)	(m)		
			Z			8		2	2						
Sensor IDS (initially & swap-outs)	(initially	& swap-	outs)	Weather:	e .										
SBE type and SM															
PRESS S/N		M 55		COMMENT:		Difficult conditions, facto	ndition	s, facto		may af	fect me	rs that may affect measurements	nts or aid	d proc	processing
TEMP 1 &2 SNs					シーデー	Samo	5	w) (IJ١	5	buck,	*	2	W	
COND 182 S/Ns								,	C			`	ļ		
FLUOR S/N	1			Ch	9	NA LO	2	2	502	オ	100	5	2	12	C-1-1
02 (SBE43) S/N								•							
Transmiss S/N			The state of the s												
PAR S/N															
O2 SBE42S/N				1											
							7								
とうが 比一	DEPTH	Rosette Notes	Notes				7				neserved.	File	2000		
	DEPTH	Rosette SALT E	losette Notes	vol GFF	>5 V _O I	>10 voi		>20 vol	GFF >	dup P	Preserved Phyt	ST HADE	FA vol eDh	5	Notes/other samples
	DEPTH DESIRED	Rosette	Notes Nut.Btl	GFF voi	V	>10	0		2	S B B	reserved	C G AN	A)	· ·	otes/other
	DEPTH DESIRED	Rosette SALT E	Notes Nut.Btl	GFF voi		¥10	0		2	3 9	hyt	C STAR	A)	· · · · · · · · · · · · · · · · · · ·	otes/other
	DEPTH DESIRED	Rosette SALT E	Notes Nut.Btl	! ! \ \ \ \ \ \ .	V	¥ 10	0		2	8 9	hyt	C SA BR	i N	j	otes/other
	DEPTH	Rosette	Notes VIII Notes	! ! ~ W .	v	7 70	a		2	2 P	neserved hyt	C ST RE	A) Discontinuo	j	otes/other
	DEPTH	Rosette SALT E	Notes Nut. Bul	! ! ! ! ! ~ ((((((((((((((((((N 10	0		2	9 9	hyt hyt	C GT TABE	i A	, i	otes/other
	DEPTH	SALT E	Notes Nut.Btl			N 3	0		2		hyt	C GAT THAT	iA)	j	otes/other
	DEPTH DESIRED	Rosette SALT E	Notes Nut. Btl	! ! ! !~ < \(\O\)	V V	2 4	O		2	9 3	hyt	C G AND	N DESCRIPTION	j.	otes/other
	DESIRED	Rosette	Notes St. Bu	! ! ! !\^ < \G !		>10					hyt reserved	ST HABS	i\timesi\timesi	j	otes/other
	DESIRED	Rosette SALT E	Notes Nut. Bu	! ! ! ! ! ! ! ! ! ! . . .		2 ¥0				9 9	nyt reserved	GAT THAT	L I I I I I I I I I I I I I I I I I I I	<u> </u>	otes/other
	DESIRED	Rosette SALT E	Notes Nut.Btl			2 46					hyt	C GAT HADRE		<u> </u>	otes/other
	DESIRED	Rosette SALT E	Notes Vut. But	! ! ! ! ! ! : :		2 3					hyt	C G AND	A DESCRIPTION OF THE PROPERTY		otes/other

12	1	10	9	æ	7	6	O1	4	ω	2	-	NISK #		Sensor ID SBE type and SIN PRESS SIN TEMP 1 &2 SINs COND 1&2 SINs FLUOR SIN 02 (SBE43) SIN PAR SIN	W	CTD	VESSEL
											0			Sensor IDS (initially & swap-outs) BE type and SN RESS SN RESS SN EMP 1 &2 SNs COND 1&2 SNs CUOR SN 22 (SBE43) SN Fransmiss SN FAR SN	.44	37	VESSEL Northwest Explorer 2022
)	DESIRED	DEPTH	nitially &	DEG	LATI	xplorer
						11						SALT Btl	Rosette Notes	swap-	MIN	LATITUDE	2022
											42	ti Nut.Btl	lotes	outs)	DEG		CRUISE ID
											250		GFF	Weather:	MIN	LONGITUDE	ID NW22-
											250	>5 VOI			8		22-02
											250	>10 voi		Difficult conditions,	DAY	GMT DATE	
											250	>20 voi	ś	itions, f	MO	(note	PROJECT
											0		GFF	factors that n	YR 2 2	(note if not GMT)	T & LEG
													čh	hat may	五	GMT Time	
												Phyt	Preserved	affect	MZ.	(0	
											7	Cyt Cyt	점	nay affect measurements or aid processing of bucket, runsed 3x of the of water from ship. The thing bucket of the next DI water (was the next	(°C)	Surface Temp	CTD FileName
	101702001	********						*******			31	FA voi voi	eDNA	ents or aid p	(m)	BOTTOM DEPTH	ame
		-										Notes/other samples				STATION	
13	11	10	9	80	7	6	5	4	3	2	1		Nisk	DI wax DEPTH		STN. NAME/ID	

11 10	10		9	00	7		ຫ	5	4	ω	2	-	Nisk #		O2 SBE42S/N	PAR S/N	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	COND 182 SANS	TEMP 1 &2 SNs	PRESS SN	SBE type and S/N	Senso			CTD Cast #	VESSEL Northw	
												Om	DESIRED	DEPIH	N	٨	N.	SN		SAK	SNS		N/S PA	Sensor IDS (initially & swap-outs)	_	DEG	ast #	VESSEL Northwest Explorer 2022	
						+						55			000000000000000000000000000000000000000									illy & swaj		S.IX	LATITUDE	rer 2022	
						+						SH 3	SALT Btl Nut.Btl	Rosette Notes										o-outs)	Z	DEG		CRUIS	
						+						250	vol	GFF GFF							for 9	COMMENT:		Weather:		_	LONGITUDE	CRUISE IDW 22-07	
						†						250	>5 Vol											313	8	MIN	Œ	-03	
												250	>10 vol			Ţ.				- 9	Sam di	Difficult conditions,			_	DAY	GMT DATE		
						1						250	>20 vol													MO O	(note if not GMT)	PROJECT & LEG	
	3												dup							C	امو	factors that			2 2	YR HR	not GMT	R LEG	
													•	>5 Pa							by hit	may affe	2000			MIN			
						1						7		Preserved P							Clase	that may affect measurements				(°C)	Surface Temp	CTD	
	100001001	10050000					******	********	********		*********		Be FA vol	The .							XSX	rements						CTD FileName	
														eDNA								익	100 Teles			(m)	BOTTOM DEPTH		
											6		Notes/other samples									aid processing		# <u>Q</u>			STATION		
	11	10	9	CO	7] c	D)	СI	4	ω	2	<u> </u>		Z							45-40			CTD MAX. DEPTH			STN. NAME/ID		

12	1	10	9	œ	7	σ	Ch	4	ω	2	-	ZISK #		O2 SBE42S/N	PAR S/N	Transmiss S/N	02 (SBE43) S/N	FLUOR S/N	COND 182 S/Ns	TEMP 1 &2 SNs	PRESS S/N	SBE type and S/N	Sens			CID	VESSEL	1
										Ī	an B	DESIRED	DEPTH	SN		S/N	3) S/N	2	2 S/Ns	2 SNs	Z	and S/N	Sensor IDS (initially & swap-outs)		DEG	39 CTD Cast #	VESSEL Northwest Explorer 2022	
											3	RED											tially &		<u>ဂ</u>	LATITUDE	olorer 2	
												SALT Bil	Rosette Notes										swap-o		ME	UDE	2022	
											44	Nut.Bd	otes		1								uts)	Z	DEG		CRUISE ID	-
											250	voi	GFF							^	COMMENT:		Weather:		MIN	LONGITUDE	W12-6	
						Ī					250	NO AOI		***************************************						w.Fall			ה	×	Z	Ĭ	3	
											250	IOA DLA			1					Som de	Difficult conditions, factors that m				DAY	GMT DATE		
		-									25	220 ADI								7	litions, fa			dindinders ville Wesle	MO	(note if n GMT)	PROJECT	
											0 250	1	GFF	***************************************						5	actors t			2 2	YR	Q.	- & LEG	
											250	du	 ≻g.	***************************************					C	120	hat may				픘	GMT Time		
											7	Phyt	Preserved							2	affect			H	M N	S		
						-					<	Ct.		-						wikit,	ay affect measurements				(°C)	Surface Temp	CTD FileName	1
											4.32	FA VOI								412514	ments o				+		eName	
											2		eDNA							1	or aid pa				(m)	BOTTOM DEPTH		
					9 9 9 9 1 1 1 1 1 1 1 1							Notes/other samples								×	processing		" 5		-	STATION		
12	11	10	9	8	7	6	ហ	4	3	2	1	#											=			STN. NAME/ID		

COMMENT: Difficult co						E	S E	S BH	S Bu	S EE	<u> </u>	S Bull	S BE		S E	S Bu Bu	S E
cult conditions, factors that may affect measurements or aid processing	COMMENT: Difficult conditions, factors that may affect measurements or aid processing	cult conditions, factors that may affect measurements or aid processing Seem A. W. S. J. Bucket, Fine 3x blank w. It. Df wake (used the new borns)	cult conditions, factors that may affect measurements or aid process Sam M. W. Sad bucket, Visual 3x blank w/ 11 Df wake (used the new 1	cult conditions, factors that may affect measurements or aid proces Sam A W S S Bukkt Fried 3x blank w/ 12 Df wakt (was the new)	cult conditions, factors that may affect measurements or aid proce Sam A: W/ S gd bucket, Visual 3x blank w/ 12 Df wake (used the new DE water) GFF >5 Preserved Rw BDNA	cult conditions, factors that may affect measurements or aid processing Sam A. W. S. D. Wake (w.c.d. the Masser Samples) >10 vol >20 vol GFF >5 Preserved HABs FA vol vol Notes/other samples	cult conditions, factors that may affect measurements or aid problems of the p	cult conditions, factors that may affect measurements or aid pro Sam A. W. S. D. Wake (used Habs FA voi voi dup dup Phyt 250 750 GFF of Preserved Habs FA voi voi voi sol	cult conditions, factors that may affect measurements or aid pro	Sam A W S S Bucket, Vised the new Start of aid prosents or aid prosents of aid	Sam A W S 3 bucket, Vised the productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may affect measurements or aid productions, factors that may be a factor of the factor o	Sam A W S D wake (used the measurements or aid pro Sam A W S D wake (used the measurements or aid pro Sam A W S D wake (used the measurements or aid pro Blank w	Sam A W S 3 bucket FA vol eDNA 250 750 GFF S Preserved HABs FA vol vol GFF S Phyt GR W	Sem M. W. S. D. Wake (used the new surements or aid problems). Sem M. W. S. D. Wake (used the new surements or aid problems). Sem M. W. S. D.	Sam A. W. S. D. Wake (used the Park) >10 vol 20 vol GFF dup dup Phyt GFF Vol vol 3 C	Sam A. W. Sad bucket, Visual the new surements or aid pictured blank will blank bucket, Visual the new solutions, factors that may affect measurements or aid pictured blank will blank bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, Visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bucket, visual the new solutions and pictured blank will be a bu	Sam A W S B Wake (used the new strength or aid p blank w) L Df wake (used the new strength of the new stre