30 July 97

RECORDS PAI TEMP TWICE (NO SEC TEMP IS RECORDED)

12	11	10	9	α	7 0		6	_ອ	A N	3 /0	2	- ji	Pos. DE		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN SBE 9PLUS 09P6012-0256	A	0015	-	CONSC CAST	VESSEL OSU R/V WECOMA
0	JI —	Ó	رن *	<u>ာ</u>	スつ	C		บรด	パ ク つ	900	かがつ	য় ০ ০	무무 무무		SN	NS	S	SN	\$0130 \$	S 09P601	CTD	529	DEG M	LATII	/ECOMA
						:		100					PRESSURE		1030	31384	1041	31371	92843	2-0256	77.4000	N 18 8 11	MIN	LATITUDE	
					-	 					I	0	쮸	ļ		AT SURFACE	AT DEPTH	START DOWN	. 7	DATA ON	TIMES	169	DEG	ב	
				12			7	U.	=	31		i i	PRI. TEMP.	CTD C	PAR 4329	FACE	∄ 	DOWN	ļ	ž		lol la Gw	MIN	LONGITUDE	
8		55					100		=		=	19	SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S	<u> </u>	*,			* =	JD/TIME	NOF	DAY MO. Y	DATE JD=\Ga	PROJECT & LEG WE97-06B
		-3					8243	1908			-3		PRI. SAL.	OR VALUES	TRANSMISSOMETER 33D	00 32 0 0	8			Tape/Diskette ID	-0	970550	YR HR MIN	TIME (GMT)	r LEG
					-		111			-		-		8	TER 33D	-9	5			ö 5		8:14:10	(°C)	BULB	10
										4			SEC. SAL					R		File	DATA LOCATION	8 10	Ĉ	WET BULB	
				-	+	+				╀	\perp] SA	139			200		File Name/H	NOIT	\ <u> aa</u>	(agr)	m IJ ⊂ ω ω m IJ m → ➤ → ω ➤ m VISIBILITY	
					11								SALINITY	AMPLE BOTTLE DATA	5/H093	Ш		2		Header		1080	(deg)	WIND DIRN.	
								18					7	TLE DAT	13	-		 				16	(s/m)	WIND TO SED	STATIO
1000			-	-				10					SAL.	7		MAX. DEPTH =				7790	REMARKS	1811	*	> m	STATION DESIGNATION
													NUTRTS.	SAMPLE BOTTLE NUMBER	7	건H =	ro.			OPTICAL STA		1905	3	ВОТТОМ	ATION
			:::					il Si					OTHER	NUMBER		3	AO1			P		001		STA.	

PG OF 134

		г	_	_	_	_	_	т	T	_		Tr.		· ·	(S)	-	T	70	<u>я</u> –	-	<u>ہ</u> ا		- 0 0	10 <	<u> </u>
12	11	ō	ဖ	œ	7	σ	σı	4	ω	N	_	Pos.	00 1	EC C	EC T	RI CC	ŽI TE	PRESS SN	TYPE & SN		ପଠାଠ୍ର		©2 CONSC CAST #	OSU RA	2
>	Л	б	ည O	コ ス *	ST O	100	250	ज ७००	1000	1250	500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN SBE 9PLUS 09P6012-0256	C	553	DEG		OSU R/V WECOMA	
												PRESSURE		1030	31384	1041	31371	92843	012-0256		0 0 1 N	MIN.	LATITUDE	 	
	'						-	_	_		11.A.	몵			AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	1164	DEG	5		
												PRI. TEMP.	2	PAR 4329	FACE	뒾	NWOO		Z		150	MIN.	LONGITUDE		
		_	_		_	<u> </u>			^			Ĭ	D CONVE	FLUO							1 W 1	DAY		-	
		43										SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 1018		-				JD/TIME	NON	Y MO	DATE JD=\	WE97-06B	
								2,1		94			NITOR VA	TRANSA		1			a a		9 7	ХR. Н	&	- BB - FE	PROJECT & LEG
	8											PRI. SAL.	LUES	TRANSMISSOMETER 33D		ŀ	4		Tape/Diskette ID		08050	HR MIN	TIME (GMT)		
									1 .					ER 33D			/-		<u>-</u>	9	01180118	(°C)	DRY		
												SEC. SAL		١٤		I	, b		File	DATA LOCATION	<u>81 El</u>	Ĉ	WET		
		ļ 	-				-		+	+			SAN	भ ०डह			COCKE		File Name/Header	ATION	12333	(dm)	m → > → o > m o	δ 8	
							7					SALINITY	IPLE BOT	E604			D		ader		OEO	(deg)	WIND DIRN.		
												7	SAMPLE BOTTLE DATA		Z.	 				20	1163	(m/s).		C	STATION DESIGNATION
	æ											SAL:	7		MAX. DEPTH =					REMARKS	न्यात्राचा		m⊽≺⊣ ≈m±⊣≻m≷		DESIGNA
						4						NUTRTS.	SAMPLE BOTTLE NUMBER	ë,	T #	_					160	3	ВОТТОМ	`.	TION
							-					OTHER	NUMBER		3	E.AO.					00	1	STA.		

PG 3 OF 134

																							_		_	_
12	11	10	9	8	7	6	U	n .	4	3	2		Pos.		SEC C	SEC TI	PRI CC	PRI TE	PRESS SN	TYPE & SN	Į.	2 2 3	*	ω3 consc cast	OSU R	VESSEL
	9	n	6	บ 0*	50	50) (1	3	1000	1350	1500	DEPTH TRIP		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	TYPE & SN	CTD	ス ス ス い	_		OSU R/V WECOMA	Ë
•									i				PRESSURE		1030	31384	1041	31371	92843	012-0256		0 Z	A		A	
										_		53	Ā	 		AT SURFACE	AT DEPTH	START		DATA ON	TIMES	50				
													PRI. TEMP.	١	PAR 4329	RFACE	HI	START DOWN		Ž		<u>ر</u>	MIN .			
							>						MP.	TD CON	K E							<u>7</u> ≶	+			
													SEC. TEMP	VERTED	FLUOR 101S						JD/TIME	٦_	DAY NO	DATE DE	WE9	PRO
		10 de											P	MONITOR	<u> </u>							ᆚ		÷	WE97-06B	PROJECT & LEG
											-		PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D				•	Tape/Diskette ID		10 i	HR. MIN	TIME		EG
		13 14											Ä		METER 3		2'			kette ID	Ξ.	ŏ	十	DRY		
	86	. Fortige				- 11	-	-					SEC			1					DATA	80				
													SEC. SAL.		TH. C.C.	E*		61		Tile Na	Ϋ́		<u> </u>	 m zi ⊂ o o m zi u	-	
							-	,		4				SAMPL	E604	,		2005		Fike Name/Header	ž	21	• 1	m → > → w > m w		
										38			SALINITY	SAMPLE BOTTLE DATA	D)			7)		*		이크이	(deg)	DIRN. S		
														E DATA		MA	a	<u> </u>			R	15 38	m/s)	SPD D C C C C C C C C C C C C C C C C C C		STATION DESIGNATION
													SAL.	SAMPL		MAX. DEPTH =					REMARKS	\simeq			1	
								,					NUTRTS.	SAMPLE BOTTLE NUMBER	(e)	 	(1)					300	3	BOTTOM		Č
						ŝ				4			OTHER	NUMBER		3	A03					lolola		STA.		

			_		Т			_	_	_	_	_	T T		· Γω	S	ס		ם מ ק		O	_	00 0	<u>Q</u> ≤	<u>.</u>
12	11	6	9	8		_	6	ڻ د	4	3	2	1	POS.		EC CC	EC TE	RI CO	RI TE	TYPE & SN SBE 9PLUS PRESS SN) । ५ ५	ļ	OO4 CONSC CAST	OSU RA	1
0	S	6	مد	زي *o		t	100	720	Л О О	000	1250	500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	TYPE & SN SBE 9PLUS 09P6012-0256 PRESS SN 92843	СТВ	512	DEG	TAT	VESSEL OSU R/V WECOMA	
													PRESSURE		1030	31384	1041	31371			9 9 X N	MIN	LATITUDE	A	
			_		-						_	-	ñ			AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	169	DEG	ר		
													PRI. TEMP		PAR 4329	FACE	Ì	DOWN	ž		HS.0	» MIN	LONGITUDE		
													EMP.	CTD CC							W K O	Z	DE		
					Ť					T			SEC	NVERT	FLUOR 101S					ρ	1111	DAY	DATE	- T	
į		196)											SEC. TEMP	CTD CONVERTED MONITOR VALUES]]				JD/TIME	C	O	JD= \	WE97-06B	PROJECT & LEG
	T.	- 42			+				+	+				ITOR V	TRANS		 	 	 		9 7 1	77	2	8 5	7 E
		10 1											PRI. SAL.	ALUES	MISSOM				Tape/Diskette ID		1116	HR- MIN	TIME	\ 	"
			_		\downarrow					-	-	_			TRANSMISSOMETER 33D				tte D		8 150	(0,	DRY	<u> </u> 	4
		*	h A	i	~								SEC. SAL.	\ \ \	०भ६।		, I			DATA LOCATIO	NOT!	Ĉ	WET	<u> </u>	١
													Ě		10 H			7	File Nar	CATIO	8	(mb)		1	-
								T	1					SAMP	r			4000	File Name/Header	Z	THE	* •	m → > → ω > m ω VISIBILITY		
													SALINITY	LE BOT				F	<u>a</u>		OISIC	(deg)	WIND DIRN.		
													₹	SAMPLE BOTTLE DATA	1		1	<u> </u>			8		WIND SPD.		STATIC
\vdash	\vdash		+	+	+		\vdash	\dagger	\dagger	+	+	1001	SAL			MAX. D				KEMAKKO	11311		mo≺⊣	4	STATION DESIGNATION
_	\vdash	-	+	+	+		\vdash	+		+		12	- 17	MPLE		MAX. DEPTH =				2	1		₽ 8		GNATIC
													NUTRTS.	ВОТТЕ	*		m				20	 -			ž
								1					OTHER	SAMPLE BOTTLE NUMBER		3	HOR				004		STA.		

PG 4 OF 134

12	11	6	9	œ	7	თ	ა	╁	3	2	-	Pos.	37 -	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN		이 이 등		CONSC CAST	VESSEL OSU RA
0	(J)	Ó	ſı *) 0	J O	000	250	700	000	1250	500	DEPTH TRIP		ND SN	MP SN	ND SN	MP SN	SN	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	552	DEG . I	LAT	VESSEL OSU R/V WECOMA
								!			:	PRESSURE		1030	31384	1041	31371	92843	12-0256		18 6 B	MIN	LATITUDE	
					_					-	,	R		□ PA	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	v	DEG	Loi	
											!	PRI. TEMP.	CTB	PAR 4329	ACE	ı	OWN	ı	_		00.03	MIN	LONGITUDE	:
						H	-	-				-	CONVER	FLUOR 101S	 			ŀ		ģ	W /	DAY	DATE	
			77	_						-		SEC. TEMP	TED MONIT	_						JD/TIME	0 N C	Mo O	<u>e</u>	PROJECT & LEG WE97-06B
	+, +) / J = "				\$					- =	PRI	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D		Ť		=	Tape/D		7114	万	TIME	% LEG
	,	# J)	2			-				i		PRI. SAL.	S	OMETER 3					Tape/Diskette ID		2011	MIN (°C)	<u> </u>	
ı		200.						ļ				SEC. SAL	-		***		F			DATAL	A DITINA	(°C)	The state of the s	-)
								\downarrow	,			SAL	_ ري ا	1 50E			3415		File Name/Header	DATA LOCATION	CIETTE	(mb)	тхсоопхъ	_
									1			SALINITY	SAMPLE BOTTLE DATA	4092			005		Header		OEIOE	(deg).	VISIBILITY	
							1					NTY	TTLE DAT				<u> </u>	12	<u> </u>		1	(m/s).		STATION
					-							SAL.			MAX. DEPTH =		ARCOS	DE-81046 1	OPTICAL	ZENZZZZ	国3112		`m v ≺ ⊣ `z m z ⊣ > m ≷	STATION DESIGNATION
												NUTRTS.	SAMPLE BOTTLE NUMBER		H =	3. 7.	100 CT				<u> </u>	3	воттом	NOIT
										,		OTHER	NUMBER		3	A05	TROUBLE OF	COLOR I	STA		000		STA.	
_	Т		٠		1		l							(30°0	@55°29.99'	Cryc	19 194	THE TEN	<u> </u>		<u> </u>	<u>`</u>		<u> </u>
									13					@ 1244 6W1	,66'be.	CTSOOS)	方	S						

PG 5 OF 134

			_	_			Т	_	1	_	_	ס ו		S	တ		פ	<u> </u>		b		00 0	o :	<u> </u>
12	11	10	9	8	7	6	Οī	4	ω	2	_	POS.	801 1	EC CC	EC TE	RI CO	RITE	SBE 9PLUS	i i	5		OOG CONSC CAST #	SU RA	VESSEL
•	9	л *	6	30	30	000	250	500	000	250	500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843	СТВ	00161313131010	DEG .		OSU R/V WECOMA	
							,					PRESSURE		1030	31384	1041	31371)12-0256 92843		N COLO	MIN	LATITUDE	P	
										-	94	R			AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES		DEG	5		7
												PRI. TEMP		PAR 4329	FACE	쿺	DOWN	Ž		11510	MIN	LONGITUDE		
												₩	TD CON	V Fu						ME	0			
		ļ										SEC. TEMP	VERTED	VELUOR 101S				ě.	JU/ IME		DAY MO	1""	WES	몽
				•								N N	MONITO	<					П	U N 9	 	الله ه	WE97-06B	PROJECT & LEG
		3 T					-					PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D				Tape/Di		1180	ラ	TIME (GMT)		ä
						Į,						SAL	5	METER				Tape/Diskette ID		اد ا 2 الا	MIN (°C)	lm		
		2.5						-			-	SE				; ,				O	ĭ	. 1 .		
						:						SEC. SAL.		उन्			Ç	File N	מאוא בטטאווטוא	OF ISIN	(°C) (mb),			
ŀ					1	 	,	+	+		+		SAME	C604		,	2006	File Name/Header	2	2 0 1	δ))			_
										3,1		SALINITY	SAMPLE BOTTLE DATA	5			1	der		0110	(deg),	-		
							}			•	-	7	TLE DAT		2] -			Ø 1				STATION
r							†		\dagger	+		SAL	1	ļ	MAX. DEPTH =			OPTICAL		REMARKS	<u>' '</u>	, ш α ≺ ⊢ , Σ ш エ ⊣ > ш ₹	- - - -	STATION DESIGNATION
				T			+			\dagger	+	NUTRTS.	SAMPLE BOTTLE NUMBER	v.	1 개 =	,		CAL	•		, , , ,	воттом рертн		MATION
L	-			$\frac{1}{1}$	+			-	+	+	+	╫	TLE NUN			F AOK		<i>S</i> ,		-	+	STA.		
												OTHER	ABER		3	6		P		SIUG		E/ID		

12	=	ā	ဖ	8	7	T	ה ס	ڻ ن	4	ω	2	_	POS	***	SEC	SEC	PRIC	PRI 7	PRE	TYPE				CONSC CAST	OSO	VESSEL
7	9	ע	'n	6	5	6	5	5	王	Ī	رو	9) 9)	TRIP		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN 92843	TYPE & SN	CTD	SI SI	DEG		OSU R/V WECOMA	Ě
													PRESSURE		1030	31384	1041	31371	92843	010		9 8 H N	MZ	LATITUDE	₹	
						+						18	R		PA	AT SURFACE	AT DEPTH	START DOWN	2	2	TIMES	-	DEG	[
									!			,	PRI. TEMP.	СТВС	PAR 4329	ACE	= 	0¥ 	- 	-	200	15.95W	MIN	LONGITUDE		
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	N U L \ \ W	~	DATE JD= \(WE97-06B	PROJEC
				dir.				1			-		PRI. SAL	NITOR VALUES	TRANSMISSOMETER 33D					Tane/Diskette ID	4-	9 7 18 58	귀	TIME	88	PROJECT & LEG
:					-	1	,						<u> </u>		METER 33D	:			Š			ুবাত		DRY	<u>-</u>	
						:				i.			SEC. SAL.			1	· -	b			DATA LOCATION	0 2 0		WET R		
						1								SAMPL				BODO	Ш	File Name/Header	NOIT	ोनदार		m ⊣ > ⊣ o > m o VISIBILITY	1	
										í			SALINITY	SAMPLE BOTTLE DATA				2	;	*		03018	(deg) (m/s)	WIND WIND DIRN. SPD.		STAT
							9					- 11	SAL.			MAX. DEPTH =			E02	マロフフ	REMARKS	3 <u> </u>	*	O L O L O E C E C L L L L L L L L L L L L L L L L		STATION DESIGNATION
													NUTRTS.	SAMPLE BOTTLE NUMBER	\$6	TH=	434		485	A CONTRACTOR	U	30200	(m)	ВОТГОМ		NOTTA
								-					OTHER	NUMBER		3	906					1E 19 016		STA.		

PG (A) OF 134

12	11	1	ဖ	8	7	6	σı	4	ω	2	Ţ	Pos		Sil	SE	PR	PR	PR	SB:	<u> </u>	0	П	δ	8	800	SO	줐
2	1	-		3.4	H	_		┼┈	_	-	-	<u> </u>		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	E 9PLL	TYPE & SN	TI.		CAST	CONSC	ö	URW.	VESSEL
O	R	5	90	γ. (γ.	70	5	250	500	000	350	1500	TRIP DEPTH	_	ID SN	PSN	SN	SN	Z	SBE 9PLUS 09P6012-0256	ž Clo	15 15 15 15 15 15 15 15 15 15 15 15 15 1	DEG	⋝			OSU R/V WECOMA	
												PR		1030	31384	1041	31371	92843)012-02 !	•	30125	MIN.	LATITUDE			\$	
	:										100	PRESSURE		8				43			Z			·			
								-	+	ig		m			AT SURFACE	AT DEPTH	START DOWN		DATA ON	IMES	10	DEG	5				
				_								PRI. TEMP	=	PAR 4329	FACE	로	NAOO		Z		30.	NIW	LONGITUDE				
												EMP.	CIDC	<u></u>							6 4 W	× .	m				
-		 	T			T		t				SE SE	NVER	FLUOR 101S						٤		DAY	DATE				
	 I						!			,		SEC. TEMP	TED MC		 						N C	OW	JD= \			WE97-06B	PROJECT & LEG
¥6.	-			7					+			70	NITOR	TRAN					-		9 7	¥	ها)6B	CT & LE
ž										#1		PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D					Tape/D		HOR	HR. MIN	TIME (GMT)				ଜ
		4										SAL	Š	OMETE					Tape/Diskette ID		<u>जिंदा</u>		-		, 	-	
di Saran		-			 	$\frac{1}{1}$	4	+	-	+				R 33D					D	·	<u>Si 8</u>	(°C)	DRY BULB				
												SEC. SAL		16		\sim				5	0813	င္ပဲ	BULB				
							X.					AL.		HISHE		ECOCCORT.	7		File Name/Header	3		3	<u> </u>	_ w	ר גק חומ	7	
											=		SAMP			63	2000		ne/Heac		1	*	_		» > π « TY	2	
												SALINITY	SAMPLE BOTTLE DATA				7		<u>a</u>		OIEIO	(Geg)	DIRN.				
		Ì										₹	דוב סג	١,							×	(m/s)	SPD.				STATIO
┝		+	+			+	+	╁	+		11(ဖွ		10	MAX.	(1) (0)	ARG	12.31	0	į	REMARKS	*	; E P	(a)	_ O	2	STATION DESIGNATION
L	\vdash	_	-	<u> </u>	_	╀	\downarrow	+	+	+	_	SAL.	AMPLE	ROMOOR 9	MAX. DEPTH =	307	0	03/67	OFTICAL	i		╗	1		<u> </u>	1	GNATI
								ř				NUTRTS.	80TTL	8	11	17.2	340PF	00	-	~	Ø	3	DEPTH	1]	2
	T	+			,	t	+		\dagger	+	1	+	SAMPLE BOTTLE NUMBER	SAME	3	Jac.	100	5	578	EAOT			NAME/ID				
												OTHER	E B	~	3	31.18	7	1		Ā	0		ġ.				
														7557	1	@ 55° 3075 N 170° 31.18 W, 21396m	BAGOS 29064, CTPT 13 135	KALURED COLOR DRIVER	i				*				
															,	396m											

PG 2 OF 134

70 9	ဖ	<u> </u>	œ	7	+	o	υ O	4	3	2 1	1	POS.	sie s	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN		0 0 8		CONSC CAST	OSU R/V WECOMA	
)	б	5,*	30	70		3	<u> </u>	500	000	ひら	500	DEPTH TRIP		D SN	IP SN	DSN	SN	PRESS SN 92843	N noben	CTD	<u>ت</u>	DEG N	LATI	WECOMA	
				-					!			PRESSURE		1030	31384	1041	31371	92843	12.0256		3 2 2	ME	LATITUDE		
	╀			$\frac{1}{1}$	+				_			<u> </u>		□ PAI	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	10	DEG	[
		į										PRI. TEMP.	CTE	PAR 4329	ACE	I	OWN	1	_		-2-4	MIN	LONGITUDE		
	+	-	-	-	+							<u> </u>	CONVER	FLUOR 101S				ļ			6 W	DAY	DATI		
							_					SEC. TEMP	CTD CONVERTED MONITOR VALUES	_						JD/TIME	NOF	ĕ Ö	DATE JD=\(G)	WE97-06B	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
							ď				. ~ .	P.	TOR VAL	TRANSMISSOMETER 33D					Tape		7	끽		3 (FG	3
									-			PRI. SAL.	UES	SOMETE					Tape/Diskette ID	100	<u> </u>	Z	TIME (GMT)	= .	
					1							S		_				,	0	DA.	9 3 0		DRY I		
												SEC. SAL.		255			þ		File 7	DATA LOCATION	18:10	(°C) (r	BULB R		
_		+			+							-	SAMF	TE BOH			800C		File Name/Header	NOI	¥	(mb) * *	m ⊣ > ⊣ ω > m ω VISIBILITY		
											1	SALINITY	SAMPLE BOTTLE DATA	1			8		der		SOEO	(deg)+	WIND VIRN.	-	
													E DATA		MA	1 T	Γ 		2	뀨	0	(m/s), * , *	WIND CO		STATION DESIGNATION
	\perp										1002	SAL.	SAMPL		MAX. DEPTH =		į		CATICAL	REMARKS	ামান	,			ANCINA.
						į						NUTRTS.	Е ВОТТІЕ	\$6 II	1	Lu .			2		303	3	воттом		NOT
					,				16			OTHER	SAMPLE BOTTLE NUMBER		3	ACE			アイタ		800		STA.	-	

PG & OF 134

12	11	10	9	œ	7	o	ι	4	3	2	1	POS.		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN		2	*	CONSC	010	OSU RA	VESSEL
0	N	6	એ ()	ル ル ル	J D	200	9 50	スつつ	000	ンパウ	1500	TRIP DEPTH		ND SN	MP SN	ND SN	AP SN	SN	TYPE & SN	CTB	ス ス ス の ス				OSU R/V WECOMA	
				100								PRESSURE		1030	31384	1041	31371	92843	112-0256	9		LATITUDE				
				コフス	_			 -			-			PA	AT SURFACE	AT DEPTH	START DOWN		DATA ON	S	7 5	Ş				
			:	7 7								PRI. TEMP	СП	PAR 4329	AC CE	I	OWN I	1		ķ		LONGITUDE		,		
			_	341		<u> </u>		-			-		CONVER	FLUOR 101S						-	¥ - ك	DAILE	<u>.</u>	·. <u> </u>		
		چود چود د فعم د و		,	_						_	SEC. TEMP	CTD CONVERTED MONITOR VALUES	S.			_			JD/TIME	_ N N N N N N N N N N N N N N N N N N N		i -		WE97-06B	PROJECT & LEG
					-							PR.	OR VALUE	TRANSMISSOMETER 33D	_		<u>.</u>	<u>.</u>	Tape/L	. 4	9 7 0 17 18 18	Ψ			* *	E G
												PRI. SAL.	Ö	OMETER 3					Tape/Diskette ID		0	I) BULB				
					:							SEC. SAL				}				DATAL	<u>ं</u> ।	, SOLP		<u> </u>		
		:										SAL		252 4			CTZ		File Name/Header	×	809) IT	N C O O		_	
									-			SAL	SAMPLE B	592			5000		/Header	4	38035	V (den)	TSIBILIT	Y	1	
												SALINITY	SAMPLE BOTTLE DATA									(m/s)	WIND			OIAIR
												SAL.	7		MAX. DEPTH =				077 (CAL	REMARKS	S 0	* c	2	m≷	\ - -	OLYHOM DEGIGLAY HOM
						+					1	NUTRTS	SAMPLE BOTTLE NUMBER		= HI					U	3 3 5 0	m)	ВОТТОМ			5
_					-		-					S. OTHER	LE NUMBE		3	EACS	-		グタ		009		STA.			

PG X OF 134

12	11	ō	9	œ	7	၈	5	4	ω	2		Pos		SEC	SEC	PRI	PRI	PRE	A TYPE		0		CONSC CAST	0	OSU	VESSEL
၁	IJ	ó	Ñ	ソクギ	50	100	ン げつ	500	1000	1250	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	CTD	D	DEG			OSU R/V WECOMA	
												PRESSURE		1030	31384	1041	31371	92843	012-0256		0 0 0	MN.	LATITUDE		IA	
									_		,	R		P	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	1	DEG	5			
												PRI. TEMP	C1	PAR 4329	FACE	코	NWO	ļ	Z		1 4 .0	NIN	LONGITÜDE			
													D CONVE	FLUOR 101S							ລ w ∖	DAY	D	. <u>.</u> .		
					,			:				SEC. TEMP	CTD CONVERTED MONITOR VALUES	_						JD/TIME	N O C	Y MO	DATE JD= \		WE97-06B	PROJE
	37 7 7										1	ם	NITOR V	VTRANS				- 1	<u></u>		9 7	YR 1	5	-,	88	PROJECT & LEG
	*											PRI. SAL	ALUES	TRANSMISSOMETER 33D					Tape/Diskette ID		<u>ા ગા</u>	HR• MIN	TIME (GMT)			
_	7 274	_					<u> </u> 		<u> </u> -		ļ	-		TER 33D					ĕ Ō		তাবা!৪	(°C)	DRY BULB		_	
												SEC. SAL.		000		1	1 3		Į	DATA LOCATION	তান।৯	(°C)	WET BULB			
									-		-		SA) HD			2000		File Name/Header	ATION	1160	(mb), *	m R C S S m → > → S VISIBILI		ı	
												SALINITY	SAMPLE BOTTLE DATA	E601		;	D		eader		8035	(deg)	DIRN.		1	
		:										T	 □					- -			5 0	(m/s)	WIND SPD.			STATIO
												SAL.	1		MAX. DEPTH =				041091	REMARKS	<u> चात्राच्य</u>	•	ш о ≺ ⊣ ъп ≖ ⊣ >	o F 0	' - -	STATION DESIGNATION
					T							NUTRTS.	SAMPLE BOTTLE NUMBER		TH=	77			P	47	SHOO!	3	BOTTOM DEPTH			ATION
_							,					S. OTHER	LE NUMBI		3	AO10			人スタ		0		STA.			

PG X27 OF 134

PG-1570F 134

							_	_				_							/-		_	- T	_		$\overline{}$	7
12	11	10	9	∞	7	თ	U	n .	4	ω	2	_	POS.		SEC C	SEC 1	PRIC	祝크	SBE 9PLUS	TYPE & SN		2		O12 CONSC CAST	SUF	VESSEL
	0	5	0	20	50	100	250		بر 20	1000	1250	シエク	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843	& SN	CTD	Л			OSU R/V WECOMA	۲
										101	1010		PRESSURE		1030	31384	1041	31371	012-0256 92843			シ シ ン マ	MIN	ATITUDE	A	
											1001	35	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			AT SU	AT DEPTH	START	DATA ON		TIMES	-	DEG	-		
											7812		PRI. TEMP.	СТВ	PAR 4329	AT SURFACE	PTH	START DOWN	<u>9</u> 1			깕	MIN.	LONGITUDE		
			_				+				1		S	CONVE	FLUOR 101S						ا	W 0	_ ₽	DAT		
	=							_			MAGN		SEC. TEMP	CTD CONVERTED MONITOR VALUES							JD/TIME	JUN	ĕ	DATE JD= \(63	WE97-06B	PROJECT & LEG
	=6				Γ								2	OR VAL	TRANSMISSOMETER 33D		<u> </u>			1	i	<u> </u>	끽			& LEG
								:=			b		PRI. SAL.	UES	SSOMET		į		Tape/Diskette ID)			F NE	TIME (GMT)		
			-	-	╁	┼	+				1				ER 33D				Ë	5	_	9	င္ပ	DRY	<u> </u> -	\dashv
							-	-			7		SEC. SAL.		1323			la	7	1	DATA LOCATION	0 6 F	(00)	WET		
			L								3		ļ-		HO92			27.70	rile Name/neader		CATION	<u> </u>	(dm)	m zi c o o m zi T]	
											3543		ွ	SAMPLE BOTTLE DATA	2	;		110	yneader			旨		USIBILITY OF SET		1
		83											SALINITY	ВОПТЕ									(deg) (m	WIND WI	ig	TS
L														DATA		MA	· T	· -			RE		(m/s). * *	WIND TO CO		STATION DESIGNATION
							190	2007			1		SAL:	SAMPL		MAX. DEPTH =					REMARKS	H	*	Z m < ⊢ I m K	-	ESIGNA
									F				NUTRTS.	SAMPLE BOTTLE NUMBER	5.5 5.5	#	_					<u> ১৯৯</u>	(m)	ВОТТОМ		TION
							1						OTHER	NUMBER		3	80					011		STA.		

PS+ TOF 134

12	11	5	ဖ	œ	7	ი	5	4	w	2		Pos	24. y	SEC	SEC	PRI	PRI	PRE	-		2		OI3	OSO 2.5	VESSEL
9			ر ا	بر الرو	50	100	250	700	1000	1250	500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0250 PRESS SN 92843	TYPE & SN	0	U U U	DEG		OSU R/V WECOMA	SEL
								NEIG				PRESSURE		1030	31384	1041	31371					MEZ I	ATITUDE	*	
		<u> </u>		_			<u> </u>	1	_		-	m		□ □ }	AT SURFACE	AT DEPTH	START DOWN	2		Sawit		DEG	5		
				477				TAY				PRI. TEMP	G.	PAR 4329	ACE	Ĭ	OWN	•	-	0.00	21.0	MZ.	LONGITUDE		
			-			-	_	9		-		P	TD CONV	VFLUQ							8 W	_			
								HING				SEC. TEMP	ERTED N	FLUOR 101S				ı		JD/TIME	N n r	DAY MO	DATE JD=	WE97-06B	PRO.
- /	_	74,00		,		_						Š	MONITOR	VTRA!						-	N 9 7	, i	5	7-06B	PROJECT & LEG
		7 6 . 7						2				PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D				e e e e e e e e e e e e e e e e e e e	Tane/Diskette ID		111	HR MIN	TIME]	EG
		-				L		2				P.		METER 3				i	kette 3		<u> </u>		DRY		
				-				4.3			-	SEC						\$			기이니기		B BULB BULB		d'-
								S. S.				SEC. SAL.		HI VEE			523		Tile R	DATA LOCATIO	EOLL) (mb)	ありこのの m カマ	 -	
			-					\dagger	+		-		SAMP	E601			202	E	File Name/Header	Z	314176)	m → > → ω > m ω VISIBILITY		
			:									SALINITY	LE BOTT					:	©		-	(deg),	DIRN.		(0
							-					 	SAMPLE BOTTLE DATA		M.	} T	 	11		교	30 H	(m/s),	WIND m (a	5	TATION
										,		SAL	7	Ŷ	MAX. DEPTH =					REMARKS	3				STATION DESIGNATION
												NUTRTS	TE BOTT		물	m					<u> </u>	<u>a</u>	ВОТТОМ DEPTH		ATION
-	+			+		Α.	+	+	\dagger	+	-	S. OTHER	SAMPLE BOTTLE NUMBER		3	5.502					0		STA.		

PG.13 OF 134

				_	_	_	_			_		_	- TO		Γω	(O	70	70	70 (<u>0</u> ∃	- 1	ΑĪ	_	. 0	ত বা
12	11	10	9	8	7	6	4	თ	4	3	2	-	POS.	- Fry - F	EC C	EC TE	ŘI CC	Ž H	PRESS SN	TYPE & SN))		OI4	VESSEL OSU RA
,		IJ	ó	ر 0	Si O	100	2	カ ハ つ	л 00	000	250	500	DEPTH TRIP		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN		SI SI SI SI SI SI SI SI SI SI SI SI SI S	DEG	ξ.	VESSEL OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	112-0256) 0 0 N	MZ	LATITUDE	^
													교			AT SU	AT DEPTH	STAR	;	DATA ON	TIMES	130	DEG		
													PRI. TEMP		PAR 4329	AT SURFACE	PTH	START DOWN	;	2		3 8	- NIM	LONGITUDE	
													EMP.	CTD CONVERTED MONITOR VALUES			1		1			W C O	50		
								T.		,			SEC	NVERTE	FLUOR 101S						JD/TIME	1 <u>a</u> J	DAY	DATE JD=	≥ Ɗ
						_							SEC. TEMP	D MONI	_						M	UN	MO	ζ	PROJECT & LEG WE97-06B
		- 4	** *			-							_	TOR VA	RANSM	- =		 				9 7 1	~	5)	& LEG
													PRI. SAL.	LUES	ISSOME					Tape/Diskette ID		338	HR. MIN	TIME (GMT)	
		[-	-	+		_	_	<u> </u>					TRANSMISSOMETER 33D	i			:	ਜ਼ ਹ		VI:190	(°C)	DRY BULB	
		- la	7										SEC. SAL.		EHI1		' =			-	DATA LOCATION	06.1	(°C)	WET WET	
-				,									<u> </u>		I			1		ïie Nam	CATION		(mb)	ork m so⊃cm	
	i					-								SAMPL	092			510		File Name/Header	Z	山山	**	m → > → ω > m ω VISIBILITY	
	l									- 3	ì		SALINITY	EBOTTI	l I					7		DISION SIE	(deg).	DIRN.	S
			İ		ŀ								*	SAMPLE BOTTLE DATA	-	Z.	1 T	 			<u> 2</u>		(m/s), *,	WIND D C C	TATION
						1							SAL	1	:	MAX. DEPTH =					REMARKS	इाटानाड		m o ≺ ⊣ Z m z ⊣ > m ≷	STATION DESIGNATION
					†	+				†	\dagger		NUTRTS.	SAMPLE BOTTLE NUMBER	+	 H =	~				v	3020	3	воттом	ATION
-			\perp	-	+	+			+	-	1		╫	TLE NU			E 7802	,							
	i			ŀ									OTHER	MBER		3	7					113	-	STA.	

PG/25 0F 134

		_					_			_						/ 0	_		- ·	اب م			_		0 <
12	11	ö	ဖ	8	7	6	1	5	4	ω	2		POS.	45. "	SEC C	SEC T	ਲ <u>ੋ</u> C	ži II	PRESS SN	TYPE & SN	-	<u>ン</u> ニ	4	OIS CONSC CAST	VESSEL OSU RA
0	n	0	٥٤	より	7.	200		ソ グ つ	N N	1000	ことだっ	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	TYPE & SN SRF 9PI IIS 09P6012-0256	CTC	アアレ	5		VESSEL OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	012-0256	ļ	N O P	MIN		A
4								!					RE			AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	_		5	
							İ					,	PRI. TEMP	ا 2	PAR 4329	FACE	쿺	DOWN	;	z	1) (0)	MIN		
_	_				_									D CONVE	V Filo							₹ 	$\frac{1}{2}$		
					!					,			SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	<u>-</u>	Y i	DATE JD= \	PROJECT WE97-06B
Ä					.,	ł			-				Α.	NITOR V			 			<u>.</u>		9 7 \	₩	<u>, </u>	PROJECT & LEG WE97-06B
•													PRI. SAL.	LUES	TRANSMISSOMETER 33D	:		:	•	Tape/Diskette ID	,	553	MIN.	TIME	
					+	+					H			-	ER 33D					ō			C)	DRY	
													SEC. SAL.		FOE		ì	h		Fi	\sim	06.116	_	WET	
			-	-	-	<u> </u>						$\frac{\mid}{\mid}$	-	SAM	CEOH		194	41001		File Name/Header	NOIT	무미되어	\$	m → → → o → m o VISIBILITY	1
					1				! !				SALINITY	SAMPLE BOTTLE DATA	יפ			14		der		0	-	WIND DIRN.	
													7	LE DATA		MA	£	-	1 7		RE	36831	•*	SPD. DCOFC	STATION DESIGNATION
									1004				SAL	SAMPLI	;	MAX. DEPTH =					REMARKS	13	•	m 7 ≺ -1 2 m ± -1 > m €	DESIGNAT
		,											NUTRTS.	SAMPLE BOTTLE NUMBER	8	"	2.3					015		BOTTOM DEPTH	
		<		<									OTHER	NUMBER		3	FOH					1011		STA.	

PS.16 0F 134

	-4		1	_		Т	1	Τ.	Т	1.	Γ.	ק	福儿 人	Ω.	SE	Ď	D	Β̈́	J	T	<u> </u>	Т	08 0	Q f	<u> </u>
12	11	ō	9	œ	7	6	ڻ.	4	3	2	1	POS.	da,	CC CC	CTE	4 CQ	시 TEN	SBE 9PLUS PRESS SN	TYPE & SN	F	JI JI	_ *	OI6 CONSC CAST	ÿUR∧	VESSEI
0	ות	5	90 0	บ ห *	JI O	5	350	500	000	250	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843	SN	CTD	7	בה בי		OSU R/V WECOMA	
												PRESSURE		1030	31384	1041	31371	92843			0 0 N	MIN	ATITUDE	A	
												I I			AT SURFACE	AT DEPTH	START DOWN	DATA ON		TIMES	وحليذ		E		
												PRI. TEMP		PAR 4329	RACE	Ή	DOWN	ž			2	MIN	LONGITUDE	-	
						L		_	1			MP.	TD CON								ν Σ	_			
												SEC. TEMP	VERTED	FLUOR 101S						3MIT/DL	-	DAY MO	DATE JD=	WE9	PRO
						-	-					EMP	MONITOR							-	ᅬ	o X		WE97-06B	PROJECT & LEG
		1										PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D				Tape/Di			- 1	五 New	TIME (GMT)		G
												SAL	0,	METER				Tape/Diskette ID	:		0		DRY BULB		
		o of come.										SEC		33D \						DATA		480			
												SEC. SAL.		45		1	ß	<u> </u>]	DATA LOCATION			B WEI O O E R P	-	
_	-	-	-	-				+					SAME	H092			04	File Name/neader		Ş	뒤	• •	m → > → ω > m ω VISIBILITY		
												SALINITY	SAMPLE BOTTLE DATA	0		3	15	Der			u		WIND DIRN.		
												7	TLE DATA		ž	1	1	Lile		70	<u>ا داد</u>	; (s/ш) ₁	VIND m		STATION
-				T			+					SAL.	1		MAX. DEPTH =		000	PROD.	}	REMARKS	7		m v ≺ ⊣ ≽ m x → > m X		STATION DESIGNATION
r												NUTRTS.	SAMPLE BOTTLE NUMBER	2:	코=	70	0 C C C C C C C C C C C C C C C C C C C		7	0,	32140	<u>a</u>	воттом рертн		AHON
-	-	+	+	+	+					+	+	+	TLE NUN			0.8.3		WELL LE	\				STA.		
												OTHER	/BER		3	J			,				E/ID ·>		

PG 150F 134

11 10			9	8	7	0	n	51	4	ω	2		POS.	Section 1	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN				CONSC CAST	017	VESSEL OSU R/V
_) 	JI.	JI	لد	Ш		- [Ē	4	<u>رو</u>) 	TRIP DEPTH		ND SN	AP SN	NS CI	PSN	ž	TYPE & SN SBE 9PLUS 09P6012-0256	핅	Ø)	DEG	¥		VESSEL OSU R/V WECOMA
					į								PRESSURE		1030	31384	1041	31371) 0 N	MIN	ATITUDE		
			_			1	_	<u>_</u>	_			*	m m		∏P/	AT SURFACE	AT DEPTH	START DOWN	1	DATA ON	Sawil	170	DEG	ر. ح		
													PRI. TEMP	cr	PAR 4329	FACE	코	DOWN		Z		28.3°	MIN	LONGITUDE		
					-	$\frac{1}{1}$				Ļ	_	_	_	CONVE	ELIVO	.	!					QW 1	DAY	\$	<u></u>	
													SEC. TEMP	RTEDN	FLUOR 101S						JD/TIME	א ח רכ	Y MO	DATE JD=		PROJECT WE97-06B
			-				1, 1,						₹	ONITOR	V TRA							N 9 7	ÝR	5		PROJECT & LEG WE97-06B
								8					PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID		1916	HR MIN	TIME (GMT)		EG
		_		,		+			<u> </u>	-					TER 33D					₹ •		06.7	(°C)	DRY		III XX
	è	•										3	SEC. SAL.			.,	' 	1 7		.	DATA LOCATION	1061705	(°C)	WET		
						1			ļ	_		9				7MD002		PRO		File Name/Header	CATION	051	$\overline{}$		o cc m co	
							,	Ŧ						AMPL		007		200		/Heade		80	•		iω≯m ω LITY	1
													SALINITY	E BOT		٠٨		00		7		10	(deg)	DIRN.		
													7	SAMPLE BOTTLE DATA						0.	,	<u>دو</u>	(s)	WIND SPD.		STATION DESIGNATION
		-	╁			+				+	+		စ္	7		MAX. DEPTH =				i	REMARKS	77.	*	m v ≺ -	1	N DES
		-	_	_	_	4			\downarrow	\downarrow	1	1	SAL.	AMPLE LE		EPTH					RKS	133		RES.	12 11 2	IGNAT
									1	i			NUTRTS	ВОПП	si	U ×						FO	3	BOTTOM DEPTH		NO
			1										OTHER	SAMPLE BOTTLE NUMBER		3							-	STA. NAME/ID	EBOS P	

PGJEROF 134

VESSEL			PROJECT & LEG	LEG	1.		STATION DESIGNATION	DESIGNA	NOI	
OSU R/V WECOMA	>	i.	WE97-06B	~ ~		J	+			
810					•	o o m zo o ⊣ o > m o ILITY	0 C O F O	⊣≯m≷	<u>.</u>	
CONSC					¥/FT		WIND (a)	m н -	BOTTOM	STA.
# LAI	LATITUDE	LONGITUDE	DATE JD= (63	(GMT)	<u> </u>	m -	N SPD ()	E R	T	NAME/ID
DEG	MIN .	DEG MIN .	DAY MO YR	HR, MIN	(°C)	(mb) : (deg)	g) (m/s) •	*	3	
0 6 5 5 7		13028 01 W	1 2 U U N 9 7	31090	5.605.604	048401	10327	N IN IN	970	0116
	0.00	TIMES	JD/TIME		DATA LOCATION	ATION	곲	REMARKS		
TYPE & SN				Tane/Diskette ID		File Name/Header	<u>-</u>	フサイニュー	D	ハイカ
PRESS SN							T			
PRI TEMP SN	31371	START DOWN				7.000	6			
PRI COND SN	1041	AT DEPTH					 		23	5
SEC TEMP SN	31384	AT SURFACE			į		M	MAX. DEPTH =	İ	3
SEC COND SN	1030	PAR 4329 WFL	FLUOR 101S VTRA	TRANSMISSOMETER 33D	R33D 1229	4092	:			
		CTD CO	CTD CONVERTED MONITOR VALUES	R VALUES		SAMPLE	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	NUMBER
POS. DEPTH	PRESSURE	E PRI. TEMP.	SEC. TEMP	PRI. SAL.	SEC. SAL		SALINITY	SAL	NUTRTS.	OTHER
1 1500	MARK	大下江东		* * /				- 1		
2 1250		70 0	ARK FIL	'n						
3 1000										
かりつ			_							
5 250			F							
6 100	MARCI	K ELLE				1				
7 50		70 3	DUX TI	3						
8 20*		f							t	
9 \5*									į.	
10					× ×					
<u>1</u>						:				
<u>12</u>			K			į				

				_	_	_	_	_	7					Ø	W	T	TI	מם	_	7	$\overline{}$	Τ-	- 0 -	o	ব
12	11	ō	9	8	7	6	5	4	╄	-	-	Pos		EC C	EC T	ŽI CC	ŘI TE	SBE 9PLUS	TYPE & SN	<u>-</u>		*	O19 CONSC CAST	SUR	VESSEL
2	5	6	1	ช 6*	JI D	100	250	200	1000	1350	500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843		CIL	ス に い に い に		•	OSU RAV WECOMA	
												PRESSURE		1030	31384	1041	31371	012-0256 92843			MIN	LATITUDE		A	
											0	URE .			AT SURFACE	AT DEPTH	START DOWN	DATA ON		ᇍ	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,	·		7
												PRI. TEMP.	0	PAR 4329	FACE	HTC	DOWN	ž		9		LONGITUDE			
								-				<u>\$</u>	TD CONV	VFLUC				1		ŀ	× ·	1	·		•
	-											SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S			3	:][-	DAVE JUE	7	WE97-06B	PROJ
	-	- 1	-				-	-			-	Š	ONITOR	TRAN						- 1	Z -	64		06B	PROJECT & LEG
							44					PRI. SAL	VALUES	TRANSMISSOMETER 33D				Tape/Diskette ID		. §	77.70	HO MIN	TIME		G
					_	-		_						ETER 331				ite 10			2	(°C)	DRY		•
ı		*										SEC. SAL		120		1	l l	_		₽	2	(2)	WET		
	4				_					1		<u>P</u>	,	I		,	CTD	File Name/Header		CATION	_	<u></u>	r R m S S ⊃ R m	_	Ш
												SA	SAMPLE BOTTLE DATA	E100			E100	/Header			긔	+	TISTBILITY PRODUCTION OF THE		
												SALINITY	DITLE D										N D N N N N N N N N N N N N N N N N N N		STAT
	H		-	6		+	+	+	$\frac{1}{1}$	-		SAL			MAX. D		@ 54°	18.30 1.40		₹	、 図 ヨ コ こ	<u>. * r</u>	>3 © C C C C T T V ≺ I Z M I I I > M €	5	STATION DESIGNATION
-				005		+	+	+	+	4	-	77	SAMPLE BOTTLE NUMBER		MAX. DEPTH =		@ 54° 5544130° 2859 (@ 02)	DETICAL.		RKS	<u>رو</u>		BOTTOM		GNATION
	-	-	_	L	-				-	\downarrow	-	NUTRTS.	THE N	Ť		83	30°28.5	1 1			ري 11			_	_
												OTHER	MBER		3	FOR	9 (0.02	STA BLS			E 10		STA.		•

PG X T OF 134

Lydor &

12	11	10	ဖ	œ	7	o	ഗ	4	ω	2	_	Pos.	fish a	SEC C	SEC T	PRI CC	PRI TE	PRESS SN	TYPE & SN		0 1 8		OZO CONSC CAST #	VESSEL OSU RA
												TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	8555	DEG	<u> </u>	VESSEL OSU R/V WECOMA
									@ ?	077	20	PRESSURE		1030	31384	1041	31371	92843	012-0256	-	N 66. 1	MIN	LATITUDE	∑
								-	1000	2141111	7117	RE.	:	□ □ P _A	AT SURFACE	AT DEPTH	START DOWN	ı	DATA ON	TIMES		DEG	50	-
									3	CH H	TRIENT	PRI. TEMP.	CTE	PAR 4329	Ä	- -	NWO		2		1 1 9 8	MIN	LONGITUDE	
		-						<u> </u>	<u> </u>	11186	75) CONVER	FLUOR 101S] 	-				ē	2 N M K	DAY	DATE JD=	1
										44.33		SEC. TEMP	TED MONIT							JD/TIME	B N n r	MO	JD= 1 (64	PROJECT & LEG
										CINIC	-	PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D	-			*	Tape/D		7 5	퓼	TIME	& LEG
								:		NO		SAL	S	OMETER 3					Tape/Diskette ID		NO ST	MIN (°C)	DRY BULB	
		American States								11PORST		SEC. SAL		-						DATAL	<u>S03</u>	<u>L.</u>		
										1		SAL.		34 PEE			67.70		File Name/Header	DATA LOCATION	<u> </u>	(mb)	m z c w w m z v	
												SALI	SAMPLE BOTTLE DATA	280	!		8/00		Header		GOOF	(deg)	VISIBILITY	
												SALINITY	OTTLE DAT		_	 	 		7 1	-	9	(m/s)	WIND SPD.	STATIO
							+					SAL.	7		MAX. DEPTH =		ARGOS 2906	55° 55' N	C3507830	KEWAKNO	VIGIE 8	·T	m v ≺ ⊣ > m z → > m ≤	STATION DESIGNATION
												NUTRTS.	SAMPLE BOTTLE NUMBER		 		J.				のズの	3	воттом	TION
							1					OTHER	NUMBER		3	6,0,01	087 10	CHO DENNE	COLOR 3			7	STA.	
		1		1,	<u> </u>					1		<u> </u>	<u>l</u>		1		131	`	PIETER B	•	<u> </u> •₹1	<u> </u>	·	<u> </u>
								3	586										70					_

PG-18 OF 134

12	1	ō	9	œ	<u> </u> -	7	თ	თ	4	ω	2	_	POS		SEC	SEC	PRIC	PRI 7	SBE	1	C	<u> </u>	CONSC CAST	OSU RA
	0	ต	5	υ 0*	50	1	100	250	1,00	1000	1250	1500	TRIP		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843		CTD	T DEG	\$1 80	VESSEL OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	•		61.0101.	ME 2	ATITUDE	∑
												YA			PAR 4329	AT SURFACE	AT DEPTH	START DOWN	DATA ON		TIMES	-	ONG	
													PRI. TEMP.	CTD CON	<u></u>	"" 	ĺ	z				MN C		
	929	16								;			SEC. TEMP	CTD CONVERTED MONITOR VALUES	VFLUOR 101S							DAY MO	1,"	WE97-06B
														NITOR VALU			 		Tape/		-	9 7 HR MIN		38
_							2					31	PRI. SAL.	ES	TRANSMISSOMETER 33D				Tape/Diskette ID)]]		
		į											SEC. SAL.		1/8/		1	l b	F		آ ا	5 5 7 5		
										+			-	SAME	4092			TDOP	File Name/Header		Z	ル フ (m)	m コ C の の m カ で m ー > ー の > m の VISIBILITY	
			:								E	:	SALINITY	SAMPLE BOTTLE DATA					ĕ			O O O O O O O O O O O O O O O O O O O	 -	
								88			+		SAL		1	MAX. DEPTH =					교		\$ 0 5 * ≥ 3 © 0 C O F C * m ∪ ≺ → * m エ → > m €	
													NUTRTS.	SAMPLE BOTTLE NUMBER	_ I	PTH =	m				- 1	1680	ВОТТОМ	
								+					OTHER	E NUMBER	:	3	203				l	0 1 0	STA.	

PG-134

				1	1	Т	7	_			I	_	7	F. 1	SE SE	SE	7	7	PS	7	-	0	7	08 0	<u>۾</u>
12	11	10	9	00	7	6	╁	\dashv	4	ω	2	1	POS.) ()	ic Te	<u>co</u>	AI TEN	SBE 9PLUS PRESS SN	TYPE & SN		0		OZZ CONSC CAST #	VESSEL OSU RA
	9	N	5	ນ ດ*	70	100	000	א א	パ つ フ	000	250	500	DEPTH DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843	SN	임	,	DEG	<u> </u>	VESSEL OSU R/V WECOMA
													PRESSURE	:	1030	31384	1041	31371			-	100N	MN.	ATITUDE	
							\downarrow						m		PA	AT SURFACE	AT DEPTH	START DOWN	DATA ON		SEMIT	110	DEG	Б	
													PRI. TEMP.	СТВ	PAR 4329	ÄCE	± I	NWO	ا	•	10.00	15.00	· NIW	LONGITUDE	
			_		\vdash	-		-					SEC	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	r E 1 M	DAY	DATE .	₹ ₽
- 33	4			_								-	SEC. TEMP	D MONITO				i			M	U N 9 7	MO YR	101 = ar	PROJECT & LEG WE97-06B
-							;	Ш					PRI. SAL	RVALUES	TRANSMISSOMETER 33D			,	l ape/Diskette ID	9		11456	HR. MIN	TIME (GMT)	EG
						-						,			TER 33D		_		(a)	; ;	, 9	0510	(°C)	DRY BULB	-
	;						3						SEC. SAL.		11864			B	7		DATA LOCATION	05/00/	(°C)	BULB WET SOME RP	
			-	<u> </u>		<u> </u> 	+			-				SAMPI	E BOH	,		5000	File Name/Fieader		NOI	SIEHIN	(mb)	m → > → ∞ > m ∞ VISIBILITY	
											II	 	SALINITY	SAMPLE BOTTLE DATA		1		9	ā	4		1500 a	(deg) (m/s)		STA
_							<u> </u>			,			SAL	7		MAX. DEPTH =				•	REMARKS	ELEISH		まら人上	STATION DESIGNATION
													L NUTRTS.	MPLE BOT	4	EPTH =					S	3650	3	₽ 8	GNATION
										-			rs. OTHER	SAMPLE BOTTLE NUMBER		3	5003					10120	-	STA.	

23 OF 134

12	11	5	9	8	T.,	T	»	ري ري	4	ω	2	_	POS	1	SE	SE	꿆	ᄝᄱ	PRI	SB:		2		OZ3	OSC VE	ξ Z
						_			H		_	10			SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	ŀ	-		023 consc) RV	VESSEL
	90	J.	2*	0	77,0			50	スつつ	200	ソハク	500	DEPTH P		ID SN	PSN	OSN	SN	Z	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	رز	DEG U	- - -	OSU R/V WECOMA	
İ				=:									PRESSURE		1030	31384	1041	31371	•))) V	M N			`
					_	_						_	ffi			AT SURFACE	AT DEPTH	START		DATA ON	TIMES	교	딦	<u> </u>		١
				-									PRI. TEMP.	СТОС	PAR 4329	FACE	主 	START DOWN	ļ	ž		ر ان ان	SIN .	LONGITUDE		ļ
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S			;	1		JD/TIME	-	DAY MO	DATE JD=	WE97-068	PROJECT & LEG
			-	-				_		L	F		7	NOT OR	क्रि							\vdash	ă	6 F	88	CT & LI
	:												PRI. SAL	VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID		र जिल्ला है।	HR MIN	TIME (GMT)	v	G
		_			-					_	-		<u> </u>	1	TER 33D					₹		<u>5</u>	(°C)	DRY	e .	
										2			SEC. SAL		1140		かか	h		File	DATA LOCATIO	60151601		WET		
L		10.4		\downarrow							_		<u> </u>	 	E		PRO	173		File Name/Header	ATION	01H	€		1	
													ر س	AMPLE	5,90		1004	せつび		Header		4		m → > → ω > m o VISIBILITY		
													SALINITY	SAMPLE BOTTLE DATA			E					3502	(deg), (WIND V	1	Ŋ
														E DAT			 	 -	٤٦		70	258	(m/s), *,	WIND m (a)		TATION
	1			+		1					†	+	SAL	7		MAX. DEPTH =			PROT		REMARKS	8 न ७ ३	*	m ʊ ≺ ⊣		I DESIG
H	-		1					-					NUTRTS.	SAMPLE BOTTLE NUMBER		[] 무		SHINE	P~		Ø	3030	<u>3</u>	ВОТТОМ		STATION DESIGNATION
L	-	\perp	\downarrow	\downarrow	-	-		+	\downarrow	+	+	-	╫	 			33	0	オストロ	_			-		1	
													OTHER	JMBER		3	OL	Ú				02		STA.		

24 PG-21 OF 134

12	=	ō	မ	∞	7	თ	თ	4	۵	2		Pos		SEC	SEC	PRI	PRI	SBE	TYPE	9)	#	O24 CONSC CAST	080	VESSEL
0	IJ	6	20	F	50	35	100	250	500	50	1000	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRITEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843	TYPE & SN	Ω	フ ア ア ア ア ・			OSU R/V WECOMA	Ë
												PRESSURE		1030	31384	1041	31371	012-0256 92843			シ う う う フ フ	LATITUDE		Ā	
											7	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		PA	AT SURFACE	AT DEPTH	START DOWN	DATA ON		TIMES) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5			
							-					PRI. TEMP.	CTD	PAR 4329 V	ACE	r I	OWN 1	_ 			S MIN	LONGITUDE			
	_					1		-	_	-		SEC	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	2 × × × × × × × × × × × × × × × × × × ×	DATE JU		_	, ,
	-1										_	SEC. TEMP	D MONITO							IME.	∠ ≥ ≥	$ \downarrow$		WE9/-06B	PROJECT & LEG
												PRI. SAL.	R VALUES	TRANSMISSOMETER 33D	,			Tape/Diskette ID			7221	5 G	TIME		LEG
		411		,	-	-			-	-		ļ.F		ETER 33D				ette ID	; ;		069	_	DRY		
		, its										SEC. SAL.		मिवहरा		i I	þ	716	!	DATA LOCATION	06.11				
	<u> </u>		-	<u> </u>				-	-	5			SAMI	EPOH		ļ	TAGE	File Name/Heager		ATION	-		T ス ⊂ の の m ス T ¬ ¬ > ¬ o > m TSIBILITY	S	
												SALINITY	SAMPLE BOTTLE DATA	(a)		!	6	der			0003				
			-		-	-	-			1		_	7		MAX	<u> </u>				REM	0836	ं ड		<u>-</u>	STATION DESIGNATION
	_		_	\perp	1		1		\perp	,	1	SAL.	SAMPLI		MAX. DEPTH =					REMARKS	וע	* 7	om I → ≻ m ≦	=	SIGNAT
												NUTRTS.	SAMPLE BOTTLE NUMBER	14	Ī	~					030	+	BOTTOM		NON
												OTHER	NUMBER		3	10X					olala		STA.		

PG 220F 134

12	11	ಕ	g	8	7	σ	ņ	CJI	4	ω	2	<u>,</u>	Pos	ÿ	SEC	SEC	PRIC	PRI 1	PRES	TYPE	Í	2	,	O2S CONSC CAST	VESSEL OSU RA
0	U	5	র	30	70	Į.	5	JI O	N N	100	150	300	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN		رر	DEG	A SC	VESSEL OSU R/V WECOMA
FALLS													PRESSURE		1030	31384 A	1041 A	31371 S				Z II		ATITUDE	>
25					č								PRI. TEMP	្ន	PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	01516	DEG MIN	LONGITUDE	
F(1)5													IP. SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	NOTHIND	DAY MO	DATE JD= \	PRO WE9
	18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			-				=		12	-		-=-	MONITOR VAL	_			 		Таре		N 9 7 0 6 0	ΥR	તું જા	PROJECT & LEG WE97-06B
													PRI. SAL.	JES	TRANSMISSOMETER 33D					Tape/Diskette ID		1150510	HR. MIN (°C)	TIME DRY	=
	1000												SEC. SAL.		1333			l Gi		File N	DATA LOCATIO	1015116101	(°C) • (mb),	SUE BULB ON THE BULB	
				-					- :				SALI	SAMPLE BO	EBOH.			5023		File Name/Header	2	143005	b), : ; (deg)	m T A T W A M W VISIBILITY	
						-	4				 		SALINITY	SAMPLE BOTTLE DATA		MAX	 		11	-	REM	218	(m/s) * *	SPD D C O C C	STATION DE
_							•					,	SAL. NUTRTS	SAMPLE BOTTLE NUMBER		MAX. DEPTH =					REMARKS	353030	(m)	T T A A F BOTTOM	STATION DESIGNATION
-						ŀ							S. OTHER	TLE NUMBER		3	EXX3					022		STA.	

12	11	70	9	8	7	o	5	4	အ	2	_	Pos.	1 s	SEC C	SEC TI	PRI CC	PRI TE	PRESS SN	TYPE & SN		ান্ত্ৰ		026 CONSC CAST #	VESSEL OSU RA
	0	ઝ	6	ر 0	Л О	100	250	51 00	1000	1250	500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN	CTD	25	DEG	_	VESSEL OSU R/V WECOMA
												PRESSURE	i.	1030	31384	1041	31371	92843	112-0256		NOPER	NIN .	ATITUDE	>
											_	R			AT SURFACE	AT DEPTH	START		DATA ON	TIMES		DEG	١	
												PRI. TEMP.	СТВС	PAR 4329	RFACE	H _I	START DOWN	: 	S		12 12 12 12 1W	MIN	LONGITUDE	:
,												SE	ONVERT	FLUOR 101S				ŀ	1.2	JD/	N /H J	DAY	DATE JD=	
	_	a demande de la companya de la compa	=	_				=				SEC. TEMP	CTD CONVERTED MONITOR VALUES	<				= =		JD/TIME	0 N O	MO	<u> </u>	WE97-06B
	_	Lugaria dal		-	W 6.04		-			. =-		R P	FOR VALU	TRANSMISSOMETER 33D				d., s.d.	Tape		7	X H	ର୍ଷ ତ =	E C
	-	7										PRI. SAL.	JES	SOMETE		!			Tape/Diskette ID		03580	HR. MIN	(GMT)	
		100 200 200 200 200 200 200 200 200 200						-				0		R 33D \			į		0	Ş	015 610	င္ပံ	DRY	
											:	SEC. SAL		2	. =	1	6		TI BE	DATA LOCATION	05/6012	(°C)	l	
_	ļ					<u> </u>					+		SA	E804			200		File Name/Header	NOIT	<u>श्रीभाव</u>	(mb).		
									0			SALINITY	SAMPLE BOTTLE DATA	D P	,		125		ader		SINDIN	(deg)	WIND DIRN.	
	-											TT I	TLE DA1		L	 		la I		.0	121/1	(m/s)	WIND SPD.	
									+			SAL.	1		MAX. DEPTH =	taken	More!	14/201	D 1	REMARKS	<u> </u>		m v ≺ ⊣ ≫m エ ⊣ ≽ m ≷	
				F			 	 	-	+	7	NUTRTS.	PLE BOT		품		415-4	11	1105	U		3	ВОТТОМ	
	-											IS. OTHER	SAMPLE BOTTLE NUMBER		3	1043	20 000	hoteles	trispond		004		STA.	

27 PG X OF 134

12	11	10	ဖ	œ	7	ი	ď	ת	4	ω	2		POS.	e' <u>z</u>	SEC C	SEC 1	PRI C	PRI TI	PRESS SN	TYPE & SN		2	#	O27 CONSC	OSU F	VESSEL
)	ハ	10	30	30	SO	00	250		万つつ	1000	1250	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	TYPE & SN	CTD	ス リ ア ス ス ス		<u> </u>	OSU R/V WECOMA	
	100												PRESSURE		1030	31384	1041	31371	92843	012-0256) N) ·	LATITUDE		A	
				_	<u> </u>	-		4				8	R			AT SURFACE	AT DEPTH	START DOWN	3	DATA ON	TIME) DEG	2			
						!							PRI. TEMP.	CTD C	PAR 4329	FACE	로 	DOWN	;	Ž		S O W	LONGITUDE			
		3.00											SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S VIT							N O N DAY	JG (WE97-06B	PROJECT & LEG
		<u> </u>	=	-					*		83		PRI. SAL.	OR VALUES	TRANSMISSOMETER 33D			the other	- 32-1	Tape/Diskette ID		9 7 1 N M N N N N N N N N N N N N N N N N N	(GMT)	TIME		& LEG
												-	SEC. SAL.		ER 33D /る/る			P					BULB		- -	
201													SALINITY	SAMPLE BOTTLE DATA	HO92			A DOUS		File Name/Header	_	01143000	• m	I → → → o → m o ISIBILITY		
										-				7	l l	MAX.					REMARKS	ン シ シ シ コ	SPD. 1) E		2	STATION DESIGNATION
			_	-	\perp	\downarrow	\downarrow				_	-	SAL. N	SAMPLE		MAX. DEPTH =					RKS	230	T	m≖⊣≯m≷		0.00
												,	NUTRTS.	ВОПТЕ		11	m					011) FF I	ВОТТОМ	-	3
				K	<		1						OTHER	SAMPLE BOTTLE NUMBER	:	3	2002					27	NAME/ID	STA.		

12	11	ō	9	8	7	ი	5	4	з	2	_	POS.	150	SEC C	SEC T	PRI CO	PRITE	PRESS SN	TYPE & SN SBE 9PLUS		<u> </u>		OZ8 CONSC CAST	VESSEL OSU RA
þ	х	Ó	30	ر. 0	バ う	180) 50	500	000	7787	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	TYPE & SN SBE 9PLUS 09P6012-0256		2)	DEG	_	VESSEL OSU R/V WECOMA
"	N =	VZO			1	V	7					PRESSURE		1030	31384	1041	31371	92843	012-0256		9 9 N	MIN	LATITUDE	>
-		0				-11	5				100	R			AT SU	AT DEPTH	STAR		DATA ON	TIMES	이티시	DEG		
14	ti.	13				1.1	N3XSI					PRI. TEMP	СТВ	PAR 4329	AT SURFACE	PTH .	START DOWN		O _N	u.	000001	MIN	LONGITUDE	
L	L	13	┞	<u> </u>	L	<u> </u> _	6	\perp		-	_		CONV	FLUC							W	DAY	8	
5	25/	17.11.E.				5	3122					SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S					29	JD/TIME	L U U N	γ Mo	DATE JD=\{	PROJECT & LEG WE97-06B
H		HIGH	\vdash	-		-	-						ITOR \	RAN				~ 41			9 7	ž	් 	T & LE
11	11	2	,			1.0	H-N					PRI. SAL	/ALUES	TRANSMISSOMETER 33D	!		:		Tape/Diskette ID		1236	HR. MIN	TIME (GMT)	G
1,6	1	77			-	\downarrow	6		$oxed{\perp}$	_		120	-	TER 331					Ð		05	Ĉ	DRY	
_	्	338				1	9					SEC. SAL.				 	0		2	DATA LOCATIO	056	(°C)	WET	
1.		3700					358	ļ				<u> </u>					77.7		File Name/Header	ATION	01/2	(mg	m z c o o m z t	
		3				8	NERED	·				6	SAMPLE BOTTLE DATA				200		/Header		日3	**	m → > → ω > m ω VISIBILITY	
		2					35.7					SALINITY	ВОП				5		•		SHIZ.	(deg)	WIND DIRN.	(0
												~	LE DA1			,	1	-		-	2	(m/s)	WIND.	STATIO
	+	+	+	+	1	\dagger	+		\dagger	+	\dagger	SAL			MAX. D					REMARKS	8135		mo≺⊣) N DESI
H	\dotplus	+	+	+	+	+		+	+	,	+	- 1	MPLE		MAX. DEPTH =					Š	70	3	D B	STATION DESIGNATION
												NUTRTS.	لــــــــــــــــــــــــــــــــــــ	1		Ú,				,	80			¥
				î								OTHER	SAMPLE BOTTLE NUMBER		3	703					918101	-	STA.	

29 PG SEE OF 134

12	11	10	9	00	7	6	ĊΊ	4	ω	N	-	POS.		SEC C	SEC TE	PRI CC	PRI TE	PRESS SN	SBE 9F	TYPE & SN	0 0 1	-	CONSC CAST #		029	VESSEL OSU R/V
			9	Я	ó	0	ע ע	υπ Ο	9	ひいつ	八00	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	SBE 9PLUS 09P6012-0256			DEG		<u></u>		VESSEL OSU R/V WECOMA
									>		,	PRESSURE		1030	31384	1041	31371	92843	012-0256		1 1 1 1 N	Z	LATITUDE			A
							-	<u> </u>			3	R			AT SURFACE	AT DEPTH	START DOWN		DATA ON		TIMES	1_	5		•	
												PRI. TEMP.	CTD	PAR 4329	FACE	∃ -	NWO		z I		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		LONGITUDE			
											<u> </u>		CTD CONVERTED MONITOR VALUES	FLUOR 101S							[aa		₹''''			< P
		참						=	=	=		SEC. TEMP	ED MONITO								JD/TIME	. 8	6			PROJECT & LEG WE97-06B
		n+),11										PRI. SAL	R VALUES	VTRANSMISSOMETER 33D					Tape/Diskette ID		1 101 81.0	· 5		-		LEG
						ļ	-		 -	-		۴		ETER 330		=			ette ID			L C	m _			_
		265		<u>.</u> !					:			SEC. SAL		मिष्ठद्य।	<u> </u>	। •ि	 		File		DATA LOCATION	3 3				
			_		-	+			Q.		\vdash	- -	SAN	REOFH !		ROMO	ECOUNTS		File Name/Header		ATION		m zo c		8	
												SALINITY	SAMPLE BOTTLE DATA	EV .		135	· 		ader			(deg)			•	
												7	TLE DATA		Z	 	 ।	1	h		20 0) (m/s)	WIND m	00	0 - 0	STATION DESIGNATION
												SAL.			MAX. DEPTH =	;	PROD		531780		MARKS	ו ת ס	י החנג' החנג'	< →	m ≨	DESIGN
												NUTRTS.	SAMPLE BOTTLE NUMBER	×	국 "	\mathcal{T}	TOK &					2	∓ ≷			A CN
-		-				0						OTHER	NUMBER	:	a	DOL	SHO SH		STATION		<u> </u>	000	STA. NAME/ID			6
								•	•	•		•		-			me case									
									19								300									

20 PG-24 OF 134

12	11		ဖ	∞	7	<u>_</u> _	Τ,	<u>ئ</u>	4	ω	2	_	POS	254	SE	SE	P	꿁	7 6	8 국	į)	Τ	္ င္ပ	ပ္တ	<u></u>
2	1	10	9		-	"	+	_	141		_	h 3	<u> </u>		SEC COND SN	SEC TEMP SN	PRI COND SN	PRITEMP SN	PRESS SN	TYPE & SN	1	0	*	030 CONSC CAST	URV.	VESSEL
)	ภ	6	b		A O	Я	0	7)	0	TRIP DEPTH		NS CI	P SN	DSN	SN	ž	TYPE & SN	31	ス ス ス ス ス ス ス		- - -	OSU R/V WECOMA	
													PRESSURE		1030	31384	1041	31371				O N	A COL		P	
	_					\downarrow			_	_			m	i		AT SURFACE	AT DEPTH	START DOWN		DATA ON	SHMIT			<u>.</u>		Ì
					!			:					PRI. TEMP.	СТВ	PAR 4329	FACE	∄ I	DOWN	; 1	Ž		<u>لز</u>	MIN	ONGITUDE		
		_	_		_	+	+		_	┝		┝		CONVE	FLUOR 101S						,	× .		DATE	$\frac{1}{1}$	
	=			=					e! _			=	SEC. TEMP	CTD CONVERTED MONITOR VALUES							JD/TIME	C		J B √	WE97-06B	PROJECT & LEG
			-	=	 -	-	†				-			TOR W	RANSI		\ \	I I					~[ji	- "	& LEG
		;					!						PRI. SAL.	ALUES	TRANSMISSOMETER 33D				•	Tape/Diskette ID		835	MIN	TIME		
-						+								-	ER 33D	:				Ē	, ,	5.5	<u></u>	BULB DRY	ξ ₁	
				1									SEC. SAL.		1195		ı	l)			DATA LOCATIO	<u>5</u>	_	WET		
	ļ			Ļ		1	_		-	-	_		-	υ So	时			つえるつ		File Name/Header	ATION	013	랄	m ⊿ ⊃ ⊣ o > m o VISTBILITY	1	
													8	AMPLE	92			38		Header		띩	┪	D WIND		
													SALINITY	SAMPLE BOTTLE DATA								- 	*	ND WIND	+	ST/
						\downarrow							<u> </u>	DATA		<u>\$</u>	1				R		(s/m)	D □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	2	ATION D
											,		SAL.	SAMP		MAX. DEPTH =					REMARKS	日内の	*	m v ≺ → z m ± → > m &		STATION DESIGNATION
													NUTRTS.	SAMPLE BOTTLE NUMBER	2	로 "	m					10 E	(E)	ВОТТОМ	_	ATION
						1							OTHER	NUMBER		3	\Q3;					ା ଅନ୍ତ		STA.		

PG 280F 134

12	=	10	စ	8	7	0		ונט	4	ω	2		POS	***	SEC	SEC	PRIC	PRI 1	PRE	TYPE	-		*	CONSC CAST	03)	VESSEL OSU RA
			-			N C	נ	п	20	e)	16	23	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN SRF 9Pi US 09P6012-0256	음	ט	5		8	VESSEL OSU R/V WECOMA
											:		PRESSURE		1030	31384	1041	31371			-10	0 0 0 0	MIN			>
				 						,		-			PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON		130	DEG N			:
									12.				PRI. TEMP.	CTD CONVE	<) W	-	DATE		
	-											_	SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 1018 VITE				— .		JD/TIME	NOL	8			WE97-06B
											11		PRI. SAL	OR VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID		9 7 19 16	Ţ	GMT	<u> </u>	LEG
	-	Section 1						1		2					ETER 33D					₹ 0	DA1	05.0	┥	DRY		
													SEC. SAL.			TROO		PRO		File Name/Header	DATA LOCATION	05001	(mb)		σωππυ	1
								;		 		}	SALINITY	SAMPLE BOTTLE DATA	:	1 c dd	1	PRODOCE		/Header		10000	(deg)	DIRN.	⊣ω≯m α BILITY	
													Y SAL.	7		MAX. DEPTH =	T	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			REMARKS	SE8 6	(m/s) * * *	WIND m P E SPD. t) E R	 	
										:			NUTRTS.	SAMPLE BOTTLE NUMBER	ii.	PTH =				i.	Š	320H	(m)	BOTTOM DEPTH		_
													OTHER	NUMBER		3								STA. NAME/ID	EE PIP	

						Т	T	_	_				ס	18	S	. ĆS	ī.	₽	פ	<u>∞</u> ∃	1	0	Т	0 Q	<u>0</u> ≲
12	11	10	9	8	7	6	5	4	٠ ١	۳	2	<u>م</u>	POS.		EC CC	EC TE	RI CO		PRESS SN	TYPE & SN		٥	#	O32 CONSC CAST	VESSEL OSU RA
			9	N	6	n	りつ	5	1 1		2	200	TRIP DEPTH	,	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN SBE 9PLUS 09P6012-0256	CID	ア JI G			VESSEL OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	012-0256		0 N	LATITUDE		A
						35						M	URE .	 		AT SURFACE	AT DEPTH	START		DATA ON	TIMES	5 5 6	; ; ; ;		
										-			PRI. TEMP		PAR 4329	RFACE	Ŧ	START DOWN		ž		51 M	LONGITUDE		
							_	-	4	٠			₩ P	TD CONV	√FLU							<u>0</u> ≥	1		<u> </u>
		į		į								:	SEC. TEMP	CTD CONVERTED MONITOR VALUES	VIFLUOR 101S						JD/TIME	N O H	DAIE JU	. 5	PROJECT WE97-06B
	_		- ~	_							-	. =	MP	ONITOR	TRAN							N 9 7	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		PROJECT & LEG WE97-06B
											-		PRI. SAL	VALUES	TRANSMISSOMETER 33D			-		Tape/Diskette ID		2029	HR MIN	TIME)
						-		1				<u> </u>			ETER 331					ette ID		o t	+	DRY	7.
		j											SEC. SAL.		6/2						DATA LOCATION	05001	(°C)	WET	
							-		_				ļ <u>ē</u>	<u></u>	H CC			2.2		File Name/Header	CATION	011		r K m o o ⊃ K n	ļ
						;					:		SA	SAMPLE BOTTLE DATA	CEOR		į	6500		Header		팕	(dea)	TSIBILITY SINCE	
24												;	SALINITY	OTTLE D	i	371						-	_	S S S S S S S S S S S S S S S S S S S	S
_			_	-	$\frac{1}{1}$	+	+	22	\dashv				SAL			MAX. D				0	REMARKS	00	.* с • г	#####################################	ON DESI
-				+	+	+	+	+						SAMPLE BOTTLE NUMBER		MAX. DEPTH =				OPTICAL	KS	6	\neg	BOTTOM	STATION DESIGNATION
	igert	_		-	!		+	_				-	NUTRTS.	OTTLE N	*		33			<i>f</i>		0	+	<u>-</u> -	-
													OTHER	JMBER		3	6			TA		029		STA.	,

PG_247 of 134

12	11	10	ဖ	∞	Ţ	<u> </u>	6	(J)	4	ω	2	_	Pos	No.	SEC	SEC	P.Z.	PRI	PRE	# 		<u>0</u>	Ţ,	O33 CONSC CAST	VESSEL OSU R/V
			0	Л	Ó	í,	りつ	 び う	7,7	100	135	200	DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN	C	0	DEG		VESSEL OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	6012-0256			MIN	ATITUDE	MA
			_		-	_				1,1	es m	ij.	R		PA	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	-50	DEG	5	
										0	į		PRI. TEMP.	CTD C	PAR 4329 VI	ACE	I 	NWOC		2	30	4 4 9 8 W	MIN	LONGITUDE	
		¥											SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	N U L HI		DATE JD= \\	PROJECT & LEG WE97-06B
					2						33.		PRI. SAL	ITOR VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			YR HR MIN	MIT BMIT (FMG)	3 REG
														_			(ਰ ਹ	DATA	\sim		DRY WET	
										 -		4	SEC. SAL.	SAI	297/4092		,	CIDO		File Name/Header	DATA LOCATION		(mb)	m コンコのションで m コンコのショの VISIBILITY	
		8											SALINITY	SAMPLE BOTTLE DATA	P			050		ader		35011	(deg)	WIND WIND DIRN. SPD.	
													SAL.	1	1	MAX. DEPTH =				0.0770.5	REMARKS		(m/s)- * * *	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	STATION DESIGNATION
													NUTRTS.	SAMPLE BOTTLE NUMBER	5g -	III	3			(C)S		550	3	BOTTOM	- ATION
										79			OTHER	NUMBER	-	3	503			-		030		STA.	

PG-350 134

NECOMA NECOMA NECOMB N	12	11	ō	9	&	T.	7	o	Ţ	5 ъ	4	ω	2	<u>_</u>	POS	e, w	SEC	SEC	B	P.R.	PR	S TY		0		034 cons	SC	ξį,
TIME DRY WET		-				+	,		\dagger		H	\vdash	-	┿	 		CONI	TEME	COND	TEMP	ESS SN	E & SI	Ŀ	-		034 CONSC CAST	J.RV.V	VESSEL
TIME DRY WET				0	J	P	>	or		5	6	5	B	9	PT 공		NS O	NS	SN	S	- (S 09 P 6	CTB	ט		·	VECOM	
TIME DRY WET R IN IN INDICATION WAND IN DRY WET R IN IN IN INC. CO. CO. (may); C. (day) WAND IN DRY WET R IN IN INC. CO. (may); C. (day) WAND IN DRY W								27							PR		103	313	<u>1</u>	3137	928	012-025		9 9	MIN		Α	
TIME DRY WET R AND WIND WIND MES LONGITUDE DATE JD=\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\														50	SSURE		_						크	才	#			_
TIME DRY WET R TO DIRN WIND MIND M P S S S S S S S S S S S S S S S S S S			-	_		+		1	+			\vdash	+	-	'''		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	SURF	T DEPT	TART D		ATA ON	- 1			<u>.</u>		
PRI SAL SEC. TEMP PRI SAL SEC. SAL SALINITY SEC. TEMP PRI SAL SEC. SAL SALINITY SEC. TEMP PRI SALINITY PRI SALINIT							. :	7							PRI. TE		R 4329	ACE	Ĭ	ŎWN N				2	<u> </u>	NGITUD		
METER 33D \ A B A B A B A B A B A B A B A B A B A								n							Š	STD CO	<u></u>		Ì		1			تو		Ti .		
METER 33D \ A B A B A B A B A B A B A B A B A B A								7	1						SEC	NVERT	UOR 1						JD,	5	₽	DATE	Ļ	
METER 33D \ A B A B A B A B A B A B A B A B A B A			4					J), TEMP	ED MOI	018	 					∃WI.1			J	VE97-0	PROJECT & LEG
METER 33D \ A B A B A B A B A B A B A B A B A B A				-					+		ā					NITOR	RAN							7	ź		8	T&LE
METER 33D \ A B A B A B A B A B A B A B A B A B A			-											-	PR.	/ALUES	SMISSO	,			,	Tape/Dis		6	돐	TIME		G
WET R I I I I I I I I I I I I I I I I I I															Ě		METER					kette ID		ಠ	┪	<u></u>		
SAMPLE BOTTLE DATA SALINITY SALINI	_	,	Į.		t	†		T	†			+	\dagger	\dagger	,		330 \					-						v
SAMPLE BOTTLE DATA SALINITY SALINI															SEC. SA		7		1	-		<u>.</u>	(TA LO	50	ී	WET	-	
ALINITY ALINITY ALINITY ALINITY AND U C C C C C C C C C C C C C															F		12/			0		ile Namo	CATION	0	호		1	
ALINITY ALINITY ALINITY ALINITY AND U C C C C C C C C C C C C C																SAMPL	09	76	V			e/Heade	_	\aleph	_			
<u> </u>															SALINIT	E BOTT						~		-	- 1		L	
<u> </u>															7	LE DA1		_	!	 					(m/s),	SPD.		STATIO
MPLE B SS SS DEPTIO					\dagger	\dagger		\dagger	+			+	+		SA			MAX. DI				0,	REMAR	862	*	# 7 × 1 × m ≥ m × 1 × m ≥ m × 1 × m ≥ m ≥ m ≥ m ≥ m ≥ m ≥ m ≥ m ≥ m ≥ m	.:	N DESI
		+	+	+	+	+		-	\dashv	_	+	+	+	+		MPLE		EPTH =				710	Š		m (m			STATION DESIGNATION
								-							NUTRTS.		8	;				/		5		Ħ Ø	-	ž
STA. NAME/ID THER OTHER		T			†					Г		T	\dagger	1	양	NUMB		Щ В	_	=				0		STA.		

PG_35 OF 134

. 1			Γ	1	Т	_		1	Т	Т	Ţ	Τ	प्र	=:. /	S	တ္ဆ	P	P	P S	_	k	51	Т	08 0	<u> </u>	7
12	11	6	9	8	+	1	6	5	4	ω	2	_	POS.		00 00	E TE	2 CO	시 TEN	SBE 9PLUS	TYPE & SN		2	ŀ	035 CONSC CAST	VESSEL OSU RAV	
			þ	'n	0)	Л	<u>၁</u>	50	뷨	50	၁၀၀	DEPTH P		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843	SZ	ဌ	ᄓ	DEG		VESSEL OSU R/V WECOMA	
													PRESSURE		1030	31384	1041	31371)12-0256 92843		ч,	0 0 N	MIN	ATITUDE		
													ᇛ			AT SURFACE	AT DEPTH	START DOWN	DATA ON		클	_	DEG	5		1
	! 						 - 						PRI. TEMP.		PAR 4329	FACE	Ŧ	DOWN	ž			<u></u>	MIN	LONGITUDE		
													Š.	TD CON							- 10	0			!	
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	디	DAY N	DATE JD=\	Win Z	790
				L		=	=			L		-	EMP –	MONITO	区						m	z ©	MO YR	-	WE97-06B	Y TOS
													PRI	R VALUE	TRANSMISSOMETER 33D				Tape/C			7022	돐	TIME (GMT)	6	<u> </u>
													PRI. SAL.	S	OMETER				Tape/Diskette ID			0	Z		1	
		5		\dagger	\dagger			\dagger	+	+	1		S ₂		₹33D				J		DA:	5100	(0°)	DRY I		
													SEC. SAL.		1252			þ	File		DATA LOCATIO	05.00	(°C) (BULB R C S E B		
	┞			$\frac{1}{1}$	+		-			+	<u> </u>	•		SAI				770	File Name/Header		NOIT	श्रमाञ्च	(mb); :	m ⊿ ⊃ → o > m o VISIBILITY		
i										_			SALINITY	SAMPLE BOTTLE DATA	F60H	!		6500	Pader			राजम	* (deg)	DIRNO		
													YTIN	TILE DA								15	• (m/s)	WIND SPD.		ISTATIO
-	-	+							100	-	+		SAL	7		MAX. DEPTH =			0		REMARKS	८७३	1. 1.	(の) (の) (の) (の) (の) (の) (の) (の) (の) (の)	<u> </u>	ON DESIG
	+	+		+	+		-		ř				200	SAMPLE BOTTLE NUMBER		EPTH =			CALICS		Š	8622550	(E)	ВОТТОМ		STATION DESIGNATION
			_	_	\downarrow			_	\downarrow	_	_	_	NUTRTS.	OTTLE N			λ. W					<u> </u>	-			_
													OTHER	UMBER		3	0					038		STA.		

_		1	_	_		_	_	_	_	_		1 70	ä .	S	S	ט־	7	70 (∽ ⊣	I	äΤ	Т	-0	0 <	2
12	11	10	9	8	7	6	G	4	<u>د</u>) ^	+.	POS.	W.	EC CC	EC TE	R CO	ᇟᇤ	PRESS SN	TYPE & SN		رد ر		036 consc cast	SURV	VESSEL
			0	n	5	Ī	رر د	50	ווי	00	900	DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	الا الا الا	DEG	_	OSU R/V WECOMA	
										71147	?	PRESSURE		1030	31384	1041	31371	92843	012-0256		0 0 N	M.	LATITUDE	À	
						195				7)	温			AT SU	AT DEPTH	START		DATA ON	TIMES	_	DEG	F		1
										1	!	PRI. TEMP		PAR 4329	AT SURFACE	Ŧ	START DOWN		ž	100	9)	MIN	LONGITUDE		
										7	,)	EMP.	CTD CONVERTED MONITOR VALUES								<u>વા </u>	850.25	Ж 		-
												SEC.	VVERTE	FLUOR 101S						JD/TIME	<u> </u>	YAD	DATE JD=	W	밁
										9	1	SEC. TEMP	D MONIT							M	U N 9	MO Y	D= \ \6\.	WE97-06B	PROJECT & LEG
. 4		+ -								31 11 11 11	4	공	OR VALL	TRANSMISSOMETER 33D			Ī		Tape		9 7 0 3	YR HR.	, π (G)		, LEG
						S					3	PRI. SAL.		SOMETE					Tape/Diskette ID		03480	HR. MIN	TIME	-	
) 연 취			<u> </u>	<u> </u>		-	+	1				R 33D					₽	, D	5 6	(°C)	DRY		
												SEC. SAL.		1231		1	1			DATA LOCATION	<u>05.60a</u>	(၀)	WET		
	<u> </u>		_	_			-	_	4	4	_	-	ی	24		-	57		File Name/Header	ATION	0 2 3	(mb):	m ¬ ⊃ ¬ o > m o VISIBILITY		,
		!										SA	SAMPLE BOTTLE DATA	600			202		Header		100	(deg)	DISTBILITY DISTBILITY DISTBILITY	-	,
							,					SALINITY	OTTLE (7				61	g) (m/s) *		-	STAT
				_	-	+	+	+	+	+	+	(0			MAX.					REMARKS	<u>8</u> 3	<u>*</u>	D		STATION DESIGNATION
_	-	igg			-	\downarrow	\downarrow	_	\downarrow		-	SAL	SAMPLE		MAX. DEPTH =					RKS	87	·*	R E H I A E W	1	SIGNATI
												NUTRTS.	вопте	Q.	"	m					0	3	ВОТТОМ	-	8
												OTHER	SAMPLE BOTTLE NUMBER		3	903.			31		03		STA.		

PG 320F 134

		Ι.			Т	_		_	T	Т	T	Г	Ţ		S	တ္ဆ	<u> </u>	Ţ	<u> </u>	<u>s</u> J		b		08 08	2 ਵੀ
13	11	ō	9	8	╀	7	6	ა	4	ω	2	_	POS.	. 19	EC CO	EC TE	S CO	NEV.	PRESS SN	TYPE & SN		얼마		O37 CONSC CAST	VESSEL
			0	Л		>	গ	ע ⊘	ত্য ত	12E	100	300	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	JT JT 92	DEG		VESSEL
													PRESSURE		1030	31384	1041	31371	92843	012-0256		9 98 N	MIN	LATITUDE	>
				_	\downarrow				L	_		#**	lm		∏PA	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	169	DEG	5	
													PRI. TEMP.	СТВС	PAR 4329	FACE	∓ 	NWOO		Z		1141991	MIN	LONGITUDE	
		- 67											SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/11ME	Z	MO		PROJECT & LEG WE97-06B
		Ap. Ap.	-				-				120		PRI. SAL	TOR VALUES	TRANSMISSOMETER 33D			A		Tape/Diskette ID		9 7 0 3 0 16	YR HR MIN	(GMT)	& LEG
		1 24									-				-					ন চ	DA I	016111019	(°C)	W •	.
													SEC. SAL.		H FEE			077		File Name/Header	DATA LOCATION	5.602	3	m z ⊂ w w z z m	
							:	1					SALINITY	SAMPLE BOTTLE DATA	5092			J. F.CO		/Header		I DIDIDIE	(deg)		S
		_		-								-		1		MAX.		<u> </u>	Ţ		7			mv≺⊣	STATION DESIGNATION
					$\frac{1}{1}$			+	+	+			SAL	SAMPLE BOTTLE NUMBER	,	MAX. DEPTH =					1	<u>laralalo</u>	Т		SIGNATIO
14			_									igg	NUTRTS.	אחדורני א פחבורני א	4)		33					- -			ž
													OTHER	JUMBER	ļ	3	EO							STA.	

				_		Т	Т	_	1				Į Į		S	S	פ	D	▣	<u>s</u> –		0		0.0	Ω	Ö	\leq
12	1	10	9	8	7	6	5	+	_	<u>ა</u>	2	<u> </u>	POS.		ე ეე	ECTE	RI CO	RI TEN	PRESS SN	TYPE & SN		0 3 77		CONSC CAST	88	SU RS	VESSEL
		3	0	n	6	'n	<u>၁</u> ဂ	7	л)	K. II	100	300	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	月 パ い	DEG	86,		OSU R/V WECOMA	
													PRESSURE	i i	1030	31384	1041	31371	92843	012-0256		S COS	MIN	LATITUDE		A	
	Ŷ							1					E .			AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES		DEG				
						i							PRI. TEMP		PAR 4329	FACE	Ť	DOWN		ž		00.0	MIN	LONGITUDE			
													MP.	TD CON	K.							DISIMI	100		···- <u>-</u> -		
		!											SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	200		DATE JD=		WE9	PRO
=			=				+						N P	MONITOR	N. S. S. S. S. S. S. S. S. S. S. S. S. S.							U N 9 7	¥	166		WE97-06B	PROJECT & LEG
													PRI. SAL	VALUES	TRANSMISSOMETER 33D		-	,		Tape/Diskette ID		তাভাত	HR. MIN	TIME (GMT)		3.29 00	6
													P	,	METER 3					kette ID		306	(°C)	DRY BULB			
													SEC.		8			i			DAIA	105	5	B BULB	1		
													SEC. SAL.		0 0			CT		File Nar	DATA LOCATION	51603) (mb)		T CL III O		iii
													6	SAMPLE	HO92	ļ		0035		File Name/Header	Ž	1		_	iω≯m α LITY		
	:		-										SALINITY	SAMPLE BOTTLE DATA	5			Dr.				3501	-	WIND W		-	ST
L		,			L	-	-							DATA		MAX	<u>'</u>	<u>'</u>			7	0 E E E		WIND m P SPD. t) E) C O F C	2	ATION D
													SAL.	SAMPLE		MAX. DEPTH =		ļ.	1931		KERMANNA	यसिंहा	7.	иm II -			NOITANDISED NOITATS
													NUTRTS.	ВОПТЕ	,		m					D	- ≘ :	BOTTOM DEPTH		-	Š
													OTHER	SAMPLE BOTTLE NUMBER		3	80.3			-		035		STA. NAME/ID			

CONSC CAST VESSEL 039 OSU R/V WECOMA POS. SEC COND SN SEC TEMP SN SBE 9PLUS 09P6012-0256 PRI COND SN PRI TEMP SN PRESS SN <u>0|3|6|5|3|a| 1</u> TYPE & SN ಭ 5 ဖ œ O Ġ 500 300 TRIP DEPTH 00 DEG 20 S S Ū SH LATITUDE <u>S</u> 31384 31371 92843 15 9 N PRESSURE <u>2</u> 1030 START DOWN DATA ON TIMES AT SURFACE AT DEPTH DEG 68 4 1 PAR 4329 LONGITUDE PRI. TEMP. CTD CONVERTED MONITOR VALUES FLUOR 101S FRANSMISSOMETER 33D ٤ DAY DATE JD= SEC. TEMP び J U N 9 7 Š WE97-06B PROJECT & LEG ¥ HR MIN Tape/Diskette ID 80406 PRI. SAL. TIME (GMT) DRY BULB ල් DATA LOCATION 06.1 1345 H093 SEC. SAL. WET BULB ල් *E-9800 E File Name/Header 220036 民国の30R田 m → > → o > m o VISIBILITY SAMPLE BOTTLE DATA WIND WIND M P H とアガラないで SALINITY STATION DESIGNATION * H SEREPTED TOR SO S QUOMIMIO THE TO SUSPICIOUS READINGS REMARKS MAX. DEPTH = 531240 SAL. SAMPLE BOTTLE NUMBER BOTTOM DEPTH <u>650</u> NUTRTS. $\overline{\epsilon}$ TAS STA. NAME/ID OTHER 3

* pump was off

कु

~ 0-36 m

40 PG260F 134

													- Ny ±	113	<u> </u>					~ <u> </u>	_		_			7 2	1
12	11	10	9	8	7	Jo	,	5	4	ဖ	2	-	POS.		SEC C	SEC 11	N CC	Ř	PRESS SN	TYPE & SN	ŀ	\exists	ļ	CONSC CAST	040	VESSEL OSU RA	
						C)	20	Ī	ور ال	LY N	RI	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	TYPE & SN	CTD	╗	DEG			VESSEL OSU R/V WECOMA	
												(4)	PRESSURE		1030	31384	1041	31371	92843)12-0256		Z	X.	LATITUDE	53 21.62 N	P	
												<u> </u>	쮸			AT SU	AT DEPTH	START		DATA ON	SHMIT		DEG	_			
													PRI.		PAR 4329	AT SURFACE	PTH	START DOWN		2			_	LONGITUDE	168 41.87 W		
											Э		PRI. TEMP.	CIP	8	 	1	 	= {			\vdash	MIN .		87 v		
_	-		├	╀	+	+			-		+	-	/0	CONVE	FLUOR 101S		3				ے	W	PΑΥ	DATE	<u>~</u>		
		· · · · · · · · · · · · · · · · · · ·			-				-				SEC. TEMP	RTED N	1018		-		^3 •		JD/TIME	N O L	MO	다 대	15 JUN 97	PROJECT WE97-06B	
			-										Đ	OTINO	☐ R ₂		· []	ļ/	12			N 9 7	YR		197	PROJECT & LEG WE97-06B	
											-	¢	PR	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D					Tape/			풁	TIME (GMT)	1843	i ii	<u> </u>
	17										Ì		PRI. SAL.	S	OMETI		**			Tape/Diskette ID			<u>S</u>	2011	3		l
_	+	¥.	-	╀	+	+		-	+	+	+	╁			R 33D					₽		=	င်	DRY BULB			1
									Ì				SEC. SAL.								DATA LOCATION	E	(C)	WET WET			
													SAL.					To the		File Na	OCATIO	E	(T)	m 20 C W	ν m π α		
l	-	1		Ť	+	1		+	S			\dagger		SAME				0)		File Name/Header	ž	E		m → > - VISIBI	I O ➤ M O	,	1
													SALINITY	SAMPLE BOTTLE DATA				EOO		er		F	(deg)	WIND DIRN.			١
									١				₹	חוב ש									(m/s)	WIND SPD.		3	CTATI
-	+	+	+	+	+	\dashv		+	+	+	+	-	S	٦.		MAX.					KEMAKKO		*	J@E¢-	1		STATION DESIGNATION
	_			1	\downarrow	_		1	\downarrow	_	\downarrow	+	SAL	AMP III		MAX. DEPTH =					Z.				+> <u>m </u>		(TANOI:
													NUTRTS.	SAMPLE BOTTLE NUMBER] 5	"	1						3	ВОПОМ		- · ·	⋛
\vdash	\dagger	+	\dagger	\dagger	+			t	\dagger	\dagger	\dagger	\dagger		- NOMI		3	TAO						1	STA. NAME/ID	TAØIP		
													OTHER	<u> </u>]_	F							8	7		

PG36NOF134

=		10	ဖ	00	7	╁	1	5	4	ى س	2 UI:	19	POS. DE		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN SBE 9PLUS 09P6012-0256	-	0375		CONSC CAST	140	VESSEL OSU R/V WECOMA	
		Э	Л)	Л	2	<u> </u>	J	0	2 00	00 150	100	TRIP DEPTH		NS.N	NS	SN	S	-	S 09P601	CTD	<u>131</u>	M 930	 Ea		VECOMA	
												¥*	PRESSURE		1030	31384	1041	31371				5 0 N	X Z	ATITUDE			
						+	_				\vdash		Ш		P _A	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	\simeq	DEG	Ç			
						!							PRI. TEMP	Ç	PAR 4329	ACE	I	NWO		_		6.0	NIN	LONGITUDE			
						1					L		, €	TD CON								V	_			1 5	
		196					_	_					SEC. TEMP	VERTED	FLUOR 101S		14 2010		-	= =	JD/TIME	15J U	12.34	DATE JD=		WE	3
			¥						E		-		E N	MONITO					eass.	0	П	N 9	MO YR	-		WE97-06B	
											83		PRI	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D					Tape/		721	扷	TIME (GMT)		E	5
													PRI. SAL.	S	OMETE					Tape/Diskette ID	8	191	Z			-	
				-	-	+			N				_		R 33D					Ü	Q	6.7	(°C)	DRY		-	
											30		SEC. SAL.		183			p		Ţ.	DATA LOCATION	6117	Ĉ	WET	F		¥2
		-	<u> </u>	 	1	_			-	_			<u> </u>	S S	40			SOUL		File Name/Header	ATION	73	=	E Z C S	ω > m α		47/2
									3				SA	SAMPLE BOTTLE DATA	D			T.		leader	V 47	<u>-1</u>	· (deg)	VISIBIL DIRN DIRN DIRN DIRN DIRN DIRN DIRN DIRN	ITY		
									11				SALINITY	סדורבנ	-					abust o	5	0) (m/s)	N. WIND	76		STA
	_	+		╀	+			_	+	2		_	100	1		MAX.	T			Ö	ZEMAZZO	88	•		C O F (STATION DESIGNATION
-		_		_	1				_	_		_	SAL. I	SAMPLE		MAX. DEPTH =	3			HCS.	250				≯m≶	088	SIGNAT
						ŀ							NUTRTS.	SAMPLE BOTTLE NUMBER		11	18			1		01516		BOTTOM DEPTH			Š N
		T			1								OTHER	NOMBE		3	b					03		STA. NAME/ID			

PG 24 OF 134

12	11	10	9	∞	<u>_</u>	٦	o o	ڻ.	4	ω	N	_	Pos	3624	SEC	SEC	PRI	PRI	SBE		03		CONSC CAST	042	VESSEL OSU RA
		0	5	10	5	1	20	50	100	200	500	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	TYPE & SN SBE 9PLUS 09P6012-0256 PRESS SN 92843	CTD	56.58	DEG	w.	2	VESSEL OSU R/V WECOMA
								N.		= ×			PRESSURE		1030	31384 A	1041 A	31371 S			1 N P S Q		LATITUDE		Ã
													E PRI. TEMP.		PAR 4329	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16855.	DEG MIN	LONGITUDE		
														CTD CONVI		 					O D W	DAY	DATE	9	H.
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S					JD/TIME	5 U U N 9	Mo	TE JD		PROJECT & LEG WE97-06B
		1.以来											PRI. SAL	OR VALUES	TRANSMISSOMETER 33D 125	-	==		Tape/Diskette ID		7 2353	N N	TIME (GMT)		LEG
		1.													TER 33D	40			ŧ D	5	12.57	_	DRY	00	0
									8				SEC. SAL.		352 409			C	File Na	DAIALOCAIR	17.R	ন		m zo t	2
				-				+		n II			SAI	SAMPLE B	0 1			038	File Name/Header		15961	3	m → > → Ø	> m υ Υ	2
	-											16	SALINITY	SAMPLE BOTTLE DATA	= -	M					0 110	(m/s)	SPD.	0 - 0	
												1 7/11	SAL.	7		AX. DEPTH	TAOS		Optic	WII.	DEMARKS	3	# # # # # # # # # # # # # # # # # # #	п ≨	SIAHON DESIGNATION
											다		NUTRTS.	SAMPLE BOTTLE NUMBER		MAX. DEPTH = / 5 0 0			C		X GO		I Z		
													OTHER	NUMBER		3					0	N	STA. NAME/ID		

43 PG-28 OF 134

12	4	10	9	œ	7	၈	5	4	ω	~		POS.		SEC	SEC.	PRI C	PRI T	PRESS SN	TYPE & SN	(3	*	CONSC	Q43	VESSEL OSU RA
2	F	7	5	/0	15	20	50	100	200	500	500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS S	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	7 % 3		Marin .		VESSEL OSU R/V WECOMA
		17.10		N THOSE	- W				-350			PRESSURE	2	1030	31384	1041	31371	92843			61.00 <u>N</u>	MIN			>
	2	d P	4	To be water	 							(4)		PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	1690	DEG CO	LONGITUDE		
	c	py Visi	d rot			=			1 5			PRI. TEMP.	CTD CO		m 	2	≨			100	31.1918W	MIN			Ì
		Lal	Pire									SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S		3.00		II		JD/TIME	183	DAY MO	DATE JD=	STATE OF	WE97-06B
		graw.	be Can				+					MP	ONITOR V	TRANS			 		81		N 9 7	Ϋ́R H		11 2	WE97-06B
		Crane	Cause h									PRI. SAL.	LUES	TRANSMISSOMETER 33D		И.	160		Tape/Diskette ID		N	픠	TIME -		
		operati	10 3x 31 G					1				SE		_	1				0	DATA	712 6		DRY W		
		K	had .									SEC. SAL.		219/					File Name/Header	DATA LOCATION	7 7	(°C) (mb)	WET S	-	
		nto.										SALI	SAMPLE BOTTLE DATA	4092					Header		3730	• • (deg)	T A T S A VISIBILITY DIRN.	пσ	55
										15		SALINITY	TTLE DATA		×	 -				70	0137		SPD. D. O.	- C	
		The second	11614									SAL.	7	250	MAX. DEPTH =	: 3	IA-OH		atics	REMARKS	611	·			
												NUTRTS.	SAMPLE BOTTLE NUMBER		150	1	+				859	1	ВОТТОМ		
												OTHER	OMBER		3						039		STA. NAME/ID	**	

44 PG.2470F 134

12	11	10	9	∞	7	T,	<u>"</u>	ري ري	4	ω	N	_	Pos		SE	SE	PR	PR	P 6	3 ₹		0		8 8	Q	OSI VES
2	1	0				\dagger				_	-				SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN		I O		CONSC CAST	140	VESSEL
		0	N	0	5	90		7)	JI J	0	200	500	TRIP DEPTH		DSN	SN	SN	S N	PRESS SN 92843		임	耳	l 93G	ξ	W	VESSEL OSU R/V WECOMA
													PRE		1030	31384	1041	31371	92843	200		6 9	<u>S</u>	LATITUDE .		B
												6	PRESSURE								111	Z				
	_			-	-	$\frac{1}{1}$		-		\vdash	_		<u> </u>		P _A	AT SURFACE	AT DEPTH	START DOWN		DATA ON	SEMIT	(P)	DEG	٥ ×		
													PRI. TEMP.	,	PAR 4329	CE CE	ř	NA NA				5.0	MIN	LONGITUDE		
													≜	E CO	S P							O W				
		=1											SEC	VERTE	FLUOR 101S						JD/TIME	<u>ر</u>	DAY	DATE J		₹ ₹
											H		SEC. TEMP	CTD CONVERTED MONITOR VALUES							M	U	M _O	JD:		PROJECT & LEG WE97-06B
					1	†				45				TOR V	RANS		1 T	<u> </u>				9 7 0	¥	W.		& LEG
										9			PRI. SAL	LUES	MOSSIV			W		Tape/Diskette ID		0 X X 5	HR MIN	TIME (GMT)		
		1				!							į-		TRANSMISSOMETER 33D						44		C	DRY BULB	53	
													SE								DATA	7				
													SEC. SAL		अमोहिट्ट		1	1			DATA LOCATIO	4:19		BULB R		
_	-		-	+	\downarrow	1		+	+			\downarrow	_	ي ا	1 /4					File Name/Header	NOIT	813	(mb)	m → > → ø >		
													Ş	MPLE	Ψ			.tt		leader		3 SO	(deg)	DISTRICT Y		
													SALINITY	SAMPLE BOTTLE DATA								0	+	-		-
														DATA		\$	T	Ъ		3	<u> </u>		(m/s)	© 3 @ C C) - C	
										3	00		SAL	SAM		MAX. DEPTH =		r	1	22/04	KEMAKKS	VIVIOLE	十	m v ≺ → z m ± → v	1 ≶	-
	+	+		+	+					1		+	NUTRTS	SAMPLE BOTTLE NUMBER						<i>)</i> -		100	3	ВОТТОМ		
	_	_	+	+	\downarrow		2	24	+	_		+	+			1500	P	E				F	+			1
													OTHER	MBER		3	A-05					0		STA.		

45 PG 134

. 1					Ι.	T.		ڻ ت	4	w	2		POS.		SE	SE	P	D X	PR	<u> </u>	0			<u> </u>	2	SO VE
12	=	10 0	9 5	8	7 /	┿	4	ن ئ	 	Ͱ					SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS	TYPE & SN	01410			CONSC	SPIO	VESSEL OSU R/V V
)	- 1	0	IS	10	00	0	50	00	200	500	TRJP DEPTH		D SN	PSN	SN	S	IS 09P6		3 2	ြင်				VESSEL OSU R/V WECOMA
					800							5	PRESSURE	00	1030	31384	1041	31371	SBE 9PLUS 09P6012-0256 PRESS SN 92843		100	MZ 2	LATITUDE		H	>
													R			AT St	AT DEPTH	STAR	DATA ON		TIME 6					-
													PRI		PAR 4329	AT SURFACE	HTG	START DOWN	8	,	(2				
								W					PRI. TEMP.	CTD	29	''' 11	1		ļ) Ž	JOE			
			-	\vdash		+		L	\vdash	+-	$\frac{1}{1}$		(0	CONVE	FLUOR 101S						. [W VA	DATE	<u> </u>		
		15.			ŀ	ĺ							SEC. TEMP	RTED M	1018						ĭĮĔ	_ C	ا د ا	===	- 4	PROJECT WE97-06B
													S	ONITOF	TRA				1		- 1-	2 9 7	6		1 3	PROJECT & LEG WE97-06B
										(1	3		PRI. SAL.	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D				Tape/Diskette ID		_	7	(GMT)	TIME		6
		15000													TER 33			9	₹	ري	4		BULB BULB	DRY	1	
													SEC. SAL.		0 128		1		-1	4.3	DATA LOCATION		BOLB			
													P		14				File Nam		CATIO	70 (}	חמט⊃גו		
		T			1							2		SAMPI	4092				File Name/Header		Z	71		131BILITY	mω	
													SALINITY	SAMPLE BOTTLE DATA					4			0				
													₹	TE DAT			 					_	(m/s)	SWND	- 1-	
	\dagger	+	-	\dagger	+			+	+	8	+	1008	SAL			MAX. D		1 4	1		REMARKS	862	, c	# 3 ® D C O n o ≺ -l m o ≮ -l → p m	€ .	ין אַ טרנטוּג
	+	+	+	+	+			+	+	+	-	\rac{\rac{\rac{\rac{\rac{\rac{\rac{		MPLEE	9	MAX. DEPTH =		0 -			Š	<u> </u>		BOTTOM	γ.	SIAHON DESIGNATION
													NUTRTS.		201	1840	2	e	98			5	+			-
													OTHER	SAMPLE BOTTLE NUMBER		3	- 1					인		STA.		

PG 17 OF 134

METER 33D V3 METER 33D V3 SEC. 9	VESSEL OSU RA CONSC	OSU RAV WECOMA			PROJECT & LEG WE97-06B		2207	υ ⊂ ω ω m α σ	∃≯∃∅≯™∅ SIBILITY Ž		TATIO	R G D C C P T T A M W	M DESIGN
CTD	CONS CAST	II W	TUDE	LONGITUDE	DATE JD=		-	m zo c	ļm ⊣ ⊅		WIND WIND DIRN. SPD.	WIND WIND m P E R	WIND WIND m P E BC
		DEG		NIM	DAY MO			(mb)	.) e	1 (deg)	(deg) (m/s)	(deg) (m/s)	(deg) (m/s)
CTD		15141a	OINI	49.99	160 UN	1111013	11111	108		SHISHO	SHOILIP		SHOILIP
SN 31371 START DOWN SN 31371 START DOWN SN 31384 AT SURFACE SN 1030 PAR 4329 FLUOR 101S TRANSMISSOMETER 33D \2 CTD CONVERTED MONITOR VALUES PPH PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. 1		CTD	11		JD/TIME	-		LOCATION	ž	ž		REMARKS	
92843 SN 31371 START DOWN SN 1041 AT DEPTH SN 31384 AT SURFACE SN 1030 PAR 4329 FLUOR 101S TRANSMISSOMETER 33D CTD CONVERTED MONITOR VALUES CTD CONVERTED MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE MONITOR VALUE M	SBE 9F	PLUS 09P60		TA ON		Tape/Diskette		File Na	悥	File Name/Header	me/Header	me/Header	me/Header
EMP SN 31371 START DOWN TEMP SN 31384 AT DEPTH COND SN 1030 PAR 4329 FLUOR 101S TRANSMISSOMETER 33D TRIP DEPTH PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SAL SAL SAL SAL SAL SAL SAL SAL SAL SAL	PRESS	SSN									į.		
TRIP DEPTH CTD CONVERTED MONITOR VALUES TRIP DEPTH PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. TEMP SEC	PRI TE	MP SN		ART DOWN				e	1	THORY	T.DOH2	TOOHD	TDOUD
TEMP SN 31384 AT SURFACE COND SN 1030 PAR 4329 PFLUOR 101S TRANSMISSOMETER 33D (CTD CONVERTED MONITOR VALUES TRIP DEPTH PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. TEMP PRI. SAL. SEC. TEMP PRI. SAL. SEC. TEMP SC. TEMP PRI. SAL. SEC. TEMP SC. TEMP PRI. SAL. SEC. TEMP PRI. SAL. SEC. TEMP SC. TEMP PRI. SAL. SEC. TEMP PRI. SAL. SAL. SAL. SAL. SAL. SAL. SAL. SAL	PRI CC	OND SN		DEPTH									TA
COND SN 1030 PAR 4329 VIFLUOR 1018 VITRANSMISSOMETER 33D CTD CONVERTED MONITOR VALUES TRIP DEPTH PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. 100 SOO SOO SOO SOO SOO SOO SOO SOO SOO	SEC TI	EMP SN		SURFACE			70					MAX. DEP	MAX. DEPTH =
TRIP PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. 1500	SEC C	NS GNO	1030			NSMISSOMETE		SEE	-	-	-	-	-
TRIP DEPTH DEPTH PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. 1500				CTD C	ONVERTED MONITOR	VALUES				SAMPLE BO	SAMPLE BOTTLE DAT	SAMPLE BOTTLE DATA SAMP	SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER
	POS.	TRIP DEPTH	PRESSURE	PRI. TEMP.	SEC. TEMP	PRI. SAL.	SEC	SAL.	<u> </u>	SALIN	SALINITY	SALINITY SAL.	
		1500	8	**************************************		13			1_	-			
	2	200				8			1				
	ω	ನಿಯ				141	-		1				+
	4	100							┸	 			
	ڻ.	20		Š.					\perp				
	6	<u>ao</u>							┸				
	7	ហ		2			28						
	8	<u> </u>			1102				_				
	9	Л	:			3.4							
12	10	0			E00	1. 新上的主义	8		1				
12	11								_				
	12						-		L				

47 PG 134

12	11	ō	ဖ	œ	7	Ţ	თ	5	4	ယ	2	_	Pos.		SEC (SEC 1	PRI C	PRI T	PRESS SN	SBE 9	TVDE & CN	S C HO		O47 consc	VESSEL OSU RV
		0	স	0	5	1	0	50	100	200	500	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	S SN	SBE 9PLUS 09P6012-0256	e en CID	I	DEG	_	VESSEL OSU R/V WECOMA
												754	PRESSURE		1030	31384	1041	31371	92843	012-0256		0.00N	ME	ATITUDE	
						1		-		 -			-		PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	IIMES	116911	DEG	LONG	
									1			×	PRI. TEMP.	CTD C		R	1	≨ 				1 1919 W	1	LONGITUDE	
		基出							***				SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						20,181	-	7		WE97-06B
		11											PRI. SAL	ITOR VALUES	TRANSMISSOMETER 33D			T		Tape/Diskette ID		8 7 NHISI 3	R HR M	(G) TI	B L& LEG
		H.Z.W.		_	+	-		-				23			ETER 33D					itte ID	44	1 61.3	C		
													SEC. SAL.		1304 4			3		File	4	DATA LOCATIO	C	w ·	
					1				+			-		SAMPL	0			THOU.		File Name/Header		NOITE	1 .	M → > → ω > m VISIBILITY	
													SALINITY	SAMPLE BOTTLE DATA				لرا				0	(no		
		-											SAL	7		MAX. DEPTH =			7117	TARE	5	REMARKS	3	* で出るロCOF * m b 人士 * Z m エ + > m 冬	[C]
	-				+								NUTRTS.	SAMPLE BOTTLE NUMBER	3	 	TA		300 3	237 M			D N	воттом	
	-	+	+	+	1								OTHER	E NUMBER		3	20			てのなてそび			7 1	STA. NAME/ID	

PG. 48 PG. 48 OF 194

		PROJECT & WE97-06B	LEG				
 		14:1		ס כב ח	y m o		<u></u>
			z	மை	H ()	< ⊢ _	
				WET	WIND	3 6 7 0 -	BOTTOM STA.
	ONG	֓֞֝֟֝֟֝֟ ֖֓֓֞֓֓	(GMT)	E E	· Control	* 7	(E)
1,	MIN	MO	17	(0)	E 2 2 2 2	বা	4
Z	5141511115	NO PO	16 118 112	11-10 1-1-1	71014	DEMARKS	15 0
11	S	JD/TIME	4	DATA LOCAT	Ž	REMAKNO	
				-4	, i a li a li a li a li a li a li a li a	1	
	NON		Tape/Diskette		ne/rieager	OFILE	
2843							
	RT DOWN) — (A) — (A)		CTS	DHH.	10 T	
	DEPTH		4				TA-O
	SURFACE			l.		MAX. DEPTH =	#
1030		FLUOR 101S VIR	TRANSMISSOMETER 33D		, , ,		
	CTD C	CTD CONVERTED MONITOR VALUES	* * * * * * * * * * * * * * * * * * * *	1334	サフタン		i a
RESSURE	PRI. TEMP.		OR VALUES	1334	SAMPLE BOTTLE DATA	1 1	SAMPLE BOTTLE NUMBER
		SEC. TEMP	OR VALUES PRI. SAL.	SEC. SAL.	SAMPLE BOTTLE D		E BOTTLE NUMBER
		SEC. TEMP	OR VALUES PRI. SAL.	SEC. SAL.	SAMPLE BOTTLE D		E BOTTLE N
_		SEC. TEMP	OR VALUES PRI. SAL.	SEC. SAL.	SAMPLE BOTTLE D SALINITY		E BOTTLE N
		SEC. TEMP	OR VALUES PRI. SAL.	SEC. SAL.	SAMPLE BOTTLE D SALINITY		NUTRTS.
1	,	SEC. TEMP	PRI. SAL.	SEC. SAL.	SALIN LE BOT		NUTRTS.
	Don't No	SEC. TEMP	OR VALUES PRI. SAL.	SEC. SAL.	SAMPLE BOTTLE DATA SALINITY SALINITY		NUTRTS.
		SEC. TEMP	PRI. SAL.	SEC. SAL.	SAMPLE BOT	6 7	NUTRTS.
_	70	SEC. TEMP	PRI. SAL.	SEC. SAL.	SAMPLE BOT		NUTRTS.
		SEC. TEMP	PRI. SAL.	SEC. SAL.	SAMPLE BOT		NUTRTS.
•		SEC. TEMP	PRI. SAL.	SEC. SAL.	SAMPLE BOT		NUTRTS.
		SEC. TEMP	PRI. SAL.	SEC. SAL.	SAMPLE BOT		NUTRTS.
		SEC. TEMP	PRI. SAL.	SEC. SAL.	SAMPLE BOT		NUTRTS.
		SEC. TEMP	PRI. SAL.	SEC. SAL.	SAMPLE BOT		NUTRTS. OTH
	 	LONGITUI DEG MII N 1 16 8 415 TIMES DATA ON START DOWN AT DEPTH AT SURFACE PAR 4329	LONGITUDE DATE JD= DEG MIN DAY MO N 1 1 6 8 415 1 15 W 16 J U TIMES JD/TIME START DOWN AT SURFACE DAR 4329 RELUCK 1015	TIME LONGITUDE DATE JD= LONGITUDE DATE JD= LONGITUDE DATE JD= (GMT) DEG MIN DAY MO YR HR MIN TIMES TIMES START DOWN AT SURFACE TOTAL ON	PROJECT & LEG WE97-06B TIME DRY WET LONGITUDE DATE JD= (GMT) BULB	PROJECT OR LEG WEST-06B P S R E A R E A R E A R E A R E A R E A R E A R R R R R R R R R	PROJECT & LEG WEST-06B R E C W R E C W C C W C C C C W C C

PG, 149

DEPTH PRESSURE PRI. TEMP. SEC. TEMP	CTD CONV	1030	31384	1041	S	•	TYPE & SN	CTD TIMES	DEG MIN DEG	LATITUDE	CONSC 54 58.01 N 168 44.98 W	049	VESSEL OSU RAV WECOMA
PRI. TEMP.		PAR 4329				•			Z CH	-	·		>
PRI. TEMP.		²⁶ 	AT SURFACE	AT DEPTH	START DOWN		DATA ON			LONG	168		
	CTD CONVERTED MON	²⁶ 	RFACE	뷮 	DOWN	;	ž	-	1	ONG	<u>.</u>		1 1
	D CONVERTED MON	FLUOR 1018						Ē		E SU	14.91		
SEC. TEMP	RTED MON	R 1018	l						₹ .]]]]			
	0 2								CZ	┩""	16 JUN97		WE97-06B
	IITOR V	TRANS			ļ 	-	=		9 7	6			6B CEG
PR. SAL	ALUES	TRANSMISSOMETER 33D				•	Tape/Diskette ID			(GMT)	MO8		
		ER 33D					ĕ		_(3	BULB	DRY		
SHC SAC	SEC SAI		i I	ì	لما		1	DATA LOCATION	<u>.</u>				
					RRODINS		File Name/Header	ATION		를	IJ C W W		
	SAMPLE BOTTLE DATA SALINITY				3		eader			-	WIND	<u> </u>	
	אוווא דורד מעו									(m/s)	WIND		
		13	MAX. DEPTH =	971				REMARKS		* C		m €	<u>'</u>
	NUTRTS.		HE	409		=	ļ 	S		(E)	2064 BOTTOM	_	
- 	<u>"</u>								S	NAME	STA	TA A	1
	OTHER		3				Same stu:	ton	7	7		0	

PG. JACOF

POS. SEC TEMP SN PRI TEMP SN PRESS SN SBE 9PLUS 09P6012-0256 TYPE & SN SEC COND SN PRI COND SN 045/5/5/07/10/0N 7 თ ω ⇉ ಕ ø œ G 100 1500 200 200 TRIP DEPTH DEG MIN 0 0 CTD LATITUDE FI TI C 31371 92843 31384 PRESSURE <u>2</u>2 1030 AT DEPTH START DOWN DATA ON TIMES AT SURFACE 1500 P 2 2 2 1 10 PAR 4329 LONGITUDE PRI. TEMP. twice CTD CONVERTED MONITOR VALUES LUOR 101S TRANSMISSOMETER 33D DATE JD= SEC. TEMP 6 N N L DAIME NO put down second time to get mut @ om ž Tape/Diskette iD HR MIN PRI. SAL. DATA LOCATION SEC. SAL. Ĉ 280/4092 File Name/Header SAMPLE BOTTLE DATA SALINITY SPD. REMARKS OPTICS MAX. DEPTH = /740 119E 14-10 SAL. €<u>7</u> NUTRTS. 3

VESSEL CONSC CAST 050 OSU R/V WECOMA PROJECT & LEG WE97-06B (GMT) DRY BULB WET BULB m ਸ਼ ⊂ ග ග m ਸ਼ $m \rightarrow > \rightarrow \circ > m \circ$ WIND (a T T A E W STATION DESIGNATION Anukichts. " ophis 1500m. No boll e@Om. SAMPLE BOTTLE NUMBER BOTTOM DEPTH STA. NAME/ID OTHER 10

9P6012-0256 DATA ON 92843	SN 31371 START DOWN SN 1041 AT DEPTH SN 31384 AT SURFACE SN 1030 PAR 4329 FLUOR 101S	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S PERESSURE PRI. TEMP. SEC. TEMP	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S PRESSURE PRI. TEMP. SEC. TEMF	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S PRESSURE PRI. TEMP. SEC. TEMP	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PRESSURE PRI. TEMP. SEC. TEMP	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S PRESSURE PRI. TEMP. SEC. TEMP	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S PRESSURE PRI. TEMP. SEC. TEMP D D D D D D D D D D D D D D D D D D	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S PRESSURE PRI. TEMP. SEC. TEMP	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S PRESSURE PRI. TEMP. SEC. TEMP	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 PFLUOR 101S P CTD CONVERTED MOI PRESSURE PRI. TEMP. SEC. TEMP	31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S PRESSURE PRI. TEMP. SEC. TEMP	CONSC CAST LATT # DEG M CTD TYPE & SN SBE 9PLUS 09P60
Z	VTRANSMISSOMETER 33D 230 4092	METER 33D 1230 4092 SAMPLE BOTTLE DATA SAMPLE BOTTLE N SEC. SAL. SALINITY SAL. NUTRTS.	METER 33D 1230/4092 SAMPLE BOTTLE DATA SAMPLE BOTTLE N SAL. SEC. SAL. SALINITY SAL. NUTRTS.	METER 33D 1230 4097 SAMPLE BOTTLE DATA SAMPLI AL. SEC. SAL. SALINITY SAL.	METER 33D 1230/4692 SAMPLE BOTTLE DATA SAMPLE BOTTLE N AL. SEC. SAL. SALINITY SAL. NUTRTS.	METER 33D 1230/4092 SAMPLE BOTTLE DATA SAMPLE BOTTLE N SEC. SAL. SALINITY SAL. NUTRTS.	SAMPLE BOTTLE DATA SAMPLE BOTTLE N SEC. SAL. SALINITY SAL. NUTRTS.	METER 33D 1230/4092 SAMPLE BOTTLE DATA SAMPLE BOTTLE N SEC. SAL. SALINITY SAL. NUTRTS.	SAMPLE BOTTLE DATA SAMPLE BOTTLE N SEC. SAL. SALINITY SAL. NUTRTS.	SAMPLE BOTTLE DATA SAMPLE BOTTLE NUTRTS. SEC. SAL. SALINITY SAL. NUTRTS.	SAMPLE BOTTLE DATA SAMPLE BOTTLE N SEC. SAL. SALINITY SAL. NUTRTS.	TUDE LONGITUDE DATE J III DEG MIN DAY JULIA JULIA 12-0256 DATA ON 92843 31371 START DOWN 1041 AT DEPTH 31384 AT SURFACE

PG 460F 134

3	=	10	9	80	7	1	ത	5	4	ω	2 7	1	POS.		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN			ļ	* }		052	OSU R/V	I SSEV
				43			0	6	0	4	25	36	TRIP DEPTH		ND SN	AP SN	D SN	P SN	ž	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	15	N SEG	IAI	55 20.01		OSU R/V WECOMA	
×	36.	X										2V Si	PRESSURE		1030	31384 AT	1041 AT	31371 ST	92843	à		N		LATITUDE	<u> </u>			
	:												PRI. TEMP.	CTD CC	1PAR 4329 1	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	w	DEG MIN	LONGITUDE	168 15.00			
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S TIRA			1		-	JD/TIME	/6JUN97	DAY MO YR	DATE JD=	17 Jun 97		WE97-06B	PROJECT & LEG
		4.5									51		PRI. SAL.	VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			HR MIN (°C)	12.	TIME DRY	0008		EG
													SEC. SAL.		30		(F)	3	1	File Nan	DATA LOCATION		(°C) (mb)	BULB		σ α m (
													SALINITY	SAMPLE BOTTLE DATA			PRODUCES)	DO46 PK		File Name/Header	2		* (deg) (m/s)	E DIRN.	NINO WINO			2
_													SAL. N	7		MAX. DEPTH =		FIAII	DF A		KEBANNA	` -≥	1	R	WIND m P E BOTTOM	- O F (2	STATION DESIGNATION
										-			NUTRTS. OTHER	SAMPLE BOTTLE NUMBER	÷ =	TO 3						CATO I WE E	2	TH NAME/ID	8	8		

S3 PG-MOF 134

PROJECT & LEG WE97-06B TIME DAY MO YR HR MIN	PROJECT & LEG WE97-06B TIN MO YR HR J U N 9 7 L
	THE Name/Head

PG HT OF 134

3		10	9	8	7 / 0	6 / <	5 20	4	3 75	2	1 150	POS. DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	TYPE & SN SBE 9PLUS PRESS SN		0 4 % 55 0 4 % 55	CONSC CAST	054	VESSEL OSU R/V WECOMA
							0	0	1	0		TH PRESSURE	42.5	SN 1030	SN 31384	N 1041	SN 31371	TYPE & SN SBE 9PLUS 09P6012-0256 PRESS SN 92843	CTD	5 2 6 0 1 N	LATITUDE		COMA
							7	. /	3	Z		JRE PRI. TEMP.	СТВ	WPAR 4329 V	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	116804103W	ONG		W.
		7	<u> </u>	- X2 -	×			202		: SI	9	SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S					JD/TIME		P P		PROJECT & LEG WE97-06B
	1									55	is.	PRI. SAL.	RVALUES	TRANSMISSOMETER 33D				Tape/Diskette ID	- 11	1529 6	M E	3.2	EG
								:				SEC. SAL.		1216/4			<u> </u>	File No	DATA LOCATION	The same	DRY WET R BULB E	w w m zı ·	0
											17	SALINITY	SAMPLE BOTTLE DATA	1097			244	File Name/Header	2	161145	A B WIND WIND E DIRN. SPD.	⊣ ω ≫ m α	
_		-	+									SAL	٦.	41 _	MAX. DEPTH =		CHI	1		REMARKS	a E C T m C T m C	D C O F	STATION DESIGNATION
											-	NUTRTS. OTHER	SAMPLE BOTTLE NOMBER		190 m		V			015 101418	BOTTOM STA. DEPTH NAME/ID		NO.

PG-118 OF 134

	11	10	9	œ	7	o	,	ייט	4	ω	2	1	POS.		SEC C	SEC TI	PRI COND SN	PRI TE	SBE 9PLUS	TYPE & SN	049		CAST	OSS	VESSEL OSU RA
		0	5	10	h	20) C		٥ را	36	1100	120	TRIP DEPTH		SEC COND SN	SEC TEMP SN	ND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843	S S	351361	DEG		W	VESSEL OSU R/V WECOMA
			:										PRESSURE		1030	31384	1041	31371	92843		S. ON	MIN	LATITUDE		A
					<u> </u>		+					Ŋ	쫎		N. S.	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	E 의	DEG	<u>[</u>		
											- 63		PRI. TEMP.	2	PAR 4329	ACE	T	NAO	8		4600	NIN	LONGITUDE		
					-	-	1							D CONVI]FLU0				6		1 WC	DAY	DATE		
	a.										200		SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S				808	JD/TIME	NOF	Y MO	TE JD=		PROJECT WE97-06B
						+							₹	ONITOR	TRANS						9 7	ΥR	EST		PROJECT & LEG WE97-06B
	. 6014												PRI. SAL.	/ALUES	TRANSMISSOMETER 33D			i. V	Tape/Diskette ID		RIOLEIO	HR MIN	(GMT)		
	4				_						l		-	W.	ETER 331		26		itte 10	sh	_	ြင်	BULB	Q	<u></u>
											7		SEC. SAL.		1232				1	43)	6	Ĉ	BULB	With	
												1	P	,,	Ex.			SOLL.	File Name/Header	CALION	<u> </u>				
													SA	SAMPLE BOTTLE DATA	2000		N.	St. O	/Header				VI:	SIBILITY S	
													SALINITY	OTTLE D					O.		HO 1 7	g) (m/s)		William The Control of the Control o	STAT
		-			+	+				+	+	+	S			MAX.	TA				이 시에 되었 기업 시설		C) E	3 D C O F C	JON DES
	-				-	1				+	+		SAL. NU	SAMPLE BOTTLE NUMBER		MAX. DEPTH =	TA14			â	OKS III	E C	_	BOTTOM	STATION DESIGNATION
_			_							1			NUTRTS.	OTTLE N	,	181					71	1	0		
													OTHER	JMBER		3		1			171		NAME/ID	STA	

PG 427 OF 134

12	=	1 0	9	œ	7	o	ζħ	4	ω	2	_	POS.	ć	SEC C	SEC T	PRI CO	PRI TE	PRESS SN	TYPE & SN		2 1	31	CONSC	950	VESSEL OSU RA
		þ	71	ó	75	00	30	50	<u>S</u> E	00	125	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SBE 9PLUS 09P6012-0256 PRESS SN 92843	NS.NS.	CID	<u> </u>	2 5		D	VESSEL OSU R/V WECOMA
									8		4	PRESSURE	y ^{ll}	1030	31384	1041	31371	92843		0	2	MIN		14	A
						-	-	<u> </u>		_	A.	RE		3	AT SURFACE	AT DEPTH	START DOWN	X ON	1	TIMES	1 1	DEG .	5		Ī
											1	PRI. TEMP.	CTD	PAR 4329	FACE	로 	DOWN				30.00	MIN			\$P
									1855 Star (583			SEC. TEMP	CTD CONVERTED MONITOR VALUES	VELUOR 101S				7 S		JD/TIME	NON	4	DATE JD		WE97-06B
								08/3				PRI. SAL.	FOR VALUES	TRANSMISSOMETER 33D					Tane/Diskette ID		X I	YR HR MIN	TIME		
	-	E.		-		+						S		_				W.		HA CH	611	\dashv	DRY P	00 2	
												SEC. SAL.	(1)	7) OEE		8	CIS	The	File Nan	DATA LOCATION	50111	Ш	WET ROUS	ר על חומ	7
											The same of the sa	SALINITY	SAMPLE BOTTLE DATA				DOSO	out a form	e/Header	-ţ²	delialo	*	M T A T C	n ≽ m α TY	[e]
											0.	NĀ	TILE DATA	38	MA			» у П		Z.	<u>-</u>	(m/s)	WIND m	C O F (C
												SAL	SAMPL		MAX. DEPTH =	JAIS	4	**************************************		REMARKS	52111		E 7 ≺ 1 R E 1 1 DE 0	<u>> m </u>	
												NUTRTS.	SAMPLE BOTTLE NOMBER		mel = 1		,				35	3	BOTTOM N		
												OTHER	NOMBEX		3	:					050		STA. NAME/ID	- 6	

PG-50 OF 134

SALINITY SALINITY SALINITY
STATION DESIGNATION STATION DESIGNATION STATE STATION DESIGNATION STATION 58 PG 54 OF 134

F 88.4

PG 54 OF

12	11	10	9	œ	7	o	5	4	· u	N		Pos.		SEC C	SEC T	PRI C	PRI TE	PRESS SN	SBE 9PLUS		O		CONSC CAST	OSU R	VESSEL
		0	n	10	Ī	30	30	JI O	U	100	124	TRIP		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	S SN	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	0555	DEG	_	OSU RIV WECOMA	Ξ'
											(4) (E)	PRESSURE		1030	31384	1041	31371	92843	012-0256		A JOON	MIN	LATITUDE	A	
						-	-	+	<u> </u>			RE		Z P	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	_	DEG	5		
												PRI. TEMP	CTC	VPAR 4329	ACE	II.	NAO	1	_		200	M	LONGITUDE		
			_										CONVERT	FLUOR 101S		-				JU,	CT M	D	DATE		1000
												SEC. TEMP	ED MONIT	Z.				1000		JU/ IIME	UN 9	MO Y	p	WE97-06B	PROJECT & LEG
		- (11)										PRI. SAL.	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID	-	7 1131514	"	TIME (GMT)	0	ירבט
												ŠÁ!		METER 33					kette ID	43	4 6	Z C		_	
												SEC. SAL				1	l Io			43		<u>3</u>			
	_			_			_					12	ş	EPOH MIE		100	7 2052		File Name/Header		023			200	
									X			SALINITY	SAMPLE BOTTLE DATA				F) U		Header		E ON				
												NITY	TILE DA	, ,							0 1 1		WIND.		O A A
	+		+	+	+					<u> </u>		SAL	7	1	MAX. DEPTH =		790	<u>क्योक्ट</u>	Sodiensay	=	SI ALI U		m u ≺ - m u - > m a		STATION DESIGNATION
												NUTRTS	SAMPLE BOTTLE NUMBER		 	A	105	Ron	0 750		1100	3 3	ВОТТОМ	:12	AilOis
												OTHER	E NOMBER		3	10		*	Sano #	100000	16191	7	STA.	4	

VESSEL	OSO NA AAECOMA	060	CONSC CAST		01	NS & BOA	SBE 9PLUS 09P6012-0256	PRESS SN	BBI COND SN	SEC TEMP SN	SEC COND SN		POS. DE	<u>-</u>	2	s S	4	5	6	7	8	စ	10	=	
AMOS TO MA	ALC CARE		S _I	N SEG	55819		S 09P60	_	Ž	SS	NS O		TRIP DEPTH	II.	20	0	V	لد	0						
			LATITUDE		(S N				1041 A:				PRESSURE	59					57.						
			LONGITUDE	DEG MIN	6635.	TIMES	DATA ON		AT DEPTH	AT SURFACE	√PAR 4329		PRI. TEMP			-									
					/ II W						N/File	CTD CON	EMP.												
WE97-06B			DATE JD=	DAY MO	NOFE	JD/TIME					WELUOR 1018	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
PROJECT & LEG	ž			ž	9 7				1		TRANS	NITOR	P	-	+	+	-		-	\vdash			()		
	**		(GMT)	HR MIN	1805		Tape/Diskette ID		8		TRANSMISSOMETER 33D	/ALUES	PRI. SAL.										0.000		
- 10			DRY BULB	Ĉ	61.1	43	ē				TER 33D			\vdash	+	-	.90	-	-		-		+		
				Ĉ	6.1	DATA LOCATION	Į.	J					SEC. SAL.												
	P	wwmzi → w>mc		(dig)	Ų,	ATION	File Name/Header					ဖွ		\downarrow	-	+	\downarrow	-	+	-		-	_		
W		BILITY			SUCE		eader	000				SAMPLE BOTTLE DATA	SALINITY												
OIAIO			SPD.	(s/w)	+							TLE DAI	17												
STATION DESIGNATION	0	0 C O C (ים הו בחנגי	1	11 E S	REMARKS		- Contract		MAX. DEPTH =		7	SAL	\dagger	+	+	+	-			+	+	+	-	
2			BOTTOM DEPTH	3		Ø.			1	oTH=		SAMPLE BOTTLE NUMBER	NUTRTS.	+						+					
581			STA. NAME/ID						RIAI	3		- EMUMB	S. OTHER	+	-		+			+	+	+	+	+	

* * PRODOIO) - This beens to have messed up the

PG VOROF

12 =

PROJECT & LE WE97-06B LONGITUDE DATE JD= IN DEG MIN DAY MO YR IN DEG MIN J 7-J U N 9 7 12-0256 DATA ON 92843 31371 START DOWN	TIME LONGITUDE DATE JD= TIME DRY WE97-06B TIME DAY MO YR HR MIN (°C) TIMES JD/TIME /9 3 / 1 / 2 / 3 / 9 / 9 / 1 / 9 / 1 / 9 / 9 / 9 / 9 / 9	PROJECT & LEG WE97-06B TIME DRY WE97-06B TIME DRY WE97-06B TIME DRY WE97-06B TIMES DATE JD= (GMT) BULB BULB UC) (C) (C) DEG MIN DAY MO YR HR MIN (C) (C) DEG MIN DAY MO YR HR MIN (C) (C) DATA LU TAPADISKette ID TAPADISKETE ID	PROJECT & LEG WE97-06B TIME DRY WET R R III DEG MIN DAY MO YR HR MIN (*C) (*C) (mb) TIMES JD/TIME /9 3	PROJECT & LEG PROJEC	PROJECT & LEG	VESSEL OSU RVV WECOMA	37 SC	_	D	CID	TYPE & SN SBE 9PLUS 09P6012-0256	PRESS SN	PRI TEMP SN	PRI COND SN	SEC TEMP SN	SEC COND SN			POS. DEPTH	_ 				DENTS BR			EN DE P
PROJECT & LE WE97-06B ONGITUDE DATE JD= MIN DAY MO YR JD/TIME DOWN	PROJECT & LEG WE97-06B TIME DRY WE97-06B TIME DRY (GMT) BULB WE97-06B Tape/Diskette ID	PROJECT & LEG WE97-06B TIME DRY WET ONGITUDE DATE JD= (GMT) BULB BULB MIN DAY MO YR HR MIN (*C) (*C) JD/TIME /9 39 DATA LI DOWN Tape/Diskette ID	PROJECT & LEG WE97-06B TIME DRY WET R S S S S S S S S S S S S S S S S S S S	PROJECT & LEG WE97-06B TIME DRY WET R E S S T L S S T L S S S S	PROJECT & LEG WE97-06B TIME DRY WET R F S S T D WIND DAY MO YR HR MIN (°C) (°C) (mb) · · (deg) JD/TIME /9 3	WA		11000	51	- N		92843		1041		31384	31384 1030	31384 1030	31384 A1 1030 PRESSURE	31384 1030 PRESSUI	31384 1030 PRESSU	31384 1030 PRESSU	31384 1030 PRESSU				
PROJECT & LE WE97-06B DAY MO YR DAY MO YR JD/TIME	PROJECT & LEG WE97-06B TIME DRY (GMT) BULB DAY MO YR HR MIN (°C) DAY JD/TIME JD/TIME Tape/Diskette ID	PROJECT & LEG TIME DRY WET DATE JD= (GMT) BULB BULB DAY MO YR HR MIN (°C) (°C) 1 7 J U N 9 7 J 7 39 (6.1) (6.1) JD/TIME /9 39 DATA LO Tape/Diskette ID	PROJECT & LEG WE97-06B TIME DRY WET R S DAY MO YR HR MIN (°C) (°C) (mb) 1 74937 (6 .1) (6 .1) (1) JD/TIME 198/Diskette ID Tape/Diskette ID File Name	PROJECT & LEG WE97-06B TIME DRY WET R E S S T LI S S T LI S S S S T LI S S S S T LI S S S S T LI S S S S T LI S S S S T LI S S S S T LI S S S S S T LI S S S S S T LI S S S S S T LI S S S S S T LI S S S S S T LI S S S S S S T LI S S S S S S T LI S S S S S S S S S S S S S S S S S S	PROJECT & LEG TIME DRY WET R F S S T D S S S S S S S S S S S S S S S S		LONGITUDE	DEC	3	TIMES	DATA ON		START DOWN	AT DEPTH		AT SURFACE	29	29	PAR 4329	PAR 4329	PAR 4329	PAR 4329	PAR 4329	PAR 4329	PAR 4329	PAR 4329	PAR 4329
TIME (GMT) 7 + 9 9 9 1 7 ape/Disket	TIME DRY (GMT) BULB BULB (C) AperDiskette ID	TIME DRY WET (GMT) BULB BULB BULB BULB BULB BULB ATAL	TIME DRY WET R (GMT) BULB BULB E (GMT) BULB E (GMT) BULB E (GMT) BULB E (GMT) PIC (C) (mb) (TC) (TC) (mb) (TC)	TIME DRY WET R E S THE S THE S T	TIME DRY WET R FILE S STEEL S	WE97-06B	DATE JD=	MO	1 7 U N	JD/TIME	Mark all a						FLUOR 101S VITR	일 굯	FLUOR 101S WITH CONVERTED MONITO	FLUOR 101S WITE ONVERTED MONITO	FLUOR 101S VITRONVERTED MONITO	FLUOR 101S WITE CONVERTED MONITO	FLUOR 101S VITRONVERTED MONITO	FLUOR 101S WITE CONVERTED MONITO	FLUOR 101S WITH CONVERTED MONITO	FLUOR 101S VIR	FLUOR 101S VIR
	DRY BULB	DRY WET BULB BULB BULB BULB BULB BULB BULB BUL	DRY WET R BULB E BULB E DATA LOCATION The lip of the Name of the	P S R E S S T L S S T L S S T L S S T L S S T L S S T L S S T L S S T L S S T L S S T L S S T L S S S T L	P S R E R E S T L	LEG	TIME (GMT)	-	74939	1939	Tape/Disket			1000			TRANSMISSOMETER 33D	ANSMISSOME DR VALUES	ANSMISSOME DR VALUES PRI. SAL	ANSMISSOME DR VALUES PRI. SAL	ANSMISSOME DR VALUES PRI. SAL	ANSMISSOME DR VALUES PRI. SAL	ANSMISSOME DR VALUES PRI. SAL	ANSMISSOME DR VALUES PRI. SAL	ANSMISSOME DR VALUES PRI. SAL	ANSMISSOME DR VALUES PRI. SAL	ANSMISSOME DR VALUES PRI. SAL
MHeader STATION STATION STATION STATION Geg) (m/s) R	MHeader STATION STATION STATION STATION Geg) (m/s) R	MHeader STATION STATION STATION STATION Geg) (m/s) R	IND STATION RN. SPD. 1) R 8	N⊗ 15360COFO Ž	mar 1988 1 4 4	E W		•	76	MAKKS	ox c	SONG.				MAX. DEPTH =	X. DEP	MAX. DEP									
STATION DESIGNATION STATION DESIGNATION STATION DESIGNATION STATION DESIGNATION REMARK PH H N DESIG	MARKS RESIGN	ATION	-	(m)	(13		BRE	35		1		TH= /00	H= /00		TH= /00	TH= /OC LE BOTTLE	TH= /OC NUTRIS.	TH= /OC VLE BOTTLE NUTRTS.	TH= /00 YE BOTTLE	TH= /OC NUTRIS.	TH= /00 THE BOTTLE	LE BOTTLE NUTRTS.	LE BOTTLE				
STATION DESIGNATION STATION DESIGNATION C C C C C C C C C C C C C	STATION DESIGNATION STATION DESIGNATION C C C C C C C C C C C C C	STATION DESIGNATION STATION DESIGNATION C W C W C W C W C W C W C W C	STATION DESIGNATION C C C C O C O C O C O C O C O C O C	C W DESIGNATION C W O E W O E BOTTOM THE		(in)	STA.		30					アク	ŀ	1 k	3	NUMBER	OTHER	NUMBER	OTHER	OTHER	OTHER OTHER	OTHER	OTHER DE	OTHER	OTHER BER

3	=	10	9	œ	7	o		თ	4	ω	2	1	POS.		SEC C	SEC TI	PRI CC	PRI TE	PRESS SN	TYPE & SN	4	2 50		062 CONSC CAST	VESSEL OSU RV
						0	,	Q	5	20	36	56	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SS	TYPE & SN SBE 9PLUS 09P6012-0256	СТВ	-	DEG	SG 12.53	VESSEL OSU R/V WECOMA
						<i>2</i> 3				-		-: (A)	PRESSURE		1030	31384	1041	31371	92843	012-0256		Z	MIN	12.53	A
						-									JPAR PAR	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES		DEG	166	
													PRI. TEMP.	CTD	PAR 4329	CE	- 	¥ 				-	MIN	166 29.99 LONGITUDE	527
		111						50			1072		SEC	CTD CONVERTED MONITOR VALUES	FLUOR 101S				Barre	V=V1	JD/TIME	W 1 7	DAY		W Pr
		1											SEC. TEMP	D MONITO	7		4				M	U N 9 7	MO YR	5	PROJECT & LEG WE97-06B
		The said											PRI. SAL.	RVALUES	TRANSMISSOMETER 33D		54			Tape/Diskette ID	300		HR MIN	21 39 TIME (GMT)	EG
	-		-	-						+		_	-		ETER 33D					ite D			Ĉ	DRY	
										2			SEC. SAL				32	b		Fig.	DATA LOCATION		Ĉ		**
	-	-	-	+	+					+				J SA				7305		File Name/Header	ATION		(all)		
													SALINITY	SAMPLE BOTTLE DATA		-		55		ader			(deg)		296
											ł		7	TLE DATA		2			//805		7	7	(m/s)		STATION DESIGNATION
	+												SAL	7	1	MAX. DEPTH =	TAIG	DO 20		Prad	REMARKS			m v ≺ +	DESIGN
													NUTRTS.	SAMPLE BOTTLE NUMBER		 				Productiont			3	ВОТТОМ	ATION
	+	+	1		-								OTHER	E NUMBER		3				Tr.				STA.	

· P. F.

VESSEL	CONSC CAST		01515	TYPE & SN	PRESS SN	PRI COND SN	SEC TEMP SN	SEC CC		Pos.	2	3	4	6	7	00	စ	ő	1	12
· WECOM	NEC CONTRACT	DEG	5 6 0 c	<u></u>	SP SN	ND SN	MP SN	SEC COND SN	TRIP	DEPTH REPTH	3 4	50	30.	15	10	υ τ	0		1.5	
	ATITUDE		1D 6N /			1041 A	31384 A	1030		PRESSURE				*						
	LONGITUDE	DEG MIN	1/6/6/2/0/4/6	DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR 4329	CTD	PRI. TEMP.										
WE97-06B	DATE JD=	Ц	JOTIME JUIN 1		- 12			UFLUOR 1018 UT	CONV	SEC. TEMP										
& LEG	TIME (GMT)	YR HR MIN	2313	Tape/Diskette ID			W STATE OF THE STA	TRANSMISSOMETER 33D	TOR VALUES	PRI. SAL.	8							一年の子の大学中		-
	DRY WET		1	E D 44 44				1	3 11	10										
		(mb)	DATA LOCATION	File	CTDo			1252/40		SEC. SAL.			-	-						
- 6	WIND DIRN.	(deg) (m/s)	H 1011H	ader	SSA	22		4093		SALINITY	8									
Control	サリロ O C O F C E E T T T T T T T T T T T T T T T T T	(s)	REMARKS			7A20	MAX. DEPTH =	- 1	- 52 P	SAL	1	1				+				-
	I X	13				5 m/O	TH=/05	CAMBI E BOTTI E NI IMRER	STRIFF	NUTRTS.										
	STA.		0			M	3	N I I	OTHE	OTHER										

PG 64 OF

12	=======================================	ō	ဖ	∞	7	თ	υı	4	ω	2	1	POS.		SEC (SEC 1	PRI C	PRI TI	PRESS SN	TYPE & SN		<u>ර</u> ා		CAST	CONSC	1.90	OSU F	VESSEL
		5	5	10	3	20-	30.	40	50	ンた	110	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	5	DEG		Ö		OSU R/V WECOMA	
						o)					<u>8</u> 1	PRESSURE		1030	31384	1041	31371	92843	012-0256		5 00 N	MIN	LATITUDE			>	1/4
							 -							PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	1 6 6 1 0	DEG	LONGITUDE				N. N.
											U.,	PRI. TEMP.	CTD CONVI				- 				1 M 0 0	MIN DAY					
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 1018						JD/TIME	8 N N F 8	Mo	គ្គ			WE97-06B	PROJECT & LEG
										6		PRI. SAL	OR VALUES	TRANSMISSOMETER 33D				1100	Tape/Diskette ID		7 230	YR HR MIN	ີ ດ :				LEG
			+				-					-		TER 33D					te o		KIFI	(0)	BULB	DRY		_	
					30				5 10			SEC. SAL.		121		1	C		File	DATA LOCATI	14.12	1	<u> "</u>	WET C S	m zo T		
	+		-	+	<u> </u>					+	-		SAMF	12/4			TD 056		File Name/Header	HON	01414		m V1	⊣ > ⊣ ω	> m ø	4	
									22 5			SALINITY	SAMPLE BOTTLE DATA	4093							7 0 1	_		WIND			SI
	+	 		+	+		_	+				e e			MAX. C			Bonso	23	KEMAKAS	14.2	(avs)	t)	74-	o - (2	STATION DESIGNATION
		+										SAL. NUTRTS.	SAMPLE BOTTLE NUMBER		MAX. DEPTH =	(A2)	<u></u>	360	Box core	Ŷ	111616	3		ВОТТОМ			GNATION
-	+	+	+	+		+						S. OTHER	LE NUMBER		3								NAME/ID	STA.			

VESSEL	MA		WE97-06B	**		8		-	===
OSU RV WECOMA	MA		-	100	4	0-0	N I	- 0	<u> </u>
065					11	CC FIN ON ON	⊣ω≯m BILITY	0005	OCOF :⊣>m≷
CONSC				TIME	DRY	WET TO TO	TSTB VISTB	S NIN	P E BOTTOM
_	ATTOUR	DEG MIN	DAY MO YR	HR MN	10		•	(m/s)	
7 7 7 7)))	1/1/2	UN	706	2	$\overline{\mathbb{Z}}$	1471131	715119	811 1
0511516171		TIMES	JD/TIME	+	Ь	ă[ž	교	REMARKS
TYPE & SN				2	5		Tile Name/Leader		×+./.
PRESS SN 92843	92843		AII					0.	Sobraga
PRI TEMP SN	31371	START DOWN			ş1				4
PRI COND SN	1 041	AT DEPTH	123	185					TAZZ
SEC TEMP SN	31384	AT SURFACE			9-2 3			×	MAX. DEPTH =
SEC COND SN	1030	PAR 4329	FLUOR 1018 TR	TRANSMISSOMETER 33D	TER 33D	1282	14092	9	
		СТО	CTD CONVERTED MONITOR VALUES	OR VALUES	100	1 100	SAMPLE BOTTLE DATA	OTTLE DATA	SAMPLE BOTTLE NUMBER
POS. DEPTH	PRESSURE	JRE PRI. TEMP	SEC. TEMP	PRI. SAL.		SEC. SAL.	SAL	SALINITY	SAL. NUTRTS.
1 95			2						
2 75								9	=
3 50		1			-		-		† +
4 40	missid	my ssilva (3 Hom.						
5 30		-							
6	 								
5/ 1									
۵/ ا		W.			-				
9 5	,								1
10 0				S IT A SHARE					
11		-							
12		-							_

PG 66 OF

11 10 9 8 7 6 3 HO					+++	-	_	-	3 3 0	2 30	1 86	POS. DEPTH PRE		SEC COND SN 1030	SEC TEMP SN 31384	PRI COND SN 1041	PRI TEMP SN 31371	SBE 9PLUS 09P6012-0256 PRESS SN 92843	TYPE & SN	CTD CTD	DEG MIN	75	Ulate CONSC CAST	VESSEL OSU R/V WECOMA	
												PRESSURE		ि -				6 DATA ON		퀽	2	75 -			
											201	PRI. TEMP.	СТВО	PAR 4329 Y	AT SURFACE	AT DEPTH	START DOWN	g I			200	FONGLOCE		0: =2:	
									111		K	SEC. TEMP	CTD CONVERTED MONITOR VALUES	WFLUOR 101S WI						JD/TIME	C	Mo 1		PROJECT & LEG WE97-06B	
		S										PRI. SAL.	TOR VALUES	TRANSMISSOMETER 33D				Tape/Diskette ID			90	YR HR MIN	(GMT)	& LEG	
								+						TER 33D				6			74	ĉ	DRY		
									2			SEC. SAL.		1355		1	p	F		DATA LOCATION	\leq	_	E NET O S IT R P	1	L
-			<u> </u>	+	+			-					SAN	I			13058	File Name/Header		NOIT) 	ᆳ	m → > → o > m o VISIBILITY		9
									ş III			SALINITY	SAMPLE BOTTLE DATA	1	XX		00	ader			120	(deg)	WIND STATE		1
												7	LE DATA		\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1			2	꼾	2 H S	•	WIND DOC	STATION DESIGNATION	
		GIGH										SAL	1		MAX. DEPTH =			10000	rac 18	REMARKS	812		m v ≺ → × m × × × × × × × × × × × × × × × × ×	DESIGN	-
	•											NUTRTS.	T 108 37		로"	H		30 0		95	95	(m)	ВОТТОМ	NOITA	
			-					1				OTHER	SAMPLE BOTTLE NUMBER		3	823		Sal Car			058		STA. NAME/ID		1

12	=	10	φ	8	7	, J	6	(J)	4	ယ	2		POS.		SEC (SEC.	PRI C	PRIT	PRESS SN	SBE 9PLUS		ار الا		CONSC CAST	VESSEL OSU RV
))	U	5	5		ט	ر ان	40	50	10	82	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS SX	TYPE & SN SBE 9PLUS 09P6012-0256	0	<u>آر</u> کا	DEG		VESSEL OSU R/V WECOMA
							3.0			1		100	PRESSURE	=	1030	31384	1041	31371	92843			N C N	ME	LATITUDE	Þ
				-	+										VPAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	띩	DEG	LONGITUDE	
						-							PRI. TEMP.	CTD CON	<u></u>		1	z 				31.49W1	MIN		
													SEC. TEMP	ERTED MON	FLUOR 101S					-	JD/TIME	N n r 8	DAY MO	DATE JD=	WE97-06B
				-						3			PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D			1	_	Tape/Diskette ID	W 1	9 70191418	YR HR MIN	TIME (GMT)	8 LEG
		200	-							=			Ž.		METER 33D					kette ID	_	8 IT	(°C)		
													SEC. SAL.	=	म्यामहा		1	5		File N	DATA LOCATION	102tc	(°C) (mb	W	
_				1	+	_				1/2			S	SAMPLE	b			2023		File Name/Header	Ö	巨	b) (deg)	M -> - W > M W	
													SALINITY	SAMPLE BOTTLE DATA	c							ablalas	(g) (m/s)	WIND SPD.	9
	+	+		+	 			-	+				SAL	W	- 1	MAX. DEPTH =		= 2			REMARKS	,			
	-						-		-				NUTRTS.	SAMPLE BOTTLE NUMBER		0	47				88	88	(B)	I Š	-
ŀ													OTHER	MBEK		3	프					059		STA. NAME/ID	Ж

PGET OF

OSU RV WECOMA	> 15 H	8	PROJECT & LEG	EG		70 0	m Ø	ATA		
890	-				7	r α m o o ⊃	> ⊣ ω > m ω BILITY		O D DES	® D ⊂ O F C ≺ T エ T > m ≷
CAST LAT	ATITUDE -	LONGITUDE	DATE JD=	TIME (GMT)	DRY BULB	WET R	VISI	I⊒ ≨	WIND WIND DIRN. SPD.	SPD. () E
DEG		DEG MIN	DAY MO	于 MN	3	(S)		⊣ก		(m/s)
(J)	015121N)	645919	M 18 1 1 1 9 7	111311	8:14	-18101-	1	0	ORIGINIO	0
CTD	_	G	JD/TIME	_ \/E	2	DATA LOCATION	<u>Q</u>			REMARKS
TYPE & SN				Tana/Diskata D	5		File Name/Header	ader	ader	
SBE 9PLUS UPPOLIZ-UZBO				ill T						
PRI TEMP SN		START DOWN			n ess	C	2	6	5	60
PRI COND SN		AT DEPTH		1 = 1 (c. 1		154				
SEC TEMP SN	31384 A	AT SURFACE		IX T	<u> </u>		N .	31		MAX. DEPTH =
SEC COND SN	1030	WPAR 4329	FLUOR 101S TRA	TRANSMISSOMETER 33D	TER 33D \	250 H	1092	P		J.
		СТВ	CTD CONVERTED MONITOR VALUES	RVALUES	1		SAV	=	IPLE BOTTLE D	SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER
POS. DEPTH	PRESSURE	PRI. TEMP.	SEC. TEMP	PRI. SAL		SEC. SAL.	_	ر	SALINITY	SALINITY SAL
1 구0	# T S	1		1	81					
2 60					+		+			
3 50					Ė					0783 77
4 40					,si		+			
5 30					<u> </u> 		┿			
<u>ෙ</u> ටර	*				+		╀			
7 15					 		╀			
8 10					<u> </u>		7.2	1		
9 5							╁	Ì		
10				S. Carlotte S. Car	-		+-			
11										
							\dotplus	ļ		

PGL 27 OF

		N	8 10	7 15	30	6	5 30	▶	3 50	2 60	1 30	POS. DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN SBE 9PLUS 09P6012-0256	C	ادر:	DEG	CONSC CAST	VESSEL OSU R/V WECOMA	
												PRESSURE		1030	31384	1041	31371				1 6 0 N	M Z	LATITUDE	5	
										4		RI. TEMP	CTD	MPAR 4329	AT SURFACE	AT DEPTH _	START DOWN _	(011	DATA ON	TIMES	1643631	DEG MIN	LONGITUDE		
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	VELUOR 101S VI				# 100		JD/TIME	1 N U C S 1 W	DAY MO	DATE JD=	PROJECT & LEG WE97-06B	
	110000000000000000000000000000000000000											PRI. SAL.	TOR VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID		9 7 1308	YR HR MIN	TIME (GMT)	& LEG	
								À	X			SEC. SAL.					22		T D	DATAL	17.181 171.1	(°C) (°C)	DRY WET		
		-					+					SAL	SAM	249 /4092			CTDO		File Name/Header	DATA LOCATION	8054F	(mb) •	m z ⊂ w w m z r		
												SALINITY	SAMPLE BOTTLE DATA	92	7/4	8	1		ader		08511	(deg) (m/s)		STAT	- The State of the
									Z III			SAL	8		MAX. DEPTH =	4				REMARKS	-	-		STATION DESIGNATION	1 0 0 0 - 1
												NUTRTS.	SAMPLE BOTTLE NUMBER		1	TAT		31		*		3	∓ ₹	TION	
								1				OTHER	OMBER		3	8					61		STA.	100	\

PG CTOF

C

OSU RA	O70 CONSC CAST		्राध्य	TYPE & SN	PRESS SN	PRI TI	2	SEC C		POS.	-	2	ω	4	0 1	o	7	œ	ဖ	ō	⇉	
OSU R/V WECOMA	<u> </u>	DEG	<u>а</u> 516 Ц	••	SS	PRI TEMP SN		SEC COND SN		TRIP DEPTH	600	(60	O O	E O	لر 0	ر 0	N	10	Л	0		
>	ATITUDE	MIN	6 loll		92843			1030		PRESSURE						31						
	<u> </u>	DEG	TIMES	DATA ON		START DOWN		<u>Ş</u>		ñ		-										
	LONGITUDE	MZ				O N		PAR 4329	CT	PRI. TEMP												
22	DATE	DAY	W					FLUO	D CONVE			1 -			_							
WE97-06B	TE JO		N O L'S			ine Ha		FLUOR 101S	CTD CONVERTED MONITOR VALUES	SEC. TEMP												
6B			9 7					LIRAN	ONITOR	ŧ		-		_	-		_					
	TIME (GMT)	五 MN	NOINI SICIHII	Tape/Diskette ID		211		L TRANSMISSOMETER 33D	VALUES	PRI. SAL												
-	DRY	(0)	#18	te D				TER 33D	cc	<u> </u>				L								_
	WET	13	DATA LOCATION	7		, lo	\ 	409		SEC. SAL.												
	m z c α m α ⊃ α m		A LOCATION	File Name/Header				1	Ī.	۴												
"	M → > → o > m o VISIBILITY	1	21411	/Header		062		1254	SAMPLE	S												
23	WIND WIND SPD.	(deg)	0			i i			SAMPLE BOTTLE DATA	SALINITY												
<u>.</u>	WIND COFC		REMA	0	· j	42	₹	8	DATA													
<u> </u>	>m I → m ≤	- 1	REMARKS	OPTIC	3075C	PROJ	MAX. DEPTH =		SAMPI	SAL	6											
-	ΙΣ	3	15 F			7	Ħ		SAMPLE BOTTLE NUMBER	NUTRTS.											1	
	STA.		6			ローレー	3		NUMBE	OTHER												ī

12	11	10	ဖ	œ	7	o	5	4	ω	2		POS	,	SEC (SEC 1	PRI C	PRI TI	PRESS SN	TYPE & SN			CAST	CONSC	07/	VESSEL OSU RA
						0	5	0	Ĺ	25	ن چن	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN 92843	& SN	CTD	DE G		56 45.%		VESSEL OSU RV WECOMA
						47						PRESSURE		1030	31384	1041	31371					LATITUDE	5.%		>
		_		_	_		-							√ PAA	AT SURFACE	AT DEPTH	START DOWN		DATA ON	Sawit		LON No.	164		
									, }			PRI. TEMP.	CTD	PAR 4329	ĆE	1	¥ l	ı				LONGITUDE	164 20.12		
		1.					+			-		SEC	CONVERTI	FLUOR 10						JD/TIME	W 8 J	 '''		100 mm	× ·
												SEC. TEMP	ED MONITO)1S VTR						M	8 J U N 9 7	Y P		ţ.	WE97-06B
		Sample Same	Ī									PRI. SAL	CTD CONVERTED MONITOR VALUES	FLUOR 101S TRANSMISSOMETER 33D					Tape/Diskette ID			(GMT)	1609		
		*									-	Ă.	"	METER 33							口	BULB			
							ļ					SEC. SAL				1	۱. ا		- n	DATA LOCATION		BULB			
	L		-	-		+						P	S			0.	PROI		File Name/Header	CATION		• m -	C 0 0 m		1
												SALINITY	SAMPLE BOTTLE DATA				1100		eader			O DIRN.	IBILITY		
ı												₹	TLE DATA		₹	\ 				7.		SPD. t)	80⊂0	۲ 0	
												SAL	7	ı	MAX. DEPTH =					REMARKS	+	* m T	1 1 1 > m		
												NUTRTS.	SAMPLE BOTTLE NUMBER		111	TA		,				DEPTH N			
												OTHER	NUMBER		3	لد						NAME/ID	3		

72 PGGAROF

12	11	ō	ဖ	œ	7	G	•	5	4	ယ	2	1	POS		SEC	SEC	PRIC	PRI 1	PRES	347		6		072 CONSC CAST	VESSEL OSU RV
		0	Л	5	л	200	·	بر ص	LO	S)	60	66	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN SBF 9PLUS 09P6012-0256	밁	7 7 7	DEG		VESSEL OSU R/V WECOMA
						,							PRESSURE		1030	31384	1041	31371				3.90N	MIN	LATITUDE	A
						- - 						F	RE PRI. TEMP	CI	√PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	1635310	DEG MIN	LONGITUDE	123
												116	IP. SEC. TEMP	CTD CONVERTED MONITOR VALUES	VFLUOR 1018		1		NE NE		JD/TIME	N 1 8 1 1 N N	DAY MO	DATE JD=	WE97-06B
													PRI. SAL	NITOR VALUES	TRANSMISSOMETER 33D				5	Tape/Diskette ID	211112	9 7 18 3 4	YR HR MIN	TIME (GMT)	98 - a rec
													SEC. SAL	1100	TER 33D 1297						DATA LO	8181813		1 28 1651 2 N	
														SAMPLI	HO HO		-d1	CLDORY		File Name/Header	DATA LOCATION	VIEIS WOR	ŀ	m ⊅ ⊂ w w m ⊅ · m → > → w > m o VISIBILITY	
													SALINITY	SAMPLE BOTTLE DATA		M			O		2	30166	(deg) (m/s)		C
		+											SAL. NUTRTS.		1	MAX. DEPTH =			Core works	Box core	REMARKS	4	3	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	C
			1	+	-				+	-	+		RTS. OTHER	SAMPLE BOTTLE NUMBER		3	8C-41		April tory	bongo		7 060		A STA.	

OSU RV	073 CONSC CAST	,	06		TYPE & SN	PRESS SN	PRI TI	PRI C	SEC 1	SEC (POS.	1	2	ယ	4	On .	o	7	00	9	10	11	12
OSU R/V WECOMA	<u> </u>	DEG.	Ψ,	CTD	TYPE & SN SBE 9PLUS 09P6012-0256	SSN	PRI TEMP SN	PRI COND SN	SEC TEMP SN	SEC COND SN		TRIP DEPTH	62	(00)	S. O.	. O.F.	30	20	T	6	JI	0 9		
> 	ATITUDE	ME	3.11 DN			92843	31371	1041	31384	1030	7	PRESSURE												
	5	DEG	11614	TIMES	DATA ON		START DOWN	AT DEPTH	AT SURFACE	7		ie I	17	_	L	_								ļ
	LONGITUDE	MIN	0 2		Ž		DOWN	Ī	FACE	PAR 4329		PRI. TEMP	1		7									
	H /		6 5 N			Ш	Ì	1		<u> </u>	CTDCC	EMP.												
_	1	DAY	E	JD/		11		(6)		FLUOR 101S	NVERT	SEC	W150.020	T	/	T	T							
WE97-06B	j.	™	N n r 8	JD/TIME						K	CTD CONVERTED MONITOR VALUES	SEC. TEMP			1									
		ÝR T	9 7 2	TO S	ੜ			1		TRANS	ITOR V			+		1	t	t		-			-	-
	TIME	HR MIN	101318		Tape/Diskette ID					MISSON	ALUES	PRI. SAL.				1								
L	DRY	1134	2		ette ID				E.	TRANSMISSOMETER 33D		F										S		
1	- I e		11/10	DATA				1		4		SEC.							- C					
-	W 1	(C)	1 9 4 8 3	ASSO	File		G	1		2500		C. SAL												
	10	<u>₹</u>	81318	ON N	File Name/Header		DCHO			1276	<u>§</u>		+	+	+	+	+	+	+	+	+	-	+	
M		(deg)	11 24		ader		104			6	SAMPLE BOTTLE DATA	SAL												
) (m/s)	110) James	SALINITY									000			
	, ₩ a ≺ ⊣ , \$ 3 \$ a c o c u	,	6	KEMAKNA	bonas	1	IT	1	MAX		-			+	-	1		-	1			1		
1	. <u>2 w ∓ ⊣ > w ₹</u>		PKS	KNO	-	C		1	MAX. DEPTH =		SAMPLI	SAL			1									
-	ВОПОМ	3	1	1	optics		1	1	l ii		SAMPLE BOTTLE NUMBER	NUTRTS.												
	STA.						3	- 12			- ENOM	_		+	+		+	+			+	+	+	_
	₿.		6						ľ.		ļ Ķ	OTHER										1		

VESSEL OSU RV	074		CONSC	,	6 6 4	ľ	TYPE & SN	PRESS SN	PRI TEMP SN	PRI COND SN	SEC TEMP SN	SEC COND SN		POS.		2	ω	4	Un	6	7	8	9	ō	11	
VESSEL OSU R/V WECOMA	25	112		DEG		СТВ	TYPE & SN SBE 9PLUS 09P6012-0256	SN	MP SN	ND SN	MP SN	ND SN	×	TRIP DEPTH	44	20	y	12		δ.						
>	56 53.18	100	ATITUDE	ME.	Z	20		92843	31371	1041	31384	1030	ZP T	PRESSURE												
	1		<u> </u>	DEG		TIMES	DATA ON		START DOWN	AT DEPTH	AT SURFACE	NA Z		æ				-	-							
	164 02.66		LONGITUDE	MIN			-	1	NWO	I I	ACE	PAR 4329	СПС	PRI. TEMP		ì										
I I B	6		DATE	DAY	3 / W					-		FLUOR 101S	CONVE					\vdash	-	-				7		
WE97-06B	V al		E D	MO	N n r8/	JD/TIME						1015	CTD CONVERTED MONITOR VALUES	SEC. TEMP					0.02				2	18		
WE97-06B		13.		Ϋ́R T	9 7		ਜ਼				, 	TRANS	NITOR V	0	\vdash	-			-			-		155		
	2152	林	TIME (GMT)	HR MIN			Tape/Diskette ID		g;			TRANSMISSOMETER 33D	ALUES	PRI. SAL										50		
188			DRY BULB	ŝ	-	Ser. Aller	ਜ਼ ਹ					TER 33D			-	-			-							
3	F2 //		WET BULB	Ĉ		DATA LOCAT	7		0	I = v		9		SEC. SAL												
	V M Z Ω N M < N V II			(mb)		CATION	File Name/Header		de	POI			S.	F		1						-				
	ITY	BIL	VISI DIRN.	· (deg)	1 5		teader		D0648				SAMPLE BOTTLE DATA	SAL									-			
		50	WIND.) (m/s)									סחודב מי	SALINITY		95										
s/// 1:2!	_ O _ O > m ≷	\prec \dashv	# 3 1 m v	•	DEMAR	KEMAKKS	Pro				MAX. DEPTH =		7	SAL.			-	-		+	$\frac{1}{1}$		+		+	
		9	BOTTOM DEPTH	3		73	Productivity		B		EPTH =	-	SAMPLE BOTTLE NUMBER	+1	+											
	-			+-			गर्मार		2	ļ		ľ)TTLE NO	NUTRTS.		-	+			+			+	-		
E			STA. NAME/ID	-	=		110		M-2		3		MBER	OTHER												

=	10	9	8	7	6	•	5	4	3	2	1	POS.		SEC (SEC 1	PRI C	PRI T	PRES	TYPE SBE 9		00		075 CONSC CAST	VESSEL OSU RA
	0	5	0	7	1/0	7.	ָ כי	47	50	60	62	TRIP DEPTH		NS GNO	TEMP SN	OND SN	EMP SN	SSN	& SN 9PLUS 09P6	СПО	5	DEG	<u> </u>	VESSEL OSU R/V WECOMA
					8-00	25500					*	PRESSU		1030	31384	1041	31371	92843	012-0256		1.02N	MIN	TTUDE	A
		 		-	-	1		<u> </u>						PAR	AT SURFA	AT DEPTH	START DO		DATA ON	TIMES	11691	DEG	LONG	
			E									RI. TEMP.	стрс		ĆĘ.	1	≱ 				12.96	MEN	GITUDE	
										Î		SEC.	ONVERTE	FLUOR 101						The second	<u> </u>			WE
												TEMP	MONITOR						12 11	M	Z	MO YR	Y I	WE97-06B
												PRI. SAI	VALUES	MOSSIMSN			10	-1	Tape/Diske	ISS	2115	五 MIN	TIME (GMT)	
	-		 -	-			_	-		-		<u></u>		ETER 33D					T D	St.	81.5	G	DRY	
												SEC. SAL.		126		1				ATA LOCA	1813	1	<u> </u>	
			-	+	+								SAMP						Name/Head	S	\sim	٠.	M -1 > -1 W > M W	
												SALINITY	TE BOTTLE	P	22	m	£ 100		er		1051	ч_		
	16			+	 	100	-	+	+			S	٦.		MAX.					ZERIA	U	(\$7	 	
		-		+	-	-			+	+	-	-	AMPLE BO		DEPTH =	120		i (8		NA.		<u>1</u> 3		
				+	-		-	+	+		+		TILE NUME		7							'	类	X
				5.					30 20 30 30 30 30 30 30 30 30 30 3			50 40 20 20 40 40 40 40 40 40 40 40 40 4	TRIP DEPTH PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. 6.0 9.0	CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE NATIONAL SEC. SAL. SALINITY SAL NUTRTS. 60 90 91 94 91 94 <td>COND SN 1030 PAR 4329 FLUOR 1018 GTRANSMISSOMETER 33D 12 b2 4097 CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE N. SAMPLE BOTTLE N. SEC. TEMP PRI. SEC. SAL. SALINITY SAL. NUTRTS. SAL NUTRTS. SALINITY SAL. NUTRTS.</td> <td>AT SURFACE MAX. DEPTH = </td> <td>1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S TRANSMISSOMETER 33D 1262 4097 CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE NATE SALL SALINITY PRESSURE PRI, TEMP. SEC. TEMP PRI, SAL. SEC. SAL. SALINITY AUTRIS. PRISON SEC. TEMP SALL SALINITY PRI SALL SALINITY SAL NUTRIS.</td> <td>1041 AT DEPTH 1041 AT DEPTH 1030 PAR 4329 FLUOR 1018 TRANSMISSOMETER 33D 12 b2 4092 CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE NAT. SEC. SAL. SALINITY SAL. NUTRTS. PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALINITY SAL. NUTRTS.</td> <td>92843 31371 START DOWN 1041 AT DEPTH 1030 PAR 4329 FLUOR 101S PRANSMISSOMETER 33D 12 b2 H097 CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NOTALE NOTALES SAMPLE BOTTLE NOTALE NOTALES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NOTALE NOTALES SAMPLE BOTTLE NOTALE NOTALES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NOTALES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NOTALES SAMPLE BOTTLE DATA SAMPLE</td> <td> PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL SEC. SAL SALINITY SAL NUTRITS. SALINITY SAL NUTRITS. SEC. TEMP PRI. SAL SEC. SAL SALINITY SAL NUTRITS. SEC. TEMP PRI. SALINITY SAL</td> <td>TO TIMES JOTIME AREA DOTA COCATION Tape/Diskette ID Tape/Diske</td> <td> 10 1 2 4 1 2 5 4 7 1 1 5 7 1 1 5 7 7 1 1 5 7 7 1 1 5 7 7 7 7 7 7 7 7 7</td> <td> DEG MIN DAY MO YR HR MIN CC) (mb) (069) (m95) (70) (m95) > <td> TINDE LONGITUDE DATE LD= TIME DRY WET R AF DI A AT DEPTH 1041 AT DEPTH AT SZALE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1020 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1021 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1021 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1022 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1023 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1024 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1025 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1026 PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY S</td>	COND SN 1030 PAR 4329 FLUOR 1018 GTRANSMISSOMETER 33D 12 b2 4097 CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE N. SAMPLE BOTTLE N. SEC. TEMP PRI. SEC. SAL. SALINITY SAL. NUTRTS. SAL NUTRTS. SALINITY SAL. NUTRTS.	AT SURFACE MAX. DEPTH =	1041 AT DEPTH 31384 AT SURFACE 1030 PAR 4329 FLUOR 101S TRANSMISSOMETER 33D 1262 4097 CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE NATE SALL SALINITY PRESSURE PRI, TEMP. SEC. TEMP PRI, SAL. SEC. SAL. SALINITY AUTRIS. PRISON SEC. TEMP SALL SALINITY PRI SALL SALINITY SAL NUTRIS.	1041 AT DEPTH 1041 AT DEPTH 1030 PAR 4329 FLUOR 1018 TRANSMISSOMETER 33D 12 b2 4092 CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE NAT. SEC. SAL. SALINITY SAL. NUTRTS. PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALINITY SAL. NUTRTS.	92843 31371 START DOWN 1041 AT DEPTH 1030 PAR 4329 FLUOR 101S PRANSMISSOMETER 33D 12 b2 H097 CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NOTALE NOTALES SAMPLE BOTTLE NOTALE NOTALES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NOTALE NOTALES SAMPLE BOTTLE NOTALE NOTALES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NOTALES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NOTALES SAMPLE BOTTLE DATA SAMPLE	PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL SEC. SAL SALINITY SAL NUTRITS. SALINITY SAL NUTRITS. SEC. TEMP PRI. SAL SEC. SAL SALINITY SAL NUTRITS. SEC. TEMP PRI. SALINITY SAL	TO TIMES JOTIME AREA DOTA COCATION Tape/Diskette ID Tape/Diske	10 1 2 4 1 2 5 4 7 1 1 5 7 1 1 5 7 7 1 1 5 7 7 1 1 5 7 7 7 7 7 7 7 7 7	DEG MIN DAY MO YR HR MIN CC) (mb) (069) (m95) (70) (m95) INDE LONGITUDE DATE LD= TIME DRY WET R AF DI A AT DEPTH 1041 AT DEPTH AT SZALE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1020 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1021 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1021 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1022 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1023 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1024 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1025 PRESSURE PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY SAL. NUTRITS. 1026 PRI. TEMP. SEC. TEMP PRI. SAL. SEC. SAL. SALIMITY S	

12	11	10	9	∞	7	٥	U	, .	4	ယ	2	-	POS		SEC	SEC	PRIC	PRI 1	PRES	TYPE		7710		CAST	076	osu	VESSEL
		0	5	/D	>	3	10	3 0	32	40	50.	60	TRIP	/	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	TYPE & SN SRE 9PLUS 09P6012-0256	СТВ	5/5	DEG		6	OSU R/V WECOMA	ב ב
			121			Ŷ						8) 88 87	PRESSURE		1030	31384	1041	31371				6.51 N	<u>S</u>	LATITUDE		>	
		_				25	1								PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	16349	DEG	LONGITUDE			
						2	7	2					PRI. TEMP.	CTD CON				2				MEISI	MIN	L			
			2		2.4								SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S			7			JD/TIME	N n r 6	DAY MO	DATE JD=		WE97-06B	PROJEC
	Z	9									3 ⁴			NITOR VALU	TRANSMIS	_	 	 		Таре		9 703	X 동	TIME (GMT)		88 - -	PROJECT & LEG
							-						PRI. SAL.	JES	TRANSMISSOMETER 33D					Tape/Diskette ID	λħ	38 549	MIN (°C)	TIME DRY			
													SEC. SAL.		13		1				DATA LOCATION	9 8 9		B BULB		III.	
						1	- - 1				-	<u> </u>	<u> </u>	SAM	53/4ng	<u> </u>		CTOOL		File Name/Header	CATION	<u>1091333</u>	13	m z ⊂ 0	om zo T o o m o o o m o LITY		
													SALINITY	SAMPLE BOTTLE DATA	12			2		ader		0	(deg) (r	WIND DIRN.		-	0
	-	+	-	+		-				+	<u> </u>	+	58	7		MAX.	の対し	4			ZEMAKK	1411	1 -	WIND m P E R)	0	SIATION DESIGNATION
-		-			+					-	-		SAL. NUTRTS	SAMPLE BOTTLE NUMBER		MAX. DEPTH =		-	ľ		Ŝ	171	3	₽ 8			
-		+					-			+	-	-	rs. OTHER	TE NUMBE		E 7.3						1 10166		STA. NAME/ID	## E		

12	11	10	9	60	7	6	5	4	3	2	-	Pos.		SEC C	SEC T	PRI CC	PRI TE	PRESS SN	SBE 9PLUS		90	94	CAST	CONSC	077	VESSEL OSU RV
		ව	72.	10	<u>ئ</u>	20.	25	30	040	50	57	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	SBE 9PLUS 09P6012-0256	. SN CTD	75170	DEG		O		VESSEL OSU R/V WECOMA
						-					#	PRESSURE		1030	31384	1041	31371	92843			BISION	S Z	LATITUDE	-		>
	_					_	+	-			-	m		\$.	AT SURFACE	AT DEPTH	START DOWN		DATA ON	TIMES	63	DEG	5			
												PRI. TEMP.	C	PAR 4329	FACE	₹	N		=		39.7	MIM	LONGITUDE			
		_						_		_		<u> </u> ₹	TD CON							_	M	-	_			
			10									SEC. TEMP	/ERTED	VFLUOR 101S						100 INC	N O F	DAY MO	DATE JD=			WES
		П								_		E M	MONITO	_					ě.		N 9 7	_	1			WE97-06B
												PRI. SAL	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D				i	Tape/Di		7017149	3	ര :		w i	
		7.5		<u> </u>								SAL.	S	OMETER					Tape/Diskette ID	44		Ť	-	DRY		
	T							+				ဋ		2010		l,	100				2.	1	+			
												SEC. SAL.		13 58		.22	þ			44	8.7	_	\ <u>``</u>	<u> </u>	ר גד חוט ט	
	<u> </u>	-	-	_	\downarrow	+	+	+		+	-	-	۔ چ	14092			20.7		File Name/Header	=		()			→ ω » m σ	
												SAL	SAMPLE BOTTLE DATA	92			FYOR		eader		ALVIMIO	(089)	1_		LIII	
										1		SALINITY	OTILE								000	9		SING SING SING SING SING SING SING SING		
	_	\downarrow	-	_	+	+	+	$\frac{1}{1}$	-	+	+	-	7	1	MAX.	H		1			REMARKS) (C)	ਹ ਤ © ਹ ≺	D C O F C ⊣ ⊣ > m €	5
		1	_	_			_		_ -		-	SAL	SAMPLI		MAX. DEPTH =	A32					RKS		R	m I	<u> → m </u>	-
												NUTRTS.	SAMPLE BOTTLE NUMBER		Ħ		<u>I</u>		Ī		5 6	1	- = -			
				1						+		OTHER	NOWRE		3						0	>	NAME/ID	STA.		

12	11	10	9	œ	7	Φ	5	.] .	.	ω	2		POS.	-	SEC	SEC	PRIC	PRI 1	PRES	SBE	7	068		CONSC CAST #		078	OSU	VESSEL
		0	গ	10	55	30	25	()	3 7	5	50		TRIP DEPTH	E COL	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PLUS 09P6012-0256		7.	DEG	_	Ž3	65	OSU R/V WECOMA	
	-											X	PRESSURE		1030	31384	1041	31371	92843	012-0256		0 0 0 N	MIN	LATITUDE	W 78		A	I
					-			1	1						V PAR 4329	AT SURFACE	AT DEPTH	START DOWN	i	DATA ON		1163111	DEG	LONGITUDE				
							379	4					PRI. TEMP.	CTD CON		m 	1	≥				O O O W	ME					m
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S							JO J U N	DAY MO	1			WE97-06B	PROJECT & LEG
		3									×.			NITOR VALUE	TRANSMISSOMETER 33D		 	 		Tape/D		9 /0 MG	 	TIME (GMT)			8	T & LEG
		18											PRI. SAL.	8	OMETER 33E					Tape/Diskette ID	5	र गर्भ वि	Z C	m -		245	1	
													SEC. SAL.		1260		Ci	្រ			ئ	DATA LOC	र (C)		= ග ග	יד טק m		
	-			£ ()									(0	SAMPLE	HOGA		SOLSHE	8900		File Name/Header		21) .	m -1 ; VISI		> m o		
						3							SALINITY	SAMPLE BOTTLE DATA	1		THE STATE OF THE S					60116	(B/G)	SPD.		12%		STATIC
				-									SAL	1		MAX. DEPTH =						REMARKS		77 m	0 U C <	o r c		STATION DESIGNATION
				-	<u> </u>							-	NUTRTS.	SAMPLE BOTTLE NUMBER		1 50	10			2.5			5	IX			-	TION
													OTHER	UMBER		3	B33					01610	2	STA. NAME/ID		Œ	2	

PG/A OF

VESSEL OSU R/V WECOMA			PROJECT & LEG WE97-06B	- « Ев			1	STATION DESIGNATION	GNATION	
079						0 C m O O O O O O O O O O O O O O O O O O	ILITY	< →	11 10	
CONSC CAST	LATITUDE	LONGITUDE	DATE JD=	TIME (GMT)	DRY WET	m 70 C	WIND DIRN.	m o ≺	BOTTOM	STA. NAME/ID
DEG		_	DAY MO	,	y)) (mb)	(Gg)	(s)	a	٩٨
015 E S 6 9 0	9.01.2	TIMES	OMITION DINIB	7 1 4 3 8	DATA	DATA LOCATION		REMARKS	SXX	
TYPE & SN		DATA ON		Tape/Diskette iD	ë Ö	File Name/Header	teader			
PRESS SN 92843		=		- :						
PRI TEMP SN	31371	START DOWN			ž	577	<u>6900</u>	1		
PRI COND SN	1041	AT DEPTH		NY I		=			1	TRAH
SEC TEMP SN	31384	AT SURFACE		6			200	MAX. C	MAX. DEPTH = 63	3
SEC COND SN	1030	PAR 4329	FLUOR 101S	TRANSMISSOMETER 33D	ـ ا	0म्प्रिट	260		<i>i</i>	
		ст	CTD CONVERTED MONITOR VALUES	TOR VALUES		ွ	SAMPLE BOTTLE DATA	٦.	SAMPLE BOTTLE NUMBER	E NUMBI
POS. DEPTH	PRESSURE	E PRI TEMP	SEC. TEMP	PRI. SAL.	i	SEC. SAL.	SALINITY		SAL. NUTRTS.	S. OTHER
1 60	**						1			\dagger
2 50								-		+
3 40						=		=	5	
4 30			=							
5 25										
6 20										+
7 15			=			:		-		\dagger
8 10			=							
о Л		•			-					+
10 O								_		
			-	1 7 7 7 7				<u> </u>		
11			#	T. 74						

PGLET OF

VESSEL OSU RAV WECOMA		PROJECT & LEG	::=G ::=:::::::::::::::::::::::::::::::	W.	TATS	STATION DESIGNATION	rion -
					-	<u>.</u>	$\frac{1}{1}$
080		n L	eten Çen	:- or cc m	≻ m o	O F C	
	1.00				LIT	J ⊂ (+ + > r	**
CONSC	,		72. 72. 16			≺ -	
CAST LATITUDE	LONGITUDE	DATE JD=	(GMT) BULB	WET R		E = 10 m	BOTTOM STA. DEPTH NAME/ID
DEG MIN	DEG MIN	DAY MO YR	Ž	(°C) (mb)	* (deg)		\dashv
0705725102	N 16552.00W	V Q J U N 9 7	17 a a 8	<u>1911 1911 191</u>	3日০াখতাতাড	요크의	G PI
СТВ	TIMES	JD/TIME		DATA LOCATION		REMARKS	69
TYPE & SN						15	
SBE 9PLUS 09P6012-0256 PRESS SN 92843	DATA ON	8	Tape/Diskette ID	File Name/	e/Header	かかれら	
PRI TEMP SN 31371	START DOWN			_ C.T.D	OFOR		
PRI COND SN 1041	AT DEPTH						TASS
SEC TEMP SN 31384	AT SURFACE					MAX. DEPTH =	
SEC COND SN 1030	PAR 4329	FLUOR 101S TRANS	TRANSMISSOMETER 33D	1319/	4093		
	CTD CC	CTD CONVERTED MONITOR VALUES	/ALUES	-	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER
POS. DEPTH PRESSURE	URE PRI. TEMP.	SEC. TEMP	PRI. SAL.	SEC. SAL.	SALINITY	SAL. 1	NUTRTS. OTHER
1 60			-				
2 010							
ω 40							
4 ن 0							
5 5 7 1		5					
် ပ							
7		Y.,	1 1				
ő		1					
លា		F.					
jo O		5	4 4 -	10 8			
11	*						
5				20			

B)
PG **36** OF 134

		,												H		F	57	12
		,				ř							ù.					1
						i de la companya de la companya de la companya de la companya de la companya de la companya de la companya de	in V					Ω.				<u> </u> 		10
								,										9
																		œ
														! 		<u> </u>		7
				^													0	თ
																	ェ	5
				-													6	4
				:				_									=	w
																	5	2
									,	_						<u> </u>	75	_
OTHER	NUTRTS.	SAL	T	SALINITY		<u> </u>	SEC. SAL		PRI. SAL.		SEC. TEMP	SEC	PRI. TEMP.		PRESSURE		TRIP	POS.
NUMBER	SAMPLE BOTTLE NUMBER		SAMPLE BOTTLE DATA	PLE BOT	SAME				/ALUES	ITOR \	CTD CONVERTED MONITOR VALUES	ONVERT	CTD CC				. 4	
i I					- 1			TER 33D	TRANSMISSOMETER 33D	TRANS		FLUOR 101S		√PAR 4329	1030		SEC COND SN	SEC
3	로"	MAX. DEPTH =								_] 	AT SURFACE	31384 <u>A</u>		SEC TEMP SN	SEC
7.65	1						1		-	 				AT DEPTH	1041 A:		PRI COND SN	PRI C
	,	11		V	0000	50	ار ا	:		<u> </u>			§	START DOWN	31371 S		PRI TEMP SN	PRI 1
		<	<u> </u>										١		92843	"	PRESS SN	PRES
3	Craduation cart		4	der	ne/Hea	File Name/Header	_	ਰ ਹ	Tape/Diskette ID	_				DATA ON		SBE 9PLUS 09P6012-0256	9PLUS C	SBE
			_		3		2				į	ţ		į			TYPE & SN	JYPE
		PEMARKS			Ľ	776					₹ #	-	ŀ	TIMES	7	G		ŀ
53	69	の ロ ン)))	0 H O F	Ų		2	200	77	- 1	_ _ _		ง 0 0 W	<u>, , , , , , , , , , , , , , , , , , , </u>	- Z	ן ע	N L	\exists
NAME	(m)		(m/e)	(den)	* п)°C)	(C)	HR MIN	á	MO P	7	MIN	בי רטויי	$\frac{1}{1}$	MIN	קבה ה	*
STA.	ВОТТОМ	, o ≺ ⊣ o m ∓ ⊣ >	WIND	WIND	T → > → ¢	n 20 ⊂ 00 €	WET .	DRY	TIME		7	→ → H	52,02				ST	CONSC CAST
		> m ≨		6	o ≽ m σ TY	סד כק חומ				10								180
	ATION	STATION DESIGNATION	STATIC			;				SB LE	PROJECT & LEG WE97-06B		:			COMA	VESSEL OSU R/V WECOMA	VESSEL OSU RA
,																		1

PG 3640F 134

					\vdash		\vdash					:			12
					-										=======================================
					+)))))			$\frac{1}{1}$			\dagger	i	b	: -
					+				+	-		\dagger) 7	5 «
					+				+					₹ (<u> </u>
					\dashv									0	Φ
						٠								N	7
ν.									6			_		ט ס	6
											10			3 5 5	5
														30	4
														45	ω
**							_							70	2
														60	_
OTHER	NUTRTS.	SAL.	NITY YTIN	SALINITY		SEC. SAL.	S	PRI. SAL.	MP	SEC. TEMP	PRI. TEMP.	PRI.	PRESSURE	TRIP DEPTH	Pos.
SAMPLE BOTTLE NUMBER	те вошп		SAMPLE BOTTLE DATA	MPLE BO	SAN	130		VALUES	ONITOR	CTD CONVERTED MONITOR VALUES	CTD CON				
			Ĭ.	4092	ر 10	136	ER 33D	TRANSMISSOMETER 33D	J TRAN	FLUOR 101S	<u></u>	VIPAR 4329	1030	SEC COND SN	Ö O
3	Z= 2	MAX. DEPTH =	2]]]	AT SURFACE	31384 AT	SEC TEMP SN	EC TE
6	TA3	1	 									AT DEPTH	1041 AT	PRI COND SN	RI CO
	ā		 	E	90	G		and the second			Ž	START DOWN	31371 ST	PRI TEMP SN	ŘI TE
cast	233	Samo				4							92843	SN	PRESS SN
	/ prod	Opt		ader	File Name/Header	File	ö	Tape/Diskette ID				DATA ON		SBE 9PLUS 09P6012-0256	BE 9P
	•	NEW YORK	-	500	3	DATA LOCATION	Ş			JD// IIMIC		CEMIL		SZ	TYPE & SN
100	614	THE P	8	1 3510	101	161/11		2634	9 7	_	W.Z.0.	6 6 4 4	 V	201120	1
	(E)	*	ন	(deg)		(°C)	င်	HR MIN	¥	ΙŻ	Z			<u> </u>	
STA.	ВОТТОМ	© 3 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	WIND SPD.	DIRN.	m ⊣ > ⊣ ø) Visibilit	BULB R	DRY BULB	2124 TIME (GMT)		DATE JD=	·	LONGITUDE	LATITUDE		CONSC CAST
	!		\ <u>-</u>	-	> m v	ס גד ו	!	3							082
	IATION	STATION DESIGNATION	STATIO					- G	PROJECT & LEG WE97-06B	PROJECT WE97-06B			:	VESSEL OSU R/V WECOMA	VESSEL
							$\left {} \right $								

83 PGZH OF 134

			′						H						H		_		12
10																			11
							_											0	10
																		5	9
				_								Š.					<u>.</u>	10	8
																		15	7
											=						<u></u>	20	თ
																	-	25	۲'n
	,																<u>.</u>	00	4
<u>. </u>							7											40	ω
	+																_	0.5	2
•							\dashv										2	16	-1
'	OTHER	NUTRTS.	SAL		SALINITY	SA		SEC. SAL.	S	PRI. SAL.	20	TEMP	SEC. TEMP	PRI. TEMP.		PRESSURE	로호	TRIP DEPTH	Pos
C	NUMBER	SAMPLE BOTTLE NUMBER	SAMPL	DATA	элтоў	SAMPLE BOTTLE DATA	SA			UES	OR VAL	TINOMIC	CTD CONVERTED MONITOR VALUES	CTD CO					
Rate						260	4	1358	FR 33D	TRANSMISSOMETER 33D	ANSMI	_	FLUOR 101S	区	VPAR 4329	1030	SN	SEC COND SN	SEC
Show S	3	H= 62	MAX. DEPTH =	MA)									-	<u> </u>	AT SURFACE	31384 A:		SEC TEMP SN	SEC
Chris	I WULLELONS	08	-compt	18	B	1400	7	L			<u> </u>				AT DEPTH	1041 A:	ž	PRI COND SN	R
>	20 m	dem	\sim	D	1	40	S S	L			<u>.</u>			NAK	START DOWN	31371	ž	PRI TEMP SN	R
					K d											92843		PRESS SN	PRE
X	<i>,</i>	22170	>	3	caj 192	leader	File Name/Header	File	₽	Tape/Diskette ID	Тар	•			DATA ON		SBE 9PLUS 09P6012-0256	9PLUS	SBE
		-	70.000	7			2	מאוויסטאוויסטאוויסט	Ş			Ī	90				;	TYPE & SN	₹
	101412	10/	1144 144	_	10 6		100	1	<u> </u>		+	in C	בורק פין	+	TIMES	9	3⊨	4-3	2
<u>.</u>	7	€ Z	3 *	(s/m/s	_	기 (deg)	의 (mg) 사	J	ි ට	기 N 기 N 기 N	⁹	= S	<i>3</i>	MIN Q Q	_ E	シ シ Z	<u> </u>	기 DEG	2
	NAME/ID			SPD. t) E		V DIRN.	Е	BULB E	Ë	4	2	[-	DATE JD=	LONGITUDE	LON	Jan	LATITUDE	**	#
	STA.	BOTTOM		NO B a		SIE	 >		DRY .	TIME	-4							ST	CAST
			. ⊣ >	0 0	,	BILI	- I 0		_									,)
	ž.		> ጠ ≶	0 -		TY	ο m α	· ·										ŭ	Ç
			=	င	\dashv	\exists) () ()	, Lİ	- ; .			1					3	2
,		ATION	DESIGN	STATION DESIGNATION	ST						& LEG	PROJECT & LEG WE97-06B	₩ P				ECOMA	VESSEL OSU R/V WECOMA	OS(
PG 27 OF 134	PG 2																		
_	2 =																		

Optics Show Show

SEC. SAL. SALINITY SAL.
SAMPLE BOTTLE DATA
321/4092
MAX. DEPTH =
CTDn73
File Name/Header
ATION
373410
(mb) * * (deg) (m/s) *
WET ROUND WIND WIND MAP
m w
STATION DESIGNATION

	0	1	1	\vdash	⊢	5	4	ω	2	_	POS.		;;; C	EC T	R C	굔	PRESS SN	36.36	Ì	5 FEIO		CONSC CAST	280	VESSEL OSU RA
		ک	6	7	5	28	30	94	50	52	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS 8	SBE 9PLUS 09		5	DEG	_	-1	VESSEL OSU R/V WECOMA
													1030	31384	1041	31371	92843	SBE 9PLUS 09P6012-0256	CID	5 61.519	NIM	LATITUDE		OMA
i											PRESSURE				AT [Z	DEG			
							-				PRI. TEMP.	СТВ	PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	ii.	9917171818	G MIN	LONGITUDE		,
						4					SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/11ME	W 2L QJ U N	DAY MO	DATE JD=		WE97-06B
-									_			NITOR VALUE	TRANSMISS			 		Tape/		9 7	YR HR	TIME (GMT))/ 	WE97-06B
											PRI. SAL.	ES	TRANSMISSOMETER 33D					Tape/Diskette ID		25	(°C)	ME DRY	2-32 ²	
Ser											SEC. SAL.		D			ا او		9 t	Ş	a 8 6	(°C)	BULB E		
											SAL	SAMPLE B			-	1204T		File Name/Header		<u> </u>	(mb) * * (deg)	E T A T O A VISIBILITY DIRN.	• m о	
				o o					10	İ	SALINITY	SAMPLE BOTTLE DATA	*	M.	m	<u> </u>		<i>h</i>	7.	8 1 19	g) (mr/s) *	WIND m (a spd. t)) F 0	STATION DESIGNATION
				88							SAL.	SAMP		MAX. DEPTH =	3	TA39	0	5000 A	REMARKS	72	*	ш о ≺ ⊣ ¤ш т ⊣ ≽ п		DESIGN
											NUTRTS.	SAMPLE BOTTLE NUMBER		т= (,3	F-97			ر ا		10-F	(m)	ВОТТОМ	_	ATION
											OTHER	NUMBER	ă	3	BS-H			ORE (SAUD)		64 0		STA. NAME/ID		

PG 86 OF 134

12	1	10	φ	œ	7	თ	51	4	ω	N	_	Pos.		SEC	SEC	PRIC	PRI 1	PRES	SBE	TYP.	7	<u>→</u>	*	O86 CONSC CAST	VESSEL OSU RA
		o ·	Л	0	ত্য	20	છ) છો	<u>ပ</u>	Į,	์ ()	99	TRIP DEPTH	, •	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PLUS 09P6012-0256	TYPE & SN	<u>2</u> 2 2	자 오 오 오	?		VESSEL OSU R/V WECOMA
												PRESSURE		1030	31384	1041	31371	92843	012-0256			2 N	LATITUDE	10	AA.
				_			L		_			ᇛ			AT SURFACE	AT DEPTH	START		DATA ON		TIMES	1/2	3	,	
												PRI. TEMP.	CTD C	PAR 4329 V	RFACE	Ĭ 	START DOWN		Š			7 - M			
						-23.6						SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S							JD/TI		ت"	<u>.</u>	PROJECT WE97-06B
		_					_	L		L	_	₩	ONITO	TRA]							2 3	4		PROJECT & LEG WE97-06B
of the	*								=			PRI. SAL.	R VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID		. (၂	TIME	LEG
		_			L			\vdash	L					TER 331					Ð		- 12	<u> </u>	BULB	DRY	
												SEC, SAL.					G		File	25	DATA LOC) [[BULB	WET	
										<u></u>			ş	ナ よ			7 7		File Name/Header	25				σ = σ = σ = σ = σ = σ = σ = σ = σ = σ	
									,			SA	SAMPLE BOTTLE DATA	E BUH			35		Header		1	1	, V -	ISIBILITY	1
												SALINITY	OTTLE) ()								1	+	•••	- ST/
	_							_					DATA		MΑ	Ĺτ	7	4	0			4	٠ 5	3 D C O F C	STATION DESIGNATION
												SAL.	SAMP		MAX. DEPTH =	OF THE	2	BONGO	3800		REMARKS	_	· 70		DESIGN
												NUTRTS.	TE BOTT		E°) = н⊔	0	SEEP 3	Ö'	, '				DEPTH	воттом	IATION
												OTHER	SAMPLE BOTTLE NUMBER		я		BS-4				-	L T	NAME/ID	STA	

12	11	10	ဖ	œ	. 7	ത		5	4	ω	N	_	POS		SEC (SEC 1	PRI C	PRI T	PRESS SN	SBE 9	TYPE		0 7		OB7	OSU RA
33		0	IJ	5	N	20	,	भ्र ज	30	HО	ਹੀ 0	89	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS Si	SBE 9PLUS 09P6012-0256	TYPE & SN	äl	14161515	DEG		VESSEL
													PRESSURE		1030	31384	1041	31371	92843	012-0256			21.311N	MIN	LATITUDE	Ϋ́
						_	4		·	_			R		<u> </u>	AT SURFACE	AT DEPTH	START		DATA ON		TIMES	11 68	DEG	_	
		·							-				PRI. TEMP	CTD	PAR 4329	VFACE	- HTC	START DOWN -	1	ž			5 I.A	MIN	LONGITUDE	
						-	+			_			<u> </u>	CONVE	FLUOR 101S	<u>] </u>							Ja W F	DAY	DA	
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	₹ 101S							JD/TIME	n n r S E	Y MO	DATE JD=	PROJECT WE97-06B
						╀	+	_		_	_		יי ר	NITOR \		<u>"</u> 		<u> </u>					1 9 7	ΥR		PROJECT & LEG
				-							1		PRI. SAL.	/ALUES	TRANSMISSOMETER 33D	_				Tape/Diskette ID		* *	10118	HR MIN	TIME (GMT)	;G
					*	╀	$\frac{1}{1}$					_			TER 33D					e D	1 6	7	1813	(°C)	DRY	
		i in											SEC. SAL.		1250/4092		, . 	' ხ		File	7	DATA LOCATION	회 1회 경화		WET	
	_					+	+					_		SA	HOO			77		File Name/Header		NOIT	63	(mb) *	E S C S E S E E E E E E E E E E E E E E	
									:			2	SALINITY	SAMPLE BOTTLE DATA	<u>تو</u>			기타		eader			-1010	* (deg)	VISIBILITY VIND DIRN.	
					:								ALI	TTLE DAI									ر و	(m/s)	WIND SPD.	STATIO
							+						SAL.			MAX. DEPTH =		97	C C	かっている		REMARKS	® 6 a	*	O T O E C T P C T A E W R E E T A E W	ON DESIG
						-	1		1.7	_			. NUTRTS.	SAMPLE BOTTLE NUMBER			1	H-SAEK-	CORE	ξ O		اد	1 75	(m)	ВОТТОМ	STATION DESIGNATION
									92			- 1	S. OTHER	E NUMBER		(S m	TAHI	L.H.					I Io님 I		STA.	100

PG 75 0F 134

12	11	10	9	œ	7	ക	თ	4	ω	2	_	Pos.		SEC C	SEC TI	PRI CC	PRI TE	PRESS SN	SBE 9f	TYPE & SN		이ㅋㅋ		# 2	CONSC		880	-	VESSEL OSU R/V
		0	OT	Ó	σī	<u>බ</u>	25	30	40	50	62	DEPTH TRIP		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	SBE 9PLUS 09P6012-0256	NS.	CTD	레드 디 디 디 디 디 디 디 디 디 디 디 디 디 디 디 디 디 디 디	DEG		<u>· n</u>				VESSEL OSU R/V WECOMA
		•	!									PRESSURE		1030	31384	1041	31371	92843	3012-0256)	11 1 Q N	MIN	LATITUDE		9			MA
	_								_			큚			AT SURFACE	AT DEPTH	START		DATA ON		TIMES	11/6/8/	DEG	_					
												PRI. TEMP.	СТВ	PAR 4329	RFACE	H	START DOWN	ļ	2		-	slallo	MIN	LONGITUDE					
					_				<u> </u>			<u>ν</u>	CONVER	FLUOR 101S							1	8 w a o J	DAY	DATE					
			•									SEC. TEMP	CTD CONVERTED MONITOR VALUES	101S							JD/TIME	N U L 6	MO	E JD=					WE97-06B
			_		_								VITOR V	TRANS		 		-	ਜ਼			9 7 \	YR I						PROJECT & LEG WE97-06B
	٠											PRI. SAL.	ALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			205	HR MIN	(GMT)					
	16		<u> </u>			<u> </u>	-							ΓER 33D					ē D	_		8/2	(°C)	BULB	DRY				
	1 (0) - (0)								ļ			SEC. SAL.		وددا		' I	b		<u>.</u>	4	DATA LOCATION	8.32	(°C)	BULB	VET			9	
						_							ှ တ	F -			7		File Name/Header		NOITA:	늘님?	* (dm)				m æ		
	:											SA	AMPLE BOTTLE DATA	4092			EES		Header			크lolo	* (deg)	VI:	STB				
				34								SALINITY	30ПГЕ									0	ш						STA
				2.2									1		MAX				<u>}</u>		REM	08112	's) * *	D. t) E	3 a	D C	0 -	C	STATION DESIGNATION
-									_			SAL	SAMPL		MAX. DEPTH =	·					REMARKS	2	*	70 1	пΙ	- >	m≶		ESIGNA
												NUTRTS.	E BOTTLE			1		d	5 3		7	1	(m)	DEPTH					TION
												OTHER	SAMPLE BOTTLE NUMBER		3	AHA			¥			177		NAME/ID	STA				

PG77 OF 134

12	11	1 0	ဖ	œ	7	o	5	4	ω	2	_	Pos.		SEC C	SEC T	PRI CO	PRI TE	PRESS SN	SBE 9	TYPE & SN		8 10		CONSC CAST	VESSEL OSU RA
		Э.	N	5	JI	ע ס	У Л	نر 0	<u>F</u>	Л 0	62	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	SBE 9PLUS 09P6012-0256	& SN	CTD	8 5 7 5	DEG	_	VESSEL OSU R/V WECOMA
												PRESSURE		1030	31384	1041	31371	92843	012-0256			1	MIN	LATITUDE	Þ
									<u> </u>			쮸			AT SU	AT DEPTH	START		DATA ON		TIMES	1169	DEG		
											-	PRI. TEMP.	CTD	PAR 4329 V	AT SURFACE	PTH L	START DOWN		일 I			91/1/15/0	MIM	LONGITUDE	
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S					į		JD/TIME	WICION	DAY MO	DATE JD=	PROJECT & LEG WE97-06B
										,		PRI. SAL	ITOR VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			91711박514	YR HR MIN	TIME (GMT)	T&LEG B
							-	_						TER 331	Porche A	Tay of the same of			TO 1	7	7	8	(00°)	DRY	
	4	34.7								100		SEC. SAL.			87		k 		File	<u>_</u>	DATA LOCATION	3 8.32	(°C) (WET S S E R	1
						_		<u> </u>					SAI		8 FOOTS	SECUL	700		File Name/Header		NOIT	1883	(mb) *	m → > → ω > m ω VISIBILITY	
	ie.											SALINITY	SAMPLE BOTTLE DATA		00	b D	SEC		eader		VAR	T F		WIND DIRN.	
												NITY .	TTLE DA		(o m moon	10-mlmin						ીગહ) (m/s)	WIND SPD.	STATI
												SAL			MAX. DEPTH =			TOBA	BONGO		ğ	೧೯೬೪	*	\$ 3 60 C O F C M T ≺ → M ≷	ON DESI
												L. NUTRTS.	SAMPLE BOTTLE NUMBER		EPTH =	10	,	D. OPTICS	GO 5ED			67	(m)	ВОТТОМ	STATION DESIGNATION
												S. OTHER	E NUMBER		3	17.7		(C.S	S. CORE			8 F O		STA.	

90 PG 78 OF 134

12	11	5	9	œ	7	6	ڻ ن	4	ω	2		POS.		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9P	TYPE & SN	_	-	CONSC CAST	090	OSU RV
		Ģ	O))	6	6	1078	DO B	لد	T T	E O	TRIP DEPTH		ND SN	MP SN	ND SN	MP SN	SN	LUS 09Pe	SS CID	7. I.	DEG			OSU R/V WECOMA
												PRESSURE		1030	31384	1041	31371	92843	SBE 9PLUS 09P6012-0256		NEIBIT	MZ	LATITUDE		ΙĀ
					_							쿒		<u> </u>	AT SU	AT DEPTH	STAR		DATA ON	INITS	16	DEG			-
							5 5 5 5 5 5 5 5	i				PRI. TEMP.	ствс	VPAR 4329	AT SURFACE	PTH	START DOWN	1	Q Q		9 1 1 1 HISW	MZ	LONGITUDE		
											- 33	SEC. 1	ONVERTED	VFLUOR 101S	-					JU/ IME	2	DAY	DATE JD=		WE
										_		. TEMP	MONITO	$\overline{\zeta}$						ñ	U N 9 7	MO YR)i		WE97-06B
and Sangar States					£.g.=8.6000.a.	Lamba qui	_					PRI. SAL.	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D			Annual Spile affine		Tape/Diskette ID		7 1 6 11	R HR MIN	TIME (GMT)		- 41
Ц											J.	ŕ		ETER 3	٠				(ette ID	45	9 8	N (°C)	DRY BULB		
		e e								1	Andrew Control	SEC. SAL.		ď						SHAN	<u></u>		WET BULB		
		19 62										SAL.					PRO		File Name/	H & LOCATION	315 1618) (mb)	m zo ⊂ o o m	סיָ עג	
													SAMP		100 Y	ls.	000		me/Header	Ž	PESISI I		m ⊣ ≽ ⊣ ω ≽ VISIBILITY		
									7			SALINITY	AMPLE BOTTLE DATA		-		17		₫ .	3		(deg)	WIND DIRN.		
									1			TY 1	TE DAT		_	ļ —	 				016	(m/s)	WIND SPD.		
			-						-			SAL			MAX. DEPTH =				1	KEMAKKS	हाना ३	* *	O O C G E C E D A L E E E E E E E E E E E E E		
	_):1										. NUTRTS.	SAMPLE BOTTLE NUMBER		PTH=			0	B	G		(m)	BOTTOM DEPTH		
Ц												RTS.	TTLE N		3	TA			本		<u> </u>				
												OTHER	UMBER		3	43		4	9			-	STA.		
	- 1	0													•	•	<u> </u>	• • • • • • • • • • • • • • • • • • •						•	<u> </u>
																		4	(d						

91 PG 784 OF 134

12	ੜ	ō	œ ⁱ	00	7	တ	O1	4	ω	2	_	Pos.		SEC C	SEC T	PRI C	PRI TI	PRESS SN	SBE 9	TYPE & SN	0 न १ ९		CONSC CAST	09/	VESSEL OSU R/V	
		0	IJ	ō	Ś	ر ا	ນ ກ	ر. 0	上つ	ハ つ	6	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	S SN	PLUS 09F	& SN CTD	SK 56	DEG			VESSEL	
			-									PRE		1030	31384	1041	31371	92843	SBE 9PLUS 09P6012-0256	Ö	2017	MIN	LATITUDE		AMC	
												PRESSURE						<i>ω</i>		TIMES	2 N	DE DE				
										70		PRI.		PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	S	6 8 5 2	DEG	LONGITUDE		-	
												PRI. TEMP.	CTD C]]	1	z 	1		-	111161	MIN	TUDE:			
												SEC	CTD CONVERTED MONITOR VALUES	FLUOR 101S						j N	w a o u	DAY	DATE		× 17	
										:		SEC. TEMP	D MONIT]					JD/TIME	NIN rO	MO	D		PROJECT & LEG WE97-06B	
	_							-			1.4	PR	OR VALL	TRANSMISSOMETER 33D	-	<u>.</u>	<u>'</u> 		Tape	00.1 75	8 1/6	YR HR	ତି =	=	& LEG	
	m.gm.yt					-9		· · · ·				PRI. SAL.	JES	SOMETE			antique despite ettigati		Tape/Diskette ID	→ 5	19	MIN	TIME (GMT)	with object weight object to	attiglikanyak nyumbanyar a	agan agata agan agan agan agan sanan agan
	8				- 10			27. 54.		- 0	ing the of	s		R 33D					640	£	% G	Н	DRY			
1 .							~					SEC. SAL.		EPEN		1			Fie	DATA LOCATION	200		WET			: \
_	-		_			_	_					,	SAN	+			17.70		ਿile Name/Header	TION	2937	(mb) *	m J ⊂ S S N N N N N N N N N N N N N N N N N	m s		, ·
								,	L.			SALINITY	SAMPLE BOTTLE DATA	4092)O=9		ader	Weak			WIND			
									No. 1			TΥ	TLE DAT.		2	 	 	 _	· · · ·	P K		(m/s) *	SPD.		STATIO	
			,									SAL			MAX. DEPTH =	D-K	380	(55)	790	REMARKS	2 48	*	C C C C C C C C C C C C C C C C C C C		STATION DESIGNATION	
							,					NUTRTS.	LE BOTT		[포 	144	CAPT	,	201	4		(m)	ВОТТОМ		ATION	
												S. OTHER	SAMPLE BOTTLE NUMBER		3	TAHU	×105	Coat)	4		0 0		STA.			PĢ
	,											克	Ë	÷		E	=	-1			되의		B		٠	
															s , , ,										time?	92 OF 134
																									. ?	

12	11	10	9	œ	7	6	თ	4	ω	2	_	Pos.		SEC C	SEC T	PRI C	PRI TI	PRESS SN	SBE 9	TYPE & SN	,	080		# 6	CONSC	092	OSU	VESSEL
		2	IJ	6	Jl	ນ	ン パ	20	40	J. O	80 P	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS S	PLUS 09		1		DEG		<u>' ဂိ</u>	12	OSU R/V WECOMA	E
												PRESSURE		1030	31384	1041	31371	92843	SBE 9PLUS 09P6012-0256	F5	CTD	52 40	ME	LATITUDE			OMA	
						10						SURE E		 K_	AT St	AT DEPTH	STAR		DATA ON		TIMES	N 1 6 I	DEG					
												PRI. TEMP	CT	PAR 4329	AT SURFACE	EPTH	START DOWN		2		S	403.a	MIM	LONGITUDE				-
		ĒΠ			<u> </u>				_			75	D CONVE	FLUOR 101S]							<u>ે</u> ૪		DATE			-	
										Š.		SEC. TEMP	CTD CONVERTED MONITOR VALUES	₹ 101S							JD/TIME	JUN	MO	TE JD=			WE97-06B	PROJE
	_								_			ľ	NITOR \	TRANS	, 				<u> </u>			9 7	ž				<u>®</u>	PROJECT & LEG
	_			=		=						PRI. SAL	/ALUES	TRANSMISSOMETER 33D		=			Tape/Diskette ID			0910	HR MIN	(GMT)				Ġ
						3						· 		ETER 33D					ite id	46	1,	814	\neg	BULB	DRY		<u> </u>	
		1									,	SEC. SAL		1384	15m/m27 2080-	10 mlmur	اما			4	DATA LOCATION	Ť	(°C)	BULB	¥ T	1.2 v 1.2 v		
				_								,			C7 2	1	1		File Name/Header		:ATION	2293	를	À	R ⊂ v v			
												s	SAMPLE BOTTLE DATA	4092	080	-80K	0800		/Header			コン	*	VI:	⊣≯⊣ഗ SIBILI1	≯m σ Y	1	
									Ü			SALINITY	вотт		l _V)	رة	0					30					L	G
								:				(E DAT/		_	 	 		<u>_</u>		7	0	(m/s) *	SPD. t)		0.50		TATIO
						-		٠				SAL.			MAX. DEPTH =			94			REMARKS	९ ५ ३	*	Ш.	B ⊕ C C C C C C C C C C C C C C C C C C	m ₹		N DESI
				188								NUTRTS.	SAMPLE BOTTLE NUMBER		PTH =	لا			72			크	, .		BOTTOM			STATION DESIGNATION
	\dashv								,			_	LE NU		6	1301				, (الُ			₹ (Ŋ	1		
												OTHER	WBER	-41	3 (73			. =			ાજી હ	_	NAME/ID	STA		81	_
							88					,							100	10					. <u> </u>			
																			INTERLEAVING	100000000000000000000000000000000000000	0							
																			PUNC	(1							

93 PG&COF 134

VESSEL OSU R/V WECOMA	ıΑ		PROJECT & LEG WE97-06B	LEG	ם פ			SIGNATION	
CONSC				*	σ κ π ο ο ⊃	> ⊣ω>mω BILITY	© □ ⊂ O ⊢ O	I⊣≯m≶	
	LATITUDE	LONGITUDE	DATE JD=	GMT) E	DRY WET F		ם ש	E BOTTOM R DEPTH	STA.
DEG	<u>S</u>	DEG MIN	ĕ Ö	픠	ී	* (q	*	╛	
OEISI ISO	଼ ବ ବ N	164129	e	171128	57 t 8 T	이 3금은	1 2862	ब ७९	
CTD	*	TIMES	JD/TIME		DATA LOCATION		_		
TYPE & SN							- -		
SBE 9PLUS 09P6012-0256 PRESS SN 92843	012-0256 92843	DATA ON		Tape/Diskette ID		File Name/Header	7	EN BA	
PRI TEMP SN	31371	START DOWN			 }	18081			
PRI COND SN	1041	AT DEPTH _			 			1	(302)
SEC TEMP SN	31384	AT SURFACE					MAX.	MAX. DEPTH = (c	m
SEC COND SN	1030	V PAR 4329	FLUOR 101S VTR	TRANSMISSOMETER 33D		1285/4092			100
		стг	CTD CONVERTED MONITOR VALUES	OR VALUES		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	E NUMBER
POS. DEPTH	PRESSURE	RE PRI. TEMP.	SEC. TEMP	PRI. SAL.	SEC. SAL.	SALINITY		SAL NUTRTS.	OTHER
1 (2)				* **		,			
2 50									
3 HO									
4 رو									
5 1	7								
် ၂၃၁									
7 \5				13. 25. 25. 25.					
%						:			
о Л					٠				
ਰ ਹ					7 (8)			:	
11			1		4 E 4 4 5 ED				
									1

94 PG&+OF 134

12	11	10	ဖ	œ	7	o	თ	1	4	3	2	_	POS.		SEC CO	SEC TE	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9F	TYDE & SN	0813		CONSC CAST	VESSEL OSU RA
		9	JÌ	ō	Ī	ر ارو	וני על	j	3	エラ	UI	গ্র	TRIP DEPTH		SEC COND SN	SEC TEMP SN	ND SN	MP SN	SN	SBE 9PLUS 09P6012-0256	2		G		VESSEL OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	012-0256		(6) HQ N	SZ.	LATITUDE	A
								1	_				쭚		Z.	AT SU	AT DEPTH	START		DATA ON	HAIRC	_	DEG G	_	
									-				PRI. TEMP	СТВ	VPAR 4329	AT SURFACE	PTH _	START DOWN		ON.		314 9 9 9	M Z	LONGITUDE	
													<u> </u>	CTD CONVERTED MONITOR VALUES	FLUOR 101S						(C)	<u>لا</u>	DAY	DATE JD=	ס צ
						L			_				SEC. TEMP	D MONITOR	<u> </u>						Ī	0 N 9 7	₹		PROJECT & LEG WE97-06B
													PRI. SAL.	VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID		1345	ΤŦ	TIME (GMT)	EG
				-		╀	╀	+	-				~		TER 33D					0		- CO	ි	DRY	
	100												SEC. SAL		EDEI		: -	ا ا		File	,	1 1 1 1 2 1 S	ြိ	WET .	
_			_			_		+		L				ş	H092			300		File Name/Header	2	393	Ē	E K E M S C E M S C M	
													SALINITY	SAMPLE BOTTLE DATA	D.			20		leader		<u> </u>	1_	DISTBILITY DISTBILITY DISTBILITY	
													7	TLE DA:				17				08	(m/s)	SPD.	STATIC
									,			,	SAL.			MAX. DEPTH =				\mathcal{T}			*	© E © C C C C C C C C C C C C C C C C C	STATION DESIGNATION
												2	NUTRTS.	SAMPLE BOTTLE NUMBER		PTH =			Ó	2	8		<u>(E</u>	ВОТТОМ	NATION
								+), OTHER	E NUMBER		3	CARI		*	ع ا		8)	STA.	

95 PG&= OF 134

				O	S	J.	ō	_	5	Ö	63	87							_			10	34			
12	11	ō	ဖ	8	7	6	٥	n	4	ω	2	_	Pos.		SEC C	SEC T	PRI CO	PRI TE	PRESS SN	SBE 9	TYPE & SN		18		O%S CONSC CAST #	VA NSO
				9	N	20	ć	5	я П	ခဲ့ O	<u>လ</u> ရ	26.代化	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	SBE 9PLUS 09P6012-0256	& SN	CTD	3573	DEG		OSU RV WECOMA
													PRESSURE		1030	31384	1041	31371	92843)12-0256			8 .19 9 N	ME.	LATITUDE	A
													RE			AT S	AT DEPTH	STAR		DATA ON		TIMES	 'd	DEG		
		11											PRI. TEMP	CTD	PAR 4329	AT SURFACE	EPTH _	START DOWN		Ý I		S	3101611918	MiN	LONGITUDE	
	H			_		H	╁	\dashv				ari.		CONV	FLUC								W	ō	D.	
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S							JD/TIME	근		DATE JD=	PR WE
								İ					HME	MONIT								m	픠	<u> </u>	Ĭ	PROJECT & LEG WE97-06B
							T							OR V	RANSA		ı L) 		। ਜ਼			7	ᅔ	-	& LEG
													PRI. SAL	LUES	TRANSMISSOMETER 33D					Tape/Diskette ID		÷ -	848	표 MIN	GMT)	
													Ė		ETER			4		ette ID					DRY	
	#5 1. cattl												S		33D								1.3	-		
	1					=							SEC. SAL				I ~	الما		<u>I</u>		DATA LÓCATION	- 8 ジ	င္ပိ	BULB WET	
													יר		**	7.0	PRODE	PRODOLA		File Name/Header		CATIO	22	(mb)	m zo co o o m zo o	
			48											SAMPI				0		e/Head		_	37	_	m → > → ω > m ω VISIBILITY	
													SALINITY	LE BOT			E FIC	11		<u> </u>			340	(deg)	WIND DIRN.	
			!										╗	SAMPLE BOTTLE DATA				1					Ĭ	(m/s)	WIND SPD.	STAT
H	-					<u> </u>	-	+				_	<u>ω</u>			MAX.	Į.	9		<u></u>		REMARKS	76	*	೮380⊏೧ ୮೧	STATION DESIGNATION
													SAL.	SAMPL		MAX. DEPTH =	-	<u>F</u> (7		RKS		- 1	≱חע⊢דחע	SIGNA
													NUTRTS.	Е ВОТПСЕ		 	'	6 (7	0 00 0	,	たわ	<u>I</u>	Œ	ВОТТОМ	NOIT
								7					OTHER	SAMPLE BOTTLE NUMBER		3	4087	6	50	200	>		20		STA.	

96 PG-885 OF 134

		_	_	_	_	_	_			_	_	_	-		1 60				_	/ ^	_,		~			10 1
12	11	ō	ဖ	8	7	ြ	<u> </u>	5	4	ω	2	_	POS.		SECC	SEC T	PRI CC	PRI TE	PRESS SN	SBE 9	TYPE & SN		<u> </u>		0% CONSC CAST	VESSEL OSU RA
		0	\$	5	200	0	ָּרְ רָּ	H	20	30	36	€ ()	TRIP DEPTH	-	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS S	SBE 9PLUS 09P6012-0256		Ī	5 - 5	DEG		VESSEL OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	012-0256		-	N S S.	ME	LATITUDE	A
						į.							큚		<u> </u>	A⊥ 8	AT DEPTH	STAR		DATA ON		TIMES	163	DEG		-
										-			PRI. TEMP	СТВ	PAR 4329	AT SURFACE	:PTH -	START DOWN	ı	Q		f	306.0	MIM	LONGITUDE	
		<u> </u>			\vdash	╀	-	\dashv						CONVI	FLUC	<u>"</u>							S S	ᆝ	Q	4
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S								C Z	DAY MO	DATE JD=	PROJECT & LEG WE97-06B
			-			+	\dagger							ITOR \	TRANS	lacksquare	 	 					9 7	¥	5 E	;;; & LE 38
													PRI. SAL.	/ALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			21102	HR MIN	TIME	6
						-	+		٠		-				TER 33D					ē Ö			\& 0	(°C)	DRY	
												100	SEC. SAL		1310/			ر ا		File		DATA LOCATION	_ ⊗ : 3	_	WET BULB	
_						╀	1		_		_			တ	D T		7	1		Name/		A N	293	를		
													SAL	SAMPLE BOTTLE DATA	92	6	A 180	0840		File Name/Header		- {	긨	_	M T A T W A M O VISIBILITY DIRNO	
													SALINITY	OTTLE DA	٠	& 10 m/s		(3)	5,25						WIND.	STATI
-							+	-					SAL			MAX. DEPTH =		_	0			2	76	*	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	ICI I
	_				-		$\frac{1}{1}$	$\frac{1}{1}$					_	SAMPLE BOTTLE NUMBER	1	EPTH =	1		1 STATE OF THE STA		%	₹S	4	(E	BOTTOM	STATION DESIGNATION
							\downarrow						NUTRTS.	אדורבו			0		/PVV	`			(V)	\dashv		_
											٠		OTHER	NUMBER		3	O I Z	. <u>-</u>	ď	*			787		STA.	

97 PGSH OF 134

POS. SEC TEMP SN SEC COND SN PRI COND SN PRI TEMP SN SBE 9PLUS 09P6012-0256 CONSC CAST PRESS SN TYPE & SN ₽ 7 ဖ œ O (J) . runs Standar 0) DEPTH 됞 DEG CTD LATITUDE 31384 31371 92843 PRESSURE <u>2</u> 1030 AT DEPTH START DOWN AT SURFACE DATA ON in opinal of replant PAR 4329 LONGITUDE PRI. TEMP. CTD CONVERTED MONITOR VALUES FLUOR 101S TRANSMISSOMETER 33D DATE JD= 22JUN 97 SEC. TEMP MO Ϋ́R redid at 10 m/s Tape/Diskette ID HR MIN PRI. SAL DRY BULB DATA LOCATION SEC. SAL BULB W 20 File Name/Header m z c s s m z v 14093 m ⊣ > ⊣ ω > m ω VISIBILITY SAMPLE BOTTLE DATA WIND WIND OF A FORM OF A F SALINITY かなか CT0 85B REMARKS MAX. DEPTH = SAL SAMPLE BOTTLE NUMBER SXO GTO BOTTOM DEPTH NUTRTS. STA. NAME/ID OTHER 3

STATION DESIGNATION

160

OSU R/V WECOMA

WE97-06B PROJECT & LEG

VESSEL

	SAMPLE BOTTLE DATA SALINITY	SEC. SAL.	PRI. SAL.				O 57 5	1 5
	SALINITY	SEC. SAL.	PRI. SAL.				J 57 5	10
	SALINITY	SEC. SAL.	PRI. SAL.				57	
	SALINITY	SEC. SAL.	PRI. SAL.				ij	9
	SALINITY	SEC. SAL.	PRI. SAL.				ŕ	∞
	SALINITY	SEC. SAL.	PRI. SAL.				15	7
	IPLE BOTTLE DATA	SEC. SAL.	PRI. SAL.				20	၈
	SALINITY	SEC. SAL.	PRI. SAL.				25	5
	IPLE BOTTLE DATA	SEC. SAL.	PRI. SAL.				30	4
	APLE BOTTLE DATA	SEC. SAL.	RRI. SAL.				35	ω
	#PLE BOTTLE DATA	SEC. SAL.	₹ VALUES PRI. SAL.			١	にわ	2
	IPLE BOTTLE DATA	SEC. SAL.	RVALUES		(at Villa	50	-
SAL. NUTRTS. OTHER	NPLE BOTTLE DATA	1761/4	₹ VALUES	SEC. TEMP	PRI. TEMP.	PRESSURE	TRIP DEPTH	Pos.
N SAMPLE BOTTLE NUMBER		17011to		CTD CONVERTED MONITOR VALUES	CTD CC			
	92	1291/11	TRANSMISSOMETER 33D	FLUOR 101S TRAI	PAR 4329	1030	SEC COND SN	SECC
MAX. DEPTH =	M				AT SURFACE	31384 A	SEC TEMP SN	SEC 1
_		1	. 11	.*	AT DEPTH	1041 A	PRI COND SN	PRI C
ophis	986	CTD			START DOWN	31371 S	PRI TEMP SN	묊
T1506			2			92843	PRESS SN	PRES
)	ader	File Name/Header	Tape/Diskette ID		DATA ON		SBE 9PLUS 09P6012-0256	SBE 9
ZEMAKKU	7	DATA LOCATION		JD/ IIME		,	TYPE & SN	Ž
6311 67	13501156	110116293	7 12411/0116	W 2 2 U U 9 7	0.00	0 . 0 WN	5	21/2
(m)	* (deg) (m/s) *	(°C) (mb) *	HR MIN (°C)	DAY MO YR	DEG MIN	MIN	DEG	
Þ	WIND WIND DIRN. SPD.	ш — ;	TIME DRY (GMT) BULB	DATE JD=	LONGITUDE	LATITUDE		CAST #
- -			:				<u></u>	CONSC
m ≼	0-0	m zo to ≯ m o						098
	-	╛		WE97-06B		A	OSU R/V WECOMA	SUF
STATION DESIGNATION	STATION		LEG	PROJECT & LEG			Ĕ	VESSEL

No tape.

99 PG 345 OF 134

VESSEL OSU R/V WECOMA	\$		PROJECT & LEG WE97-06B	& LEG			m os	STATION DESIGNATION C L W	W
099 CONSC				Min	DRY		T > H W > M W SIBILITY END	MIND D C O C C	ד⊁ס
	LATITUDE	ONG	Ş P	ହ	+	m	. VI	ť	n R
2 7 DEG 2	2 MIN	DEG MIN	W J J MO	9 7 LL 112	2 2	(am) (am) (am)	2 (deg)	(m/s)	×
3	211 11 1110	1	10 14 40 0 14	7	17	OF I ATION		0 0	17 10 T
TYPE & SN		limes	JU/ IME		Pah bh	DATA LOCATION		7	ZERGAZNO
SBE 9PLUS 09P6012-0256	012-0256	DATA ON		Tape/Diskette ID	ĕ	File Name/Header	/Header		D N
PRESS SN	92843	ļ						T	
PRI TEMP SN	31371	START DOWN			*	212	28	 	
PRI COND SN	1041	AT DEPTH _				CTT))	1	107
SEC TEMP SN	31384	AT SURFACE				Ų	ST.		000
SEC COND SN	1030	PAR 4329	FLUOR 101S	TRANSMISSOMETER 33D	ER 33D	1316/4	SS.	N	MAX. DEPTH =
		сто	CTD CONVERTED MONITOR VALUES	OR VALUES			250	8	X. DEPTH
POS. TRIP DEPTH	PRESSURE	RE PRI. TEMP.	SEC. TEMP	PRI. SAL.	SEC	SEC. SAL.	WHO 92 SAMPLE BOTTLE DATA	TLE DATA	AX. DEPTH = $S \rightarrow m$ SAMPLE BOTTLE NUMBER
1 57							SALINITY SALINITY	TLE DATA	┌──│
2 50						3	SAMPLE BOT	TLE DATA	□
3 4D							SAMPLE BOI	TLE DATA	□
4 %٥					_		SAMPLE BOT	TLE DATA	
5 25							SAMPLE BOI	TLE DATA	
6 70							SAMPLE BOT	TLE DATA	
7 5							SAMPLE BOT	TLE DATA	
8 }0							SAMPLE BOT	TLE DATA	
9 A					==		SAMPLE BOT	TLE DATA	
70							SAMPLE BOT	TLE DATA	
<u></u>	_						SAMPLE BOT	TLE DATA	
•							SAMPLE BOT	TLE DATA MA	

好多

100 PGS= OF 134

SEC. SAL. SALINITY
SAMPLE BOTTLE DATA
TRANSMISSOMETER 33D 1334 / 407 2
CADORR
Tape/Diskette ID File Name/Header
DATA LOCATION
1 5 5 5 5 5 6 5 6 8 6 8
(°C) (mb) * * (deg)
BULB BULB E E DIRN. SPD.
I D - I W
or cc m o > m cc Y
SIA ION DESIGNATION

										-		\vdash		-			12
																	=
																၁	1 0
-	:															N	ဖ
												-				ó	8
				·								_		<u> </u>		Ţ	7
								_								טט	6
																S)	5
							w									30	4
-		_						,								どう	ω
																50	2
								,		_						<u>1</u> 0	_
OTHER	NUTRTS.	SAL.	TY	SALINITY		2	SEC. SAL.		PRI. SAL.	Ð	SEC. TEMP	s	PRI. TEMP.		PRESSURE	DEPTH DEPTH	POS.
SAMPLE BOTTLE NUMBER	TE BOTTL		AMPLE BOTTLE DATA	PLE BO1	SAMI				VALUES	CTD CONVERTED MONITOR VALUES	RTED MO	ONVER	СТРС				·
e:				2	4092		1305	TER 33D	TRANSMISSOMETER 33D	TRAN		FLUOR 101S	PAR 4329	V PAR	1030	SEC COND SN	SEC C
3	لد	MAX. DEPTH =	2										<u>ြ</u>	AT SURFACE	31384	SEC TEMP SN	EC TE
			 								,			AT DEPTH	1041	PRI COND SN	ŘI CC
				قر	280K	C				 			¥ 	START DOWN	31371	PRI TEMP SN	ž E
													1		92843	NS 6	PRESS SN
BO E.	1			ader	ne/Hea	File Name/Header	_	6	Tape/Diskette ID				1	DATA ON		SBE 9PLUS 09P6012-0256	BE 9F
							7	4									TYPE & SN
		REMARKS	_		ž	CATIC	DATA LOCATION				JD/TIME	ے		Samil		٥	
08	13 5	શ્રીષ્ટ્ર	2		무리	3a\b	<u>\$</u>	8.3	디베티	9 7	a u u N	SWO	ર્યા હાર્ને	1614	L L N	() ())
	(m)	*	(m/s) *	Н		,	(°C)	(°C)	HR MIN	ΥR	/ MO	DAY	MIN	DEG	MIN	DEG N	
STA.	ВОТТОМ	\$ 3 60 C C C C C C C C C C C C C C C C C C	WIND	WIND DIRN.	m → > → ∞ > m ∞ VISIBILITY	r K m o o ⊃ K m	WET	DRY	TIME		DATE JD=	DAT	LONGITUDE	ГО х	LATITUDE		/O/ CONSC CAST #
	IATION	STATION DESIGNATION	STATIO		1	8			[¡] ;	PROJECT & LEG WE97-06B	PROJECT WE97-06B				^	VESSEL OSU R/V WECOMA	VESSEL OSU RA
																	l

PG-85 OF 134

12	11	10	9	8	7 1	6	5	+	4	3	2		Pos.	16	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PL	TYPE & SN		090		lo2 consc cast	OSU R/V
		Þ	八)	Л	0	الاً ال		ا ر	F0	JT O	T	DEPTH DEPTH		NS G	IP SN	DSN	SN	ž	SBE 9PLUS 09P6012-0256	ž	CTB	<u> </u>	DEG N	LATI	OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	12-0256			01.1510N	MIN	LATITUDE	В
						-	+						m m		S S	AT SURFACE	AT DEPTH	START DOWN		DATA ON		TIMES	I (G) 나	DEG	5	
													PRI. TEMP.	CTD C	PAR 4329 1	ACE	₹ 	NWOC		z			59.90	MIN	LONGITUDE	
								1					SEC. TE	CTD CONVERTED MONITOR VALUES	FLUOR 101S							JD/TIME	n riciam	DAY MO	DATE JD=	WE9
		_	_				-						TEMP	MONITOR	了 聚							•••	N 9 7	o YR	"	WE97-06B
		*										-111	PRI. SAL.	₹ VALUES	TRANSMISSOMETER 33D	<u>U</u>				Tape/Diskette ID	4.5		11124	HR MIN	TIME (GMT)	
lacksquare						ļ. 	-						<u></u>		TER 33D		Æ			e D			17112	(°C)	DRY	
	The state of the state of		\$2				•						SEC. SAL.		129		OPOCT DOGO	15 m/m		File	1/4	DATA LOCATION	16172	(°C) (WET SO SE SE	
_				-			-	+						ŠAN	∓ }		209			File Name/Header		NOIT	<u> </u>		m - > - o > m o	
								-					SALINITY	SAMPLE BOTTLE DATA	4093		0	90		ader			1000	* (deg)	WIND DIRN.	
													7	TLE DATA		2	·	 	_			70	1112	(m/s) *	C C O O O O O O O O O O O O O O O O O O	
											,		SAL.			MAX. DEPTH =						REMARKS	८५३।	*		
				-				†	İ	•		1	NUTRTS.	SAMPLE BOTTLE NUMBER		HT.	Y.	4				ر الد الا	되	(m)	ВОТТОМ	
			_	i i								1	OTHER	E NUMBER		3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	B-10					190	20	STA. NAME/ID	

PG9870F 134

VESSEL OSU RAV WECOM	Þ		PROJECT & LEG	EG		118	STATION DESIGNATION	NOIT	
COO TO WALL COMP			48-01-000		- - - -	[2]	101	$\frac{1}{1}$	
103					טר כב חו ט ט	⊣ w ≯ m w	D ⊂ O F C ⊣ ⊣ > m €	4	
CONSC CAST	LATITUDE	LONGITUDE	DATE JD=	TIME (GMT)	DRY WET R	T S I B I VIND WIND WIND SPD.	2 @ E ⇔ - ➤ C M - I M C	BOTTOM N	STA. NAME/ID
DEG	MIN	DEG MIN	DAY MO YR	Ŧ	(°C)	* * (deg)	*	\dashv	
090563	NC H O	15/10/5/11/20/1		71635	16 119 KIB	<u> </u>	1862	80	090
CTD		TIMES	JD/TIME		HH DATA LOCATION	ON	REMARKS	&	
TYPE & SN					43				
SBE 9PLUS 09P6012-0256 PRESS SN 92843	92843	DATA ON _		Tape/Diskette ID		File Name/Header	E018	FROME TION	
PRI TEMP SN	31371	START DOWN			PP	RD090			
PRI COND SN	1041	AT DEPTH _					BTB	10	<u> </u>
SEC TEMP SN	31384	AT SURFACE		:			MAX. DEPTH =	エ	3
SEC COND SN	1030	VPAR 4329	FLUOR 101S TRA	TRANSMISSOMETER 33D	ER 33D			*	
ego e e		стр	CTD CONVERTED MONITOR VALUES	R VALUES		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	NUMBER
POS. DEPTH	PRESSURE	RE PRI. TEMP.	SEC, TEMP	PRI. SAL.	SEC. SAL	SALINITY	SAL.	NUTRTS.	OTHER
ュ ド ド				=					_
22 12 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13				=					_
3 -20				-					- T-
4 200									
5									; _
6 -\0\S									
Ţļ ~									
۵ ا ال									_
9 ()							1012		
16 O S						,			=
11					1. 作品化的人基本				=
12									

104 PG4650F 134

12	11	ð	9	∞	7	တ	51	4	ω	2	_	POS.		SEC C	SEC T	PRI C	PRI TE	PRESS SN	SBE 9	TYPE & SN		09		# 8	CONSC		10		OSU RV
		0	n	0	<u>ا</u> ل:	ย	30	丘フ	্য শ্র	60	% ()	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	S SN	SBE 9PLUS 09P6012-0256	SN %	CTD	1562	DEG		<u> </u>				VESSEL OSU R/V WECOMA
												PRESSURE		1030	31384	1041	31371	92843	3012-0256)	3 4 N	MIN	LATITUDE			3.		WA
												교			AT SU	AT DEPTH	STAR		DATA ON		TIMES	116	DEG						
	1)7											PRI. TEMP.	CTD	VPAR 4329	AT SURFACE	HTG	START DOWN	ĺ	9		,	512131512	MIN	LONGITUDE					
	-								H	2		င္ဆ	CONVER	VFLUOR 101S							JĽ	wala	DAY	DATE					
		4										SEC. TEMP	CTD CONVERTED MONITOR VALUES]]						JD/TIME	alu u-N	MO	E JD≡	į.				WE97-06B
		16								╁		Atta	ITOR V	TRANS	lacksquare	 	 		<u> </u>	_		9 7	ΥR)B (F
									 	-	=======================================	PRI. SAL.	ALUES	TRANSMISSOMETER 33D		-			Tape/Diskette ID			955	HR MIN	(GMT)					24-11-20
			_		25	_	<u> </u>							TER 33					ie D			Ħ	(၁°)	BULB	DBY				-
	100.00											SEC. SAL				1	l b		File		DATA LOCATION	2 6.3	(°C)	BULB	ν T				1
			_			L	-	Ļ	L		W.		ş	393			7		File Name/		ATION.	2913	(mb) *) m z		
							:					SALINITY	MPLE BOTTLE DATA	4092			1,60		Header		7	134	*	VI:	SIB				
												YEIN	חווב ס'									0 3) (m/s)						STAT
					_	-				-	_	S	1		MAX.			OHIG	PROI		REMARKS	E.R.	*	t)	(a	□ C	: O ⊏	C	STATION DESIGNATION
							_		_			SAL.	SAMPLE		MAX. DEPTH =				_		RKS	1 1	*			→ >	- П ≨		SIGNA
											10	NUTRTS.	BOTTLE		1 1		δ	SA ME	ORST		40	128	(m)	DEPTH	ROTTOM				Ç
	=						=		I			OTHER	SAMPLE BOTTLE NUMBER		3	1811		CASI)	FOR			1 1091		NAME/ID	STA				· .

* Jacks like Jelly Jah watcond call during

		,			-	12
- 1						11
	De Se			26		10
						5
						10
1						^
l						20
	F					30
						40
Ι'						50
		And a series of the		Ì		25
						28
SALINITY	SEC. SAL.	PRI. SAL.	SEC. TEMP	PRI. TEMP.	PRESSURE	POS. DEPTH
्राम	SAMPLE BOTTLE DATA	VALUES	CTD CONVERTED MONITOR VALUES	ств сог	W	
ľ	1252/4092	TRANSMISSOMETER 33D	FLUOR 101S TRAN	PAR 4329 -FL	1030	SEC COND SN
				AT SURFACE	31384 AT S	SEC TEMP SN
				AT DEPTH	1041 AT [PRI COND SN
			-	START DOWN	31371 STA	PRI TEMP SN
					92843	PRESS SN
~	File Name/Header	Tape/Diskette ID		DATA ON		SBE 9PLUS 09P6012-0256
			Ç	į		TYPE & SN
50	1 16 H29141 1	11/2/2/1		= 15141611114W	PINON / ICE	11 M C 7 14
(g (g)	(0)	/ Z	DAY MO YR	SZ	9	DEG
DIRN.	E VI	(GMT) BULB	DATE JD=	LONGITUDE	LATITUDE	
¥ ND	⊣ > SIB	TIME DRY				CAST
		- Auth Auth over	ed ed			
) m ;) > r TY	Air on de d				105
						A STATE OF THE PARTY OF THE PAR
			WE97-06B			OSU R/V WECOMA
		ä	PROJECT & LEG			SCE!

PG 92 OF 134

ي
94
37
TB
7

12	11	ő	9	œ	7	6	5	4	3	2	_	POS.		SEC C	SEC T	PRI CO	PRI TE	PRESS SN	SBE 9PLUS		93		# 2	CONSC	901	OSU R/V
		<i></i>	Ŋ	0	15	25	26	30	6.5	5	45	DEPTH R		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS S	TYPE & SN SBE 9PLUS 09P6012-0256	CTD	3151611	DEG		<u>' </u>		OSU R/V WECOMA
							-chl ha					PRESSURE		1030	31384	1041	31371	92843	3012-0256		0 0 0 N	MIN	LATITUDE			M
	_				_	<u> </u>	may					교			AT SURFACE	AT DEPTH	START		DATA ON	TIMES	6	DEG		,		
		<u> </u>										PRI. TEMP.	СТВ	PAR 4329	YFACE	H	START DOWN	1	S.		6 0 6 0 0 1	NIN	LONGITUDE			
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S						JD/TIME	w u t 2 2 w	DAY MO	DATE JD=			WE97-06B
				<u>. </u>								₹	ONITOR	1]						N 9 7	Ϋ́R				WE97-06B
		3					A			-		PRI. SAL.	VALUES	TRANSMISSOMETER 33D		*		,	Tape/Diskette ID		2212	HR MIN	(GMT)			Ğ
				_										TER 33D					6		17.12	(၀)	BULB	DBK		_
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	i i										SEC, SAL		12		[1		File	DATA LOCATIÓN	6.7		BULB		i i	
	,						_		_		4.	<u> </u>	, St	16 /4					File Name/Header	ATIÓN	293	<u></u>	E E		υ α ω π <	φ.
										:	4.4	SALINITY	AMPLE BOTTLE DATA	092					Header	-	12 3 15 lo	*	DIRN.	SIBILIT	Y	
												₹	TLE DA								1/6	(m/s)			: ,	2 A
	-				_						7. 2	SAL	1		MAX. DEPTH =				<u>^</u>	REMARKS	862	* * * * * * * * * * * * * * * * * * *	t)	3 <u>6</u> 0 ⊂	o F 0 m ≷	SIATION DESIGNATION
											-	NUTRTS.	SAMPLE BOTTLE NUMBER		HTC	818			1/	ທ	105	(m)	DEPTH	POTON		NA ION
								>). OTHER	E NUMBER		а				N 02/4 ×		9 3		NAME/ID	STA		

PG/07 OF 134

20
GD OFF
7
787

OSU RV WECOMA	A		PROJECT & LEG WE97-06B	LEG	ס ג		묘
107			,*		ர நாலல <u>்</u>	⊳⊣ω≯mω BILITY	G D ⊂ O F O < ⊣ ⊑ ⊣ ≽ m ≶
CAST LAT	LATITUDE	LONGITUDE	DATE JD=	(GMT)	DRY WET R	DIRN.	WIND m P E
DEG	MIN	DEG MIN	DAY MO YR	HR MIN	(°C) (n	* (deg)	* **
Ŏ	3.11N	1166211812	W231 UN19	7 4110	617 16112	3712	2862
CTD 1		٠.	JD/TIME		DATA LOCATION	ION	3
TYPE & SN							*
SBE 9PLUS 09P6012-0256	012-0256	DATA ON		Tape/Diskette ID		File Name/Header	4
PRESS SN	92843						
PRI TEMP SN	31371	START DOWN				TDOGY	
PRI COND SN	1041	AT DEPTH	î.	=_6		CTD094B	
SEC TEMP SN	31384	AT SURFACE					MAX. DEPTH =
SEC COND SN	1030	PAR 4329	FLUOR 101S	TRANSMISSOMETER 33D	R33D /381 /		. 3
. gtv. 5		CTD	CTD CONVERTED MONITOR VALUES	R VALUES		SAMPLE BOTTLE DATA	E DATA SAMPLE BOTTLE NUMBER
POS. DEPTH	PRESSURE	RE PRI. TEMP.	SEC. TEMP	PRI. SAL.	SEC. SAL.	SALINITY	, SAL.
1 112							
2 /00				i i i i i i i i i i i i i i i i i i i			
3 4 7 7							
4 57						^	
5 30	did w	1677					Λ,
6 25	450 h	0				,	
7 25							
8 /15							
9 &	ONTO						_
10 0.	8				*		
				100			
1							

PG 108 OF 134

VESSEL OSU R/V WECOMA	P		PROJECT & LEG WE97-06B	& LEG		:	STAT	STATION DESIGNATION	ATION
108	ě					υm			
	V		•			o ω m LITY		7 ⊂ O I I > m	
CONSC		,/		J::W		> -		≺ -	
# LAT	LATITUDE	LONGITUDE	DATE JD=	(GMT)	BULB BULB	л ⊣ //s	WIND WIND	2 3 7 T 7 T 1 T	BOTTOM DEPTH
DEG 1	MIN	DEG MIN	No.	YR HR MIN	╅	٠ (و	-	-	(E)
955558	2 9 N	10 5599	Walau u N 9	709	4	(7)	9	8162	129
CTD	ŀ	TIMES	JD/TIME		# DATA LOCATION	CATION			129
TYPE & SN									
SBE 9PLUS 09P6012-0256	12-0256	DATA ON		Tape/Diskette ID		File Name/Header	7		
TREGGION	92843			1					
PRI TEMP SN	31371	START DOWN			 	70095			
PRI COND SN	1041	AT DEPTH						TBI	\mathcal{L}
SEC TEMP SN	31384	AT SURFACE]	= 1				MAX. DEPTH =	工 _
SEC COND SN	1030	✓ PAR 4329 V	FLUOR 101S	TRANSMISSOMETER 33D	ER 33D 1336/	14097			
to (57		СТВ	CTD CONVERTED MONITOR VALUES	OR VALUES	Y		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER
POS. DEPTH	PRESSURE	RE PRI. TEMP.	SEC. TEMP	PRI. SAL.	SEC. SAL		SALINITY	SAL	NUTRTS.
1 125					53		1	3	1
2 75									7
3 50	Î					25			7
ب رن 0						8 P	1		1
5 2月		Į.			Y	Y		- 4	/
6 ンフ									Ţ,
7 15									7
8 \ 0					7				-
9 71	:				7				7
6					7				7
11									

PSAE OF 134

		H			\coprod						\mathbb{H}					12
ò					_	1	,		_					-		11
<															o •	10
	-								_					,	JI.	9
							,		_		,				6	,00
															IJ.	7
<											_				120-	6
7	1		1					_						,	70	ဟ
			1		_		_		_						100	4
					_				_		<u> </u>		-		200	ω
			1000	*******	1	1/8	3	temperature is productive to the			14				500	2
	<				<u>/</u>										1500	-
OTHER	NUTRTS.	SAL.	YTIN	SALINITY	! !	SEC, SAL.		PRI. SAL.	₹	SEC. TEMP		PRI TEMP	SURE	PRESSURE	DEPTH	POS.
NUMBER	SAMPLE BOTTLE NUMBER	1)TTLE DA	SAMPLE BOTTLE DATA	\$	1	/	VALUES	ONITOR	CTD CONVERTED MONITOR VALUES	CONVE	СП		!		
			eren.	H092		1352	TER 33D	TRANSMISSOMETER 33D	TRAN		FLUOR 101S	PAR 4329	~	1030	SEC COND SN	EC C
3	TH =	MAX. DEPTH =				}	/ /				<u> </u>	AT SURFACE		31384	SEC TEMP SN	ECT
F-01	8	Sylved				ı				,-		:PTH	AT DEPTH	1041	PRI COND SN	Ř C
	:			960	1	h						START DOWN		31371	PRITEMP SN	껸
C		11:50 d						/	:/					92843	NSS	PRESS SN
13065 /30	2	Deblury,		Header	File Name/Header	Fji	Te D	Tape/Diskette ID				2	DATA ON	6012-0256	SBE 9PLUS 09P6012-0256	BE 9
_	i i				F.	4.4	hh		90	1			•			TYPE & SN
	Š	REMARKS			ATION	DATA LOCATION			ŀ	░			TIMES		- 1	
000	$\overline{}$	Δ 1 2 2	کرا پایج	0	281	7.12	4:9	-	ᆰ	<u>-</u>	2 w a	1	N (1	6557	ାବା 6
	(m)	* C	(m/s)	* \	<u>ئ</u> ئار	င္ပံုင္ပြဲ	(°C)	HR MIN	YR	MO	DAY	MIN	DEG	X	DEG	:
STA.	ВОТТОМ		SNO	TSTBTL	n⊣⊳⊣	NET S	DRY	TIME		DATE JD=	<u> </u>	LONGITUDE	j	LATITUDE		CONSC CAST
		_ O		ITY	o m zo o	0,		==			<u>.</u>					109
	N S	STATION DESIGNATION	1012	1	╛	1.	_		-06B	WE97-06B	-	ı		MA	OSU R/V WECOMA	SUF
	NATION!		57,77		ſ		$\frac{1}{2}$	ם ס	DBO IECT & I EC				-		Ξ,	VESSEI

PGATE OF 134

VESSEL OSU R/V WECOMA	MA	ž.	PROJECT & LEG WE97-06B	ያ TEG	ali i		STATION DESIGNATION	SNATION	_
CH					T.	m o) F C		
110	ļ					ω π Δ >	⊂ 0 > m		
CONSC	1	1100				> ⊣	Т Т		
_	LATITUDE	LONGITUDE	DATE JD=	(GMT)	DRY WET	<u> </u>	WIND m P	BOTTOM P	STA.
DEG	<u>S</u>	DEG MIN	DAY MO Y	z	(°C)	*	(m/s)	(m)	
1515151	NO 81. 1	116935100	w 1 <u>43</u> J u n 9	의기 시시 31이	커 8 귀나	보이니라이 do) 8 8 <i> </i> 2	2151381	1917
СТВ) " "	TIMES	JD/TIME	L)	DATA LOCATION	ATION '	REMARKS	S	,
TYPE & SN			-5		17				
SBE 9PLUS 09P6012-0256	3012-0256	DATA ON		Tape/Diskette ID		File Name/Header	Q	SZL	
	2							2	
								7	
PRI COND SN	1041	AT DEPTH			 		T		
SEC TEMP SN	31384	AT SURFACE					MAX. DEPTH =	PTH =	3
SEC COND SN	1030	PAR 4329	FLUOR 101S TR	TRANSMISSOMETER 33D	R 33D 128	5 /4097	i) ci	7.04	*
-		стрс	CTD CONVERTED MONITOR VALUES	OR VALUES		SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	NUMBER
POS. DEPTH	PRESSURE	RE PRI. TEMP.	SEC. TEMP	PRI. SAL.	SEC, SAL	SALINITY	JITY SAL.	NUTRTS.	OTHER
1 1500	Ż								
2 500	Jan y	Ly war k-			200	4			
3 206									
4 /00									
5 50									
6 2.0									
7 /5 7	the mouker	w word was							
8 10			0						
9 5									
10 0					100				
11				2000	-24-1 (m)2500				
12									

PG34 0F 134

102

						F								12
				Ñ	_		П							⇉
	£4			4		č_	1							10
								U	_					9
	10												-	8
:							_						0	7
								:					6	၈
									ļ. <u>.</u>		_		∞Q	თ
						=							13	4
<u>-</u>			:							:			8	ω
							_			!			27	2
		ļ		-		=							27	_
RTS. OTHER	SAL. NUTRTS.	SALINITY	<u> </u>	SEC. SAL	<u>г</u>	PRI. SAL	M P	SEC. TEMP	<u>*</u>	PRI. TEMP	RE	PRESSURE	CEPTH TRIP	Pos.
TTLE NUMB	TA SAMPLE BOTTLE NUMBER	AMPLE BOTTLE DATA	SAM			VALUES	ONITOR	CTD CONVERTED MONITOR VALUES	TD CON	ဂ			(E-4)	
				100	ETER 33D	TRANSMISSOMETER 33D	TRAN	FLUOR 101S	<u> </u>	PAR 4329	Ę	103C	SEC COND SN	SEC C
3	MAX. DEPTH =								1	RFACE	AT SURFACE	31384	SEC TEMP SN	SEC T
				1				200		H	AT DEPTH	1041	PRI COND SN	PRI CC
			PETO	8			ļ			START DOWN	START	31371	PRI TEMP SN	뮍
) =	7					:				92843	SN	PRESS SN
777	Product	ader	File Name/Header	-	ette ID	Tape/Diskette ID				ž	DATA ON	012-0256	SBE 9PLUS 09P6012-0256	SBE 9F
				3		- 		Ç						TYPE & SN
-	REMARKS	-	DATA I OCATION	DATAIO	-		-	-	-	- - -	TIMES	-	CID	-
5	* * (m)	* (deg) (m/s)	(mb)	- - - - - -		- I	N YR	DAY MO	\$	_ 	DEG	Z	DEG	ر ح
M STA. NAME/ID	33	WIND WIND DIRN. SPD.	m z c	WET			-	12		LONGITUDE	_	ATITUDE		CAST
EF\$2P	© U C O		⊂ ω ω m > ⊣ ω > BILITY	2	0	2236	760	2350097		169 30.60 W		55 21.44 N		CONS
<u> </u>			шα	16	i i				171					=
	STATION DESIGNATION	STATI		888		EG	PROJECT & LEG WE97-06B	PROJECT WE97-06B				\$	VESSEL OSU 137V WECOMA	VESSEL
<u> </u>											1			

																	25
					_	in.		I V									1
																0	10
-								_				_				51	9
																0	8
																12	7
								_								B	6
		-														50	Cī
																100	4
					T			L								200	ω
												12				500	2
			1													1500	_
OTHER	NUTRTS.	SAL	Ţ	SALINITY		ŠŽ.	SEC. SAL.		PRI. SAL	ð	SEC. TEMP	<u> </u>	PRI. TEMP	R	PRESSURE	TRIP DEPTH	POS.
E NUMBE	SAMPLE BOTTLE NUMBER		AMPLE BOTTLE DATA	PLE BOT	SAMI				VALUES	ONITOR	CTD CONVERTED MONITOR VALUES) CONVE	СТЕ				
,					100 F	7817		TER 33D	TRANSMISSOMETER 33D	TRAN	FLUOR 101S	FLUO	PAR 4329	□ PA	1030	SEC COND SN	EC CC
3	를 # 	MAX. DEPTH =	_										FACE	AT SURFACE	31384	SEC TEMP SN	ECTE
	,		الج حالا	D0218 ND	7	P	1	w.					로 1	AT DEPTH	1041	PRI COND SN	RI CO
	FBS	77	 	26098	7	0		٨					NWOC	START DOWN	31371	PRI TEMP SN	RI TEN
_				-											92843	SN	PRESS SN
ľ	P	6	_	ader	File Name/Header	File Na		₩ E	Tape/Diskette ID				z	DATA ON)12-0256	SBE 9PLUS 09P6012-0256	BE 9P
	>						27	6								SN	TYPE & SN
	-	REMARKS			ON/	OCATIO	DATA LOCATION	111			JÓ/TIME			TIMES		CTD	
	609	S61212	77	0	28UT	\ \	7 7 7	1718	116	N 9 7	0 W 2 4 J U N	0 W 2	45.0	1169	. 2 9	1812	910
,	<u>a</u>	*	(m/s) *	(deg)	*	(mb)	(°C)	(°C)	HR MIN	ΥR	Y MO	DAY	MIN	DEG	MIN	DEG	
STA. NAME/ID	ВОТТОМ DEPTH	™ ™ ↑ ↑	WIND SPD.	WIND DIRN.	m ⊣ > ⊣ ¢ VISIBIL	B ¬ m R ⊂ S G	WET	DRY BULB	TIME (GMT)		DATE JD=	D _A :	LONGITUDE	ر د	LATITUDE	_	CONSC CAST
		= O F O		,	» π ω TY	ס כל שומ											112
	A ION	STATION DESIGNATION	STATIO		+				"G	PROJECT & LEG WE97-06B	WE97-06B	$\frac{1}{2}$,		A	VESSEL OSU R/V WECOMA	VESSEL OSU RA
	. HOLL	יייייייייייייייייייייייייייייייייייייי	77,17					-	}]						

PGAROF 134

99	STA.	PG PG
		OF 134

12	11	10	9	8	7	6	5	4	3	2 4	1 //	Pos. [SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PL	TYPE & SN	•	1919		113 CONSC CAST	OSU RV
		Ö	5	O	N	20	50	00	200	507)	500	DEPTH TRIP	·	ND SN	AP SN	ID SN	PSN	ž	SBE 9PLUS 09P6012-0256	SN	CTD	295	DEG	AT	OSU R/V WECOMA
		i						ļ				PRESSURE		1030	31384	1041	31371	92843	12-0256			N 272	MIN	LATITUDE	
							<u> </u>					íñ —		□ P/	AT SURFACE	AT DEPTH	START DOWN		DATA ON		Samil	이논 /	DEG	רנ	
												PRI, TEMP.	CTD	PAR 4329	FACE	로 	NWOO		z			0.1011	MIN	LONGITUDE	
												န္	CONVER	FLUOR 101S							Į.	w 2 4	DAY	DATE	$\frac{1}{1}$
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	1018]						JD/TIME	N n r h	MO	DATE JD=	WE97-06B
							-			,			NITOR V	TRANS	Ĺ	1			_			9 7	¥		WE97-06B
										*		PRI. SAL.	ALUES	TRANSMISSOMETER 33D	-	del			Tape/Diskette ID			238	HR MIN	TIME (GMT)	
											-			ER 33D					₽□		111	3.F	(°C)	DRY	-
	5 5 5 7 8							٠				SEC. SAL		במ		' 	' _		<u> </u>	× ×	DATA LOC	8 7228	(°C)	WET BULB	
_												' 	, s	h/ E		9)	File Name/Header	7	ATION,	2812	(mb) *	m z c c c c m z d m − x − c n c	_
												S ₂	AMPLE BOTTLE DATA	12°01		08	10000		Header			7	*	VISIBILITY	1
												SALINITY	вотты	\		2					word dogly	_	(deg) (r	WIND W	_
													EDATA		<u>×</u>	7	<u>.</u> I					X	(m/s) *	C O O U O O O O O O O O O O O O O O O O	-
	:											SAL	SAM		MAX. DEPTH =		9				REMARKS	62	*		}
								:				NUTRTS.	SAMPLE BOTTLE NUMBER		TH =		shics		TT-04		Ų	1700	(m) ·	ВОТТОМ DEPTH	
								-				. OTHER	E NUMBER		3				+	,	300	99		STA.	

Change Do

12	≟	ō	9	œ	,	7	6	თ	4	ω	2	_	POS.		SEC	SEC	PRIC	PRI 1	PREX	SBE	JAKL				CONSC CAST	OSU RA
		O	5	16	5	7	20	50	100	200	500	1500	DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	9PLUS 09F	TYPE & SN		15/50	DEG		OSU R/V WECOMA
					Ī								PRESSURE		1030	31384	1041	31371	92843	SBE 9PLUS 09P6012-0256		Ö	기미	MN	LATITUDE	OMA
	_	-			\downarrow						_		URE			AT SURFACE	AT DEPTH	START		DATA ON		TIMES	7 7 1 N	DEG		
													PRI. TEMP.	СТВС	PAR 4329	*FACE	₹ I	START DOWN	[ž		8	0 0 15 1	MZ	LONGITUDE	
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S							11/gr	w 2 4 5	DAY MO	DATE JD=	PR(
-	1					+				_			MP	MONITOR	TRAN								귀	O YR	"	PROJECT & LEG WE97-06B
					-						_		PRI. SAL.	VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID	:		100	HA MIN	TIME	EG
				_		+	$\frac{1}{2}$			_			40		ER 33D					5	5	- 1		င္ပိ	DRY	
	- CO - E												SEC. SAL.	,	1904/		CA	P		File X	24	ATA LOCATI	ن ا ا	_	BU WE WE WE WE WE WE WE WE WE WE WE WE WE	
						+								SAMPL	1092		D100	1000		File Name/Header	•		100	* 1	m → → → ∞ > m α VISIBILITY	2
													SALINITY	AMPLE BOTTLE DATA	,		100UP	O	•	¥	Carn	> -	+	-	DIRN. W	SI
						ļ	+	+	_	4	_	\dashv	<u></u>			MAX.	_	· 				2 0	বা	* (ATION DE
			-				-	-	_	$\frac{1}{1}$	-	-	SAL. NO	SAMPLE BOTTLE NUMBER		MAX. DEPTH =	EF			5	-	REMARKS	3		T A H H A M W	STATION DESIGNATION
							1						NUTRTS.	вопте и	. •	45/	05	2		7/1		C	77	t	· · · · · · · · · · · · · · · · · · ·	ĪŌN
										,	÷ .		OTHER	NUMBER	1	<i>)</i> ₃ =		. =	I			1 0	100		STA.	

PGLDE OF 134

12	11	10	9	8 /	7 /	6 2	5	4 /0	3 21	2 50	1 5	POS. DE	2p.s	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PLU	TYPE & SN	-	9 0 1		# (CAST		115	OSU R/V WECOMA	VESSEI
F		0	ις.		S	28	50	00	200	500	500	DEPTH P	<u> </u>	=					3 09P6012		STB	11	DEG MIN	LATITUDE				NECOMA	
								-				PRESSURE		1030	31384 A	1041 A	31371	92843				7 9 N	_	R 					
							_							PAR	AT SURFACE	AT DEPTH	START DOWN		DATA ON		TIMES	703	DEG	LON LON					
												PRI. TEMP.	CTD	PAR 4329	É	1_	¥ I		I			0	<u>K</u>	LONGITUDE					
						·	4.5	1	,			SEC.	ONVERT	FLUOR 101S	7					į	1	0 W 7 A	DAY	DATE JD=					
								, ,	100	,		TEMP	ED MONIT	1	 						- 1-	ᆚ	4	ģ				WE97-06B	700
												PRI.	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D	-			11	Tape/I	es es		7 0 7	が ある	(GMT)			8. ₈	ς Ee	; ;
										3	·	PRI. SAL.	S	OMETER					Tape/Diskette ID	45]	2				1		
	1											SEC	i i	33D /							-	4	+			,		€	1
	1995							14				SEC. SAL.	5	242			P		File Na	4-4 6202	DCATION	J	_	2 V	<u> </u>	ω ш	ס כג		
П												"	SAMPLE	14902			010		File Name/Header		21 51 41 V	1	• r		IBIL	ω » TY	шα	100	l
												SALINITY	SAMPLE BOTTLE DATA	()					٦	{ 	> 		-				_	SI	
	+	+	\dashv	+	-	_	_	_	_			(0			MAX	- T			3	ZERAZZZ		(6)	* 5	WND 3 P	(a	<u>- 0</u>	г c	ATION DI	
	_	L ^o	+	+	+		-	_	,	1	\dashv	SAL	SAMPLE BOTTLE NUMBER		MAX. DEPTH =	EFO		QV QV	-	Ž	2 4 4 4 4 4 A	? 3 3 3 3 () ()	2	E BOTTOM		≯m	W	STATION DESIGNATION	
$ \cdot $			+	_	1	$\frac{1}{1}$	-		4	- -	+	NUTRIS	OTTLE N		/5h7_m	6		71-1			7	ار <u>کا</u>	╫					S.	
		\										OTHER N	JMBER) S		,	CS 1	<u>. </u>		1/10/1/	2	AMIC/ID	STA.					1
											•	30						blue water		-			-						•
																		varies	_			205							

PGLEHOF 134

12	11	10	9	8	7	6	5	4	ω	2	1 (c	Pos. D		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PL	TYPE & SN		102		* }	II6 Consc	OSU R/V
		0	I	6	Л	p	J. O	2	D フ ク	バッフ	500	DEPTH TRIP	1	ID SN	IP SN	NS O	SN	Ž	SBE 9PLUS 09P6012-0256	ž	CTD	552	N Sad	F ₄		OSU R/V WECOMA
											i	PRESSURE		1030	31384	1041	31371	92843	12-0256		Ţ	1.30N	MiN	LATITUDE		
			_			_			Ļ	-		R 		P	AT SURFACE	AT DEPTH	START DOWN		DATA ON		TIMES	0 - 1	DEG	<u>5</u>		
												PRI. TEMP.	CTD C	PAR 4329	FACE	로 	NWO		z			以 見の	MIN	LONGITUDE		
						-					-	SE	ONVERT	FLUOR 101S							Ē	พลผม	DAY	DATE		
												SEC. TEMP	CTD CONVERTED MONITOR VALUES								JD/TIME	J U N	MO	٥		WE97-06B
	197		_										ITOR V	TRANS	L	 			<u> </u>			9 7 (Ϋ́R			
	H Room				=					=		PRI. SAL.	/ALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			09118	HR MIN	(GMT)		
	I.				_		\vdash	-	ā					ER 33D					ō	7	7	71.12	(°C)	BULB		-
						8		25.	0	- 1		SEC. SAL				= 	b		File	40	DATA LOCATION	1 161.17	(°C)	BULB		1
									_	1	25/11	<u> </u>	<u>ν</u> -	416			7		File Name/Header		MOITA	217/2	₽)		N K W W D D	╛
								1				s					102		Header	_		日口	*	VIS	SIBILITY	
										İ		SALINITY	AMPLE BOTTLE DATA	上るシ							477	7		DIRN.		<u> </u>
													E DAT,		L	1	 				70.0	138	(m/s) *	SPD. t)		
									T			SAL	1		MAX. DEPTH =							\বি	*	<u>)</u> :	3 © C C C C C	
							<u> </u>	_	\vdash			<u> </u>	MPLE		[[[(y)	(m)		PO TO	
												NUTRTS.	371108	-		~						<u>بر</u> زر	1)	TH		²
												OTHER	SAMPLE BOTTLE NUMBER		3	F 633						0 2		NAME/ID	STA	

PG 134

			Н	ł	σ Ω	500	3 200	১ গ্র	- 3	POS DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PLUS 09P6012-0256	TYPE & SN	(טן	DEG	CONSC CAST LATITUDE	VESSEL OSU R/V WECOMA
										PRESSURE		1030	31384 A	1041 A	31371 S	92843)) V	2	GDE .	
_										PRI. TEMP	CI	PAR 4329	AT SURFACE	AT DEPTH	START DOWN		DATA ON	5		1 0 0	DEG MIN	LONGITUDE	.,
										IP. SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S							ľ	クミンド		DATE JD=	PRO
100	2				<u> </u>					MP	MONITOR V		j 						r	9 7	ž	250	PROJECT & LEG WE97-06B
14 P2 1 14 P3 1	+ +	apara a			-	·				PRI. SAL.	ALUES	TRANSMISSOMETER 33D			~		Tape/Diskette ID	2		1 2 9	Z	TIME (GMT)	G
And the second	,									SEC. SAL								hh >h		7	\dashv	DRY WET	
-										AL.	SAMI	175 /4c			TOVOR		File Name/Header		ջ	アコマスコ	(mb) *	m カ⊂ の の m カ で m → > → の > m の VISIBILITY	
									-	SALINITY	SAMPLE BOTTLE DATA	4093			y		der		CALM	-4	_	WIND WIND DIRN. SPD.	STA
									1	SAL.			MAX. DEPTH =	■ · .	,	₽°,			MARKS	ا ا ا ا	*	U B M D C O F C E D C O F C E D C O F C E D C O F C	STATION DESIGNATION
							,			NUTRTS.	SAMPLE BOTTLE NUMBER		#	33						(2)		ВОТТОМ	ATION
										OTHER	NUMBER	, 	3	28	ı		展			0		STA.	

PG1850F 134

	-															12
							The second second second	4	Chr. X							11
															Þ	10
															IJ	g
													•		5	8
			:				*								'n	7
															b b	6
											-				パ ク	5
									179				1		50	4
								_		_			_		ン う	ű
								_		_					刀 00 0	2
															1500	1
S. OTHER	NUTRTS.	SAL	7	SALINITY		ĮĒ.	SEC. SAL.		PRI. SAL.	1	SEC. TEMP	PRI. TEMP.	R	PRESSURE	TRIP DEPTH	POS.
E NUMBE	SAMPLE BOTTLE NUMBER		TE DAT/	AMPLE BOTTLE DATA	SAMP			,	VALUES	ONITOR	CTD CONVERTED MONITOR VALUES	CTD CC			, va	
		88	Ų	FP04	2	२०१		TER 33D	TRANSMISSOMETER 33D	V TRAN	FLUOR 101S	PAR 4329	يم ا	1030	SEC COND SN	SEC (
3	[포 	MAX. DEPTH =	2									FACE	AT SURFACE	31384	SEC TEMP SN	SEC T
For	m		<u> </u>				I =	5.				로 	AT DEPTH	1041	PRI COND SN	PRI C
			 	1	D1019	57	1 =					NWOC	START DOWN	31371	PRI TEMP SN	PRI TI
			T											92843	NS S	PRESS SN
		,	,	<u>e</u>	File Name/Header	ïie Nan		e D	Tape/Diskette ID			z	DATA ON	012-0256	SBE 9PLUS 09P6012-0256	SBE 9
							小村、	6								TYPE & SN
	S	REMARKS	70			CATIO	DATA LOCATION				JD/TIME		TIMES	,	CTD	
1	3/19/0	8 6233		ଥା । ଠା	4	712273	1.4	客に	1229	N 9 7	N O C HICK	1151013W	1=1	ר. ע פ ע	アアア	2
	(m)	*	(m/s) *	1	*		(°C)	(°C)	HR MIN	¥	DAY MO	MIN	DEG	Siz.	DEG	
STA.	BOTTOM DEPTH		WIND CO CO CO CO CO CO CO CO CO CO CO CO CO	DIRN.	VISIBILITY	o ck m s s ⊃ k m s m < s ⊢ κ ⊢ m	WET	DRY	TIME		DATE JD=	LONGITUDE	5	LATITUDE		IIB CONSC CAST #
v	NATION	STATION DESIGNATION	STATIO						EG	PROJECT & LEG WE97-06B	PROJECT WE97-06B			\$	VESSEL OSU R/V WECOMA	VESSEL OSU R/V
								$\left\{ \right.$								

119 PG1640F 134

12	11	ā)	9 Л	6	7 II	ි 20	5 八 つ	1000	3 2000	2 パック	1 1500	POS. DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PLUS 09P6012-0256	TYPE & SN	ဂ	끼	DEG	CONSC CAST	OSU R/V WECOMA
												PRESSURE		1030	31384	1041	31371	92843	12-0256			ر 2	S Z	LATITUDE	A
										X.		RE PRI. TEMP.	CTD C	PAR 4329	AT SURFACE	AT DEPTH	START DOWN	ı	DATA ON		S	<u>رر</u> و	DEG MIN	LONGITUDE	
											,	SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S TRAN								_ _ Z	DAY MO YR	DATE JD=	WE97-06B
		s dig selfense period	on the state of th	halfordell (Application)	-			4 - Apalantaning	- d		- 60	PRI. SAL.	VALUES	TRANSMISSOMETER 33D		70			Tape/Diskette ID	2.45		ー パ エ 20	ᅬ	TIME D	Anglin displace desper
	and the second of the second											SEC. SAL.		33D 1228		 	07				DATA LO	14 14 14 14 14 14 14 14 14 14 14 14 14 1	င္ပိ	BULB BULB E	
								-				SALINITY	SAMPLE BOTTLE DATA	14092			3105		File Name/Header		- [7	dea)	E T A T O A E O VISIBILITY DIRN. SPD.	
						_	-	0			-	SAL			MAX. DEPTH =						REMARKS	116	* .	₽	
											٠.	. NUTRTS.	SAMPLE BOTTLE NUMBER		PTH =	~					Ś	() () ()	(E)	ВОТТОМ	
									-			OTHER	E NUMBER	,	3	そう						O R		STA.	. =

PGJESTOF 134

CONSC CAST # DEG DEG TYPE & SN SBE 9PLUS 09 PRI COND SN PRI COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN SEC COND SN	CCONSC CAST LATITUDE # LATITUDE # LATITUDE MIN DEG MIN CTD TYPE & SN CTD TYPE & SN 92843 PRI TEMP SN 31371 PRI COND SN 1041 SEC TEMP SN 31384 SEC COND SN 1030 TRIP POS. TRIP PRES 1 1 1500 2 500		LONGITU DEG MI	DATE JD=	TIME DRY (GMT) BULB O YR HR MIN (°C) N 9 7 1 8 2 5 7 7 7	NET THE BULE OF CO. (°C) ILB B	Header Please		P E BOT E R DE C 2333
	```	MIN 1 3 1 N	MIN WIN	MO PALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BALE NO BAL	HR MIN	(°C)	<u> </u>		SPD. (m/s)
<u> </u>	SN		DATA ON	JUYTIME		5 4€ DATA L	2	and the same	CPC33
ESS	SN SP60		DATA ON _		Tape/Diskette		ıme/Heac	er	T. V-1
A CO	MP SN		START DOWN _			C	9	30	30
SEC TE	MP SN		AT SURFACE						
SEC CO	ND SN	1030	<u></u>	FLUOR 101S	ANSMISSOMETE				MAX. DEPTH =
<u></u>	TRIP	PRESSIR	P0			R 33D / 17 a	-	2	ν
	500	77.0007		CONVERTED M	OR VALUES		_	PLE BOTTI	PLE BOTTLE DATA
├	500			CONVERTED M SEC. TEI	OR VALUES PRI. SAL.	SEC. SAL.		SALINIT SALINIT	PLE BOTTLE DATA SALINITY
_	<b>ာ</b> ၁၀၀			CONVERTED M SEC. TEL	OR VALUES PRI. SAL.	SEC. SAL.		SALINITI	PLE BOTTLE DATA SALINITY
4	00			CONVERTED M SEC. TEI	PRI. SAL.	SEC. SAL.	<del>-  -  -  </del> -	IPLE BOTTI	IPLE BOTTLE DATA
თ	JI O			SEC. TEI	OR VALUES PRI. SAL.	SEC. SAL.		#PLE BOTTI	MA  PLE BOTTLE DATA  SALINITY
თ	b b			CONVERTED M SEC. TEI	PRI. SAL.	SEC. SAL.		MPLE BOTTI	MA OS 2. MPLE BOTTLE DATA SALINITY
7	T			CONVERTED M SEC. TEI	OR VALUES PRI. SAL.	SEC. SAL.		MPLE BOTTI	MADLE BOTTLE DATA  SALINITY
8	6			CONVERTED M SEC. TEI	PRI. SAL.	SEC. SAL.		MPLE BOTTI	MPLE BOTTLE DATA  SALINITY
9	Ŋ			CONVERTED M SEC. TEI	OR VALUES PRI. SAL.	SEC. SAL.		MPLE BOTTI	MPLE BOTTLE DATA  SALINITY
5				CONVERTED M SEC. TEI	PRI. SAL.	SEC. SAL.		WPLE BOTTI	MA  OS 2  WPLE BOTTLE DATA  SALINITY
<u> </u>	þ			SEC. TEI	OR VALUES PRI. SAL.	SEC. SAL.		MPLE BOTTI	MPLE BOTTLE DATA  SALINITY
	þ			CONVERTED M SEC. TEI	PRI. SAL.	SEC. SAL.	<del>-   -   -   -   -   -   -   -   -   -  </del>	MPLE BOTTI	MPLE BOTTLE DAT

121 PG 1860F 134

NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUMBRACE NUM

PROJECT & LEG   MIN   DAY   MET R   R   R   R   R   R   R   R   R   R	12	1	10	9	œ	7	თ	හ	4	ı	2	_	Pos.		SEC (	SEC:	PRI C	PRI T	PRES	S	T P	0		CONSC CAST	OSU RA
PROJECT & LEG  WEST-2688  TIME  DRY  UEST-2688  TIME  DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  WEST-2688  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY  THE NAME DRY			Э	5	ΙÓ	$\overline{\gamma}$	20	50	100	200	500	1500	TRIP DEPTH		COND SN	TEMP SN	OND SN	EMP SN	SS SN	api i is napa		لد		· · · · · · · · · · · · · · · · · · ·	R/V WECON
PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LEG   PROJECT & LE											ノ		PRESSU		1030	31384	1041	31371	92843	012-0256		D	MIN	TITUDE	15
PROJECT & LEG											Ĺ	5	# 			AT SUF	AT DEF	START	!	DATA (	I MEG	기구	DEG	Г	
PROJECT & LEG					<b>&gt;</b>	,						MARK	PRI. TEMP.	CTDC	<u> </u>	RFACE	₹	NWOD	: 	2		) HIO 10		ONGITUDE	
RETURN DESIGNATION  P S C C C C C C C C C C C C C C C C C C													SEC. TEMP	ONVERTED MON	て						JU/ IIME	N O N	DAY MO	DATE JD=	PROJEC WE97-06
FIIE Name/Header  FIIE Name/Header  SEC. SAL  SEC. SAL  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  STATION  SALING  STATION  SALING  STATION  SALING  STATION  SALING  STATI	Section 2000 and the second	= 1					=					FOR	PRI S	IITOR VALUES	TRANSMISSO	=				Tane/Dis			돐	TIME	T & LEG
STATION DESIGNATION  R E S SL U A A B WIND WIND (a Y H (mb) - (deg) (m/s) - (m) (m)  CATION  REMARKS  * bull o o s s s s s s s s s s s s s s s s s									_				AL		METER 33D				· (	kette D		1 812	Г		_
STATION DESIGNATION  STATION DESIGNATION  C		1 9 2					:						SEC. SAL.	1	1360		0	1			44 44	W.3a			
DESIGNATION  DESIGNATION  T T T T T T T T T T T T T T T T T T T											(	Ž	J.	SAMPLE	14692				Cocco	lame/Header	Q	(C) F (C)	F	m → > → ω > m VISIBILITY	
DESIGNATION  DESIGNATION  T T T T T T T T T T T T T T T T T T T	,											RE	LINITY	BOTTLE DAT			P		·-		,		(m/s)	WIND SPD.	STATIC
W STA NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID NAME/ID												NAKY!	SAL			MAX. DEPTH		Sant 1	\$ 00c	*	KEMAKKS	2	*	ш Б ≺ Ц В ш Д ц Т д В Д	C
												2	NUTRTS.	E BOTTLE N		, ii	700	500 m C	2000			11914			TION
	_	_	_	_				_					OTHER	IUMBER	-	3	) =	5000 %	10000	=		~ 〇 口		STA. IAME/ID	-

PG 1970F 1134

12	11	ō	g	80	7	6	თ	4	ယ	2		Pos.		SEC C	SEC TI	PRI CC	PRI TE	PRESS SN	SBE 9	TYPE & SN		8 0 1		CAST	CONSC	122	OSU RA
		b	ហ	)	Ñ	30	55 O	120	200	500	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS	PLUS 09P		CTD	() () ()	DEG	_	Ω		OSU R/V WECOMA
												PRESSURE		1030	31384	1041	31371	92843	SBE 9PLUS 09P6012-0256			ر ا ا ا	MIN	LATITUDE			MA
												교			AT SURFACE	AT DEPTH	START		DATA ON		TIMES	_	DEG				
												PRI. TEMP.	CTD C	PAR 4329	RFACE	캠 	START DOWN		Š.			) 40 00	MIN	LONGITUDE			1
								7				SE	ONVERT	VELUOR 101S								w als	DAY	DATE JD=			
								8				SEC. TEMP	CTD CONVERTED MONITOR VALUES	101S	 1						JD/TIME	Z J U N	OM	<u>p</u>			WE97-06B
	7.					L		<del> </del>	<u> </u>			<u>*</u>	NITOR \	TRANS								9 7	¥			v	168 ×
												PRI. SAL.	/ALUES	TRANSMISSOMETER 33D		-	í		Tape/Diskette ID			1014	HR MIN	TIME (GMT)	to their report registration of		
-								╀	<u> </u>					ER 33D					-	4		×0	(၀)	DRY BULB			
									*			SEC. SAL		1265			0			=	윘	2.4	(°C)	WET		(3 ·	
						_					1	<u>'</u>	ζ,				7		File Name/Header		ATION	a 6 3	(dm)			o m zo to	
												ဖ	SAMPLE BOTTLE DATA	4092			80/		/Header		,	+			P → 0 BILI	y>mω TY	†
												SALINITY	ВОТТ	D)					·		CALM	$\dashv$		DIRN.			
												<b> </b>	E DAT		_	 	 	·				_	(m/s) *	SPD.			
								.~.				SAL			MAX. DEPTH =						REMARKS	3 6 2	*	ים ש	<del>/</del>	• m ₹	
								-			- 1	NUTRTS.	MPLE BOTT		PTH =						ŝ	<b>%62305</b> 9	(m)	BOTTOM			O TO LOW DEGREE OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF
												S. OTHER	SAMPLE BOTTLE NUMBER	_	3,	ECH 3	6					0		STA. NAME/ID	Ī		

123 PG-1080F 134

12	11	ō	g	8	7	6	თ	4	` (	ω	2	_	Pos.	_	SEC C	SEC TI	PRI CC	PRI TE	PRESS SN	SBE 9	TYPE & SN		109		123 consc cast	OSU RA
		フ	K	10	JI	ひり	50	000	200	ノ フ フ	J 00	\J 100	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SSN	SBE 9PLUS 09P6012-0256	NS &	CTD	1551	DEG		OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	012-0256			1 2 9 N	MIN	LATITUDE	Ä
						_	-	_	4				m			AT SURFACE	AT DEPTH	START DOWN		DATA ON		TIMES	170	DEG	- ·	
													PRI. TEMP.	CTD CC	PAR 4329	FACE	쿨 	DOWN		ž 			139 99W	NIM	LONGITUDE	
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S							JD/TIME	/  <u>                                   </u>	DAY MO	DATE JD=	WE97-06B
	(0) - 341												PRI. SAL.	IITOR VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			19 7 1336	YR HR MIN	TIME (GMT)	)B
						L	_	+	$\downarrow$						TER 33D						£.		814	(°C)	DRY	
		- A											SEC. SAL.	L	1251 1251			0.7			5	DATA LO	1 17 12		BULB WET SOME R	70
						-			+					SAM	14			36		File Name/Header		+1	<u> </u>	(mb) * *	m → → ω > m VISIBILITY	_
													SALINITY	SAMPLE BOTTLE DATA	4000			9		ader		4:1		(deg)	WIND DIRN.	
														E DATA		M.	T	<u> </u>					ala	(m/s) *	WIND D COP	
													SAL			MAX. DEPTH =						MAR	013	*	m u ≺ ⊣ Z m z ⊣ ≽ m ≷	
													NUTRTS.	SAMPLE BOTTLE NUMBER		로   	m						કાબા જ	(m)	ВОТТОМ	
				*						1			OTHER	NUMBER		3	HOB						1169		STA.	

124 PGLEGOF 134

12	11	j	σ Π	5	7	ο D	5 JO	4 100	3 200	2 JOD	1 1,000	POS. DEPTH PRESSURE PE		SEC COND SN 1030 PAR 4329	SEC TEMP SN 31384 AT SURFACE	PRI COND SN 1041 AT DEPTH	PRITEMP SN 31371 START DOWN	 SBE 9PLUS 09P6012-0256 DATA ON		TIMES	DEG MIN DEG	LATITUDE	COU RIV WECOMA
												PRI. TEMP. SEC. TEMP PR	CTD CONVERTED MONITOR VALUES	FLUOR 101S	CE		WN	Таре		JD/TIME	MIN DAY MO YR HR	DATE JD=	WE97-06B
		7 m				70					,	PRI. SAL. SEC. SAL.	S	TRANSMISSOMETER 33D			2731		74 76	DA1	Λ Z	ME DRY WET R BULB BULB E R T T SIBILITY	1
				_								SALINITY SAL. NUTRTS. OTHER	AMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER	469A	MAX. DEPTH = 5 1 8 m	F.HOH.3	0	der	\	,	]3	SPD. CO CO CO CO CO CO CO CO CO CO CO CO CO	

125 PG.HOOF 134

									Н		_					12
															1	11
								-							၁	10
											$\vdash$				Л	9
											_				6	00
													_		'n	7
													_		บ >	6
															パつ	5
											-				200	4
						-							_		200	а
									_			:	_		700	2
٨								-			_				1500	
S. OTHER	SAL. NUTRTS	ΓY	SALINITY		AL.	SEC. SAL	<u> </u>	PRI. SAL.	7	SEC. TEMP	က္ဆ	PRI. TEMP.		PRESSURE	TRIP DEPTH	POS.
TLE NUMBE	SAMPLE BOTTLE NUMBER	SAMPLE BOTTLE DATA	PLE BOT	SAMI				VALUES	NITOR	CTD CONVERTED MONITOR VALUES	ÖNVEF	CTD C				
-			ν 	H092	2351	_	TER 33D	TRANSMISSOMETER 33D	TRAN		FLUOR 101S	PAR 4329	PA	1030	SEC COND SN	SEC (
3 ,	MAX. DEPTH =	MA								1		ACE	AT SURFACE	31384	SEC TEMP SN	SEC 1
SHOP		 										<b>I</b>	AT DEPTH	1041	PRI COND SN	PRI C
	-		1	1	57	1						0₩ 	START DOWN	31371	PRI TEMP SN	PRI TI
												1		92843	S SN	PRESS SN
			der	me/Hea	File Name/Header		He D	Tape/Diskette ID				_ 	DATA ON		SBE 9PLUS 09P6012-0256	SBE 9
		_				h4	54									TYPE & SN
	RKS	RE	-	- 1	OCATIC	)ATA			ŀ	JD/TIME	ا				CTD	
	1/2	2 11	1	زر	ш	7		と回りを	_	٦	¥ پو	5		/ / / Z	3	
	*	* ,	_	*		(°)	(၀)	HR MIN	¥	^ Mo	DAY	M N	DEG	MIN.	DEG	
STA.	T T T H BOTTOM	WIND D D	WIND DIRN.	m ⊣ > ⊣ ω VISIBILIT	<b>ਜ਼ ਸ਼ ⊂ ග ග</b>	WET	DRY	TIME (GMT)		DATE JD=	DAT	LONGITUDE	<u> </u>	LATITUDE		CONSC CAST
	m≷	0 F 0		> m თ Υ	m zo ro	>	,								91	125
	STATION DESIGNATION	STATION I			-			^E 6	PROJECT & LEG WE97-06B	PROJECT WE97-06B				\$	VESSEL OSU R/V WECOMA	VESSEL OSU RA
The State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the State of the S							$\left  \right $				l					1

126 PG+110F 134

12	=	10	9	8	7	0	'n	5	4	3 25	2 اگر اند	- バ	POS. DE	;	SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PLUS 09P6012-0256	TYPE & SN	7	7 7 7	CONSC CAST	OSU R/V WECOMA	VECOUL
			<u> </u> 		<u> </u> 	)	,	J	<b>ハ</b>	)( 	バ	>	DEPTH TRIP	<u> </u>	NS	SN	SN	SN		S 09P601			DEG M		MECOMA	
											:		PRESSURE	,	1030	31384	1041	31371 ි	92843	2-0256			ME D Q	LATITUDE		
_		_	 	_		_	_						R			AT SURFACE	AT DEPTH	START DOWN		DATA ON	į	TIMES	기등			
													PRI. TEMP		PAR 4329	FACE	Ŧ	DOWN		ž		1	) 	LONGITUDE		
													MP.	CON GLC									\$ \$	<del>                                    </del>		
												!	SEC. TEMP	VERTE	FLUOR 101S						Ç	֓֞֝֝֞֝֝֝֓֞֝֟֝֝֓֓֓֓֓֓֓֓֟֝֟֝֓֓֓֟֝֟֝֟֝֟֝֟֝֟	<u> </u>	DATE JD=	_ ¥	
													TEMP	CTD CONVERTED MONITOR VALUES	$\Box$						i	MT 2			WE97-06B	
	,												PR	OR VALL	TRANSMISSOMETER 33D					Tape			; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	© <b>=</b>		
													PRI SAL	IES	SOMETE					Tape/Diskette ID		1014	) NE	TIME (GMT)		
1	$\dashv$					$\frac{1}{1}$	+		_	$\dashv$					:R 33D				į		47	K	2 3 2	DRY	-	
		102						1					SEC SAL				1	Li	~		י לא. האוש בסכאווסא	ATA 10	3 3	WET		
-	-	-				_	1						.m ()	S				34	Aso GDII	ile Name	2		) (§ 7	m zi c w w m zi t		
													SA	AMPLE I				10	S	Header		N III	1 .	VISIBILITY  D \{		
													SALINITY	SAMPLE BOTTLE DATA		ĺ	,	þ	7	)		10	+	WIND WIND	-	
_	4		$\dashv$				╀	4	_		_	$\dashv$				MAX		<u> </u>			ָ בַּ		(m/s) * *	WIND COLC		
1	4			_		_	1		_			$\dashv$	SAL	SAMPLI		MAX. DEPTH =					KEMAKNO	144	<u>,</u>	Z m < r r m d		
													NUTRTS	E BOTTL		=						0		ВОПОМ		,
†		†			_			$\dagger$		1	$\dagger$	-+	OTHER	SAMPLE BOTTLE NUMBER		m	*					/		STA.		
	_		=			_	L		$\perp$			_	<del>2</del>	ÿ							_	-	,	<u> </u>		

undecked

567 20.016 PGJE 134

10+30+30+16

									Ш			12 11
											0	: <b>a</b>
											ণ	9
											10	00
				-							5	7
											20	6
											Sp	5
J		. 1									100	4
											200	з
											500	2
ı											1500	1
	SALINITY		SEC. SAL.	SE(	PRI. SAL.	MP	SEC. TEMP	PRI. TEMP.	SURE.	PRESSURE	TRIP DEPTH	POS.
<b>&gt;</b>	AMPLE BOTTLE DATA	SAMPL	•		VALUES	MONITOR	CTD CONVERTED MONITOR VALUES	CTD CO		,		
		409	455/	ER 33D 🛨	TRANSMISSOMETER 33D	TR.	FLUOR 101S	PAR 4329		1030	SEC COND SN	SEC (
			017					AT SURFACE	AT SU	31384	SEC TEMP SN	SEC 1
	UP	TD 113	C7			}		PTH	AT DEPTH	1041	PRI COND SN	PRI C
	W	DIIIS	7					START DOWN	STAR	31371	PRI TEMP SN	PRI T
										92843	S SN	PRESS SN
	<b>Y</b>	me/Header	File Name/		Tape/Diskette ID			ON	DATA ON	012-0256	SBE 9PLUS 09P6012-0256	SBE 9
		Ş	41.46	77.46		'		•			TYPE & SN	TYPE
- IV	7	<b>1</b> 1 1	A CATION		6		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		TIMES		<u>'</u> 4  -	
حات	(deg) (m/s)	7 <u>.</u>	(dem) (D ₀ )	ري (ي)	Ī	MO YR	7   V	MIN D M	7 E		가 DEG	-
O	WIND WIND DIRN. SPD.	VISIBI	WET R	DRY V	TIME (GMT)	<b>]</b>	DATE JD=	LONGITUDE		LATITUDE		CONSC CAST
		⊣ ທ ≯ m ທ LITY	or oc m _. co c						·			127
	STATION DESIGNATION					WE97-06B	WE9			MA	OSU R/V WECOMA	OSU RA
					; 	1	177				!   	i

PG 1280F 134

12	=	5	9	8	7	6	5	4	ω	2	- Oliver	Pos.		SEC C	SEC TI	PRI CC	PRI TE	PRESS SN	SBE 9f	TYPE & SN		1 1 1		CAST #	128 cons	OSU R/V
		Ò	5	70	3	20	50	00	<u>ارد</u>	500	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	NS	SBE 9PLUS 09P6012-0256	NS &	CTD	네51515	DEG		0	OSU R/V WECOMA
											520	PRESSURE		1030	31384	1041	31371	92843	012-0256			1  2 9 N	MIN	LATITUDE		A
							L					Ē			] ည ] ည	AT DEPTH	STAR		DATA ON		TIMES	나님이	DEG			
										ļ		PRI. TEMP.	СТВ	PAR 4329	AT SURFACE	HTĄ:	START DOWN		ON.		3	ଠାଠାବା.ବାବ	MIN	LONGITUDE		
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S		i					JD/TIME	wa6JU	DAY MO	DATE JD=		WE9
												Me .	ONITOF	VÍRA							•••	N 9 7	) YR			WE97-06B
												PRI. SAL.	R VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			7이81의내	구	TIME (GMT)		
														TER 33D					ē D	76		メド	(°C)	DRY BULB		
												SEC. SAL		128	×	\	' 		F	2	႙	81t 1		WET		
			$\dashv$				 						Ş.	1/4			CT		File Name/Header		NOITA	ವಿಡಿತ	호		C O O D T	
												SALINITY	SAMPLE BOTTLE DATA	250		-	CTD114		feader			7170	*		BILITY	
												TY	TLE DATA		MA	 	 	П				146	(m/s)	WIND m	<u> </u>	SIATION DESIGNATION
												SAL.	SAMI		MAX. DEPTH =			•			끾	<u>(</u> )	*	ים ש נוח כק	< <del>-</del>   ⊑ -  > m \{	
												NUTRTS.	SAMPLE BOTTLE NUMBER		TH =							<u>೩</u> ೩ ೦	<u>(E</u>	BOTTOM DEPTH	6	
												OTHER	NUMBER		3	FOHE	:					-		STA. NAME/ID		

129 PG114 OF 134

12	=	6	ဖ	œ	7	6	5	4	ω	N		Pos		SEC	SEC	PRIC	PRI	PRE	SBE	TYP		-		CONSC CAST	VESSEL OSU R/V
		0	N	6	7	90	550	100	200	500	1500	TRIP		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	SBE 9PLUS 09P6012-0256	TYPE & SN		115151514	DEG		VESSEL OSU R/V WECOMA
	-											PRESSURE		1030	31384	1041	31371	92843	012-0256		- 3	a q N	MIN	LATITUDE	À
		_		L	_			<u> </u>				쮸			AT SL	AT DEPTH	STAR	-	DATA ON		TIMES	1=0	DEG	· · ·	
				:								PRI. TEMP.	CTD	PAR 4329	AT SURFACE	PTH _	START DOWN		Q Q		<b>"</b>	ાંત્રાવા.ાવાવ	MIN	LONGITUDE	
			<u> </u>	_		┝	+-	+		<u> </u>	-	<u> </u>	CONV	FLUC	<u>"</u>							N N	D/	D/	
						!						SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR 101S							JD/TIME	N n r	DAY MO	DATE JD=	PROJECT & LEG WE97-06B
- 73			_			┝		╁	┼-	┝		_	NTOR 1	ÍRΑN		!	 					9 7	ΥR		77 & LE
											-	PRI. SAL.	VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			0 40	HR MIN	TIME (GMT)	Ö
					_		L							TER 330					te D	46		14	(၁)	DRY	
												SEC, SAL				 	ان ا		<u> </u>		묏	2811 81	(°C)	WET	
		_						L						2#C			19		File Name/Header		ATION	∑ බ	* (dm)	n 以⊂ o o u o o c u	
h													SAMPL	EBOH.			T		/Heade			<u> </u>	*	m → → → w → m w VISIBILITY	
												SALINITY	E BOTT	P					Ť			<u>ه</u>	(deg)	WIND DIRN.	
												7	AMPLE BOTTLE DATA			 					$\rightarrow$	6	(m/s)	WIND SPD.	STATIC
	-	_						$\vdash$	┢		<u> </u>	SAL.			MAX.							63	*	D D C C C C C C C C C C C C C C C C C C	ON DES
$\square$	_	<u> </u>		_			-	$\vdash$	$\vdash$	-	_		MPLE		MAX. DEPTH =						₩ KS	ري ح	<u></u>		STATION DESIGNATION
											[ 	NUTRTS.	вотти		"	43						0	(m)	BOTTOM	Ž
					<u> </u>							OTHER	SAMPLE BOTTLE NUMBER		3	H08	3					1.51		STA. NAME/ID	

PG-H50F 134

	$\dashv$			$\dashv$												12
																11
								,							2.	ō
				P										i. 1	JI	ဖ
				· =							_				5	8
_									1						R	7
				-					_						ນ )	6
											_				St O	υı
															00	4
													_		200	ω
											_				ブ 0 0	2
				_									· 		1500	_
NUTRTS.	SAL	SALINITY	SALI		SEC. SAL.	SEC	SAL.	PRI. SAL.	TEMP	SEC.	, P	PRI. TEMP	쮸	PRESSURE	TRIP DEPTH	POS.
SAMPLE BOTTLE NUMBER		SAMPLE BOTTLE DATA	IPLE BO				S	CTD CONVERTED MONITOR VALUES	MONITO	/ERTEC	TD CON	ဂ				
			2000	工	1289	33D	OMETER	TRANSMISSOMETER 33D		FLUOR 101S	K E	PAR 4329		1030	SEC COND SN	SEC C
PTH =	MAX. DEPTH =							-				AT SURFACE	AT SU	31384	SEC TEMP SN	SEC T
5 46												PTH	AT DEPTH	1041	PRI COND SN	PRI C
			5	9	?							START DOWN	START	31371	PRI TEMP SN	PRI T
													_	92843	SSN	PRESS SN
i.			ader	File Name/Header	File N	•	Tape/Diskette ID	Tape/D				S S	DATA ON	012-0256	SBE 9PLUS 09P6012-0256	SBE 9
					24		46								& SN	TYPE & SN
	X A		İ		8				m	JD/TIME			TIMES		CTD	
3 2 3 3 7 0	S)	9	_	E S S	12814	28.1		71258	0 N 0	교(6 J	00	ଠାରାବା.ବ	시티이	1 3 N	6553	11
$\dashv$	* .	-		(mb) *				_	MO YR	DAY	Н	MIN	DEG	MIN	DEG	
BOTTOM STA.	□ 3 6 0 C O F m ¬ ≺ → z m ± → > m ≤	D WIND	WIND DIRN.	m ⊣ > ⊣ ∞ > m VISIBILITY	B KET O O E Z	DRY V		TIME	Î	DATE JD=		LONGITUDE	_	LATITUDE	_	CONSC CAST #
				S	P		$\dashv$									-61
NOTTANE	STATION DESIGNATION	STATI						LEG	PROJECT & LEG WE97-06B	¥₽				ſΑ	VESSEL OSU R/V WECOMA	VESSEL OSU RA
											ŀ					l

PG 131 OF 134

12	=	10	9	8	7	6	თ	4	ω	2		Pos.		SEC C	SEC T	PRI C	PRI TE	PRESS SN	SBE 9	TYPE & SN	1	_		CONSC CAST	131	OSU R/V
		0	N	5	Ń	y I	R	900	000	500	1300	DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	S SN	SBE 9PLUS 09P6012-0256		ဂါ	1 5 5 5 5 5 7	DEG			OSU R/V WECOMA
												PRESSURE		1030	31384	1041	31371	92843	6012-0256			0	MIN	LATITUDE		MA
												RE			AT SU	AT DEPTH	STAR		DATA ON		TIMES	0 T 0	DEG			
								,				PRI. TEMP.	СТВС	PAR 4329 V	AT SURFACE	PTH	START DOWN	ļ	9			7	MIN MIN	LONGITUDE		
					:				×	/		SEC. TEMP	CTD CONVERTED MONITOR VALUES	VIFLUOR 101S	1							6	DAY MO	DATE JD=		WE97-06B
		6					_		_	_		₹	ONITOR \	TRANS	<u> </u> 	 <del> </del>						_ 1	Ϋ́R			WE97-06B
								<u> </u>	4			PRI. SAL.	/ALUES	TRANSMISSOMETER 33D					Tape/Diskette ID		0	元 つ し こ	HA MIN	TIME		
						_			_				<b>!</b>	ER 33D					ō	46		7	(၀)	DRY		
						524	1					SEC. SAL.	H	laaa			b		File .	6	DATA LOCATION	≫	_	WET R	m 37 m	
					<u>-</u>	~~~. ~~~~						1.	SAM				10.7		File Name/Header		TION	) ()	호 [	m → > → ω VISIBILIT		
						2.14			-			SALINITY	SAMPLE BOTTLE DATA	F 20			1		ader				-+	DIRN.		
		:								,		יץ	ILE DAT/			 	 							SPD. Can Gar		2
												SAL.			MAX. DEPTH =			:			\$ E	11 V -	*	m v ≺ → Z m z → >	m <b>₹</b>	
				,								NUTRTS.	SAMPLE BOTTLE NUMBER		HT.	£3				•		2 9 8	m)	BOTTOM		
												OTHER	E NUMBER		3	(0)						1 1		STA.		

PG 1320F 134

12	1	10	؈	<u>~</u>	Ţ	٦	6	5	4	ω	2		Pos		SE	SE	PR	PR	PR	SBE	<del>-</del>	1		1	CONSC CAST	OSI
2	_				$\dagger$			┢	┢	╁	-	-			SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	PRESS SN	≣ 9PL(	TYPE & SN	į	70		132 CONSC CAST #	VESSEL OSU RVV
		þ	JI	ō	5	Π	9	J.	5	200	500	1500	TRIP DEPTH		DSN	PSN	NS	SN	Z	JS 09P6		CTD	<u> </u>	DEG	<u>.</u>	OSU R/V WECOMA
													PRESSURE		1030	31384	1041	31371	92843	SBE 9PLUS 09P6012-0256			O N	M	LATITUDE	>
													교			AT SU	AT DEPTH	STAR		DATA ON		TIMES	_	DEG		
													PRI. TEMP	СП	PAR 4329	AT SURFACE	- H143	START DOWN _		2			1014584	MIN	LONGITUDE	
													<u> </u>	CTD CONVERTED MONITOR VALUES	FLUOR 101S			:				JD/TIME	N N C C M D O T	DAY	DATE JD=	× •
													SEC. TEMP	MONITOR	<u> </u>							IME	U N 9 7	MO YR	JD=	WE97-06B
													PRI. SAL	VALUES	TRANSMISSOMETER 33D					Tape/Diskette ID			1815	HR MIN	TIME (GMT)	
			ļ.,		+		_	-	-						TER 330		165			<b>⊕</b>	97		귀 8	(°C)	DRY	
1000													SEC. SAL.				1				97	DATA LOCATION	2	(င)	WET	
					-			L		1	L			ا د	1322					File Name/Header		ATION	7月8023	(dm)	K E S S C E E E E E E E E E E E E E E E E	
							į		4				SAI	SAMPLE BOTTLE DATA	+			2119		Header			291168	* (deg)	VISTBILITY  DIRNO	
													SALINITY	OTTLED	4092								818	1	SPD.	2
			-		+				+	+	-		s			MAX.			v			REMARKS	5 872	•	> O □ □ < ⊣ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < ⊢ □ < < ⊢ □ < ⊢ □ < < ⊢ □ < < ⊢ □ < < ⊢ □ < < ⊢ □ < < ⊢ □ < < ⊢ □ < < ⊢ □ < < < ⊢ □ < < < < < < < < < < < < < < < < < < <	C
				-	+		_		_	_	_		SAL.	SAMPLE		MAX. DEPTH =						RKS	2	-		
													NUTRTS.	ВОТТЕ		"	Įņ.						886	3	ВОТТОМ	³
											T		OTHER	SAMPLE BOTTLE NUMBER		3	100		55				1118		STA.	

PG 1330F 134

12	11	õ	9	œ	7	တ	ζī,	4	ω	2	_	POS.		SEC C	SEC TI	PRI CC	PRI TE	PRESS SN	SBE 9	TYPE & SN		1 9		CONSC CAST	133	OSU RA
		b	n	5	'n	υ	57	100	ソクラ	500 500	1500	TRIP DEPTH		SEC COND SN	SEC TEMP SN	PRI COND SN	PRI TEMP SN	SN	SBE 9PLUS 09P6012-0256	NS.	CTD		DEG		(a)	VESSEL OSU R/V WECOMA
						40					on dura	PRESSURE		1030	31384	1041	31371	92843	012-0256			0.82	MIN	LATITUDE		¥
	·	_									dywn can	URE			AT SU	AT DEPTH	STAR		DATA ON		TIMES	1 N	DEG	_		
											`	PRI. TEMP		PAR 4329	AT SURFACE	HIG	START DOWN		2		Ů,	7	Z	LONGITUDE		
									-			EMP.	CTD CO	Щ								. 917 w	MN	DE .		
												SEC.	NVERTE	VFLUOR 101S							JD/TIME	6	DAY	DATE JD=	•	5 0
												TEMP	D MONIT	_		:		:			M	C Z	MO	<del>"</del>		PROJECT & LEG WE97-06B
												Ŗ	CTD CONVERTED MONITOR VALUES	TRANSMISSOMETER 33D	-	<u>.</u>			Таре			-	X H	ි <del>1</del>		& LEG
										-		PRI. SAL.	JES	SOMETE					Tape/Diskette ID		- 8		<u>S</u>	GMT)		
														FR 33D					₽	83		<u>م</u>	Ĉ	DRY BULB		
Section 1												SEC. SAL				Ь	b			22	DATA LOCATION	2.0	(°C)	WET		
+		-											S _A			J	I GET		File Name/Header		ATION	223	€	m zo ⊂ co co m → > → co	> m ∞	
								808				SAL	AMPLE BOTTLE DATA		•	d(12+	119		leader			t 11 t	*	VISIBILIT DR. SIN P. O	Т	
												SALINITY	אדורב מי									$\stackrel{\smile}{\leftarrow}$	-	WIND N. SPD.		STAT
	+		_									SAL			MAX. D			27			깖	2777	* .	U D C C E C T T T T T T T T T T T T T T T T T T T		STATION DESIGNATION
+	+		1							-			MPLE B		MAX. DEPTH =						ŝ	W.	Т	BOTTOM	<u> </u>	SIGNATIO
$\downarrow$	$\downarrow$								_			NUTRTS.	SAMPLE BOTTLE NUMBER			m			-				┪			ž
												OTHER	UMBER		3	\ \ \ \ \		1 I	2			1 0		STA.		
					1	<u> </u>	1	1					_			<u> </u>		- - -	5 0 0 V							<u> </u>

PG/34 OF 134