These cast sheets are from AFSC fisheries cruise MF-03-09 Leg 1, Gulf of Alaska.

CTD001 was an acoustics calibration cast taken in a bay. There is no cast sheet for that cast.

A CD with this cast data was mailed to Bill Parker on 24 June along with these CTD cast forms.

Floering 24 June 2003

28/2 × 6/2 - outside
23/2 × 5/4 - inside
23/2 × 5/4

PG 2 OF

STATION DESIGNATION			BOTTOM STATION	Ш		8 206	S				SAMPLE BOTTLE NUMBER			SAL NUTR CHL NUTR	35											
STATION DE			ND SPEED	MIII ANII ANII	mb deg knt's	0148136	REMARKS		81	ChLAM S/N=	1	SAMPLE BOTTLE	DATA	SALINITY												
01000	2		IE DRY WET		MIN °C	42 9.4 9.0	VIION	CTOOD 2						SALINITY												
Sal & Toal Cao	ME OS OB 9	WF-03-08	TIME	G	MO YR HR	<b>₹</b> Ω	Ö	l ape/Diskette ID		//FLUOR S/N=	IONITOR VALUES			SECONDARY TEMP	/											
	DEFENAN	K FREIWAN		LONGITUDE	DEG MIN DAY	5823.2230	Ē	START DOWN	АТ DEРТН	AT SURFACE	CTD CONVERTED MONITOR VALUES			PRIMARY TEMP												
	III I IIW WIND VVOIN	NOAA Ship MILLER FREEMAN		LATITUDE	DEG MIN DE	1892:446	099	710	884	304		ö		P TH PRESSURE	}											
VECCEI			ST #	CAS	IO	5400	SBE 9+	PRESS SN PRI TEMP SN	SEC TEMP SN	PRI COND SN			NOIT	O DEPTH	1 199	2	6	4	5	9	7	80	6	10	11	12

PG SOF

12002/3						- TOTI COO	(					E				5		
ή Δ Δ						ארטוריד   פרו א רופנטאיד	ก		<u>.</u>			<u></u>		TO ICE	STATION DESIGNATION			
	ž  	NOAA Ship MILLER FREEMAN	LER FF	REEMAN		MF-0 <b>2</b> -C	6	_				_					;	
ST# VSECUTIVE							TIME	DRY	WET	SSURE	STATE / YTIJI81	ECTION	ID SPEED		Атн <u>е</u> ВОТТОМ	MOT	STATION	Z O
COS		Ϋ́	ГО	LONGITUDE			GMT	ш	BULB				NIM	ЧYТ	⊒' DEPTH	ТН	NAME / ID	
	DEG	NIM	DEG	NIM	DAY		HR MIN	၁,	၁	qш		deg	knťs					
0	355	0 7. 7.	5	49.92	60	7003		8	2	7	37	26	5	00	7	9		
SBE 9+	±	91220		TIMES		DAT	00	N.					REMARKS	KS				
PRESS SN PRI TEMP S	PRESS SN PRI TEMP SN	80020	DATA ON START DOWN	NAV.		Tape/Diskette ID		File Name/Header	_					Ź	Jy 400 201	7	95	
SEC 1	SEC TEMP SN	88 48	AT DEPTH							Ċ ×	aned a	x Cleaned air bleed valve	valve					
PRIC	PRI COND SN	915	AT SURFACE	ICE ICE						¥ ¥ [X	MAX. DEPTH (m)	6/ (m)	99					
SEC (	SEC COND SN	530	PAR S/N=	3/N=		FLUOR S/N=				ChLA	ChLAM S/N=							
				CTD CONVERTED MONITOR VALUES	ED MON	ITOR VALUES								S. A.	SAMPLE BOTTLE NUMBER	OTTLE	NUMBE	<u>~</u>
											SA BO.	SAMPLE BOTTLE						
NOI.											٥	DATA						
risoa	TRIP	PRESSURE	RE	PRIMARY TEMP		SECONDARY TEMP	EMP	SALINITY	<b>*</b>		SAL	SALINITY		SAL	NUTR	R		WHIT's NUTR
~	0mf 891													49				
2	10m																	
က	20m															<u>.</u> .		
4	30m																	
5	40m																	
9	50m																	
7	150m																-	
8	200m					:												
6	5m from bot.	bot.																
10	<u>(i)</u>															-		
7	6																	
12	(S) (2)																	

PG 4 OF

1000				I C							-		5	
VESSEL				PROJECT &	LEG				<u>.</u> ∑	STATION DESIGNATION	SIGNA	NO		
	NOAA Ship MILLER FREEMAN	LER FREEM	AN	MF-02-09	60									
NSECUTIVE T # T					TIME	DRY	WET	SSURE ATATE YELLTY	ECTION	D SPEED	(amt) 3 A3HT/	BOTTOM	STATION	N O
CAS	LATITUDE	LONGITUDE	DE	DATE	GMT	BULB	BULB	SEA	MIN		qYT	DEPTH	NAME / ID	QI / :
	DEG MIN	DEG MIN	N DAY	-	HR	ပ္	ာ ၁	1 1	deg					
000	5531.763	188	P0201	95VN03	30339	0	50	33	1388	8,58	8	90/		
SBE 9+		TIMES	ES	1	00	-	1			REMARKS	(S			
PRESS SN	80020	DATA ON		Tape/Diskette ID		File Name/Header								
SEC TEMP SN		AT DEPTH					<u>  ×</u>	X Cleaned air bleed valve	air bleed v	/alve				
PRI COND SN		AT SURFACE					<u>                                     </u>	MAX. DEPTH (m)	0/ (m) H	7				
SEC COND SN	SN 530	PAR S/N=		FLUOR S/N=			0	ChLAM S/N=	1					
		CTD C	ONVERTED M	CTD CONVERTED MONITOR VALUES							SAMI	SAMPLE BOTTLE NUMBER	E NUMBE	띪
								SA	SAMPLE					
N								<u> </u>						
								J [	DATA					
ROSI F F	TRIP   PRESSURE		PRIMARY TEMP	SECONDARY TEMP	TEMP	SALINITY		SA	SALINITY		SAL	NUTR	CHL N	WHIT's NUTR
-	37.548 95.648	<b>∞</b>									0			
2 310m														
3 20fm														
4 30m										-				
5 40tm														
6 50pm														
7 150m	F													
8 206m	F				-									
9 5m f	5m from bot.													
10													, ,	
11	SC .													
12														,
														•

PG 5 OF

VESSEL					PRO IFCT & LEG	ני	מונים ו	2			Y VITAT	010001	NOITAINOI DE ONOITATA		5	
		AMIL 1 ED		•	00 00 LV4	)	3	į				V DEGIC		•		
	NOAA OU	D WILLER	NOAA Strip MILLER FREEMAN		MF-03-09		_									
NSECUTIVE ST #		· · · · · ·				TIME	DRY	WET	BAUSS:	81 <b>L</b> 1TY	D SPEED	(tms) QU	ATHER	ВОТТОМ	STATION	NO O
CA	¥		ONGITUDE		DATE	GMT	BULB	BULB		NIM ISIA		OLO TYP	ME/	DEPTH	NAME / ID	<u>Q</u> /
	DEG	DEG	NIM	DAY	MO YR I	HR	ပ္	ပ	μp	deg	knt's	Н	Н			
$\sqrt{\Delta}$	55011.7	7	7111.890	101	N 0 3	057	<i>(</i> 00	•	<u>N</u>	8019	8		2 h	912		
SBE 9+	91660		TIMES	F	DATA	Ö		-			REM	REMARKS				
PRI TEMP SN	NS		START DOWN	_	i aperiniskette ID		rie Name/neader					N	200 wine and	J're a	43	
SEC TEMP SN			HTG						Clean	x Cleaned air bleed valve	ed valve		:			
PRI COND SN		<u>₹</u>	RFACE					_	MAX. DE	MAX. DEPTH (m)						
SEC COND SN	D SN 530		PAR S/N= FLUOR S/N=	II.	UOR S/N=				ChLAM S/N=	=\\\						
			CTD CONVERTED	) MONIT	OR VALUES					04440		Ŝ	SAMPLE BOTTLE NUMBER	30TTLE	NUMB	H.
N										SAMPLE						
										DATA						
809 E F	TRIP DEPTH PRE	PRESSURE	PRIMARY TEMP		SECONDARY TEMP	dl⁄	SALINITY			SALINITY		SAL	NUTR		SH	WHIT'S NUTR
1 20	207 201.	178				33,	3,1970					05	1	-		
2																
က																
4					•											
2																
ဖ									:							
7				<u></u>												
80																
o																
10																
7	-															
12																

PG 6 OF

										•	<u>a</u>	b D D	٩ ا	
VESSEL	_				PROJECT & LEG	ဂ္ဌ	COD I.D.	a.		STATION DESIGNATION	DESIGN,	ATION		
	NOAA Ship MILLER FREEMAN	ILLER FI	REEMAN	-	MF-03-09			i						-
ONSECUTIVE AST #				. <u>.</u>		TIME			ESSURE EA STATE SIBILITY IND	ND SPEED	OUD (amt) 3q° A3HTA3	_		STATION
က် (၁	LATITUDE DEG MIN	DEG	LONGITUDE	DAY	DATE MO 1 YR	GMT	BULB °C	BULB	M IN		M M	DEPTH	-	NAME / ID
900	55/3	9 5 1	43.1584		ი 0		80.	- 3	6382	100	4	183		
SBE 9+	91660	i i	TIMES		DATA	Ö		,_		REMARKS	RKS			
PRI TEMP SN		START DOWN	OWN		i ape/Diskette ID	/	rije ivanje/neader							
SEC TEMP SN		AT DEPTH	_				900	×	x Cleaned air bleed valve	bleed valve		į		
PRI COND SN SEC COND SN	10 SN 304	AT SURFACE	ACE S/N=	Z	VEI UOR S/N=			≩ ઇ	MAX. DEPTH (m) Chi AM S/N=	5670				
			CTD CONVERTED MONITOR VALUES	NOW C	TOR VALUES						SAM	SAMPLE BOTTLE NUMBER	TLE NUN	BER
N									SAMPLE BOTTLE	<b>4</b> 4				
ЮІТ									DATA	4				•
ISO9	TRIP PRESSURE	URE	PRIMARY TEMP	<b> </b>	SECONDARY TEMP	MP	SALINITY		SALINITY	<u></u>	SAL	NUTR	CHL	WHIT'S NUTR
-											/			
2														
က								-						
4														-
Ŋ			27											
9				<u> </u>										
7														
ဆ														
<u>-</u>														
10														
7														
12								-						
*														

WHIT'S NUTR NAME / ID STATION SAMPLE BOTTLE NUMBER R 님 BOTTOM DEPTH  $\overline{C}$ NUTR STATION DESIGNATION CLOUD (amt) TYPE WEATHER Q SAL REMARKS 3 x Cleaned air bleed valve MIND SPEED MAX. DEPTH (m) / / DIRECTION SAMPLE BOTTLE SALINITY 29 DATA SEA STATE VISIBILITY VIND ChLAM S/N= 50038 PRESSURE BULB WET ٥ COD I.D. <u>-</u> File Name/Header SALINITY CT 1300+ BULB DRY 0 3 2 2 3 2 HR MIN TIME GMT SECONDARY TEMP PROJECT & LEG Tape/Diskette ID MF-03-09 X FLUOR S/N= CTD CONVERTED MONITOR VALUES DATE DAY PRIMARY TEMP で 7.1 NOAA Ship MILLER FREEMAN LONGITUDE START DOWN / PAR S/N= AT SURFACE AT DEPTH 5 DATA ON DEG **PRESSURE** 5431582 91**6**60 29772 LATITUDE 710 884 304 530 Z S DEG DEPTH SEC TEMP SN SEC COND SN PRI COND SN TRIP 6075 PRI TEMP SN PRESS SN VESSEL SBE 9+ CAST # CONSECUTIVE **NOITISO9** 42 က 4 S φ ω თ 9 7

WHIT'S NUTR NAME / ID STATION SAMPLE BOTTLE NUMBER Р 품 BOTTOM Q DEPTH V PG\_ 8 NUTR STATION DESIGNATION CLOUD (amt) TYPE MEATHER SAL REMARKS S x Cleaned air bleed valve knt's 9 MIND SPEED 0 DIRECTION MAX. DEPTH (m) / ChLAM S/N= SAMPLE BOTTLE SALINITY g DATA SEA STATE VISIBILITY VIND 8 त PRESSURE BULB WET σ COD I.D. File Name/Header SALINITY BULB DRYS00 (T) a DATA LOCATION HR MIN TIME GMT SECONDARY TEMP PROJECT & LEG Tape/Diskette ID MF-03-09 ი 0 |<del>%</del> / FLUOR S/N= CTD CONVERTED MONITOR VALUES <u>z</u> DATE S DAY PRIMARY TEMP NOAA Ship MILLER FREEMAN G LONGITUDE AT SURFACE

V PAR S/N= START DOWN AT DEPTH DATA ON DEG PRESSURE 29772 **710** 91660 LATITUDE Q 884 304 Z DEG C 5800 DEPTH SEC TEMP SN SEC COND SN PRI COND SN TRIP PRI TEMP SN PRESS SN VESSEL SBE 94 CAST # 9 4 7 POSITION S N က ဖ œ o CONSECUTIVE ^

PO P

																; 	
VESSEL	ᆏ					PROJECT & LEG	က္ဆ	COD I.D.	<u></u>			ST	ATION	DESIGN	STATION DESIGNATION		
	Ô	NOAA Ship MILLER FREEMAN	LER FF	REEMAN		MF-03-09									:		
ST# VSECUTIVE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						TIME	DRY	WET	SSURE	STATE / YTIJIB	ECTION	ID SPEED	(amt) (UC)	Я∃НТА BOTTOM		STATION
COS		LATITUDE	<u>0</u>	LONGITUDE		DATE	GMT	BULB	BULB		MIN AISI		NIM	CLC	DEPTH		NAME / ID
	9 <b>3</b> 0	Min	DEG	NIM	DAY	MO YR	HR MIN	ပ္	ပ္	ф		deg	knt's				
009	5	73.877	151	15.066	7	0 N O C	1251	8	9.6	111	8/	0	12	8	8	87	
SBE 9+			ēξ	TIMES			0	— : - ; - ,	<u> </u>	300			REMARKS	KS.			
PRESS SN PRI TEMP (	PRESS SN PRJ TEMP SN	29772	DATA ON START DOWN	NAC		Tape/Diskette ID		File Name/Header									
SEC TI	SEC TEMP SN		АТ ОЕРТН	<b>-</b>			(F)	500 G		Ş Ş	aned a	x Cleaned air bleed valve	valve				
PRI CC	PRI COND SN		AT SURFACE	ACE	Ì				_	MAX. L	EPTH	(m)					
SEC C	SEC COND SN	530	V PAR	=N/S	>	FLUOR S/N=			Ĭ	ChLAM S/N=	=N/S						
				CTD CONVERTED MONITOR VALUES	NOW C	TOR VALUES						:		SA	SAMPLE BOTTLE NUMBER	TTLEN	UMBER
1									-		SAN	SAMPLE BOTTLE					
10IT											٥	DATA					
ISO9	TRIP DEPTH	PRESSURE	Щ	PRIMARY TEMP	<b> </b>	SECONDARY TEMP	MP	SALINITY			SALI	SALINITY		SAL	NUTR	몽	WHIT'S
1														//=			
2																	
3																	
4						•											
5																	
9																	
7																	
æ																	
6																	
10																	_
1	74.3																_
5	- 34		• •														
ď																	

PG 10 OF

								P,		5	
VESSEL			PROJECT & LEG	103	COD I.D.		STATION DESIGNATION	ESIGNA	TION		
	NOAA Ship MILLER FREEMAN	ER FREEMAN	MF-03-09								
21 # VSECUTIVE			'	TIME DRY	WET		ID SEED	OUC (amt) 3- A3HTA	BOTTOM	STATION	
CAS	LATITUDE	LONGITUDE	DATE	GMT BULB	BULB	MIV AISI SE∀		d/T	DEPTH	NAME / ID	ō
u	DEG MIN	DEG   MIN   DAY	<u> </u>	NIN	ွ	mb	knt's				
5010	1018.6101	5200.0932	S U N O 3	4593	•	1618291	7	381	117		
SBE 9+	91660	TIMES	DATA LOCATION	CATION			REMARKS	KS			
PRESS SN PRI TEMP SN	29772	DATA ON START DOWN	Tape/Diskette ID	File Name/Header	ō						
SEC TEMP SN	884	АТ ОЕРТН		CT0 010		x Cleaned air bleed valve	ed valve				
PRI COND SN	304	AT SURFACE				MAX. DEPTH (m)					
SEC COND SN	530		FLUOR S/N=			ChLAM S/N=					
		CTD CONVERTED MONITOR VALUES	ONITOR VALUES			SAMPLE		SAME	SAMPLE BOTTLE NUMBER	E NUMBE	<u></u>
N						BOTTLE					
OIT						DATA					
O TRIP O DEPTH	IP PRESSURE	PRIMARY TEMP	SECONDARY TEMP	SALINITY		SALINITY		SAL	NUTR	유	WHIT'S NUTR
106	107,044			32.279	00			20		-	
2										1	
3											
4											
5											T
9										_	
7	**										
80											
O											
10											
=											
12						ļ					

. PG\_\_\_\_OF\_\_\_

VESSEI					SEL & TOSI COO	إر	21200	c		٥	MOITANOISSI MOITATS	TAIACION	MOIL		
					ביים מיים מיים	)	3	ž		0			5		
	NOAA Ship MILLER FREEMAN	LER FF	REEMAN		MF-03-09										
AST #						TIME		WET	SESSURE STATS AS	SIBILITY RECTION	IND SPEED	OUD (amt) PPE RATHER	_		STATION
	LATITUDE DEG MIN	OEG LO	LONGITUDE	DAY	DATE MO YR	GMT	BULB C	SULB C	S	M Pe	. ]~	AL.	DEPTH	+	NAME / ID
1	5800.032	151	700	23	0		0.01	-	4	~	9/	58	1173	W	
SBE 9+	91660	NO ATAC			- 41	ပ	ATION File Name/Header	57	17%		REMARKS	3KS			
PRI TEMP SN	NS	START DOWN	NWC		appropriate the second			1	١						
SEC TEMP SN	304	AT DEPTH	_ U	Ì		CTS	100		X Cleaned air bl	X Cleaned air bleed valve	d valve				
SEC COND SN	530	/PAR S/N=	3/N=	E	FLUOR S/N=				ChLAM S/N=	-  -  -  -  -  -  -  -  -  -  -  -  -	88				
			CTD CONVERTED MONITOR VALUES	D MONI	TOR VALUES					SAMPLE		SAM	SAMPLE BOTTLE NUMBER	'LE NUN	1BER
NOIT										DATA					
	TRIP PRESSURE	RE	PRIMARY TEMP		SECONDARY TEMP	MP	SALINITY			SALINITY		SAL	NUTR	H	WHIT'S NUTR
1 (	163 163.8	835				W	32,296	B				40			
2															
3															
4															
2															
9															
7															
80															
6															
10															
7															
12										i					

WHIT's NUTR NAME / ID STATION SAMPLE BOTTLE NUMBER Р 님 055 BOTTOM DEPTH Re / એ NCTR STATION DESIGNATION CLOUD (amt) TYPE WEATHER 98891 SAL REMARKS Cal #2 x Cleaned air bleed valve MAX. DEPTH (m) MIND SEED 808 DIRECTION SAMPLE SALINITY deg DATA MIND VISIBILITY ChLAM S/N= SEA STATE <u>=</u> PRESSURE BULB WET COD I.D. 32.007 File Name/Header SALINITY BULB DRY 03010310 DATA LOCATION HR MIN TIME GMT PRIMARY TEMP | SECONDARY TEMP PROJECT & LEG Tape/Diskette ID MF-03-09 ΥR FLUOR S/N= CTD CONVERTED MONITOR VALUES N DATE <u>Q</u> DAY 011 DISBIOS 380115034 52724 NOAA Ship MILLER FREEMAN LONGITUDE START DOWN PAR S/N= AT SURFACE AT DEPTH DATA ON DEG 46.324 PRESSURE 29772 710 LATITUDE 884 304 Z DEG DEPTH SEC COND SN SEC TEMP SN PRI COND SN TRP PRI TEMP SN PRESS SN VESSEL CAST# 9 #  $\frac{1}{2}$ **NOITISO9** S 0 က ဖ 00 O) 4 ^ CONSECUTIVE

PG 13 OF

			PROJECT & LEG	LEG	COD I.D.		STA	TION D	STATION DESIGNATION	NOI	5	
\$	NOAA Ship MILLER FREEMAN	REEMAN	MF-03-09	60								
				TIME	DRY WET	37USS 3TATS	YTIJIB	D SPEED	UD (amt) 3 A3HT/	BOTTOM		STATION
됩	П	LONGITUDE	DATE	GMT	B B	PRE A38	NIM ISIA		샚	DEPTH	NA	NAME / ID
ľ	MIN DEG	MIN	DAY MO YR	HR MIN	ာ့ ၁	dm	deg	<u>"</u>				
$-\Box$	8.23815	F0 512 44	0 777	16434	11/6:11	19 43	9		× 7	79		
		TIMES	DAT	Ö		·		REMARKS	S	c		
	710 START DO	DATA ON START DOWN	i ape/Diskette ID		File Name/Header				3	2		
	<u>`</u>	PTH		CTDO	5013	x Clean	x Cleaned air bleed valve	valve				
		AT SURFACE				MAX. DEPTH (m)	PTH (m) 6/					
	530 VP	AR S/N=	✓ FLUOR S/N=			ChLAM S/N=	:W=					
		CTD CONVERTED MONITOR VALUES	MONITOR VALUES				SAMPLE		SAME	SÄMPLE BOTTLE NUMBER	LE NOM	BER
- 1							DATA					
	PRESSURE	PRIMARY TEMP	SECONDARY TEMP	EMP	SALINITY		SALINITY		SAL	NUTR	쿰	WHIT'S
					-			150 10	32			
									*			
- 1												
		•	1122	3782	į							
- 1						123						
					÷							
i												
. 1						5-						
. 1												
										93		

PG 14 OF

												2		5	
VESSEL					PROJECT & LEG	<sub>(O</sub>	COD I.D.	<u>.</u>		STATIC	ON DES	STATION DESIGNATION	NO		
	NOAA Ship MILLER FREEMAN	LER FF	REEMAN		MF-03-09										
ST# VSECUTIVE						TIME	DRY	WET	ESSURE N STATE IBILITY ID	ID &PEED	(tms) GU	AHTA	воттом		STATION
CAS	<u>\</u>	2	LONGITUDE	- 1			BULB	<u></u>	VIS VIS	מוצ	СГС	- 1	DEPTH	NAM	NAME / ID
	DEG MIN	DEG	MIN	DAY	MO YR	HR	ပ္စ	ပ္	- 1	deg knt's	t's	+		-	-
0/	5730.817	154	<u>Co</u>	0	30 N 0 30	3518	9	<u> </u>	43711	88 13	™	4	2		7
SBE 9+	91660		TIMES		DATA I	ပို	ATION   Eile Name/Header	·		낊	REMARKS		•		
PRI TEMP SN	710	START DOWN	NWC		מאכיו הופאפונפ וו				ı			lines			
SEC TEMP SN	884	AT DEPTH	_				7/00	 	x Cleaned air bieed valve	bleed val					
PRI COND SN	304	AT SURFACE	ICE					20	MAX. DEPTH (m)	7	4				
SEC COND SN	530	X PARS	=N/S	X	FLUOR S/N=			<u>ر</u>	AM S/NI	ii.	7	04440	Ĭ.	C All that	010
		-	CTD CONVERTED MONITOR VALUES	MOM	TOR VALUES				SAMPLE	<b>5</b> 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		SAMPL	SAMPLE BOTTLE NOMBER		 K
NOIT									DATA	. ⋖	<del>.</del>				
	TRIP DEPTH PRESSURE	Ш	PRIMARY TEMP		SECONDARY TEMP	MΡ	SALINITY		SALINITY	<u>}</u>	00	SAL	NUTR	붕	WHIT's NUTR
1 205	5					22	9			<u> </u>	~	9			
2	ત				-						_	9			
က															
4			85	_					4						
5															
9			:												
7															
8															
Ø							1				_				
10													22		
-												-			
12				_							$\dashv$		_		

PG 15 OF

				5							œ			WHIT'S	T							T			T	
			STATION	NAME / ID							JMBEI			ŽŽ	_			_	$\dashv$	_	$\perp$	$\dashv$		4	-	
5					Н	20					LEN			롱												j
	2		BOTTOM	DEPTH		128					SAMPLE BOTTLE NUMBER			NUTR										22		
NATIO	<u> </u>		ЯЭНТ	WEA		7	(	OC			MPLE							_	$\dashv$		$\dashv$		$\dashv$		$\dashv$	
PT STATION DESIGNATION	ממכות		(tms) QU	CLO		8	SKS	Kine 8		6	S			SAL	7	3/										
Į.			O SEED	MIM	knt's	15.88	REMARKS	4	/alve	4																-
STA.	<u>₹</u>		СТІОИ			7			leed			Щщ	-	≱												
			YTIJIE	MIM	deg	718			x Cleaned air bleed valve	MAX. DEPTH (m)	<u>.</u>	SAMPLE	DATA	SALINITY										İ		
			<b>BTAT8</b>	A∃S		43			leane	MAX. DEPTH	Š	<b>0, L</b>		0)						ŀ						
			SSURE			117	,_		×	<b>₹</b>	1					_										
	į		WET	BULB	ပ္			ı	1					•				i								
0100				αj		31	<u> </u>	eader						SALINITY												
			DRY	BUL	၁	11	-	ame/t						SAL	80				İ				9			
			TIME	GMT	NΕ	40	DATA LOCATION	File Name/Header					,													
l c	j D	6	F	<u>ত</u> 	뚶	306 64	201	ວ [ຍ						EMP												
9 T	8 -	MF-03-09			ΥR	00	DAT,	skette		1	UES U			ARY T												
	25	MF		DATE	§	20 72		Tape/Diskette ID		<u>.</u>	CTD CONVERTED MONITOR VALUES			SECONDARY TEMP												
19	<u>r</u>				DAY	-					MONIT															
				22		0					RTED			TEMP				17					:			
		MAN		HOH	NIM	62	TIMES				SONVE			PRIMARY TEMP												
		REE		CONGITUDE	2	452	1	_ NAO	I	ACE	CTD			PRIN												
		ER FI		2	DEG	3		DATA ON START DOWN	AT DEPTH	AT SURFACE	Y Y															
		MILLE			E	E	-	<u>2</u> 2	¥	<b>4</b>	K			PRESSURE												
		hip !		JDE	NIM	7	91660	29772 <b>710</b>	884	304	220			PRES												
		NOAA Ship MILLER FREEMAN		LATITUDE		7	ြီ	SI .																		J
		8			DEG			NS C	P SN	NS O	200			TRIP DEPTH	22.3	ત										A.
11001/			# _	CASI		1.5	SBE 94	PRESS SN PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN		NO!	ISO9		5	က	4	5	9		8	6	10	11	10
12	>		SECUTIVE	COM		0	SB	<u>4 6</u>	S	<u></u>	# <u></u>	'	1011					Ľ					L		_	L

PG 6 OF

									}		2	3		
VESSEL				PROJECT & LEG	<u> </u>	ਹ ਹ	COD I.D.		STATIC	N DES	STATION DESIGNATION	z		
_	JOAA Ship MIL	NOAA Ship MILLER FREEMAN		MF-03-09	60									
18ECUTIVE					TIME	DRY	WET	SSURE ATATE BILITY	D SPEED	(tms) QU	A3HT/	BOTTOM	STATION	N <sub>O</sub>
CON	LATITUDE	LONGITUDE	7.1	DATE	GMT	BULB	BULB	SEA		сго		DEPTH	NAME / ID	/ ID
DEG		DEG MIN	DAY	_	エ	Ш	ပ္		deg knt's	s	Ξ			
39 0	736.434	15500.78	Q 4	ο ΣΩ ΝΓ	36702	11.3	7	14371	89 /	3.8	15	135		
SBE 9+	91660	TIMES		DA	Ö	NC	, <u>-</u>		REI	REMARKS	•	0		
PRESS SN PRI TEMP SN	29772	DATA ON		Tape/Diskette ID		File Name/Header	<b>a</b>			7	2 -			
SEC TEMP SN	884	АТ DEРТН						x Cleaned air bleed valve	bleed val	e				
PRI COND SN	304	AT SURFACE					-	MAX. DEPTH (m)	E)	g				
SEC COND SN	530	YPAR S/N=	~	X FLUOR S/N=				ChLAM S/N=	-					
		CTD CONVE	RTED MO	CTD CONVERTED MONITOR VALUES				CANI	ū		SAMPLE	SAMPLE BOTTLE NUMBER	NOMBE	<u>د</u>
N								BOTTLE	벌빌					<del></del>
ЮІТ								DATA	Ą					
O DEPTH	H PRESSURE	E PRIMARY TEMP	$\vdash$	SECONDARY TEMP	TEMP	SALINITY		SALINITY	Υ	SAL	IL NUTR		당	WHIT'S NUTR
1 230	<u>C</u>					10.4 10.4				7				
2										5	10	-	$\dashv$	$\overline{}$
ဗ													_	
4													$\dashv$	
S	2													
9		-								•••••				
7											_	_		
60								100						
6												*		
10												焦		
11												-		
12										4	$\dashv$	_	$\dashv$	

PG 17 OF

NOAA Ship MILER FREEMAN   MF-03-09   MF-03	VESSEI					DECT & LEG	ļ.	CODIO	<u> </u>			NOITATE	DESIGN	MOITA		
NOAA Ship MILLER FREEMAN   MF-03-09   Time   DRY   WET   SEE   SEE   DATE   D	1						)	)								
The pressure   Press	N	AA Ship MIL!	ER FRE	EMAN		MF-03-09										
Dec   MIN   Dec   MIN   DAY								DRY	WET		IBILITY ID		36			STATION
DEG   MIN   DEG   MIN   DAY   MN   VR   HR   MIN   VC   C   C   C   MIN   C   C   C   C   MIN   C   C   C   C   C   C   C   C   C		LATITUDE	LONG	540		DATE	-	BULB	BULB	$\neg \neg$	VIW SIV		孤			NAME / ID
	DEG	MIN	DEG	MIN	DAY	NO	_	၁	့	mp	Бәр	knt's				
State	757	38.260	1		9	0 N	75		0	34	718	12			8	
29772   DATA   PRESSURE   PRIMARY TEMP   SECONDARY TEMP   SECONDARY TEMP   PRESSURE   PRIMARY TEMP   SECONDARY TEMP   SECON	å			TIMES		DATA	O.		-			REMA	RKS			
Sake   AT DEPTH	SS SN EMP SN		DATA ON START DOV			Tape/Diskette II		me/Header					アーイ	00		
SAMPLE BOTTLE NUM   SALINITY   SALINITY   SALINITY	TEMP SN		AT DEPTH		~					Clear	ed air ble	ed valve				
## CTD CONVERTED MONITOR VALUES  ## CTD CONVERTED MONITOR VALUES  ## CTD CONVERTED MONITOR VALUES  ## SAMPLE BOTTLE NUM  ## CHL	NS QNOC		AT SURFAC	E	=				_	MAX. DE	PTH (m)	24.	را			
PRESSURE PRIMARY TEMP SALINITY SALINITY CHL.    CHC CONVERTED MONITOR VALUES SAMPLE BOTTLE NUM PRESSURE PRIMARY TEMP SALINITY SALINITY CHL.   CHC   CH	COND SN		X PAR S/h	=>	X	FLUOR S/N=			J	ShLAM S	=N/S					
PRESSURE PRIMARY TEMP SECONDARY TEMP SALINITY SALINITY SALINITY CHL.    Columbia			5	TD CONVERTI	ED MON	ITOR VALUES					1		SAN	APLE BOT	TE N	MBER
PRESSURE PRIMARY TEMP SECONDARY TEMP SALINITY SALINITY CHL.    CHC    CH											BOTTLE					
PRESSURE PRIMARY TEMP SALINITY SALINITY CHI.											DATA					
	TRIP DEPTH			RIMARY TE	<b>-</b>	ECONDARY TE	ΜP	SALINITY		.	SALINITY		SAL	NUTR	붕	WHIT'S NUTR
	254												23			
	3							į					00 M			
					25											
				. :												
																Ξ
		•	-													
							in			İ						
					_		-									
			-													

PG | SO OF

							4																
		STATION	NAME / ID				9.00 3.4		MBER		WHIT'S NUTR												
			-	-		- K	200		LE NUI		봀												
TION		ВОТТОМ	DEPTH	988		7 .	200		SAMPLE BÖTTLE NUMBER		NUTR										ā		
SNA NA		AHTA	₩ WE	1	=	1			AMP		ارد	-	0					$\neg$		$\dashv$	_	$\dashv$	
JESI		(tms) QUC	CCC	90	킨 <sup>X</sup>	79	님,				SAL	43	7							ĺ			İ
STATION DESIGNATION		ID SPEED		knt's	REMARKS	30	Cleaned air bleed valve																
S		ECTION	אום	deg 2		1 6 d	plee		빌빌	.≮	≧												ļ
			/IV/			4	d air	1	SAMPLE	DATA	SALINITY									ĺ			
		A STATE YTIJIBI	SEV	3		34	Pane	N S	0,11		တ												
		ESSURE	Яd	<u>و ۲</u>			X Cleaned air bl	ChLAM S/N=															
		Τ:	В	<	<u> </u>			Ĭ			·								$\dashv$		$\neg$		$\dashv$
<u>-</u>		WET	BULB			20	1																
COD I.D		>	щ		=	File Name/Header					SALINITY					İ				ļ			
		DRY	BULB	دا ا		Det Det					SAL												
		111		M 7	200	O S						-								İ		1	
		TIME	-	~ 0	김정	<b>II</b>	1								-		$\dashv$	$\dashv$		$\dashv$	_		
ECT & LEG	60				ZAC TAC	<u>⊖</u>					TEM												
CT &	F-03-09		ŀ	<b>&gt;</b>	_	skett		S	LUES		ARY												
PROJE	MF		DATE	원 글	_	Tape/Diskette ID		JOR	R ∀ ∀		SECONDARY TEMP												
14			- 1	h	-	<u>1</u>		K	N T T		SEC								ļ				
			(4)	A C	2				CTD CONVERTED MONITOR VALUES		MΡ								_				
	z			8	Ĭ.,				VERT		PRIMARY TEMP				3111								
	MA		100T	N P	TIMES 4				CON		MAR												
	REE		LONGITUDE			≥	H	X PAR S/N=	CTD		PRI												
	OC.	ĺ	۲	鉓	2	DATA ON START DC	AT DEPTH	PAR															
			_		7	ST.	AT	X	}		JRE												
	Σ		Ш	~	$\exists$	22.					PRESSURE												
	NOAA Ship MILLER FREEMAN		LATITUDE		91660	29772	884	530			PR.							.					
	DAA		LAT									,											
				DEG L	1	N N	P SN	NSQ			TRIP DEPTH	232	d										
VESSEL		# <b>T</b> S	3 <b>∀</b> 3		_ _ _ _ _ _ _	PRESS SN PRI TEMP SN	SEC TEMP SN	SEC COND SN	<u></u>			7											
<u>K</u>		NSECUTIVE	ကေ		SBE 9	R 8	SEC	SEC		101T	POSI'	1	2	က	4	5	9	7	80	6	5	1	12

PG 19 OF

,			_							1	T				ري مرا ا						П	_	Ţ				
			STATION	NAME / ID								ABER			WHIT'S NUTR			_									
5   			ST	Ž								SAMPLE BOTTLE NUMBER			CHL												-
-			BOTTOM	DEPTH		46	0	0							<b>  </b>	_						_			_	$\dashv$	
	TION		l			1/		2 20				ZE B			NUTR							: :			-57		
တ္'	STATION DESIGNATION		3 A3HTA	۲		9		ير				SAMF			SAL	7	7										
	V DES		(tms) QU	CCC	1	1,28	REMARKS		d)	9					S	7	,			-							
-	ATIOI		ID SPEED	MIN	knt's	11	REM		Valv	+																	
	S		ECTION	סוצ	eg	46			x Cleaned air bleed valve	Ē		П	<u> </u>	۸	È												
			VTIJI81	VIS	٥	7			a air	TH (	≝	CAME	BOTTLE	DATA	SALINITY												
			TATE A	⁄∃S		34			Sean	MAX. DEPTH (m)	ChLAM S/N=																
			ESSURE		Ε	-	â		×	₹	티														_		
	Ö.		WET	BULB	ပ္စ	0		ı	1 1						·												
	COD I.D.					0		eager -							SALINITY												
	_		DRY	BULB	ပ္စ	Ē.	-								SALI						Ì		i				
			ш		NIM	25	DATA LOCATION	CTD014								500						!					
	9		TIME	GMT	뚠	60	O		 						ᅙ												
	r & LE	3-09			Ϋ́R	0 3	DATA	ette II			빌	ES			. ×												
	PROJECT & LEG	MF-03-09		DATE	Q	3⊃ 7Z	- (	ape/Diskette ID			JOR S/N=	. VALU			NDA												
	PR			DA		22		<u>g</u>				CTD CONVERTED MONITOR VALUES			SECONDARY TEMP												ı
				24	DAY	0					4	ED MO							32				-				
		Z		ш		7	တ			١		IVERT			Y TE												
		EMA	15	LONGITUDE	Z	17	TIMES	 	1 1		<u></u>	S O O			PRIMARY TEMP												
		FRE		LONG	(5)	کایا		DATA ON START DOWN	РТН	RFACE	R S	5															
		LER		:	DEG	15		DATA ON START DO	AT DEPTH	AT SURFACE	X A				Ų.												
		MIL				)									PRESSURE												
		NOAA Ship MILLER FREEMAN		LATITUDE	N N	3. 2	91660	710	884	304	230				PRE												
		AAC		LATI		7																					
		ž			DEG	57		NS d	4P SN	NS C	NS OF				TRIP DEPTH	40	2										
	VESSEL		# 19	CAS		19	SBE 94	PRESS SN PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN		N	011	1209 	1	2	8	4	5	9	~	80		10	11	12
	<u>&gt;</u>		<b>ASECUTIVE</b>	100		۵	<u> </u>	<u> </u>	<u>8</u>	直	ಪ										_	'-	l~		<b>—</b>	_	_

PG DO OF

										<u>}</u>		
VESSEL			PROJECT & LEG	၅	COD I.D.			STATIO	N DESIG	STATION DESIGNATION	-	
	NOAA Ship MILLER FREEMAN	ER FREEMAN	MF-03-09									
				TIME	DRY WET	ESSORE 	STATE /	ID SEEED	(Jms) QU(	ЯЗНТА	воттом	STATION
CVS	LATITUDE	LONGITUDE	DATE	GMT	BULB BULB		SE∀			ΜE⁄	DEPTH	NAME / ID
ō	-			HR MIN	ာ	qui :		deg knt's	S			
0205	859.8061	51329670	つ い い い い い い い い い い い い い い い い い い い	30 225	3 1 [ 1	.31	338249		)	0	K	5-
SBE 9+		TIMES		Ö		,_	*	REM	REMARKS	STORA	110	
PRESS SN PRI TEMP SN	29/72	DATA ON START DOWN	l ape/Diskette ID		CTD CAC					)	3	\
SEC TEMP SN	884	АТ DEРТН			•	×	x Cleaned air bleed valve	oleed valv	9		ļ	
PRI COND SN	304	LSURFACE				₩	MAX. DEPTH (m)	(S)	٦			
SEC COND SN	530	A PAR S/N=	X FLUOR S/N=			ह	ChLAM S/N=					
		CTD CONVERTED MONITOR VALUES	MONITOR VALUES				CAMAD	u	<i>∞</i>	AMPLE 6	30TTLE	SAMPLE BOTTLE NUMBER
1							BOTTLE	Чщ		<i>e</i>	•	
10IT							DATA	d				
O DEPTH	P TH PRESSURE	PRIMARY TEMP	SECONDARY TEMP	MP	SALINITY		SALINITY	<u>\</u>	SAL	NUTR	핆	WHIT'S
1 82	~			Ť		$\dashv$			7			
2 3									~	7		
3											-	
4		23	-,			-					-	
9											$\dashv$	
9											$\dashv$	
7	*											
80							-				-	
o												
10				-							12	
11						$\dashv$			-		$\dashv$	
12						_			_	_	$\dashv$	

PG 21 OF

			STATION	NAME / ID							ЭĒК		·	WHIT's NUTR												
			STA.	NAM							SAMPLE BOTTLE NUMBER					$\dashv$			$\dashv$			$\dashv$	1	$\dashv$	$\dashv$	$\dashv$
			WO	프		0	Th.				TILE			콩										$\downarrow$	_	
	5		BOTTOM	DEPTH			ú				LE BC			NCTR										5.3		
D ANG	5		Эс ЯЗНТА	W.			(6)				SAMP	j		SAL	Q	00		. eer								$\neg$
מחר	)   		(tms) QUC	СГС			RKS			Ţ	1			S	ری	_					_					_
CTATION DESIGNATION			ND SPEED	νIW	knt's	1.5	REMARKS		x Cleaned air bleed valve	7												Ì				
CT	2		ECTION	סוצ	deg	4 6			bleed	٤		빌빌	⋖	<u>}</u>												
				MIV	Р	9			dair	Ħ.	<u>.</u>	SAMPLE	DATA	SALINITY												
			STATS A YTIJIBI	SEV		3			eane		2	ν, ω		l w											İ	
			ESSURE	ВЯ	qш	773	,	[	IJ ×	MAX. DEPTH (m)	5															
			WET	BULB	ပ	20				$\top$				·												
0.00			<u> </u>	ā			 	1						≥	ŭ.											
5	<u>}</u>	_	DRY	BULB	ပ္	3.9	יסקדוים	の一口のイン		ŀ				SALINITY												
					Ш	11	NO S		.					S	0							ļ		ŀ		
			TIME	GMT	MIN	63	DATA LOCATION																			
0	ם ב	9			뚠	3 (	A LO	≘						SECONDARY TEMP												
م ا	გ -	MF-03-09			ΥR	0	YO:	skette						AR					Ì							
23   % 1.03  000	<b>1</b>	MF		DATE	Ş Ş	2 <sup>⊃</sup> 7 <sub>S</sub>	9	l ape/Liskette IU			MELUOR S/N=	<u> </u>		NO.												
<u> </u>	Ε			Δ	DAY	643	1	<u> </u>			SIN= SINE CONVEBTED MONITOR VALUES			SEC												
					<u>à</u>	<u>.</u>					2			d W												
		Z		Щ		00	ဟွ				(VED)			PRIMARY TEMP			,									
		EM/		LONGITUDE	Z	00	TIMES				֓֞֟֞֟֟֝֟֓֓֓֓֓֓֓֓֓֟֟֝֓֓֓֓֓֓֓֓֓֓֓֓֟֟֝֟֝֟֝֟֝			RIMA											·	
		FRE		CONO	_	2	] ;	<u>چ</u> ک	TH	FACE	ار ارد	5		<u> </u>												
		띪		_	9	2		DATA ON START DOWN	AT DEPTH	AT SURFACE	T A															
						00	<del>-</del>	<u> </u>	_ <	₹ [				SUR												
		hip		JO.	z	77	91660	710	884	304	230			PRESSURE												
		NOAA Ship MILLER FREEMAN		LATITUDE	MIN	9	တ် င	ζ <u>Γ</u>	w	e) (	-			"												
		Š N		٦	DEG	6		Z.	SN	N.	NS NS			<u> </u>	ત							i				_
ŭ	מבר				2	<u> </u>	* 5	PRESS SN PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			TRIP DEPTH	15	જ										
MESSE	אַנ ב		ST# VSECUTIVE	COI		70	SBE 94	7 K	SEC.	PRIC	SEC (		NOIT	POSI	-	7	က	4	5	9	7	8	9	10	11	12

PG22 OF

,[			ž	₽					~			WHIT'S								T		T	
			STATION	NAME / ID					MBER			WHITS	_										
5				_					SAMPLE BOTTLE NUMBER		i	붕							ļ				
4	-		BOTTOM	DEPTH	9				ВОТТ			R									25	$\dashv$	
	<u> </u>		я <u>з</u> нта В	- 1	15973				APLE			NUTR	29925.2										
100	STATION DESIGNATION		30U0 (amt)	ᄣ	Ŋ.	S			SA			SAL	83	50									
1	5 5 5		ID SPEED		Knt's	REMARKS	<u> </u>	1															
I V	<u> </u>		ECTION		<u>&gt;</u> ~	R	ed va	8:															
				NIM	號		air ble	Œ		SAMPLE	DATA	SALINITY											
			ATATE YTIJIBI	SIA	200		aned ;	SEPT!	5	S S	Ω	SAI								]			
			∃AU88∃					MAX. DEPTH (m) 6	5											}			
		Ì	WET	BULB	٥	'	<u></u> _																
0	֓֞֝֞֝֞֝֞֝֞֝֞֝֞֝֞֝֞֝֞֡֞֝֞֝֞֞֝		<u> </u>	8	5	<u>ē</u>	77					≥		8									
2	3_	_	DRY	BULB	ပ္ (၁)	ATION File Name/Header	0	-				SALINITY											
						No No	1					Ŋ	10										
			TIME		S WIN	DATA LOCATION	Ρ						-11									_	
-	2	6			A S	TALC						TEMF			•								
1	PROJECT & LEG	MF-03-09			¥	DA Disket	-		ALUES			DARY				İ							
0	Z Z	Σ		DATE	<b>∑</b> ⊃ ⊃	DATA L			CTD CONVERTED MONITOR VALUES			SECONDARY TEMP				٠				:			
					DAY O			P	₹ No.			-											
				26	2				ERTEC			TEM				15							
		MAN		TUDE	MIN 5 58	TIMES			CONV			PRIMARY TEMP											
		REE		LONGITUDE	2	4	NWOO	FACE	CTO			PR											
		ER F		ت	의 도	DATAON	START DOWN	AT SURFACE	2														
		MILL	<u> </u>		_		o A	<u> </u>	7			PRESSURE											
		Ship		UDE	MIN 0 8 6 6	91660	710	304	220			PRES											
		NOAA Ship MILLER FREEMAN		LATITUDE	<u>~</u>	5 6																	
		2			SHO ST	7	NS G	NS C	2			TRIP DEPTH	9	7									
110001/	I OOL		# <b>1</b> 5	CV2	022	SBE 94	PRI TEMP SN	PRI COND SN	SEC COND SIN		1011								 				
2	_		ASECUTIVE	100		S G	F C	F.	n L		-UIL	ISO9,	-	2	က	4	5	9	 	<u>ග</u>	10	7	42

PG 2 3 OF

												<u>ა</u>	1	5	
VESSEL					PROJECT & LEG	9	COD I.D.	I.D.		STA	ION DE	STATION DESIGNATION	NOI.		
	NOAA Ship MILLER FREEMAN	IILLER FI	REEMAN		MF-03-09				į						
ST #	٠		44			TIME	DRY	WET	585URE 5 STATE 181LITY 10	ECTION	ID SPEED		BOTTOM		STATION
CAS	Z	2	LONGITUDE	- 1	빌		BULB	В	VIS SEA	AIO	T i	ᄮ	DEPTH	-	NAME / ID
	DEG MIN	DEG	WIN	¥	Ş	HR	္	့ 	q <sub>m</sub>	deg	knt's		-	-	
0735	74879	9151	03.869	65	J V V C	3082	101	0	16371	50	3	0	2	رى د	
SBE 9+	91660	ATAC			DATA I	Ö	— — — — — — — — — — — — — — — — — — —	·		œ	REMARKS	S			
PRI TEMP SN		START DOWN	NMO		ape/Dishelle		@T002	20	r						
SEC TEMP SN	SN 884 SN 304	AT DEPTH	H 254	$\dagger$				<u>* 2</u>	x Cleaned air bleed valve	bleed v	alve -				
SEC COND SN	_	X PAR S/N=	3/N=	X	X FLUOR S/N=				ChLAM S/N=						
			CTD CONVERTED MONITOR VALUES	MONI	OR VALUES							SAMP	SAMPLE BOTTLE NUMBER	LE NUM	BER
, N									SAMPLE	32					
10IT						,			DATA	₹					
O DEPT	TRIP DEPTH PRESSURE	URE	PRIMARY TEMP	<b> </b>	SECONDARY TEMP	MP	SALINITY	·	SALINITY	ΥTIV		SAL	NUTR	븅	WHIT'S
1 7	7						dii an				7	75			
2	~								ļ		+	2			
ო				_											
4			7						:						
5															
9				_											
7		-													
ω															
თ															
10													S		
7		:						-							
12				_							_				

PG TH OF

			STATION	NAME / ID	1						JMBER	JWBER	JWBER	WHIT's NUTR	WHIT's NUTR	WHIT's	WHIT's NUTR	WHIT's	WHIT's NUTR	WHIT'S NUTR	WHIT's NUTR	WHIT's	WHIT's	WHIT's	WHIT's NUTR
;   					<u>65</u>					SAMPLE BOTTLE NUMBER			동												
NOIT!			BOTTOM	DEPTH	-					PLE BO			NUTR						i						
STATION DESIGNATION	5000		(amt) OUC 3 ABHTA	CLC CLC	7	1				SAM			SAL	49	39										
ATION			ID SPEED	NIW	knt's	REMARKS		valve	0		3.14														
ST	5	-	ECTION	MIN SIO	Sep C			ir bleed	(E)	/ APLE	BOTTLE	DATA	SALINITY												
			STATE / YTIJIBI	SIA	7/			x Cleaned air bleed valve	MAX DEPTH	SAN	BO	۵	SAL												
			ESSURE	184	qE ∨			ŏ ×	WAX Chi																_
COD I.D.	<u>.</u>		WET	BULB	<u>ر</u> ا		e e						<b>≻</b>												
00	)	_	DRY	BULB	ပ္စ	-	File Name/Header	0029					SALINITY		;					#1.					
			TIME	GMT	HR MIN	DATA LOCATION	File Na	5																	
& LEG	)	8	· 		X .	ATALC	ofte ID		<u> </u>	မ္သ			Y TEMF											1935	
PROJECT & LEG	SOCIE OF	MF-03-09		DATE	Q 3	1	Tape/Diskette ID		FI LIOR S/N=	R VALUE			SECONDARY TEMP							:					
	_			Ω	DAY		<u> -</u>		ŭ X	MONITO															L
		_			~					ÆRTED			Y TEMP												
		EEMA		LONGITUDE	W C	TIMES			삣쀨	CTD CONVERTED MONITOR VALUES			PRIMARY TEMP												
		R FR		LON	DEG	) ) )	DATA ON START DOWN	АТ ОЕРТН	AT SURFACE				_												-
		MILLE			7	$\exists$		ΑT	<u>₹[7</u>	\$			PRESSURE												
		NOAA Ship MILLER FREEMAN		LATITUDE	NIIN T	91660	29772	884	304				PRE												
	•	NOA/		Ź	DEG T 7 2		NS	SN	NS SN				TRIP DEPTH	180	6										
VESSEL	: : :		ST# NSECUTIVE	CAS	77 (	SBE 94	PRESS SN PR; TEMP SN	SEC TEMP SN	PRI COND SN SFC COND SN		NO		SO9 F FI	1 18	2 2	ဗ	4	5	9	7	8	6	10	11	

PG 3-5 OF

VESSEL				PROJECT & LEG	ງ	 	<u>.</u>		D	<u> </u>	STATION DESIGNATION	A I C		
	NOAA Ship MILLER FREEMAN	ER FREEMAN	_	MF-03-09		_								
1SECUTIVE			· · · · · · · · · · · · · · · · · · ·		TIME	DRY	WET	SSURE STATE	BILITY G GTION	D SPEED	OUD (amt)	я <u>з</u> нтя 00 Г. ОМ		STATION
CY2	LATITUDE	LONGITUDE	8	DATE	GMT	BULB	BULB	SEA	NIM		쟀	DEPTH		NAME / ID
0	MIN	DEG MIN	DAY	_	HR MIN	ပ္	ပ့	, ,	deg	F 1		1	$\dashv$	
025 5	8227831	5012.0	0/9	JS 0 1 0 3 0	0525		0.8	187	123	15,8		9 0	$\sim$	
SBE 9+	8	TIMES		DATA LOC	O.		· <b>-</b>			REMARKS	RKS			
PRESS SN PRI TEMP SN	29772 <b>710</b>	DATA ON START DOWN		Tape/Diskette ID	Ì	File Name/Header	7	!						
SEC TEMP SN	884	АТ ОЕРТН			)			Clean	x Cleaned air bleed valve	d valve				
PRI COND SN	304	AT SURFACE						MAX. DEPTH (m)	PTH (m)	57		į		
SEC COND SN	530	YPAR S/N=		XFLUOR S/N=				ChLAM S/N=	=\\					
		, CTD CONVE	ERTED MO	CTD CONVERTED MONITOR VALUES		i.			SAMPLE		SA SA	SAMPLE BOTTLE NUMBER	LE NUM	BER 
									BOTTLE					
IOIT									DATA					
O TRIP O DEPTH	P TH PRESSURE	PRIMARY TEMP	1	SECONDARY TEMP	MP.	SALINITY	·		SALINITY		SAL	NUTR	봉	WHIT'S
N	7					数					9			
2 2														
ဇ														
4														
သ														
9														
7	·													
80								r						
6														
10												.ā.		
11														
12														

PG 2-6 OF

-	-		STATION	NAME / ID		The same of the sa	and and		Ç	π 		WHIT'S NUTR		_										
5				NAM		950	20					봉						$\dashv$						
NO	2		воттом	DEPTH		325	Beach			SAMPLE BOLLE NOMBER		NUTR										E.1		
STATION DESIGNATION	5000		(amt) QU0 3 A3HTA	丌	- 0	KS KS	on ch	2.13		SAMI		SAL.	8	4										
ATION			O SPEED	ИW	knt's	REMARKS	Barrey	- 9 @													•			
T.S.	5		ESSURE JATE JULITY GI	MIV AIR REY	mb deg	Trans James 3	Cleaned air blead valve	MAX. DEPTH (m) 2.0	ChLAM S/N=	SAMPLE BOTTLE	DATA	SALINITY									48			
01003	2	-	DRY WET	80	2° 6	ATION File Name/Header					C	SALINITY				11								
٥	ם ב	6	TIME		HR C		· 1					EMP												
PPO IST & LEG	S FORE	MF-03-09			MO YR	Tape/Dis			X FLUOR S/N=	ONITOR VALUES		SECONDARY TEMP												
		REEMAN		111	MIN DAY	TIMES	OWN			CTD CONVERTED MONITOR VALUES		PRIMARY TEMP				17								
		NOAA Ship MILLER FREEMAN			026,49	4						PRESSURE												
		NOAA Sh		M	DEG AN	91			ID SN 230			TRIP DEPTH PR	90	2					•					
VESSEI			ST# VSECUTIVE	COI	726	T# 55	PRI TEMP SN	PRI COND SN	SEC COND SN	N	<b>i</b> OIT	.ISO4	1 7	2	ဗ	4	5	9	7	<b>6</b> 0	o	10	11	12

Salandy Spikes at 10-12 miles is 30 m at a drup rate of 12 cont of 027 is at some landles is 530 m at a drup rate of 12

PG 27 OF

		STATION	NAME / ID					ABER		WHIT's NUTR													2
				-	- ภ			ILE NUI		됭								:					4
NOI		ВОТТОМ	DEPTH	2	H			SAMPLE BOTTLE NUMBER		NUTR													
STATION DESIGNATION		(3ms) QU( 3 A3HTA	孤		KS.			SAMP		SAL													V
ATION D		OBBEED		knt's	REMARKS	valve	P																7
ST		ECTION	NIW RIO	69		ir bleed	Œ	SAMPLE	DATA	SALINITY			ŀ										1
		STATE / YTIJIBI	ΛI <b>Ϩ</b> I			x Cleaned air bleed valve	MAX. DEPIH (m) ChLAM S/N=	SA	۵	SAL													) ' / /
		ESSURE		===	-{ 	×	를 다 기															_	~
COD I.D.		WET	BULB	ې	-i					>													400
00		DRY	BULB	ပံု	ATION File Name/Header					SALINITY	10		į									,	7
		TIME	GMT	HR C	DATA LOCATION kette ID File Na					<u> </u>				_		_			-				(
TRLEC	MF-03-09			X (	DATA L		≅N/S	UES		RY TEN								*					
PROJECT & LEG	MF		DATE	MO July /	DATA I		✓ FLUOR S/N=	CTD CONVERTED MONITOR VALUES		SECONDARY TEMP				•						ē			7-
			507	DAY	0		Ø	ED MONI		<b></b>				(5)									0
	MAN		agn E	1	ES S			CONVERT	!	PRIMARY TEMP													S
	REE		LONGITUDE	200		DOWN TH	FACE	CTD	i	PRI										<u>.</u>			1
	LER			/// )30		START DOWN AT DEPTH	AT SURFACE			RE													4
	NOAA Ship MILLER FREEMAN		DE	N 7 7	<u>م</u>	710 884	304 530			PRESSURE				:									
	JAA S		LATITUDE	N S	91	~ ∞	e9 40)									ļ	•						- :
道	ž	·		DEG	NS NS NS	PRI TEMP SN SEC TEMP SN	PRI COND SN SEC COND SN			TRIP DEPTH													
VESSEL		ST# 1SECUTIVE	COS	Ç V	SBE 94 PRESS SN	SEC T	PRI C.	N	OIT	1809	۴-	2	9	4	5	ဖ	7	60	o	5	Ξ	12	

This one to 30 m it 12 miles per min. doub rette.

PG 28 OF

													-		5		, [
VESSEL					PROJECT & LEG	ပ္ပ		. <u>.</u>			N S	STATION DESIGNATION	ESIGN	Z S S			-
	NOAA Ship MILLER FREEMAN	LER FR	REMAN		MF-03-09						_						
NSECUTIVE						TIME	ORY	WET	ESSURE	STATS A YTIJIBI: OV	SECTION	AD &BEED	OUD (amt) 39 33HTA:	BOTTOM		STATION	
CAS	LATITUDE	LON	LONGITUDE		- 1	-21	BULB	BULB		SIV	סוצ		从	DEPTH		NAME / ID	٦
		DEG		DAY	MO YR	HR	-		슅		- Ged			-	<u>c</u>		L
<u>ಹ</u>	594/1.503	184	5 2 3 6 6	00	12	/ 6 b	15.D	/31.5	231	<b>⊘</b>	03	24	7		20		
SBE 9+	91660	NO ATAC	TIMES		DATA L Tane/Diskette ID	o O	ATION File Name/Header	' <u> </u>				REMARKS	S S				
PRI TEMP SN		START DOWN	WW.				}		•								
SEC TEMP SN	884	AT DEPTH	_ 1				X70	<u>- 15.</u>	AAX Cle	X Cleaned air bl	8	1 valve					Т
SEC COND SN	230	PAR S/N=	N=	Z	KFLUOR S/N=				ChLAM S/N=	=N/S	1						П
-			CTD CONVERTED MONITOR VALUES	NOW CI	ITOR VALUES						l L		SAM	SAMPLE BOTTLE NUMBER	TLE NU	MBER	
								<u></u>		BOTTLE	벌	_					
						9		•		DATA	۷						
O TRIP DEPTI	TRIP DEPTH PRESSURE		PRIMARY TEMP		SECONDARY TEMP	MΡ	SALINITY	·		SALINITY	ΤΙ		SAL	NUTR	동	WHITS	ν α.
1 194	H						S						d				
2	16																
3								7.0									7
4																	
5																	
9										!							$\neg$
7													ļ				
8										ļ							$\neg$
6				-													$\neg$
10				-					•								$\top$
=				-											M:		$\top$
12												_					$\neg$

PG 29 OF

PG			DOD (amt) ATHER BOTTOM STATION	TYP		8 2 230	KS					SAMPLE BOTTLE NUMBER			SAL NUTR CHL NUTR	125	9									
IC MOITATAI	NO NO IN IN IN IN IN IN IN IN IN IN IN IN IN		ID SPEED	SEA VISI VISI VISI VISI VISI VISI VISI VIS	mb deg knt's	3822312	REMARKS		x Cleaned air bleed valve	MAX. DEPTH (m) 223	ChLAM S/N=	1	BOTTLE	DATA	SALINITY											
91000			TIME DRY WET		MIN °C	1391151019	CATION	File Name/Header	CT 0029						SALINITY											
5318 17310001	PROJECT & LEG	MF-03-09	F		DAY MO YR HR	1 0 3 8 6 0 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	DATA LOCATION	Tape/Diskette ID			K FLUOR S/N=	CTD CONVERTED MONITOR VALUES			AP SECONDARY TEMP											
		LER FREEMAN		LONGITUDE	DEG MIN		TIMES	DATA ON	AT DEPTH	AT SURFACE	Z PAR S/N≃	CTD CONVERTE			E PRIMARY TEMP											
		NOAA Ship MILLER FREEMAN		LATITUDE	DEG MIN	585		29772	884	304	530				TRIP PRESSURE	23						-				
1700077	V EGGEL	_	ST# 1SECUTIVE	CAS	Г	029	SBE 9+	PRESS SN	SEC TEMP SN	PRI COND SN	SEC COND SN			10IT		1 22	2 2	3	4	5	9	7	8	6	10	

PG 30 OF

P. PG 3

NOAA Ship MILLER FREEMAN						o Tori Coo	( )					7.4.7	10	2   4		 	
MF-03-09   TIME						PROJECT &	ב ב ב	3_	.U.D.			N N	ON DE	SIGNA	2		
TIME	JAA S	hip MIL	LER F	REEMAN		MF-03-	60						:				
CONGITUDE   DATE   CMAT   BULB   BULB   R. W. S. S. W.   S. W.   R.			<u></u>						WET		YTIJI8			3	вотто		ration
SC   1   1   2   2   3   3   3   3   3   3   3   3		UDE	)   	NGITUDE		DATE	Ō		BULB		ISIA			ᄮ	DEPTH		ME / ID
	DEG	Z.	DEG	Z	죔	Ş.	뚶	_	ပ	┵		$\dashv$	ıt's			-	
DATA OW  START DOWN  AT SURFACE  AT SURFAC	925	\$ \$		7.58	_	14 58	β	31117	112.0	75/	37/-	7	1 2		$\Xi$	~	
START DOWN AT DEPTH AT SURFACE BOTTLE BOTTLE DATA  SALINITY SALI	0,	1660				PA	ပို	TION		,_		2	MARK	(A)			
AT DEPTH AT SURFACE  AT SURFACE  APPR SIN=  CID CONVERTED MONTOR VALUES  SSURE  PRIMARY TEMP  SECONDARY TEMP  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  SALINITY  TO  TO  TO  TO  TO  TO  TO  TO  TO			DATA ON START D	NWO		Tape/Diskett		Name/Hear	٣								i.
AT SURFACE			AT DEPT	I					<del></del>	X Clea	ined air b	leed va	ve	_			
SSURE PRIMARY TEMP SECONDARY TEMP SALINITY SALINITY SALINITY CH.			AT SURF	ACE						MAX. D	EPTH (m	(	30				
SAMPLE BOTTLE NUM           PRIMARY TEMP         SALINITY         SALINITY         SALINITY         CH           PRIMARY TEMP         SECONDARY TEMP         SALINITY         3.2         NUTR         CH           PRIMARY TEMP         SECONDARY TEMP         SALINITY         3.2         NUTR         CH           PRIMARY TEMP         SECONDARY TEMP         SALINITY         SALINITY         SALINITY         CH			Y PAR	S/N=		FILUOR S/N=				ChLAM	=N/S						
PRIMARY TEMP SALINITY SAL NUTR CHL  7 7			100	CTD CONVERT	ED MO	NITOR VALUES					SAMP	Щ		SAMP	LE BOTI	ILE NU	MBER
PRIMARY TEMP SECONDARY TEMP SALINITY SALINITY CH.									y.		BOTTL	ļ w					
PRIMARY TEMP         SALINITY         SALINITY         SALINITY         CHL           3.2         7         1							1				DATA	_			į		
7-	TRIP DEPTH	PRESSUR	ZE .	PRIMARY TE		SECONDARY	TEMP	SALINIT			SALINIT			Ą	NUTR	몽	WHIT'S NUTR
									í.				(~)	· I			
														7			
																İ	
						•											
						i											
														-			
												1					
										٠							
													-				
						;		:				,					

PG 1 OF

			STATION	NAME / ID								ABER			WHIT'S	N										
5					-	5						SAMPLE BOTTLE NUMBER			占											16
	<u>z</u>		воттом	DEPTH		8						E BOT			NUTR											
ָב <sup>י</sup> ו	STATION DESIGNATION		Эс ЯЗНТА	ΙΛΤ		ત	, <u>,</u>					SAMPL			SAL	7	20								-	
	N DE		UD SPEED		l's	8	REMARKS		e V	Z					"	N	7	-		$\dashv$						
	STATIC		ECTION		ĸ	90 t	쮼		ed val	CC										Ì						
			<u></u>	νiΜ	deg	Ð			x Cleaned air bleed valve	H (m)	اً ال	MPI F	BOTTLE	DATA	SALINITY											
			STATE YTIJIBI	/3S		8			eaned	MAX. DEPTH (m)	ChLAM S/N=	Ś	ă	_	8											
			SSURE	PRI	mp	10	,_		ַ ×	MAX	등															
			WET	BULB	၁့	) c /		_		)																
	  		DRY	BULB	ာ့	2.9	F	File Name/Header	37						SALINITY											
					MIN	16K	NO.	e Nam	50012						S								::			
	უ <sub>.</sub>		TIME	GMT	HR M	2	O		IÜ L I						ē				-							
	S LE	MF-03-09	·		YR	0 3	DATA L	kette II			=	UES			RY TEI	}	ĺ									
	PROJECT & LEG	MF-(		DATE	MO	<b>3 3 4</b>		ape/Dis			LUOR	OR VALI			SECONDARY TEMP											
	Δ,			<b></b>	DAY	7	-	ř			Ę,	MONIT						_								
		_				5						ERTED			TEMF											
		NOAA Ship MILLER FREEMAN		LONGITUDE	Z	9.9	TIMES				li li	CTD CONVERTED MONITOR VALUES			PRIMARY TEMP											
		FRE		LONG	0	7	1	DATA ON	PTH	AT SURFACE	NR S/N	<del> </del>  5			<u> </u>							_		-		
		LLER			DEG	7 / 6		DATA ON	AT DEPTH	ATSL	7	ĺ			JRE											
		hip MI			7	7	91660	29772 740	884	304	530				PRESSURE											
		AA SI		LATITUDE	NIM	3.9	91	7 29	- ∞	ij	20				۵.							C				
		N N			DEG	5		NS G	AP SN	NS QI	NS QN				TRIP DEPTH	77	7									
	VESSEL		ST# VSECUTIVE	CV2		632	SBE 9+	PRESS SN	SEC TEMP SN	PRI COND SN	SEC COND SN		N	ЮІТ	ISO9	17	2	က	4	5	9	7	80	თ	10	11

PG 33 OF

		STATION	NAME / ID						BER		WHIT'S					:							
5			_	70					LE NUM		봉											v <sub>i</sub>	
MATION		воттом	DEPTH	205					SAMPLE BOTTLE NUMBER		NUTR												
STATION DESIGNATION		(3ms) QUC 3c A3HTA	TYF	50	SKS				SAME		SAL	40	7										
TATION		ID SPEED	. 1	knt's	REMARKS		d valve																
S		ECTION ID	MIN	2 5 660	1		d air blee TH (m)		SAMPLE	DATA	SALINITY												
		BRUSS: A STATE YTIJIBI		123/			x Cleaned air bleed valve MAX DEPTH (m)   98	ChLAM S/N=	0, 11				!			8							
<u>.</u>		WET	BULB	\ \frac{7}{2}	-		<u> </u>																
COD 1.D		DRY	BULB	7.3	;	File Name/Header					SALINITY	3											
		TIME	- <del></del>	735/	CATION																		
ECT & LEG	F-03-09	t		AR HR	DATA LOCATION	Kette ID	ł	=N/S	UES		RY TEMF					[							
IPROJEC	MF-			<b>3</b>		Tape/Diskette ID		YFLUOR S/N=	IITOR VAL		SECONDARY TEMP											:	
				7 DAY					RTED MON														
	EMAN		LONGITUDE	N	TIMES	 			CTD CONVERTED MONITOR VALUES		PRIMARY TEMP												
	ER FRE		LON	E DEG	1	DATA ON START DOWN	AT DEPTH	YPAR S/N=	Ô														
	aio MILL		핌	70		2	884				PRESSURE												
	NOAA Ship MILLER FREEMAN		LATITUDE	10 21 NIN	97																		
VESSE		#1:	CVS	E. E.	SBE 9+	PRESS SN PRI TEMP SN	SEC TEMP SN	SEC COND SN			TRIP												
Ž	:	18ECUTIVE	100	ę	SB	<u> </u>	SE	S S		INOII	ROSIL		2	က	4	5	9	7	00	6	5	7	12

PG 3 4 OF

STATION DESIGNATION		D SPEED STATION STATION	NIN CLC	deg knt's	ARKS		bleed valve	8 ¢ (u	SAMPLE BOTTLE NUMBER	T T T		/S	50										Y	
.D.		S S S S S S S S S S S S S S S S S S S	389 388 381 31V	<i>S</i>	3	·	X Cleaned air bleed valve	MAX DEPTH (m)	CILCAM SILV	SAMPLE	DATA	SALINITY			ř							•		
COD 1.D	-	TIME DRY	TI E	HR MIN		File Name/Header	CT0034					P SALINITY		*										
PROJECT & LEG	MF-03-09		DATE	DAY MO YR	•	Tape/Diskette ID		- 470 001 - 1347	MONTOR VALUES			SECONDARY TEMP				٠								
	FREEMAN		ONGITUDE	WIN T	2	NO	START DOWN AT DEPTH	AT SURFACE	CTD CONVERTED MONIFOR VALUES			PRIMARY TEMP												
	NOAA Ship MILLER FREEMAN		LATITUDE	MIN DEG			884 AT DEPTH		050			PRESSURE												
VESSEL	ž	ST# VSECUTIVE	CAS	N 2 L K	S S S S S S S S S S S S S S S S S S S	PRESS SN	SEC TEMP SN	PRI COND SN	SEC COND SN	- N	NOIT	O TRIP O DEPTH	1 79	2	3	4	5	9	7	8	6	10	11	12