																				4			,
12	=	ಕ	9	œ	7	တ	თ	_	ω	N	-		POS.	SEC C	PRI C	SEC T	PRITE	PRESS SN	SBE 9+ 0	157	CONSC CAST #		VESSEL Alpha H
									/sa				TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN #	ō	5 7 S 7	,		VESSEL Alpha Helix
								· ·				PRESSURE	:	501	2251	1772	1771	63503		NN 2 2 N	LATITUDE		
												JRE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG	LONG		
									ļ			PRI. TEMP	CTD CO) 	1	≨ 	1	JD/TIME	7 . WIN	LONGITUDE		
								_				MP.	CTD CONVERTED MONITOR VALUES					-	K	DAY MO	DATE JD=	**************************************	PAQJE HX220
					i i							SEC. TEMP	NONITOR V	FLUOR S/N] 	· —	· -	ਂ ੜਾ		9 A	"		PROJECT & LEG
		a .		!					_	_	<u> </u>	MP	ALUES					Tape/Diskette ID		<u>\$</u> 30 €	TIME (GMT)		
		is.										SAL						e D	DA:	. 3	DRY	****	DSDB I.D.
												SALINITY		CHIAM SA	<u> </u>		1	File	DATA LOCATION	. 6	<u> </u>		<u> </u>
				<u> </u>	<u> </u> 						l	Ş	SAMPL	-				File Name/Header	2		PRESS SEA ST VISIBIL	ATE	
			:									SALINITY	LE BOTTLE DATA			-		<u>d</u> er		(deg) (m/s)	WIND WIN	·	STA
												SAL.			MAX. DEPTH =	Cleanx			REMARKS		CLOUD TYPE WEATH	(amt)	STATION DESIGNATION
L	-	-	-	-	+	-				-	-	Bio C	SAMPLE BOTTLE NUMBER	S. SAN	PTH 	Cleaned air bleed valve			Ø	(E) (E)	모		SIGNATION
-	-	-		+		+	+		<u> </u>	$\frac{\perp}{\parallel}$	 - 	WHIT'S NUTR.	NUMBER		3	valve					STA. NAME/ID		

45

12	11	10	9	8	7		6	თ	4	ω	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	152		CONSC CAST #	VESSEL Alpha Helix
								0 3	0 /	7 06	30	84		TRIP DEPTH	D SN 501) SN 2251	PSN 1772	SN 1771	*		5733.	DEG MIN	LATITUDE	et.
!								(3	5,4	1.5			PRESSURE		□P,	AT S	ATD	STA	63503 DATAON	TIMES	08N 1	DEG	M 	
					-								P	2	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	AON	Ö	6330.4	G MIN	LONGITUDE	
i													PRI. TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	W H		DATE JD=	
													SEC. TEMP	ED MONITOR 1	FLUOR S/N		<u> </u>				3 J UN 9 90445	MO YR	JD:	PROJECT & LEG HX220
			8.4	_	\downarrow		!						EMP	VALUES	2				Tape/Diskette ID		444C	HR MIN	TIME (GMT)	6
								,					SALINITY						ð	DATA	-	(°C)	DRY W	DSDB I.D.
					_								7		ChIAM S/N_				File Nam	DATA LOCATION	•	(mb)	PRESSURE SEA STATE	
						3							SALINITY	SAMPLE BOTTLE DATA					File Name/Header			(deg)	VISIBILITY DIRN DIRN	
					<u> </u>							250				MAX. D	Clea]		REMARKS		(s/w)	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
								,		L			Bio C	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			RSS	<u>T</u>	(m)	BOTTOM DEPTH	SIGNATION CNA
_			_	-	$\frac{1}{1}$	-		2 143	441	747	146	147	WHIT'S	E NUMBER		3	d valve						STA. NAME/ID	e _s

12	=	10	9	æ	7		3	C)	4	ω	2	_		POS.	SEC	PRIC	SEC	PRIT	PRES	SBE 9+ 0	16		CONSC CAST #	VESSEL Alpha H
														TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+0	957	DEG	T 80 # 0	VESSEL Alpha Helix
									94				PRESSURE		501	2251	1772	1771	# 63503		30.76N	MIN	LATITUDE	
													URE .		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1633	DEG	LON	
													PRI. TEMP	CTD C		CE	1	Š	1	JD/	30.93	MIN	LONGITUDE	
						÷							EMP.	CTD CONVERTED MONITOR VALUES	<u>'</u>	1				JOTIME	w 3 J		DATE JD=	PA HX
	į	į	į										SEC. TEMP	MONITOR	FLUOR S/N		!	!	 		U N 9	MO YR); 	PROJECT & LEG
	,												EMP	VALUES	≥ 				Tape/Diskette ID		251	HR MIN	TIME (GMT)) iii
					į.						ŀ		SA		}				tte ID	2	•	(ငိ)	DAY	DSDB I.D.
													SALINITY		ChIAM S/N		1	' 	File	DATA LOCATION	•	ලී	WET	ļ ē
			<u> </u> 	<u> </u>	<u> </u>	1							SA	SAMF	7 ₁				File Name/Header	2		(me)	PRESSURE SEA STATE VISIBILITY	
						2							ALINITY	SAMPLE BOTTLE DATA					ader			(deg) (m/s)	WIND WIND SPI	IIS
													SAL.			MAX. DEPTH =	Clean			REMARKS		8)	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
_	i i			+		_		ig					Bio	SAMPLE BOTTLE NUMBER	TRANS. S/N	PTH =	Cleaned air bleed valve			Š	49	(E)	BOTTOM DEPTH	NOILVNESS
	-			<u> </u>				-	+			-	WHIT'S NUTR.	ENUMBER		3	d valve					- -	STA. NAME/ID	

12	=	10	9	8	7	6	5	4	ယ	2	-		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	160	CONSC CAST #	VESSEL Alpha Helix
							0	0	ઠ	<u>د</u>	9		TRIP DEPTH	l	1		1	**		5 7	,	Helix
							3.4	10:0	20,7	30.4		PRESSURE	-	501	2251	1772	1771	63503) 6. U/N	ATITUDE 1	
									L			ÜRE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16337	LONG	
					i			•				PRI. TEMP.	CTD CO		Ě		₹	1	JD/TIME	3 · 8 · W	LONGITUDE	
								<u> </u> -		,		MP	CTD CONVERTED MONITOR VALUES		1		,		Ħ.	ا ا ا	1.	PROJE HX220
1								Y				SEC. TEMP	MONITOR VI	FLUOR S/N	Ĭ]	<u> </u>	· 		2 9 9	5	PROJECT & LEG
					<u> </u>							MP .	LUES					Tape/Diskette ID	<i>;</i> *	OSS 9		"
												SALINITY						ē	DAT	. 3	-	DSDB I.D.
						·			į			III		ChIAM S/N	<u>"</u>			File N	DATA LOCATION		ω .	
												SALI	SAMPLE DA	7 . ` .				File Name/Header			SEA STATE VISIBILITY	- - -
												LINITY	SAMPLE BOTTLE DATA			-		. <u> </u>		(deg) (m/s)	. •	STATI
			_			<u> </u>						SAL	SAMPLE	TRANS. S/N	MAX. DEPTH =	Cleaned	<u> </u>		REMARKS		S S S S S S S S S S S S S S S S S S S	NOITANDISADANOITATS
\vdash		_	_	_		+	<u> </u> -	_		_	<u> </u>	Bio CHL	SAMPLE BOTTLE NUMBER	SN	글"	Cleaned air bleed valve				υ Β)	∓ <u>₹</u>	NATION
							153	121	デニ	1-6	451	WHIT'S NUTR.	NUMBER		3	valve					STA.	

PG ___OF ___

				Ι.	T							1	7	S	P	Ø	T	70	CO	$\overline{}$			T
=	6	9	8	7	6	\ 	ლ	4	3	2	_			8	<u> 2</u>	EC TE	AN TEN	RESS	BE 9+	161		CONSC CAST #	VESSEL Alpha Helix
					7)	9	χ	2	77	4		DEP11	ND SI	SS	MP SN	AP SN	SE	°	5		4 ()	Helix T
				╁	Ŧ	T	<u> </u>				72	<u> </u>			1		17	#		29		LAT	
								•				P		_	2	72	7	355		. 4	2		
												RSSU				Ļ				SN N	Н		
												層		PAR	T SU	AT DE	START	ATAC	TIMES	16:	DEG	_	
H		\vdash		╀	╀	+				┝		<u> </u>		SE	FACE	丑	MOD	¥		કુમાં ફ		- ONG	
					l							3	ÇE		'''	•	. z	_			<u>K</u>	70E	
						İ						I. TEM	QQ N						NIVOr	MIC	Н	<u> </u>	
												[™]	VERTE						ñ	w	DΑΥ	DATE	
						Ì							D MO	<u> </u>	Ì					U N	₹	٥	PROJECT & LEG HX220
					İ							SEC.	NITOF	LUOR						9 9	¥		CT &
												TEMP	} VALL	S≥ 				Таре		06	품	ହି	8
		L	_	igspace	_				L	<u> </u>	╙	<u> </u>	IES					/Diske		37	MIN	<u></u>	
													Į.					育			ನೆ		
												SAL							DA:			₩ ≺ —————	DSDB I.D.
												YTINI		<u>Ω</u>		ı	•	,	TALO	ļ.	್ರಿ	WET	<u>5</u>
														MAIR S				File	CATIO		L.		┨
				╁	t	+	_	┝		H	H		જ	₹.				lame/	Ž		•	SEA STATE	}
												SAL	MPLE DA					Head					1
												YEIN	TA BOTT					*			69)	RN. V	- 60
	_	<u> </u>		H	1	_		<u> </u>	<u> </u>		<u> </u>		<u></u>		I Z		1		D	<u> </u>	. (s/u	E CLOUD (amt)	ÄÄ
												SAL.	SAM	TR.	Į. D	Clea	<u>.</u>		EMAR	Ė	*	TYPE - WEATHER	
					T	T						Bjo	PLE &	VS. SM	EPTH:	ned ai			KS		1 1	DEI DEI	STATION-DESIGNATION
-		十	╁	+	-	\dagger		-	\vdash	8-	+-	 	ן חדונו		"	bleed				55		TOM HT	
<u> </u>		igspace	<u> </u>	_	+			1					NC K			l valve						NAA S	
					2	2	100	103	401	105	106	WHIT'S	9	[3			,				TA. ME/ID	
	11	11 10	11 0 0 0 0 0 0 0 0 0		7 11						40 30 10 10 10 10 10 10 10 10 10 1	\$\frac{40}{90}\$ \$\frac{7}{90}\$ \$\fra	ST PRESSURE PRI. TEMP. SEC. TEMP SALINITY SALINITY SAL. Bio CHI. 40	S. TRIP DEPTH CID CONVERTED MONITOR VALUES DEPTH PRESSURE PRI. TEMP. SEC. TEMP SALINITY SAL. Bio CHL ST TO CONVERTED MONITOR VALUES DATA SAMPLE BOTTLE NUM DATA CHL ST TO CHL ST TO CHL SAMPLE BOTTLE NUM TO CHL SAMPLE BOTTLE NUM TO CHL ST TO CHL SAMPLE BOTTLE NUM TO CHL SAMPLE BOTTLE NUM TO CHL ST TO CHL ST TO CHL SAMPLE BOTTLE NUM TO CHL ST TO CHL SAMPLE BOTTLE NUM TO CHL ST TO CHL ST TO CHL SAMPLE BOTTLE NUM TO CHL ST TO CHL ST TO CHL ST TO CHL ST TO CHL SAMPLE BOTTLE NUM TO CHL ST TO CH ST TO CHL ST TO CHL ST TO CH ST TO CH ST TO CH ST TO CH ST	TRIP CITD CONVERTED MONITOR VALUES SAMPLE BOTTLE NUM DEPTH STAND SALINITY AT SURFACE FLUOR SN SALINITY SALINIT	TITZ AT DEPTH	1772 AT DOWN	# \$\insightarrow{\text{35}} DATA ON Tape/Diskette ID	# \$6.35\(\times\) DATA ON Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Diskette ID File Name/Header Tape/Diskette ID Tap	2 4 - 4 5 1 6 3 4 3 - 4 5 2 5 4 3 - 4 5 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 4 3 4 3	MIN DEG	LATITUDE LONGTUDE DATE JD= CHAT SUBJECTION CHAT SUBJECTION CHAT	
PG OF

2 nd

						_																		1
12	=	6	9	8	7	_	တ	5	4	ω	2	_		POS.	SECC	PH C	SECT	뭬	PRESS SN	SBE 9+0	162		CONSC CAST #	H BYGH
	0	0	0	0	0	•	7	00	20	8	30	25		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SN #	0	2674	DEG		VESSEL Alpha Helix
									100				PRESSURE		501	2251	1772	1771	63503		3.85N	MIN	LATITUDE	
													麗		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	23	DEG	LONG	
													PRI. TEMP.	CTD CO		μ̈́	l	≨	l	JD/I	4.99₩	MIN	LONGITUDE	
													MP.	CTD CONVERTED MONITOR VALUES						JD/TIME		DAY MO	DATE JD=	PROJE HX220
٠,	1				i i								SEC. TEMP	MONITOR V	FLUOR S/N	_	T	T	· ==		3 J U N 9 9 2	ΥR	"	PROJECT & LEG
						4						 	MP	ALUES					Tape/Diskette ID		1116	HR MIN	TIME (GMT)	
	!	ŀ										!	SALI					//	Ð	DAI		(င)	DAY BULB	DSDB I.D.
												ŀ	SALINITY		CHAM S/N			1	File	DATA LOCATION		Щ	WET BULB	ļ Þ
					İ								S _A	SAMP					File Name/Header	웊			PRESSURE SEA STATE VISIBILITY	
													SALINITY	PLE BOTTLE DATA			,		der			(deg) (m/s)	WIND WINI	STA
													SAL			MAX. DEPTH =	Cleane]		REMARKS) • •	SO NO CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
				\perp	+						_	_	Bio CHL.	SAMPLE BOTTLE NUMBER	SN.	TH=	Cleaned air bleed valve		1/80	o	9/4	(m)	ВОТТОМ DEPTH	COX
_				-									WHIT'S	NUMBER		3	valve		pod				STA. NAME/ID	

PG __OF__

12	=	10	9	8	7	6	თ	4	ω	2	_		P.S.	SEC C	PRI CX	SEC T	PRI TE	PRESS SN	SBE 9+ 0	16		CONSC CAST #	VESSEL Alpha H	
								ට	0	ઠ	75		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN	to	69 A	DEG	± κ΄.	VESSEL Alpha Helix	
								<u> </u>			,		<u> </u>	501	2251	1772	1771	# 63503		80.6669491	M.Z	ATITUDE		
												PRESSURE			1 >		S	1		Z	_	m I		
												吊		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	hetel 1	DEG	5		
											i	PR	SE	11	l R		Ň.			•	S N	LONGITUDE		
												PRI. TEMP.	CONVER						JD/TIME	¥ 20 80 10 10 10 10 10 10 10 10 10 10 10 10 10	DAY	DAT	-	
-										П	<u> </u>		RTED MO]					5 J U N	<u>≺</u> 8	DATE JD=	PROJE HX220	
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N	_	 	_	<u> </u>		9 9	¥		PROJECT & LEG HX220	
												¥ P	ALUES					Tape/Diskette ID		745	H MN	TIME (GMT)		•
		c																atte ID			ලී	DRY	DSI	
												SALINITY					1		DATA LOCATION	-	ි	WET BULB	DSDB I.D.	
														CHIAM S/N				File Na	CATION	Ė	(mb)	PRESSURE	-	
										:5		SALI	SAMPL D					File Name/Header				SEA STATE VISIBILITY		
												-INITY	SAMPLE BOTTLE DATA					क्			(deg) (m/s)		SI	
								1				SAL.			MAX.	Ce	<u>ן</u>		REMARKS	E	-	CLOUD (amt)	FOLLY NOT SET A SOLITY SET A SO	
								7	, (6	5	Bio	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH=	Cleaned air bleed valve			AKS	80		WEATHER DEPTH DEPTH	SIGNATI	
								7		7		CHL.	TTLE NOI			sieed valu					1		<i>by</i> ®	
								33 9	333	334	335	WHIT'S NUTR.	WBER		3	a						STA.	1	PG
															- []								12	[- -
																	10					,	127	75 Sept

_		_		_	_			,					70	_				1			· · · · · · · · · · · · · · · · · · ·
=	-	9	8	7	6	5	4	ω	2			, , , , , , , , , , , , , , , , , , ,	SEC Q	8	SEC TI	핊	PRESS	SBE 94	6	CONS	VESSEL Alpha Helix
							9	10	X	S		DEP1	Salk	ND SI	MP SI	MP SN	SN	ó			
			_	Ļ		+			3	0	<u> </u>	로 '		1		1	#		20		
ı							'						=	251	772	12	\$35				
											RESS							<u> </u>	ઇ Z		
						1			۲,		漏		PA] A ည	AT DE	STAR	DATA	TIMES	6	DEC	
					igspace	_	_				igsquare		RSN	RFAC	PTH	TDOV	2	•	21	LONG	
								١			₂	Ω.		m		Ž					
											1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	<u>8</u>						JD/T			
				'							. 5	VERI						Ē		DATE	
				1	╁	+	+	H				∰ %								ν Ο	PROJE
				Ì							SEC	OTINC	ğ						lφ 1.	_ ≾	PROJECT & LEG
											TEM	A VAL	Į _̃	┢	Γ	Τ	Тар		 		E
												UES					9/Disk		ού ·		
		Î															ette (C			3 E B	
											SA						J	5		੪ ਛ ਝ	DSDB I.D.
											LINITY		Ę	1	ı	ŀ		ATA LO		ල් දැ	9
													MAK:			1	File	CATI			4
_			<u> </u>	╀	+	╁	+	+-	 	┢		S	₹				Name	울		* SEA STATE	-
											SAL	AMPLI D.					/Head			* VISIBILITY	7
											YTIN!	ATA					Φ		_	RN N	1
		Ļ	<u> </u>	1_			<u> </u>	<u> </u>	Ļ	<u> </u>	<u> </u>	E			_	-				SPO. OLOUG / SPIN	
											SAL.	SAW	TR.	A R		4		EMAI		* TYPE - * WEATHER	STATION DESIGNATION
		Τ		T	1	T	7	, ,	7	-	E 6	- P	NS. SV	ĮŸ.	med ai			S		DE BOI	T/X SIGNA
\vdash	\vdash	+	╁	+	+	+	+	+	<u> </u>		- ' -) E		"	T blee				(N	n) PTH	_ `∕∘
		_	$oldsymbol{\perp}$		_	_		1	1						d valv					NA S	7
							ES C	2	33	339	WHIT		}	3	•				H	TA. NE/ID	
		11 10	11 10 9		7 ————————————————————————————————————	6	5					PRESSURE PRI. TEMP. SEC. TEMP SALINITY SAL. BIO CHL.	DEPTH PRESSURE PRI. TEMP. SEC. TEMP SALINITY SAL. Bio CHL. OH. OH. OH. OH. OH. OH. OH.	TRIP CID CONVERTED MONITOR VALUES SAMPLE BOTTLE WHI DATA SAL Bio CHL NUI SAL SI SI SI SI SI SI SI S	MAX. DEPTH = 501 FOR SIN FACE CID CONVERTED MONITOR VALUES PRESSURE PRI, TEMP. SEC. TEMP SALINITY S	AT DEPTH 2251 AT SURFACE FLUOR S.N CITO CONVERTED MONITOR VALUES PRESSURE PRI. TEMP. SEC. TEMP SALINITY SAL	START DOWN	Tape/Diskette ID File Name/Header 1772 START DOWN 1772 AT DEPTH 2251 AT SURFACE FLUOR SN GID CHAM SN GRAPLE BOTTLE NUM. PRESSURE PRI. TEMP SEC. TEMP SALINITY SA	TIMES JD/TIME # 6/35/23 DATA ON START DOWN 1772 AT DEPTH 2251 AT SURFACE FILUOR SN CID CONVERTED MONTOR VALUES PRESSURE PRI, TEMP. SEC. TEMP SEC. TEMP SALINITY SA		INTITUDE IONGITUDE IONGITUDE DATE JD= (GMT) BULB

PG ___OF__

							_		_					1								
12	=	10	9	8	7	တ	5	-	ω	2	1		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	66	CONSC CAST #	VESSEL Alpha Helix
								0	70	06	35		DEPTH	NS GNC	ND SN	MP SN	MP SN	S	0	5 G	# C	Helix
-				_		<u> </u>		<u> </u>	<u>ر</u>					55	2251	1772	1771	#		- S	LATITUDE	
ic.										دجه ٥		PRE			-	N		63503		113	原	
									、	ھ (PRESSURE			 ≥	<u> </u>	I ST/		TIMES	<u>z</u>		
										=		l i		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	ß	DEG	<u> </u>	
												_	c	Ш	유	_	¥			<u>-</u> 2) ₹	LONGITUDE	
												PRI. TEMP	נט כט		1	1	1		JD/TIME	W & £	m 	
												MP.	AAFH						Ā	o/ §	DATE JD=	
							T	T			-		E MO		1					C N	JD.	PROJECT & LEG HX220
										-27		SEC. TEMP		FLUOR S/N		· · · · ·				9 4		07&11
				ł								EMP	CID CONVEHIED MONITOH VALUES	≥ 				Tape/Diskette ID		0 ¥	TIME (GMT)	ြိ
\vdash			-	\vdash	+	+		+		\vdash	-		ľ	'				iskette		Z	<u> </u>	
												ဖွ		[₽		G	DRY BULB	DSDB I.D.
				!								SALINITY			1	ı	I		DATA LOCATION	<u>ි</u>	WET]
									İ					ChIAM S/N		1	1	File	OCATIO			
-					<u> </u>	<u> </u>	+	+	+	H			9	₹.				File Name/Header	ž	5	SEA STATE VISIBILITY	-
												SALIŃITY	DATA					leader		(a)	l	1
												Į₹	DATA			ı	l			(m/s)	N D	ST/
-		T				T		\dagger			 	S _E			∑	Ω]		REX		CLOUD (amt)	O 1 4 0 1 NOILVALS
-	_	<u> </u>	+	+	+	+		\perp	╁	-	-	 		TRANS. S/N	MAX. DEPTH =	leaned			REMARKS		WEATHER	L C X
-	\vdash	\vdash	\vdash	\dotplus	+	+	+	+	+	┼	-	Bio	COMMITTEE TO THE PROPERTY OF T	5 ¥ 	 	Cleaned air bleed valve				₹ 3	ВОТТОМ	O NO
				_	_	1						울				yd vaiw					NA S	1
								340	341	343	343	WHIT'S			3						STA. NAME/ID	

12	=	5	9	œ	Ţ	7	တ	5	4	သ	2	_		POS	SEC	PRIC	SEC	PRI T	PRES	SBE 9+ 0	<u>6</u> -		CONSC CAST #	VESSEL Alpha H
									0	6	20	37		DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+0	16759	DEG		VESSEL Alpha Helix
: :									,				PRESSURE		501	2251	1772	1771	# 63503		10. 44N	MIN	LATITUDE	
													URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1674	DEG	LON	
					ļ						į	! !	PRI. TEMP	CTD CON		R		₹		JD/TIME	4.96 W	Н	LONGITUDE	
		•									1 (1			CTD CONVERTED MONITOR VALUES			œ.			¥E.	U U V	DAY MO	DATE JD=	PROJECT & LEG
								<u>.</u>					SEC. TEMP	ITOR VALUES	FLUOR S/N				Tape/Diskette ID		992123	YR HR MIN	TIME (GMT)	T & LEG
													SAI	·					kette ID	DA		(°C)	BJLB	DSDB I.D.
		:									!		SALINITY		ChIAM S/N		' 	' 	File	DATA LOCATION	-	(°C) (mb)	PRESSURE	<u>5</u>
													SALINITY	SAMPLE BOTTLE DATA		!			File Name/Header	2		· (deg)	SEA STATE VISIBILITY DIRECTOR STATE VISIBILITY	
	<u> </u> 		<u> </u> 	<u> </u> 					ŀ		06		SA]MAX	Ę.]		REM		(m/s) ·	SE NE CLOUD (amt) TYPE -	NOITANDISED MOITATS
er.				+					1	5	1	5	! B	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			REMARKS		Ĺ	TYPE) ESIGNATI
									<				웆	ITLE NO.			bleed valv				\$ 7	1		ATION ACION
									344	345	346	120	WHIT'S NUTR.	100 H		J∃	8						STA. NAME/ID	

12	=	1 0	9	8	7	6	o ₁	4	ω	N	1		POS.	SEC (PRI C	SEC 1	PRI TI	PRESS SN	SBE 9+ 0	16		CONSC	VESSEL Alpha H
							·	9	10	ğ	37		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN #	0	20	쯦	-	VESSEL Alpha Helix
								.,				PRESSURE		501	2251	1772	1771	63503		5 . 80 N	MZ .	ATITUDE	
												URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1675	DEG	LONG	
												PRI. TEMP.	CTD CONVER	!	, М		N		JD/TIME	0. 14W 5	\dashv	LONGITUDE	
		i										SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N		 				6 6 N N F	¥	DATE JD=	PROJECT & LEG HX220
		,										MP	ALUES					Tape/Diskette ID		203	HR MIN	(GMT)	G
!												SA		{ 				# 	5	•	(°C)	BJU8 PAY	DSD8 I.D.
	1				(SALINITY		ChIAM S/N		 	 	File	DATA LOCATION	•	Ш	WET	J.D.
											<u>!</u>		SAM	₹.				File Name/Header	2		•	PRESSURE SEA STATE VISIBILITY	
					•			:				SALINITY	SAMPLE BOTTLE DATA					eader			(geb)	WIND V	
-	<u> </u>	<u> </u>		<u> </u>	<u> </u>		_	+	<u> </u>	<u> </u>	H] [0] <u>E</u>]	1	-		(m/s) *	SE SE SE SE SE SE SE SE SE SE SE SE SE S	STATION
_		_		-	_	\downarrow	_		_	_		SAL.	SAMPL	TRANS. SAN	MAX. DEPTH =	Cleane			REMARKS		*	WEATHER	CI C X
·	_	_	ļ		_	-	_	7	1	7	1	B :	SAMPLE BOTTLE NUMBER	SN.	H	Cleaned air bleed valve			S	43	3	BOTTOM DEPTH	STATION DESIGNATION
							\perp	7		7		울	E NOW			ed valvi					T		
		<u> </u>				İ		248	249	3	351	WHIT'S NUTR.	<u> </u>		3							STA.	

_		_		<u> </u>	1.		_		Ι.					P	SE.	꿈	-28	P	P	SB		ſ	Q	> ≲
12	=	10	9	8	╀	7	6	5	4	ن ا	2	1		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	20		CONSC	VESSEL Alpha Helix
									9	2	90	39		TRIP DEPTH	NS C	SE L	PSN	Ş. 1	Z #] -	3	פול		elix
					Ì										501	2251	1772	1771			-		AT	
													PRESSURE						63503	ő	S O	_ `	ń	
							,						SURE	ا	P	AT S	T D	STAF	DATA ON	TIMES				
			_		_										PAR S/N	AT SURFACE	AT DEPTH	START DOWN	Ş	S	6755			
													유	ဌ		m		Ž			•	MIN OF		
													PRI.TEMP	D CON		ļ				JD/TIME	W£8			
					١								ן פּוּ	VERTE						ñ	7	DAY MC	ATE.	 = =
							,				-		(0	MON] .	l	I	1		S UN 9	ĕ	7	HX220
							J						SEC. TEMP	ПОН А	FLUOR S/N	-		_	<u>_</u>		9	∌		, E
				Ì	Ì								MP	CTD CONVERTED MONITOR VALUES					Tape/Diskette ID		90Ec	五 Male	TIME	°
	 		·	T	1				T		┢								skette		0.			
					1								&					1	0	₽		ී	DRY	03001.0
													SALINITY			1	J	ı		DATA LOCATION		(°C)	WET	
				-											ChIAM S/N				File	CATIO		_	PRESSURE	-
				T			╁		╁	T				SA	۹۱ .				lame/t-	Z		7	SEA STATE /ISIBILITY	-
									٠. ا				SALIN	MPLE BO					File Name/Header				DIRN.	1
													YFIN	SAMPLE BOTTLE DATA			ľ	I) (m/s)	SPIN	9
	T			T			Ī	T		1		T	SAL	~		Ĭ _≅		7		REM			SECTION (amt) YPE	
	\perp	╁	+	+	-		+	+	-	_		4"	+	AMPLE	TRANS. S/N	MAX. DEPTH =	eaned			REMARKS		1	VEATHER	2
-	\vdash	\vdash	-	+	4		-	╀-	7		1		Bio	SAMPLE BOTTLE NUMBER	 	"	Cleaned air bleed valve				40	3	BOTTOM	NCXA
				\downarrow	_				1		1	_	욷				wiley by						 Σ ω	H
									35a	. 13 13	354	228	WHIT'S NUTR.	<u> </u>		3	ø						STA.	

2	=	10	9	&	7	٦,	<u></u>	5	4	ယ	2			POS.	SE	PA	SE	PR	PA	SB		٠ [38	<u>≽</u> ∰
	_)							6	5	ý	40		S. TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	7058	DFG.	CONSC	VESSEL Alpha Helix
									,				PRESSURE		501	2251	1772	1771	# 63503		56.41N			
													CRE .		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	60	DEG		,
										:			PRI. TEMP.	CTD CONV		Ж		NA 		JD/TIME	5 W	MIN		
)		CTD CONVERTED MONITOR VALUES	FLUC					m	UN 9	4	DATE	PROJECT & LEG HX220
 							ļ					,	SEC. TEMP	OR VALUES	FLUOR S/N				Tape/Diskette ID		•	YR HR MIN	TIME	& LEG
		:			:		ļ						SA						ite iD	D.		ලී	DRY BUILB	DSDB I.D.
	i					A							SALINITY		ChIAM S/N		 		File	DATA LOCATION			WET	D
-													SALI	SAMP	٧.				File Name/Header	2		• 6	PRESSURE SEA STATE //SIBILITY	
:													LINITY	SAMPLE BOTTLE DATA					der		\mathbf{L}	(deg) (m/s)	WIND WINE SPD.	STA
				Ī								0.0	E)			MAX. DEPTH =	Clean			REMARKS		•	S E E E E E E E E E E E E E E E E E E E	Non-DESI
			ļ. -	-	_				\	7	_	>	Bio Co	LE 801	S. SW	PTH=	Cleaned air bleed valve	-		တ	Ha	(m)	ВОТТОМ	STATION DESIGNATION
-	-			<u> </u>	+	\dashv			356	357	35%	359	WHIT'S NUTR.	SAMPLE BOTTLE NUMBER		3	ed valve						STA.	-
L							_		<u>e</u>	7	0	20	I≌ ₽		_	7			_				0	

		_		T	Т				Τ.	Γ.				.	ဗ္ဗ	<u> </u>	SE	<u> </u>	7	ဇ္ဌ	- T	lo	. 0	<u>> ≤</u>
12	=	6	9	8	╀	1	<u></u>	5	4	ω	2	_		<u></u>	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	7/	ASI #	CONSC	VESSEL Alpha Helix
									b	Ó	3	44		TRIP DEPTH	SS CF	DSN.	MP SN	PSN	ž			DEG		lelix
					t	1			- 0	0					<u>8</u>	2251	1772	1771	#		5	MIN		
													곮]	~		63503		₹ 0	_ 2		
													PRESSURE				<u> </u>	<u>S</u>		=	Z	_		
													m		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	00			
					1				1	T	╁					ĺÃ.	エ	N N	_		5	MIN MIN		
					١								PRI. TEMP.	CTD CONVEHIED MONITOR VALUES			ļ		1	٦	8 7 W	Z F	}	
						4							EMP.	ONVE						JD/TIME		DAY F)	
\vdash		_	-		4			_	•	┡			nir	(TED)								DAY MO	i j	PROJE
												٧	SEC	MONITOR	FLUOR S/N		•	•	•		Z	<u>√</u> ≾		PROJECT & LEG
						,						ļ	SEC. TEMP	JK VAL	RSN		Τ	Ī	Tap		+	-		E F
			<u> </u>		,								٦	UES:	ill .				e/Disk		9	HA MIN	TIME	
																			Tape/Diskette ID			(°C)	DRY	
					١								SA			İ			,	DA		⇒ _b	₀ <	DSDB I.D.
													SALINITY			7		•		DATA LOCATION	-	(3)	WET	į į
		١.													ChIAM S/N	1			File N	CATIO		_	RESSURE	-
-	T		T	T	7				t	T		+		ý	-				ame/	Z		• s	EA STATE ISIBILITY	_
				Ì		23							SALIN	DATA					File Name/Header			(deg)	Z WIND	1
i													LINITY)ATA			1	1	-) (m/s)	2 D	SI
		T	_	t	\dashv			1	\dagger		1	╁╴	SAL.			1 E	Ĕ]		æ		\$	S S LOUD (amt) YPE /EATHER	STATION DESIGNATION
-	-	\perp	\perp	+	4	,	\vdash	1	+	+	+	-	 		TRANS. SAN	MAX. DEPTH =	Hearner Hearner			REMARKS			EATHER 00	SIGNA DESIGNA
			(*)						1	,	7	<u></u>	Bi	SAMIL LE BOLLEE MOMOEL	SE SE	큪	Cleaned air bleed valve			4,	144	3	BOTTOM DEPTH	CL
									1	Ş	1	7	욷				eed va					┢╌┼		- *`` `
	1	\dagger	†	t			 	<u> </u>	360	3601	362	3/3	WHIT'S			3	₹						STA.	
							1		þ	1	þ	w	ŢĀ Ţ									Ц'		

٠.,					_	_			_		,	,	12							1			- 12
25		6	9	8	7	ļ	<u>Б</u>	5	4	ω	2	_		Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	7	CONSC CAST #	VESSEL Alpha H
									1					TRIP DEPTH	ONDS	S ON	EMP S	MP SA	NS	ŏ	S) B	* Ö	VESSEL Alpha Helix
_		. •			<u> </u>	<u> </u>			<u> </u>	<u> </u>			1	로꼬	j	•	İ	1	##				
									9.						501	2251	1772	1771	63503			LATITUDE	
													PRESSURE						23		Z		
													牖		 B≱	AT SU	AT DEPTH	STAR	DATA ON	TIMES	DEG		
				_	_	4		L		igspace	L	<u> </u>	P		PAR SN	AT SURFACE	PH	START DOWN	2	••		LONG	
												1	 	CI				Z			· S	LONGITUDE	
						2							PRI. TEMP.	00 00 00 00					Ì	JD/TIME	ω ¥		
				1									.	VERTI				1		m	\$ ₹	DATE JD=	
						Ť			T	T				<u> []</u>			<u>.</u>	}			C W	JD:	PROJECT & LEG HX220
			ľ	. ,							1		SEC.	ŽITOF	FLUOR S/N						9 4	1	CT & I
					Ì								SEC, TEMP	CTD CONVERTED MONITOR VALUES	S				Tape		<u>9</u> ≆	TIME (GMT)	EG
		ļ		_	ļ.				$oldsymbol{\perp}$	_	<u> </u>	_	90	ES					Tape/Diskette ID		SYN	3 1	
				Ì	,														₹		. ය	BULB	-
													SALI							DAT			DSDB I.D.
						ĩ.							SALINITY		豆			•		DATA LOCATION	. 3	WET BULB	, _P
		-											\$ B		ChIAM S/N			,	File Name/Header	ATIO		PRESSURE	┨
					Ť			Ī	Ť	T	T	T		SA	₹ .				ame/H	-		SEA STATE VISIBILITY	1
		İ											SALIN	SAMPLE BOTTLE DATA					leader		(deg)	l	1
													LINITY	X			.:	J			1	્ર 0	ST
_	\vdash		+	十	\dagger	\dashv	-	<u>I </u>	+	+	,	$\frac{1}{1}$	ဖွ) §	Ç	<u> </u>	1	æ	8	SE WEATHER	STATION-DESIGNATION
_	igspace			<u> </u>	\downarrow	_			,	_	ļ	_	SAL.	SAME I	TRANS. S/N	MAX. DEPTH =	Cleana			REMARKS		WEATHER	SESW PESW
													뚕	g	¥ ¥	¥=	d air b			Ø		120	PIANE CA
						\neg							울	SAMPLE BOTTLE NOMBER			Cleaned air bleed valve				6	· · · · · · · · · · · · · · · · · · ·	₹
_	\vdash	╁	+	+	+	\dashv	\vdash	+	+	+	╁	╁				3	alve					STA.	
L										\perp			WHIT'S		<u>'</u>	<u> </u>						5	

			*																				- 5
12	1 1	10	9	8	7	o	6	5	4	3	2	1		Pos.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	174	CONSC CAST #	VESSEL Alpha Helix
									_					TRIP DEPTH		l		l	#		DEG S		Š
									8				PRES		501	2251	1772	1771	63503		MIN 92	LATITUDE	
									ı	į			PRESSURE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N / OEG	- - - -	
													PRI.	CTD C		Œ	1	NA I	1	'n	(1) No. 10 No.	LONGITUDE	
						•		·					PRI. TEMP.	CTD CONVERTED MONITOR VALUES			ļ			JD/TIME	D DAY	١.	문용
											,		SEC.	MONITOR	FLUOR SA		l	l	ا 		MO YR	4	PROJECT & LEG HX220
			!										SEC. TEMP	VALUES	S¥				Tape/Diskette ID		IN AN	TIME (GMT)	6
			2,0										ß						ette ID		(°C)	DRY	DSDB I.D.
i													SALINITY		ChIAM S/N		1	1	I	DATA LOCATION	. (c)	WET	J ib
H	<u> </u> -		<u> </u> 		<u> </u>	1			<u> </u> 		<u> </u> 	<u> </u>		SA.	7 1				File Name/Header	TION	(mb)	PRESSURE SEA STATE VISIBILITY	
					1	es.							SALINITY	DATA					leader	•	(deg)	WIND	
				<u> </u>	+	_				<u> </u>		-								æ	(mys)	CLOUD (amt) TYPE WEATHER	STATION-DESIGNATION
-	╁	-	+	-	\downarrow	+			_			$\frac{1}{1}$	SAL.	SAMPLE BOTTLE NOMORE	TRANS. SA	MAX. DEPTH =	Cleaned air bleed valve			REMARKS		WEATHER	I-DESIG
		$oxed{oxed}$	_	_	_	4				-	_	_	Bio		SE	=	air bie				93	ВОТТОМ	NOTION
													운				ed valv				3	1	A
		0)											WHIT'S	, and a		3	•		į		A	STA. NAME/ID	

i))			407			_		Ι.					ק	SE	Ŗ	33	Ţ	Ŗ	ဋ)	0.0	>
12	=	10	9	8	7	6	Ω.	\(\sigma\)		ν 3''	1 4		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	77	CONSC CAST #	Alpha Helix
							0	2	æ	5	9.72		HLA30	ID SN	SS	PSN	SN			200	750	elix
						 		90						501	2251	1772	1771	# 63		42.38	LATITUDE	
												PRE						63503			Ē	8.8
												PRESSURE			ΑŢ	A	STA		TIMES	Z //	<u> </u>	+-
														PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	S	68	<u> </u>	
												ا و	Ω		H		Ž				LONGITUDE	
					72							PRI. TEMP	8				1		JD/TIME	X E	-	
												. .	IVERTE						ñ	MOCJUN	DATE	
													<u></u>								NO D	HX220
												SEC. TEMP	UTOR 1	FLUOR S/N	_						ž	
												EMP	CTD CONVERTED MONITOR VALUES	≥ 				Tape/Diskette ID		000	TIME (GMT)	
	┢		j: #	╁	+-	<u> </u>	+	╁					6					iskette				\dashv
												ွှ		ļ'				5			BULB BAY	F
												SALINITY				I	I		DATA LOCATION		WET BULB	7
														CHIAM S/N	_		1	Fie	OCATIO		•	4
_	 	┢	H	<u>L</u>	<u> </u>	<u> </u>	+		+		1		Š	9.				File Name/Header	ž		• SEA STATE	
		İ								Ž	35	SALINITY	SAMPLE BO DATA					Heade			VISIBILITY (deg)	\dashv
											0	₹	E BOTTLE			ľ	l	•				N.
			_	T				+	\dagger			SAL.			1		<u> </u>	1	RE		* ICLOUD (amt)	\exists
-	╀	╀	-	╀	╁	╀	+	╀	╀	_	┝	1.00	AMPLE	TRANS. S/N	MAX. DEPTH =	eemed			REMARKS		* WEATHER	
_	ļ	_	_	_	!	<u> </u>	_	\bot	<u> </u>	_		Bio	ë	S _≥	품	air Se				8	BOTTOM DEPTH (m)	2
									L			운	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve				20MG 2		10.
			Γ	Τ		T	8	1007	18	G	V	WHIT'S NUTR.		;[;}	3	5				5	STA. NAME/ID	0

PG ___ OF __

																						(9)
12	11	10	9	8	7	6	5	4	ω	2	1		POS.	SEC O	PRI CC	SEC T	PRI TE	PRESS SN	SBE 9+ 0	176	CONSC CAST #	VESSEL Alpha H
													TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	Š	ò	0 PEG		VESSEL Alpha Helix
					1		<u> </u>	3		\vdash				<u>8</u>	2251	1772	1771	#		<u>7</u>]⊊	
					1							 PRE			-	N		63503		2	UDE	
												PRESSURE			 ≥	A			TIMES	()) 2	1	
														PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	S	DEG 28	LON	
												P	2		 M	-	§			e Me	LONGITUDE	
												PRI. TEMP	CTD CONVERTED MONITOR VALUES						JD/TIME	M 75 87		
												ק	VERTE						m	6 PAY	127	포고
										.,		s	NON C			}	İ	ı		C S	4	PROJECT & LEG
i												SEC. TEMP	TOR W	FLUOR S/N	-	1	1	급		9 7		L & LEG
												Ð	LUES					pe/Disl		0 1 PO	TIME (GMT)	
			-					T										Tape/Diskette ID		. 3		
							Ì					SALI			Ì				DA1			DSDB I.D.
												SALINITY		<u>₹</u>]	1	1	_	DATA LOCATION	. 3	WET .	, P
						1								ChIAM S/N				File Name/Header	MOITA			
			1									SA	SAMP					ne/Hea			SEA STATE VISIBILITY	_
												LINITY	SAMPLE BOTTLE DATA					der			. —	
<u> </u>		<u> </u>	<u> </u>	+	+	<u> </u>		_	_	_	<u> </u>		Ē		12		1	1		(mvs)	SP SP SP SP SP SP SP SP SP SP SP SP SP S	STATIO
		L		$oxed{}$	_	\perp						SAL.	SAME	TR.N	MAX. DEPTH =	Clean		F	REMARKS	H	CLOUD (amt) TYPE - WEATHER	T Z
												Bio :	SAMPLE BOTTLE NUMBER	TRANS. S/N_	PTH =	Cleaned air bleed valve		PhoA odd &	Ø	ज •	모꽁	STATION-DESIGNATION
												욷	, F			leed va		odd 8		57		- _{€.} §
	T	T	T	T	+	+	+	+	+			WHIT'S NUTR.	MBER		3	¥e		2			STA. NAME/ID	
		<u> </u>		上		_L						ᆙᄱᄛ	<u></u>	1				-				

				Π	Т	_	- 1	<u> </u>	ι	П	Γ	Γ			က	70	က္ဆ	<u> </u>	<u></u>	Ω.	-	П	0.0	도
12	=	10	9	8	+	1	6	5	4	ω	2	_		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+ 0	12/2		CONSC CAST #	VESSEL Alpha Helix
								0	0	3	20	44		TRIP DEPTH	ND SN	DSN I	MP SN	PSN 1			583	DEG		elix
					Ť								_		501	2251	1772	1771	# 63503		7.	M	LATITUDE	
													PRESSURE	ı		\		<u></u>			NAL	Н		
															PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	8	DEG	<u>[</u>	
												:		C	li	ACE	I	NWO	_		2 1	X.	LONGITUDE	
					Ì								PRI. TEMP	TD CON						JD/TIME	₹			
													۳.	VERTED						m	6	DAY	DATE JD=	포 꿈
	İ												SEC	MONITO	FLUOR S/N		1	1	ı		6 N U LO	MO YR	ii	PROJECT & LEG HX220
													SEC. TEMP	CTD CONVERTED MONITOR VALUES	R S/N	_		T	Таре			R HR MIN	TIME (GMT)	
-	_		-	-	_						<u> </u>	<u> </u>		ES	×				Tape/Diskette ID		143 13	<u>S</u>		-
					ł	-							ွှ						Ö	_		ී	DRY BULB	DSDB I.D.
												,	SALINITY				ļ	ļ		DATA LOCATION		ී	WET WET	BI.B.
															CHIAM S/N				File Name/Header	CATION		(a)	PRESSURE	-
													S.	SAMP	٧.				.me/He		E	:	SEA STATE VISIBILITY	3
													ALINITY	DATA					ader			8	WIND DIRN.	
_													<u> </u>	חונים				•				(B/S)	WIND SPD.	STATI
													SAL	SAM	귷	MAX. DEPTH =		_ 		REMARKS	F	-	SO E CLOUD (amt) TYPE — WEATHER	
								7	<		\	,	Bio	SAMPLE BOTTLE NUMBER	TRANS. S/N	EPTH=	Cleaned air bleed valve			KS	<u>ن</u> -	3	ВОТТОМ DEPTH	STATION-DESIGNATION
			1		1			7		~		1	울	I LE X			bleed va				3	+		- 14 9
	 	T	\dagger	+	+			373	777	375	37-6	4	\ 	OMBER		3	ive					1	STA. NAME/ID	

						_	_	_	_		,		,		-6	_	- (0	_		160		,	
12	=	10	9	8	1	6	, (5	4	ω	N			POS.	SEC Q	<u>¥</u>	E CH	超品	PRESS SN	SBE 9+ 0	78	CONSC CAST #	VESSEL Alpha Helix
													i	HLd30	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S	Ò	8 E		Helix
					<u> </u>	╄	+			<u> </u>			<u> </u>	Ξ ĭ	N 501	2251	[l	#		32 M 23 M	_	
!									50.				 2			51	1772	1771	63503		-5-	LATITUDE	
				-									PRESSURE				Ļ				N Z	 	
													帝		PAR S/N	AT SURFACE	AT DEPTH	START	DATA ON	TIMES	2 PEG		
		_	_		╁	╀	+		_	├	-	\vdash	\vdash		S I	FACE	₹	START DOWN	¥		87	LONGITUDE	
							-						 <u>B</u>	S							5	E C	
						\cdot							PRI. TEMP.	NO NO						JD/TIME	ع ج	 	
														ERTE						m	- 5	1	를 끌
													,	MON	FLL		1	ļ	l		C S		PROJECT & LEG
												-	SEC. TEMP	ITOR \	FLUOR S/N	_	1				9 7		18 TE
													MP	CTD CONVERTED MONITOR VALUES					Tape/Diskette ID		- I	(GMT)	G
┝	┢	┝	26	+	+	+		-		╫	-	\vdash		S					iskette		2		
																			ĕ		-	BULB	DSI
			39									١	SALINITY] 11				DATA	H	. D. s.	DSDB I.D.
		_			Ì							1	7		오		1	1	IJ	DATA LOCATION	. 3	WET .	
			:												ChIAM S/N				File Name/Header				
													Ş.	SAMPL					ne/Hea			* SEA STATE * VISIBILITY	-
					,	C							ALINITY	DATA					der				
													\	E BOTTLE DATA		1		_					STAT
						Ī							SAL	S	I I	Ĭ.	Ŭ.			REMARKS		CLOUD (amt) TYPE WEATHER	STATION-DESIGNATION
	\vdash	╁	+	╁	\dagger	+	\dashv	ſ	-	+	-	+	-	MPLE	TRANS. S/N	MAX. DEPTH =	aned			ARKS		· WEATHER	Siesa Fesiesa
_	•	-	+	+	\downarrow	4	_	_	 _	\downarrow	\bot	\perp	Bio	BO 11	¥ 	1	air bie				SM 3	BOTTOM DEPTH	ATION
					Į,	ō.							울	SAMPLE BOTTLE NUMBER			Cleaned air bleed valve		-				
					a l	.03							WHIT'S NUTR.	ND FX		э	7					STA.	

12	=	5	9	∞	Ţ-	<u>، ا</u>	თ	5	4	ω	~	_		Pos.	SEC (PRIC	SEC 1	PRIT	PRESS SN	SBE 9+ 0	411		CONSC CAST #	VESSEL Alpha H
							0	0	20	30	40	53		TRIP DEPTH	j	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN *	0	795833.	DEG	_	VESSEL Alpha Helix
									8				PRESSURE		501	2251	1772	1771	63503		3.09N	MIN	LATITUDE	
													ÜRE		PAR SN	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	6726	DEG	LONG	
						3							PRI. TEMP	CTD CC		ļ ^m	1	≩	1	JD/	6.56W	MIN	LONGITUDE	
						•							MP	CTD CONVERTED MONITOR VALUES			i	į		JD/TIME	<u>ک</u>	DAY MO	DATE JD=	PROJE HX220
	-												SEC. TEMP	MONTION	FLUOR S/N	<u></u>	<u>'</u>	· —	<u>'</u>		U N 9 9 C	≨		PROJECT & LEG
			1.74	_			-				_		MP	ALUES					Tape/Diskette ID		4090	HR MIN	TIME (GMT)	G
			1			8							SAL						e D	DA1	•	ල්	BULB DRV	DSDB I.D.
									= 7		:		SALINITY	,	ChIAM S/N		·]	File	DATA LOCATION	-	C)	WET	Þ
r						\ \						<u> </u>	SAL	VAMP	⊣ ₁				File Name/Header	2		(B)	PRESSURE SEA STATE VISIBILITY	
								,					LINITY	DATA					der			deg) (m/s)		STA
													SAL	JAM.	TRAN	MAX. DEPTH =	Clean			REMARKS		•	SE SE CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
,				_							الب		쭝:	SAMPLE DO I LE NOMOCA	TRANS. SN_	PTH=	Cleaned air bleed valve			€ S	59	3	BOTTOM DEPTH	C S
	_			1			. ,						울				ed valv				30		 	~
													WHIT'S	900		3	Ø			 .			STA.	

12	=	10	9	α		. 7	6	ςı.	4	အ	2	_		POS.	SEC C	PRIC	SEC T	PRI TE	PRESS SN	SBE 9+ 0	- 20	9	CAST #	VESSEL Alpha H
							C	10	S	20	40	57		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	WS 8	0	805828	DEG		VESSEL Alpha Helix
							4						PRESSURE		501	2251	1772	1771	63503		8.49N	MIN	ATITION	
													URE		PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	12 391	DEG		
			:										PRI. TEMP.	CTD CON		m		≥		JD/TIME	. 67W		ONGITUDE	
		,		 									P	CTD CONVERTED MONITOR VALUES						ñ	6 J U N	DAY MO	DATE JD=	PROJE HX220
		,								~			SEC. TEMP	NITOR VALU	FLUOR S/N_				Таре		30708	YR HR MIN	(GMT)	PROJECT & LEG HX220
	J				,	_			_		=			JES			ł	,	Tape/Diskette ID		<i>∞</i>	П	MT DRY	
											2		SALINITY		C.					DATA LOCATION	. ,	Н	B WET WET	DSDB I.D.
				_										တ	CHAM S/N_				File Name/Header	CATION		(mb) •	PRESSURE SEA STATE	
	!	,	·									:	SALINITY	SAMPLE BOTTLE DATA					/Header			(deg)	VISIBILITY DI XI NO NO	
				<u> </u>						<u> </u>	<u> </u>		SAL			MAX.	<u>Ω</u>)		REM		(m/s) * *	S E S S S S S S S S S S S S S S S S S S	STATION D
							7	, , ,	1	,			Bio	SAMPLE BOTTLE NUMBER	TRANS. S/N_	MAX. DEPTH =	Cleaned air bleed valve			REMARKS	6	(m)	WEATHER BOTTOM	STATION DESIGNATION
							7		7		1		오 V	TLE NUM			ieed valve				63	╆┈┤		. `` <u>§</u>
							785	385	326	787	(V) (V)	389	WHIT'S	ER	<u></u>	3							STA.	