WHIT'S NUTR. ٤ NAME/ID SAMPLE BOTTLE NUMBER 2 <u>8</u> **BOTTOM** DEPTH 1 STATION DESIGNATION MAX. DEPTH = <u>E</u> REMARKS Cleaned air bleed valve SP WIND (amt)
CLOUD (amt)
SPYT SAL (m/s) SAMPLE BOTTLE WIND DIPN. 08/ SALINITY (ded) DATA File Name/Header VISIBILITY Ø SEA STATE 25001. DATA LOCATION (dm) **TRANSMISSOMETER** WET ပ္ပ် SALINITY Tape/Diskette ID PE BY Z T (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG 18 00 0 11 / M do. CHIAM HX840222 ₹ DATE JD= DAY AUCH JD/TIME PHI TEMP LONGITUDE START DOWN 10/15988138N/167/14 AT SUPFACE AT DEPTH 7 **DATA ON** TIMES HESSER LATITUDE DEPTH DEPTH 8 Alpha Helix TYPE & SN K £ PRESS SN 9 COND SN TEMP SN TEMP SN **VESSEL** SASC CAST 8 0 72 S 9 œ 6

- 90 - PC

M 2 2 R - CX/ WHIT'S NUTR. E STA. NAME/ID SAMPLE BOTTLE NUMBER SPD. CCOUD (SMILL) 붕 STATION DESIGNATION N/CX/3 MAX. DEPTH = EEE S REMARKS Cleaned air bleed valve SAL SAMPLE BOTTLE WIND DIPN. SALINITY DATA (ded) File Name/Header 24661.8 SEA STATE VISIBILITY DATA LOCATION (mp) TRANSMISSOMETER WET SUEB ပ္ပ SALINITY Tape/Diskette ID DAY Ş Z E E GMT) 14 WILLAUGOBICE CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG CHAM HX210 222 Œ ₹ DATE JD= DAY THEODE ! JD/TIME PRI. TEMP. LONGITUDE 20215929.00111111124. START DOWN AT SURFACE AT DEPTH /<u>\$</u> DATA ON 8 TIMES HESSEL LATITUDE 8 Alpha Helix TYPE & SN ß PRESS SN COND SN TEMP SN TEMP SN VESSEL CAST 8 0 -N ო S 9 æ 6

12

WHIT'S NOTE. NAME/ID STA. SAMPLE BOTTLE NUMBER WIND CLOUD (AMIN) 중 STATION DESIGNATION MAX. DEPTH = ンメンハ REMARKS Cleaned air bleed valve SAL 12/5/01/2 SAMPLE BOTTLE WIND DIRN. SALINITY DATA (ded) File Name/Header 0 22001.0 SEA STATE VISIBILITY DATA LOCATION (mp) **BUCKSOUPE TRANSMISSOMETER** WET BULB <u>(</u> SALINITY OHY BULB Tape/Diskette ID 2081591191711N16734.58W111AUGOBIRON ¥ E GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG CHAM HX210 222 ⊈ Ş DATE JD= DAY HUOR JD/TIME PRI, TEMP. LONGITUDE START DOWN AT SUPFACE AT DEPTH T A DATA ON TIMES 8 HESSUR LATTITUDE 墨 DEPTH DEPTH 8 Alpha Helix TYPE & SN g PRESS SN COND SN TEMP SN TEMP SN VESSEL CAST 8 10 0 (1) S ø œ

G OF

Take Day	VESSEL Alpha Heliv				A I	PROJECT & LEG HX219-222	EG		220	0.1.0	STA	ION DES	STATION DESIGNATION		VICK &
CONTINUE	<u> </u>		Ы		-		TIME	Z. C		SEA STATE		(tms) QUOJS			STA.
	\ <u>\{\text{8}}{\text{2}}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>	ATTUDE	J E	MEN INC	- 1	<u> </u>	≥	ရှိ (၃)		1	\top	L .	1 1	+	
CTD TIMES JUNTIME 9 4 Proposition DATA LOCATION REMARKS 5.8 SN STAFT DOWN Tape/Diskette ID File Name/Header AT SUFFACE 5.8 SN STAFT DOWN MAX. DEPTH = MA		12 N	12/	9.95	 ≺	U G	19	1.7	•	V	0	2			x X
Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Disket			TIMES	9	TIME	66		Õ	ATA LOCA	Not		REMAR	sX.		
SSSN STAFF DOWN AT DEPTH DSN AT SUFFACE DSN AT SUFF	PE & SN		DATA ON				Tape/Dis	cette ID	File	Name/Hea	der				
AT SUPFACE SIN AT SUPFACE SI	RESS SN		START DO	 		1		ļ							
DSN ATSURFACE SN TOPAR PRIOR DATA TRANSMISSOMETER CID CONVEHTED MONITOR VALUES DEFTH THESSURE PRI TEMP. SEC. TEMP SALINITY SALINITY SALINITY CAL THESSURE THESSU	SMP SN		АТ ОЕРТН			1									
THE THESINE PAR THUCH SALINITY SALINITY SALINITY CHE NUMBER OF THE SALINITY SALINITY CHE	NS QNC		AT SURFAC	Ж						Į.		MAX. D	EPTH =		ε
THP CTD CONVEHTED MONITOR VALUES SAMPLE BOTTLE NUM DEPTH PRESURE PRI, TEMP SEC, TEMP SALINITY SALINITY SALINITY CH.	NO OW		Z		(A)	ASSILA	Ţ	FFANSMIS	SOMETER	<u> </u>	aned air l	leed val	lve		3
PRI TEMP. SEC TEMP SALINITY SALINITY GAL. NUTR. CH.	` L	99			ONVERTE	MONITOR	VALUES	및		SAMPL	E BOTTLE ATA	SAM	IPLE BOT	NOIN TITE NOIN	88
		SSE	<u> </u>	PRLT	EMP.	SEC. 1	EMP	SAI	INITY	₹S	TINITY	SAL.	NUTR.	ਝ	WHITS
	Ď														
	:::														
	and the														
		26.2													
						100							2		
							+				3		1		
		383					1						-		
	0.1			Ð						25				-	

WHIT'S NUTR Ε NAME/ID STA. SAMPLE BOTTLE NUMBER 오 STATION DESIGNATION MAX. DEPTH = <u>E</u> Brady REMARKS Cleaned air bleed valve SAL. SAMPLE BOTTLE DATA WIND DIPN. SALINITY (ded) File Name/Header SEA STATE 22001.0 107 DATA LOCATION (mb) **TPANSMISSOMETER** ပ္ SALINITY ory Bulb Tape/Diskette ID GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG = 8 6 0 A 1/1 WOE CHAM HX210 JJJ Œ § DATE JD= DAY FLUOR JD/TIME PRI. TEMP. LONGITUDE START DOWN 20519011010111111515 AT SURFACE AT DEPTH T PAR DATA ON TIMES HESSUR LATITUDE 52 39 Alpha Helix TYPE & SN 65 PRESS SN COND SN TEMP SN TEMP SN VESSEL CAST ģ 10 12 0 ო 9 S 8 O

PG ___ OF__

												5	<u>5</u>	
VESSEL				<u> </u>	PROJECT & LEG	EG.		10000	2700	STAT	STATION DESIGNATION $N/c \circ /$	GNATION (7.	
Alpha Helix				È	CTT OFFI			<u></u>					-	
SNOO				···				<u>∃ens</u>	3TAT2		tms) QU A3HT			į
CAST #	LATITUDE	LONG	LONGITUDE	DATE	JD=	TIME (GMT)	DRY BUB	MET BUTES	∀∃ S	SPD.	CLO	BOTTOM		STA. NAME/ID
930		930	MIN	DAY	MO YR	H MIN	(0.)	(°C)	(mb) (deg)	(s/m) (t	•	(E)	_	
201 58	70	0871	5.89V	4 1 A	U G 9 🕏	2224	6.9		20 38 0	02008	762		44	-
CLD		TIMES	νας	JD/TIME	66		ă	DATA LOCATION	NOL		REMARKS		44	
TYPE & SN		DATA ON				Tape/Diskette ID	cette iD	File	File Name/Header	_				
PRESS SN		START DOWN	W.							1				
TEMP SN		AT DEPTH				g#		!	ļ	1				
COND SN		AT SURFACE	 پر		 I			l			MAX. DEPTH	EPTH =		æ
NS: dy				FLUOR	CHIAM		THANSMISSOMETER	SOMETER	Clear	Cleaned air bleed valve	leed val	ve		9.8
POS. TRIP			180 180 180 180 180 180 180 180 180 180	NVERTE	CTD CONVERTED MONITOR VALUES	_11 _	rä		SAMPLE BOTTLE	30ТП.Е	SAM	SAMPLE BOTTLE NUMBER	NE NUM	BER
HLGG									DATA	A			×	
	HESSUE	H	PRI: TEMP.	ō.	SEC. TEMP	EMP	SA	SALINITY	SALINITY	ĮĮ.	SAL.	NCTR	몽	WHIT'S NUTR
1 46														
2 36											1:			
<u> </u>				-										
4 1016			:		66					el				
5 /0					×.								-	
9							:					_		
7					1 4							K		
80							ļ							
G							i			~=				
, ,				10		1								
2 =	10													
10									·				Ī	
171		1			100									

PG __OF_

	PROJECT & LEG		TATE		STATION DESIGNATION N/C	GNATION	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
LONGITUDE DATE JD=		TIME DRY W (GMT) BULB BL	SEA ST		CLOUR TYPE TRATE	율의	M STA.
DEG MIN DAY MO	G 9 TA	(°)	°C) (mb).	(deg) (m/s)	762	4/5	2NIC
JD/TIME	66		DATA LOCATION		REMARKS	S	
DATA ON	Tape	Tape/Diskette ID	File Name/Header	Header			
START DOWN				7.			
АТ DEРТН			:				
AT SURFACE					MAX. DEPTH =	EPTH =	ļ
Hear Thous	ChitAM	TRANSMISSOMETER	ETER	Cleaned air bleed valve	leed vah	ė	(3)
CTD CONVERTED MONITOR VALUES	ONITOR VALU	JES	S	SAMPLE BOTTLE DATA	SAME	LE BOTT	SAMPLE BOTTLE NUMBER
PHESSURE PRI TEMP.	SEC. TEMP	SALINITY		SALINITY	SAL	EF.	WHIT'S CHL. NUTR.
				F3			
	ġ:						
\$32 						20	
							+
	Ō						
							-
48	27					-	_

0 0 0 0 NAME/ID STA. Q F AND WIND (AMIL)
SPD. CLOUD (AMIL)
SPD. CLOUD (AMIL)

(A)

(A)

(A) STATION DESIGNATION REMARKS WIND 040 (deg) File Name/Header 9. SEA STATE VISIBILITY 22001 7880 DATA LOCATION (mp) WET ပ္ပ p DAY Tape/Diskette ID <u>ဂ</u> ¥ £ 94858 800 A111WS2. GMT) PROJECT & LEG HX210 222 뜻 66 ₹ DATE JD= DA≺ JD/TIME LONGITUDE ₹ START DOWN DATA ON 2085842192N168 TIMES LATITUDE Z S 930 Alpha Helix TYPE & SN £ PRESS SN VESSEL CAST

AT DEPTH

TEMP SN

COND SN	AT SURFACE	₩	·			MAX. D	MAX. DEPTH =		E
TEMP SN	T T	HUOR	GHIAM	- HRANSMISSOMETER	Cleaned air bleed valve	leed val	ve		135
TAIP DEPTH		CTD CONVERTE	CTD CONVERTED MONITOR VALUES	27	SAMPLE BOTTLE DATA	SAM	SAMPLE BOTTLE NUMBER	TLE NUN	BER
	HESSURE	PRI. TEMP.	SEC. TEMP	SALINITY	SALINITY	SAL.	NUTH.	SE.	WHITS
						34			
				=	Ξ.				
							1		
					14		100		
					\oplus				
					^				
		87	9						
	ñ.							i e	
		W.			**				

OF DG.

	-								NOTENSISSISSISSISSISSISSISSISSISSISSISSISSIS	2000		5	
VESSEL			<u>.</u>	PHONECT & LEG	ອຸ		20	000		*		7	
Alpha Helix			=	アンプロスメエ	-	_	1	۲ ۲		(<u> </u>			
	ATRICE		DATE	ű,	TIME	DRY	E E E	SEA STATE VISIBILITY O WIND	SPD. CLOUD (amt)	WEATHER TYPE	BOTTOM DEPTH		STA. NAME/ID
92	NIN DEG	NIN (5	DA∀	Q	H MIN	(၁.)	(°C) (mb)	. (deg)	. (s/ш)	•	(m)		
29 578 4	N 60	_ \	8.84W/2A	1 G 9 8	4100	6.5		36075	0 8	72	72	52N/	200
CTO	TIMES		JD/TIME	66		ρQ	DATA LOCATION	NOL	<u> </u>	REMARKS	/A		
TYPE & SN	DATA	DATA ON		· · .	Tape/Diskette ID	ette ID	File N	File Name/Header	1				
PRESS SN	STAF	START DOWN	11+										
TEMP SN	ATD	АТ ОЕРТН	174	<u>-</u>	27 TA								
COND SN	ATSU	AT SURFACE				:		[Σ	MAX. DEPTH =	7H=		Ε
TEMP SN		PAR	PLUOR	CHIAM	\Box	PRANSMISSOMETER.	OMETER	Cleaned air bleed valve	air blee	d valve	_		
POS. TRIP			CTD CONVERTED	D MONITOR VALUES	VALUES	ä		SAMPLE BOTTLE DATA	T.E	SAMPL	Е ВОТТ	SAMPLE BOTTLE NUMBER	BER
	PRESSURE		PRI. TEMP.	SEC. TEMP	EMP	SAL	SALINITY	SALINITY		SAL. N	NUTH	통	WHIT'S NUTR.
49												\top	
97 6											_		
3 30									_				
4 25							9			\dashv			
5 %				œ.		2			<u>.</u>	+	-		
										_	1		
_				ġ.				-			9.	_	
<								=		_			
6						ļ			-17	\dashv	\dashv		
10			5.	t.					<u> </u>	+	-		
11	li si									\dashv		+	
12		33							-	\dashv			

												2	5	
VESSEL				7	PROJECT & LEG	EG		ć		ST	STATION DESIGNATION	GNATIO	7	
Alpha Helix				Î	HX 210 222	اہہ	_	2200	Ó		-		-	
CONSC CAST	ATITIDE	HONGITUDE	- INDE	DATE J	D=	TIME (GMT)	DRY	WET BURE	SEA STATE VISIBILITY	WIND WIND DIPN. SPD.	CLOUD (amt)	ABHTABW BOTTOW HPTOW HE		STA. NAME/ID
940		980	Z	DAY	MO YE	H MIN	(၁.)	(°C) (m	•	(deg) (m/s)	s) • • •	(E)		
2105183	7.7	16871NL		W 12A	U G 9 🕉	5400	5 7	0	836	0000	8872		572 N (C07
		TIMES	g	JD/T!ME	66		Ď	DATA LOCATION	NOL		REMARKS	ЖS		
TYPE & SN		DATA ON				Tape/Diskette ID	ette ID	File	File Name/Header	Jer	<u>-</u>			
PRESS SN		START DOWN			!	:		1		. 1				
TEMP SN		AT DEPTH			1	22 24		 - 						
NS DNOO		AT SURFACE			1			:			MAX. DEPTH	EPTH =		Ε
TEMP SN		T AND T		FLUOR	ChlAM		TRANSMISSOMETER	SOMETER	Cle	aned air	Cleaned air bleed valve	Ve		32
POS. TRIP DEPTH		الــ		CTD CONVERIED	MONITOR VALUES	VALUES	ভ		SAMPL	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NUN	BER
	HESSUR	<u> </u>	PRI. TEMP.	MP.	SEC. TEMP	EMP	SAI	SALINITY	NS.	SALINITY	SAL.	NOTR	S.	WHIT'S NUTH.
1 48														
-														
3 75)
_								.5		8				ju ju
5 15		00			92		С	;						\top
		ļ												
1					Y2							<u>2.</u> ;		
60			i							55				
σ										411				
, ç				- 6		U.								
2 =	= 4			81										
- 6-									\$6 60					
171		1			TO.				!					

TIME DATE	VESSEL Alpha Helix				R X	PROJECT & LEG HX 219 222	95			226%	STA	STATION DESIGNATION	SIGNATION	1008	8
Fig. May Day Mo No Ho May CO CO Co Co Co Co Co Co		ATITUDE	TONG	ITUDE	DATE J	D=		DRY BULB		SEA STATE VISIBILITY		CLOUD (amt)	WEATHER DOTTOM THE		STA. NAME/ID
Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header START DOWN AT DEPTH AT SUPFACE Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header AT DEPTH AT SUPFACE Tape/Diskette ID File Name/Header AT DEPTH AT DEPTH AT SUPFACE Tape/Diskette ID File Name/Header AT DEPTH AT DEPTH AT DEPTH AT DEPTH AT SUPFACE Tape/Diskette ID File Name/Header AT DEPTH AT SUPFACE Tape/Diskette ID File Name/Header AT DEPTH AT D		NEW Y	DEG ,	N W		SA CO		(C)		. 2	jeg)		(E) V	<u>v</u>	
START DOWN AT DEPTH AT SUBFACE The MA AT SUBFACE The Manual Properties of the Manage of the Man	크 5	N 14 14 IV	/ W VW	71/71/2 100 100 100 100 100 100 100 100 100 10	רה	66	┪	3	TA LOCA	<u> </u>]		
START DOWN AT DEPTH AT SUPFACE TO CONVEHTED MONITOR VALUES SALINITY SALINIT	YPE & SN		DATA ON				Tape/Disk	ette ID	File	Name/Hea	ıder				
D SN AT DEPTH MA D SN AT SURFACE CTD CONVEHTED MONITOR VALUES SAMPLE BOTTLE D SPTH CTD CONVEHTED MONITOR VALUES SAMPLE BOTTLE D SPTH DATA DATA 20 SEC. TEMP SALINITY 20 20 20 20 10 10 10 10	PRESS SN		START DO	₹	;	<u>.</u>					=				
ATSURFACE THESS.FE PRI TEMP. SEC. TEMP SALINITY SALINITY SALINITY SEC. TEMP SALINITY SALINITY SALINITY SEC. TEMP SEC. TEMP SALINITY SEC. TEMP SEC. TEMP SALINITY SEC. TEMP SEC. T	EMP SN	27	AT DEPTH	1											
The converted monitor values Thansimissometh Cheaned air please	NS QNO		AT SURFAC	w w		<u> </u>						MAX. D	MAX. DEPTH =		E
THP CTD CONVEHTED MONITOR VALUES SAMPLE BOTHE DBPTH PRI TEMP. SEC. TEMP SALNITY SALNI	EMPSN		T A§		£	1 CHIAN		TRANSMISS	OMETER	<u>5</u>	eaned air	bleed va	Ve		i e
40 40 40 30 20 20 15 10 10	POS. TRIP DEPTH			18 18 18 18 18 18 18 18 18 18 18 18 18 1	NVERTEC	MONITOR	VALUES		d E	SAMP	LE BOTTLE DATA	SAN	SAMPLE BOTTLE NUMBER	TLENUN	BER
		PPESS	343	PRI. TE	ď.	SEC. T	EMP	SAL	YTIN	8	LINITY	SAL.	NCTR.	유	WHITS
	- 22														
	-							ļ	į						
											(m) t				
	_					Ū.									
	9 15														
									,		S.		9#		
											(2)				
1 2											22				
	0				9.		8						1	1	
	-														
	12					ŀ	196			3%					

155 W/1/2008 NAME/ID STA. SAMPLE BOTTLE NUMBER 00 P AND WIND (AMI)

SPO CLOUD (AMI)

SPO (AMI) STATION DESIGNATION MAX. DEPTH = გ REMARKS Cleaned air bleed valve SAMPLE BOTTLE WIND DIPN. (ded) DATA File Name/Header O SEA STATE VISIBILITY 226, 083 DATA LOCATION (mp) - THANSMISSOMETER WET ပ္ DAY BULB Tape/Diskette ID ¥ E GMT) CTD CONVERTED MONITOR VALUES PROJECT & LEG 2 A U G 9 80 CHIAM HX210 222 Œ Ş DATE JD= DA≺ #100H TIMES 24.1 OD/TIME LONGITUDE ₹ START DOWN 25835146N16895 AT SUPFACE AT DEPTH TE A DATA ON LATITUDE **Z** OEPTH HTGGO 88 Alpha Helix TYPE & SN £ PRESS SN COND SN TEMP SN TEMP SN CAST VESSEL 8

_	<u>ي</u> در	_			Ţ		<u> </u>			- 1	T	<u> </u>	7
	WHITS												
e).	동												
	NCT.						10	E)					
	SAL.		18										
	SALINITY				100				Œ	•			12
	SALINITY												
	SEC, TEMP				100			2.7			6		12
	PRI. TEMP.										33		ii)
<u> </u>	PRESSURE												
		Ba	40	30	25	0	\	,					
		1 18	2 4	3	2	1		┪	3 6	+	10	11	12
_		L	Щ.	L	L	1	1		l	1	1	l	

WHIT'S NUTR S8N1 608 Ε NAME/ID STA. SAMPLE BOTTLE NUMBER NICOS 된 WIND WIND OF BOTTOM SPD. C PEPTH STATION DESIGNATION (E) MAX. DEPTH = <u>E</u> REMARKS Cleaned air bleed valve 0836010101882 SAL. (deg) (m/s) SAMPLE BOTTLE SALINITY DATA File Name/Header SEA STATE VISIBILITY DATA LOCATION (mb) 250%10 TFANSMISSOMETER WET BUGB ပ္စ SALINITY 9 Tape/Diskette ID ORY BUB 5 Y H TIME (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG - C5 TW/12 A U G 9 80 SAM CAM T HX210 222 ۶ Ş DATE JD= DAY 1400F JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SURFACE АТ ОЕРТН 135833.08N1682 DATA ON TIMES HESSUR LATITUDE 8 25 Alpha Helix 40 12 30 20 TYPE & SN £ PRESS SN 0 COND SN TEMP SN TEMP SN VESSEL CAST SS. 10 12 = œ ဖ

PG __OF_

					į							2	5	
VESSEL Alaba Heliv				<u>a</u> ±	PROJECT & LEG	EG		250	0,0	STATIC	STATION DESIGNATION $N C C ($	C ((~	
CAST						ł .	. DB.	34U8234	EA STATE SIBILITY S	ONIN	(1ms) GUOJ: 39Y A3HTA3V	BOTTOM		STA.
**	LATITUDE	LONGITUDE		DAIL	<u> </u>		90g	Τ	Λ s		Λ . Ο .		-	
7 1 4 5	4 5- 8- 20 12 12 N	1 CV	≈	× 7 ×	6 0 0		スドー		<u>v</u>	80	872		3 20/1	11/12
.	3	TIMES		JD/TIME	66		۵	DATA LOCATION	NC		REMARKS	S		
TYPE & SN		DATA ON				Tape/Diskette ID	cette ID	File Na	File Name/Header	<u>-</u> -	:			
PRESS SN		START DOWN	z	:		į]						
TEMP SN		AT DEPTH		ä.		ē							į	
COND SN		AT SUPFACE	9						[MAX. DEPTH	PTH =		E
TEMP SN	•	188	4	HUOR	Chiam		THANSMISSOMETER	SOMETER	Cleaned air bleed valve	air ble	ed valv			<u> 18</u>
POS. TRIP				ONVERTE	CTD CONVERTED MONITOR VALUES	VALUES	7		SAMPLE BOTTLE DATA	ПЕ	SAMP	LE BOT	SAMPLE BOTTLE NUMBER	BER
}			:											
	PRESSUPE	H	PRI TEMP.	EMP.	SEC. TEMP	EMP	SAI	SALINITY	SALINITY		SAL.	NCTR.		WHIT'S NUTR.
1 60							•				+			
2 50					ļ									
			:		3									1
					6			±1						
5 25			į		it.									
		<u> </u>							ļ.					
	16.55				8			-	=					
10			,	. 334	**				i	\dashv	+		1	
=													14	
12										_				
							<u> </u>							

			!							200		NOTE AND		
VESSEL					PROJECT & LEG	ឡ		- {		5 A B	N DEVIC	~	,	
Alpha Helix				-	HX 210 222			250	07.0		Ì	110	5	
CONSC						TIME	DAY	34nss3 Tu *	SIBILITY SIBILI		(tms) QUO. 39 A3HTA3	BOTTOM		STA.
	LATITUDE	LONG	LONGITUDE	DATE JD=	ŀ	(GMT)	BUB	\Box	SE N	SPD C	M W	DEPTH	_	NAME/ID
930	MIN	OEG	NEW N	DAY	QV QV	H F	ဥ	(°C) (mb)	(deg)	(m/s)			-	
218318	N 5/4.	1683	39.54 W	7	A U G 9 🕉	0358	7.4	. 093	326016	00	7	Ž	200	5
g		TIMES		JD/TIME	66		Δ	DATA LOCATION	NO	<u> </u>	REMARKS	S		
TYPE & SN		DATA ON				Tape/Diskette 1D	ette ID	File N	File Name/Header					
PRESS SN		START DOWN	¥											
TEMP SN		AT DEPTH		18 m		. 85				,				
COND SN		AT SURFACE	ا س		1			j		_≥_	MAX. DEPTH	PTH =	24	E
TEMP ON	J	PAN D	F	ESS T	CONTRACT.		TRANSMISSOMETER	OMETER	Cleaned air bleed valve	air ble	d valv	8	. ,	
DOC TOIS			0000	CTD CONVERTED		VALUES	101		SAMPLE BOTTLE	ПЕ	SAMP	SAMPLE BOTTLE NUMBER	ENUM	BER
HIABO	- P								DATA	, i				
	HISSHE	ш	PRI TEMP	ē.	SEC. TEMP	EMP	SAL	SALINITY	SALINITY		SAL.	NUTR	동	WHITS
1 62.4							,							
14														
4 30.1						(i)	•	20		100		_		.
5 25.0	,				S-F		Š.				+		1	
6.20.0														
1					755		-		84		_	병	1	
+-									8	1				
1										-0	-			
» (÷				is is										
2	35										1			
C.			8						20	_				
121		4			92									i

												,	5	1
VESSEL Alpha Hefix				ă Î	PROJECT & LEG HX 210 222	<u>ق</u> بہ قا		252	01.0m	STATIC	STATION DESIGNATION	NATION	_	
1						!	DRY	34NS334E 2	EA STATE	QNIM	(tms) QUO (smt) 39Y 83HTA3V	BOTTOM		STA.
_	LATITUDE		LONGITUDE	DAIL	5 5	CIMI)			۸ s	_	1.		+	2
E	NW	2 2 2 2 2 2 2	2 2	\ - -	╁	E,	<u> </u>		. ?	() ()	1	7. 12.	4111	クエノ
210500	1.0 % N	/ で めロア	7	W/W/A	0 0 9	08/7 71	71.5	<u>.</u>	15600	2	8114	₽ P	747)
GES		TIMES	λQr	JD/TIME	0-		Δ	DATA LOCATION	NO		REMARKS	S.		
TYPE & SN		DATA ON			!	Tape/Diskette ID	ette ID	File N	File Name/Header					
PRESS SN		START DOWN	[!	:			
TEMP SN		АТ ОЕРТН	i											
COND SN		AT SURFACE			- 			ı			MAX. DEPTH	PTH =		٤
TEMP SN	3	E E	4	RUOR	- CHIAM	7	TRANSMISSOMETER	OMETER	Cleaned air bleed valve	l air ble	ed valv	9	W	-
POS. TRIP DEPTH) (1) (2) (3)	ONVERTE	CTD CONVERTED MONITOR VALUES	VALUES	7		SAMPLE BOTTLE DATA	E E	SAMP	SAMPLE BOTTLE NUMBER	LE NUM	BER .
	H 8550	<u> </u>	PRITEMP	Q.	SEC, TEMP	EMP	SAL	SALINITY	SALINITY		SAL.	NUTR.	유	WHIT'S NUTR.
1 6,5														
カックマ														
1														
4 6.8	20.7				2 . 8	:		-		+		21.0		
5 10,0		- 1	8	-	N _E		11		i de		_	(*) (*)		
, (ŧ:											62		
0,7				9	*		31		122			9:		
3 ~									14					\neg
6			X.					H		- 10	+			
10						×		:			_	+		
11								-		+	+	+	+	
12					S				8	-	\dashv	-	\dashv	
								0.1						

er 20 m

					11 9 TOOL OF	١	-			0	STATION DESIGNATION	FSIGNATI	NO F		\lceil
VESSEL. Ainha Helix				<u>î</u> 1	HX 219 222	بہ ا		25001.	01.0			X	6/5/		
1	AGE ETT	EGILENOI	901	DATE JD=	<u>۔ </u>	TIME (GMT)	DRY	WET SEE	SELESSATE STATS A38 YTUBISIV	WIND V	WIND CLOUD (amt)	ABHTABW	ВОТГОМ ОЕРТН	STA. NAME/ID	Q/
980	MIN	0EG		DAY		-	()		Ð) (geb)			(m)		
	6.49 N	34/4	W/4/	X	U G 9	045/2	17.17	9	0 83 C	000	1801	4	68	Ž Ž	À
GE3		TIMES	JD/TIME	JME	66	2	à	DATA LOCATION	NOIL		<u> </u>	REMARKS			
TYPE & SN		DATA ON	3	i		Tape/Diskette 1D	ette ID	File	File Name/Header	eader		i			
PRESS SN	<u>.</u>	START DOWN	7				:			7					
TEMP SN	<u> </u>	AT DEPTH		•		II 15				!					
COND SN	<u> </u>	AT SURFACE	â			1					MA	MAX. DEPTH =	# #	5-	E
TEMP SN	<u> </u>	- A	H	FLUOR	GriAM		THANSMISSOMETER	XOMETER	3	Cleaned air bleed valve	air bleed	valve	a E	5 (C)	
POS. TRIP DEPTH			CIDCO	CTD CONVERTED	MONITOR VALUES	VALUES	2		¥S ————————————————————————————————————	SAMPLE BOTTLE DATA	10.00	AMPLE	SAMPLE BOTTLE NUMBER	NUMBER	~
				9	0.00 TEMB	Q	18 7	SALINITY		SALINITY	SAL	NGR.			WHIT'S NUTR.
. / 6 6.	HESSON	μ 	Ė						46.937	22 2140			├		<u> </u>
0 // 1															
3 26.8											F:	-		_	
					i.i								$\frac{1}{1}$	+	$\overline{}$
5/0/3	(6) P	100	ñ Z p	:	il Jugg	15 A		ď		1		+	•	-	8
2				1			X I					-		-	T
					Tight.					:13			16	+	
8	2.									(3)				+	
6	4 3		ij.						_			2)(Ş	Т
10				9					<u> </u>			-	-	+	\top
11	12								_		<u> </u>	+	$\frac{1}{1}$	\dashv	\top
12		8	o		ļ			7	55			-	\dashv		7

C PG

												PG	ఠ		
VESSEL				<u>E</u>	PROJECT & LEG	(T			•	STATI	ONDESI	STATION DESIGNATION	-		
Alpha Helix	-			HXS	HXPHP 222		-	25	250010				-		
1	ATRIDE	BONDIONOT		DATE JD=		TIME (GMT)	DRY	WET WET	SEA STATE VISIBILITY DI WIND	D WIND	CLOUD (amt) TYPE WEATHER	BOTTOM DEPTH		STA. NAME/ID	`g
	MIN /	DEG	7		<u>س مح</u>	H A A	1 3	12 F 3	(mb). (deg)	(s/w) (t		(E) ***	, C	7	ergan. 11
CTD	N A	/ / / / / / / / / / / / / / / / / / /	JD/TIME		<u> </u>	7//2	70	DATA LOCATION	2		REW	}			
TYPE & SN		DATA ON			<u> </u>	ape/Diskette ID	ette ID	File N	File Name/Header	<u>.</u>	dh	7500	A.	2756A	• -
PRESS SN		START DOWN				=.				1	1/10/	Liell		fish	
TEMP SN		АТ ОЕРТН	3.		!_	13.				1	ANY DEPTH -	Suckso	N 05	8	27/20
NS QNOO	9	AT SUPFACE		9.77	_\ _ _						2				\$ 45 pcp
TEMP SN		/ P&	4	#FDC/R	CHAM		TRANSMISSOMETER	OMETER	Clean	Cleaned air bleed valve	eed val	e/	- 33	N.	Subses
POS. TRIP DEPTH			CIDCON	СТО СОМЕНТЕР МОМПОЯ У	MONITOR V.	'ALUES		- 11 - 22 - 12 - 13 - 13 - 13 - 13 - 13 - 13 - 13	SAMPLE BOTTLE DATA	зопте 'А	SAME	SAMPLE BOTTLE NUMBER	ILE NUM	BER	
2:	HESSUE	H	PRI. TEMP.	Q	SEC, TEMP	ď	SAL	SALINITY	SALINITY	È	SAL.	NUTR.	윤	WHITS	
1 (4.5												1			
2 40.4											€				
3/8/5					iii.					6					
(>	2 Fe	*		es,			16.			12 10	ES E1	#1 #3	59	14 12	÷.
700	* 5 2		Trg.			-	- Fi 	9 × 3			ec.			200	5
7 2 4				73					77.2			80			
. 8	Di _e	1.5	į.		100	52		ř.		[4					5
6		- 8 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		h." G	3 S E	1 2 2	* * *	¥			£2 III		:::::::::::::::::::::::::::::::::::::::	=	
10				8 (8)				!							
11	52							-							
12		P.			336				·						

WHIT'S NUTH. Ε NAME/ID STA. SAMPLE BOTTLE NUMBER 움 **BOTTOM** DEPTH STATION DESIGNATION 3 MAX. DEPTH = Ξ NETA ETA REMARKS Cleaned air bleed valve SP WING (amt)
CLOUD (amt)
WEATHER 87 SAL. (m/s) 34608 SAMPLE BOTTLE WIND DIPN. SALINITY (deg) DATA File Name/Header o' SEA STATE VISIBILITY DATA LOCATION 250% (mp) TRANSMISSOMETER WET BULB <u>ဂ</u> SALINITY ORY BULB Tape/Diskette 1D ပ္ E E TIME (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG OF TAM HX210 JJJ 06 W 2 A U G 9 3 Œ 9 DATE JD= DAY HODE T JD/TIME PRI. TEMP. LONGITUDE START DOWN 147 N/7875 AT SUPFACE AT DEPTH DATA ON 10/1 TIMES FESSUE LATITUDE Z ∑ 68.6 TRIP DEPTH HG V 110 Alpha Helix TYPE & SN E PRESS SN COND SN TEMP SN TEMP SN CAST **VESSEL** 2/2 POS. 0 12 Ξ 6 ß Φ

Р ۵

WHIT'S NOTA: 48 1007 Ε NAME/ID SAMPLE BOTTLE NUMBER WIND WIND OUR FIELD BOTTOM SPD. CC F WE DEPTH 2 600, STATION DESIGNATION MAX. DEPTH = NGTR. Cleaned air bleed valve ž REMARKS SAL SAMPLE BOTTLE SALINITY DATA File Name/Header VISIBILITY SEA STATE DATA LOCATION (mp) 397022399 TRANSMISSOMETER WET BULB ည SALINITY Tape/Diskette ID ORY BULB Z 35 52 8 9 B 1 2 1 1 1 1 1 9 1 3 1 3 3 5 GMT) CTD CONVERTED MONITOR VALUES £ SEC. TEMP PROJECT & LEG T CHIAM HX210 222 Œ 99 ₹ DATE JD= DAY HILDRA HILDRA JD/TIME PRI. TEMP. LONGITUDE START DOWN N / 68/8 AT SUPFACE AT DEPTH APA TA DATA ON 9 TIMES PHESSURE 2/2/0/5/8/4/4/1/10 LATITUDE <u>Z</u> OFFTH THE PER 9 Alpha Helix 30 TYPE & SN 20 B Ó PRESS SN TEMP SN COND SN TEMP SN VESSEL. CAST POS 10 12 0 S 9 Φ 8

かる王 WHITS Ε STA. NAME/ID NGTR. SAMPLE BOTTLE NUMBER 40 SPD. CLOUD (amil) 동 STATION DESIGNATION MAX. DEPTH = <u>E</u> REMARKS Cleaned air bleed valve SAL SAMPLE BOTTLE WIND SALINITY (ded) 7026300 DATA File Name/Header 0 SEA STATE VISIBILITY DATA LOCATION 0 (mp) HAESSURFE **JITHANSMISSOMETER** WET BUEB SALINITY DRY BULB Tape/Diskette ID ပ် NE T TIME (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG 16/4/12/A/16/9/8/2 CHIAM HX210 222 Œ 8 DATE JD= DAY HODE! JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SURFACE TA TA AT DEPTH DATA ON 2215844.73N/68 TIMES HESSUR LATITUDE PEPTH DEPTH 9 20 Alpha Helix TYPE & SN £ PRESS SN COND SN Q TEMP SN TEMP SN SONSC VESSEL CAST Š 12 0 က 9 ß œ

WHIT'S NUTH NAME/ID 0 SAMPLE BOTTLE NUMBER 48 NICK 움 BOTTOM DEPTH STATION DESIGNATION E MAX. DEPTH = KEEN. Cleaned air bleed valve REMARKS WIND (amt)
CLOUD (amt)
MEATHER 872 SAL. (s/ш) 7 SAMPLE BOTTLE WIND DIPN. SALINITY (ded) 1346300 DATA File Name/Header SEA STATE VISIBILITY 0 DATA LOCATION (mp) 4600 - THANSMISSOMETER WET **ပ** SALINITY Tape/Diskette ID ony BULB NE F GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG 62 W/DA UG9 82 Q N M M HX210 222 Œ 8 DATE JD= DAY HOOTH! JD/TIME PRI TEMP. LONGITUDE START DOWN AT SURFACE T IN AT DEPTH DATA ON 0 N 1 6 8 TIMES PHESSURE LATITUDE 242K1814147 OEPTH HEADO 8 Alpha Helix TYPE & SN £ PRESS SN COND SN TEMP SN TEMP SN VESSEL CAST P.OS.

12

S 9

9

WHIT'S NUTR. 48N1COY Ε NAME/ID SAMPLE BOTTLE NUMBER 된 STATION DESIGNATION MAX. DEPTH = <u>K</u> REMARKS Cleaned air bleed valve 74861 SAL. (deg) (m/s). SAMPLE BOTTLE WIND DIPN SALINITY DATA File Name/Header 0 0 VISIBILITY **STATS A3**2 DATA LOCATION 3000 (mp) 340SS344 #THANSMISSOMETER WET <u>(</u> SALINITY ORY BUB Tape/Diskette ID ¥ E GMT) 7411/68/13/68W 13AUG9 \$ 000 CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG CHAM HX219 222 Œ ₹ DATE JD= DAY FLUOR JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SURFACE AT DEPTH T PA DATA ON TIMES FIESSUE LATITUDE 7235844 PEPTH DEFTH 8 Alpha Helix TYPE & SN 6 PRESS SN COND SN TEMP SN TEMP SN VESSEL SONSC CAST PQS. 10 12 = ო 9 Ŋ 00 0

WHITS NAME/ID STA. SAMPLE BOTTLE NUMBER 동 BOTTOM HE HE STATION DESIGNATION Ξ MAX. DEPTH = <u>K</u> REMARKS Cleaned air bleed valve WIND CLOUD (amt) TYPE WEATHER SAL (m/s) SAMPLE BOTTLE WIND WEND SALINITY DATA (ded) File Name/Header 0:1 YTUIBISIV 0 SEA STATE DATA LOCATION 260 (gm) TRANSMISSOMETER MET WET ပ္စ SALINITY . BUB BUB Tape/Diskette ID TIME (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG CHAM HX210 222 7 W (M A D G 9 8 Œ Š DATE JD= DAY HOOH! JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SUPFACE AT DEPTH HAY T DATA ON TIMES HESSUR LATITUDE 3 DEPTH D Alpha Helix TYPE & SN √ **E**5 PRESS SN COND SN TEMP SN TEMP SN VESSEL. CAST PQS. 0 12 Ξ N 9 S

WHIT'S NUTH. シンズンマ E NAME/ID STA. SAMPLE BOTTLE NUMBER 붕 BOTTOM DEPTH STATION DESIGNATION MAX. DEPTH = E E REMARKS WN SOUD (smt).
TYPE
WEATHER Cleaned air bleed valve SAL *⟨*}× (m/s) SAMPLE BOTTLE WIND URIN SALINITY DATA (deg) File Name/Header 5 0 VISIBILITY SEA STATE DATA LOCATION 1000 (mb) TRANSMISSOMETER WET ပ္စ SALINITY Tape/Diskette ID ony BUB ¥ E GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG HX210 222 ChIAM ChIAM 1W/3AUG9 8 Œ 8 DATE JD= DAY FUGH JD/TIME PRI, TEMP. LONGITUDE START DOWN AT SURFACE AT DEPTH PAT. DATA ON (<u>a</u> TIMES HESSUR LATITUDE 2559H3. Ĭ 79.5 88 Alpha Helix C TYPE & SN £ PRESS SN COND SN TEMP SN TEMP SN CAST **VESSEL** SS 10 12 11 LO. 9 œ **O**

N C X 1 S WHITS Ε NAME/ID STA. SAMPLE BOTTLE NUMBER 2 BOTTOM DEPTH THE STATION DESIGNATION Ξ MAX. DEPTH = REP. WIND (&mt)
CLOUD (&mt)
TYPE
WEATHER REMARKS Cleaned air bleed valve 1874 SAL (m/s) SAMPLE BOTTLE WIND SPN: SALINITY DATA (deg) 1001,0m 7 File Name/Header VISIBILITY SEA STATE DATA LOCATION (mb) THANSMISSOMETER WET BUGB ပ္ SALINITY 3 ORY BUB Tape/Diskette ID ¥ E GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG CHIAM HX219 222 7.55 W/3 A UG 9 Œ § DATE JD= DAY 五品 JD/TIME PRI TEMP. LONGITUDE START DOWN AT SURFACE AT DEPTH T Yan DATA ON 72 65938 BIBIN 167 TIMES HESSURE LATITUDE 9 26 Alpha Helix Ñ TYPE & SN 9 E PRESS SN TEMP SN 9 NS GNOO TEMP SN CAST **VESSEL** 8 10 = 12 9 S 0 0

WHIT'S NUTR. E NAME/ID STA. SAMPLE BOTTLE NUMBER 옥 WIND WIND OF SPECIAL SPO. CENTRAL SPO. CENTR STATION DESIGNATION Ξ MAX. DEPTH = REMARKS Cleaned air bleed valve SAL. (m/s) SAMPLE BOTTLE 1.0 m SALINITY DATA 76 File Name/Header SEA STATE VISIBILITY 07 DATA LOCATION (qui THANSMISSOMETER WET BULB ပ္ SALINITY . BUB Tape/Diskette 1D 至野 GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG - CHIMM HXX10 222 56 W (3 A U G 9) Œ ₹ DATE JD-DAY -HOH-HOB JD/TIME PRI TEMP. LONGITUDE START DOWN AT SUPFACE AT DEPTH PAR DATA ON 17 / N TIMES HESSUR 18 30 LATITUDE S DEPTH DEPTH DEG Alpha Helix TYPE & SN £ PRESS SN TEMP SN COND SN TEMP SN VESSEL CAST POG.

0

6 8

N G S 9

12 =

Ŗ D D Q <u>გ</u>

					000						13	2	5	200
VESSEL			5 5	<u> </u>	PROJECT & LEG	9		230	ر. ٥	STAT	ON DESI	STATION DESIGNATION	1\	
Alpha Helix			10 20	= -	HXXIII GAZ		_			+			-	
S				, 			•	. ⊒ens	STATE	-	(tms) OL RƏH			
CAST	I ATTILIDE	- <u>X</u>	CONGITUDE	DATE	-Qf	GMT)	OH BUB	WET BUS		N. SPD.	OLO PAYT AEM	BOTTOM DEPTH		STA. NAME/ID
DEG	N.W	980	Z	DAY	SF.	NW H	(၁.)	(C) (u	(mb) . (deg)	g) (m/s)	·	(m)		
22859	900	- No.	- 1	× \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6 B U	2303	5.3	7	23123	800	1	4		
65		TIMES	/Gr	JD/TIME	66	,	ă	DATA LOCATION	NOIL		REMARKS	S S		
TYPE & SN		DATA ON				Tape/Diskette ID	cette ID	File	File Name/Header	.				
PRESS SN		START DOWN	WN	٠						. 1				
TEMP SN		АТ DEРТН		 - 										
NS GNOO		AT SUPFACE	 					4	:		MAX. DEPTH	EPTH =		E
TEMP SN			<u> </u>	FLUOR	CHAM		TRANSMISSOMETER	SOMETER	Cleal	Cleaned air bleed valve	leed val	A C	,	
POS. TRIP DEPTH	- <u> </u>			ONVERTE	CTD CONVERTED MONITOR VALUES	VALUES			SAMPLE BOTTLE DATA	ВОТПЕ ГА	SAM	SAMPLE BOTTLE NUMBER	LENOM	E
	PRESURE	H	PRI. TEMP.	EMP.	SEC. TEMP	EMP.	l SA	SALINITY	SALINITY	Į.	SAL.	NCTR	콩	WHITS
1														
2														
3												-	1	T
4														
ro								•						
9												-	1	
7														
. 60							į							
6										•				
10									Ą			+		T
11										4			 	
12														e e
			100		2									

N C U Z S WHIT'S NUTR E NAME/ID STA. SAMPLE BOTTLE NUMBER 오 XOX BOTTOM STATION DESIGNATION WIND (amt)

CLOUD (amt)

TYPE

WEATHER E MAX. DEPTH = **E S** REMARKS Cleaned air bleed valve SAL. (s/ш) SAMPLE BOTTLE ONING NEW NEW SALINITY DATA File Name/Header 0 YTUBISIV SEA STATE 0 DATA LOCATION 120 (mb) THANSMISSOMETER ္ SALINITY ORY BULB Tape/Diskette ID TIME (GMT) CTD CONVERTED MONITOR VALUES Ŧ 1674562M13AUG9823 SEC. TEMP PROJECT & LEG ChlAM HX210 JZZ Œ ₹ DATE JD= DAY 7 FLUOR JD/TIME PHI, TEMP. LONGITUDE START DOWN AT SURFACE AT DEPTH /SE DATA ON TIMES 8 HESSUR 224/59110137N LATITUDE Z S TRIP DEPTH 8 26 97 7 Alpha Helix TYPE & SN D £ 4 4 士 D PRESS SN COND SN TEMP SN TEMP SN VESSEL CAST 8 0 12 0 S œ 6

Р B D

					100000	888	1 2 3 3 3	7.000.0	2000		5		
VESSEL				PROJECT & LEG	ဌ		Ċ	010*11	STATIO	STATION DESIGNATION	NATION		
Alpha Helix		222	_	HX 210 222	_	i.	7	2:10/70		410	7	-	
CAST	170/2085	168 8.28			JIME) E	EZZONSE id id id id id id id id id id	STATE A STELLIN	QN M	OUD (smt) 34 FIHTA	BOTTOM		STA.
	virinde	LONGITUDE	DATE	JD=	(GMT)	BULB		SIA		M LV Cr	DEPTH	_	NAME/ID
920	MIN	NIIN C	DAY,	QV	HA	(၁)	(°C) (mb)	(deg)	(m/s)	•	(E)		
230 49	Z		158m	A UG9 3	0819	2) N	223	3/1230	0	7 14	8	1/1/2	42
g	TIMES		JD/TIME	66	,	DA	DATA LOCATION	NC.		REMARKS	ς γ		
TYPE & SN	DAT	DATA ON			Tape/Diskette ID	ette ID	File Na	File Name/Header					
PRESS SN	STA	START DOWN											
TEMP SN	ATD	AT DEPTH	•										
COND SN	ATS	AT SURFACE			!					MAX. DEPTH	PTH =	į	E
TEMP SN		PAR	FLUOR	ChlAM	7	TRANSMISSOMETER	OMETER	Cleaned air bleed valve	air ble	ed valv	8		
POS. TRIP DEPTH			CONVERTE	CTD CONVERTED MONITOR VALUES	VALUES			SAMPLE BOTTLE DATA	TIE.	SAMP	SAMPLE BOTTLE NUMBER	LE NUM	Ħ
													WHITE
	HESSUFE	P.	PRI. TEMP.	SEC, TEMP	EMP	SALI	SALINITY	SALINITY		SAL.	E E	콩	N FF
-								44222 230	70				
2	,										,		
က													
4						;							
8								ì	_				
9													T
7				10				-					
60			:					,		1			
6									<u></u>	1			
10	3					,							
11	^ [·	-			_	1	7	T
12			,							_	\neg	\dashv	
1 2							200						

WHIT'S NUTR Ε NAME/ID STA. SAMPLE BOTTLE NUMBER 됩 BOTTOM STATION DESIGNATION MAX. DEPTH = NET NET REMARKS WIND WIND (&mit)
CLOUD (&mit)
TYPE
TYPE
TYPE Cleaned air bleed valve SAL. (m/s) SAMPLE BOTTLE SALINITY DATA File Name/Header mo. SEA STATE YTUBIBILTY DATA LOCATION (am) 1020 THANSMISSOMETER WET BUEB SALINITY Tape/Diskette ID ori BUB 48 MM/A 10 GB \$ 0 8 13 4 (GMT) CTD CONVERTED MONITOR VALUES £ SEC. TEMP PROJECT & LEG CHAM HXEA 222 Œ DAY! MO DATE JD= HUOH H **JD/TIME** PRI. TEMP. LONGITUDE 58 48. 40 N/6809 START DOWN AT SUPFACE PAR AT DEPTIH DATA ON TIMES PHESSURE LATITUDE Z 8 Alpha Helix TYPE & SN £ PRESS SN COND SN TEMP SN TEMP SN VESSEL CAST 73 POS. 12 10 ო Ŋ 9 8 O

WHITS ٤ NAME/ID STA. SAMPLE BOTTLE NUMBER 공 BOTTOM DEPTH STATION DESIGNATION MAX. DEPTH = <u>R</u> REMARKS Cleaned air bleed valve WIND CLOUD (AMI) TYPE WEATHER SAL. (m/s) SAMPLE BOTTLE WIND DIPN. SALINITY DATA (deg) File Name/Header S 0 SEA STATE VISIBILITY DATA LOCATION 0 (dm) 20 TRANSMISSOMETER WET WET SALINITY Tape/Diskette ID on. BULB GMT) CTD CONVERTED MONITOR VALUES Ŧ SEC. TEMP PROJECT & LEG CHAM HXPH 422 2 W/5/A UG B Œ 8 DATE JD= DA≺ 1-Thruon JD/TIMÉ PRI. TEMP. LONGITUDE START DOWN AT SURFACE AT DEPTH T PAR DATA ON 234 58 49 D 51 N/68 TIMES HESSET LATITUDE 8 Alpha Helix TYPE & SN g PRESS SN COND SN TEMP SN TEMP SN CAST VESSEL PQS.

10

8 0

N ო Ŋ 9 7

Ŗ ద్ద

WHIT'S NUTR STA. NAME/ID Ε SAMPLE BOTTLE NUMBER WIND CLOUD (amil)

SPD. CLOUD (amil)

TYPER

(m)

(m) 궁 STATION DESIGNATION MAX. DEPTH = <u>E</u> REMARKS Cleaned air bleed valve SAL. SAMPLE BOTTLE 1,00 MIND <u>۵</u> SALINITY DATA (deg) File Name/Header SEA STATE
VISIBILITY 0 Oht DATA LOCATION (mp) HESSENHE THANSMISSOMETER WET BURB ပ္ SALINITY Tape/Diskette 1D . BUB ပ္ TIME (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG 30 W / A U G 9 30 Chiam HX210 222 Œ ₹ DATE JD= DAY /RUOR JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SUPFACE AT DEPTH P.¥ DATA ON 82/N TIMES HESSUR 5845.23 LATITUDE OEFTH HITH 30,0 Alpha Helix TYPE & SN ₹ ₩ Ę PRESS SN 20.0 COND SN TEMP SN TEMP SN CAST 233 VESSEL. 8 10 12 S Φ 0

PG O

												5	5	
VESSEL Alaba Doliv			į	E E	PROJECT & LEG	EG		240	0 / 00	STATI	STATION DESIGNATION	ANTION A	7	
Y Park								38	∃TA		(tm.s).(
CAST L	LATITUDE	FONG	LONGITUDE	DATE J	JD=	TIME (GMT)	DRY	WET BULB	SEA ST VISIBILI PA	SPD.	CLOUC TYPE MEATH	BOTTOM		STA. NAME/ID
<u> </u>	N.W.	930	N.	١ ١	MD YR	NIW 4H	(D ₀)	(C) (m	(mb) (deg)	(m/s)	•	E	7	
234584	N 6 9. A	1891	15.5	W/9/A	0 G 9 8	9533	3	7	194016	710	8 12	8	7	N V
g		TIMES	_	JD/TIME	66		2	DATA LOCATION	NOI		REMARKS	S)		
TYPE & SN		DATA ON				Tape/Diskette ID	ette ID	File	File Name/Header			į		
PRESS SN		START DOWN	₹		- ·					1				
TEMP SN	-	AT DEPTH		33 102		n V				1		!		
COND SN		AT SUPFACE	w w				;		[MAX. DEPTH	PTH=		£
NS dW±L		T PAR	T	FLUOR	ChIAM		TRANSMISSOMETER	SOMETER	Cleane	Cleaned air bleed valve	eed valv) 		10
POS. TRIP			Sels	ONVERTEC	CTD CONVERTED MONITOR VALUES	VALUES	3	1	SAMPLE BOTTLE	отпе	SAMF	LE BOT	SAMPLE BOTTLE NUMBER	BER
HLGGO	·				:						ļ		•	
		<u> </u>	PRI TEMP	<u>a</u> .	SEC. TEMP	EMP	SAL	SALINITY	SALINITY		SAL	<u></u>	움	WHIT'S NUTR.
1							:		Ax 222 234	3401				
0 12 0						_								
1														
4.014										E.				T
5 9.4					4		1							T
9			:											
7				205	les.				11			80		
60										07				
σ										55		+		
10				9		×	:							
2 =	:03										1		ig	
12			ė			100			200					

WHITS E NAME/ID SAMPLE BOTTLE NUMBER SPD. CLOUD (amt) 됩 STATION DESIGNATION NE SE MAX. DEPTH = REMARKS Cleaned air bleed valve SAL. (deg) (m/s) 0108 SAMPLE BOTTLE WIND DIPN. SALINITY DATA File Name/Header VISIBILITY 246°1:0m SEA STATE DATA LOCATION (mp) TRANSMISSOMETER WET SALINITY Tape/Diskette ID ory Bulb T W (CMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG SHAM STAM HX210 222 96W18A000 Œ 8 DATE JD= DAY FLUOR JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SURFACE AT DEPTH PAR DATA ON TIMES HESSUE 235584/3.53 NJ LATITUDE TAIP DEPTH Alpha Helix 0.00 TYPE & SN £ PRESS SN COND SN TEMP SN TEMP SN VESSEL CAST S. 0 12 - 9 Φ 6

WHITS Ε NAME/ID SAMPLE BOTTLE NUMBER 되 WIND WIND OUD (& MILE)
DIPN. SPD. CLOW STATION DESIGNATION MAX. DEPTH = NGTR. REMARKS Cleaned air bleed valve 877 SAL. (deg) (m/s) 10001 SAMPLE BOTTLE SALINITY DATA File Name/Header VISIBILITY 01 SEA STATE DATA LOCATION (mp) 24001 TRANSMISSOMETER WET BUEB ပ္ SALINITY on. BULB Tape/Diskette ID ပ္ပ ¥ E GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROVECT & LEG 08 0 0 A W W D D. CHAM HXPTO 222 Œ 8 DATE JD= DAY FLUOR PRI. TEMP. LONGITUDE START DOWN AT SURFACE AT DEPTH PAR DATA ON 36 N 168 TIMES HESSUR LATITUDE \leq 286 50X7 OEPTH THE 9 Alpha Helix TYPE & SN £ PRESS SN COND SN TEMP SN TEMP SN VESSEL CAST 8 10 12 - 8 ო 9 4 ß ~ Φ 0

PG | OF |

VESSEL Alpha Helix CONSC CAST #	LATITUDE	LONGITUDE	PROJ HX 24 DATE JD=	ECT & LEC	TIME	DRY	WE SELECT STATES	SEA STATE VISIBILITY VISIBIL		STATION DESIGNATION WIND OUR BOTTON SPD. CLORE BOTTON SPD. CLORE BOTTON	GNATION BOTTOM DEPTH		STA. NAME/ID
9 V	MIN , DEG	NIIN NIIN	NA A	¥ 60	# 60 P P P P P P P P P P P P P P P P P P	S 2	(°C) (mb)	b) (deg)	(S/m) (6)	8 12	<u>E</u>	78	20
CHO			-W	66		DA	DATA LOCATION	ION		REMARKS	S)		
TYPE & SN	DATA ON	NC		ř	Tape/Diskette ID	ifte ID	File N	File Name/Header	-				
PRESS SN	START	START DOWN							1				
TEMP SN	AT DEPTH	₩.											
COND SN	AT SURFACE	FACE	1	\				[MAX. DEPTH =	EPTH =		E
TEMP SN	T B		ALLOR	ChIAM		TRANSMISSOMETER	OMETER	Clea	Cleaned air bleed valve	leed vah	e/		(†
POS. TRIP DEPTH			CTD CONVERTED MONITOR VALUES	IONITOR V	ALUES	35		SAMPLE BOTTLE DATA	ВОТПЕ ТА	SAME	SAMPLE BOTTLE NUMBER	JE NUM	88
	HESSUFE	PRI. TEMP.	ŒV.	SEC. TEMP	<u>Q</u>	SALINITY	NITY.	SALINITY	ZLIZ.	SAL.	NCJR.	븅	WHITS
1				ļ		٠.							
2				!								-	
3					-								Ç4
4									- 3C			-	
5													
9							;				13.2	+	=
7			.25				ļ				<u>g</u> 2		
8									*				
6									^				
10			5										
11	V.												
12		Ŧ	-	25	-			÷0		-			

VESSEL				<u>E</u> 3	PROJECT & LEG	9			7 +	2 33 2	STATIO	NDESK	STATION DESIGNATION	00	te
Alpha Helix CONSC CAST #	CATILIDE	TONGILIDE	JOE	DATE JD=	D=	TIME (GMT)	DRY	WET	SEA STATE	YTIJIBISIV SVIN SVIN SVIN SVIN SVIN SVIN SVIN	SPD. G	CLOUD (amt) TYPE HEATHER	ВОТТОМ DEPTH		STA. NAME/ID
980		DEG V	N.	X		¥ <u>`</u>	<u></u>	<u></u>	(mb)	(deg)	1	7 .	E	(a)	172
258583	3/N/12/14/8	1831	1/9W	V V	UG9 8	270T	0		113	6210	07	7/2	_	7	ZZ ZZ
СПО	<u> </u>	TIMES	JO/TIME	¥	0		70	DATA LOCATION	ATION			REMARKS	S		
TYPE & SN	<u> </u>	DATA ON	,	ļ	-	Tape/Diskette ID	ette ID	Ĕ	Name	File Name/Header	[
PRESS SN	ST	START DOWN									}				
TEMP SN	AT	AT DEPTH				9	: 				1				
COND SN	AT	AT SURFACE	3			ļ			1]		MAX. DEPTH =	:PTH =		E
TEMP SN		PAR C		FLUOR	Chiam		TRANSMISSOMETER	OMETER		Cleaned air bleed valve	air ble	ed valv	9/		ja.
POS. TRIP DEPTH			000 000 000 000 000 000 000 000 000 00	WERTED	CTD CONVERTED MONITOR VALUES	VALUES			S	SAMPLE BOTTLE DATA	ПЕ	SAMF	Sample Bottle Number	LE NON	BER
			PRI TEMP	Đ.	SEC. TEMP	EMP	SAL	SALINITY		SALINITY		SAL	AT THE	유	WHIT'S NUTR.
-															
2												R			
3							į	ļ							
4										00	+	+			
5		1			9										
9												+			
7				3.0	16					æ		_ *	3 9		
8									_	12.			-		
6					i,				_		-		1		
10				2			1					+	+		
11	25										1	\dagger	+	34	
12					ŝ							1			

WHIT'S NUTR NAME/ID STA. SAMPLE BOTTLE NUMBER 9 유 STATION/DESIGNATION MAX. DEPTH = <u>K</u> P. REMARKS Cleaned air bleed valve 12/12 SAL. 0 SAMPLE BOTTLE WIND DIPN SALINITY (ded) 96 DATA File Name/Header SEA STATE VISIBILITY 0. DATA LOCATION (mb) 2400 TRANSMISSOMETER WET SALINITY Tape/Diskette ID OHY BULB ¥ Y GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG 다 SHAM HX210 d22 Œ 8 DATE JD= DAY HUOR JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SURFACE AT DEPTH A R DATA ON TIMES HESSET LATITUDE TRIP DEPTH 9 g

2395835138 N/6823148M/5/N/698069 Alpha Helix TYPE & SN PRESS SN TEMP SN COND SN TEMP SN VESSEL CAST SS. 10 = Q က Ŋ 9 Ø 0

VESSEL Alpha H	VESSEL Alpha Heliv				-	PROJECT & LEG	ر الا		2300	0	ST/	STATION DESIGNATION NIACO	SIGNATION (A)	- \	
CAST	ST ST							DRY		STATS AS		(3ms) QUOJ	EATHER BOTTOM		STA.
*		LATITUDE	8	LONGITUDE	DATE	-	9			IS I		и. Э.	7	-	NAME/ID
	8	NE S	9	<u></u>	DAX-	<u></u>	¥-		3 3 -	•	Jed)	1	1	+	-
7	0585	2405852.65N168	1681	07.6	91.20 W1141A	<u>n</u>	115118	0	•	2362	3000	00/	7	Z	14017
	сто		TIMES	3	JD/TIME	99		۵	DATA LOCATION	NOL		REMARKS		16	
	TYPE & SN		DATA ON				Tape/Diskette ID	kette ID	File	File Name/Header	ıder				
PA	PRESS SN		START DOWN	 	i						- 1				
TEM.	TEMP SN		AT DEPTH	 _		į	34 25								
8	COND SN		AT SUPFACE	ا س		İ						MAX.	MAX. DEPTH =		E
<u> </u>	TEMP SN		7		100p	O MAN		THANSMISSOMETER	SOMETER	<u></u>	Cleaned air bleed valve	bleed va	lve		2
8	Ĺ				ONVERTE	CTD CONVERTED MONITOR VALUES	3 VALUES	্		SAMP	SAMPLE BOTTLE	<u></u>	SAMPLE BOTTLE NUMBER	TENUM	BEB
3	НША										DATA				
N			1.PE	8	PRI TEMP.	8 	SEC. TEMP	SA	SALINITY	/S	SALINITY	SAL.	RICIA	유	WHITS
-	ИО														
2	30														
9	20														
4	97										С				
ည	0		181			=									
9															
7						经					55		577	1	
8															
6														_	
10						7/									
11										-					
12				×											

PG __OF

													,	; 	
VESSEL	VESSEL Amba Helix			!	<u>т</u> т	PROJECT & LEG	EG *		2300	0.100	STAT	STATION DESIGNATION N/A03	ESIGNATION 403	_	
CAST	5	ATMUDE	O	LONGITUDE	DATE	<u>ح</u>	TIME (GMT)	DRY	WET SOURE	VISIBILITY	WIND WIND DIRN. SPD.	CLOUD (amt) PYPE PATTER	BOTTOM DEPTH		STA. NAME/ID
	990	NEW YEAR	980	MIN		H	- -	(၁.)	(°C) (mb)	•	(deg) (m/s)	•	Ē	_	
74	1	5850.23N/68	1682	1	76W14 A	U G	1545	7.7	/	336230	000	872	4	48WIC	400
	E3		TIMES		JD/TIME	99		ď	DATA LOCATION	ION		REMARKS	KS		
TY	TYPE & SN		DATA ON				Tape/Diskette ID	cette ID	File N	File Name/Header	፟				
PR	PRESS SN		START DOWN	NW.							1				
EM EM	TEMP SN		АТ ОЕРТН			_ <u></u>	y (1)				1				
<u>8</u>	COND SN		AT SURFACE	 						;]]		мах. Дертн	EPTH =		E
<u>₹</u>	TEMP SN		Z Z		HOOH	- CENTAIN		TRANSMISSOMETER	SOMETER	Clea	Cleaned air bleed valve	leed val	Ve		36
8	TRIP DEPTH				ONVERTE	CTD CONVERTED MONITOR VALUES	VALUES	1.2		SAMPLE	SAMPLE BOTTLE DATA	SAME	SAMPLE BOTTLE NUMBER	LE NUM	BER
		HESSIE	H	PRI TEMP.	EMP.	SEC. TEMP	TEMP	SAI	SALINITY	SALINITY	YT/2	SAL.	NUR	岩	WHITS
-	46														
2	20			'											
ı e	20														
4	0/					64					8				
2	V)#								-	
9													6		
7						9				13			38.3		
80							;				Œ				
6											770		_	_	
9				5		8							1		
=		107											1	35	
12				Ta'						53			1	7	
						<u>.</u>									

PF PG

													5	
VESSE.				<u> </u>	PROJECT & LEG	EG		2200	0.0	SТАПО	STATION DESIGNATION	A ON	_ 7	
Alpha							-	3:	∃TA		UM.S.			
CONSC CAST	LATITUDE	Š.	LONGITUDE	DATE J	-OC	TIME (GMT)	DRY	WET BUE BUE	VIS A32 VISIBILIT ON WIND	WIND G	CLOUD SYYT HTTA3W	BOTTOM DEPTH		STA. NAME/ID
22	Z∰Z	DEG	MIN	DAY	AY ON	H.	(၁)	(°C) (mb)	(deg)	(m/s)	•	(E)		-
2425847.9	2	871	74.39W14	414A	U G 9	1608	6.7	, ,	1336230	10	872	149	~	7047
сДЭ		TIMES	T/Qf	JD/TIME	66		<u></u>	DATA LOCATION	No	<u> </u>	REMARKS	10		
TYPE & SN		DATA ON			···	Tape/Diskette 1D	ette ID	File N.	File Name/Header	<u></u>				
PRESS SN		START DOWN	WN						-			i		
TEMP SN		AT DEPTH				ж ³⁸								
COND SN		AT SURFACE	,						[MAX. DEPTH	TH=		E
TEMP SN	•	E E		HOOH	CHIAM		TRANSMISSOMETER	OMETER	Cleaned air bleed valve	air ble	ed valve			S-
POS. TRIP	ē.		9	CTD CONVERTED	MONITOR VALUES	VALUES	325		SAMPLE BOTTLE DATA	те	SAMPL	E BOTT	SAMPLE BOTTLE NUMBER	BER
<u> </u>						ļ						ľ		
	HESSUFE	<u> </u>	PRI. TEMP.	MP.	SEC. TEMP	EMP	SAL	SALINITY	SALINITY		SAL. N	E S	됩	WHIT'S NUTH.
1 47												+		
2 30							!							
3 20											_	7		
4 /0					0			11		14	_	+		
5 0		Ξ			3						-			
9											-	+		
7				277	24						_	F3		
8									¥	_				
6										_	-		1	
10				39							_	+		
11	惩											\dashv	1	
12			法		0	Œ					_			

PG __OF

								;				ן		
VESSEL.					PROJECT & LEG	EG ~		25	0.7.0	STATI	STATION DESIGNATION N/140	GNATION 1405	-\o	
CAST							PHO		EA STATE ASSILITY		(1ms) QUOJ 397 FIJHTAT	_		STA.
*	LATITUDE	Š	LONGITUDE	L	}		BUB		IA BS		<u>и</u> . о .	-	_	NAME/ID
930	Z.	9	N	DAY	QV.	¥ ¥-	္မ	<u>5</u> (2)	(mb) · · (dm	(deg) (m/s)	•	E	-	
243 SF	435845.60 N16829.39W14A	1682	9.99	W (4 A	U G 9 🕉	1638	7	`	32627	0/0	212	1	49 N/ B	<u>फ</u>
CLO		TIMES) Or	JD/TIME	0-0		2	DATA LOCATION	NOI		REMARKS	S		
TYPE & SN		DATA ON				Tape/Diskette ID	ette ID	File 1	File Name/Header	<u>*</u>				
PRESS SN		START DOWN	 		1					. 1				
TEMP SN		AT DEPTH	_	·		2) W								
NS GNOO		AT SURFACE	 		1						MAX. DEPTH	=PTH=		Ε
TEMP SN		PAR	1	RUOR HUOR	Chiam		TRANSMISSOMETER	SOMETER	Clea	Cleaned air bleed valve	eed vah	/e		2
POS. TRIP			CID	ONVERTE	CTD CONVERTED MONITOR VALUES	VALUES	52		SAMPLE	SAMPLE BOTTLE DATA	SAME	SAMPLE BOTTLE NUMBER	TE NUM	BER
5	<u></u>						į							
279	HESSHE	₩,	PRI. TEMP.	EMP.	SEC, TEMP	EMP	SAI	SALINITY	SALINITY	ZII.	SAL.	R.	븅	WHITS
1 47														
2 20			<u> </u>				i							
H														
 					W 1					0				•
5 /0					(W			2						
-														
7					No.				100			82		
60										82			7	
o o							i			in				
10				5		1								
= =	53											1	+	T
12			ă.		4	75								
1 5 1								-	: : !					

VESSEL				a. :	PROJECT & LEG	EG					STATIO	N DESIG	STATION DESIGNATION	- U	
Alpha Helix)			<u> </u>	インストウィン インストウィン],	_		F			<u>}</u>		\	
OONSC				·····			•		37ATE	AJJ 18		(tms) QU A∃HT		· · · · · ·	į
CAST	ATITUDE	2	LONGITUDE	DATE	JD=	GMT)	<u>~</u> 93	WET BUB	SEA		SPD.	OLO TYPE	ВОТТОМ DEPTH		STA. NAME/ID
920		930	NEW		H	1 -1	(၁့)		(mp)	(deg)		•	(m)	_	
2445	48.25N	087/	716829.47 W/4		A U G 9 8	1659	7.6	-	83	9272	∞ √ 0	72	10	STAMI	ABC
CLD		TIMES	,QC	JO/TIME	66		ă	DATA LOCATION	ATION			REMARKS	S		-
TYPE & SN		DATA ON				Tape/Diskette ID	ette ID	ij	Name	File Name/Header					
PRESS SN		START DOWN	NW.		 			1		- 1					
TEMP SN		ат <u>ре</u> ртн	_			-					[
NS GNOO		AT SURFACE	_. س								<u>~</u>	MAX. DEPTH	PTH =		æ
TEMP SN	<u></u>	7 P	1	FLUOR	CHIAM	 	TRANSMISSOMETER	SOMETER		Cleaned air bleed valve	air ble	ed valv	ē		
POS. TRIP DEPTH				ONVERTE	CTD CONVERTED MONITOR VALUES	VALUES	5 2		ισ 	SAMPLE BOTTLE DATA	TE	SAMP	SAMPLE BOTTLE NUMBER	NE NUN	BER
		<u> </u>	PRI. TEMP.	EMP.	SEC. TEMP	TEMP	SAI	SALINITY		SALINITY		SAL	NUTR	불	WHIT'S NUTR.
- 29															
2 40												-			
-	1														
_					C							_			
					10										
												_			
					24								14		
									_	•					
6							;				_				
10					20	Ų						\dashv			
-	7								_		+	+	7		
12			*		þ			:			-	\dashv			
151								==	Í						

P P S D

										3			2	5	
VESSEL	ᅜ			í		PROJECT & LEG	EG		270	× /	STATIC	STATION DESIGNATION	NATIO	-	
Alph	Alpha Helix			1		HX 210 277	[: -	1	-		-	
OSNOO	ည္အ			ai 2		i	!		3±ns	STATE SILITY	ŧ.	(tms) QU			į
CAST		LATITUDE	LON	LONGITUDE	DATE	JD=	(GMT)	SUB BUB	BUB FEE	SEA VISIV	S CO	W	DEPTH S		STA. NAME/ID
	920	N.	930	MIN	DAY	MO YR	H H	(၃)	(°C) (mb).) (deg)	(m/s)	•	(E)	_	
74	2584	2455846196 NIG832 OSW14A	1683	2.05	M 29 A	1 U G 9	1727	1	1111	3341270	/ 0	418	5	55N1	407
	CTD		TIMES	/Qr	JD/TIME	66	•	Õ	DATA LOCATION	NO		REMARKS	S		
TYPE	TYPE & SN		DATA ON				Tape/Diskette ID	cette ID	File N	File Name/Header					
PAE	PRESS SN		START DOWN	¥				:		越					
TEMP SN	NS		AT DEPTH				ΙĒ								
NS QNOO	NSC		ATSURFACE	 							-	MAX. DEPTH	PTH=		E
TEMP SN	NS C		E Z		RUOR	CHIAM CHIAM		TRANSMISSOMETER	OMETER	Cleaned air bleed valve	t air ble	ed valv	ق ا		
S.	THE CHARLE	23:		S E S	ONVERTE	CTD CONVERTED MONITOR VALUES	VALUES		% y-	SAMPLE BOTTLE DATA	JE.	SAMP	SAMPLE BOTTLE NUMBER	LENUM	BEB
Đ		FRESSURE	# # # # # # # # # # # # # # # # # # #	PRI. TEMP.	EMP.	SEC. TEMP	EMP	SAI	SALINITY	SALINITY		SAL.	NCJR.	붕	WHITS
·	52														
2	20														
က	25														
4	2								độ.		0				431
S	12		60					G							
ဖ	01														
^	Q										7		. P. C.		
~	}									э э					
0											-10		7		
9					*	¥)				軍					
=										` .				1	
12		NIG		122		2	2⊕					_			
									333						

Ç ď

												PG _	Q.	1
VESSEL Alpha Holiv				& £	PROJECT & LEG	5		:		STATI	STATION DESIGNATION	CINATION	_	
CAST		3		DATE		TIME	DR7	34NSS3HE	SEA STATE VISIBILITY MS SI	GNIW C	(tms) QUOJO 39YT ABHTABW	BOTTOM		STA. NAME/ID
#	N.	DEG.	NEW	DAY	SK OV	¥	ဦ			┿╼	•			
2465838.6	3 8 6 1 N	891	34.69 W14A		6		7.0		36		872	56	1 N 9	N1808
ego	() ()	TIMES	ΛΟι.	JD/TIME	66	A	6	DATA LOCATION	NOI		REMARKS	S		
TYPE & SN		DATA ON				Tape/Diskette ID	ette ID	File N	File Name/Header					
PRESS SN		START DOWN	¥		 									
TEMP SN		AT DEPTH			<u>.</u>	30	·			· ·				
COND SN		AT SUPFACE	, W								MAX. DEPTH	₽TH =		E
TEMP SN		E P	4	RETOR	CHIAM		TRANSMISSOMETER	OMETER	Clean	Cleaned air bleed valve	eed valv	.		
POS. TRIP DEPTH			CID (C)	CTD CONVERTED	MONITOR VALUES	/ALUES	S.	Ra ·	SAMPLE BOTTLE DATA	ютп.Е А	SAMP	SAMPLE BOTTLE NUMBER	LENUME	E
	FESSURE	J. C. F.	PRI. TEMP.	Æ.	SEC. TEMP	EMP .	RS.	SALINITY	SALINITY	∠	SAL	NUTR	OH.	WHITS
1 53							:00		222					
2 30														
												7		
					5 83			. 60				_		0.1
5 0		8				`	09	ja						
9													<u>.</u>	
7				æ	625							60		
80										141				-
6														
10				1			,					_		,
11	. :	-	:::1	2						1	+	\dashv		-
12				,				·	S S S				\dashv	
	19				į.			03/2						

WHIT'S NUTH NAME/ID STA. SAMPLE BOTTLE NUMBER To catcha low in gentale 6 쿵 STATION DESIGNATION 1/456Ξ MAX. DEPTH = <u>გ</u> REMARKS Cleaned air bleed valve 790787 SAL. (s/ш) MIND S C SAMPLE BOTTLE WIND DIPN. SALINITY DATA (ded) File Name/Header 0.7 202 SEA STATE A38
YTUISISIV DATA LOCATION 270 (mp) D - TRANSMISSOMETER WET BULB ပ္ SALINITY w DRY BUB Tape/Diskette ID ¥ E EME GMT CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG 18/2/W/// 10/0/0/8/ CHIAM HX210 JJJ Œ 8 DATE JD= DA≺ HO32 JD/TIME PRI. TEMP. LONGITUDE START DOWN AT SUPFACE AT DEPTH T PAS DATA ON 5843.42 NI 68 TIMES HESSUE LATITUDE 49.7 25 Alpha Helix R TYPE & SN 20 Ś £ PRESS SN 9 TEMP SN COND SN θ TEMP SN **VESSEL** CAST S. 10 Ξ 72 φ 8

SCN1/19/08 WHITS STA. NAME/ID SAMPLE BOTTLE NUMBER WIND CLOUD (AMIN) 동 STATION DESIGNATION MAX. DEPTH = NGTR. REMARKS Cleaned air bleed valve 872 SAL. 7008 SAMPLE BOTTLE ONIN SHOOT SALINITY DATA (deg) File Name/Header SEA STATE YTJIBIRIY Ø DATA LOCATION (am) 0 **BUNSSBUU** 0 HTRANSMISSOMETER 78 WET BEE ပ္ SALINITY ORY BULB Tape/Diskette ID ပ္ EME GMT 25W/9/19/0/09/202 CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG CHAM HXPTO 222 Œ 49 § DATE JD= DAY HETOR JD/TIME PRI TEMP. LONGITUDE START DOWN 24815839 2 4N/6838 AT SURFACE AT DEPTH T est DATA ON TIMES 9 HESSURE. LATITUDE ₹ DEPTH 1 8 臣 Alpha Helix TYPE & SN £ TEMP SN PRESS SN S QNO TEMP SN VESSEL CAST 8 10 12 0 (1) S 9 8 Φ

WHITS N/1/409 Ε NAME/ID STA. SAMPLE BOTTLE NUMBER WIND GOOD (amit) 오 STATION DESIGNATION MAX. DEPTH = REP. REMARKS Cleaned air bleed valve 27010872 SAL. SAMPLE BOTTLE WIND DIPN. SALINITY DATA (deg) File Name/Header O YIJI8ISIV 700% SEA STATE DATA LOCATION (mp) **BRESSURE** THANSIMISSOMETER WET BULB ပ္ SALINITY Tape/Diskette ID ORY BUB ₹ GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG 2/4/9/4/3/3/6/2/2/N//68/3/7/0/2/W/14/N/G/9/2/2 T CHIAM HX210 222 Œ Ş DATE JD= DA≺ EUOR B JD/TIME PRI TEMP. LONGITUDE START DOWN AT SURFACE **АТ DEРТН** DATA ON TIMES PRESSURE LATITUDE M TAIP DEPTH 9 Alpha Helix 30 20 TYPE & SN £ PRESS SN TEMP SN COND SN TEMP SN CAST VESSEL S 10 12 N S 9

	· · · · · · · · · · · · · · · · · ·		<u> </u>					,		22												
	STA. NAME/ID	411					ε		ABER .	WHITS				80							ļ	
74		1 N /							SAMPLE BOTTLE NUMBER	SH.												
GNATIO ()	BOTTOM DEPTH	(E)	S	į			ЕРТН ≡	9	1E B OT	NUTR.						-	Ÿ.					\dashv
STATION DESIGNATION	CLOUD (amt) YPE REATHER	8 72	REMARKS				MAX. DEPTH	Cleaned air bleed valve	SAME	SAL.			5			v			1	7		
STATIC	WIND SPD.	(m/s)						d air bi	тпе	>				100					~			
0	WIND DIRN.	(deg)		eader	57			Cleane	SAMPLE BOTTLE DATA	SALINITY								©				
700%	TATS A38 YTURISIV	36	NOL	File Name/Header					SAN													
7	391023388	9	DATA LOCATION	File			. !	TER	Si (I)	>						•	W·	:		ļ		
	WET	(%)	DATA	0				THANSMISSOMETER		SALINITY				8	ea Na			!	ļ		D	
	DAY	5 <u>C</u>	,	cette IC				THANSI	•		64						İ					- 1
	TIME (GMT)	HR MIN		Tape/Diskette ID		44			LUES	: Q.												
Ta LEG	}	G 9 G	99	<u> </u>			<u></u> .	CHIAM	TOR VA	SEC. TEMP												(1)
PROJECT & LEG	JD=			•					CTD CONVERTED MONITOR VALUES	<i>σ</i>				\$6	S# .		瓷					
	DATE JD-	DAY V	JD/TIME					HOOR	NVERTE	MP.	21									A G		7
15		42.40 W 14	ğ		ì			F	00 01 01 01	PRI. TEMP.									m		(1)	ε÷
	LONGITUDE	\$ 4 × 2	1	NO	START DOWN	Ӗ	FACE	F.							9			,				55
		8 3	TIMES	DATA ON	STARI	AT DEPTH	AT SURFACE	- PAAR		H		-									,	
*	 	2 5 S								HESSURE											ļ	
	LATITUDE								o F		1	1	١	\		÷					<u> </u>	
VESSEL.	CAST	9	E E	LYPE & SN	PRESS SN	TEMP SN	COND SN	TEMP SN	DEPTH DEPTH	-	<u>-</u>	30	1.	20	9	51	7	Į.	91	0	,	
₩ P	85*	1 5	1	7	Æ	邑	8	EM	SS.	50	-	2	3	4	5	9	7	- 80	6	10	Ξ	12