| | | | | | | _ | _ | | | Τ. | | _ | т- | _ | Т | _ | _ | _ | _ | _ | | _ |
|----------------------------|---------------------------------------|---------------------------------------|-----------------------|------------------|-------------|-------------------------|--------------|---------------------------------------------------------------------------------|------------------------------|------------|----|----------|----|-----|----|----------|----------|---|----------|----|---|---|
| - | | | | | _ | | _ | т- | т | Ě | 18 | _ | Ļ | | | | | | | | | |
| | STA. | | | ٠. | | 2 | E | | MBER | Mad | | | | | | | | | | | | |
| §√ | | | 4 | | | leed ve | | 08/2414 | JE N | _ 3 | | | | | | | | | | | | |
| SIGNA | BOTTOM |] _ | ~ | | | Cleaned air bleed valve | HE. | TRANS. S/N cst241dr | SAMPLE BOTTLE NUMBER | E N | | | | | | | | | | | | |
| STATION DESIGNATION | S S S S S S S S S S S S S S S S S S S | | REMARKS | | | 8 | MAX. DEPTH = | | SAME | 3 | 1 | | | | | | | | \vdash | | | |
| STA | | | | | | | | | = | | | | | ┢ | | \vdash | H | | | H | | |
| | WIND DIRN. | (geb) | | ader | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE VISIBILITY | | 2 | File Name/Header | | | | | SAM | ω | | | | ,EV | | | | | | | | |
| | PRESSURE | | CATIO | Fig | | | | CHLAM SAN | | | | | | | | | | | | | | |
| DSDB I.D. | WET | ઈ <u>.</u> | DATALOCATION | | | | | 0 | | SALINITY | | | | | | | | | | | | |
| OSO | DRY BULB | <u>်</u> | ۵ | Qi a | | | 1 | 8 2 | | Š | | | | | | | | | | | | : |
| | TIME (GMT) | NIN X | | Tape/Diskette iD | | | | 0 2 1 | ES | | - | _ | | | | | | _ | | | | |
| 8 LEG 5 9 | E © | | 1 | Tape | | | | FLUOR SA | A VALU | SEC. TEMP | | | | | | | | | | | | |
| PROJECT & LEG H X 2 5 9 | | 0 YR | | ı | | | | 90.1 | ONITO | SEC | | | | | | | | | | | | |
| £ _ | DATE JD= | A OM YAQ W | | | | | Ì | | CTD CONVERTED MONITOR VALUES | | | \vdash | - | | | | | | | | | |
| | <u>0</u> | | JD/TIME | | | | | 9.7 | CONVE | PRI. TEMP. | | | _ | | | | | | | | | |
| | LONGITUDE | , Ampleon St. | | l | z | ' ' | | 4 4 | 8 | <u>E</u> | | | | | | | | | | | | |
| | FONG | DEG MIN | _v | NO | START DOWN | PTH | AT SURFACE | PAR S/N_ | | | _ | _ | _ | _ | | - | \vdash | - | _ | _ | | |
| | | | TIMES | DATAON | STAH | AT DEPTH | AT St | _ Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma | | # 5 | | | | | | | | | | | | |
| | <u>9</u> | DEG MIN 5127.70 N | ي و | 3 1 | | | _ | | | PRESSURE | | | | | | | | | | | | |
| | 2 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | 778-065 | 8 6 5 | 1771 | 1772 | 2272 | 2251 | | | | 5.1 | | 77 | | | | | | | | |
| VESSEL RV Alpha Helix | Q * | DEG | SBE 9+ 09P.26778-0656 | NS: | MP SN | SEC TEMP SN | NS QN | NS GN | TRIP DEPTH | | QH | | | | | | | | | | | _ |
| VESSEL RV Alpha | CONSC CAST# | 15 | SBE 94 | PRESS SN | PRI TEMP SN | SEC TE | PRI COND SN | SEC COND SN | POS. | | - | 2 | 3 | 4 | LΩ | 9 | 7 | 8 | 6 | 10 | = | 5 |

A3

| | | | PROJEC H X | PROJECTALEG | | COL BOSDB 1.D. | ig. | | | STATION DESIGNATION | A DESIG | NATION O | | | |
|------------|-----|-----------|------------------------------|-------------|------------------|----------------|---------------|------------------|-----------------------|-------------------------------|-------------|-------------------------|----------------------|-----|--------|
| ONG | [] | QDE | | | TIME (GMT) | DRY BULB | - 6 | SEA STATE | | S WING CLOUD (ami) TYPE | WEATHER | ВОТТОМ DEPTH | STA. | QVS | |
| N / 6572 | 2 | <u> </u> | W 7 U N | VR 0 | A MIN | (S) | § . | (QE) | (Geb) | (m/s) | | (X) | | | |
| TIMES | | S | JD/TIME | | | DA | DATA LOCATION | NOL | | W | REMARKS | | | | |
| 1 DATA ON | | | | Ē | Tape/Diskette ID | E D | Ę | File Name/Header | eader | | | | ٠. | | |
| START DOWN | N. | | i | | | | | | | | | | ļ., | | |
| AT DEPTH | _ | | | | | | | | | | Jenned | Cleaned air bleed valve | d valve | | |
| AT SURFACE | 삥 | | | | | + | | | | ≩ | MAX. DEPTH= | # | € | | |
| PAR S/N | الح | 4497 | | FLUOR SAN_ | 021 | 8 2 | CHLAM S/N | N/S/I | | F | RANS | TRANS. S/N_cst241dr | | Т | |
| | | CTD 00 | CTD CONVERTED MONITOR VALUES | ITOR VA | rnes | - | | SAN | SAMPLE BOTTLE DATA | | AMPLE | ВОТП | SAMPLE BOTTLE NUMBER | œ | |
| PRESSURE | | PRI. TEMP | | SEC. TEMP | a | SALINITY | YLLA | | SALINITY | ङ | | NUTR. C | CHL. | _ | Office |
| | | | | | | | | | | | | | ├ - | _ | |
| 3/6 | _ | | | | | | | | | | | | | | |
| | | | | | \dashv | | | | | | | | | | |
| + | | | | | \dashv | | | _ | | | | | | | |
| | - 1 | | | | - | | | | | <u> </u> | _ | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | - | |
| | | | | | | | | | | | | \vdash | | - | |
| | | | | | | | | | | | _ | _ | | _ | Г |
| | | | | | | | | | | | | | | - | |
| | | | | | | | | | | | | | | - | Γ |
| | | : | | | | | | | | | | | | _ | |
| | | | | | | | | | | | | | | | |

| | | _ | | _ | _ | | | | | | Т. | Т | _ | T | _ | - | | | - | _ | | - | |
|--------------------------|-----------------------------------------------|----------|----------|-----------------------|------------------|-------------|-------------------------|--------------|---------------------|------------------------------|------------|----------|----------|----------|----------|----|---|----------|---|---|---|---|-----------------|
| | | Т | _ | _ | | _ | _ | 1 | _ | | a de | | L | | | | | | | | | | |
| 1 | STA. | | F | | ٠. | | <u>8</u> | ε | 1 | MBER | PAW | | | | | | | | | | | | |
| N C | 7 | ╀ | E | | | | Cleaned air bleed valve | | TRANS. S/N cst241dr | SAMPLE BOTTLE NUMBER | 동 | | | | | | | | | | | | |
| STATION DESIGNATION | BOTTOM | 1 | | 8 | | | ed air t | PTH= | S. S.N | YE B01 | NCTR. | | | | | | | | | | | _ | |
| NO! | S S S S S S S S S S S S S S S S S S S S |) : : | | REMARKS | | | 88 | MAX. DEPTH= | Ž. | SAME | 8 | | | | | | | | | - | | | |
| STAT | WIND SPD. | (m/s) | | | | | | | | 2 | | | 十 | | | ┝╼ | | ┢ | | H | | | H |
| | WIND | | | | der | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE YTLIBIEITY | - | | | e/Hea | | | | | AMP | 8 | | | | | | | | | | | | |
| | PRESSURE | 1 | | NOL | File Name/Header | | | | CHLAN SAN | 05 | | | | | | | | <u> </u> | | | | | |
| ا ا | WET | ঠ | | DATA LOCATION | 证 | | | | 불 | | ≧ | | | | | | | İ | | | | | |
| DSDB I.D. | | - | | DAT | | | | | | | SALINITY | | | | | | | | | | | | |
| P | DRY BULB | ဦ | | | 은 | | | | 8 2 | | | | | | | | | | | | | | |
| | TIME (GMT) | HP MIN | GC GL | | Tape/Diskette ID | | | | 0 2 1 | ES | | <u> </u> | | \vdash | \vdash | | - | | - | | | | $\vdash \vdash$ |
| LEG 5 9 | | - | 1 4 4 | | da | | | | 8 | : VAL | SEC. TEMP | | | | | | | | | | | | |
| 2T 8 | | YR | | | | | | | FLUOR SAV_ | OTIN | SEC. | | | | | | | | | | | | |
| PROJEC H X | ص - - | 8 | U N | | | | | | | S | <u> </u> | L | | | | | | | | | | | |
| | DATE ~UD= | DAY | W | ¥ | | | | | | CTD CONVEHTED MONITOR VALUES | . | | | | | | | | | | | | |
| | | H | Dσ | JD/TIME | | | | | 9.7 | 8 | PRI. TEMP. | | | | | | | | | | | | |
| | TUDE | ₹ | 00 | | · | _ | ' | | 4 4 | 턍 | P | | | | | | | | | | | | |
| | LONGITUDE | L | 2 | | × | START DOWN | ₹ | AT SURFACE | NS. | | | | \vdash | _ | _ | | _ | | | | | | |
| | | 990 | 65 | TIMES | DATA ON | TART | AT DEPTH | E S | PAR SN | | W. | | | | | | | | | | | | |
| | | | a. | | | S | <u> </u> | <u>×</u> | | 1 | PRESSURE | | | | | | | | | | | | |
| | ag Pe | - | 9 | မ္တ | က | _ | 2 | اہ | - | | | | | | | | | | | | | | |
| | LATITUDE | MIN | Ó | 78-06 | 865 | 171 | 1772 | 2722 | 2251 | | | | | | : | | | | | | | | |
| VESSEL RV Alpha Helix | | DEG | 25423 | SBE 9+ 09P.26778-0656 | • | NS G | SEC TEMP SN_ | NS Q | NS QN | TRIP DEPTH | | ٥ | | | | | | | | | | | |
| VESSEL RV Alpha | CONSC CAST # | | 52 | BE 9+ | PRESS SN | PRI TEMP SN | EC TE | PRI COND SIN | SEC COND SN | POS | | _ | 2 | 8 | 4 | 2 | | | | | 9 | | |
| 2= | | - | | ळ। | <u>a.</u> | <u>a</u> | <u> </u> | <u>~</u> | S | ₹ | | | | | 4 | 47 | 9 | 7 | 8 | 6 | 유 | = | 42 |

**

| | | | PROJECT & LEG | 8 LEG 5 9 | DSDB I.D. | LD. | | STATIC | STATION DESIGNATION | NATION | | | |
|--------------------------------------|-----------------------|----------------|---------------|------------------|-------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------------|----------|----------------------|--------------|---|
| LATITUDE DATE JD= | ONGITUDE | DATE ~D= | | TIME (GMT) | DRY BULB | WET WET BULB | SEA STATE VISIBILITY SEA STATE VISIBILITY SEA STATE VISIBILITY VIS | WING CO (Imis) GUOJO | A3HTA3N | BOTTOM | STA. | . Q | |
| DAY MO | MIN DAY MO | H | YR | HR MIN | (S°) | (*C) (mb) | (deg) | (S/III) | | Œ | | | |
| 5415422-13116546-75W17JUN0 | 16.75W/7JUNO | 1730NO | 2 | 2586 | | • | | | | 1 33 | | | |
| SBE 9+ 09P. 26778-0656 TIMES JD/TIME | | * | | | Ø | DATA LOCATION | _ | œ | REMARKS | | | | |
| 8 6 5 3 1 DATAON | NOV | | | Tape/Diskette ID | CII ett | File N | File Name/Header | | | | ٠. | | |
| 1771 START DOWN | IT DOWN | | | | | | | | | | | | |
| 1772 АТ DЕРТН | ЕРТН | | | | | | | | Cleaned air bleed valve | air blee | d valve | | |
| 2272 AT SURFACE | JRFACE | | | | 2 | | | 3 | MAX. DEPTH= | # | E | | |
| 2251 PAR SN_ 4 4 9 7 FLUOR SN | 4497 | FLUOI | 83 | XN_021 | 182 | CHLAM S/N | ٧ | | TRANS. S/N_cst241dr | SN | i i | | |
| CTD CONVERTED MONITOR VALUES | CTD CONVERTED MONITOR | VERTED MONITOR | i re- | VALUES | | | SAMPLE BOTTLE DATA | | SAMPLE | ВОТП | SAMPLE BOTTLE NUMBER | <u></u> | |
| PRESSURE PRI. TEMP. SEC. TEMP | | | | ЕМР | SALI | SALINITY | SALINITY | | SAL. NU | NCTR. | CHL. PAM | M Other | 6 |
| | | | | | | | | | | | | | |
| | | | | | | | | | ┝ | - | - | ┝ | |
| | | | | | | | | | - | - | | - | T |
| | | | ı | | | | | | | | - | ├- | Т |
| | | | | | | | | | | | | - | Г |
| | | | | | | | | | | - | | | Γ |
| | | | | | | | | | - | _ | _ | ┞ | Г |
| | | | ł | | | | | | | _ | - | - | Γ |
| | | | | | | | | | _ | L | - | ├- | Т |
| | | | | | | | | | | | | | |
| | | | | | | | | | | _ | | _ | _ |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | l |

| | | | | | | | | | | | | _ | | _ | _ | | | | | | | | |
|---------------------------|----------------------------|----------|-------------|------------------------|------------------|-------------|-------------------------|----------------|---------------------|------------------------------|-------------|---------|---|---|----------|---|---|---|---|---|---|---|----------|
| | | | _ | | | | _ | | | | ja ja | | | | | | | | | | | | |
| | STA. | | | | ٠. | | 2 | E | | ABER | PAW | | | | | | | | | | | | |
| S ~ | ≥ - | 4-4 | 5 | | | | eed val | | 3241d | TE NUI | 룡 | | | | | | | | | | | | |
| STATION DESIGNATION | BOTTOM DEPTH | | 125 | မွှ | | | Cleaned air bleed valve | Ę. | TRANS. S/N cst241dr | SAMPLE BOTTLE NUMBER | Z. | | | | \vdash | ┢ | | | | | | | \vdash |
| N DES | 1 8981040 | 1 | | REMARKS | | | Geam | MAX. DEPTH = | THANS | SAMPL | 18 | 1. | | | | | | | | - | | | \vdash |
| STATIC | S W CO CO LOUD (amt) | (m/s) | | _0: | | <u> </u> | <u> </u> | <u> </u> | | <u> </u> | 00 | - | | | ┝ | | | | _ | | | | |
| | WIND DIRN. | | | | de | | | | <u> </u> | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE VISIBILITY | | | | File Name/Header | | | | | SAMPL | 35 | | | | | | | | | | | | |
| | PRESSURE | <u>E</u> | | ATION | ie Nar | | | | CHLAM SAN | | | | | | 1 7 | | | | | | | | |
| <u>.</u> | WET | 9 | • | DATA LOCATION | _ | | | | 푱 | | \ \ \ | | | | | | | | | | | | |
| CT BOSO | DRY | ္မွာ | • | Ď | 0 | | | | 2 | | SALINITY | | | | | | | | | | | | |
| | | | | | kette II | | | · | 2 1 8 | | | | | | | | | | | | | | |
| g 6 | TIME (GMT) | H MIN | 2320 | | Tape/Diskette ID | | | | 0 - | ALUES | ₽ | | | | | | | | | | | | |
| PROJECT& LEG H X 2 5 9 | | Ϋ́R | 0 | | <u> </u> | | | | FLUOR SAN | CTD CONVERTED MONITOR VALUES | SEC. TEMP | | | | | | | | | | | | |
| PROJEC H X | <u>-</u> | DAY MO | J U | | | | | | | ON CO | | | | | | | | | | | | | |
| | рате | DΑΥ | ¥ 0 | JD/TIME | | | | | | NVERT | e G | | | | | | | | | | | | |
| | ш Б | z | 10 | 3 | | | | | 4 9 7 | <u>8</u> | PRI. TEMP | | | | | | | | | | | | |
| | LONGITUDE | <u>N</u> | 4 | | _ | NMO | _Æ | ¥. | W. 4 | | | | | | | | | | | | | | |
| | ינ | DEG | 4591 N 7654 | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N | | W W | | | | | | | | | | | | |
| | | | Z C | | - | ű | | _ | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | NIM | - | 9590 | 8653 | 1771 | 1772 | 2272 | 2251 | | 2 | | | | = | | | | | | | | |
| 受 | | DEG | 543 | SBE 9+ 09P. 26778-0656 | • | - 1 | - 1 | - 1 | | TRIP | | = | | | | | | | | | | | = |
| VESSEL RV Alpha Helix | CONSC CAST # | - 1 | 5 | 9+09 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | | | رة ا | _ | | | | | | | | | | |
| 발 | <u> </u> | | _ | 8 | 품 | ᇤ | SEC | E | SEC | POS. | | | 2 | က | 4 | ဒ | ဖ | 7 | ထ | 6 | 유 | = | 윋 |

| | | | | FF. | PROJECT & LEG H X 2 5 9 | .EG | DSDB I.D. | Ö, | | | STATIC | ON DES | STATION DESIGNATION | SO. | | |
|-----------------------|----------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------------|------------------|-----------|---------------|----------|-----------------------|---------|-----------------------------|-------------------------|----------|------------------------------------------|-------|
| E | ATITIDE | 2 | E CONTRACTOR DE LA CONT | | | TIME | DRY | WET | EA STATE | | | (3ms) QŪO. 3qy A3HTA3 | BOTTOM | | STA. | |
| M | | DEG | WIN | DAY N | MO YR | HR MIN | (0) | 5 | _ | ۸. | (m/s) | 1. | | ╄ | CI C | |
| 565727. | N | 1653 | 3.83 W | SONULS WES | N 0 2 | 28 व | • | • | | | | | 100 | 0 | | |
| SBE 9+ 09P-26778-0656 | | TIMES | JD/TIME | IME | | | DA | DATA LOCATION | NO. | | Œ | REWARKS | 8 | | | |
| 8 6 5 | 3 1 | DATA ON | | | 1 | Tape/Diskette ID | OI etti | 产 | 3 Mame | File Name/Header | | 世 | Ŷ | - | | |
| 1771 | | START DOWN | | | | | | | | | Щ | | | | - | |
| 1772 | | AT DEPTH | | | | | | | | | <u></u> | Clean | Cleaned air bleed valve | eed valv | 2 | |
| 2272 | | AT SURFACE | Ņ. | | | | , | | | | _ ፷ | MAX. DEPTH= | TH= | | ε | |
| SEC COND SN 2251 | | PAR S/N | 4497 | | FLUOR SAN | W. 0 2 1 | 182 | CHLAM SIN | N SAN | | | TRANS | TRANS. S/N_cst241dr | >1241dr | | _ |
| _ | | | CTD COD | WEATED | CTD CONVERTED MONITOR VALUES | VALUES | | | νζ | SAMPLE BOTTLE DATA | 12 | SAMP | SAMPLE BOTTLE NUMBER | LE NUN | BER . | |
| | PRESSURE | 끮 | PRI. TEMP | ₫. | SEC. TEMP | EMP | SALI | SALINITY | | SALINITY | | SAL. | NUTR. | 용 | PAM | Other |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| _ | 100 | 1 | (| | | | | | | | | | | | | |
| | 5 | , | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | _ | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | - | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | \dashv | | | | | | | |
| | | | | | | | | | | | = | | | | | |
| | | | | | | | | | | | | | | | | Ì |

| | | | | | _ | | | | 125 | | | T | | Τ | | | | 1 | F | - | т- | _ | _ |
|----------------------------|-----------------------------------------|--------|----------|-----------------------|------------------|-------------|-------------------------|--------------|---------------------|------------------------------|-------------------------|------------|----------|---|----------|---|---|---|----|----------|----------|---|----------|
| 1 | | 1 | | | | | | | Τ- | т—— | Ě | 1 | L | L | | | | | L | | | | |
| | STA. | | | | ·. | | 2 | € | | MBER | PAW | | | | | | | | | | | | |
| NO | | 1 | 00 | | | | leed va | | CSE2410 | LENU | 큥 | | | | | | | | | | | | T |
| STATION DESIGNATION | BOTTOM | | 358 | 8 | | | Cleaned air bleed valve | 품 | TRANS. S/N_cst241dr | SAMPLE BOTTLE NUMBER | N TIN | | | | | | | | | \vdash | - | | H |
| N DES | YPE VEATHER | A . | | REMARKS | | | Sean | MAX. DEPTH = | TRAN | SAMP! | SAL | | - | | | | | ┝ | ├ | - | - | | ┝ |
| ₹ F | S S C C C C C C C C C C C C C C C C C C | (m/s) | | Œ | | | | ¥ | | <u> </u> | \ \(\text{\$\sigma} \) | <u> -</u> | | | <u> </u> | _ | | | _ | | | | |
| S | WIND W | 5 | | | _ | | | | | SAMPLE BOTTLE Data | <u> </u> ≧ | | | | | | | | | | | | |
| | | (Dep) | | | File Name/Header | | | | | APLE BO DATA | SALINITY | | | | | | | | | | | | |
| | VISIBILITY SEA STATE VISIBILITY | a | | 2 | ame/f | | | | | NS N | | | | | | | | | | | | | |
| | | Ĭ | | САТІО | File N | | | | CHLAM S/N | | | | | | | | | | | | , | | |
| G | WET BULB | ઈ | | DATA LOCATION | | Ì | | | - - | | SALINITY | | | | | | | | | | | | |
| DSDB (.D. | 2 | ļ | 듸 | DA | _ | | | | R | | SALI | | | | | | | | | | | | |
| | DRY | | | | 鲁 | | | | 1 8 | | | | | | | | | | | | | | İ |
| | TIME (GMT) | HR MIN | 25 | | Tape/Diskette ID | | | | 0 | NES NES | | | | | | | | | | | | | H |
| a LEG 5 9 | | _ | 20425 | | <u>s</u> | | | | 85 | R VAL | SEC. TEMP | | | | | | | | | | | | |
| PROJECT & LEG H X 2 5 9 | | YR | 0 | | | | | | FLUOR SAN | CTD CONVERTED MONITOR VALUES | S | | | | | | | | | | | | |
| PRO H | DATE JD= | § Ş | NULS WE | | | | | | | E K | | - | <u> </u> | _ | | | | _ | ļ_ | | | | L |
| | DAT | DΑΥ | (A) | JD/TIME | | | | | | NVER | يو ا | | | | | | | | | | | | |
| | ய | | 69 | Š | ļ | | | | 4 9 7 | 8 e | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | ¥ | 50 | | | ¥ | | Ж | 4 | ပ | <u> </u> | | | | ĺ | | | | | | | | |
| | PON | 9 | 16574 | မ္မာ | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N | | | | | | | | _ | | | | \vdash | | \vdash |
| | | 띪 | N | TIMES | DAT | STA | ATD | ATS | Ğ. | | ž H | | | | | | | | | | | | |
| | 'n | | _ | | - | | | | | ! | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | NIM | 00 | 3-0656 | 8 6 5 | 13 | 1772 | 2722 | 2251 | | | | | | | | | | | | | | |
| elix | | DEG | <u>T</u> | 2677 | • | - 1 | ŀ | - 1 | | | <u> </u> | 2 | | | | | | | | | | | r |
| VESSEL RV Alpha Helix | CONSC CAST# | 위 | 5754BB.4 | SBE 9+ 09P.26778-0656 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | TRIP DEPTH | |) | | | | | | | | | | | |
| NES A | 8 8 | | - | S | AH. | <u>E</u> | SEC | PRIC | SEC | POS | | - | 2 | က | 4 | ß | 9 | 7 | 8 | 8 | \$ | = | ş |

| | | | | | | | | | | T | T | | Т | T | _ | | | _ | _ | _ | _ | F |
|--------------------------|----------------------|--------------------------------------------------|------------------------|---------------------|-------------|-------------------------|-------------|-------------------|------------------------------|------------|---|---|---|---|----|---|----------|-----------|----------|----|---------------|-----------|
| - | | TT | | | 1 | _ | _ | _ | | ğ | | | | | | | | | | | | |
| | STA. | | = | , ' ; '• | | 2 | 2 | | MBER | PAM | | | | | | | | | | | | T |
| NO. | | ++ | Ž | | | leed vs | | OEP2410 | TE N | 룡 | | | | | | T | | | | T | | |
| STATION DESIGNATION | | | 0 (2) | ! | | Cleaned air bleed valve | PTH. | TRANS SN cel241dr | SAMPLE BOTTLE NUMBER | NGT8 | | | | T | | T | | | | | | \dagger |
| NO. | (IMB) GUOJ: 397 | #: | REWARKS | | | Seg | MAX. DEPTH | TRAN | SAMP | 8 | _ | | | | | | T | \dagger | \vdash | | | ╁ |
| STAT | WIND SPO. | (S) | | | | | _= | | 2 | † | | - | - | ┢ | ┝ | ┝ | ┾ | ┝ | | - | - | ┝ |
| | WIND DIRN. | (ded) | | g | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE VISIBILITY | | # | e/Hea | | | | | AMP | 8 | | | | | | | | | | | | |
| | PRESSURE | | P P | File Name/Header | | | | CHLAMSIN | 03 | | | | | | | | <u> </u> | | | | | |
| | WET Bulb | <u></u> | DATALOCATION | I | | | | 돮 | | <u>}</u> | | | | | | | | | | | | |
| DSDB I.D. | | | PAT | | | | | | 1 | SALINITY | | | | | | | | | | | | |
| H | DRY BULB | <u>୭</u> | 1 | 鲁 | | | , | 8 2 | | | | | | | | | | | | | | |
| | TIME (GMT) | | S | Tape/Diskette ID | | | | 0 2 1 | ES | | | - | ┢ | ┝ | | - | - | - | | | - | L |
| \$ LEG 5 9 | 1 8 | | 20 | Tap ap | · | | | 85 | VALI | SEC. TEMP | | | | | | | | | | | | |
| [뜻 ~] | | 뜻 _ | 0 | | | | | FLUOR SAV | OTIN OTIN | SEC. | | | | | | | | | | | | |
| PROJEC H X | DATE JD= | ≩ | ONIO | | | | | | STD CONVERTED MONITOR VALUES | | | L | L | L | | | | | | | | |
| | DAT | DAY | JD/TIME | | | | | | WERT | <u>.</u> | | | | | | | | | | | | |
| | ш | 0 | | | | | | 4 9 7 | 000 | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | | | | ₹ | | щ | ₹ | ច | 2 | | | | | | | | | | | | |
| | NO TON | دی | INES | Š | START DOWN | AT DEPTH | AT SURFACE | PAR SAN | | | | | | H | | | | | - | | Н | \vdash |
| | | | TIMES | DATAON | STAF | AT D | ATSI | _& | | Ë | | | | | | | | | | | | |
| | កា | | | 3 1 | | | | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | DEG MIN | 3.0656 | 8 6 | 1771 | 1772 | 22.22 | 2251 | | | | | | | | | | | | | | |
| Zelix X | | HEG S | SBE 9+ 09P. 26778-0656 | | | ľ | - 1 | | TRIP DEPTH | | | | | | | 0 | | | | | | |
| VESSEL RV Alpha Helix | CONSC CAST # | , C | 8 48 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | | | | | | | | | | V | | | | |
| ₩ 2 | 88 | | 8 | PAE | E | SEC | - B | SEC | POS | | | ~ | က | 4 | 'n | 9 | 7 | 60 | 6 | 10 | = | 2 |

| VESSEL RV Aloha Helix | _ | | | PROJEC H X | T&LI | 9 6 | DSD8 1.D. | .G | | | STATI | ON DE | STATION DESIGNATION | 8 C | | |
|--------------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------------|----------------------------------------------|------------------|-------------|---------------|----------------------|-----------------------|-------------|--------------------------|---------------------|-------------------------|-----------------|-----------|
| 3 | ATITI DE | SNO | ONGITIBE | DATE JD= | 1 | TIME (GMT) | DRY BULB | WET BULB | PRESSURE SEASTATE | YISIBILIY ON WE | SPOUD (8mt) | CCOUD (amt) TYPE ABHTAEM | BOTTOM | | STA. NAME/ID | |
| DEG. | MIN | DEG | NIM | DAY MO | X. | HR MIN | (၁၅ | <u>ئ</u> | · (qui) | (geb) | (s/m) | 0 | E | | | _ |
| 1 6 | N 6 3. | 1- | - | 0 L 8 1 W d | JSONUL | osagi | • | | | | | | 7,4 | 3 | | · · · · · |
| SBE 9+ 09P 26778-0656 | 1-0656 | 1 | 1 | JD/TIME | | | Ď | DATA LOCATION | NO. | | | REMARKS | \$ | | | |
| PRESS SN 8 | 86531 | DATAON | | | | Tape/Diskette ID | te ID | Ē | e Name | File Name/Header | • | | | | | |
| PRI TEMP SN | 1771 | START DOWN | ¥. | | | | | 1 | | | | | | į | | |
| ۱_ | | AT DEPTH | | | | | | 1 | | | | 8 | ned air b | Cleaned air bleed valve | 9 | |
| | | AT SUBFACE | | | <u>. </u> | | | , [| | | | MAX. D | MAX. DEPTH = | | Œ | |
| l l | 2122 | DAD CAL | 1 1 0 7 | | ELLIOR SAN | N 0 2 | 8 2 | 동 | CHLAMSIN | | | TRA | NS SN | TRANS S/N_cst241dr | | ····· |
| POS. TRIP DEPTH | [SZ] | Name of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last o | | CTD CONVERTED MONITOR VALUES | ONITOR | ALUES | | | 0,7 | SAMPLE BOTTLE DATA | TTE | SAM | PLE BOT | SAMPLE BOTTLE NUMBER | ABER ABER | |
| | PRESSURE | SURE | PRI. TEMP. | MP. | SEC. TEMP | EMP. | SAI | SALINITY | | SALINITY | , | 18 | NCTR. | 윰 | PAM | Other |
| 0 | | | | | | | | | 7 | | | | | | | T |
| 2 | | | | | | | | | + | | | | | | | 7 |
| 8 | | | | | | | | | \forall | | | | | | | |
| 4 | | | | | | | | | \dagger | | T | | | | | T |
| 5 | | | | | | 1 | | | + | | T | | | | | |
| 9 | | | | | | 1 | | | 1 | | | | | | | T |
| 7 | | | | | | 1 | | | \dagger | | | | | | | T |
| 8 | | | | | | | | | \dagger | | | | | | | |
| 6 | | | | | | | | | \dagger | | T | | | | | T |
| 10 | | | | | | | | | \dagger | | T | | | | | |
| # | | | | | | | | | \dagger | | | | | | | T |
| 12 | | | <u> </u> | | | | | | 7 | | 7 | | | | | 7 |
| | | | | | | | | | | | | | | | | |

| | | | | | _ | | | | _ | | | | | Τ- | _ | Т- | _ | т- | _ | | _ | _ | |
|---------------------------------------------------------------------------------|-------------------------|--------|-------------|-----------------------|------------------|-------------|-------------------------|--------------|---------------------|------------------------------|-------------|----|---|----|---|-----|---|------------|----|---|----------|---|----------|
| - | | Т | | _ | | - | _ | | _ | | <u></u> | | | | | | | | | | | | |
| | STA. | | | | | | 9 | 8 | 1 | MBER | PA M | | | | | | | | | | | | \vdash |
| NOT O | | ╄- | (2) | | | | beed val | | cst241d | TENU | 룡 | | | | | | | | T | | | | |
| STATION DESIGNATION | BOTTOM | | <u></u> | KS | | | Cleaned air bleed vatve | E | TRANS, S/N cst241dr | SAMPLE BOTTLE NUMBER | NGTR. | | | | | | | | T | | \vdash | | \vdash |
| NO NO NO NO NO NO NO NO NO NO NO NO NO N | (Ims) GUOJ | Π. | | REMARKS | | | 8 | MAX. DEPTH = | TRAN | S S | इ | 1- | | T | - | - | | | ╁ | _ | - | - | \vdash |
| STAT | MIND | (s/m) | | | | | | | | 9 | | - | - | - | | - | - | ┾╌ | ┾╌ | | _ | | <u> </u> |
| | WIND | | | | der | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE VISIBILITY | 1. | | | e/Hea | | | | | AMPL | 8 | | | | | | | | | | | | 1 |
| | PRESSURE | | 1.5 | NOLL | File Name/Header | | | | CHLAM S/N | - | | | | | - | _ | _ | | | | | | |
| G. | WET | (၁၅ | | DATA LOCATION | | | | | SH. | | È | | | | | | | | | | | | |
| DSDB (.D. | > m | H | | DAT | | | | | | | SALINITY | | | | | | | | | | | | |
| | DAY | (၁ | | | 왕 | | | | 182 | | | | | | | | | | | | | | |
| | TIME (GMT) | HR MIN | 95 | | Tape/Diskette ID | | | | 0 2 | UES | | | | | | H | | | | | | | |
| 8 LEG 5 9 | | - | 0 | | <u>F</u> | | | | SN | RVAL | SEC. TEMP | | | | | | | | | | | | |
| PROJECT & LEG H X 2 5 9 | | Y. | 0 | | | | | | FLUOR SAN_ | OT INC | SEC | | | | | | | | | | | | |
| PRC H | DATE -JD= | Ø. | 36 W PJUN | | | | | | | CTD CONVERTED MONITOR VALUES | | _ | _ | _ | | _ | _ | <u> </u> | | | | | |
| | DAT | DAY | ¥0 | JD/TIME | | | | | | NVERI | MP. | | | | | | | | | | | | |
| | Ä | | 361 | Š | | | | | 4 9 7 | 0 0 0 | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | N | 00 | | | N. | | 씽 | 4 | ပ | ۵ | | | | | | | | | | | | |
| | NO Pi | DEG | b 53 | 93 | DATAON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N_ | | | | | | | | | | | | | | |
| | | | L | TIMES | DAT | STA | ATD | ATS | â | | Z.E.E. | | | į | | | | | | | | | |
| | <u> </u> | - | NCE | | 5 | | | | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | NIM | 5 | SBE 9+ 09P 26778-0656 | 8 6 55 | 17 | 122 | 272 | 2251 | | | | | | | | | | | | | | |
| . Helix | | DEG | 5425 | 9P.267 | • | S S S | P.S. | NS C | NS Q | TRIP DEPTH | | | | | | 7 (|) | $ \wedge $ | / | | | | |
| VESSEL RV Alpha Helix | CONSC CAST # | | 9 | 0 to 10 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | ฐเ | | 107 | | | | | _ | | | | | | | _ |
| <u>> Æ</u> | <u> </u> | - | - | 8 | Æ | 품 | S | PA | Ж Ж | POS. | | | ~ | က | * | က | ဖ | 7 | 80 | 8 | 2 | = | 2 |

36

| | · · · · · · · · · · · · · · · · · · · | | | | | | - | | Other | Ţ | | T | T | | | | | | Т | 7 |
|--------------------------|-----------------------------------------|------------|-------------------------------------------------------------------------------------|------------------|-------------------------|--------------|---------------------|------------------------------|------------|---|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|---|----|
| | STA. NAME/ID | | | | 1 | 8 | | # | PAM | | | + | \dagger | | | | | | | |
| | | | | ii | Cleaned air bleed valve | | £241¢r | SAMPLE BOTTLE NUMBER | 동 | | + | T | | + | 1 | | | | | |
| NATION 05/ | 0 (1) | (E) C | 4 | | delr ble | # | TRANS, S/N cst241dr | Е ВОТП | <u>K</u> | + | \dagger | + | 1 | \dagger | T | | | | | |
| STATION DESIGNATION | S W S G S S S S S S S S S S S S S S S S | | REMARKS | | Geen | MAX. DEPTH = | TRANS | SAMP | NS N | | | | | | | | | | + | |
| STATIO | S S CLOUD (amt) | . (S/W) | 雇 | - | | = | | | <i>"</i> | 十 | + | + | \dagger | | | + | | | + | |
| | | (Geb) | | der | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | |
| | SEA STATE VISIBILITY | | | File Name/Header | | | 2 | SAMP | Ø | | | | | | | | | | | |
| | | (E) | CATION | Fie Na | | | CHLAM SAN | | | | | | | | | | | | | |
| | WET | ଥ | DATA LOCATION | | | 1 | | | SALINITY | | | | | | | | | _ | | |
| DSDB I.D. | DRY BULB | ၌ | | 유 | | | 6 8 | | 35 | | | | | | | | | | | |
| 95 | TIME (GMT) | HE C | 7001 | Tape/Diskette ID | | | 6 | ALUES | EMP | | | | | | | | | | | |
| 77&L | | YR | 2 2 | | | | 140 GOI 10 | CTD CONVERTED MONITOR VALUES | SEC, TEMP | | | | | | | | | | | |
| PROJEC H X | DATE -JD= | | N O F | | | | | TEO MC | | | - | | \dashv | + | | + | | + | | |
| | DAT TAG | DAY | JD/TIME | | | | | CONVER | PRI. TEMP. | | | | | | | | | | | |
| | JOE JOE | | 0 | 1 | - | 55 | | e e | PRI. | | | | | | | | | | | |
| | LONGITUDE | (5) | ر الا | NO | START DOWN | E 2 | AI SURFACE | FAH S/N | | Н | | \dashv | \dashv | \dashv | \dagger | \dagger | \dagger | \dagger | | |
| | | SE . | 8 5 N 16 5 B | DATA ON | STAR | A DEPTH | χ [] Σ | | PRESSURE | | | | | | | | | | | |
| |] | | 151 85 85 85 85 85 85 85 85 85 85 85 85 85 8 | 5 3 1 | | N | 2 | _ | PRES | | | | | | | | | | | |
| | LATITUDE | N | 1611 1514 1615 886 94778-0858 | 8 6 5 | | | -1 | 532 | | | | | | | | + | + | + | 1 | |
| VESSEL BV Aloha Helix |); * | SE C | | SSN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | POS. TRIP DEPTH | | | | | | 4 | 1 | Y | | | | |
| VESSEL RV Alph | CONSC CAST # | 9 | 9 JR. | PRESS SN | PRI TE | SECT | ರ ಹ | POS. | | - | 2 | က | 4 | ß | 9 | 7 | æ (| p | = | 12 |

| | | | | | | | | | | | | _ | T | T- | _ | _ | Τ- | _ | | | | | |
|----------------------------|-------------------------|----------|----------------|-----------------------|------------------|-------------|-------------------------|--------------|---------------------|------------------------------|-----------|----|---|----|---|----|----|---|-----------|---|---|---|----------|
| - | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | STA. | | | | 9. | | 2 | E | | MBER | Ž | 2 | | | | | | | | | | | 厂 |
| § C S Z | | ╇┩ | 28 | | | | Cleaned air bleed valve | | TRANS, S/N cst241dr | SAMPLE BOTTLE NUMBER | | 5 | | | | | | | | | | | 厂 |
| SIGNAT | VEATHER STORY | | | HCS | | | ned air t | FIH. | S. S.N | 7E BOT | 9 | Ė | | | | | | | | 丨 | | | \vdash |
| STATION DESIGNATION | 347 | | | REMARKS | | | 8 | MAX. DEPTH = | | SAMI | 5 | \$ | | | | | | | \dagger | | | - | - |
| STA | (Jms) QUOX | | 긬 | | | | | | | E E | | T | | | | 1 | | - | | | + | | - |
| | WIND DIRN. | | | | ader | | | | | SAMPLE BOTTLE DATA | VIII 142 | | | | | | | | | | | | |
| | SEA STATE VISIBILITY | | | _ | File Name/Header | | | | | SAM | Ű. | | | | | | | | | | | | |
| | PRESSURE | QL. | \exists | ATION | File Na | | | | CHLAM SAN | | | | | | | | | | Ī | | | | |
| DSDB I.D. | WET | છ- | | DATA LOCATION | _ | ' | | | <u>ਤ</u> | | YTINI IAS | | | | | | | | | | | | |
| OSO | DRY | ၌ | | 2 | ₽ | | | | લ | | 8 | | | | | | | | | | | | |
| | | | - | | skette | | | | 2 1 8 | | | _ | _ | | | | | | | | | | |
| e B | TIME (GMT) | HR | 490 | | Tape/Diskette ID | | | | 0 | CTD CONVERTED MONITOR VALUES | d S | | | | | | | | | | | | |
| PROJECT & LEG H X 2 5 9 | | Ϋ́ | 20 | | | | | | FLUOR S.N | MITOR | SEC TEMP | | | | | | | | | | | | |
| PROJE(| DATE-JD= | ₽ | J U N | | | | | | | | | _ | _ | | _ | | | _ | | | | | |
| | DAT | DAY | SIM CE | JOYTIME | | | | | _ | NVERI | g. | | | | | | | | | | | | |
| | DE | z | 9 | ğ | ١ | | | | 4 9 | 6 6 | PR! TEMP | | | | | | | | | | | | |
| | LONGITUDE | N. | 3 4 | | _ | OWN | I | ACE | A. A | | | | | | | | | | | | | | |
| | 2 | DEG | 65 | TIMES | DATAON | START DOWN | AT DEPTH | AT SURFACE | PAH S/N_ | | щ | | | | | | | | | | | | |
| | | 1 | (3) | | - | S | 1 | × | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | WIN | 625423.83N3658 | 9656 | 6.53 | 1771 | 1772 | 2272 | 2251 | | E | | | | | | | | | | | | İ |
| Selix Xie | | DEG | ر ب | 26778 | 80 | ŀ | . I | - ! | | 유문 | | | | | | | | | | | | 1 | = |
| VESSEL RV Alpha Helix | CONSC CAST# | <u> </u> | द्ध | SBE 9+ 09P.26778-0656 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | ᆽ | TRIP DEPTH | | | | | | | | | | | | | |
| ₩ & | 88 | | 7 | 88 | 띪 | 표 | SEC | <u>R</u> | SEC | Si | | - | 2 | 3 | 4 | 10 | 9 | 7 | 80 | တ | 9 | = | 12 |

| | | | | | | | | | | _ | _ | | _ | | | | | | |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------|-------------------------|--------------|---------------------|------------------------------|------------|--------------|----------|----------|---------|---|-----------|---|----------|---|----------|----|
| - | | | | 1 | | | | 8 | | | | | | | | | | | |
| TION 3 | STA. | | ·,. | 2 | ٤ | 1 | MBER | PAM | | | | | | | | | | | 一 |
| | | | | sheed va | | cst2410 | TEN | 동 | | | | | | | | | | | |
| S V C | WEATHER OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STA | 3KS | | Cleaned air bleed valve | MAX. DEPTH = | TRANS, S/N_cst241dr | SAMPLE BOTTLE NUMBER | NCTR. | | | | | | | | T | | | |
| STATION DESIGNATION | LYPE CLOUD (amt) | REMARKS | | Š | MAX. D | T. WILL | SAM | 185 | | | | | | | | | | | - |
| ST/ | WIND SPD. | | | | | | TTLE | >- | | | | | | Ť | | | | | |
| | MIND DIRN. | | eader | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | |
| | PHESSURE SEASTATE VISIBILITY | ₹ | File Name/Header | | | ₹. | SAN | 03 | | | | | | | | | | | |
| | WET CC) | DATA LOCATION | File I | | | CHLAM S/N | | | | | | | | | | | | | |
| DSDB 1.D. | | DATAL | | | | Ĭ | | SALINITY | | | | | | | | | | | |
| ă | BULB (*C) | | tte ID | | 416 | 8 2 | | တ | | | | | | | | | | | |
| | TIME (GMT) HR MIN | | Tape/Diskette ID | | | 0.21 | UES | | | \dashv | \dashv | | | \dagger | + | \vdash | | \vdash | |
| 7.8.LEG 2.5.9 | ایم اسما | | Tap | | _ | FLUOR SAV_ | OR VAL | SEC. TEMP | | | | | | | | | | | |
| PROJECT & LEG H X 2 5 9 | Z | | ı | ! ! | | FUC | MOM | SE | | | | | | | | | | | |
| Δ | DATE JD- | Æ | | | | | STD CONVERTED MONITOR VALUES | | | \dashv | 1 | 1 | | | | | | | |
| | <u>*</u> | JD/TIME | | | 8 | 9.7 | NOO D | PRI. TEMP. | | | | | | | | | | | |
| | | | NW. | | | 4 4 | C C | <u>.</u> | | | | | | | | | | | |
| | <u> </u> | TMES | DATA ON START DOWN | AT DEPTH | AT SURFACE | PAR S/N | | (1) | | | | | | | | | | | |
| | 2 | F | - N | ¥ | * | | | PRESSURE | | | | | | | | | | | |
| | N C | 9990 | 8653 | 1772 | 27.22 | 2251 | | P | | | | | | | | | | | |
| delix | CONSC CAST # LATTI DEG MI | SBE 9+ 09P. 26778-0656 | | | - 1 | ſ | TRIP DEPTH | | + | + | \pm | + | ┿ | | | | | + | = |
| VESSEL RV Alpha Helix | CONSC CAST# DD | 9+ 09F | PRESS SN PRI TEMP SN | SEC TEMP SN | PRI COND SN | ᅙᆫ | | | \downarrow | \perp | 1 | \perp | | | | | | | |
| <u> </u> | 88 = | SB | <u>E</u> E | SEC | PR | SEC | Pos. | | | ~ | က | 4 ' | 9 | _ | 8 | o | 9 | = | 12 |

| | | | | | | | | | | | 7 | _ | T- | _ | _ | | _ | _ | _ | | | |
|----------------------------|-----------------------|--------------|-----------------------|------------------|-------------|-------------------------|--------------|---------------------|------------------------------|-------------|--------------------------------------------------|---|----|---|---|---|---|----|---|----------|---|----|
| - | | T- | _ | | | _ | _ | _ | | <u> </u> | 3 | | | | | | | | | | | |
| | STA. | | | ٠,٠, | | 2 | E | i i | MBER | PAW | | | | | | | | | | | | |
| ỗ d | | + | <u> </u> | | | Cleaned air bleed valve | | cst241d | SAMPLE BOTTLE NUMBER | ਰੋ | | | | | | | | | | | | |
| STATION DESIGNATION | ВОТТОМ | | | | | ed air b | FIH. | TRANS. S/N_cst241dr | LE BOT | E 2 | | | | | | | | | | \vdash | | |
| NO Para | F (tms) GUOJ(| | REMARKS | | | 8 | MAX. DEPTH = | TAN NA | SAM | N. | | | | | | | | | | | - | |
| STAT | WIND | (m/s) | | | | | _= | | 2 | | F | - | | | | - | ┢ | | | ┢ | | |
| | WIND DIRN. | |] | ader | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | : | | | | | |
| | SEA STATE YTURISIV | - | 1 | File Name/Header | | | | | SAMP | 20 | | | | | | | | | | | | |
| | PRESSURE | (QE) | ATION | File Na | | | | CHLAM S/N | | | | | | | | | | | | | | |
| Ü. | WET | ફ | DATA LOCATION | _ | 1 | | | 픙 |] | SALINITY | | | | | | | | | | | | |
| OSDB I.D. | ORY BULB | ව <u>ි</u> | ā | a | | | | 2182 | | SAL | | | | | | | | | | | | |
| | | | | skette l | | | | | | | | | | | | | | | | | | |
| <u>ස</u> ග | TIME (GMT) | H A | | Tape/Diskette ID | | | | 0 N | ALUES | ÷ | | | | | | | | | | | | |
| PROJECT & LEG H X 2 5 9 | | ¥ 0 | , | | | | | FLUOR S/N_ | TOR V | SEC. TEMP | | | | | | | | | | | | |
| PROJEC H X | DATE JD= | QV = | | | | | | | | | | | | | | | | | | | | |
| | DATE | A A | 길 및 | | | | | | NVERT | đ. | | | | | | | | | | | | |
| | 96 | 3 6 | | ļ | | | | 497 | CTD CONVERTED MONITOR VALUES | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | MIN | | | NWO | - | E E | 1 | 0 | | | | | | | | | | | | | |
| | 9 | DEG 1 | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N | | ш | | | | | | | | | | | | |
| | | | | - | છ | × | ৰ | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | _~ | 7 1 | 8 6 53 3 | 1771 | 1772 | 2272 | 2251 | | . | | | | | | | | | | | | |
| á | Z | DEG MIN | 26778- | 8 | l | - 1 | ı | | ᇫ폰 | | 27 | | | | | | | | | | | ᅱ |
| VESSEL RV Alpha Helix | CONSC CAST # | 7 <u>0</u> 7 | SBE 9+ 09P.26778-0656 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | 있 | DEPTH | | 6 | | | | | _ | | | | | | |
| ¥ § | 8 క | - | SBE | PRE | E | SEC | PR C | SEC | Pos. | | - | 2 | 3 | 4 | 9 | 9 | 7 | 80 | 6 | 9 | = | 22 |

| | STA. | | | | B. | | | E | | BEB BEB | PAM Other | | | | | | | | | - | - | | - |
|---------------------|--------------------------------------------|-----------------|--------------|-----------------------|------------------|-------------|-------------------------|--------------|---------------------|------------------------------|------------|---|---|---|---|---|---|---|---|---|---|---|----|
| 8 | | ╄ | 0 | | | | leed valv | | cst241dr | LE NUV | ₹ | | | | | | | | | | | | H |
| SIGNAT | ∤ ∞ <u>~</u> | | 7 | | | | Cleaned air bleed valve | FPTH = | TRANS, S/N_cst241dr | SAMPLE BOTTLE NUMBER | A E | | | | | | | | | | | | 一 |
| STATION DESIGNATION | S S S S X OUD (amt) PPE A3THER | | | REMARKS | | | Clea | MAX. DEPTH = | TRA | SAM | \$ | | | | | | | | | | | | 一 |
| STA | WIND DIRN. | (deg) | | | ader | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | PRESSURE SEA STATE YTIJIBISIV | • (qm) | | * | Fie Name/Header | | | | N/S | SAM | S | | | | | | | | | | | | |
| DSDB I.D. | WET | <u>)</u> (၃) | TA LOCATIC | DATA LOCATION | F | | | | CHLAM S/N | | SALINITY | | | | | | | | | | | | |
| OSO | ORY BULB | (၁၂) | • | ۵ | ette 10 | | | | 182 | | 35 | | | | | | | | | | | | |
| i LEG 5 9 | TIME (GMT) | HR MIN | 750 | | Tape/Diskette ID | | | | S/N_ 0 2 | VALUES | SEC. TEMP | | | | | | | | | | | | |
| PROVECTALEG | - 07 | MO YR | J U N 0 2 | | | | | | FLUOR SW_ | D MONITOF | SE | | | | | | | | | | | | |
| | DATE~D= | DAY | 8 Lm 99 | JD/TIME | : | | · | | 9 7 | CTD CONVERTED MONITOR VALUES | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | N. | • | | · | NA/ | | 뜅 | 4 | CIO | PR | | | | | | | | | | | | |
| | ĮO, | DEG | 165 | TIMES | DATAON | START DOWN | AT DEPTH | AT SURFACE | PAR SAN | | RE | | | | | | | | | | | | |
| | 21.30 NATHRDE | MIN | 4.30 NI 6539 | | 86531 | 1771 | 1772 | 2272 | 2251 | | PRESSURE | | | | | | | | | | | | : |
| RV Alpha Helix | | DEG | 1651542 | SBE 9+ 09P.26778-0656 | | | - 1 | - 1 | - 1 | TRIP DEPTH | | | | | | | | | | | | | = |
| RV Alpha | CONSC CAST# | _ | 165 | SBE 9+ | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | Яl | <u>୍ଥ</u> | | - | 2 | 8 | 4 | S | 9 | 7 | 8 | 6 | 9 | = | 12 |