Pg. __/ of __4_ Consec.Cast # SURVEYOR Vessel Proj. & Leg | Event# Vessel Sta. I.D. | 2 | 5 | 132 Instructions Sta. Designation BPR - IIsu-88-01 Longitude E Date JD = or 257 Latitude 1025. 8 Time 75 Consec. Wet S Deg. Dry Bar. Cast # Bulb Bulb Min. W Day Mo. Yr. Hr. Min. Ø 8 2 CTD SEABIRD **Monitor Checks Data Location** Times JD/Time Type & SN 9-/220-13 Data on 257/ 18:15:40 on Deck Tape/Diskette I.D. at Surface File Name/Header Press. SN 26072 18:20: at Surface_ 13 SEP1757, DAT Temp. SN 710 18 22 Start Down Cond. SN _____ 30 4 1833 Temp. _____ at Bottom____ Start Up / 839 Remarks All CTO times are ahead (+1) one how from 6 mt. Wx Time is correct. Cond._____ 1851 at Surface____ Other_____ 1852 Data off____ T Trip Sample Bot. Data **Monitor Values** Sal. Other Time @ Conv. Mon. Values-CTD Bot. Rack Depth Depth Trip Bot. # Samp. Press. Therm-P Avg Tw Sal. Temp. Cond. Temp. Other Press. Cond. Sal. 1 496 1833 1838 504.3 3.50 34.214 2 3 3 4 4 5 5 6 6 7 8 8 9 9 10 10 11 11

12

Initials <u>DAM</u>

C	onse	c. Cas	t# \$\$\phi 2	Vesse	el W <i>EYo</i>	P 7.	roj. & Leg		ent#	Vessel S /). In		ctions 54 - 88-	- 01					Sta. D	esignation	on 6	
1	nsed st#		Latit	ude Min.	or	Longit Deg.	ude E [Date JD = 258 Day Mo.	Yr.	Tim GM		Dry Bulb		Wet Bulb	/023 Ba m	ır.	Wind S Dir.	Wind Sp.	Type Weath.	Bott Dept	h, m	Sta. Nam or I.D	1
ø	\$	2 5	3 2 2	2 2 7	W 1	5419	85W1	4 5 EP	88	Ø Ø	29	1 \$ 5	8 0	ø e 3		2.4	10 2 8	0208	2 2	44	853	PRI	6
Ту	oe &	TD SN_	SEABIR 9-1221	D - B	_			itor Check				Times	J[D/Time		_	/D: 1 · ·	Data Lo			4		
Pr	ess.	SN_	2607	2	-		on Deck	at	Surfac	e		ata on urface	<u> </u>	Ø1/2	_	Гар	e/Diskette	I.D.			ne/Head め/めん	er .DAT	
	-		710 304		-	Press Temp					1	Down ottom		\$114 \$128	-								
	JIIG.	314				Cond					Sta	art Up		\$129 \$149	 ∤	Rema	rks A.U.	eto t	in.	ه هده	tread	one (+	۲)
_	. <u>-</u>				-	Other					[urface ata off		\$15¢			Core	et.	emi	. س <u>ب</u>	- Livia 	ابد	
Pos.	Bot	T . Rack	Trip Depth	Tim Depth	ne @	Press.	Monit Temp.	or Values Cond.	Oth	ner	Press.	Conv. Mo	_	Values-CTI Cond.		al.	Sa Therm-P	mple Bot. Avg Tw		Sal.	Sal. Bot. #	Other Samp.	1 0 1
		2 11072	502			_		30113.									200						L
2											····												2
3		8				5					 												3
4			4			= 2												2	 	-			4
5					<u> </u>	-					· · ·					•							5
6																							6
7													\dashv										7
8																					-		8
9						1		<u> </u>				-	\dashv										9
10	50		-		 														+		 		10
II			 		 	+				\dashv		81			-,,,,,				+			 	Ш
12		<u> </u>							<u> </u>														12
ш		<u> </u>	4		<u> </u>			1									<u>1</u>	<u> </u>			Iniciala	10-2017	

Pg. <u>3</u> of <u>4</u> Sta. Designation Consec.Cast # Vessel Proj. & Leg Event# Vessel Sta. I.D. Instructions 443 SURVEYOR TSUNAMI LEG 1 7 S 132 54-88-01 BPR 12 Latitude Longitude E Date JD = 258 Wind phologody Bottom Single Sp. ULX A 3 3 9 N Time GMT 135 Sta. Name Wet Wind Consec. Dry Bar. or Cast # Deg. or I.D Bulb Bulb Dir. Min. S Deg. W Day Mo. Yr. Hr. Min. **ε** φ CTD SEABIRD **Data Location Monitor Checks** JD/Time Times Type & SN 9-1220-13 Data on 258/ 223/ on Deck at Surface Tape/Diskette I.D. File Name/Header Press. SN 26072 2233 at Surface___ 14 SEP 2211. DAT Press. ______ Temp. SN ______ 7/0 2234 Start Down____ 2255 Temp. _____ Cond. SN _____ 304 at Bottom. 2306 Start Up_____ Remarks All CTD time are alead one (+1) Cond._____ 2324 at Surface_____ ham from our. We time it 2324 Other_____ Data off.____ coured. Sal. Other Sample Bot Data **Monitor Values** Conv. Mon. Values-CTD Time @ Bot. Rack Depth Depth Trip Temp. Bot. # Samp. Therm-P Avg Tw Cond. Cond. Sal. Press. Other Sal. Temp. Press. 548 2255 2344 87 34.224 2 3 4 5 6 6 7 8 8 9 9 10 10 H 12 12

Initials Omm

Pg. <u>4</u> of <u>4</u> Sta. Designation

Consec Cast #	1	Latitu			≥ 175¢	XNAMT.	166 1	ent# Vesse	132		uctions				B	PR-17	on 	
Ø 0 1	De	g.		N or S De	Longitud	e E D or	ate JD =2	ঠ ি T ii	me MTO	Dry Bulb	Wet Bulb	Bar. mb	Wind ⊵i Dir.	Wind Sp.	Meath. Debt		or I.D	
	15	3 2 5	30	NIS	57/2/2	IEI	SSEP	ee 07	010	90	084	193	5200	16-	-246	008	PRI	7
Type & Press.:	TD 3 SN_ SN_ SN_	2607. 710	D-B	- - - Pr	or ress	n Deck	tor Checks at S		Data at Sur Start Do at Bot	on face own tom	#7¢	≱ Tap	e/Diskette	Data Loc	File Nan			
					ond ther				at Sur	Up face off	φ 741 φ 7 44	2_	rks CTD					
& Bot	T Rack	Trip Depth	Tim Depth	e @ Trip	Press.	Monito Temp.	r Values Cond.	Other	Press.	onv. Mon. Temp.	Values-CTI Cond.	Sal.	San Therm-P	n ple Bot .D Avg Tw	Pata Sal.	Sal. Bot. #	Other Samp.	1 ~ 1
ı		- 8			3				1 - 0 - 100									L
2		B twictory				***												2
3		Si vigi		***		•7												3
4									!			ē						4
5							Х							***				5
6			·			40				· · · · · · · · · · · · · · · · · · ·								6
7																		7
8													8					8
9													Ü.					9
10																		10
П																		П
12															81			12

_			- CAST														Pį	g	of	5
	Conse	c.Cas	<u> </u>		el RVEY	OR	Proj. & Leg SU - && -	ol, LEGI	Event#	Vessel	Sta. I.D.	Ins	ructions			88	Sta. C	esignation AST-8	on	
	onsec		Latineg.	Min.	or S			Date JD	=259	GM'	т	Dry Bulb	Wet Bulb	Bar mt	1 -1	1 13			Sta. Nar or I.D	
C			405		N	5 757	56 W	15SE	P 88	12	450	792	09	0/3	36418		8 8 5 2	03 4	A 3 7	78
T	С /pe & :	TD · SN_	SEABIR 9-122	D 0-B	48			onitor Che	ks		Ti	mes	JD/Time			Data Lo	cation		······	
			260		_ 11		on Deck		at Surfac	:e	1		1300		Tape/Diskett		File Nar	ne/Head	ler	
	-		710		_	Press. 7	ot recon	ded_				rface own			TOPMAST		15 SEF	1228		
C	ond. S	N_	304	223	_	Temp				 -	at Bot	ttom	134							
_		_			1	Cond Other	N. E.			_Ta	at Sui	t Up rface a off	144	/ I R	emarks Fil	res one	how she	of failes	EMT.	<u>. </u>
os.	Dat	t. Rack Depth Depth						itor Values	Beer.				. Values-C			ample Bot.[Sal.	Other Samp.	S.
۵.	BOL.		- 45			100	. Temp	. Cond.	Oth	ner	Press.	Temp.	Cond.	Sa	. Therm-l	Avg Tw	Sal.	Bot. #	Samp.	A.
E S	2	E	200	1345						1	557.536	2.118		34.5	18 1559.5		34.539	79		I
2	21	B		1413	1418	3					753,082	3.037		34.3.	39 1620.2	3.02	34.338	102	100	2
3	20	H	14	1434	143	9	3 8 =			_ = 688	- 4	=				10.63	32.521	22		3
4	- 3	H			- B						L.A.									4
5														=7						5
6		37		53		Wil				II iii	,	i							31	6
7		13.E	4	H 5					9			V T		1			755 105			7
8			Ш					=						2		1			*	8
9		āl	•	2.2			1				_						= xx =		48.	9
0	-		_	Ž g										-				1	20	10
11												y.						 		11
2		I		#											337	<u> </u>				12
							<u> </u>		4		2 / -	=/	1	1 : 4	~	1	<u> </u>	Initials	Bonn	

Readings from , LOG file

	TOPM			SHEET				•		<u> </u>						Pg	2_	of <u>5</u>	
	.01156	00		Vess ر	el <i>UR VE</i> Y	YOR S	roj. & Leg U - 88 - 0/	LEGI	vent# Vess	sel Sta. I.D. 7	Instr	uctions					esignatio		
C	onsec ast #	D	eg.	Min.	or S D	Longitu eg.	or W	ate JD =	259 T G Yr. Hr.	ime MT Min.	Dry Bulb	Wet Bulb		Wind	Sp. S	Meath. Debt	h, m	Sta. Nar or I.D)
0	C	TD	SEABI	eD.	M/	5805				56/	00	098	///	6420			58 M	ASI	7
	-		9-122		_ =	c	moni on Deck	tor Check	s : Surface		mes a on <u> 25</u> 9	JD/Time	Tas	e/Diskette	Data Lo	cation File Nan	ا لامما المم	5	
			710		- _P		.02		1.3	at Sur	face	1555		PMAST		15 SEP		ег	
			304		- 1 _		0.0		. 788		own tom								
				<u>.</u>	_ 0	.,	792		2.626	Start at Sur	Up face a off		Rema	irks Tim	es I he abilized	ahead for 1 m	of 6p	1T	Rec
S.	Bor	T Rack	Trip	Time Depth	e @			r Values		C	onv. Mon.	Values-CTI	<u> </u>	Sai	mple Bot.[)ata	Sal.	Other	1 %
1		MAN ST				Press.	Temp.	Cond.	Other	Press.	Temp.	Cond.	Sal.	Therm-P	Avg Tw	Sal.	Bot. #	Samp.	1
-	2	E	1518	1630	1635					1527.625	2.141		34.542	1523.9	2.12	34.535	66	711	
2	21	B	752	1707	1708					761.138	3.070		34.336	* 7/7.5	3.58	34.330	55		2
3	20	H	16	1731	1732								_	Therms	lost	32.629	19		3
4												x			1			181	4
5		88							1					7		200	- a_		5
6																		100	6
7											•								7
8		77								.5	41.								+
9	-	-1																· · ·	8
-			76 ²⁵																9
10	\dashv	_	1/5				5												10
11	_ -	_ _															4		II
2														=					12
				ħ						Readine	as brown	LOG - fi	1, +	19			nitials _	gh.	<u>—</u>

Co	onse	:.Cas	27	Vess Sc	JRVE	YOR S	roj. & Leg	LEG I EV	rent# Vess	el Sta. I.D 2	. Ins	tructions				Sta. D	esignati MAST	on	
	nsec st #	De	Latio	Min.	or S I	Longitu Deg.	ıde E [Date JD = Day Mo.	260 T G Yr. Hr.	ime MT Min.	Dry Bulb	Wet Bulb	Bar. mb	Wind Dir.	Wind Page 1		om	Sta. Na or I.E	
0	0 7	5		09	M/	5832	46W1	SEP	8800	11	102	102	095	722	0188	619	4 5 M	1A S	7
Гур	C :&e	TD 3 SN_	9-122	0-B	_			itor Checks			imes	JD/Time			Data Lo				
			260		_		on Deck		Surface		ta on_ <i>26</i> irface			e/Diskette		File Nan			-
	•		710		- I			<u> </u>		- Start C	own	0//3		DAMAST		16 SEPO1	03.D	AT	
COI	nd. S	N	304			•		10,			ttom t Up								
					- 1	Cond Other	<i>U</i>	3/	. 193	at Su	rface ta_off	0234	Rema Tum	es are 1	FILE'S -	- DOWNCAST ad of GA	- UPC	A5T	
S.	Rot	T	Trip Depth	Tim	1e @	14		or Values			oriv. Mo	n. Values-C1	D	Sar	nple Bot.[)ata	Sal.	Other Samp.	Т
- [- 12		1		Temp.	Cond.	Other	Press.	Temp	. Сопа.	Sal.	Therm-P	Avg Tw	Sal.	Bot. #	Samp.	ľ
V	2	E	935 n	4139	014	7 873.2	3,266	34.287		884,003	3,25	/	34,291	891.1	3.25	34.296	46		
2		W 50	No. 18		3-														
3	2/	B	430m	OZII	0210	434.423	4.014	34.075		434.640	4.015		34,075	435.3	4.03	34.078	58		
1						140										- W			
5	17	6	15m	0229	0234	14,932	10.217	31.796		14.445	10.22		31.794		10,22	31.801	69		T
,							, , , , , ,	071.70		77.77	10:00	/	01.77		10,22	37,807	6-7		+
,	25													_					\dagger
	_					20 to											\$8		+
+	-	\dashv				1								55			<u> </u>	-	- 1
-		\dashv				ļ			=5										
1	1	_																	1
1	-	\dashv																	1
<u> </u>																£			1
				··		01	. , , =	screen	A .	0 1	. 1	m , LOG	1			- !	Initials _	'	_

				SHEET																Pg	z. <u>4</u>	of	5_
Co	nsec.	Cast			el QVE	YOR		oj. & Leg			vent# /ろ	Vessel	Sta. I.D		Instr	uctions				Sta. D	Designati	ion,	
i	isec. st #	De		tude Min.	Or S	Lon Deg.	gitu			JD =	260 Yr.	GM		Dry Bulb		Wet Bulb	Bar. mb	Win.	1 131			Sta. Nan or I.D	
00		5		513	M	1582	2 8	80 W	16.	SEP	88	03	02	10	0	092	09	5721	0288	6220	731	7 A S T	r 4
Tvo	TO I2 & a	D -	SEABIA 9-1220	2 D 2 - A	Ì			Mo	nitor	Check	<u> </u>		Т	imes		D/Time		<u></u>	Data Lo	cation			
			2607		_		O	n Deck		at	Surfac	:e	1			0/ 0301	י	Tape/Diskette	e I.D.	File Na	ne/Hea	der	
1			7/0			Press	um ,	00.3		4,	125			urface_ Down_		0302	-	TOPMAST		16SEPO			
Co	12 .br	٧	304	, 	_	Temp	9	767		10	186	,		ottom_		0339	_ -			16 SEPO	344. Ju	1 /	
					_	Cond		0		: 3	2.19	7		rt Up_		0347	— Re	marks					
					-	Other_						M.		urface_ ita off_	-	0436		······································					
S.		T	Trip	Tim Depth	e @		H		tor Va				4			Values-CT	D	Sa	mple Bot.E)ata		Other	1 0 1
<u>σ</u> . [OU. IN	аск	Depth	Depth	Tri	p Pres	ss.	Temp.	<u> </u>	ond.	Oth	ier	Press.	Те	mp.	Cond.	Sai.	Therm-P	Avg Tw	Sal.	Bot. #	F Samp.	ď
	-	E	1500	0339	034	16 1520	261	2.234	31	4.5ZZ		15	519.94	8 2.2	34		34.52	3 1532.1	2.19	34.516	101		1
2																							2
		B	750	0404	040	9 748	060	3,242	34	294		7	756.38/	3.2	44	E	34.294	763.3	3.25	34.294	100		3
4		\dashv				24			112		T E	133		W								- 5	4
5	7	5-	15	0430	043	35 14.5	51	10,17	32	.200			15,180	10,1	179		32.20	/ –	10.21	32,204	7.5		5
6							F						<u> </u>							7			6
7	_	_																					7
8		\downarrow																	1				8
9		_				ä		n					8								11		9
10																							10
11																.55							11
12													:3:										12
						Reas	Lina	s Aro	m s	creen	, 1		Donal	1	Da	ma lac	1.6.1	<u> </u>	<u> </u>	<u>-</u>	Initials	h	

	·		SHEET							-					Pg.		of	2_
Conse	c. Cas		Vess Sur	el VEYOR		oj. & Leg		rent# Ve	essel Sta. I.D.	Instr	uctions				Sta. D	esignation MAST	on,	
Consec Cast #		Lati eg.	tude Min.	N or	Longitu Deg.	de E [Date JD =	260	Time GMT	Dry Bulb	Wet Bulb	Bar. mb	Wind	Wind Pool		om :	Sta. Nan	
009	5	4 /	6 4 3	MI	5811	60W1	OSEP	880	6221	0 0	092	105	55189	22-	-133	81/1	A 5 7	76
C Type &	TD SN	SEABI.	0 - B				itor Checks		Ti	mes	JD/Time			Data Lo	cation		<u> </u>	
		2607				n Deck		Surface :	Dat at Su	a on <u>260</u>	0621	Тар	oe/Diskette	I.D.	File Nam			
Temp.					Press			487	Start D		0623		OPMAST		16SEPO	607. D	AT_	
Cond.	N_	304			emp9	961		2,492	and the second	tom t Up	0703							
	3+3				Cond			,413	at Su	face	0758	Rema	arks	10	1	3		
6	Т	Trip	Tim		Other	Monito	or Values			a off	Values-CT		l Can	nple Bot.D	lata	Sal.	Other	Τ.,
Bot.	Rack	Depth	Tim Depth	Trip	Press.	Temp.	Cond.	Other	Press.	Temp.	Cond.	Sal.	Therm-P	Avg Tw	Sal.	Sal. Bot. #	Samp.	Pos
12	E	1500	0703	070	8 1524.208	2.214	34.528		1524.365	2.209		34.529	1523.8	2.24	34,516	78		1
2							5-										### W-	2
3 21	B	750	0729	0734	757.375	3,079	34,326		757.527	3,080		34,327	763.1	3.09	34.324	73		3
4		1		-									2 m	5845 0G				4
5 17	6	15	0752	056	14,159	10.483	32.421		14,170	10,484		32.421	20.	10.47	32.424	39	*	5
6																		6
7																		7
8																		8
9															· · · · · · · · · · · · · · · · · · ·			9
0																		10
1																		11
2			56 ^E			701		·	l l	 · · · · · · · · · · · · · · · · · ·			Х					12
08					Reading	& from	xcuen	^	Reach	igs from	m , LOG	file			£3	nitials _	Mm	<u>, </u>