THE STATE OF THE S

Depth helow keed PG 1. OF STA. NAME/ID SEA STATE
VISIBILITY
VISIBILITY
OLOUD (8mm)
NEATHER
OFPTH
MEATHER (F) STATION DESIGNATION KR 65 2 REMARKS File Name/Header E PRESSURE DATA LOCATION WET ည DSDB 1.D. Tape/Diskette ID YR HR MIN TIME (GMT) PROJECT & LEG H X 2 4 5 J UN 0 1 DAY MO DATE JD= JD/TIME LONGITUDE START DOWN DATA ON DEG TIMES 68467 LATITUDE SBE 9+ 09P. 19507-0533 PRI TEMP SN 2578 DEG RV Alpha Helix PRESS SN CONSC CAST # VESSEL

Cleaned air bleed valve

AT DEPTH

SEC TEMP SN 2708

| Ĕ | PRI COND SN 638 | | AT SURFACE | ₩ | | | | ₩ WX.D | MAX. DEPTH= | | ٤ | | |
|------|-----------------|----------|------------|--------------|------------------------------|--|-----------------------|-----------|----------------------|----------|------|-----|----------------|
| ŠĘĆ | SEC COND SN | , | M PAR SA | MPARSN_4497 | MFLUOR S.N. 0 2 1 | 2 1 8 2 CHIAM SAN | | | TRANS. SAN | | | | |
| POS. | TRIP DEPTH | | | CTD CONVERTI | CTD CONVERTED MONITOR VALUES | ************************************** | SAMPLE BOTTLE DATA | <u> </u> | SAMPLE BOTTLE NUMBER | TLE NUN | ABER | 1 | |
| | | PRESSURE | # | PRI. TEMP. | SEC. TEMP | SALINITY | SALINITY | 3 | NCTR | <u> </u> | PAM | Bet | PAN Cell court |
| - | 135 | | | | | | | | _ | | 7 | (| |
| 2 | 6.0 | | | · | | | | | Ü | 7 | 7 | 1 | |
| 3 | 50 | | | | | | | | ~ | 7 | | j | |
| 4 | 40 | | | | | | | | 13 | 5 | 7 | 1 | |
| 5 | 30 | | | | | | | | 4 | 7 | 7 | (| |
| 6 | 30 | | | | | | | | Ď | 7 | 7 | į | |
| 7 | 10 | | | | | | | | ¥ | 3 | 7 | . 1 | |
| 8 | 0 | | | | / | | | | 00 | 7 | 7 | 7 | |
| 9 | | | | | , | | | | | | | | |
| 10 | | | | | | | | | | | | | |
| 11 | | | | , | | | | | | | | | |
| 12 | | | | | | | | - | | | | | |

5-8 Alteral

| | | | | | | | | | - | | | Γ- | Π | Τ | Т | Τ | Т | Γ | T | Т | Γ- | _ | |
|----------------------------|---------------------------------------|----------|-----------|------------------------|------------------|-------------|-------------------------|-------------|-------------|--|--|----|------|----------|--|----|----------|---|----------|-----|----|---------------|----------|
| - | | Τ | M | | 5 | | _ | | Г | | o de la companya de l | 1— | ├- | ╀ | - | - | ╀ | ┡ | <u> </u> | - | | | |
| | STA. | | \ | | phy | | a a | E | | SAMPLE BOTTLE NUMBER | PAW | Ļ | | L | | | | | | | | | |
| 84 | | ļ | 757 | | 1 | | leed va | | | TEN | 동 | | | | | ļ | | | | 200 | | | |
| STATION DESIGNATION | BOTTOM DEPTH | 3 | | g | 200 SA | | Cleaned air bleed valve | 표 | TRANS. SAN | E 801 | NCTR | | | | | | | | | | | | |
| N DES | YPE HEATHER | | | REMARKS | 7 | 1. | Clean | MAX. DEPTH= | TRANS | SAMPI | JAS. | | ┞ | | | | | | | | | | |
| STATIC | W S ON O (17mis) QUO,K 34Y | (s/m) | | <u>æ</u> | | | | M | | <u> </u> | 63 | | | <u> </u> | | | | | | | | | |
| | WIND 1 | (B) | | | jer | | | | | SAMPLE BOTTLE DATA | SALINITY | | - | | | | | | | | | | |
| , | SEA STATE YTIJIBISIV | ١. | | | e/Hear | | | | 30 | AMPL D | SAL | | | | | | | | | | | | |
| | PRESSURE | | | MOIT | File Name/Header | | | | NS. | | | | | | | | | | | | | | |
| | WET BULB | ည | | DATA LOCATION | 团 | İ | | | CHAM SAN | | ≽ | | | | | | | | | | | | |
| DSDB I.D. | | ┞ | | DATA | | | | | _ | | SALINITY | | | | | | | | | | | | |
| Å | DRY BULB | ဉ် | | | tte ID | · | | | 182 | | | | | | | | | | | | | | |
| | TIME (GMT) | HR MIN | 435 | | Tape/Diskette ID | | | | 0 2 . | <u> </u> | | | | | H | _ | | | | _ | | | \neg |
| t LEG 4 5 | F @ | ┺ | 114 | | <u>g</u> | | | | MFLUOR SAN_ | R VALI | SEC. TEMP | | | | | | | | | | | - | |
| PROJECT & LEG H X 2 4 5 | | W. | 0 N | | | , | | | FLUOF | OTINO | SEC | | | | | | 7. | | | ĺ | | | |
| PRO H | DATE JD= | № | SWO TO NO | | | | | | 8 | CTD CONVERTED MONITOR VALUES | | _ | | - | | _ | \vdash | | | | | | - |
| | <u>&</u> | DAY | 0 | JD/TIME | | | 27 | | 7 6 | ONVEF | EMP. | | | <u>.</u> | | | | | | | | | - |
| | | MIN | 00 35 | 号 | J | | | | 4 4 9 | CID | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | M | 12 | | , Z | DOWN | | FACE | - 1 | | | | | _ | _ | | | | | | | | _ |
| | 7 | DEG | 10 4 | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | NPAR SAN | , | 뿚 | | | | | | | | | | | | |
| | · · · · · · · · · · · · · · · · · · · | H | 30N16+ | Ī | 7 | <u>,</u> | | 4 | <u> </u> | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | MIN | 3 | 633 | 6846 | 2578 | 2708 | 88 | 2272 | | <u>a</u> | | | | | | | | | | | | |
| 츷 | 3 | DEG | 35403. | 19507 | 9 | ı | - 1 | | | ■ ■ ₹ | | (% | ٥ | (% | (~ | į. | Ü | | | | | | \dashv |
| VESSEL RV Alpha Helix | CONSC CAST # | Ö | 2 | SBE 9+ 09P. 19507-0533 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | TRIP DEPTH | <u>.</u> | 28 | 38 | 6 | 4) | 3 | 5 | | | | | | |
| VESSEL RV Alphi | CONSC CAST # | | _ | SB | E E | 품 | SEC | <u>E</u> | SEC | POS. | | - | 2 | 3 | 4 | 5 | 9 | 7 | 8 | 6 | 9 | = | 일 |

| ı — | | | | | | | | | | <u> </u> | count | | | | | | | | | | | | | , |
|-----------------------------|--|----------|---------|------------------------|------------------|-------------|-------------------------|--------------|--------------------|------------------------------|----------|----------|----|----------|----|----|----------|----------|---|----|----|----|----|---|
| _ | | _ | | | | <u> </u> | | - | | | 3 | | 1 | 1 | 1 | 1 | 1 |) | | | | | | |
| | STA. NAME/ID | | | | | | 9 | E | | MBER | | 7 | 7 | 7 | 7 | 5 | ک | 1 | | | | | | |
| Š N | | | H.6 | | | | Cleaned air bleed valve | | | SAMPLE BOTTLE NUMBER | ē | | 7 | 7 | 7 | 1 | 1 | 1 | | 10 | | | | |
| SIGNAT | ВОТТОВИ | (E) | 1 | SX: | | | ned air i | MAX. DEPTH= | TRANS. SAN | PLE BO | <u> </u> | 0 | 2 | И | 12 | 13 | 14 | 15 | | | | | | |
| STATION DESIGNATION $RRE53$ | SPOOD (ami) CLOUD (ami) TYPE TYPE TYPE TYPE | • | | REMARKS | | | Se Se | MAX.D | TEA TEA | SAM | 3 | 777 | | | | | | | | | | | | |
| STA | ID WING | 1) (m/s | | | | | · | l | | ОТТЕ А | } | | | | | | | | | | | | | |
| | VISIBILITY PIRN PIRN PIRN PIRN PIRN PIRN PIRN PIRN | (бөр) | | | Header | | | | | SAMPLE BOTTLE DATA | CAT INIT | | | | | | | | | | | | | |
| | PRESSURE SEA STATE | . (qw) | | NO | File Name/Header | | | | ₹ | | | <u> </u> | | <u> </u> | | | <u> </u> | <u> </u> | | _ | | - | | |
| | WET | (၁) | | DATA LOCATION | こ | | | | CHAM SA | | | | | | | | | | | | | | | ĺ |
| DSDB I.D. | | \vdash | | DATA | | | | | | 4 | CALINITY | | | | | | | | | | | | | |
| | ORY BULB | (S) | | | kette ID | | | | 1 8 2 | | | | | | | | | | | | | | | |
| ၁ မြ | TIME (GMT) | HR MIN | 1654 | | Tape/Diskette ID | | | | N_0 2 | ALUES | 9 | | | | | | | | | | | | | |
| 77.8.L 2.4 | | YR | - | | <u> </u> | | <u></u> | <u> </u> | FLUOR SAN_ | CTD CONVERTED MONITOR VALUES | SEC TEMP | | | | | | | | | | | | | |
| PROJE(H X | E JD= | DAY MO | JUNO | | | | | | Z | | | - | L | _ | | | | | | | | | | |
| | | DAY | 4 M | JD/TIME | | | | | _ | ONVER | 8 | | | | | | | | | | | | | |
| | UDE | MIN | wad. a | 5 | i | _ | | : | 4 4 9 | | PRI TEMP | | | | | | | | | | | | | |
| | LONGITUDE | | | | 8 | START DOWN | Ħ | RFACE | PAR SN | | <u> </u> | \vdash | | | | | | - | | | | | | |
| | | DEG | 591 NES | TIMES | DATAON | STARI | АТ ОЕРТН | AT SUI | } } } | | l a | | | | | | | | | | | | | |
| | JOE | | 3 | စ္က | 2 9 1 | | | | | | PRESSURE | | | | | | | | İ | | | | | |
| | LATITUDE | MIN | 45258. | SBE 9+ 09P. 19507-0533 | 684 | 2578 | 2708 | 88 | | | | | | | | | | | | | | | | |
| VESSEL RV Alpha Helix | , , , , , , , , , , , , , , , , , , , | DEG | 45.2 | + 09P. 1 | NS S | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | TRIP DEPTH | | å | 20 | 20 | 30 | 0 | 10 | ,Q | | | | | | |
| VESSEL RV Alpha | CONSC CAST # | | | SBE 9- | PRESS SN | PRI TE | SEC TI | <u>R</u> | SEC C | POS. | | - | 2 | ဇ | 4 | 2 | 9 | 7 | 8 | 6 | 10 | 11 | 12 | |

- Set of Adamson

| Time DRY WET | |
|--|-----|
| STATION DESIGNATION DEV WET SSTATION DESIGNATION DEV WET SSTATION DESIGNATION STATION DESI | |
| SYATION DESIGNATION DRY WET SIGNATION BULB BULB EWER SIGNED WIND WAND SIGNATION BULB BULB EWER SIGNED WIND WAND SIGNED STATE BOTTOM SKeftb iD File Name/Header SALINITY SALINITY SAL | |
| STATIO DRY WET BULB BULB BULB BULB BULB BULB BULB BUL | |
| SKette ID File Namer Feader SALINITY SA | |
| DBY WET SET SHOULD WIND WIND BULB BULB SET SET SET SET SET SET SET SET SET SET | |
| DSOB I.D. DRY WET BULB BULB BULB BULB CC) (mb) CC) (mb) CC) TS SALINITY SALINITY SALINITY | i 1 |
| DSOB I.D. DRY WET BULB BULB BULB BULB CC) (mb) CC) (mb) CC) TS SALINITY SALINITY SALINITY | |
| DBY WET BULB BULB BULB BULB BULB BULB BULB BUL | |
| So See Banua So Co See Banua S | |
| | |
| H X 2 4 5 H X 2 5 | |
| MONITOR VAL | |
| | |
| l₭ │ ─── ──────────────────────────────── | |
| WERTE BY WERTE | |
| UDE DATE WIN DAY 1 1 2 W & S CTD CONVERT PRI. TEMP. | |
| | |
| LONGIT LONGIT LONGIT LONGIT LONGIT LONGIT LONGIT LOWIN AT DEPTH AT SURFACE PAR S/N LONGIT LON | |
| | |
| CONSC CAST # LATITUDE CONSC CAST # LATITUDE DEG MIN DEG MIN DEG MIN DEG MIN SBE 9+ 09P 19507-0533 PRESS SN 6 8 4 6 7 PRI TEMP SN 2578 SEC TEMP SN 2578 PRI COND SN 2578 SEC COND SN 2578 SEC COND SN 2578 SEC TEMP SN 2678 SEC TEMP SN | |
| CONSC CAST # L CAST # L CAST # L CAST # L DEG DEG DEG SEC TEMP SN SEC TEMP SN SC | |
| VESSEL | |

30000

PG_OF

| | | | | | | <u>.</u> | | _ | | 70 | <u> </u> | 500 | 7 | } | 5-26 | 7 he | <u> </u> | _ | | <u> </u> | <u> </u> |
|----------------------------|---------------------------------------|--|------------------------|------------------|-------------|-------------------------|--------------|-----------------|------------------------------|------------|----------|-----|---------|----|------|------|----------|---|---|----------|----------|
| | STA. | | | 1 | | e Fa | E | <u> </u> | JMBER | PAM | - | 1 | 7 | 7 | 7 | 3 | 7 | 2 | | | |
| S 3 | | H_{α} | | | | Cleaned air bleed valve | | | SAMPLE BOTTLE NUMBER | 룡 | | 7 | 7 | 7 | , | ک | ٤ | 7 | | | |
| STATION DESIGNATION | REATHER B R | | REMARKS | | | learned ef | MAX. DEPTH = | TRANS, S/N | WAPLEB | NCTR. | - 21 | _ | je S | 27 | \$C/ | 50 | 80 | 3 |) | | |
| NOITATI | S S S S S S S S S S S S S S S S S S S | (m/s) | REA | | | | ĭ₹ | É | | SAL. | 245 | | | | | L | | | | | _ |
| 03 | WIND W | | | der | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | |
| | SEA STATE YTUSISIN | • | - | File Name/Header | | | | | SAMP | Š | | | | | | | | | | | |
| | E SE SESSURE | (°C) (mb) | DATA LOCATION | File N | | | | ChIAM SA | | | | | | | | | | | | | |
| DSDB I.D. | | | DATA | | | | | | | SALINITY | | | | | | | | | | | |
| | ORY BULB | (S) | | cette ID | | | | 182 | | | | | | | | | | | | | |
| EG 5 | TIME (GNT) | HR MIN | | Tape/Diskette ID | | | | N_ 0 2 | ALUES | EMP | | | | | | | | | | | |
| PROJECT & LEG H X 2 4 5 | | YR 0 1 | | | | | | FLUOR S/N_ | CTD CONVERTED MONITOR VALUES | SEC. TEMP | | | | | | | | | | | |
| PRO H | DATE JD= | DAY MO | ш | | | | | | RTED IN | | - | | | | | | | H | _ | | |
| | | | JD/TIME | | w | | | 197 | D CON | PRI. TEMP. | | , | | | | | | | | | |
| | LONGITUDE | MIN 14 | , | - | NWO. | I | ACE | PAR SN_ 4 4 9 7 | ଧ | i i | | L | | | | | | | | | |
| | 91 | DEG 1 | TIMES | DATAON | START DOWN | AT DEPTH | AT SURFACE | PARS | | 꾩 | | | | | | | | | | | |
| | J O | DEG MIN CS S S S S S S S S S S S S S S S S S S | | - 1 | | | | | | PRESSURE | | | | | | | | | | | |
| , z | LATITUDE | (2) N | 19507-05 | 68467 | 2578 | 2708 | 88 | 2272 | | | | | | 7 | | | | | | | 7 |
| VESSEL RV Apha Helix | CONSC CAST # | DEG 6 5 8 | SBE 9+ 09P. 19507-0533 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | DEPTH | | 88 | 70 | 25 | 40 | 20 | 301 | (0) | 0 |) | | |
| <u>¥</u> ¥ | 8 8 | | 뿛 | <u>R</u> | <u>E</u> | SEC | <u>E</u> | SEC | Pos | | _ | 2 | က | 4 | 5 | 9 | 7 | 8 | 6 | 9 | # |

| | | | ······ | | _ | | | | | | | | _ | | _ | | | | | | | | |
|----------------------------|--------------------------------|--------------|-------------|------------------------|------------------|-------------|-------------------------|--------------|--------------------|------------------------------|------------|----|----|-----|----|----|----|----|-----|-----|----------|---|------|
| <u> </u> | T | , | | _ | | 1 | , - | , | _ | | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 1 | | | | |
| | STA. | | GUMNS1 | MXE | | | 8 | E | | MBER | PAN | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | | |
| 8.00 10.00 | | ╄ | 1 1 3 S | 25 m mixe | gream | | eed val | | | LE NUI | 동 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 1 | · | | | _ |
| STATION DESIGNATION | BOTTOM DEPTH | | 0 | 1 | É | | Cleaned air bleed valve | E E | NS S | SAMPLE BOTTLE NUMBER | 8 <u>7</u> | 32 | 33 | 145 | 35 | 36 | 37 | 33 | 36 | | | | _ |
| ON DES | VEOUD (BIM) TYPE REATHER | 1 | | REMARKS | | | Seg | MAX. DEPTH= | TRANS. S/N | SAMP | SAL | | | | | Ì | | | | | | | |
| STATI | S M COUD (amt) TYPE | (S/III) | | - | | <u>!</u> _ | | | | 2 | | | | | | | | | | | <u> </u> | | |
| | WIND DIRN. | (Geg | | | ader F | | | ĺ | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE YTLIBICIV | | | _ | File Name/Header | | | | | SAMP | 3 | | | | | | | | | | | | |
| | PRESSURE | (qm) | | CATION | | | | | ChIAM SA | | | | | | | | | | | | | | |
| DSDB I.D. | WET | Σ | | DATA LOCATION | | | | | 5 | | SALINITY | | | | | | | | | | | | |
| | DRY | (C) | | 3 | <u>_</u> | | | | 8 2 | | S | | | | | | | : | | | | | |
| | | | 40 | | Tape/Diskette ID | | | | 2 1 | S | - | _ | _ | _ | | | | | | | | _ | |
| 5 EG | TIME (GMT) | HR MIN | 120 | | Tape/C | | | | 0 - - | VALUE | ENP | | | | | | | | | | | | |
| PROJECT & LEG H X 2 4 5 | | YH | N 0 1 | | | | | | FLUOR SN_ | CTD CONVERTED MONITOR VALUES | SEC. TEMP | | | | | | | | : |)) | | | |
| PROJEC H X | 년 즉 | | 2W08101010 | | | | | | 这 | TED IN | | _ | | | _ | _ | | | | | _ | | _ |
| | DATE | DAY | NO ME | JD/TIME | | | | | _ | ONVER | EMP. | | | | | | | | : | | | | |
| | JOE CDE | Z S | 2 | 3 | | | | | 4 4 9 7 | OED CED | PRI, TEMP. | | | | | | | | | | | | |
| | LONGITUDE | | 3/1 | | 8 | START DOWN | 돑 | 3FACE | 1 | | <u> </u> | | - | | | _ | | | | - | | | |
| | | DEG | 311 NE | TIMES | DATA ON | START | АТ ОЕРТН | AT SURFACE | PAR SW. | } | | | | | | | | | | | | | |
| | <u>ا</u> | | .52N | | | | | | | | PRESSURE | | | | ĺ | | | | | 1 | | | |
| | LATITUDE | M | | 307-063 | 68467 | 2578 | 2708 | 838 | 2272 | | | | | | | | | 4 | .) | | | | |
| VESSEL RV Apha Heix | | DEG | ववन्यत्रभ | 99 19 | • | NS A | _ Se de | NS Q | NS QN | TRIP Depth | | 96 | 70 | 50 | 40 | 30 | 8 | δ | C | | | | |
| VESSEL. RV Alpha | CONSC CAST # | | 0 | SBE 9+ 09P. 19507-0533 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | Pos | | - | 2 | 9 | 4 | 2 | 9 | | 8 | - 6 | 10 | ╡ | 12 |
| | | | | | | | <u> </u> | <u> </u> | J) | <u></u> | | | | | | | | _ | | | | | _ |

30 Peter 39

| ₩ ₹ | VESSEL RV Alpha Hefix | | | | | PROJECT & LEG | JECT & LEG X 2 4 5 | | DSD8 I.D. | | | STA | ONOIL | STATION DESIGNATION | GNATION LAMN52 | ارم | | • |
|-----|--------------------------|----------|-------------|-----------|-----------------|---------------|-----------------------|------------------|---------------|---------------|--------------------------|-----------------------|------------|---------------------|-------------------------|---------|---|-------|
| 8.5 | | | - | | | | TIME | | | JESSONE | A STATE VIBILITY S | WIND WIN | (jmis) QUC | Hanie | <u> </u> | STA. | | |
| \$ | CAS/ F | MIN | DEG | LONGITUDE | DATE | <u></u> | YB HR MIN | T) BULB | BULB | | 込む | JOHN. SPD. C. | Д. 10 | | - | NAME/ID | | |
| | 81255 | | . 4583 NEO. | سير. | 5 W R | N O C | - | | | | <u>'</u> | | | | 000 | | | |
| 88 | SBE 9+ 09P. 19507-0533 | | THRES | g | JD/TIME | | | | DATA LOCATION | ATION | | | REMARKS | | | | | |
| Æ | PRESS SN | 68467 | DATAON | | | | Tape/ | Tape/Diskette 1D | ••- | ile Nam | File Name/Header | * | | | | | | |
| æ | PRI TEMP SN | 2578 | START DOWN | NWC | | | | | | | | | <u> </u> | | | | | |
| SEC | SEC TEMP SN | 2708 | АТ DEРТН | - | | | | | · | | |] | 8 | med air | Cleaned air bleed valve | 2 | | i |
| ĕ | PRI COND SN | 828 | AT SURFACE | l S | | | | | ' | ł | | 1 | ı ă | MAX. DEPTH= | | E | | |
| SEC | SEC COND SN | 272 | PAR S/N_ | N_449 | 7 | ON THE | O NS HOUT | 02182 | ₹ 5 | CHAM SAN | | | | TRANS. SA | | | | |
| POS | TRIP DEPTH | | | | CTD CONVERTED M | TED MONITY | ONITOR VALUES | မ္လ | | | SAMPLE BO Data | SAMPLE BOTTLE DATA | S | #PLE BO | SAMPLE BOTTLE NUMBER | ABER | | • |
| | | PRESSURE | J.BE | PRI TEMP. | <u> </u> | W | SEC. TEMP | | SALINITY | | SALINITY | È | ₹. | N N | 콩 | PAN | Š | 2002 |
| - | 93 | | | | | _ | | _ | <u> 17.</u> | | | | るが | _ | - | | | 30 |
| 2 | 70 | | | | | | | | | - | | | | | | | | |
| 3 | 50 | | | | | | | | | | | | | 4 | | | | |
| 4 | 30 | | | | | | | | | | | | | 43 | | | | 18-46 |
| 5 | 8 | | | | | | | | | | | | | 44 | | | | くなひく |
| 9 | 0/ | | | | | | | | | | | | : | 45 | | | | |
| 7 | 0 | | | | 0.0 | | | | | | | | | 94 | | | | |
| 8 | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | Sil | | | |
| 2 | | | | | | | | | | | | | | | | | | |
| = | | | | | | | | | | \dashv | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | |

| | | | | | | - | | | | | | 1 T | | | | | | | | | | _ | |
|----------------------------|-----------------------------------|---|----------------|------------------------|------------------|-------------|-------------------------|--------------|-------------|------------------------------|-----------|----------|---|----|----|---|---|----------|----------|---|---|---|----------|
| <u> </u> | | , , , , , , , , , , , , , , , , , , , | | d | _ | _ | | | · | | S S | 7 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| (4 | STA. | | | 1 of | | ! ! | g | ٤ | | ABER | PAW | T- | | | | | | | | | | | |
| 2 | Z Z | ╀ | 9 | Loss | 2 | | leed val | 30 | | TE NUI | 峉 | | | | | | | | | £ | | | |
| SIGNATION SIGNATION | BOTTOM | 17 | 2 | S | , | | Cleaned air bleed valve | PH= | S. SAN | SAMPLE BOTTLE NUMBER | NGTB. | | | | _ | | | <u> </u> | | | | | |
| STATION DESIGNATION | COUD (amt) 3qY ABHTABW | | \exists | REMARKS Parall 1 | | | Cean | MAX. DEPTH=3 | NAT NA | SAMP | SAL | _ | | | ┞ | | - | | \vdash | | | | |
| STAT | WIND ON CO | E | | | 1 | | | . = | | E E | | | | | | | | | | | | | <u> </u> |
| | WIND | (Gep) | | | ader | | | | | SAMPLE BOTTLE DATA | SALINITY | İ | | | | | | | | | | | |
| | SEA STATE YISIBILITY YISIBILITY | | | z | File Name/Header | | | | | SAM | 6 | <u> </u> | | | | | | | | | | | |
| | PRESSURE | | \exists | DATA LOCATION | File N | | į | | CHAM SA | | | | | | | | | | | | 1 | | |
| DSDB I.D. | WET | <u></u> | | DATAL | | | | | | | SALINITY | | | | | | | | | | | | |
| <u>8</u> | DRY BULB | 2 | | _ | đ đ | | | | 8 2 | |] 33 | | | | | | | | | | | | |
| | TIME (GMT) | N W | 0 | | Tape/Diskette ID | | | | 021 | NES NES | an a | _ | | | | | | _ | - | | | | |
| 7.8.LEG 2.4.5 | | | 10 | _ | <u>r</u> | | | | FLUOR S/N_ | OR VAL | SEC. TEMP | | | | | | | | | | | | |
| PROJECT & LEG H X 2 4 5 | ģ | | ONIOLE | | 1 | ı | 1 1 | | FLUO | MONIT | ₩ | | | | | | | | | | | | |
| <u>-</u> | Date J | λ¥Ω | <u>Ş</u> | ¥ | | | | | 12 | CTD CONVERTED MONITOR VALUES | | | | | | | | | | | | _ | _ |
| | 36 | | N F C | JD/TIME | | | | | 197 | NOO Q | PRI. TEMP | | | | | | | | | | | | |
| | TONGLIND | 로 | HI-E | | | N. | _ | 띯 | 4 | ច | | | | | | | | | | | | | |
| ! | 101 | DEG | の で の | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N | | | | | | | | | | | | | | |
| | | | N | 툿 | <u>\$</u> | <u>स</u> | ₹ | ₩ | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | NIM | D - 000 N 160K | 2023 | 6846 | 2578 | 2708 | 838 | 2272 | | E E | | | | | | | | | | | | |
| Jejý Ž | | | 17595 | SBE 9+ 09P. 19507-0533 | ' | ı | i | | | TRIP DEPTH | | 0 | R | 30 | 6 | | _ | | | | | + | |
| VESSEL RV Apha Helix | CONSC | | 72 | 85 ta | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | | | 30 | Ý | Ý | Æ1 | 9 | 7 | | | | | | |
| 볼 윤 | ਠ ਠ | | | 8 | £ | <u>E</u> | SE | 품 | SEC | SS. | | | ~ | ಣ | 4 | လ | ဖ | 7 | 80 | တ | 2 | = | 2 |

Prod

| | | | | | | | | | - | | تحيا | 1 | 1 | | | (| - | 1 | _ | ī | 1 | Г | Γ. |
|----------------------------|--|----------|------------|------------------------|------------------|--------------|-------------------------|-------------|----------------|------------------------------|------------|----|---|---|---|---|---|---|----|----|---|---|----|
| ├— | | 7 1 | | | | | | , | , . | | ₹ | 7 | 7 | ٤ | 7 | 7 | 1 | 7 | | | | | |
| SS | STA. | | | | | | 2 | E | | MBER | PAW | L | | | | | | | | | | | |
| | | ╌ | 96 | 1 | 2/2 | | Cleaned air bleed valve | 30 | | SAMPLE BOTTLE NUMBER | 룡 | | | | | | | | | 54 | | | |
| SIGNAT | 80 TOW | | 3 | SX: | 2 | : | ned air | MAX. DEPTH= | TRANS. SAN | PLE BO | NCTR | | | | | | | | | | | | |
| STATION DESIGNATION | S WAS COUNTY (SIMI) | 1 | | REMARKS | | | ð | MAX. D | ₹ E | SAM | SAL. | | | | | | | | | | | | |
| STA | WIND O'C | (S/III) | | | | | | | | 7 | | | | | | | | | | | | | |
| | WIND DIRN. | 8 | | | ader | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE VISIBILITY | • [| | | ne/He | | | | | SAME | ြ | | | | | | | | | | | | |
| | PRESSURE | £ | | MOL | File Name/Header | | | | CHAM SAN | | | | | | | | | | - | | | | |
| <u>.</u> | WET BULB | ဍ | | DATA LOCATION | Œ | İ | | . | ₩ GFA | l I | SALINITY | 8 | | | | | | | | | | | |
| DSDB 1.D. | | | 긐 | PA | | | | | 2 | | 3 | | | | | | | | | | | | |
| | ORY | L | | | | | | | 1 8 | | | | | | | | | | | | | | |
| (5 | TIME (GMT) | HR MIN | 203 | | Tape/Diskette ID | | | | _ 0 2 | TUES | <u>۔</u> | | | | | | | | - | | | : | |
| 7.8.LEC 2.4.5 | | 톳 | | | <u> </u> | | | | - NAS HOUTH | OR V | SEC. TEMP | | | | | | | | | | | | |
| PROJECT & LEG H X 2 4 5 | The state of the s | 9 | S (| | | | | | ലം | LINO | ਲ | | | | | | | | | | | | |
| <u>a</u> | DATE JDE | டப | ONDIC & | | | | | | | CTD CONVERTED MONITOR VALUES | | | | | | | | | | - | | | _ |
| | <u>Y</u> | DAY | 38 | JD/TIME | | | | | 7 | NVEF | SAP. | | | | | | | | | | | | |
| | 岩 | | 43 | 3 | İ | | | | 497 | 5 0 | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | S . | 27. | | | ¥. | _ | 띯 | | | | | | | | | | | | | | | |
| | 2 | DEG | 600 | ES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N_ | | | | | | | | | | | | | | |
| | | | Z | TIMES | <u>8</u> | STA | \\\ | ¥ | | | SURE | | | l | | | | | | | | | |
| | Ä | T | 96 | _ | 6 7 | | | | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | ₹ | 105254.99 | SBE 9+ 09P. 19507-0533 | 6846 | 25.78 | 2708 | 88 | 272 | | | | | | | | | | | | | | |
| 훈 | | DEG | द्ध | 9 28 | ' | ₹ } | | ı | - | TRIP DEPTH | | 0 | | | | | | | - | | | | |
| VESSEL RV Apha Helix | CONSC CAST # | 7 | 9 | 8 68 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | | | 20 | ř | 8 | 3 | Ó | B | 0 | | | | | |
| <u>¥</u> ≥ | 88 | 止 | 二 . | 8 | 뿚 | <u>E</u> | SEC | Ĕ | ည္ဆ | POS. | | - | ~ | က | 4 | 2 | 9 | 7 | 80 | 6 | 9 | = | 2 |

+

| <u> </u> | VESSEL | | | | N | JECT & L | 9 | DSDB LD. | | | STA | FION DE | STATION DESIGNATION | S. | | | |
|----------|------------------------|---|------------|-------------|---------------|------------------------------|------------------|----------|---------------|-------------------------------------|-------------------|--------------------------|--|-------------------------|---------|------|---|
| <u>}</u> | HV Alpha Helix | | | | | H X 2 4 | 2 | \dashv | | | | M | 141 | - | | | |
| 8 8 | | | | | | | TIME | DRY | | RESSURE A STATE SIBILITY ≥ | WIND WIND | (ms) QUO 39 ABHTA: | ONNO GENERAL MAND COLOR MAND COLO | 9 | STA. | | |
| 5 | CASI F | MIN | LON | LONGITUDE | DATE JD= | 9 | (GMT) | E E | BULB | 3N • ∃S • | FIN. SPO. | W. | | | NAME/ID | | |
| Ħ | 3~ | Oo | 7N16943 | 3.47W | Q | N 0 1 | 1943 | | | | (Geg) (IMAS) | | ⊕ Ø Ø | 3 | F | | 12 1 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| SBE | SBE 9+ 09P. 19507-0533 | | TIMES | JD/TIME | ME | | S | | DATA LOCATION | NO | | REMAR | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | REMARKS VALCAMO | Ç | | Chush : |
| <u>E</u> | PRESS SN 6 | 68467 | DATA ON | | | <u>+</u> | Tape/Diskette ID | đ Q | File | File Name/Header | * | * | ereup hing | بار کرد |) | | Lower |
| 품 | PRI TEMP SN | 2578 | START DOWN | N.M. | | | | ; | | | | | | | | _ | re E/ |
| SEC | SEC TEMP SN | 2708 | AT DEPTH | | | | | | | | 1 | - E | ed air Di | Cleaned air bleed valve | | | ₹ 60,00 |
| PA | PRI COND SN | 638 | AT SURFACE | 8 | | <u> </u> | | |] | | 1 | MAX. DEPTH= | PTH= | | E | | S. W. |
| SEC | SEC COND SN | 9. | PAR S/N_ | 1_4497 | <u></u> | FLUOR S/N_ 0 2 | N_021 | 8 2 | CHAM SAN | | | TRAN | TRANS. SAN | | Ī | | is a |
| POS | TRIP DEPTH | | | | VERTED | CTD CONVERTED MONITOR VALUES | ALUES | | | SAMPLE BOTTLE DATA | LE BOTTLE DATA | SAMP | LE BOTT | SAMPLE BOTTLE NUMBER | ËR | | D. |
| | | 101 103 100 100 100 100 100 100 100 100 | , i | | | | - | | | | | | | | | | Sunk |
| Ŀ | 000 | | 1 | - 11: 1 - H | <u>+</u> | 250.15 | | \$ | | \$ | | j | 1 2 | <u> </u> | ₹ 1 | | < |
| 2 | 00 | | | | \vdash | | | | | | | | 4.2 | Ţ | J | 1 | ag . |
| 3 | 0 % | | | | - | | - | | | | | | 64 | J | j | 1 | 2 |
| 4 | 20 | | | | | | | | | | | | 50 | _{_{1}} | \$ | 1 | 5- Prece |
| 5 | 91 | - | | | | | | | | | | | 15 | 7 | 1 | 1 | |
| 8 | 0 | | | | | | | | | | | | 3 | 7 | 7 | 7 | 74 |
| 7 | | | | | | | | | | | | | | | ┢ | Γ | |
| 8 | | | | | | | | | | | | - | | - | 上 | Γ | |
| 6 | | | | | | × | | | | | | - | | 4. | H | | |
| 2 | | | | | | | | | | | | | | | - | | |
| Ξ | | | | | | | | | | | | | - | | _ | | |
| 5 | | | | | | | | | | | | | | | | | |
| | | i | | | | | | | | | | | | | | | |

| VESSEL RV Apha Hefix | | | | | PROJECT & LEG H X 2 4 5 | k LEG 4 5 | DSDB 1.D. | 31.0. | | STATI | N DESI | STATION DESIGNATION | × × × × × × × × × × × × × × × × × × × | | | |
|-------------------------|----------|------------|----------------|------------------|----------------------------|------------------|-----------|---------------|---|----------|---------------------------------------|-------------------------|---------------------------------------|----|----------|-----------|
| CONSC CAST # | ЫТПОЕ | | LONGITUDE | DATE .ID= | <u>-</u> | TIME | DRY | WET | PRESSURE STATE A3: YTURISI W W | | S S S S S S S S S S S S S S S S S S S | BOTTOM | K STA. | | | |
| DEG | MIN | DEG | NIE | DAY | MO YR | HR MIN | ည | T | (Dep) | | W : | | + | 1 | | |
| <u>a</u> | N N | | | & M | JUNOI | | | | | | | , , | | F | | |
| SBE 9+ 09P. 19507-0533 | 507-0533 | TIMES | /ar | JD/TIME | | | <u>ਨੈ</u> | DATA LOCATION | * | | REMARKS | | 335 | 1 | 2 | by bother |
| PRESS SN | 68467 | DATAON | | | | Tape/Diskette ID | 2 | Tile A | File Name/Header | | | | | 7 | <u> </u> | |
| PRI TEMP SN | 2578 | START DOWN | MW. | | | | | 1 | ' | <u> </u> | | | | | | Ĵ |
| SEC TEMP SN | 2708 | AT DEPTH | | | | | | | | | Cleane | Cleaned air bleed valve | extex be | Τ | | \$ |
| PRI COND SN | 638 | AT SURFA | ا چ | | | | | 1 | | <u> </u> | MAX. DEPTH= | 표 | € | | | |
| SEC COND SN | 272 | M PAR SA | MPARSN_4 4 9 7 | | MFLUOR SAN | W_ 0 2 1 | 182 | CHAM SA | | | TRANS. SAN | ¥S | | Τ | | |
| POS. TRIP DEPTH | | | යුව | CTD CONVERTED IM | ED MONITOR VALUES | VALUES | | | SAMPLE BOTTLE DATA | <u> </u> | SAMPL | EBOTT | SAMPLE BOTTLE NUMBER | œ | | |
| | PRESSURE | J.R. | PRI. TEMP. | ₹ | SEC. TEMP | - AMS | SAL | SALINITY | SALINITY | | N N | NUTR. | CHL. | | 30 | |
| 1 330 | | | | | | | ; | = | | | _ | _ | ₩ | | (| |
| 2 250 | | | | | | | | | | | 3 | 35 | 7 | 7 | Γ. | |
| 3 150 | - | | | | | | | | | _ | 5 | 56 | 7 | 7 | { | |
| 4 100 | | | | | | | | | | | 5 | 57 | 7 | 3 | 1 | |
| 5 50 | | | | | | | | | | | \ | 25 | 7 | 7 | (| |
| 6 25 | | | | | | | | | | | 5 | | 7 | { | 7 | • |
| 7 10 | | | | | | | | | | | 7 | 7 09 | 7 | 7 | k | Rum |
| 0 | | | | | | | | | | | 1 T | X | 7 | 1 | 1 | 50+ |
| 6 | | | | | | | | | | | | NCT | dowe | -, | Γ | That |
| 10 | | | | | | | | | | | - | | | | <u> </u> | 15. Fr |
| = | | | | | | | | | | | - | | | _ | | 200 |
| 12 | | _ | | | | | | | | - 1 | _ | | | | | Referry |
| | | | | | | | | | | | | | | | 1 | > . |

| <u> </u> | VESSEL RV Apha Helix | | | | | PROJECT & LEG H X 2 4 5 | 5 5 | DSDB1.D. | | | Ċ) | ATION | STATION DESIGNATION | NOT S | | | |
|------------|-------------------------|------------|------------|-----------|----------|------------------------------|------------------|----------|---------------|-----------------------|-----------------------|---------------------------------------|---------------------|-------------------------|------|----------|-----------|
| <u>8</u> 8 | CONSC COST # | LATITUDE | | LONGITUDE | DATE LD: | ď | TIME | DRY | MET WELL | PRESSURE NEW STATE | WIND WI | YPE (amt) | אבעונע | | STA. | | |
| | DEG | NIN | DEG | NEW N | DAY | ΥR | HAININ | Ş | 1 | ٠ د د | (dea) | (s/m) | | _ | | | |
| | 135228.0 | 0 . N . | _ | 4 | | N 0 1 | 1210 | | | | _ | | n | 160 | | | |
| 뿛 | SBE 9+ 09P. 19507-0533 | 77-0533 | TIMES | Ŝ | JD/TIME | _ | | DA | DATA LOCATION | * | | REN | REMARKS | | | | |
| Æ | PRESS SN 6 | 68467 | DATAON | j | | <u></u> | Tape/Diskette ID | | File A | File Name/Header | ıder | | | | | | |
| Œ | PRITEMP SN | 2578 | START DOWN | NAC | | | | | | | | | | | | | |
| SEC | SEC TEMP SIN | 2708 | AT DEPTH | _ | - | | | |] | | | 5 | ened air | Cleaned air bleed valve | 2 | | 4 |
| <u>R</u> | PRI COND SN | 638 | AT SURFACE | 8 | | | í | |] | | | ĭ₹ | MAX. DEPTH= | | E | | |
| SEC | SEC COND SN | 2722 | PAR SAN_ | N 4 4 9 7 | _ | FLUOR S/N_ | N_021 | 182 | CHIAM SAN | | | E | TRANS. S/N | | | · | |
| Pos. | TRIP DEPTH | | | വാ | ONVERTE | CTD CONVERTED MONITOR VALUES | ALUES | | | | SAMPLE BOTTLE DATA | | MPLE BO | SAMPLE BOTTLE NUMBER | ABER | | |
| | | | | | | | | | | 7.5 | | | | | 2 - | T | |
| | 24/2 | בערפפטעב | 5 | | | SCC. IEMP | L | 7 AF | OMELINII T | à | SALINITY | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | NO. | <u></u> | ₹ | E | |
| 2 | 150 | | | | | | \dagger | | , | | | | | 7 / | | Τ | 404 |
| 3 | 50 | | | | | | | | | | | | 3 | 7 | | Τ | () |
| 4 | 25 | | | | | | | | | | | | 64 | 7 | T | Ī | 20 / Cret |
| 2 | 0 | | | | | | | | | | | | 65 | 7 | | | 3 |
| 9 | . 33 | | , | | | | | | | | | | | | | | Upcast |
| 7 | | | | | | | | | | | | | | | | | <u></u> |
| 80 | | | | | | | | | | 8-4-5 | | | | | ┌ | | Dad |
| 6 | | | | | | | | | | 1_2 8 | | | | .83 | | Γ | mose! |
| 2 | | | | | | | | | | | | | | | | | (01) |
| = | | | | | | | | | | | | | | | | | weappro |
| 22 | | | | | | | | | | | | _ | | | | | 3 |

| The same same | | | HX245 | 4 5 | Coppe Inc. | <u>.</u> | | STATION DESIGNATION | Vesicinal Vuns | ક્ જ | | |
|--------------------------|------------|------------|------------------------------|------------------|-------------|--|--|---|--|------------------|----------------|------|
| CONSC CAST # LATITUDE | row | LONGITUDE | DATE JD= | TIME | DRY BULB | E ESSURE | VISIBILITY SEA STATE SEA STATE SEA STATE SEA STATE | Silver Comes) (JUO). SIGNAL SI | WEATHER DEPTH | | STA. NAMEND | |
| DEG MIN DEG | DEG N Z | MIN A | DAY MO | YH HR MIN | § | | (Gep) | (wys) | | a | | |
| SBE 9+ 09P 19507-0533 | TIMES | 3 8 | IME | | | DATA LOCATION | | | REMARKS | 9 | | |
| PRESS SN 6 8 4 6 7 | DATAON | | | Tape/Diskette ID | ette C | 2 9 | File Name/Header | | | | | |
| PRITEMP SN 2578 | START DOWN | NAN | | | | | j | | | | | |
| SEC TEMP SN 2708 | АТ БЕРТН | | | | | | , | | Cleaned air bleed valve | heed vah | | |
| PRI COND SN 638 | AT SURFAC | <u>ب</u> | | | | | |] <u>`</u> | MAX. DEPTH= | | ε | |
| SEC COND SN 2272 | PAR SN_ | _4497 | FLUOR S/N_ | RS/N_02 | 182 | ChIAM S/N | | | TRANS. SA | | | |
| TRIP DEPTH | ःइ | | CTD CONVERTED MONITOR VALUES | OR VALUES | | | SAMPLE BOTTLE DATA | | SAMPLE BOTTLE NUMBER | TLENUN | (BER | |
| PRES | PRESSURE | PRI, TEMP, | | SEC. TEMP | SAL | SALINITY | SALINITY | SAL | NUTR. | 동 | PAM | 33\$ |
| 320 | | | | | | | | | 99 | 1 | 7 | 1 |
| 200 | | | | | - | | | | 49 | 1 | 2 | ز |
| 001 | | | | | 90 | | | | 69 | 7 | 7 | 7 |
| 50 | | | | | : | | | | 69 | 1 | 7 | 5 |
| 25 | | | | | | | | | 70 | 2 | , | 5 |
| Q | | | | | | | | <u> </u> | 1/2 | 7 | > | 7 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | 十 | |
| | | | | | | | | | | 25 | | Π |
| | | | | | | | | | 2 | | <u> </u> | T |
| | | | | | | | | | | | | |
| - | | | _ | | | | | | | | ┝ | |

きまずずき

| | | | PROJEC | PROJECTATES | ٥ | LI BOST | | | 3 | CTATION DESIGNATION | 10000 | | ost e | end |
|------------|--------|------------|------------------------------|-------------|------------------|------------|---------------|---------------------|-----------------------|---------------------|-------------|-------------------------|----------------------|----------|
| | - 1 | | ХH | 245 | , _ | 3 | <u>.</u> | 18 | | 2 | | N X | 0 | |
| ESNO | Ē | <u>u</u> | 4 4 | | TIME | DRY | WET | PESSURE EA STATE | YTIJIBISI SW S | VPE LOUD (smt) | HENTAE | ВОТТОМ | STA. | |
| DEG W | 0 | N 12 12 | <u> </u> | 7 | H O | § . | | S • | 8 | 0 . ((s/E) | M - | | | |
| TIMES | 1 | JOYTIME | Æ | - | | A | DATA LOCATION | ğ | | | REMARKS | | | Τ- |
| DATAON | | | | <u> </u> | Tape/Diskette ID | D a | Ħ | File Name/Header | leader | | | | | |
| START DOWN | Z Z | | | ! | | | | | | | | | | |
| AT DEPTH | | | | | | | | | | | Jeamed (| Cleaned air bleed valve | vatve | _ |
| AT SURFACE | 삤 | | | L | | | | | |] | MAX. DEPTH= | <u> </u> | E | Τ_ |
| MPAR SN 4 | 4 | 497 | THE REPORT | MFLUOR SN | 1_021 | 8 2 | CHAM SA | % | | | TRANS. SA | | | - |
| CII | EJ CJ | NO C | CTD CONVERTED MONITOR VALUES | ITOR V | LUES | | | 8 | SAMPLE BOTTLE DATA | <u></u> | AMPLE | BOTTLE | SAMPLE BOTTLE NUMBER | T |
| PRESSURE | PR | PRi. TEMP. | | SEC. TEMP | - d | SALI | SALINITY | | SALINITY | SA. | L NOTR. | 품 | I. PAM | 8 |
| | | | | | | | | | a. | 1 | ï | | ├ | _ |
| | | | ž | | | | | | | 15-1 | 73 | W | | _ |
| | | | | | | | | | | j. | | _ | | - |
| | | | | | | | | | | _ | _ | _ | | |
| | | | | | | | | | | _ | <u> </u> | - | _ | _ |
| | | | | | , | | | | | | _ | _ | _ | L |
| | | | | | | | : | | | | _ | _ | | L |
| | | | | | | E . | | | | | | _ | _ | <u> </u> |
| | | | : | | _ | | | | | | | | | |
| | | | | | | | | | | | | | _ | |
| | 1 | | | | | | ! | | | | | - | | |
| | | | | | | | | 4 | | _ | | | | |
| | | | | | | | | | | | | | | |

Tide

PAM Other STA. NAME/ID SAMPLE BOTTLE NUMBER STATION DESIGNATION $SG \times OB$ Ε Cleaned air bleed valve 동 * SEA STATE
* VISIBILITY
* VISIBILITY
* VISIBILITY
* CLOUD (ami)
* CLOUD (ami)
* CLOUD (ami)
* CLOUD (ami)
* TYPE

* MEATHER

* (degg) (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* (m/s)
* MAX. DEPTH= SAL. NUTR. TRANS. SAN 44 REMARKS SAMPLE BOTTLE DATA SALINITY File Name/Header (qm) PRESSURE DATA LOCATION CHAM SA WET BULB SALINITY DSDB I.D. ORY BULB FLUOR SN_ 0 2 1 8 2 ape/Diskette ID YR HR MIN 165214155TN 17246.31W101101010101022 TIME (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG HX 2 4 5 DATE JD= JOYTIME PRI. TEMP. AT SURFACE LONGITUDE START DOWN AT DEPTIH DATA ON TIMES PRESSURE 6-8467 LATITUDE SBE 9+ 09P. 19507-0533 2578 SEC TEMP SN 2708 SEC COND SN 2272
POS. TRIP 88 PEPTH PEPTH DEG PRI COND SN PRI TEMP SN RV Alpha Helix 18 PRESS SN 0 CONSC CAST # 2 ₽ S 9 8 6 =

3

なき

PG __ OF __ ~4+kmols

Other STA. Name/id PAM STATION DESIGNATION TRANS. SIN SAMPLE BOTTLE NUMBER E Tide DWard Cleaned air bleed valve MAND WIND SPD (SETT)

SECTION

SPD (CODE)

(deg) (m/s) (m)

(m) NCTR. 44 MAX. DEPTH = REMARKS 1-1 중 SAMPLE BOTTLE SALINITY DATA File Name/Header . (quu) PRESSURE DATA LOCATION CHIAM SAN WET වි SALINITY DSDB I.D. ORY BULB ္ခ K FLUOR SN _ 0 2 1 8 2 Fape/Diskette ID YR HR MIN TIME (GMT) CTD CONVERTED MONITOR VALUES SEC. TEMP PROJECT & LEG HX 2 4 5 DAY MO DATE JD= JOYTIME AT SURFACE
PRAR SN_4 4 9 7 PRI, TEMP. LONGITUDE START DOWN AT DEPTH DATAON TIMES PRESSURE 68467 LATITUDE SBE 9+ 09P. 19507-0533 2578 SEC TEMP SN 2708 SEC COND SN 2272 88 JEP H 9**3**0 RV Alpha Helix PRI TEMP SN PRI COND SN 0, PRESS SN CONSC CAST # Š 2 S 6 헏

| VESSEL RV Abha Helix | | | | £ _ | PROJECT & LEG | ኔ LEG 4 | O308 I.D. | 3.D. | | ST | ATION D | STATION DESIGNATION | i | 2 | , | MONT 7 |
|-------------------------|----------|------------|--------------|----------|------------------|------------------|-------------|---------------|------------------|-----------------------|-------------|--|-------------------------|-----------------|----|--------|
| | | | | | 4 | | | | | | 丰 | | <u>]</u> | 30 | | 1 |
| | | | | | | | | | | | (suut) | HER | | | | |
| CAST # | LATITUDE | NO NO | LONGITUDE | DATE JD= | الا | TIME (GMT) | DRY BULB | WET | PRESS SEAS | WIND DIRN | | MEATING TO WE THE THE THE THE THE THE THE THE THE TH | | STA. NAME/ID | | |
| DEG | MIN | DEG | NIM | DAY | ¥ | HR MIN | (2) | 1 | _ | (ded) | (s/m) | (E | + | | | |
| 1852 8 | 8.39N | | 1257. 98W | a | JUN01041 | 11110 | | | | | | | 26 | | | |
| SBE 9+ 09P. 19507-0533 | 507-0633 | TIMES | Tac | JD/TIME | | | 7 | DATA LOCATION | NO | | REMARKS | RKS | | | | |
| PRESS SN | 68467 | DATA ON | 13 | | | Tape/Diskette ID | atte ID | File | File Name/Header | ader | | | | | | |
| PRI TEMP SN | 2578 | START DOWN | NAN. | | | | : | | | | | | | | | |
| SEC TEMP SN | 2708 | АТ ОЕРТН | _ | | <u> </u> | | | | : | | පී | aned air | Cleaned air bleed valve | 9 | | |
| PRI COND SN | 638 | AT SURFA | Œ | | | | | | | | ¥ ¥ X | MAX. DEPTH= | | E | | |
| SEC COND SN | 2722 | PAR S/N_ | 4497 | | K FLUOR SAN_ 0 2 | | 182 | CHIAM S/N | | | E | TRANS. SAN | | | | |
| POS. TRIP DEPTH | | | CTD CONVERTI | NVERTED | MONITOR | VALUES | | | SAM | SAMPLE BOTTLE DATA | <u> </u> | APLE BO | SAMPLE BOTTLE NUMBER | MBER | | |
| | | | | | | | | | 4 | | | | | | | |
| | PRESSURE | J. C. B. | PRI. TEMP. | | SEC. TEMP | EMP | SAL | SALINITY | | SALINITY | 88 | NE NE | 돰 | PAM | ğ. | - |
| 18 1 | - | | | | | | | | g.4 | | | 2 | | | | 307 |
| 2 Sh | | | | | | | | | | | | 62 | | | | I |
| 8 | | | | | | | | | | | | | | | | 492 |
| 4 | | | | | | | | | | | | | | | | D. C. |
| ıo | | | | | | | | | | | | | | | | - |
| 9 | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | 60 | | | |
| 10 | | | | | | | | | | | | | | | | |
| Ŧ | | | | | | | | | | | | | 0.4 | | | |
| 12 | | | | | | | | | | | | | | | Γ | |
| | | | | | | | | | | | | | | | | |

| | | | ļ | | | | ; | | < | JORY | how | 5 | 62 | |
|--------------------------|----------|--------------|--------------------------|---------------|------------------|-----------|------------------------|-----------------------------|----------------|-------------------------|----------|----------|------------|-------------------|
| VESSEL RV Alpha Helix | X | _ | | PROJECT & LEG | 7.& LEG 2.4.5 | DSDB I.D. | ď. | <u> S</u> | IQ NOILE | STATION DESIGNATION | ∑ < ≥ | | | |
| | , | | | | , | `` | 38 | 7 7 | (junt | | | | | |
| CONSC CAST # | LATITUDE | FONC | LONGITUDE | DATE JD= | TIME | DRY | WEESSU BULB BULB | ATS A38 TISIBILIT S S | YPE LOUD (S | BOTTOM PEPTHE | | STA. | | |
| DEG | S MIN | DEG | NE | \vdash | YR HR MIN | (S) | ╁ | (pep) | | | + | į | | |
| 1195221 | 221.12N | 1225 | 9.32W | 2 | 11620 | | | | | 27.0 | 7 | | | |
| SBE 9+ 09P 19507-0533 | | TIMES | JD/T!ME | ME | | DAT | DATA LOCATION | | REMARKS | SE SE | | | | |
| PRESS SN | 68467 | DATA ON | | | Tape/Diskette ID | OI ette | File Na | File Name/Header | | | | | • | |
| PRI TEMP SN | 2578 | START DOWN | NN NA | | | | , | | | | | | - : | |
| SEC TEMP SN | 2708 | AT DEPTH | | | | | | | 8 | Cleaned air bleed vatve | ed valve | | | |
| PRI COND SN | 638 | AT SURFACE | щ | | | | | | ₩ WY: | MAX. DEPTH = 500 | 000 | E | | |
| SEC COND SN | 2272 | M PAR SAL | | 4 4 9 7 NFWO | FLUOR SAN_ 0 2 | 182 | CHAM SAN | | | TRANS. SAN | | | | |
| POS. TRIP DEPTH | | | CTD CTD CTD CTD | VERTED MONITO | ONITOR VALUES | | | SAMPLE BOTTLE DATA | <u> </u> | SAMPLE BOTTLE NUMBER | LE NUME | # | | |
| | i c | 1 | 3 | | | | | | | | - | | 7 | E and |
| 7 | ראבסטחב | | FRI. IEMF | | SEC. LEMP | SALINITA | A III | SALINITY | j S | S. C. | | PAM) | | 7556 |
| 2 250 | 0 | | | | | | | | - | ۹ | 2 3 | ٥ | 7 | 08 770 |
| 3 150 |) | | | | | | | | | 70 | | 3 | 7 | 9770 |
| 4 100 | • | | | | | | | | | 69 CV | 1 | 7 | | 3 |
| 5 50 | 2 | | | | | | | | | h8 | 2 | 7 | 7 | |
| 6 40 | | | | | | | | | | 58 | 1 | 3 | 1 | 1 1 1 1 1 1 1 1 1 |
| 7 30 | > | | | | | | | | | 98 | - | 7 | 7 | |
| 8 20 | , | | | | | | | | | 48 | Α | | 1 | |
| 6 | | | | | | | | | | 88 | ٦, ١ | 2 | 5 | |
| 0 01 | | | | | | | | | | 68 | ^ | `~ | > | |
| 11 | | | | | | | | | | • | | | ody | ý. |
| -22 | · | | | | | | | | | - | | | | |
| | | | | | | | | | | | | 1 | 1 | |

| Γ | | _ | | | | | | | | | | _ | Т | <u> </u> | т— | _ | _ | Γ | _ | | _ | | |
|--------------------------|--|--------|------------|------------------------|------------------|-------------|---------------------------------------|-------------|-------------|------------------------------|------------|----|----------|----------|----------|---|----------|---|---|-------|-------|---|----|
| — | | т- | <u> </u> | | | | | | | | ē ē | L | | | | | | | | | | | |
| | STA. NAME/ID | | | | 4 | | 9 | E | | MBER | PAM | | | | | | | | | | | | , |
| NO | | Ļ | Q | | Por | | leed va | 30 | | TLENU | 동 | | | | | | | | | ii. | | | |
| SIGNAT | BOTTOM | | 86 | <u> </u> | | 1 | Cleaned air bleed valve | FTINE | TRANS. SAN | SAMPLE BOTTLE NUMBER | NUTR. | | | | | | | | | | | | |
| STATION DESIGNATION | S WEATHER CLOUD (amt) TYPE TYPE | : | | REMARKS | | | | MAX. DEPTH= | TEA | SAMI | S. | | | | | | | | | | | | |
| STA | | (s/m/ | | | | | -8 8 | | | TLE | | | | | | | | | | | - E E | = | |
| | WIND DIRN. | (geg) | | | ader | | | | | SAMPLE BOTTLE DATA | SALINITY | ! | | | | | | | | | | | |
| | SEA STATE VISIBILITY | | | _ | File Name/Header | | | | | SAM | | | | | 1" | | | | | | | | |
| | PRESSURE | (amb) | | ATIO | File R | | | | CHIAM SA | | | | | | | | | | | : -0- | | | |
| 9.0 | WET | হ | | DATA LOCATION | | · · | I I | · . [| ₩. | | SALINITY | | | | | | | | | | | | |
| DSDB 1.D. | DRY | ၌ | | 2 | ₽ | | | | 8 | | SAI | | | | | | | | | | | | |
| | | | | | skette | | | | 2 1 8 | | | | <u> </u> | <u> </u> | | | | | | | | | |
| t LEG 4 5 | TIME (GMT) | HR MIN | 7 | • | Tape/Diskette ID | | | | 0 - % | CTD CONVERTED MONITOR VALUES | EMP | | | | | | | | | | | | |
| <u>₩</u> ~ | | YR | | | | | | | FLUOR S/N_ | NITOR | SEC. TEMP | | | | | | | | : | ŵ | | | |
| PROJEC H X | DATE JD= | | ור ו | | | | | | | | | _ | _ | | <u> </u> | | | _ | | | | | |
| | | DAY | | JD/TIME | | | | | | NVER | IMP. | | | | | | | | | | | | |
| | 10 | NIN | 63WL | 3 | | | | | 497 | 0 0 0 | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | × | H | | - | OWN | Œ. | ACE | | | | | | | | | | | | | | | |
| | 21 | DEG | <u>ck1</u> | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR SAN | | ų. | | | | | | | | | | | | |
| | | | Z | | Ī | S | $\stackrel{\blacktriangleleft}{\Box}$ | Χ. | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | MIN | 1.3 | 833 | 68467 | 2578 | 2708 | 888 | 2272 | | # | : | | | | | | | | | | | |
| Ş Ş | | DEG | 205aa 1 | SBE 9+ 09P. 19507-0533 | ထ | ı | | | | | | 0 | 30 | | | | - | | | | | _ | = |
| VESSEL RV Alpha Helix | CONSC CAST # | ٥ | \$ | 408 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | TRIP DEPTH | | 20 | 100 | 30 | Q | Q | Ω | | | | | | |
| ₩ ₹ | 88 | | | ਲ | PRE | 8 | SEC | PHIC | SEC | Pos. | | - | 2 | 3 | 4 | 9 | 9 | 7 | 8 | 8 | 2 | = | 12 |

| | VESSEL | - | | ď | PROJECTALES | _ او | | | | ST. | TO THE | CTATION DECIONATION | 7 | | | |
|------|---------------------------|------------|------------|-----------|------------------------------|------------------|----------|---------------|-------------------|---------------|----------------------------------|-------------------------|----------|--------------|------|---------|
| ₩. | RV Alpha Helix | | | | HX 2 4 5 | a f | } | i | | <u>.</u> | 5 | として | γγ { | | | |
| | CONSC CAST # 1 ATTHINE | | aci Elowo | <u> </u> | | TIME | DAY | HERRINE A | SIBILITY SIBILITY | WIND WIN | M OUD (ami) PPE PPT HER | al Si | | STA. | | |
| | DEG | DEG | NIN | DAY MO | χ | HR MIN | 2 S | ╁ | Λ • S • | (den) (m/s) | () () | | 4 | NAME/ID | | |
| | 18.9 | 3N/ 72 | 7256.72W | - | N 0 | 1741 | | | | $\overline{}$ | | 15/50 | | F | | |
| 88 | SBE 9+ 09P. 19507-0533 | THRES | Pag. | JD/TIME | | | DAI | DATA LOCATION | _ | | REMARKS | ₹ S | | | | |
| PRE | PRESS SN 6 8 4 6 | 7 DATAON | _ | | _ | Tape/Diskette ID | ₽ | File | File Name/Header | # | | | | _ | | |
| ER . | PRITEMP SN 2578 | START DOWN | OWN | | i | | | | | | | | | | | |
| SEC | SEC TEMP SN 2708 | АТ ОЕРТН | . | | <u> </u> | | | | | | S | Cleaned air bleed valve | ed valve | | - | i |
| PRIC | PRI COND SIN 638 | AT SURFACE | ACE | | | : | | | | | ¥¥ Z | MAX. DEPTH = 500 | 500 | E | | |
| SEC | SEC COND SN 2272 | PAR S/N_ | N_4497 | | FLUOR SAN | N_021 | 8 2 | ChIAM S/N | | | | TRANS. SAN | | <u> </u> | | |
| Pos. | TRIP | | | NVERTED ! | CTD CONVERTED MONITOR VALUES | ALUES | | | | SAMPLE BOTTLE | | SAMPLE BOTTLE NUMBER | LE NUME | E S | | |
| | ОЕРТН | | | | | ; | | | DA | DATA | | | | - | · | 4 |
| | PRE | PRESSURE | PRI. TEMP. | <u>-</u> | SEC. TEMP | AN. | SALI | SALINITY | SALINITY | ΣĘ | SAL | NCTR. | 푱 | PAM | Jago | Cho |
| - | 481 | | | | | | | | | | _ | 06 | ├— | | | 7 4 7 |
| 2 | 275 | | | | | | | | | | | Ď | | | - | * |
| က | 891 | | | | | | | | | | | 92 | | | | 20 |
| | 100 | | | | | | | | | | | 913 | | | - | - |
| S | 50 | | | | | | | | | | | 94 | | | | 05776 |
| 9 | 40 | | | - | | | | | | | | 95 | | | | |
| 7 | 30 | | | | | | : | | | | 4.2 | 9/6 | | | | アカナ |
| 60 | 30 | | | | | | | | | | | 46 | _ | | _ | e seed |
| 6 | 10 | | | | | | | | To a | 142- |) | 685 | 10,700 | - | Γ- | 98 Elek |
| 5 | 0 | | | | | | | | | | | 66 | | | | peop/ |
| = | ¥. | | | | | | | | | | | | | | | (caked |
| 12 | | | | | | | | | | | | | H | | П | |

PG OF

<u>g</u> 700 2 8 STA. NAME/ID TRANS. SN SAMPLE BOTTLE NUMBER Cleaned air bleed vaive 동 WINDD (amit)
CLODD (amit)
TYPE
SPD. CLODE 20 20 00 STATION DESIGNATION € MAX. DEPTH = NCTR. 03 70 107 0 . Θ 305 0 ्राष्ट्र 0 REMARKS SAL. · (s/w) SAMPLE BOTTLE MIND DIR. SALINITY (ded) DATA File Name/Header SEA STATE VISIBILITY PRESSURE DATA LOCATION ChIAM S/N WET BULB <u>ව</u> SALINITY DSDB I.D. DRY BULB CTD CONVERTED MONITOR VALUES Tape/Diskette ID HR MIN (GMT) SEC. TEMP PROJECT & LEG HX 2 4 5 YR DAY MO DATE JD= JUTIME PRI. TEMP. PAR SN_ 4 4 9 7 LONGITUDE AT SURFACE START DOWN AT DEPTH DATA ON DEG TIMES PRESSURE 68467 LATITUDE SBE 9+ 09P. 19507-0533 2578 SEC TEMP SN 2708 SEC COND SN 2272 PRI COND SN 638 200 TRIP DEPTH 100 6 30 DEG RV Apha Helix PRI TEMP SN 4 6 ટ્ર 0 PRESS SN CONSC CAST# Pos. N **=** = 헏 6

Jose J.

2005

| CONSC | | | | | | | | | ſ | | | | İ | | | 167 | | _ |
|--|----------|---------------|----------|------------|-----------|----------|-----------------------|------------|----------|-----------|----------|--------------------|--|------------|--|------|----|----------|
| Communication Communicatio | ¥ À | Apria Helix | | | | <u>7</u> | HOJECT & L H X 2 4 | 2 | POSO . | 3 i.D. | | | TATION | DESIGN | ス OPA opa | 17 | | |
| | <u>8</u> | | LATITUDE | | IGITUDE | DATE J | <u>-</u> | TIME (GMT) | DRY | WET | TATS A38 | WIND | (jmg) QUOJ; | HAHIWAA | ' | STA. | | |
| 1. N 1. W | Ш | DEG DEG | | DEG | NIN | | ΥR | HR MIN | స్ట | | • | (6 60) |) <u>.</u> | ۸. | 1 | | | |
| ### SOTO CONVENTION Tape/Diskette ID File Name/Header Tape/Diske | (3) | ल्डहा | • | | • | 20.5 | N 0 1 | | | | | | | | | | | |
| Sample Saminity | SS | 9+ 09P: 19 | 507-0533 | TIMES | Var | TIME | | | PA | TA LOCATI | <u>8</u> | | <u></u> | IARKS | | | | |
| START DOWN START DOWN START DOWN START DOWN START DOWN START DOWN START SNAPLE BOTTLE SNAPLE SNAPLE BOTTLE | PRE | | 6.7 | DATA ON | | | | ape/Disket | a | | Name/H | 3ader | | | | | | |
| CALCOL PAR SN_ 4 4 9 7 FLUOR SN_ 0 2 1 8 2 CNAM SN | FE | EMP SN | 2578 | START DO | | | 1 | | | | | | | ! | | | | |
| PAR SN 4 4 9 7 PLUCH SN 0 2 1 8 2 CHAM SN TRANS, SN | SEC | TEMP SN | | AT DEPTH | _ | |] | | | - | | | | learned al | bleed va | 2 | | 4 |
| PAR SN_ 4 4 9 7 FLUOR SN_ 0 2 1 8 2 ChAM SN_ | PRIC | NS DNOX | | AT SURFA | 8 | | | | | - | | | <u>] </u> | DEPTH | ************************************** | | | Church. |
| PRESSURE PRI. TEMP. SEC. TEMP SALINITY SAL. NUTR. CHI. PAM ORGAN O | SEC | NS GNOO | | PAR SA | _ | | FLUORS | N_021 | • | Chiam | § | | E | RANS. SA | | | | (C) |
| 160 PRESSURE PRI. TEMP. SEC. TEMP SALINITY SA | POS. | TRIP DEPTH | | | යුව | NVERTED | MONITOR V | ALUES | | | SAM | PLE BOTT DATA | <u> </u> | AMPLE BY | OTTLE NU | MBER | | |
| 160 100 50 40 30 30 111 10 10 10 10 10 112 10 116 116 116 117 117 110 110 110 110 111 110 110 111 111 | | | PRESSU | E E | PRI. TE | ē, | SEC. TE | 9 | Tes | ŽĮN, | 6 | ALINITY | 8 | | | | 13 | Laury (|
| 100 50 40 30 30 10 10 10 10 10 10 10 10 10 1 | - | 001 | | | | | | | | 9 | | | | - | _ | | 7 | 3 |
| 50 30 30 113 10 10 10 115 117 117 117 117 117 117 117 | 2 | 100 | | | | | | | | | | | _ | 110 | | | | |
| 30 30 30 30 30 30 30 30 30 30 30 30 30 3 | 3 | 25 | | | | | | | | | | | | 1 | 1 | | 7 | H |
| 30 | 4 | 04 | | | | | | _ | | | | | | 616 | | | T | |
| 10 0 0 10 10 10 10 10 10 10 10 10 10 10 | 5 | 30 | | | | | | | | | | | | 17 | | | | |
| | 6 | 90. | | | | | | | | | | | | 51/ | | | | |
| | 7 | (0 | | | | | | | | | | | | 12 | | | | |
| | 8 | 0 | | | | | | | | | | | | 116 | / | - | 7 | |
| 13 | Ġ. | | | | | | - | | | | _ == | | | | | | | |
| 12 | 9 | | | | | | | | | | | | |) | | | | |
| 12 | 11 | | | | | | | | | | | | | | | | Γ | |
| | 12 | | | - . | | | | | | | | | | | / | | | |
| | | | | | | | | | | | | | | | | | | |

| VESSEL RV Alpha | VESSEL RV Alpha Helix | | | | | PROJECT & LEG | & LEG 4 5 | JSQ | DSDB 1.0. | | IS. | ATION | STATION DESIGNATION $\zeta_{GY_{IJ}}$ | Z C | | | - | |
|--------------------|--------------------------|------------|------------|------------|-----------------|---------------|------------------|----------|---------------|---------------------------|-----------------------|--------------------------|---------------------------------------|-------------------------|--------------|-------------|--------|----------|
| CONSC CAST# | | LATITUDE | | ONGITIDE | TAG | PATE LIP | TIME | DRY | WET | ESSURE FASTE TIGIÈI | WIND WIND | S S LOUD (ami) YPE | HERTAL | Y | STA. | | | |
| | DEG | MIN | DEG | MIN | DAY | INO YR | 丰 | | 1 | N. S. | (deg) (m/s) |) .) : : (@ | | 4_ | | , | | |
| 76 | 452 | 245212-61N | 13246 | ᅡᅱ | 0 ≥ E | J U N 0 1 | <u>\$</u> | H | | | | | | 174 | | | | |
| SBE | SBE 9+ 09P. 19507-0533 | -] | TIMES | 5 | JD/TIME | | | | DATA LOCATION | TON | | REM | REMARKS | | | | | |
| PRES | PRESS SN 6 | 68467 | DATA ON | | | | Tape/Diskette ID | Cette ID | 遣 | File Name/Header | ē | | | | | | | |
| PRIT | PRI TEMP SN | 2578 | START DOWN | NW. | | | | | , | | | | | 1 | | | | |
| SEC 1 | SEC TEMP SN | 2708 | AT DEPTH | | | | | | | | 1 | حُ | uned air | Cleaned air bleed valve | 2 | | į. | |
| <u>₹</u> | PRI COND SN | | AT SURFACE | ĞE | | | | | } | | 1 | <u>`</u> | MAX. DEPTH= | | ٤ | | | |
| SECC | SEC COND SN | 27.22 | PAR S/N_ | N_4497 | _ | FLUOR SAN | RS/N_ 0 2 | 182 | CHAM SA | NS. | | E | ANS. SAN | | | | | |
| POS. | TRIP DEPTH | | | CID | CTD CONVERTED M | TED MONITO | IONITOR VALUES | | | SAMPLE | SAMPLE BOTTLE DATA | | MPLE BO | SAMPLE BOTTLE NUMBER | BER | Ā | | |
| | | PRESSURE | 뿚 | PRI. TEMP. | EMP. | SEC | SEC. TEMP | . ૐ | SALINITY | ₩ | SALINITY | | N E | 동 | PAM | 5 | | |
| - | 163 | | | | | _ | | | ±: | | | | 8// | _ | 1 | 7 | | |
| 2 | 100 | | | | | | | | | | | 2445 | - | 7 | _ | 7 | | |
| 3 | 50 | | | | | | | | | | | 27.5 | 8 | 7 | Z | 7 | | |
| 4 | 40 | <u> </u> | | | | | | | | | | | 101 | Ž | 7 | 7 | | |
| 5 | Ç | | | | | | | | | | | | - 22 | / | Þ | 7 | | |
| 9 | S | | | | | | | | | | | _ | 23 | 2 | 1 | 7 | | |
| 7 | 07 | | | | | | | | | | | | なかり | 7 | / | 7, | | |
| 8 | 0 | | | | | | | | | | | L | 261 | 7 | | \ | | |
| 6 | | | | | | | | | | | | _ | | 729 | ži. | | | |
| 9 | | | | | | | | | | | | | | | | | | |
| = | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | - | | · · | |
| | | | | | | | | | | | | _ | 7/2 | 20 | 4 | How (| (44) v | <u> </u> |
| | | | | | | 5 | | | | | | | | | | | | |

| VESSEL | | | | Cad | PROJECT & 1 EG | ي | | | | | TATION | | Tage 1 | | - | |
|--------------------|--|------------|-------------|------------------------------|----------------|------------------|----------|---------------|--|-----------------------|---------------------|-------------|-------------------------|-----------------|----------|-------------|
| RV Apha Helix | le lix | | | Ξ Ξ | H X 2 4 | 5 | | <u>i</u> | | | STATION DESIGNATION | | Ω Χ Σ Σ | 60 | | |
| | | | | | | | | | | } | (Ima | 별 | | | Τ | |
| CONSC CAST # | LATITUDE | FONC —— | LONGITUDE | DATE JD= | | TIME (GMT) | DRY | WET | JSS3R9 VTS A 38 FIJIBISI\ | WINC | | Z S | ВОТТОМ | STA. NAME/ID | | |
| ٩ | DEG MIN | DEG | MIN | DAY MO | ΥR | HR MIN | ၌ | Т | _ | (geg | [S/W | 1 | Œ | | Т | |
| 2555 | 255210.75V | 1-12-1 | 己 | WIOUN | 0 | 2059 | | | | | | | 5 | | 1 | |
| SBE 9+ 09P | SBE 9+ 09P. 19507-0533 | TIMES | אַסר | JOYTIME | | | DA | DATA LOCATION | NO. | | | REWARKS | | | _ | |
| PRESS SN | 68467 | DATAON | | 5 | <u> </u> | Tape/Diskette ID | a | Ē | File Name/Header | Header | | | | | | |
| PRI TEMP SN | 3N 2578 | START DOWN | ¥. | | | : | | | | | | | | | | _ |
| SEC TEMP SN | SN 2708 | АТ ОЕРТН | | | | | | | | | Ē | e pause | Cleaned air bleed valve | vatve | _ | |
| PRI COND SN | 638 | AT SURFAC | _ _بير | | <u> </u> | | 56 | - | | |] <u>š</u> | MAX. DEPTH= | <u> </u> | E | | |
| SEC COND | 272 | PAR SN | 4497 | | A FLUOR SAN | N_021 | 8 2 | CHAM SA | ₩. | | Ë | TRANS. SA | = | | _ | |
| POS. TRIP DEPTH | | | | CTD CONVERTED MONITOR VALUES | ONITOR V. | ALUES | | | | SAMPLE BOTTLE DATA | <u> </u> | WPLEB | SAMPLE BOTTLE NUMBER | VUMBER | | |
| - , | 90000000000000000000000000000000000000 | 101 | our loa | 9 | CO TEMP | 9 | l rea | A CHARLES | | A Parties | 1 8 | | | | | |
| CEI | | 1 | | | SEC. IE | | S | | <u> </u> | OVELINI T | \$ | 7 C | <u> </u> | - Z | | |
| 2 100 | 0 | | | | | | | | | ! | - | 28 | 65 | 广 | Ļ | η- |
| 3 8 | 2 | | | - | | igg | | | | | <u> </u> | 139 | 1 | | 4 | т- |
| 4 40 | 0 | | | | | | | | _ | | | 30 | 0 | | <u> </u> | т- |
| 5 30 | 0 | | | | | | | | _ | | | 12/ | 1 | | | т. |
| 6 30 | | | | | | | | | | | | 133 | 6 | X. | | _ |
| 7 10 | 0 | | | | | | | | | | | 73 | / | _ | L | |
| 8 C | (| | | | | | | | | | | 134 | | | L | |
| 6 | | | | | _ | - | | | | | | | | | | |
| 10 | _ | | | _ | | | | | | | | | | _ | L | _ |
| 11 | | | | | | | | | | | | | _ | _ | | |
| 12 | | | | | | | | | | | | | | | | _ |
| | | | | | | | 3.6 | | | | | | | ļ | | 10 |

135 From 3 (50m)

| VESSEL | | | | - | PROJECT & LEG | 8 | OSOB LD. | .G. | | STAI | NO NO | MGNATIC | STATION DESIGNATION | | Γ | |
|------------------------|------------|------------|------------|-----------|------------------------------|------------------|----------|---------------|-------------------|--|----------------------|------------|-------------------------|-------------|-------------------|------|
| HV Alpha Helix | <u>×</u> | | | | H X 2 4 | 5 | - | | | _ | | V | >6 YC | <u>ر</u> ک | • | |
| | = | | | | | | | | TATE YTI. | | (smt) | | | | | |
| CAST # | LATITUDE | § | LONGITUDE | DATE | <u>ද</u> | CIMT) | BULB | WET BULB | VISIBILI SEV S | | XOUC YPE YEATH | BOTTOM | | STA. | | |
| DEG | 3 MIN | DEG | N. | | ۶ | HH | ည | ╁ | • | | <u> </u> | | ╄ | | | |
| 2652 | 1 8 50N FB | 7 | 3.51 | 5//w/0 Ju | N 0 1 | 2142 | | | | - | | 1.52 | 70 | | | |
| SBE 9+ 09P. 19507-0533 | | TIMES | Var | JD/TIME | | | DA. | DATA LOCATION | 7 | | REMARKS | S . | | | | |
| PRESS SN | 68467 | DATA ON | | 121 | <u> </u> | Tape/Diskette ID | E C | File N | File Name/Header | • | | | | · | | |
| PRI TEMP SN | 2578 | START DOWN | WN | | | | | , | | | | | | | | |
| SEC TEMP SN | 2708 | АТ ОЕРТН | | | <u></u> | | | | | | | S de P | Cleaned air bleed vaive | | | į |
| PRI COND SN | 828 | AT SURFAC | | | L | | | | | <u>, </u> | MAX. DEPTH= | PIH= | | ε | - | |
| SEC COND SN | 272 | PAR S/N_ | | | /FLUOR SA | N_021 | 8 2 | CHAM SAN | 9 | | NA NA | TRANS. SAN | | | | |
| POS. TRIP DEPTH | | | | WERTED | CTD CONVERTED MONITOR VALUES | ALUES | | | SAMPLE BOTTLE | ЭОТПЕ | SAME | LE BOTT | SAMPLE BOTTLE NUMBER | 缶 | | |
| | | ļ | | | | | | | | | | | | | _ | 4- |
| | PRESSURE | E | PRI. TEMP. | <u>ٿ</u> | SEC. TEMP | - da | SALI | SALINITY | SALINITY | <u>}</u> | 3 | NGTR. | 품 | چ ک ا | ੇ ਹੋ ਹੈ | 25 |
| 1 143 | ~ | | | | | | | | | | | | ╫╌ | 1 - | 5 | |
| 2 100 | | | | | | | | | | | | 137 | 7 | ŕ | > | |
| 3 | | | | | | | | | | , , | 26-2 | 138 | 7 | | 7 | |
| 4 LID | | | | | | | | | | | 7 | (h1) | 7 | | 7 | |
| 5 30 | | | | | | | | | | | | 39 | 7 | | 7 | 1446 |
| 900 | | | | | | | | | | | | Mo | 5 | | 7 | |
| 7 10 | | | | | | | | | | | Ĭ | 141 | 7 | - | _ | |
| 8 | | | | | | | : | | | - | | ehi | 7 | 7 | | |
| G | | | | | - | | | | | | | | | | ſ | |
| 10 | | | | | | | | | | | | | _ | | Γ | |
| = | | | | | | | | | | | | | | | I — | |
| 12 | | | | _ | | | | - | | - | | | | | | |
| | | | | | | | | | | | | | | | l | |

| | | | | | | | | _ | | | | Γ | Τ | Ι | Γ- | Γ- | Г | | Т | Т | 1 | | \Box |
|--|----------------------|--------------|------------|------------------------|------------------|-------------|-------------------------|--------------|-------------|------------------------------|--------------|----------|----------|----------|----------|----------------|----|----|----|----------|--------------|---------|--------|
| 14 | | Τ | | Γ- | | | | Γ. | Т | <u></u> | <u>§</u> | T = | ├- | \vdash | - | _ | _ | ├- | ┞- | <u> </u> | igspace | igspace | Щ |
| STATION DESIGNATION | STA. NAME/ID | | | | | | 2 | E | | SAMPLE BOTTLE NUMBER | PAN | L | <u> </u> | | | | L | | | | | | |
| \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | Ļ | 30 | | | | leed v | | | TEN | 룡 | 7 | 7 | | | | | | | 20 | | | |
| JGNAT | ВОТТОМ DEPTH | | 7.8 | ဗ | | | Cleaned air bleed valve | 품 | 8 8 | E 801 | NCTR. | 40 | 145 | 748 | 224 | 14.00 14.00 | 25 | 0 | = | | | | |
| N DES | TYPE AEATHER | • | | REMARKS | | | Clean | MAX. DEPTH = | TRANS. SA | SAMP | JAS | 1 | | | | | | | == | - | ┢ | | |
| STATIC | S MAN (SIMI) | (\$ <u>E</u> | | - 2 | | <u> </u> | | ₹ | | <u> </u> | 0 | <u> </u> | <u> </u> | | | | | | | | _ | | |
| | WIND DIRN. | (Sep) | | | 귤 | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE VISIBILITY | • | | | File Name/Header | : | | | | AMPLE D | T V S | | | | | | | | | | | | |
| | PRESSURE | | | ğ | Name | · | | | ₹ | <u> </u> | <u> </u> | _ | | | | | | | | | _ | | |
| | WET | (<u>C</u> | | DATA LOCATION | Ě | | | | Chiam Sa | Ţ | | | | | | | : | | | | | | |
| DSDB I.D. | <u> </u> | | | DATA | | | | | |] | SALINITY | | | | | | | | | | | | |
| ٣ | DRY | (၁) | | | <u>Q</u> | | | | 8 2 | | " | | | | | | | | | | | | |
| | TIME (GMT) | HR MIN | 33 | | Tape/Diskette ID | | | | 0 2 1 | S3 | <u> </u> | | | | \vdash | _ | | | | | | | |
| LEG 4 5 | TIME (GMT) | _ | 2333 | | Tape. | | | | | VALU | SEC. TEMP | | | | | | | | | | | | |
| [등 ~] | | YR | N 0 1 | | | | | | MFLUOR S/N_ | STD CONVERTED MONITOR VALUES | SEC. | | | | | | | | | = | | | |
| PROJE H X | DATE JD= | ý. | NO PO IMSO | | - | | | | Š | | | | <u> </u> | | _ | | | _ | | | | | |
| | | DAY | MIC | JOYTIME | | | | | 7 | INVERI | <u>₹</u> | | | | | | | | | | | | |
| | 띰 | N | 70 | 3 | | | | | 9 | 6 8 | PRI. TEMP. | | : | | | | | | | | | | |
| | LONGITUDE | ¥ | ġ | | | N. | _ | 띯 | N | | | | | | | | | | | | | | |
| | 01 | DEG | Her | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR SN | l | | | | | | | | | | | | | |
| | |] | - NT | <u>.</u> | | <u>ਲ</u> | -¥ | ¥ | Š | 1 | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | _ | 74.79 | 8 | 68467 | စ္တ | 20 | | S. | | PRE. | | | | | | | | | | | | |
| | | NIM | | 0-209 | 8 | 2578 | 2708 | 88 | 2272 | | | ^ | | | | == | | | | | | | |
| VESSEL RV Apha Helix | | DEG DEG | 2375 | 89 1 | S | MP SN | MP SN | NS QN | NS QN | TRIP DEPTH | | 00 | 20 | 3 | \$ D | Se | 2 | 6 | | | | | |
| VESSEL RV Aph | CONSC CAST # | | त्र | SBE 9+ 09P. 19507-0533 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | SO. | | 1 1 | 2 | 3 | 4 | 5 | 9 | 7 | 80 | 6 | 10 | = | 12 |
| | | | | 7/1 | _ <u></u> | <u> </u> | | - | S | <u></u> | | نـــا | Ш | | | | | | | | | | |

15/1 Get 40/3)

| MIN DEG MIN DOT JUN O 17 HG MAN CONTROL CONTR | VESSEL RV Albha Helix | | | ! | | PROJECT & LEG | LEG | DSDB 1.D. | | | S | STATION DESIGNATION | ESIGNA. | δ, | | <u></u> |
|--|--------------------------|---------|-----------|--|----------|---------------|-----------------|-----------|----------|----------|------------------|---------------------|--------------------|----------|------|--|
| DEG MIN DAY MO YR HR MIN CC) CC) (mb) F (cbs) (ms) F Cos) Cos (ms) F Cos | | ATITUDE | Š | GITUDE | <u>a</u> | ه ا د | <u>،</u> | DAY | WET | EA STATE | WIND | S S LOUD (ami) | Pariner Pariner | MO E | STA. | |
| TIMES JOTIME Tape/Diskette D | | MIN | DEG | Z. | DΑΥ | § | HR MIN | ၌ | | 3 + | (990) | | . - | ╄ | | _ |
| Tape/Diskette ID | | ۲۱.۲۱ | 133 | 7.18 | W/O | JUN01 | 2325 | | | | _ | | Aller | 2 | | |
| ## START DOWN ## STA | ᄴ | | TIMES | Δς | TIME | | | PA | TA LOCAT | NOI | | REN | | | | |
| ## START DOWN ## 638 AT DEPTH | - 1 | - | DATA ON | İ | | | Tape/Diske | S est | Ē | Name/He | ader | | | | | |
| 2706 AT DEPTH 638 AT SURFACE CTD CONVERTED MONTON VALUES PRESSURE PRI TEMP. SEC. TEMP SALINITY SALINIT | 1 | 2578 | START DO | ¥. | | | | | | | | | | | | |
| PRESSURE PRI TEMP. SEC. TEMP SALINITY SALINITY SALINITY | ا ہے ا | | AT DEPTH | | | | | | | | | Š | aned air | bleed va | 2 | |
| PRESSURE PRI. TEMP. SEC. TEMP SALINITY SALINITY SALINITY | ! | | AT SURFAC | Ж | | | | | | | | ¥ ¥ | DEPTH= | | £ | |
| PRESSURE PRI, TEMP. SEC, TEMP SALINITY | 22 | | MPAR SAN | 4 9 | _ | N FLUORS | 0 | | CHAM | Ŋ | | | MS. SM | | | |
| PRESSURE PRI.TEMP. SEC.TEMP SALINITY SAL. NUTR. 1523 1523 1523 1524 152 | L E | | | C10 C10 C10 C10 C10 C10 C10 C10 C10 C10 | NVERT | ED MONITOR | VALUES | | | SAM | NE BOTTL DATA | <u> </u> | WPLE BO | TTLEN | MBER | |
| | | PRESSU | RE | PRI. TE | MP. | SEC. T | EMP | Tes | INITY | S | ALINITY | SAL | NUTR. | 룡 | PAM | O de la composition della composition della comp |
| |) | | | | | | | | | | | | 3 | | | |
| | 0 | | | | | | | | | | | | 33 | | | |
| | ^ | | | | | | | 54 | | | | | 154 | L | | |
| | 0 | | | | | | | | | | | | 155 | | | |
| | | | | | | _ | | | | | | | 951 | | | |
| | 0 | | | | | | | | | | | | 157 | _ | | |
| | | | | | | | | | | | | | 5 | | | |
| | | | | | | | | | | | | | | | | |
| | 1.0 | | | | | | | | | | | | | 50 | | |
| | | | | | | | | | | | | | | | | Ì |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

159 30m Ret

| DSDB I.D. STATION DESIGNATION | WET WITH STATE STATE SEA S | (m) (deg) (m/s) (m) | DATA LOCATION REMARKS | File Name/Header | | Cleaned air bleed valve | MAX. DEPTH = m | | SAMPLE BOTTLE DATA | | SALINITY SAL. NUTR. CHI. PAM Other | | ct | 162 | 3 22 | > V = = | | 7 49 | | | | |
|-------------------------------|--|---------------------|-----------------------|------------------|-------------|-------------------------|----------------|----------------|------------------------------|---------------|------------------------------------|-------|------|------|------|----------|----------------|------|---|----|----|--|
| NO. | | ₩, | | | | r bleed valve | _ | | OTTLE NUMBER | | CHL. PAM | + | ct | 7 | 7 | <u> </u> | _ | > | | | | |
| TION DESIGN | HOLIVOA | - | REMARKS | | | Cleaned at | MAX. DEPTH | TRANS. SA | SAMPLEB | $\overline{}$ | | 1.97 | 168 | 16 | 164 | 25 | 1/2/ | 167 | | | | |
| STA | TATE ABICITY VISIBILITY SEE SEE SEE SEE SEE SEE SEE SEE SEE SE | (deg) | | ame/Header | | | | , | | | SALINITY | | | | | | | | | | | |
| 81.D. | | | ATA LOCATION | File R | |] | | CHIAM SA | | | LINITY | | | | | | | | | | | |
| 080 | DAY | (C) | | kette ID | | | | 2 1 8 2 | | | 5 | | | | | | | | | | | |
| PROJECT & LEG H X 2 4 5 | TIME | | | Tape/Diskette ID | | | | MFLUOR S/N 0 2 | NITOR VALUES | | SEC. TEMP | | | | | | | | | | | |
| PROJEC H X | DATE JD= | | | ļ | | | | | CTD CONVERTED MONITOR VALUES | | | - | | | | | | | | | | |
| | LONGITUDE | MIN Z C Z | 7 | 7 | NWO | = | ACE | N-4497 | 1 | | PRI. TEM | | | | | | | | | | | |
| | | DEG N DEG | TIMES | 7 DATA ON | START DOWN | АТ DEРТН | AT SURFACE | PAR SN | | | PHESSONE | | | | | | | | | | | |
| efix | LATITUDE | DEG MIN | | 6846 | N 2578 | SN 2708 | N 638 | SN 2272 | | | £ E | 0 | 0 | C | C | 0 | 0 | | | | | |
| VESSEL RV Apha Hefx | CONSC CAST # | 2 9 S | SBE 9+ 09P | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | POS. TRIP DEPTH | | - 12 | 2 100 | 3 50 | 4 40 | 5 3 | 9 | 7 1.0 |) 8 | 6 | 10 | 11 | |

103 Ret 50m 53

| | | | | | | | | | | | | _ | γ | | | | | _ | | | | | |
|-----------------------------|-------------------------|-------------|----------|------------------------|------------------|-------------|-------------------------|-------------|-------------|------------------------------|------------|--|----------|-----|-----|-----|-----|-----|----|---|---|---|-----------|
| _ | | _ | 7 | | | | · · · · · · | _ | | | O Per | 7 | 7 | 7 | 7 | 7 | 1 | 7 | 7 | | | | \Box |
| | STA. | | | | | | 2 | E | | ABER | PAM | | | | | | | | | | | | |
| NOV YOY | | ╄ | 20 | | | | sed val | | | LE NO | 훙 | 7 | 7 | 7 | 7 | 1 | 7 | 7 | > | | | | |
| STATION DESIGNATION $66~\%$ | | | - 2 | i | | | Cleaned air bleed valve | PTH= | NS. | SAMPLE BOTTLE NUMBER | NUTR | 691 | OA | 121 | 173 | 173 | 461 | ĬX. | 37 | | _ | | |
| N DES | YPE NEATHER | : | | REMARKS | | | S | MAX. DEPTH= | TRANS. SAN | SAMP | SAL | | | | | 1 | | | | | | | |
| STATIC | SPE (BMI) | (S/W) | | - | | | يــــا | <u> </u> | - | 빝 | | + | | | | | | | | | | | |
| | WIND DIRN. | (geg) | | | ider | | | | | SAMPLE BOTTLE Data | SALINITY | | | | | | | | | | | | |
| | SEA STATE YTURIBICIY | • | | | File Name/Header | | | | | SAMPI | Š | | | | | | | | | | | | |
| | PRESSURE | (E) | | ATION | 를 돌 | | | | CHIAM SAN | | | | | | | | | | | | | | \exists |
| 를 | WET BULB | চ | | DATA LOCATION | _ | | 1 1 | | 8 | | SALINITY | | | | | | | | | | | | |
| DSDB 1.D. | DRY | (၁) | · | DA | Q | | | | 2 | | TWS | | | | | | | | | | | | |
| | | | | | skette l | | | | 2 1 8 | | | | | | | | | | | | | | |
| 3 LEG 4 5 | TIME (GMT) | HR MIN | | | Tape/Diskette ID | | | | 0 | CTD CONVERTED MONITOR VALUES | ₽ | | | | | | | | | | | | |
| <u>₩</u> ~ | | YR | 10 | | <u></u> | | | | FLUOR S/N | VITOR / | SEC. TEMP | | | | | ! | | | | | | | |
| PROJEC H X | Date JD= | Ş | JUNO | | | | | | Ë | | | | _ | | | | | | | | | _ | |
| | DATI | DAY | A | JOTIME | | | | | _ | NVERT | ₹ | | | | | | | | | | | | |
| | JG. | N | | Ş | | | | | 9 | 2000 | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | MII | | | 7 | NMO | Ţ. | ACE | \ <u>\$</u> | | | _ | | | | | | | | | | | |
| | 3 | DEG | | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N | | ¥. | | | | | | | | | | | | |
| | , | H | 2 | <u>-</u> | 7 | s | <u> </u> | Χ. | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | MIN | - | 7,0533 | 6846 | 2578 | 2708 | 838 | 2272 | | * | | | | | | | | | | | | |
| 실 문 | | DEG | | SBE 9+ 09P. 19507-0533 | • | | - 1 | | | TRIP DEPTH | | 139 | 1970 | 25 | 20 | 30 | 2 | 0 | 0 | | | | = |
| VESSEL RV Abha Helix | CONSC CAST # | | 000 | E 94 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | L | | | ã | 5 | 7 | 3 | 7 | 1 | | | | | |
| <u> 물 준</u> | ষ্ট্ | | | 8 | Œ | H | SE | 8 | <u> </u> | Pos. | | _ | 2 | က | * | က | ဖ | 7 | ∞ | G | 5 | = | 헏 |

hyo tti

| | | | | 19.5 | 3 | | | _ | | | | _ | Τ | r - | , - | _ | , | | | · | | | |
|----------------------------|---------------------------------------|------------|-----------|------------------------|------------------|--------------|-------------------------|----------------|-------------|------------------------------|-----------|----------|----|----------------|----------------|---|--------------|---|----|----|----|----------|----|
| - | | T | _ | | <u>\$</u> | | т—- | _ | <u> </u> | | Ě | | | L | L | | | | | | | | |
| 20 | STA. NAME/ID | | E | - | 0 | | a A | E | | JMBER | - AM | | | | | | | | | | | | |
| NO NO | | ╄ | 0 | | 1200 | | Meed w | 0 | | E N | 룡 | | | | | | | | | 33 | | | |
| STATION DESIGNATION | BOTTOM PEPTH | Ξ | | SSE |) | | Cleaned air bleed valve | MAX. DEPTH = 4 | IS. SAN | SAMPLE BOTTLE NUMBER | NCTR. | | | | | | | | | | | | |
| ON DE | S S S S S S S S S S S S S S S S S S S | ÷ | | REMARKS | | | 충 | <u> </u> | 1 | S | SAL. | | | | | | | | | | | | |
| STAT | WIND SPD. | (S/W) | | * | | - | | | | 띹 | | | | | <u> </u> | | | | | | | | |
| | WIND DIPN. | (Beg | | | ader | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE VISIBILITY | • | | | File Name/Header | | | | | SAME | | | | | | | | | | | | | |
| | PRESSURE | (qm) | | NOIT | ie Na | į | | | CHAM S.N. | | | | | | | | | | | | | | |
| G. | WET BULB | <u>(</u> ၁ | | DATALOCATION | Œ | | | | 8 5 | | SALINITY | | | | | | | | : | | | | 1 |
| DSDB I.D. | DRY | ည် | | ā | Q 9 | , | | | 8 2 | | Tes: | <u> </u> | | | | | | | | | | | |
| 6 5 | TIME | HH MIN | PD 39 | | Tape/Diskette ID | | | | 0 2 1 | TUES | | | | ┢ | \vdash | | | | | | | | |
| 78 LEG 2 4 5 | | ¥. | 10 | | <u> =</u> | | <u> </u> | <u> </u> | FLUOR SAN | OR VA | SEC. TEMP | | | | | | | | | | | | |
| PROJECT & LEG H X 2 4 5 | 11: | 9 | JUN01 | | | 1 | 1 1 | 1 1 | 즱 | MONIT | Š | | | | | | | | | | | | |
| # <u></u> | DATE JD= | DAY | | | | | | | - | | | | | <u> </u> | _ | | | | | | | | |
| ŀ | | / <u>a</u> | 3w1 | JD/TIME | | | | | 7 | ONVE | TEMP. | | | | | | | | | | | | ĺ |
| | JOE 10 | MIN | 17.9 | 5 | l | | | | 4 4 9 | CTD CONVERTED MONITOR VALUES | P.H. T | | | | | | | | | | | | |
| | LONGITUDE | × | 29 | | - | NWO. | I | ACE | | | | _ | | | | | | | | | | | |
| | 2 | DEG | 7 1928-17 | TIMES | DATAON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N | | ш | | | | | | | | | | | | |
| | - | | N | F | 7 | <u></u> | Ť | - | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | Z | | 533 | ဖ | 8 | 8 | | 72 | | PRE | | | | | | | | | | | | |
| × | - TAT | MIN | 159 | 19507-(| 6 8 4 | 2578 | | 83 | 1 2272 | . = | | | | | | | | | | | | \dashv | |
| VESSEL RV Apha Helix | 8 * | DEG | 325159 | SBE 9+ 09P. 19507-0533 | SSN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | TRIP DEPTH | | 36 | 36 | 26 | 0 | C | 0 | | | | | | |
| VESSEL RV Apha | CAST # | | 3 | SBE 9 | PRESS SN | PRITE | SEC T | PH Q | SEC C | POS. | | 1 | 2 | 9 | 4 | 2 | 9 | 7 | 89 | 6 | 01 | Ξ | 51 |

| 6 | STA. | | | | | EVE | E | 1 | UMBER | PAM Other | | | | Š | | | | | | | _ | + |
|----------------------------------|--|---------------|------------------------|------------------|-------------|-------------------------|------------------|--------------|------------------------------|------------|-----|-----|---|-----|-----|-----|-----|-----|---------|---|---|---|
| NOIN C | BOTTOM | E V | 4 | | | Cleaned air bleed valve | MAX. DEPTH = 500 | | SAMPLE BOTTLE NUMBER | 율 | | 7 | 7 | 2 | 7 | 7 | Ś | 5 | <i></i> | | | |
| STATION DESIGNATION $\lesssim 6$ | PEATHER S | V. | REWARKS | | | a pour | DEPTH | TRANS. SA | MPLEB | NCTR. | 187 | 188 | 8 | 251 | 151 | 192 | 193 | 451 | 351 | | | |
| IATION | S WW. SLOUD (amt) YPE YPE YPE YPE | (m/s) | <u> </u> | <u> </u> | | Č | <u>`</u> | E | <u> </u> | इं | | | | | | | | | | | | |
| S | SEA STATE TINIBIENT | (Gep) | | File Name/Header | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| DSDB 1.D. | W ESSURE | (*C) (mb) | DATA LOCATION | File Na | | | | CHAMSAN | | SALINITY | | | | | | | | | | | | |
| SO _ | DRY BULB | | | Tape/Diskette ID | | | i | 2182 | | <i>S</i> S | | | | | | | | | | | | |
| PROJECT & LEG H X 2 4 5 | TIME | MO YR HR MIN | | Tape/D | _ | | L | FLUOR SAV_ 0 | CTD CONVERTED MONITOR VALUES | SEC. TEMP | | | | | | | | | | | | |
| PROJEC H X | DATE JD= | DAY MO | | | | | | | ERTED MONI | | | | | | | | | | | _ | _ | - |
| | LONGITUDE | MIN 6.5 | JD/TIME | i | N. | | ų | _4497 | CTD CONVI | PRI. TEMP. | | | | | | | | | | | | |
| | LON | DEG N 7 3 3 3 | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR SA | | PRESSURE | | | | _ | | | | | | | | - |
| | LATITUDE | MIN 25. | SBE 9+ 09P. 19507-0533 | 68467 | 2578 | 2708 | 838 | 2272 | | PRES | | | | | | | | | | | | |
| VESSEL RV Alpha Helix | | 2351 | 39P. 19. | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | TRIP DEPTH | | 200 | 250 | 8 | 50 | 2 | 3 | 2 | 0 | 0 | | | |

| | | _ | | | | | | | | | | | | | | | | á | C. | | | _ | |
|---|-------------------------|--------|------------|------------------------|------------------|-------------|-------------------------|-------------|-------------|------------------------------|-------------|------|------|-----|------|-----|---------------|-----|-----|-----|----|------------|----------|
| | | _ | (i) | | | | | 7 | 51 | | | | | | | | İ | | | | | | |
| | STA. NAME/ID | | 5 | | | | ٠ | E | | WBER | PAN M | | | | | | | | | | | | |
| 0 8 3 | | H | (F) | | | | eed var | 500 | | TE NU | 윰 | 7 | | | | | 7 | | | · | | | |
| SIGNATI S6 | BOTTOM DEPTH | (E) | 1238 | S | | | Cleaned air bleed valve | #E | THANS. SAN | SAMPLE BOTTLE NUMBER | EGB. | 1961 | 197 | 199 | 1991 | 000 | 108 | eae | Eac | 204 | so | 206 | ±@€ |
| STATION DESIGNATION $S \mathscr{C} \ Y$ | WEATHER COUD (8mi) | • | | REMARKS | | | Clean | MAX. DEPTH= | TAN THE | SAMP | | | | - | | 7 | 60 | 1 | 6 | 7 | 4 | 9 | <u>.</u> |
| STAT | WIND SPD. | (s/m) | | | _ | | | | | Ë | | | | | | | | | | | | | 5 |
| | WIN | (deg | | | ader | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | SEA STATE VISIBILITY |) | | _ | File Name/Header | | | | | SAMI | ී | | | | | | | | | | | | |
| | PRESSURE | (mb) | | CATIO | File N | | | | CHAM SA | | | | | | | | | | | | | | |
| DSDB 1.D. | WET | (သူ) | | DATA LOCATION | | | 1 1 | | 5 | | SALINITY | | | | | | | | | | | | |
| OSO | ORY | (C) | | ۵ | O et | | | | 8 2 | | 85 | | | | | | | | | | | | |
| | TIME (GMT) | HR MIN | 7100 | | Tape/Diskette ID | | | | 0 2 1 | NES | _ | - | | | - | | - | | | | | | |
| & LEG 4 5 | | YR HR | 一 | | <u> </u> | | | L | FLUOR SAN_ | JR VAL | SEC. TEMP | | | | | | | | | : | | | |
| PROJECT & LEG | . | MO Y | JUNO | | ı | ı . | l 1 | ı | 읦 | CTD CONVERTED MONITOR VALUES | 👸 | | | | | | | | | | | | |
| E | DATE JO= | DAY | | ш | | | | | | | | | | | | | _ | | | | | | |
| | | | 5 6W | JOYTIME | | | | | 9.7 | <u>₹</u> | PRI. TEMP | | | | | | | | | | | | |
| | LONGITUDE | MIN | 3.5 | | | ₹ | | Ж | 4 4 | | Œ | | | | | | | | | | | | |
| | FON | DEG | 422 | 83 | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR SW | | | | | | _ | | | | | | | | |
| | | | | TAMES | | ST, | <u></u> | AT. | å | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | NIM | 345154.44N | 9633 | 4 6 7 | 2578 | 2708 | 92 | 2272 | , | PRE | | | | | | | | | | | | |
| 讀 | | DEG | 10 | SBE 9+ 09P. 19507-0533 | 684 | i | į | N. 638 | | | | Q | dot. | Ç | Siso | 200 | 300 | 50 | 0 | 0 | 0 | \bigcirc | 0 |
| VESSEL RV Alpha Helix | CONSC CAST # | 뤼 | 348 | 9+ 09P | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | TRIP DEPTH | | 500 | ሻ | 2 | 16 | Ã | # | > | C4 | 3 | Q | 12 | 7 |
| ₩ ≩ | 8 8 | | | S | 분 | 置 | SEC | Ē | SEC | S S | | - | 2 | က | 4 | 2 | 9 | 7 | 80 | 6 | 유 | = | 원 |

| | | | | | | | | | | | _ (7 | S | | | | | | | | | | |
|--------------------------|------------------------|-------------------|------------------------|------------------|-------------|-------------------------|-------------|-------------|------------------------------|------------|----------|-----|----------|---|---|---|---|---|-----|---|----------|---|
| | | | | <u>×</u> | , | _ | | 2 | | ja B | | | | | | Γ | | | | | | Γ |
| | STA. | | | A | | 9 | E | | MBER | PAM | _ | | | | | | | | | | | r |
| §× | <u> </u> | ╀╌╂╲╤ | | 5 | | leed val | | | TLE NUI | 룡 | | | | | | | | | 50, | | | ľ |
| SIGNAT | BOTTOM | 33 | | West End | | Cleaned air bleed valve | H | TRANS. SAY | SAMPLE BOTTLE NUMBER | NCTR. | 30E | 209 | | | | | | | | | | İ |
| STATION DESIGNATION | COUD (amt) PPE REATHER | | REMARKS | 3 | 5 | Clean | MAX. DEPTH= | ME ME | SAM | ₹ | | | | | | | | | | | | |
| STA | C WIND | _ | | | | i | I | | OTTLE \ | | | | | | | | | | | | | _ |
| | | | | -leader | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | BESSURE SEA STATE | • | ₹ | File Name/Header | | | | ≰ | ₹ | 72 | | | | | | | | | | | | L |
| | WET | | DATA LOCATION | 臣 | | | • | CHIAM SA | | <u></u> | | | | | : | | | | | | | |
| DSDB I.D. | | - | DATA | | | | • | | | SALINITY | | | | | | | | | | | | |
| | DRY | | | Cette ID | | | ļ | 1 8 2 | | | | | | | | | | | | | | |
| 5 EG | TIME | HR MIN | | Tape/Diskette ID | | | | N 0 2 | ALUES | AP. | | | | | | | | | | | | |
| 2.4 | | ¥ - | | | ·i | <u> </u> | <u> </u> | FLUOR SAN | CTD CONVERTED MONITOR VALUES | SEC. TEMP | l I | | | | | | | | | | | |
| PROJE X X | DATE JD= | DAY MO | | | | | | | ED KO | | <u> </u> | | <u> </u> | _ | _ | | _ | _ | | | | L |
| | | W DAY | JD/TIME | | | | | 9.7 | ONVER | EMP. | | | | | | | | | | | | |
| | TUDE | MIN 17 | 5 | ı | - | | J | 4 4 | CTD | PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | 214 | S | NO | START DOWN | AT DEPTH | AT SURFACE | PAR SAN | | | | - | | | | | | | | - | \dashv | |
| | | N 172 | TIMES | DATA ON | STAF | ATD | AT SI | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | td. | 533 | 68467 | 8 | 8 | | 2 | | PRE | | | | | | | | | | | | |
| 漢 | LATI | DEG MIN | 19507-0 | 8 9 | N 2578 | N 2708 | 829 N | SN 2272 | ᇫ폰 | | 0 | .\ | | | | | - | | - | | _ | |
| VESSEL RV Alpha Helix | CONSC CAST # | DEG MII 355222 | SBE 9+ 09P. 19507-0533 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | S. TRIP DEPTH | | 300 | 35 | | | | | | | | | | |
| ₩ % | 8 8 | | SE | F | P. | SEC | Œ | SEC | SO. | | - | 7 | 3 | 4 | 2 | 9 | 7 | 8 | 6 | 유 | = | |

309 het

| | | | | | | <u> </u> | | | | , | | Ō | | | | | | | | | | |
|--------------------------|-----------------------|----------------|--|----------------------------------|-------------|-------------------------|-------------|-------------|------------------------------|----------------------------------|-----|----|----------|----------|-------|-----|---|----------|----|---|---|----------|
| - | | T - | | | _ | | | | | , j | | | | | | | Γ | | | | | Γ |
| | STA. | | | | | | E | | BER | PAM | | | | | | | | | | | | - |
| S 0 | _ | + | | | | bed vat | | | TE NUN | 룡 | | | | | | | | | | | | \vdash |
| STATION DESIGNATION | ВОТТОМ | € | 哥, | 3 | | Cleaned air bleed vatve | E | 8 | SAMPLE BOTTLE NUMBER | 75 27 27 27 27 27 | 210 | 17 | ┢ | | | ┢ | | \vdash | - | _ | | ┢ |
| S C | WEATHER TOUD (ami) | | | NEWANIA | | Segn | MAX. DEPTH= | TRANS. SAN | SAMPI | 3 | | - | <u> </u> | - | | - | ┝ | _ | - | | _ | ┝ |
| STAN | | (8/2) | | | | | <u> </u> | - | 띋 | | | | | | | | | | | | | |
| | WIND | (deg) | | ğ. | | | | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | STATE A38 YTURISIV | • | | minor File Name/Header | | | | | SAMP | 3 5 | | | | | | | | | | | | |
| | PRESSURE | Ê | | | | | • | CHAM SA | | | | | | | | | | | | | | |
| ۱ اق | WET | [S]_ | T T T T T T T T T T T T T T T T T T T | | , | | | 5 | | SALINITY | | | | | | | | | | | | |
| DSD8 LD. | DRY | <u></u> | <u> </u> | - | | | | 2 | | - ₹ | | | | | | | | | | | | |
| | | | Ď | Tape/Diskette (D | | | | 2 1 8 | . | | | | | _ | _ | | | | | | | |
| <u>8</u> 9 | TIME | | 0190 | Tape/D | • | | | ° | VALUE | ENP | | | | | | | | | | | | |
| PROJECT & LEG | | χ. | N 0 1 | | | | | FLUOR SAV | CTD CONVERTED MONITOR VALUES | SEC. TEMP | | | | | | | | | X. | | | |
| <u>§</u> = | DATE JD= | <u>Ş</u> | AWI DIVINIO 1 | | | | 1 | | TED M | | | Ц | | | | | _ | | | | | |
| | <u>`</u> | ΛVG | ************************************** | | | | #0 | 7 | ONVER | YRI, TEMP. | | | | | | | | | | : | | |
| | 90E | _ 1 | <u>ः</u> त्र | 5 | - | | | 4 4 9 | CID | PRI. T | | | | | | | | | | | | |
| | CONGITUDE | Н. | | . ₹ | START DOWN | £ | AT SURFACE | PAR S/N_ | | | | - | | | | | | _ | _ | | | |
| | | _ 8 | 11722 1185 | DATAON | STARI | AT DEPTH | AT SU | PAR | | URE | | | | | | | | | | | | |
| | . | | N Z | 6 7 | 1.3 | | | | | PRESSURE | | | | | | | | | | | | |
| | LATITUDE | NIM | 75. | 68487 | 2578 | 2708 | 88 | 27.2 | | | | | | erapa er | MARCO | | _ | | | | | |
| r a Hefix | | DEG | SIGNETACION SEE 94 099, 19507-0533 | | , , | \$ | NS Q | NS QJ | TRIP DEPTH | | 406 | | | | | 100 | | | | | | |
| VESSEL RV Alpha Helix | CONSC CAST # | 8 | 3F 94 C | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | Pos. | - | 1 | ~ | 3 | 4 | 9 | 9 | | | _ | | _ | |
| (i) | | | | <u> </u> | <u> </u> | <u> </u> | <u>a</u> | S | <u>«</u> | | | | |] | | | 7 | 80 | 6 | 의 | Ξ | 57 |

Jay ne

1 rd NWaed

| | | | | | | _ | <u>.</u> | | (| 73 | 100 C | S. C. | J. | ~ Š | 9-6 | | | | | | | | | |
|-------------------------|-------------------------------------|---------------|-------------------|------------------------|------------------|-------------|-------------------------|-------------|-------------|------------------------------|-------|------------|-------|-----|----------|---|-----|----|---|--------------|----------|----|---|----------|
| <u></u> | T | | | | | | | | | | | ie O | | | | | | | Γ | | Γ | | | |
| | STA. | | \exists | | | | 2 | E | | BER | | Mark 1 | 7 | | | | | | T | | | | | <u> </u> |
| XC 3 | | ļ. | T L | | | ! | Cleaned air bleed valve | | | SAMPLE BOTTLE NUMBER | | ᇙ | 7 | | | | | - | | 十 | 0 | | | ┝ |
| STATION DESIGNATION | 를 걸 다 | | 287 | g | | | | E. | NS. | EBOT | | H H | C C | 233 | | | | F | | | | | | - |
| ON DES | ME SO CONTROL (Imms) GUOJK ABHTABW | | | REMARKS | | | Clean | MAX. DEPTH= | TRANS. SAN | SAMPI | | . 7 | 38-19 | 7 | _ | | | | - | ┢ | | - | | - |
| STATI | SPO. C | (g) | | <u> </u> | | | | 2 | _ | 2 | | + | | 4 | 11.000 | | | | | <u>!</u> | | | | |
| | WIND | (geg) |] | | ader | | | | | SAMPLE BOTTLE DATA | | SALINI T | | I | | | | | | | | | | |
| | SEA STATE VISIBILITY | | 3 | | File Name/Header | | | | | SAMP | | à | | | | | | | | | | | | |
| | PRESSURE | 17 | | | 20 E | | | | CHAM SA | | | | | | | | | | | | | | | |
| DSDB I.D. | WET | ઇ - | | DATA LOCATION | | · | | Ì | ₽ | | | | | | | | | | | | | | | |
| 8 | DRY | 2 |] | ٥ | 으 | | | | 8 2 | | | 3 | | | | | | | | | | | | |
| | | Z | ក | | Tape/Diskette ID | | | | 2 1 | S | - | + | 4 | 4 | 4 | | | | L | _ | | | | |
| 1 EG | TIME (CAVI) | | 74 | | Tape/L | | | | 0 I | VALUE | | | | | | | | | | | | | | |
| PROJECT & LEG | | | N 0 | | _ | | - | | FLUOR SAN_ | CTD CONVERTED MONITOR VALUES | | SEC. IEMP | | | | | | | | | æ | | | |
| 윤포 | DATE JD= | | NO CC | | | | | 7 | | | - | + | + | + | \dashv | | | | - | | _ | _ | | |
| | <u>\</u> | ργ | | BAIINE | ŀ | | | 72 | 7 | ONVEF | | TAIL TEMP. | | | | | | | i | | | | | |
| | 705E | NIE . | 東京 カースト | 7 | ı | ا ح | | | 4497 | Ē | | Ē | | | | | | | | | | | | |
| | TONGITUDE | | 5.5.45.5.5 | 10 | ₹ | START DOWN | H | AT SURFACE | PAR SAV_ | | - | + | + | + | \dashv | _ | | | _ | _ | | | | |
| | | | N N | | DATA ON | STAR | AT DEPTH | AT SU | PA | Y | | | | | | | | | | | | | | |
| | DE DE | | N1379-151219-1515 | g | 6 7 | | | | | | | THESSURE | | | | | | | | | | | | |
| _ | LATITUDE | <u>™</u> 2 | 25 | 2507-05 | 6 8 4 | 2578 | 2708 | 88 | 2272 | | | _ | | 4 | O P N | _ | | | | | | | | |
| VESSEL RV Apha Helix | Q * | OEG C | हीं हैं | SBE 9+ 09P. 19507-0533 | NS. | NS day | SEC TEMP SN | NS QN | SEC COND SN | TRIP Depth | | 1 | 9 | d | | | | 89 | | | | | | |
| VESSEL RV Apha | CONSC CAST # | 2 | | SBE & | PRESS SN | PRI TEMP SN | SEC TE | PRI COND SN | SECC | POS. | | Ť | ╅ | 2 | 6 | 4 | - 9 | 9 | 7 | 80 | 6 | 10 | # | 12 |
| | | | | | | | | _=_ | | | | | _ | | | | | | | <u>L</u> | <u> </u> | | | |

PG __ OF __

| | | | | 5 | | de de | | |)3) | | j | 5 | | Τ | Τ | Τ | Τ | Τ | $\overline{1}$ | Τ |] | | Τ |
|------|--|-------------------------|--|------------------------|------------------|-------------|-------------------------|-------------|-------------|------------------------------|------------|----------|----|----------|---|--------------|---|---|----------------|--|---|---|----------|
| | ا ا | STA. | | - N. N. | | | 9 | E | | WBER | NVa | _ | | | | | ┞ | | | | | | |
| | NO X | <u> </u> | ╂╌╂╼ | 1500 | 3 | | Cleaned air bleed valve | | | SAMPLE BOTTLE NUMBER | 8 | | | | | | | | | 100 | | | |
| 5 | DESIGNA MANAGENA | WEATHER BOTTOM | A - | REMARKS | 300 30 | h | aned air | MAX. DEPTH= | TRANS. SAN | WPLE BO | AT.I.V | 777 | 12 | | | | | | | | | | |
| 2 | STATION DESIGNATION $AM \times \mathbb{C}$ | (1778) QUOX 347 | 1.1 | REE | 3. | | 8 |] ≩ | E | <u> </u> | 3 | | | | | | | | | | | | |
| - | <u>S</u> | WIND W | | | <u>a</u> | | Î i | ĺ | | SAMPLE BOTTLE DATA | SALINITY | | | | | | | | | | | | |
| | | SEA STATE VISIBILITY | | | File Name/Header | | | | | SAMPL | 3 | | | | | | | | | | | | • |
| | | PRESSURE | | DATA LOCATION | File Na | | | | CHIAM SA | | | | | | | | | | | | | | |
| | DSDB 1.D. | | | DATALC | | | | - 17 | | | SALINITY | | | | | | | | | | | | |
| ſ | <u>~</u> | DRY | | | Of ette | | | | 182 | | , | | | | | | | | | · | | | |
| | 5 5 | TIME | HR MIN | | Tape/Diskette ID | | | | N_02 | ALUES | 4 | | | | | | | | | | _ | | - |
| | PROJECT & LEG | | <u>ال</u> ا | | • | | <u> </u> | <u>-</u> | FLUOR SAN | CTD CONVERTED MONITOR VALUES | SEC. TEMP | | | <u>;</u> | i | | | | | | | | |
| | B. H | DATE JO= | DAY MO | | | | | İ | | ERTED M | <u> </u> | | | - | - | | | | | | | | <u> </u> |
| | | - | - 3 0 | JD/TIME | | | | | 497 | D CONV | PRI. TEMP. | | | | | | | | | | | | |
| | | LONGITUDE | Min 37 | | - | OWN | Ŧ | ACE | 4 | ច | | | | | | | | | | | | | |
| | | <u>.</u> | DEG | TIMES | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR S/N | | | | | | | | | | | | | | |
| | | JDE. | .5 .8 .N | | 67 | , | | | | | PRESSURE | | | | | | | | | | | | |
| | <u>×</u> | LATITUDE | B24. | 19507-05 | 6 8 4 | 2578 | 2708 | 88 | N 2272 | , F | | <u> </u> | | | | | _ | | | | | _ | - |
| VECE | Vessel RV Alpha Helix | CONSC CAST # | 3.8532.4 | SBE 9+ 09P. 19507-0533 | PRESS SN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | PEPTH DEF | | 5 | 75 | | | | | | | | | | |
| Z | ≨ ڏِ | 8 5 | | SB | <u>R</u> | <u>æ</u> | SEC | Ě | SEC | <u>క్ష</u> | | _ | 2 | က | 4 | 2 | 9 | 7 | 8 | 6 | 9 | = | 5 |

からかんで

| VESSEL | | | | | | PROJECT & LEG | EG | | 9 | | STAT | ON DES | CATANAT | ļ | | | |
|-----------------|------------------------|----------|------------|------------|----------|------------------------------|------------------|------------|--------------|------------------|--|-------------|-------------------------|----------|----------------|--------------|----------|
| RV Ab | RV Alpha Helix | | | | | HX 2 4 5 | s. | | | | | Į⊄ | 0×₩ V | <u>.</u> | | 9 | |
| | - | | | | | | | 21 | | TE V | ,,,,,, | (IUIR | | | | | |
| CONSC CAST # | | LATITUDE | | LONGITUDE | DATE JD= | | TIME | DRY | WET | PRESSU | WIND COUD (SEE THE BOTTOM | YPE | BOTTO | S | STA | | |
| | DEG | MIN | DEG | N.S. | DΑΥ | χ | HE MIN | 5 | T- | 09p) | (S) | £ | . | | | | |
| හ | | 5.47 MI | | <u>-</u> | | JUN01 | N 0 10953 | | | | | | E | E | E | | |
| SER | SBE 9+ 09P. 19507-0533 | 77-0533 | TIMES | 9 | JOYTIME | | | D . | DATALOCATION | | | HEWARKS | l l | Start | 280 | ~ | Dulant |
| PRESS SN | • | 68467 | DATA ON | | | <u></u> | Tape/Diskette ID | a E | File | File Name/Header | | | End | | 60 10 10 | | 5 to 2 |
| PRI TEMP SN | 1 | 2578 | START DOWN | NWC | | <u> </u> | | | | | | | | | | <u>></u> | 100 thm |
| SEC TEMP SN | | 2708 | AT DEPTH | | | | | | | | <u></u> _ | Cleans | Cleaned air bleed valve | ed valve | | | nao |
| PRI COND SN | l | | AT SURFACE | ا ق | 255 | ! | | | | | <u> </u> | MAX. DEPTH= | 星 | | E | | 480m |
| SEC COND SN | 1 | 222 | PAR SM | N_4497 | _ | FLUOR SAN_ | 0 2 | 182 | CHAMSIN | | | TRANS. SAN | NS. | | Τ | | Sie out |
| Š | | | | | ONVERTE | CTD CONVERTED MONITOR VALUES | /ALUES | | | SAMPLE BOTTLE | E | SAMPL | SAMPLE BOTTLE NUMBER | ENUME | E E | - | 233 |
| | H | | | | | | | | | DATA | | i | | | | | W. Mod. |
| | | PRESSURE | URE | PRI, TEMP. | EMP. | SEC. TEMP | ф | SALI | SALINITY | SALINITY | | SAL | NCTR. | 룡 | PAW | Office | |
| + | | | | | | | | | | 4H | | | 1 | ├ | $\overline{}$ | Γ | |
| 2 | | | | | | | | ; | | | ******* | | | - | | Π | |
| 3 | | 100.00 | | | | | | | | | | | | - | _ | Γ- | |
| + | | | | | | | | | | | 20 | - | - | ┝ | - | Γ | |
| S. | | 72.00 | | | | | | | | | Sec 1 1 2 | | _ | - | \vdash | Γ | |
| 9 | 63 | | | | | | | | | | | | | _ | _ | | |
| 7 | | | - | | | | | | | | | - | - | - | <u> </u> | <u> </u> | |
| 80 | | | | | | | | | | | | - | \vdash | - | \vdash | Γ | |
| 6 | | | | | | 827 | | | | | | - | | - | | 1 | |
| 0 | | | | | | | | | | | | | | | _ | | (|
| = | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | - | \dashv | | | 9 | | |
| | | | | | | | | | | | | | | | | l | |

| | B | | | _ | | | • | - | - | | 2 | 5 | _ | _ | | | | 7 | 5 | _ | 7 | | | |
|--|---------------------------------|----------|-------|------------------------|------------------|-------------|-------------------------|--------------|-------------|------------------------------|-----|------------|------|-----|-----|-----|-----|-------|-----|-----|----------|----|---|----------|
| <u> </u> | | _ | | 3 | | _ | | | | | | 336 | 1 | 1 | 7 | 7 | 7 | £ | 7 | 7 | 7 | Γ | | Γ |
| 7 | STA. NAME/ID | | | 1 10 | ١ | | | E | | BER | | PAW | 7 | 1 | 7 | 7 | 7 | 7 | 7 | ٦ | , | | | |
| ₹ × | | ╄ | 2 | 3 | 5 | | eed val | 28 | | LENG | | 충 | 3 | 1 | 7 | 1 | 1 | 1 | / | 7 | 7 | | | |
| CATION OF THE PERSON OF THE PE | ВОТТОМ ОЕРТН | E | 44 | S | > | | Cleaned air bleed valve | £. | . S. | SAMPLE BOTTLE NUMBER | | NUTR. | 316 | 74 | 318 | 916 | 230 | الحرف | 493 | 203 | <u> </u> | _ | | _ |
| STATION DESIGNATION | (ami) (ami) 39Y7 ABHTAHRA | | | REMARKS N. S. | | | 8 | MAX. DEPTH = | THANS. SAN | SAMP. | ŀ | SAL. | 1-04 | _ | /6 | 10 | . (| . 6 | 10 | 2 | U | | | \vdash |
| STATI | WONE SPD. | (S/III) | | <u> </u> | | | | | - | 12 | | | 4 | _ | | | | | | | | | | |
| | WIND DIRN. | (deg) | | | ader | | | | | SAMPLE BOTTLE DATA | | SALINITY | | | | | : | | | | | | | |
| | SEA STATE VISIBILITY | (qw) | | _ | File Name/Header | | | | | SAMP | | 3 | | | | | | | | | | | | |
| | PRESSURE | | | CATION | | | | | CHAMSIN | | | | | | | | | | | | | | | |
| | WET BULB | 5 | 늭 | DATA LOCATION | | 1 | ` } | | 3 | | | SALINITY | - | | | | | | | | | | | |
| DSDB 1.D. | DRY BULB | (၃) | | 2 | O) e) | | | , | 8 2 | | | 8 | | | | | | | | | | | | i |
| | TIME | HR MIN | 41 | | Tape/Diskette ID | | | | 0 2 1 | <u> </u> | - | | | | | | | | | _ | | _ | | |
| ALEG 45 | | YR HR | 9111 | | <u></u> | | | | FLUOR SAV_ | A VAL | | SEC. TEMP | | | | | | | | | ě | | | |
| PROJECT & LEG | | | JUN01 | | ı | 1 | 1 1 |] . | FUO | MONIT | | SEC | | | | | | | | | 200 | | | |
| = | DATE JD= | DAY | 6 | | | | | | | CTD CONVERTED MONITOR VALUES | | | | _ | | | | | | | 1 | | | |
| ÌÌ | | Н | 1 M/7 | JOYTIME | | | | | 9.7 | 808 | - [| PRI. TEMP. | | | | | | | | | | | | |
| | LONGITUDE | Z Z | 0.0 | | | ≩ | | ₩ | 4 4 | 5 | | Æ | | | | | | | | | | | | |
| | EO | DEG | 7 5 | 83 | DATA ON | START DOWN | AT DEPTH | AT SURFACE | PAR S.N. | * | Ī | | | | | | | | _ | | 23 | | | |
| | | ō | Z | THE SE | | STA | ¥ | ¥. | | | | PRESSURE | | | | | * | | | | | | | |
| | LATITUDE | _ | 6 | 88 | 68467 | စွာ | 9 | | S | | | 띪 | | | | | | | | | | | | g. |
| <u>z.</u> | | N.W. | 05237 | 19507-0 | 8 | 2578 | V 2708 | 88 | V 2272 | | | | | _ | ~ | _ | | | | _ | | | | |
| VESSEL RV Apha Helix | S * | <u>0</u> | 3 | SBE 9+ 09P. 19507-0533 | SSN | PRI TEMP SN | SEC TEMP SN | PRI COND SN | SEC COND SN | TRIP DEPTH | | | 500 | 250 | 100 | 50 | 40 | 30 | 20 | 0 | O | | | |
| VESSEL RV Apha | CAST # | | 7 | SBE | PRESS SN | PRITE | SECT | <u>₩</u> | SECC | Pos. | | | | 2 | က | 4 | S | 9 | 7 | 8 | 6 | 10 | 1 | 12 |

D'E