1.2	1	70	6		7	<u>.</u>	₅	4	w	2		Pos	ition	COND. SN	PRESS. SA	TYPE		00		CAST	ECUTI	VE	VESSEL:
	<u> </u>	T										Bot	. #	SS	PRESS. SN	TYPE & SN	CID	157	<u>8</u>	UMV	ER		
	-		1	T							õq.	Trip Dep		1 12 16				70	Н.	_			m:11er
	-	╂	\vdash	-	+-	\vdash	-				x	T-ra		180	3 8	348	911 Plus			ATITI IDE			9
17	 	-	一		 	ļ. <i>'</i>					06:10	Depth		748	53586	93456-209	lws	7.42	ļ	7	55	į	L.
			L	_	_	<u> </u>					ر م	Ĕ	TIME @	1. 10				N/	\Box	<u></u>			66.
											8:18	Trip	®	OTHER:		EHI EHI		70		_			1 2 3
_			╁╴	╁╴	-						8	-		1["[FLUOROMETER (1)	LIGHT METER (1)	AH	12					reeman PROJECT & LEG: MF95-11
					94						F741.	Press.			HH.	ER (V	ACHI	22.9		∃ 7	X.		SEC.
	-	-	╁─╴	╁	\vdash	-	,			_			٠,		3 1-		ATTACHMENTS:	191	Ц	••			₩ %
							12				7.927	Temp.	b				ķ	9WZ3	DAY	DATE			3
	-		├	┼┈		 	-	-	┢			1	Monitor		lan Para	!		8		ਜ ਜ			73
											33.0013	Salinity	1		٠.	REM.	FILENAME:	P	8	7			15
20.	_			╁	 	-	-		34		Ť	77	Values			ARKS	AMA	9 5	∌				0
											31.6306	Cond	SS	3	i	(incl		50609	좌	JWILL JWILL		•	4
	67		\vdash		┼	-	-			-			-			ude a	Cant 001	09	MZ	9 m			
·		12							86	- 23	-9.99	Fluor.				lterna	00	9	-	رة C) BULB	DRY		INITIALS: 4
1		_		┢	-		83				-	L				REMARKS (include alternate station	1	9.0	,	- E	₹	4	
								10 j				ThermP	San	75.			230	90	-	رم <u>ه</u>	WET		/FI
		31971		┢	-				43	13			mple		1,54	desigr	7.90	8.0			4		
									0			Avg. Tw	Bottle	2223		nation	Se 0.060	69	9.86	mb,ir	ntege	r)	CHECKED BY:
_		_		-	225	1						₹			Max.	if ap	>5/	28	7	/ISIBII	TATE		H KE
					7.00				5			Sal.	Data	3	4	designation if applicable):	. `	20		VIND DIREC	TION		BY:
-			-	┢	-				_	_		B	(0	1/0 27	Depth	•		10		VIND		<u> </u>	
	93							ļ	11		4	Bot.#	Sai		× 5	P .		34	(CLOU	D (kts D (an		
ŝ							Q.					Bot	rient tle		2000			1 14		YPE MEAT	HER		!
					_		i s			-		#		\cdot	-		102,6	F	ب.	E DE	ВОПОМ		P
	1	/	-	-	-	-	-	_	-	-	-	ΜZ	Chlor/-					34		DEPTH (m)	₹		PAGE
				-	-	-		20				-	*	1						Z /^		I	
_	- A	- mak					<u> </u>	wite.		<i>a</i>	_	Oth	er	-						STA.			유
2	1	0	9	00	7	თ	ۍ.		ω	2	_	Pos	ition						L'	<u> </u>		,	

[-	1-	1-	\top	T	\top		% -						Pos	sition	8	펖	P	7		0		CONSEC CAST	CUTIVE	Ę,
2	+	P	9	00	+	7	6	U	4	ω	2		1		OND. SN	TEMP. SN	PRESS, SN	TYPE & SN	CID	4		NUMVER	3	VESSEL: Miller
	+-	+	╁	+-	+	\dashv		_	-	\vdash		-	Bot Trip		. Z				Ö	5 7	E E			37:
L	- -	<u> </u>	-	_	_ _	4	,		_			_	Dep T-ra	_		031	533	93456-209	13	0 5	~	LATI		ler-
<u> </u>	↓_	╀-	-	-	+	4	,	<u> </u>	 		 	├		T	846	031455	53586	6-2	GII PLUS	5.10	<u>₹</u>	ATITUDE		4
							•						Depth	TIME @		<u> </u>				SN			A.	FEENA
	S ₂ .												Trip	0	OTHER:	OTHER	FLUOR	LIGHT	1	170	8	_		
				-		. 20						42.8925	Press.				FLUOROMETER (1)	LIGHT METER (1)	ATTACHMENTS:	27.4	MIN	LONGITUDE		PROJECT & LEG: MF-95-//
			· · · · · · · · · · · · · · · · · · ·									6.31	Temp.	 			\	_	ENIS:	7w23	DAY	DATE		FEG: ME
											,	3.7251	Salinity	Monitor Va			1. d 18. 5.	REMAR	FILENAME:	SEPO	₩ ₩	JD <u>-</u>	2.	-95-11
9												31.7261	Cond.	Values	- 8	1		KS (includ		5065	Ţ	TIME (GMT)	· <u> </u>	Lag 2
,	3)	22								<u> </u>		9.8951	Fluor.	đ.:	1			REMARKS (include alternate station	Castoo2	2 8.7	Z	(° C)		INITIALS:
		10						Š.			10 to		ThermP	Sample			•		1	7 7.8		(° C)		3
181										6	£2		Avg. Tw	le Bottle	٠,		·.	0	Ž ,	2992	798.1	BAR. (mb,inte	ger) \TE	유민오
								,	:				Sal.	Data		, [max De	applicable	84901	0618		VISIBILIT WIND DIRECTK		CHECKED BY: _
										ä		30	Bot.#	Sal.	6		Dest.			105		WIND SPEED CLOUD TYPE		1
	1,000						į	1,					Nut Bot #	rient tle			27.42			42		WEATHE	R	<u> </u>
1	/	/	/	_			\	/	/	1	_	<u></u>	ΜZ	Chlor/-					: :	81		BOTTOM DEPTH		PAGE &
								`					Oth	er								STA.		ြို့
1 2	1 1	1 0	8		7		6	5	4	3	N		Pos	ition								ਰੇ		

N		0	ဖွ	ω	7	6	5	4	ω	2	-	Pos	sition	PRESS. SN TEMP. SN COND. SN	}	003	CONSECUTIVE CAST NUMVER	VESSEL:
												Bot		SX SX SX	E CH	5 7	DE CONTROL	1
											63	Trip Der		10/4/2	3,		ऻ ─┤┈	miller
	十	1	+	\top	1	\top		1			~	T-ra		2845 23485 23586 24586	911 PLUS	02.5	MIN	1
(0)		十		1	1	1.						Depth	Τ.	23486 231480 231480	, C	52	i i i	1/4
	L					Ľ	_		<u> </u>	ļ			TIME @	·		Z		DY.
	2					1					67:42:72	Ţij	9	FLUOR OTHER:	1%	17	B	\Section
-	╀-	\vdash	 	┼	╀	-	1	├	-	-	12		 	FLUOROMETER (*) OTHER: OTHER:	P.	7032.1	<u> </u>	<u> </u>
											62.7955	Press.			AC	2	LONGITUDE	ğ
					1 6							Š].	33				CT &
											364	16			ATTACHMENTS:	×		P. P.
					-						36498	Temp.				4W23	DATE	E
	-	+	一	\dagger		 			一		1	ပ္လ	Monitor	1 10 1	. 1 -	15	□ ! "	PROJECT & LEG: MF95
											31.8374	Salinity	li e	THEAR	6	60		7/
	_	┼-	├-	-		-	-	-	<u> </u>	\vdash		1	Values	AHK AK	FILENAME:	950733	∌	
35											29.6217	Cond.	S	S (include a		0-	∄ _{© ∃}	15
			L					_			15	ļ ^a		ciuα€ <u>ν∢Σ</u>	8	3	TIME (GMT)	7
•					,					•	2-0	Fluor.		THEAM DID NOT TRUP	Cust 003-235		2/2	INITIALS:
									a.			9	-50	T P	W	8.17	DRY BULB	Si
	-	7					ÿ.			- (K) 	Π	T _{lo}		Sia	'n	7	<u> </u>	E.
	1.44		ĺ		ļ			*				ThermP	Sample			7	WET BULB (° C)	7
				┞	-				*	,			Pe	esigr	SEP 072	199928	3 m T]
	85	İ		ľ			}	320 120				Avg. Tw	Bottle	nation	23	99	労 BAR. % (mb,integer)	욺
	8	_	_	-	├	_			ļ	ļ	-	₹	1	אל וו מ	8	82	SEA STATE VISIBILITY	욺
			ĺ									Sal	Data	LAR W/o	. '	+	WIND DIRECTION	CHECKED BY:
									·				m			06		
											0/	Bot.#	Sal.	2 th		10	WIND SPEED (kts)	
		ļ	_	ļ				_	12:1	_			:- rient			542	CLOUD (amt) TYPÉ	
	,						1,					Bot	tle	76		12	WEATHER	1
_					_		AR	-			\vdash	#			1.		DE BOT	P P
_	/	_	_	_	_	_	_	_	<	\	_	MZ	Chlor/.		1	79	BOTTOM DEPTH (m)	PAGE (
				_		<u> </u>) ()				Ľ	٠٠/٠			Ĭ		16
							\					Oth	er				STA. NAME/ID	읔
-	1 1	1 0	9	8	7	6	5	_	3	2			ition				al al	

2		0	9	00	7	On .	(J)	-	ω.	2	1	Bot.	ition #	COND. SN	TEMP. SN	PRESS, SN	TYPE & SN	CID	0457	DEG	CAST NUMV	ER		VESSEL: M
	<u> </u>			_			_		_		×	Dep T-ra		7	031	53586	9345	122	00	- MiN	LATITUDE			E E
			-	-	├	 		-			Į .	<u> </u>		346	031455	28	93456-209	911 PLUS	9.11	Ž	E E			FREE
				_	_						8280	Depth	TIME @	<u> </u>	<u> </u>				3 N/1	_				MILLER FREEMAN
	ž										8833	Trip	®	OTHER:	OTHER:	FLUOROMETER (1)	LIGHT METER (1)		70	E E	<u>ر</u>			<u> </u>
					188 20						62.0392	Press			Œ	METE	NETER	ATTACHMENTS:	3 7	V	LONGITUDE	5		PROJECT & LEG:
	<u> </u>		_	<u> </u>		_			_		_	<u> </u>	÷į.		1 0	Ħ ③	3	HMEN	37.04W	<u>Ş</u>	m M		3	CT & L
							1,0				2.8832	Temp.	35			<	<	ES:	2	DAY	\$			
•	-	<u> </u>	_	-		-						!	Monitor	1	á.	75 88			S	N	DATE JD=			ME 95
											31,9760	Salinity				24	REMA	FILENAME:	SEPS	H				MF95-11 LEG 2
. 19					一	\vdash					29.1071	一	Values		11		RKS (ME:	5	Ж Н				E6 2
33						, 1					110	Cond.		- 5	9 1	1	REMARKS (include alternate station	CA57	08126	HR MEN	TIME (GMT)			
										514	2	Fluor.				İ	altern	7 004-			 დ	: D		INITIALS: SAS
								_	4	.0			M				ate sta		8.7		(C)	DRY		i Si
	546	-	- 					3		500		ThermP	Sample	.+	#2000 p			23 56	7		(° C)	WET		ű
		507										Avg.			i.	9	esigna	SEP O	1.1819		BAR.			
								•				Tw	Bottle		7		tion if	0820	992	•	(mb,i	STATE	er)	所の
									T.			Sal.	Data		•		designation if applicable):		820		VISIBI WIND DIREC			CHECKED BY:
													D D				able):		106		WIND			
		-							834		29	Bot.#	Sal.			§	MAY		25		SPEE CLOU TYPE	D (kt	s) mt)	
9										d		Nut Boti #	rient lle		(200	HTG36 YAM		7]/		WEAT	HER		
						_			31			-	Ω		,		44		8		DEPTH	BOTTOM		PAGE
			1		_							MΖ	Chlor/-				28	:	7	_		<u> </u>		<u>1</u>
							·					Oth	er								STA. NAME/ID			읔
1 2	1 1	1 0	9	8	7	<u>ი</u>	ڻ ن	4	ဒ	N		Pos	ition								ō —			

CONSTITUDE LONGITUDE LON			2 J			4.8							4		2 -	
CAS CANTINUE CONSTITUE															9 6	-
CAS MIN COS							1					 		-	00	T_
CTD GRINGHUSE CONGRUDE DATE JD= TIME BULB BULB GRINGHIS GRI		/ -			,					real					7	
ATTITUDE		/											,		6	3
ATITUDE LONGITUDE LONGITUDE DATE JD= GMT) C		/				130			*	~ 😇					5	
ATTITUDE LONGITUDE DATE JD= TIME BULB CONGITUDE DATE JD= CGMT) C° C)							,								4	
CALITUDE LONGITUDE LONGITUDE DATE JD= CAMT) C° C C° C° C C° C° C C° C° C C° C° C C° C° C C° C° C C° C° C C° C° C C° C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C° C C°		1	33		***		34								3	6
CES MIN	—	_				,65 R0								!	2	
EMP SN 2345C OTHER: COND. SN 748 TIME @ DATE ID MONTOR Fress. Temp. Salinity Cond. Fluor. Thermp Avg. Tw Sal. Bot. # 26 Bit. Cond. Thermp Avg. Tw Sal. Bot. # 26 Bit. Cond. Fluor. Thermp Avg. Tw Sal. Bot. # 26 Bit. Cond. Fluor. Thermp Avg. Tw Sal. Bot. # 26 Bit. Cond. Fluor. Thermp Avg. Tw Sal. Bot. # 26 Bit. Cond. # Avg. Tw Sal. Bot. # 26 Bit. Cond. Fluor. Thermp Avg. Tw Sal. Bot. # 26 Bit. Cond. Fluor. Thermp Avg. Tw Sal. Bot. # 26 Bit. Cond. # Avg. Tw Sal. Bot. # 26 Bit. Cond. # Avg. Tw Sal. Bot. # 26 Bit. Cond. # Avg. Tw Sal. Bot. # 26 Bit. Cond. # Avg. Tw Sal. Bot. # 26 Bit. Cond. # Avg. Tw Sal. Bot. # 26 Bit. # Avg. Tw Sal			17				5-	29.5843	32.4933		1					_
DRY WET CES MIN CES MIN DEC DATE JD= TIME BULB BULB COSTOM SOLDE DEPTH CES MIN CES MIN DAY NO IN HA MAN C C C C A C C C C C C C C C C C C C C		#	Nuti	Sal.		₽_	<u></u>	Cond.	Salinity	Temp.	Press.		De	_		Posi
EMP-SN 748 OTHER: CTD 911 PMS ATTACHMENTS: EMP-SN 73455 OND. SN 748 OTHER: CTD 912 PMS ATTACHMENTS: PLUOROMETER (*) PMARKS (include alternate station designation if applicable): MAX DEPTH 2 REMARKS (include alternate station designation if applicable): MAX DEPTH 2 OTHER: OTHER:	•		rient	Data		Sampl	2	lues	Į.	<u>×</u>		(C)		h		tion
LATITUDE LONGITUDE DATE JD= TIME BULB R. J. ST. 205 2 S. G. G. G. MIN DEG MIN DAY MO YA HA MAN OS 516 571.45 N 1 710 4 2.10 0 M 2.35 EP 9 5 0 9 1 2 19.10 71.49 91 2 2 2 5 10 5 71 1 96 CID 911 PMS ATTACHMENTS: PILENAME: LAST 005 -23 SEP 0908	ł	7 1 24 T		applicable):	signation if		alternate	KS (include	REMAR	5	METER (V)	FLUORK OTHER: OTHER:	25.86 35.86 145.709	_	E & SN FP. SN FD. SN	S TEM PROTO
LATITUDE LONGITUDE DATE JD= TIME BULB BULB C.S.A. SINGLE DEPTH DRY WET GEG MIN DEG MIN DAY MO YR HR MIN (° C) (° C) BA (S.S. S.S. S.S. S.S. S.S. S.S. S.S. S.		- 122 -			8050€	-23	AST OO	Ę.	FILENAN	SIN	ATTACHMI		11 PLUS		CID	
CAST NUMBER CAST			057	225	9912	\Box		5091	EP9	W 2 3	42.0	-	7.145N	5	\sim	
TIME BULB BULB BULB STATE ORDER OF COMMINISTRATE ORD		1		1	,	- (5	3	DAY	MIN		MZ C	 1_		C
	Z	воттом рертн	SPEED (kts) CLOUD (amt) TYPE	WIND DIRECTION	SEA STATE		DRY BULB	GMT)	D III	DATE		<u> </u>		 A	NUMVER	CAST
							İ									