12	==	1 0	9	8	7	တ	ა	4	ω	2	1		POS	SEC	PRI C	SEC	PRI T	PRES	SBE 9+		# 2	CONS	VESSEL RV TG T		~
ach	ø,	4	ō	ر ا	4	4	2000	S	32	27	Bolton		DE T	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	٩	156		ਜੁਲ	VESSEL RV TG Thompson		~
Ιō	500	750	1000	1250	1500	1750	0	2250	2500	275:0	him		DEPTH	NSC	NS.	ĮŠ.	N _S			0	1_		mpsc		
				1							ွှ	70									LATITUDE				
											トたるの	PRESSURE						s,		2	Œ				
											_	SURE				Ĺ		Ļ	_	z	1_				
												<u>"</u>	ු	PA	1 1 2	AT DEPTH	STAR:	DATA ON	TIMES	7/		r	_		
-	\vdash		_	\vdash		\vdash	-	一	\vdash	\vdash		-	CC	NPAR S/N	AT SURFACE	PTH	START DOWN	2		e l	LONGITUDE				
												뀨		l	M		Z			• ₹	QUII				
												PRI. TEMP				l	l		JD,	50					
												 ₹							JD/TIME	SOW278	D _X				
\vdash			H		H			Г	\vdash			·								S	1111		_ ਸ਼		
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N	1	I	I	1		e S	-		PROJECT & LEG		
												EMP	JES	JOR S				1		0 7	_		1 % LE	X	å
<u> </u>				L		_								Ž	,			Tape/Diskette ID		MIN CO	(GMT)		1 EG		
												SALINITY						Diske		- t : \(\frac{5}{2} \)	٦٦		{		
												Į						ette II		٦٠ ﴿	BULB				
<u> </u>	<u> </u>								<u> </u>					L				J	DAT	w	-		DSDB I.D.		
												န္မ	SAMPLE DA	Oxygen					DATA LOCA		BULB		ا ا		
												Salinity						File	CATION	1 (m)	<u> </u>	SSURE	$\mid \; \mid$		
111													BOTTLE TA					ile Name/Header	ž	ເນ ⊤ [5	SEA	STATE	10	=t	
											<	Sal	— '''	1)/Hea		19 (aeg)		BILITY	†	13.	
-	-	A	⊅	P	7>	D	A	70	7	A	1	ľ	(4)					der			Ž ξ	5	ν.		
Ala	AII	AIO	AU9	AUP	407	A06	AUS	A 04	AU3	Aoa	A01	Nutr	SAMPLE BOTTLE NUMBER	×	 -		1		70		8	i UD (amt)	STATION DESIGNATION $UUUCE(P)$	No.	
						<u> </u>	<u> </u>	Ť				o	BC	TH.		LCI es) N		REMARKS	44	TYP	E \$\ourno ATHER -	N DE	5	
	L					_	_	<u> </u>	_			C카		TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			RKS	87 83			L'SIGN	aei	
159	39	0191	144	Loc	114	27	97	100	يع	S	S	02		NS.	#	air bl				8 2 M	DEPTH		72 A		
-	_	_	_	-	S	1 ~		'n	W	S	77	02-T	/BER			eed v				3	+	-	o ž	eno	֡֟֝֟֓֓֓֓֓֓֓֓֓֓֟֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓
Ò	ŝ	, (o	5,3	ڒؖۅٞ	_	0	S O	Ö	O'	Ö	3,0	1	~			alve				00	NAME/ID	ST.	1	1	
												0		<u> </u>	3	<u> </u>				P	 		КŲ		ې ۱۱
												Other											$- \langle $	1	

66 IW <u>ئ</u> \$ 2 7 9 6 3 SBE 9+ SEC COND SN PRI COND SN SEC TEMP SN PRI TEMP SN CONS C CAST RV TG Thompson PRESS SN VESSEL 12 5 ထ ဖ G) S ω N DEPTH S O 72 250 300 0 07 000 300 TRIP 8 250 0 30 ATITUDE PRESSURE z TIMES AT DEPTH START DOWN DATA ON AT SURFACE DEG PAR S/N CTD CONVERTED MONITOR VALUES LONGITUDE <u>S</u> PRI. TEMP JD/TIME ٤ DATE JD= S e p 0 7 PROJECT & LEG SEC. TEMP FLUOR S/N Tape/Diskette ID HR MIN (GMT) SALINITY BULB DSDB I.D. DATA LOCATION SAMPLE BOTTLE WET BULB Oxygen Salinity DATA File Name/Header **PRESSURE** SEA STATE
VISIBILITY
DIRW
WENT
CLOUD (amt)
TYPE
WEATHER Sal (deg) (m/s) STATION DESIGNATION OF A A 20 Aal A19 A 18 SAMPLE BOTTLE NUMBER AH A03 her Aaa たこと Nutr MAX. DEPTH = REMARKS Cleaned air bleed valve TRANS. S/N 오 and pape cont BOTTOM DEPTH LLC 92 ر ار 7 20 90 **~**0 3 ႙ $\overline{\Box}$ O2-T STA. NAME/ID 0,2 \dot{o} 0 3 かんから Other V.

PG OF

						_			_		_			46	**	_			_	140			<u> </u>
,	12	11	10	9	8	7	6	5	4	ω	N	<u>-</u>		POS	SEC C	PRI CC	SEC T	PRI TE	PRESS SN	SBE 9+	رو	CONS C CAST	VESSEL RV TG T
į				0	jo	ુ	30	40	502	75~	00	Bolton		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SS 	_	DEG	_	VESSEL RV TG Thompson
												-ω 00	PA								<u>+1</u> ≥	ATITUDE	S
			i										PRESSURE								0 Z	m	
													m	СТС	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	Sawit	DEG	5	
													,	CONVE	S/N_	FACE	코	NMOD	Ż		0 № • ×	LONGITUDE	
													PRI. TEMP	CTD CONVERTED MONITOR VALUES						JD/TIME	4	E E	
	_						L					L	.Р	MONITO			:			M	wa7s	lm	
								,					SEC. TEMP	R VALU	FLU			ļ			e p o	₽ P	PROJECT & LEG
													MP	ES	FLUOR S/N				Тар		YR HR M	<u> </u>	& LEG 2 11
													SALINITY				53		Tape/Diskette ID		WZ	TIME (GMT)	
													ΠΥ						tte ID	D	7 (°C)	DRY	DSDB I.D.
													Sa	SAMPL	Ç		!	!		DATA LOC	(°C)	WET BULB	31.5.
2													Salinity	LE BOTTLE DATA	xygen				File Name/Header	CATION	0 (a)	PRESSURE SEA STATE	
													Sal						ne/Hea		(deg)	NUOLOU ITV	
				13	$\overline{\omega}$	CC CC	B6	₩ ₩	ധ	(C)	ည တ	B	Nutr	SA				ŀ	der		g) (m/s)	SPD CLOUD (amt	STA
			-	9	88	7	6	ď	34	いい	શ	~		MPLE BO	TR.	MAX	[REMARKS	40 ·		TION DE
				7	7	1	1	1	1				Chl	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			RKS	<u> </u>	WEATHER BOTTOM DEPTH	STATION DESIGNATION
				(4)	上面布						1050	2 143	O2 O;	NUMBER		_	r bleed				<u>ට</u> (1) අව		NOIL
			,	4 5	7							<i>ا</i> ر 0	02-T	ر <i>د</i>		S S	valve				D N 6	STA. NAME/ID	-
													Other				<u> </u>	1	<u> </u>			<u> </u>	\Box
ı				143	977		<u>. </u>	<u> </u>														<u>-</u>	

12	11	10	ဖ	œ	7	6	5	4	ယ	N	_		POS	SEC	PRI (SEC	PRI 1	PRE	SBE 9+	<u>၀</u> ယ	CAST	CONS	VESSEL RV TG T
			0	ō	20	30	र्ट	05	54	100	そに		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9	5 6 3		<u> </u>	VESSEL RV TG Thompson
												PRESSURE			, į					0 . 6 C N	ATITUDE		
												Æ	CTD CO	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N N DEG N	LONGITUDE		
												PRI. TEMP.	NVERTED M		m		Ž		JD/TIME	57 8 W			
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	/FLL					ñ	е §	₽		PROJECT & LEG
						:					*		JES	FLUOR S/N				Tape/D		1000 TO 100 MIN		<u> </u>	7 & LEG 2 1 1
												SALINITY						Tape/Diskette ID	DA:	6.9			DSDB I.D.
											*232	Salinity	SAMPLE BO DATA	Oxygen				File	DATA LOCATION		- B	SSURE	J.D.
							×					Sal	THE					le Name/Header	×	,	CEA C	STATE	-
			X	1-12	318	318	4	813	हार	<u>ლ</u>	DIO	Nutr	SAMPLE		M.]	•• <u>•</u>	RE	29268	CLO(JD (amt	STATION
			Q87	284	> ^ \(\)	8-8 K	282					Chl	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned ai			REMARKS	7	WEAT	:	STATION DESIGNATION
												O2 O2-T	NUMBER		= 11×	Cleaned air bleed valve				24 722	OTTOM STA. DEPTH NAME/ID		S) NOI
												Other			3					<u> </u>	<u> </u>		<u> </u>

B10-B(19)?

PG OF

12	=	10	9	œ	7 (6 2	5 8	4	3 50	2 75	105		POS TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	CONS C CAST LAT # LAT LAT
				0	0	20	0	0	0	<u></u>	S	PRESSURE	<u></u>	SN	Ž	SN	Ž			LATITUDE MIN
												RE PRI. TEMP.	CTD CONVERTED MONITOR VALUES	PAR S/N_	AT SURFACE	АТ DEPTH	START DOWN	DATA ON	TIMES JD/TIME	LONGITUDE DAT
												SEC. TEMP SALINITY	DR VALUES	FLUOR S/N				Tape/Diskette ID		TIME DI (GMT) BU
,												Salinity	SAMPLE BOTTLE DATA					File Name/Header	DATA LOCATION	C) LB WET (°C) B PRESSURE * SEA STATE * VISIBILITY
				52	Ć/	h 6 c	523	1827 1827	1-62	B20	\$19	Sal Nutr	SAMPL		N.		 	leader	22	*VISIBILITY Compared to the content of the conte
				\	\	\		`	``			Chl O2 O2-T	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH = m	Cleaned air bleed valve			REMARKS	WIND DESIGNATION 6- (WIND DUD (amt) SPD. CLOPE WEATHER SPD. CLOPE WEATHER OF (m) STA. SPD. CLOPE WEATHER OF (m) STA. SPD. CLOPE WEATHER OF (m) STA.
												Other								- Force

12	11	10	မ	8	7	6	5	4 スロ	3 30	2 40	1 54		POS TRIP	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	CONS CAST # LAT DEG N
						C	0	V	0	0	+	PRESSURE	_ ∓ °	SN	ŝ	SZ	Ž			LATITUDE MIN
,												RE PRI. TEMP	CTD CONVERTED MONITOR VALUES	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES JD/TIME	LONGITUDE MIN
												P. SEC. TEMP	MONITOR VALUES	FLUOR S/N				Тар	IME	DATE JD= TIME (GM) DAY MO YR HRIM
												SALINITY	S					Tape/Diskette ID	DATA	DRY DRY
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File Name/Header	DATA LOCATION	PRESSURE SEA STATE VISIBILITY
						512	614	613	C12	113	C10	Sal Nutr	SAMPLE		MA			eader	R	CLOUD (amt)
										\	\	Chl 02 02-T	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			REMARKS	*WEATHER *WEATHER CENTRAL STA
												Other			3					<u>√</u> € .

PG	
OF_	

12	11	10	စ	œ	7	ი	51	4	ω	N			POS	SEC	PRI	SEC	PRI .	PAE	SBE 9+		CAST	cons	VESSEL RV TG T
					0	Ī	06	30	07	50	89		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+	DEG 8 5 7 3		<u> </u>	VESSEL RV TG Thompson
												PRESSURE								MIN 91 N	LATITUDE		ח
												ñ	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 9 3	LON		
												PRI. TEMP	CTD CONVERTED MONITOR VALUES		CE	_ 	WZ 	ı	JD	3 · 5	LONGITUDE	v v	
					L							·	MONITOF						JD/TIME	DAY N	DATE JD=		PR
												SEC. TEMP	? VALUES	FLUOR S/N			l -	 		° 7 ¥			PROJECT & LEG
												SALINITY		NN.				Tape/Diskette ID		O H O M O N	(GMT)		EG 1 1
												YTIV						ette ID	DAT	6 (°C)	DRY BULB		DSDB I.D.
												Salinity	SAMPLE BO DATA	Oxygen		1		File	DATA LOCATION	. (°C) (mb	BULB PE	SURE	. .
											7	Sal	BOTTLE TA					File Name/Header	NOIT	4	SEA S	TATE	PL
					03	04	D3	ひと	5	しとり	C23	ıl Nutr	SAME					ader		g) (m/s) ව ධ ව	WIND WIND DIRN. SPD.		STATIO
					7	7	9	1	7	7.		СЫ	TE BOTTL	XTRANS. S/N	MAX. DEPTH =	Cleaned			REMARKS	お れ 。	TYPE WEAT	D (amt) Shcaf HER	STATION DESIGNATION
										- 12 12 12		02 0	SAMPLE BOTTLE NUMBER	S/N	99 =HI	Cleaned air bleed valve				£ 2	BOTTOM DEPTH N		NATION
			_		_					## H		02-T	"		3	valve				PN7	STA. NAME/ID		
										79		Other											

PG ___OF___

,	12	- 1	10	ဖ	œ	7	တ	01	4	ω	2	_		POS	SEC	PRI (SEC	PRI	PRE	SBE 9+		#	CONS C C	RV TG T
						0	10	Sc	30	40	50	g 6 9		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+	1	DEG.	1 57,7200	VESSEL RV TG Thompson
													PRESSURE								7.1 9 N	MIN	266]
													Ē	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	699	LONG	169.377	
													PRI. TEMP.	CTD CONVERTED MONITOR VALUES	ľ	i i	1	\ }	1	JD/	201	LONGITUDE	7	
													ľ	MONITOR	0					JD/TIME	l co l	DAY NO		
*							:						SEC. TEMP	VALUES	FLUOR S/N		<u>'</u>	<u>'</u>	<u>.</u> 		p 0 7	YR_	_	T N 2 1
													SALINITY		<u> </u> Z				Tape/Diskette ID			(GMT) E		11
:										<u> </u>			7	SA					te D	DATA		+		USUB I.D.
					i								Salinity	SAMPLE BOTTLE DATA	Oxygen				File Na	DATA LOCATION	0	<u> </u>	RESSURE	
													Sal	ILE					File Name/Header		<u>ル</u> 21 1	* DIRN (deg)	EA STATE SIBILITY EX EX	50
2000					>	(D) 2)	0=	010	20	Ş	40	00	Nutr	SAMPLE	 	MA		· 	_	REA	- 20 4	SPD. CL	SOUD (amt)	O AIION
~ ~~						0 17	Ţ	2	٢	2	7	· ·	어	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Xeaned air			REMARKS	φ	* WE DEPTH	EATHER BOTTOM	SIAIION DESIGNATION
						75 5,6							O2 O2-T	JMBER		6	Cleaned air bleed valve				000 V	TH NAME/ID		-5
						200							Other Other		<u> </u>	3					90	Ϊ́	-	$\frac{1}{1}$

green glacial flow' colon

PG

유

VESSEL POS SBE 9+ CONS C CAST PRI COND SN SEC TEMP SN PRI TEMP SN PRESS SN RV TG Thompson SEC COND SN 12 6 ω DEPTH 63 TRIP DEG gy Q 07 ω 0 Ō LATITUDE <u>S</u> PRESSURE ъ Т z AT DEPTH START DOWN TIMES AT SURFACE DATA ON MPAR S/N_ DEG 00 CTD CONVERTED MONITOR VALUES LONGITUDE <u>S</u> PRI. TEMP. 41 JD/TIME w 과 광 s e p DAY DATE JD= PROJECT & LEG MFLUOR S/N ⊣ z SEC. TEMP 0 7 ¥ 211 0 7 0 5 Tape/Diskette ID HR MIN TIME (GMT) SALINITY DRY BULB ී DSDB I.D. 9 DATA LOCATION SAMPLE BOTTLE
DATA WET BULB X Oxygen ෆී Salinity File Name/Header 19 Œ PRESSURE SEA STATE
VISIBILITY
DIRN.
SPD.
CLOUD (amt)
TYPE
WEATHER Ľ Sal (deg) Se won (T) STATION DESIGNATION とな SAMPLE BOTTLE NUMBER るで A6 A3 Nutr ᆌ TRANS, S/N MAX. DEPTH = REMARKS Cleaned air bleed valve 오 7 1 7 BOTTOM DEPTH 1 hazy **9.** 1 ره ا 잃 02-T STA. NAME/ID 13 not cloude 3 8

12	11	10	9	80	7	6	σı	4	ω	20			POS. T	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	CONS C CAST LAT DEG N	VESSEL
 					0	0	20	30	F	0.5	6 5 7		TRIP DEPTH	ND SN	DSN	PSN	PSN	<u> </u>		LATII	
												PRESSURE								LATITUDE	
												ñ	CTD	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG LON	
												PRI. 1	CTD CONVERTED MONITÖR VALUES	Ž I	ACE	ı	NWO	_ I	_	LONGITUDE MIN	
												PRI. TEMP.	ED MONIT						JD/TIME	DATE DAY	
												SEC. TEMP	ÖR VALUI	FLUOR S/N							PROJECT & LEG
													<u>:</u> S	DR S/N				Tape/I		TIME (GMT)	& LEG
										:		SALINITY						Tape/Diskette ID		DRY	0
												(0)	SAMPLE	<u></u>]			O	DATA LO	WET (°C)	DSDB I.D.
							;				:	Salinity	PLE BOTTLE DATA	Oxygen				File Nar	DATA LOCATION	PRESSURE * SEA STATE	
											211	Sal	LE		:			le Name/Header		+ MCIDILITY	
					77 17	134	γ _γ	44	ل م ح لر	62	₩	Nutr	SAMPLI	5	Ž.			¥ 	R	O (T) (S) W (S) D (D) (amt)	STATION
												Chi	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			REMARKS	* WEATHER	STATION DESIGNATION
					22				_		d	02 0	NUMBE	N	Ī	air bleed				BOTTOM DEPTH 1	ATION
					5.72	_						02-1	, , , , , , , , , , , , , , , , , , ,		3	valve				STA.	7
					X							2-Z- Other						•			

236

ž

PG ___OF ___

																		_				-		- Carlotte
	12	=	5	ဖ	8	7	6	5	4	ω	N	_		POS	SEC	PRI C	SEC	PRI 1	PA	SBE 9+	<u></u>	CONS C CAST	RV TG T	į
	6.					0	ō	20	50	f	50	63		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+	ン DEG	_	VESSEL RV TG Thompson	֖֖֖֖֖֖֖֖֖֖֓֞֝֞֝֓֓֓֓֓֓֟֝֓֓֓֓֓֓֓֓֓֟
							*						PRESSURE		70						MIN OS N	ATITUDE	W.	
			ं	8		L	L						m s	CTDC	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 9	LON		
			•			ř							PRI. TEMP	CTD CONVERTED MONITOR VALUES	Z	CE	- I	W I	ľ	9 0	0.0S	Handi	<u>10</u>	
,			**					٠				٠	MP.	D MONITO						JD/TIME		DATE .	-	
į						8						×	SEC. TEMP	R VALUES	FLUOR S/N			•	å		MO YR	JD=	T N 2 1)
							1.2			劉			SÁLINITY	e e	S/N	16			Tape/Diskette ID		HR MIN	TIME (GMT)	11	>
				1			2 to	216					YTIN		*				ette ID	DAT	(°C)	DAY	DSDB 1.D.	7550
							a G						Salinity	SAMPLE BOTTLE DATA	Охудеп		' 	 	File	DATA LOCATI	(°C) (n	BULB	-]
						<u> </u>	<u> </u> 				<u> </u>		, Sal	OTTLE	a				ile Name/Header	MOIT	\(\frac{1}{2}\)	PRESSURE SEA STATE VISIBILITY □ □		*
	8.					* C7	95	5)	4	C.3	C2	<u>U</u>	al Nutr	SAM]	ader	1 0	(deg) (m/s)	WIND WIND CLOUD (am	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	CTAT
			/				_	_		ŝ	_		ir Chi	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX, DEPTH =	Cleane			REMARKS	* * * · · · · · · · · · · · · · · · · ·	WEATHER	SIAIION DESIGNATION	D DE 010
	1	***	7/2	į.		100	21				161		02	LE NUMB!	S. S/N	TH=	Cleaned air bleed valve		*	Ø	(m) 6 9 i	BOTTOM DEPTH	_	INCITAIN
	*:				*:		-				1.4 2		02-T	H		m	d valve				1 1 12	STA. NAME/ID	14-1	
											40		Other											

12	=	5	9	8	7	6	5	4	ω	2			POS.	SEC (PRI C	SEC:	PRI T	PRES	SBE 9+	01	CONS C CAST #	RV TG T
 					0	ō	ا ا	8	5	50	6		TRIP	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+	0135824.	2	RV TG Thompson
						į						PRESSURE								4 36 N	LATITUDE	3
												R 	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1683	LONG	
					:							PRI. TEMP	CTD CONVERTED MONITOR VALUES		CE	l	ž 	1	/D/	7 - 1 - NIM	LONGITUDE	
												·	MONITOR						JD/TIME	TW288 e	14	
												SEC. TEMP	VALUES	FLUOR S/N		<u> </u>	' 	। ਜ਼	,	P 0 7	<u> </u>	T N 2 1
												SALINITY		Ž				Tape/Diskette ID		1312		
												TY	Ş					tte ID	DATA		<u>ω</u> ,	- 2300
					0							Salinity	SAMPLE BOTTLE DATA	Oxygen				File N	DATA LOCATION	. (mo)	Ιω .	
					95.Zx							Sal	חרב					File Name/Header	Z		* SEA STATE * VISIBILITY 고 돌	
					-1	76	DS	74	7)3	Þζ	D-	Nutr	SAMPLI		Μ	,	i]	<u>ē</u>	굔	*	₩ND D. CLOUD (am	<u>(1)</u>
						\	\	\		\		Chl	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned a			REMARKS		* WEATHER	
					40 05						-	O2 O2-T	NUMBER	Ž	u	Cleaned air bleed valve				(E)	ΞŽ	15
H					501 h							T Other			3	live				2	STA.	-

STATITUDE	12	11	10	9	8	<u></u>	7	6	ڻ ن	4	ω	2	_		POS	SEC	PRI	SEC	PRI	PRE	SBE 9+	4		CONS C CAST	RV TG T
ATTILIDE LONGITUDE DATE LD= (GMT) BULB BULB E STAND OF HEADER MIN DEG MIN DATE LD= (GMT) BULB BULB E STAND OF HEADER TIMES JUTIMES JUTIME DATA LOCATION THE START DOWN AT DEPTH AT SURFACE TOWN AT SURFERD MONITOR VALUES PRESSURE PRILTEMP. SEC. TEMP SALINITY Salinity Sal Nutr Ch O2 Other DATA PRESSURE PRILTEMP. SEC. TEMP SALINITY Salinity Salinity Sal Nutr Ch O2 Other E START DOWN PRESSURE PRILTEMP. SEC. TEMP SALINITY S								D	10	2.0	02	0h	54			COND	COND	TEMP	TEMP (PRESS SN	9+		照	31 K	RV TG Thompson
LONGITUDE DATE LD= TIME DRY WET				<u> </u>		<u> </u> 	-		<u> </u>	<u> </u> 	<u> </u>		<u> </u> 		로 [©]	SN	SN	SS.	Š			2	ı	LATIT	mpson
CID CONVERTED MONITOR VALUES SAMPLE BOTTLE NUMBER SAMPLE BOTTL														PRESS										UDE	
ONCRITUDE DATE JD= (GMT) BULB DRY WET SO STALL BUTT (GMT) BULB DRY WET SO STALL BUTT (GMT) BULB DRY WET SO STALL BUTT (GMT) BULB DRY GOTTON STA. GEOTT (GMT) BULB DRY GOTTON STA. GEOTT (GMT) BULB DRY GOTTON GRANKS DATA LOCATION FILE Name/Header DOWN TOR VALUES PRI. TEMP. SEC. TEMP SALINITY Salinity Sal Nutr Ch O2 Other DATA PRI. TEMP. SEC. TEMP SALINITY Salinity Sal Nutr Ch O2 Other DATA SAMPLE BOTTLE NUMBER SAMPLE BOTTLE NUMBER FILE Name/Header DOWNERTED MONITOR VALUES SAMPLE BOTTLE SAMPLE BOTTLE NUMBER FILE NAME CH O2 Other DATA FILE NAME CH O2														URE		<u> </u>	AT 8	ATE	STA	D _A T	I IM	_	묘		+
UDE DATE JD= TIME DRY WET SO THE SOULD SULD SULD SULD SULD SULD SULD SULD S					\vdash	+									CTD CC	AR S/N	SURFAC	DEPTH	RT DO	NON	S		ଜ	LONG	
TIME DRY WET SUBJECT STA. (GMT) BULB BULB READ WIND WIND OF HEAD STA. (GMT) BULB BULB READ WIND OF HEAD STA. (GMT) BULB READ STALE STAL														PRI.	NVER	1	 H		Ž				ĭ	NTUDE	
TIME DRY WET SUBJECT STA. (GMT) BULB BULB READ WIND WIND OF HEAD STA. (GMT) BULB BULB READ WIND OF HEAD STA. (GMT) BULB READ STALE STAL														TEMP.	TED MC						JD/TIM	8 W 2	0	0	_
TIME DRY WET SUBJECT STATES THE DRY WET SUBJECT STATES TO STATES TO STATE STATES TO ST						+								, ,	NITOR						ш			ATE JE	1 2
TIME DRY WET SUBJECTION GMT) BULB BULB READING WIND WIND OF HEAD BOTTOM STA. HR MIN (*C) (*C) (mb)* (deg) (m/s) * * (m) DATA LOCATION DATA LOCATION REMARKS Tape/Diskette ID File Name/Header SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE NUMBER DATA SAMPLE BOTTLE NUMBER DATA SAMPLE BOTTLE NUMBER DATA FILE NAME BOTTLE NUMBER FILE NAME BOTTLE NUMBER DATA FILE NAME BOTTLE NUMBER FILE NAME BOTTLE NUMBER DATA FILE NAME BOTTLE NUMBER FILE NAME BOTTLE N														EC. TE	VALUE	FLUC		•	•	1		р 0	_	iii	T N 2 1
DRY WET SSTATEY BULB BULB RESSTATEY (°C) (°C) (mb)* (deg) (m/s) * * (m) DATA LOCATION REMARKS REMAR														MP	S	R S/N				Таре		_	⊢	(G)	2 1 1
WET BULB PROBLES STATELY BULB PROBLES STATELY (*C) (mb) * * (deg) (m/s) * * (m) THE Name/Header File Name/Header File Name/Header Salinity													:	SALIN)Diske			<u>X</u>		4
TLE Sal Nutr Chi O2 Other														7						ite ID	, D		(င)	DRY BULB	
TLE Sal Nutr Chi O2 Other					Ī	Ť								S	SAME	V]	[ļ		ATA LO	_	(°C)	WE BUL	
TLE Sal Nutr Chi O2 Other														alinity	DATA)xygen				File N	CATIO	× 0	L		=
WIND OUTOM STA. SPD. CITY BOTTOM STA. SPD. CITY WE DEPTH NAME/ID (m)'s) * * * (m) Cleaned air bleed valve MAX. DEPTH = m MAX. DEPTH = m SAMPLE BOTTLE NUMBER FINANCE SIN SIN SAMPLE BOTTLE NUMBER			<u> </u>		<u> </u> -	╁				<u> </u>	<u> </u>				חורב					lame/h	Z		*	MISIBILITY	
WIND OUTOM STA. SPD. CITY BOTTOM STA. SPD. CITY BETH NAME/ID (m)'s) * * * (m) Cleaned air bleed valve MAX. DEPTH = m MAX. DEPTH = m SAMPLE BOTTLE NUMBER FIG. 734 1.82 2					L									Sal						leader		320	_	WIND DIRN.	
Ther m m alve									E.5	EU			T	Nutr	SAME	L			a			<u>-</u>	(m/s)	WIND SPD.	O A
Ther m m alve					十	+		~	_	_	{	_	<	1	LE BO	<u>√</u> TRA	MAX.		<u> </u> 		REMA		*	TYPE	
Ther m m alve					╀	+						N	H	ł	TILE	NS. S/I	ЕРТН	med ai			RKS		3		STATION DESIGNATION
Ther m m alve					L	\perp					v	_		J	NUMBE		"	r bleed				79	르		
												D		Other] ;;			valve				1 M		STA. NAME/I	6-1
												747		Oth-2	,	<u> </u>	<u> 3</u> _		<u> </u>			V	L	O	1

245 can

רט __ טר __

12	11	10	9	8	7	6 0	5 10	4 20	3 30	2 40	1 4		POS. TI]႙	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	[0]	CAST	cons	VESSEL RV TG Thompson
				<u> </u> -)	1	0	2	ס	TRIP DEPTH	D SN	NS	P SN	NS NS	z 		 	LATITUDE		ompson
												PRESSURE		<u> </u>	ΔI	AT	ST	D,	1	N N	<u>—</u>		
									3.				CTD CON	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 17	LONGITUDE		
			-						MISFIRE			PRI. TEMP	VERTED M						JD/TIME	6 W			
214							:		m T			. SEC	CTD CONVERTED MONITOR VALUES	√ F					Æ	DAY MO	DATE JD=		PROJE(
												SEC. TEMP	LUES	FLUOR S/N		5		Таре		0 7 /	TIME (GMT)		PROJECT & LEG T N 2 1 1
												SALINITY						Tape/Diskette ID			íT) — DRY BULB		
_												Sa	SAMPLE DA:	√ox					DATA LOCA	90	, WET	1.7	DSDB I.D.
						*						Salinity	PLE BOTTLE DATA	Oxygen				File Name/Header	ATION	*	SEA S	ITV	
						*235 F	17	+		T	7	Sal	ls.					Header		(deg) (m/s)	WIND WIND WIND	D (amt)	ST
						6		FY		٢	7/	Nutr Chi	SAMPLE BOTTLE NUMBER	√ TRAN	MAX. DEPTH =	Clean			REMARKS		₽ € CLOUI TYPE WEAT		STATION DESIGNATION
						1112					î.	02	TLE NUMBI	TRANS. S/N	:PTH =	Cleaned air bleed valve			KS		BOTTOM DEPTH		IGNATION -/
			, "			5,3						02-T	ER		з	d vaive				PW1 8	STA. NAME/ID		7-1
						282						Other										00	

 \bar{G}

| | |

227

														 	12
															1
															10
															9
															8
															7
		,													6
			6-5											0	5
			さら											5	4
			5-5								1.			20	ω
14	ेव (G2											30	2
			9											_ 	_
02-T	hl 02	r Chl	Nutr	Sal	ıity	Salinity	YTIN	SALINITY	SEC. TEMP	·	PRI. TEMP		PRESSURE		
BER	SAMPLE BOTTLE NUMBER	PLE BO	SAM	mi.	PLE BOTTLE DATA	SAMPLE DA	9		VALUES	ONITOR	CTD CONVERTED MONITOR VALUES	CTD CON		TRIP DEPTH	POS. T
	TRANS. S/N	TRA				Oxygen		Ž	FLUOR S/N			PAR S/N	<u>-</u>	NS OF	lg.
	MAX. DEPTH =	MAX. D					~				(1)	AT SURFACE	Αī	DSN	PRI COND SN
ed valv	Cleaned air bleed valve	Clea	·			! 			·			AT DEPTH	AT	IP SN	SEC TEMP SN
			l 			ı 			ı		Ž	START DOWN	ST.	NS	PRI TEMP SN
			- P	File Name/Header	ile Nam	<u> </u>	cette ID	Tape/Diskette ID	ا 			DATA ON	DA	ž 	PRESS SN
	XXS	REMARKS			NOIT	DATA LOCATION	DA:			M	JD/TIME	TIMES			SBE 9+
źJ	(E)	*) (m/s)	* (deg)	1,12	(°C)	(°C)	HR MIN	ρ 0 7	DAY M	+ - MN	0 8 0 6	\(\frac{1}{\sqrt{2}}\)	DEG MIN	0168
STA.	BOTTOM	CLOUD (amt) TYPE WEATHER	WIND SPD.	VISIBILITY DIR RN. DIR RN.	PRESSURE SEA STATE	WET BULB	DRY	TIME (GMT)		DATE JD=		LONGITUDE	UDE	LATITUDE	CONS C CAST
-81	STATION DESIGNATION	ION DES	STAT]	DSDB I.D.	<u>=</u> G	PROJECT & LEG	PR(137	VESSEL RV TG Thompson	VESSEL RV TG TI

12	<u> </u>	10	9	_∞	7		6	σı	4	ω	2			POS	SE	무	SE	PR	PR	SB	0		§ . S	₽ ≦]
				T		1				ص ص	w	1.5] දු	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	01759		CONS C CAST	VESSEL RV TG Thompson	
								0	ō	8	0 W	35		DEPTH -	D SN	NS (P SN	NS _N	 			DEG		ompso	
		,											공								0	<u>S</u>	LATITUDE] =	
													PRESSURE								39 N	Н	111		
									i i				ñ	C.	/ PA	AT Şı	AT DEPTH	STAR	DATA ON	TIMES	_	E E			1
			\vdash		+	+				-					PAR S/N	AT SURFACE	PTH	START DOWN	9	00	7		LONGI		
													PRI.	NVER1	l	m	_	ž			51.6	<u>≤</u>	LONGITUDE		
											5		PRI. TEMP.	ED MO						JD/TIME	68W28s				
				\vdash	╁	+					3			CTD CONVERTED MONITOR VALUES						m		DAY N	DATE J	- R	
										7			SEC. TEMP	\ \ALU	FLU		İ		l		e p 0	Н	ם ם	PROJECT & LEG	
		- 34	!								nun		ğ	ES	FLUOR S/N	_			Ta		7	됐 됐	<u> </u>	& LEG 2 11	
			_			†					2		SAL		-				pe/Dis		5 40 C	HR MIN	TIME (GMT)		
										`	5		SALINITY						Tape/Diskette ID		7	(°C)	DRY	<u> </u>	
					╀	+				<u> </u>			\vdash	Şį					U	DATA LOC	a	Н		DSDB I.D.	
				·									Salinity	SAMPLE BOTTLE DATA	Oxygen	<u> </u> 	ı	l	Ţ	LOCA	•		WET BULB	١	
													₹	BOTTI TA	en				File Name/Header	ATION	75	(mb)*	PRESSURE SEA STATE	8-	,
						Ī					91	いのか	Sal	m					ne/Hea		326	(de	SEA STATE VISIBILITY DRIVEN SEA STATE VISIBILITY OF SEA STATE VISIBILITY OF SEA STATE VISIBILITY OF SEA STATE VISIBILITY OF SEA STATE		
				-		+		7	72		1	? ₹		<u> </u>					der		3636	(deg) (m/s)	<u>% 5</u> ∽ ≦	ST	
								A15	AI4	413	A12	=	Nutr	AMPLE		ĭ			1	RE	7	/s) *	호롱 CLOUD (amt)	ATION	
								7	7	1	1	- 0	읈	ВОП	TRANS. S/N	MAX. DEPTH =	Cleane			REMARKS	5	*	WEATHER		k
			_		T	†		800 800			\dagger		02	SAMPLE BOTTLE NUMBER	S. S/N	TH=	Cleaned air bleed valve			S	r	(m)	ВОТТОМ DEPTH	STATION DESIGNATION	
\dashv					H	+	\dashv	(d)	MO			-	02-T	MBER			leed v				(V) [7] 2	\rightarrow		1000	
-	_				\vdash	\downarrow	\dashv	7 1	6				H			3	alve				116		STA. NAME/ID	19-	
									2001				Other			•	1				<u>, </u>	!			1
1				<u></u>	<u> </u>		1	233	200			<u> </u>		<u> </u>											J

235

רט __ טר __

12	11	10	9	8	7	6	5	4	3	2 20	1 2の	-	POS, TRIP DEPTH] ຊ	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	CAST # DEG	CONS	VESSEL RV TG Thompson
												PRESSURE								MIN N		son
						:			5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	AH MH			CTD CONVER	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	LONGITUDE DEG MIN		
										MISPINE I	:	PRI. TEMP. SEC	CTD CONVERTED MONITOR VALUES	又 FI					JD/TIME	DATE JD=		PROJE
												SEC. TEMP SALINITY	LUES	KFLUOR S/N				Tape/Diskette ID		TIME (GMT) YR HR MIN		PROJECT & LEG T N 2 1 1
												UTY Salinity	SAMPLE D/	X Oxygen				ette ID Fi	DATA LOCA	BULB BULB (°C) (°C)		DSDB I.D.
											***************************************	nity Sal	SAMPLE BOTTLE DATA	gen				ïle Name/Header	ATION	W' 19 6EV 6	SURE STATE LITY	
								A4	A3	A2	A۱	Nutr Chl	SAMPLE BOTTLE NUMBER	K TRANS. S/N	MAX. DEPTH =	Cleane		<u> </u>	REMARKS	* WEAT	D (amt)	STATION DESIGNATION
												02 02-T	LE NUMBER	. S/N	TH =	Cleaned air bleed valve			ψ,	BOTTOM STA. DEPTH NAME/ID (m) 301/222		NATION
												Other		Ì	3				-	<u> </u> <u> </u> <u> </u>		

12	11	10	9	œ	7	o	cn	4	ω	2			POS. TI	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	01959	DE	CONS C CAST	VESSEL RV TG Thompson
 							0	Ō	20	30	36		DEPTH	D SN	NS (PSN	SN NS			750	DEG N	 A	ompson
												PRESSURE								. 0 3 N	MN	LATITUDE	
												m	CTD	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 685	DEG	LON	
										MESFERE		PRI. TEMP	CONVERTE	Z	\CE	<u> </u>	NWN	ı	٠.	2.1	MIN	LONGITUDE	
										122		EMP.	ED MONIT						JD/TIME	8W29	DAY	DATE JD=	
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N						Sep0	MO YR	JD=	PROJECT & LEG
_													S	RS/N				Tape/D		71629	R MIN	TIME (GMT)	LEG 2 11
												SALINITY						Tape/Diskette ID	<u>p</u>	16.0	(°C)	DRY	DSD
												Salinity	SAMPLE DA	Oxygen		 	 	<u> </u>	DATA LOCATION	•	(°C)	WET BULB	DSDB I.D.
										\		iity	SAMPLE BOTTLE DATA	jen				ile Name/Header	TION	2,2	, (qw)	PRESSURE SEA STATE VISIBILITY	
												Sal						/Header		249	(deg)	DIRN. SPD. CLOUD (ar	
							55	84	83	82	5	Nutr	SAMPLI		Z.		1	‡	R	72	(m/s) *	SPO D. CLOUD (arr	STATION
	5.		,				\	\	\	\	\	Chl	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned			REMARKS			WEATHER	STATION DESIGNATION
										λ ₃ ,	235	02	E NUME	. S/N	뒤=	Cleaned air bleed valve			<u>.,</u>	1 C	(m)	BOTTOM DEPTH	NATION
											7,3	02-T	3ER		m	ed valve				m 22 1		STA. NAME/ID	21-
	Э											Other								l			

רט __ טר

12	11	10	9	80	7	6	5	4	3 20	2 30	1 40		POS. TRIP DEPTH	lg.	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	DEG SQ	CONS C CAST	VESSEL RV TG Thompson
•								0		×		PRESSURE	_	Z		~				S 다. 이 이 N	ATITUDE)son
												PRI. TEMP.	CTD CONVERTED MONITOR VALUES	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES JD/TIME	DAY MO		I T
												SEC. TEMP SALINITY		S/N				Tape/Diskette ID	DATA	(°C)	TIME DRY V	PROJECT & LEG DSDB I.D.
					ļ 						4226	Salinity Sal	AMPLE BOTTLE DATA	Oxygen	 			File Name/Header	DATA LOCATION	G (mb)	PRESSURE SEA STATE //SIBILITY	
							5	CH	63	C2	6 01	Nutr Chi	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX, DEPTH =	Cleaned		ider	REMARKS		VISIBILITY PRODUCTION CENTER STATION DESIGNATION	
							214					O2 O2-T	E NUMBER	S/N	TH = 40 m	Cleaned air bleed valve			•	 	BOTTOM STA.	NATION 22-1
												Other										

PG ___ OF ___

214-708

Chalky gever

12	11	10	ဖ	80	7	o	σı	4	ω	N			SOP	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	CONS CAST	VESSEL
						0	0	ပ္ပ	30	0 T	45		DEPTH	ND SN	ND SN	MP SN	MP SN	SZ 		CONS C CAST LATI	
												PRESSURE								ATITUDE NIN N	
												Ħ	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	LON DEG	
												PRI. TEMP.	CTD CONVERTED MONITOR VALUES	Z 	CE	- 	WZ 	l	<u>ار</u>	LONGITUDE MIN	
												ľ	O MONITOR						JD/TIME	DATE J	PR
												SEC. TEMP	₹ VALUES	FLUOR S/N				1		D O A H	PROJECT & LEG
					-	<u> </u>						SALINITY		S/N				Tape/Diskette ID		TIME (GMT)	i in G
												YTIN						ette ID	DAI	DAY	DSDB I.D.
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File	DATA LOCATI	BULB WET	I.D.
					I	<u> </u> 	<u> </u>					/ Sal	A OTTLE	3				ile Name/Header	NOIT	SEA STATE	
						D D	200	40	1)3	Da	10	al Nutr	SAM					ader		WIND WIND WIND (deg) (m/s)	STATI
						6	1	7	7	7	1	Chi	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleane			REMARKS	○ * CLOUD (amt) ○ * TYPE 5 // ○ * WEATHER (STATION DESIGNATION
										171		02	E NUMBE	S/N	TH= 45	Cleaned air bleed valve			₹,	BOTTOM DEPTH (m)	\sim
		_			_	\perp			_	1 41		02-Т	13		S)	valve				STA.	-23
										74		Other									

17/17/

PG ___ OF ___

Charley 5 zeem

PG ___ OF ___

12	=	10	9	_∞	7	₀	55	4	ω	N	_		POS	ရှ	P	SE	P	P	RS RS	0	δ 3	2 72 %
	_	0					_	Si	w	F.	50		S TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	02259	C CAST	RV TG Thompson
<u>.</u> 					<u> </u> 		O	O	0		[]		∄ 7	SE	SS	<u>\$</u> 	Ž			5	LATITUDE	npson
												PRESSURE								0 90 Z		
												ř	СТС	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	04 1	DEG LC	
												PF	CTD CONVERTED MONITOR VALUES	S/N_	FACE	쿺	DOWN	Ž		0	LONGITUDE	
												PRI. TEMP.	RTED MO						JD/TIME	7 H W		
						\vdash				\vdash		SI	NITOR 1]				m	တ	DATE JD-	5
												SEC. TEMP	/ALUES	FLUOR S/N		•	•	•		P 0 7) 	T N 2 1
					<u> </u>	-								S/N.	:			Tape/Dis		0015	TIME (GMT)	11
												SALINITY						Tape/Diskette ID	_		DRY BULB	
						T						S	SAME	0					DATA LOCATION	4	WET WET	
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File Na	CATION		PRESSU	
												Sal	LLE					File Name/Header			* SEA STA * VISIBILIT (deg) N.D	·V
,					-	5	ጡ ሁ	47	S	d T	Ē	Nutr	SAM				 	er .		ربر 0	WIND SPD.	3
						<	<	<	<	<	5	Chl	YLE BOT	TRAN	MAX. DEPTH =	Clean			REMARKS	₹ 7 2	* CLOUD (* TYPE * WEATHE	amt)
					-	57				<u></u>	\vdash	02	SAMPLE BOTTLE NUMBER	TRANS. S/N_	PTH=	ed air ble			G	6	BOTTOM DEPTH	amt)
						5.6						02-T	BER			Cleaned air bleed valve				MINI	NAME/ID	
						9						Other			3				_	ay .	<u></u>	

SBE 9+ VESSEL CAST RV TG Thompson SEC COND SN PRI COND SN SEC TEMP SN PRI TEMP SN PRESS SN 12 ᇹ 9 œ 6 S ω DEG MIN 235954.0 DEPTH 60 TRIP B 07 9 LATITUDE PRESSURE 10 V START DOWN TIMES AT SURFACE AT DEPTH DATA ON PAR S/N_ CTD CONVERTED MONITOR VALUES LONGITUDE PRI. TEMP 5 w 30s e p 0 7 0 2 2 2 **JD/TIME** DAY MO DATE JD= PROJECT & LEG ⊣ Z SEC. TEMP FLUOR S/N 2 1 Tape/Diskette ID HR MIN (GMT) SALINITY DRY BULB DSDB I.D. **DATA LOCATION** SAMPLE BOTTLE
DATA WET BULB Oxygen Salinity File Name/Header **PRESSURE** SEA STATE
VISIBILITY
DEL SEA STATE
VISIBILITY
VISIBIL the Ass Sal STATION DESIGNATION SAMPLE BOTTLE NUMBER Nut 43 F 6 43 MAX. DEPTH = REMARKS TRANS. S/N Cleaned air bleed valve 오 BOTTOM DEPTH 000 8 N STA. NAME/ID 02-T ì O 03 Other

350

mount scen

JENES O

PG

_ 유

Joe down

12	=	5	မှ	œ	7	6	თ	4	ω	N	_		POS	SEC	PRI	SEC	PRI	PAE	SBE 9+	w W		CONS C CAST	PV KES
					0	<u>-</u>	2 0	30	の方	20	67		DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	49	2459	DEG	ST	VESSEL RV TG Thompson
									0					Z	_	2				53.9	MIN	LATITUDE	son
												PRESSURE		SZ.	Ą	AT	Ist	D _A	1	9 9 N			
								L					CTD CO	WPAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	7116	DEG	LONGITUDE	
												PRI. TEMP	NVERTED	,	m	I	≥ 	1	Ď	4.98	MEZ.	TUDE	i
												I.S	OTINOM						JD/TIME	98W30s	DAY	DATE .	
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	KIFLUOR S/N		l	İ	l		e p 0 7	MO YR	JD ₌	PROJECT & LEG
														R S/N				Tape/Di		0503	HR MIN	TIME (GMT)	k LEG
					!							SALINITY			•		٠.	Tape/Diskette ID	_	6	<u>ි</u> ෆී	DAY	DSI
												Sa	SAMPL	X _O x		 			DATA LOC	-	<u>ြိ</u>	WET BULB	DSDB I.D.
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File Name/Header	NOITA	8345	(mb	PRESSURE SEA STATE	
										`		Sal						e/Header	- 0	200	* (deg)	VISIBILITY DIRN DIRN.	
					40	66	65	64	63	n U	6-	Nutr	SAMPLE	Z Z	M)		R	الد الد	(m/s) * '	DIRN. SPD. CLOUD (amt)	STATION DESIGNATION
					7	7	1	7	Ţ	1		CH	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve		4 4	REMARKS	71	*	WEATHER	DESIGNA:
		_			カンベ							02 O2-T	NUMBER	≥ 		ir bleed v		305	والاح	オタ州と	3	TOM	NOIT
					0										3	valve		I	, 0	<u>5</u>		STA. NAME/ID	Ļ
					091							Other											

.

Park lend PG OF

Γ.	Γ.	Γ.		Т	Т	Т	Г	Г	_			-	7	S	₽	S	7	7	lσ			0 0	□ <
120	=	<u></u>	9	8	7	6	5	4	ω	20	-		POS	ECC	E CC	EC T	E IE	PRESS SN	SBE 9+	5		CONS C CAST	VESSEL RV TG T
, 				0	30	00	30	OH	65	60	72		DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	SSN 	-	59 H	DEG N		VESSEL RV TG Thompson
												PRESSURE								ည - စ	MIN	LATITUDE	
						:						URE	ဂ	PA	AT SI	AT DEPTH	STAR	DATA ON	TIMES	Z L	DEG		
													TD CON	PAR S/N_	AT SURFACE	EPTH	START DOWN	<u>Q</u>	S	129	_	LONGITUDE	
:							!					PRI. TEMP	CTD CONVERTED MONITOR VALUES			I	z 	1	Ę.	-9	<u>K</u>	DDE	
											L	MP.	MONIT						JD/TIME	08W	DΑΥ	DATE JD=	
												SEC. TEMP	OR VALI	//FLL						S e p	MO	JD:	PROJECT
					:							(EMP	JES	FLUOR S/N		<u> </u>	<u> </u>	Tap		0 7 0 3	YR HA	(G T	T & LEG
												SALINITY		'		:		Tape/Diskette ID		0250	HR MIN	TIME (GMT)	
												ΥΠ						tte ID	D.	6.7	(၁°)	DRY	DSDB I.D.
												Sali	SAMPL	/ Ox		 -	! !	-	DATA LOC	-	(°C)	WET BULB	3 I.D.
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File Name/Header	ATION 1/	S S	(mb)*	PRESSURE SEA STATE	
,										5		Sal	im.					าe/Head		8 8	- 14	A 44 - A 4 -	
				AIR	A17	A16	A,	1414	A-/3	Ais	AII	Nutr	SAME				·	er .		~) (m/s)	DIRN. SPD. CLOUD (amt) TYPE WEATHER	STATI
				-	7	2	7	-	<i>3</i> 2			Chi	7LE B01	TRAP	MAX. DEPTH =	Clea]] 		REMARKS	<u>ه</u>	*	CLOUD (amt) TYPE WEATHER	ON DES
						 	<u> </u>			115		02	SAMPLE BOTTLE NUMBER	TRANS. S/N_	PTH=	ned air b			ΚS	7	(m)	воттом рертн	STATION DESIGNATION
		Н			_			\vdash		\$ 70,8		2 02-T	MBER			Cleaned air bleed valve				675-5		_ :	¥
H				_						26 B				 	3	é				5		STA.	
										O		Other											

				_	T	T	7			T	T	T	_	ř –	70	CO	70	(1)	TI	70	[co			6 6	ת
	12	11	6	ဖ	8		4	6	5	4	ω	N	-		POS.	S S S S S S S S S S S S S S S S S S S	AI CC	EC TI	H IE	PRESS SN	SBE 9+	0265		CONS C CAST	N TG
,						C	۱	10	SS	30	3	50	66		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	, SN	_	2	DEG	- 210.40	RV TG Thompson
	Г					<u> </u>	_		l I			<u> </u>				Ž		z				. hs	MIN	LATITUDE	Son
														PRES								. 39		UDE	
														PRESSURE			>		S			N			Ļ
															СПС	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	4	DEG	5	
														1	CTD CONVERTED MONITOR VALUES	S/N ₋	FACE	뒾	DOWN	Ž		42	_	LONGITUDE	
														PRI. TEMP	/ERTE			1	_ I	ı	ے	- 36	MIN	JDE	
														EMP.	D MOI						JD/TIME	6 w 30	DAY	D,	1
				H	H	\dagger	1		\vdash	\vdash	H	r	\vdash	ر س	VIITOR						•••	OS e	ON A	DATE JD=	L
														SEC. TEMP	VALU	E		I	I	1		p o	Н	ii	z
														¥g	ES	FLUOR S/N	_	Γ	Γ	Ta		7	H HY	<u> </u>	2 - -
	_						7		Г	T		\vdash		SAI		-				Tape/Diskette ID		8 10	HR MIN	TIME (GMT)	
														SALINITY						kette		6	(၁)	DRY BULB	
		-			_		_			<u> </u>	<u> </u>	<u> </u>	<u> </u>							₽	DAT	7	Ľ		-
														Sal	SAMPLE BOTTLE DATA	S S		I			DATA LOC.	-	ြင္ပ	WET BULB	
														Salinity	DATA	Oxygen				File Name/Header	ATION	78	(mb	PRESSURE	
			<u> </u>	<u> </u>		$\frac{\perp}{1}$	1		<u> </u>	+			*		1LE					ame/H	_	2	*	SEA STATE VISIBILITY	
													*222	Sal						eader		15.	(deg)	VISIBILITY DIRN. WIND SPD. CLOUD (amt	,
						A+	ے ا	46	AS	A4	A3	A2	13/	Nutr	SAME				.	_		-6	(m/s)	WIND.	8
	Н		\vdash			Ť	1		<u> </u>		<u> </u>			1	SAMPLE BOTTLE NUMBER	Ŧ	MAX. DEPTH =	<u> </u>			REMARKS		*	CLOUD (amt TYPE WEATHER	2
			_				_		L	L	L			CH)))) (TRANS. S/N	HEBIH	aned a			RKS	E			1
						05+)							8	NUMB	≥ 		ir blee				14	(m)	BOTTOM DEPTH	
						100	,							02-1	Ä			Cleaned air bleed valve				1		STA. NAME/ID	X
					\vdash	C	<u>}</u>		\vdash	\vdash			T	0 2 -		L	3	Õ				N		D A	
						0	2							other 2								3			

PG __OF__

037/039-708

VESSEL RV TG Thompson Pos SBE 9+ 02760 SEC COND SN SEC TEMP SN PRI TEMP SN CONS C CAST PRI COND SN PRESS SN 12 5 9 œ თ Ċ ယ N 6 DEPTH 45 50 DEG 60 TRIP 0 LATITUDE <u>S</u> PRESSURE 77 z TIMES START DOWN AT SURFACE AT DEPTH DATA ON MPAR S/N_ DEG CTD CONVERTED MONITOR VALUES 7 LONGITUDE 0 <u>≤</u> PRI. TEMP **JD/TIME** w30s DĄ Y DATE JD= PROJECT & LEG ₹ е Т ⊣ Z SEC. TEMP VFLUOR S/N 0 ¥ 7 Tape/Diskette ID HR MIN TIME 9440 SALINITY BOLB PRY င္ပံ DSDB I.D. **DATA LOCATION** SAMPLE BOTTLE BULB WET င္ပိ Salinity Oxygen DATA File Name/Header **PRESSURE** SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
VISIBILITY
DIN W
SEA STATE
SEA STATE
VISIBILITY
DIN W
SEA STATE
SEA STATE
SEA STATE
VISIBILITY
DIN W
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE
SEA STATE <u>&</u> (deg) (m/s) STATION DESIGNATION SAMPLE BOTTLE NUMBER Ö Nutr MAX. DEPTH = REMARKS TRANS. S/N Cleaned air bleed valve င္ BOTTOM DEPTH 8 60 02-T STA. NAME/ID 3 Other 8 0

PG __OF_

,					_	_		_					510	72	_	45	_		Las	F	"- "- "'	
12	11	1 0	ဖ	8	7	၈	ഗ	4	ယ	N	_		POS.	SEC (S III	SEC T	뀖	PRESS SN	SBE 9+	028	CONS C CAST	VESSEL RV TG T
					0	ō	20	30	f	50	70		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	*	DEG S 여		VESSEL RV TG Thompson
						:						PRESSURE								4.04N	LATITUDE	:
												JRE	CTD	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG DEG	- G	
												PRI. TEMP.	CTD CONVERTED MONITOR VALUES	N !	ACE	ı	OWN I	_ 	ير	0.92	LONGITUDE	
													D MONITOR						JD/TIME	DAY N	lm	PA
												SEC. TEMP	RALUES	FLUOR S/N	ļ	 	1	1		MO YR		PROJECT & LEG
												SALINITY		S/N _.				Tape/Diskette ID		HR MIN	TIME (GMT)	1 1
												JITY						ette ID	DAT	6. 4 6. 4	BULB	DSDB I.D.
,												Salinity	SAMPLE BC DATA	∪ Oxygen		•	1	File	DATA LOCATION	(°C)	PRESSURE	.D.
												Sal	חורב					∺ile Name/Header	Ž	w	SEA STATE VISIBILITY 므 ミ 과 로	
					27	66	55	CY	C3	C2	5	Nutr	SAMPLE		¥]	<u>ē</u>	æ	(m/s)	OLOGO (anny	STATION
					- 6						-	Chi	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			REMARKS	90 *	WEATHER	STATION DESIGNATION
Ш					80							02	NUMB	2 	24	ir blee				<u>了</u>	ВОТТОМ DEPTH	
					51							02-T	ER		m Of	d valve				MW 1 14	STA. NAME/ID	30-1
					89							O72 Other					1	1		MS		
					500					ı	8-	24										

PG ___OF ___

PG __OF_

ATITUDE LONGITUDE DATE JD= MIN DEG MIN DAY MO YR TIMES DATA ON START DOWN AT DEPTH AT SURFACE PRESSURE PRI. TEMP. SEC. TEMP	12	1	10	9	8	7	6	G	4 4	ω UN	ν 78		,	Ţ	POS. TF	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	3059	CONS C CAST	ZA LO LIIOIIIDSOII
CONGITUDE DATE JD= TIME DRY WET SO STAIL! DECTON STAIL D					0	0	8	30	0	0	0	0	PRI		TRIP	ID SN	D SN	IP SN	NS o	Ž		1100	LATITUDE	Tompson
ONGITUDE DATE JD= TIME DRY WET STATE STATE													ESSURE		Ç	PA	AT SU	AT DE	STAR	DATA	TIMES	DEC		
TIME DRY WET STATITY (cMIT) BULB BULB RESULT STATITY BULB BULB RESULT STATITY (CO) (CO) (mb) 1 (deg) (ms) 2 (DEPTH NAME/ID DEPTH NAME/ID (ms) 2 (deg) (ms) 3 (ms) 2 (ms) 2 (ms) 2 (ms) 3 (ms) 3 (ms) 4 (ms													PRI.		TD CONVERT	RS/N_	RFACE	PTH .	T DOWN .	<u>Q</u>		シ シ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	_ONGITUDE	
TIME DRY WET STATITY (CMIT) BULB BULB PRESS STATITY BULB BULB PRESS STATITY (CO) (CO) (mb) (mb) (mb) (mb) (mb) (mb) (mb) (mb													·		ED MONITOR						JD/TIME	7 w 30 s	DATE J	-
SALINITY Salinity Salini	,				:								SEC. TEMP		₹ VALUES	FLUOR S/I] 	 	1] 		P 0 7		
WET SHE AS IN A THE STAND WIND STAND													SALINITY			Z.				₃pe/Diskette	,	\Box		
Name/Header Name/Header Sal Nutr Chl O2 O2-T Sal Nutr Chl O2 O2														_	SAMPL	Ox]	 - 			DATA LOC	191		
WIND OUD (a (a) STA. SPD. CLYPE BOTTOM STA. SPD. CLYPE BOTTLE NUMBER REMARKS														3	E BOTTLE	ygen		23		File Name/H	ATION	<u>©</u> <u>©</u>	PRESSURE	
BOTTOM STA. BOTTOM STA. DEPTH NAME/ID (m) NS. S/N NS. S/N NTLE NUMBER TTLE NUMBER					4. U	1. J.	56	E-5	H 7	E3	アラ	Ī			SAMP		احا			eader	71	(deg) (m/s) *	VIND WIND CONTROL SPD. CONTROL	
STA. AME/ID m					<	-2	. \	5	<	7			Chi		LE BOTTLE	TRANS. S	MAX. DEPTH	Cleaned a			REMARKS	9.	WENTHER	1
	H			_ (NUMBER	Ž		ir bleed valv				12		_
													Other	Ć.		 	3	6		er-under-under-under-under-		22	A. P.ID	

- c | _ <u>c</u> | |

TIME DRY WET	12	11	10	9	0	7 10	000	55	4 40	3 50	2 75	1 95	PRESSURE	POS. TRIP DEPTH	COND SN	PRI COND SN AT	SEC TEMP SN AT	PRI TEMP SN ST	PRESS SN DA	SBE 9+ TII	53.99 NI	LATITUDE DEG MIN	0	CONS
TIME DRY WET ## S5 55 55 55 55 55 55 55 55 55 55 55 55													. SEC.	CTD CONVERTED MONITOR VALUE		AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES JD/TIME	354.39Wb/10ct0	ONGITUDE DATE JD=		
TLE SAMPLE BOTTLE NUMBER STALL WIND WIND STA. SE ISIB WIND WIND STA. SE ISIB WIND WIND STA. SE ISIB WIND WIND STA. BE ISIB WIND WIND STA. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER F. SAMPLE BOTTLE NUMBER													SALINITY	SA	S/N				Tape/Diskette ID	DATAL	0049 5.19	(GMT) BULB		
DEPTH NAME/ * (m) * (m					T	(C)	7	7			2	7	Sal	BOTTLE TA	en				File Name/Header	LOCATION	833+281	PRE	SSU	ATE
					-	7 /	6	5	\vdash	5	2	(97)	Chl O2	MPLE BOTTLE NUMBER	TRANS. S/N		Cleaned air bleed valve			REMARKS	8 75 1 02	* WEA THEPTH	THI	

PG __OF __

I															12
															11
															10
												ļ			9
	117 7.1	7	G)	(J)										0	8
		7	7	O										70	7
		1	0	0										CE	6
l .		7	V,	G										رب 0	თ
l		9	4	ଚ										07	4
1		1	V)	0										570	ω
ı			n O	0										75	2
	-		<u>-</u>	0										105	_
1	02 02-T	Chi	Nutr	Sal		Salinity	SALINITY		SEC. TEMP	PRI. TEMP.	PR	SURE	PRESSURE		
	NUMBER	OTTLE	SAMPLE BOTTLE NUMBER	15	ВОТТЕ	SAMPLE BO DATA			OR VALUES	CTD CONVERTED MONITOR VALUES	D CONVER	CT		TRIP DEPTH	POS.
lacksquare		TRANS. S/N	TR.		jen	Oxygen		S/N	FLUOR S/N		PAR S/N_	PAF		SEC COND SN	SEC
	= 105 m	MAX. DEPTH =	MAX.]					AT SURFACE	AT SU		PRI COND SN	PRIC
	Cleaned air bleed valve	aned air	<u>ှင့</u>			1 					PTH	AT DEPTH		SEC TEMP SN	SEC
						1 	_				START DOWN	STAR1		PRI TEMP SN	PRI 1
				leader	File Name/Header	E.	skette ID	Tape/Diskette ID			N O	DATA ON		PRESS SN	PRES
		RKS	REMARKS		TION	DATA LOCATION	DA			JD/TIME		TIMES		9+	SBE 9+
	/ / M N L O	1 /	9	359 10		. (5	5.6	0316	c t 0 7	0 1 0 M 8 9	126.6	N + 74	3.99	3259 S	(V3
1	TOM STA.	* WEAT BOTTOM	TIYPE	* SEA S * VISIBI VIND WIND SPD. CO	PRES * SEA S * VISIBI	ω ¬		TIME (GMT)	4	-	ONGI		LATITUDE	2	CAST
		HER			SURE TATE LITY									S	cons
	TION	SIGNAT	STATION DESIGNATION	I SI		ši.	DSDB I.D.	EG 1 1	PROJECT & LEG				'n	VESSEL RV TG Thompson	VESSEL RV TG T
	-	1)	1		;]								

Cleridy

PG ___OF ___

= 2

12	1	10	9	8	7	6	თ	4	ω	2	_		C	SEC C	PRI C	SEC T	PRI TE	PRESS SN	SBE 9+	(S)		CAST	CONS	VESSEL RV TG T	
			0	ō	<i>ا</i>	30	04	50	出	100	<u>=</u>	:	DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	+	3595	DEG		<u>•</u>	VESSEL RV TG Thompson	
												PRE		1						0.17	MIN	LATITUDE		on	
												PRESSURE		L	I≯	>.	S,	<u> </u>	<u> </u>	_ Z					
													0	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	5 14	DEG	LONG			
											5	PRI.		NIVERT	I CE		Ň N			9.9	MIN	LONGITUDE			
											aku	PRI. TEMP.							JD/TIME	10M0	DAY	DA ⁻			
											1 00	SEC		AR S/N _ FLUOR						0 c t	MO	DATE JD=		PROJE	
											alus	SEC. TEMP		FLUOR S/N		Т	Т	<u></u>		0 7 0	YR H	<u> </u>		CT & LI	
											56.	SALINITY						Tape/Diskette ID		4650	HR MIN	TIME (GMT)		1 IG	
			!				!				Co	NTY						ette ID	Q	5.9	(°C)	DRY BULB		DSDB I.D.	
											60	Sal		Oxygen				_	DATA LOCATION		(°C)	WET BULB		8 I.D.	l
												Salinity	DATA	ygen				File Nam	ATION	914	*	PRESSU SEA STA	ΔTE		
										230	6	Sal		<u> </u>				File Name/Header		0	* (deg)	VISIBILI VISIBILI VIND WIND OU	TY		
			∂6	AB	₹	A6	35	A	<i>3</i> 2	AN	bel	Nutr	Q H	SAMD	1 =	·	<u>'</u>	<u>"</u>	77	3	(m/s) *	WIND S	/t\	STATIC	<u> </u>
			7	5	7	7	7	1			~	오	, , , , , , , , , , , , , , , , , , ,	TRANS. S/N	MAX. DEPTH =	Cleane			REMARKS	** 92	*	WEATH	ER)N DESIC	Cloud
									\vdash	119	X	02		TRANS. S/N		Cleaned air bleed valve			S	20	(m)	BOTTOM DEPTH		SYATION STOP	Cloud
										1,7		02-T			100	ed valve				MNOS		STA.		_	
												Other		H	∃	<u> </u>				9		Ď.			
		*	ルー		<u> </u>	<u></u>				L.,	×		15					<u>. </u>							j

D D 9

12	1	1 0	9	∞	7	6	თ	4	ω	2			POS.	SEC C	PRI CO	SEC T	PRI TE	PRESS SN	SBE 9+	02459 DEG	CONS C CAST	VESSEL RV TG T
			0	0	20	30	0 h	20	75	100	170		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN 	+			VESSEL RV TG Thompson
												PRESSURE								4 . O O N	LATITUDE	on
												ñ	СТО	V PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 175	5	
												PRI. TEMP.	CTD CONVERTED MONITOR VALÜES	S/N_	ACE	로 	NWO		JD/TIME	_@ 	LONGITUDE DAT	
:												SEC. TEMP	ITOR VALUES	V FLUOR S/N				Tap		MO YR	DATE JD= (G	PROJECT & LEG
												SALINITY						Tape/Diskette ID	DAT	W Z	TIME DRY	DSDB I.D.
												Salinity	SAMPLE BOTTLE DATA	√ Oxygen				File Name/Header	DATA LOCATION	(mb) *	PRESSURE	I.D.
											わざて、	Sal						/Header		(deg)	VISIBILITY DIRN. DIRN.	
			Ba	28	63	86	85	B.(1	S S	07	(50	Nutr	SAMPLI	₹	ĬŠ.		1		- R	(m/s) *	OIRN. SPD. CLOUD (amt	STATION
			7	(7	7	7	1				СЫ	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			REMARKS	* 1	WEATHER	STATION DESIGNATION 36-1
			136									02	E NUMB	S/N	로"	l air blee				(m)	BOTTOM DEPTH	VATION
												02-Т	ĒR		:	d valve				3	STA.	1-95
			142									Other			3					œ	D	
			R	17			Ch.		る		Y		The same of the sa									

02-70P 136, 142

PG ___OF ___

PG ___ OF __

PG ___ OF __

PG ___OF __

PG ___ OF __

 ∂

PG 유

PG __OF __

- 1	_	_	_	_			_														
3	<u> </u>	10	9	ω	7	6	51	4	ω	2			POS.	SEC C	PRI C	SEC T	PR! T!	PRESS SN	SBE 9+	CAST CAST	RV TG T
				8	ò	% 0	(N	40	92	75	48		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN _	-	SZ DEG	RV TG Thompson
												PRESSURE								MIN OS N	5
4												E	CTD Ct	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	SNOT	
			•									PRI. TEMP	ONVERTED	-	CE	1	≨ 	1	JD/		
1												·	CTD CONVERTED MONITOR VALUES]				JD/TIME	DATE JD=	7.0
							:					SEC. TEMP	VALUES	FLUOR S/N		· 	' 	<u> </u>		t O 7	T N 2 1
												SALINITY		Ž				Tape/Diskette ID		TIME (GMT)	1 7 7 7
_												IΤΥ	S					tte ID	DAT/	BULB	
												Salinity	AMPLE BC DATA	Oxygen				File N	DATA LOCATION	WET WET PRESS	
					X							Sal	TTLE				į	File Name/Header	Ž	* QEA ST	TATE ITY
				~ C	C7	06	C5	C1	C3	C2	C/	Nutr	SAMPL		×		 	der	70	* VISIBIL * VISIBIL * VISIBIL * (deg) (m/s) * CLO	(amt)
				22.0								СЫ	SAMPLE BOTTLE NUMBER	TRANS, S/N	MAX. DEPTH =	Cleaned a	4		REMARKS	* WEATH	1 0
_				0037								O2 O2-T	NUMBER	ž	+× =+	Cleaned air bleed valve				BOTTOM S DEPTH NAI (m) (m) S	
	İ			7 032								-T Other			3	alve				STA. NAME/ID	1
_				2 4					40		We	ner 🙏		_							

12	11	10	9	ω	7	6	თ	4	ω	2			POS. D	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	04362		CONS C CAST	VESSEL RV TG T
				0	0	Ø Ø	(ب (0	40	60	60	08		TRIP DEPTH	ND SN	NS OF	NP SN	IP SN	<u>\$</u>		90	DEG MIN	LATITUDE	VESSEL RV TG Thompson
												PRESSURE								0 S N		Jadu	:
												ξE	CTD(PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1753	DEG	LON	
												PRI. TEMP.	CONVERTE	Ž 	ACE	ı	NWO	1	ي	3.8	MIN	LONGITUDE	
												EMP.	ED MONITO						JD/TIME	8W020	DAY MO	DATE JD=	
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N						c t 0 7	MO YR	JD=	T N 2 1
														R S/N				Tape/Diskette ID		2118	-	TIME (GMT)	2 1 1
												SALINITY						kette ID	עם	S	(°C)	DRY	บรมชา.บ
												Salinity	SAMPLE BOTTLE DATA	Oxygen]] [Ξ	DATA LOCA	•		WET	1.5
					<u>. </u>						u ع		BOTTLE TA	en				File Name/Header	ATION	5	<u>ې</u>	PRESSURE SEA STATE VISIBILITY	
				0	7. T.	06	D	Dy	D W		213 D	Sal Nutr	SAI					eader		325	(deg) (m/s)	VISIBILITY DIRN. WIND WIND CLOUD (amt)	U. A
_	_			×	た	6	3		ς Λ)	D2	1	ıtr Chi	MPLE BOT	TRAN	MAX. DEPTH =	Clean			REMARKS	0	*	CLOUD (amt) TYPE WEATHER	STATION DESIGNATION
										037		02	SAMPLE BOTTLE NUMBER	TRANS. S/N	PTH =	Cleaned air bleed valve			ŝ	00	(m)	BOTTOM DEPTH	GNATION
										0.0		02-T	ËR		3	d valve				512		STA.	1-57
									1	O X	7	Other				1	1	1		. /-			
				44					43		45												

Votech 43 at 50m?

PG ___OF ___

Vame/Header Sal Nutr Sal Nutr SAMPLE B MAX. MAX. SEA ST. * SEA ST. * VISIBILI WIND WIND WIND WIND WIND WIND WIND WIND
CID CONVERTED MONITOR VALUES Sec. TEMP SALINITY
TIME DRY WET SO TALL (GMT) BULB BULB P. SO TALL (GMT) BULB BULB P. SO TALL (CC) (CC) (mb)** (deg) (pr/s) ** (m) DATA LOCATION Tape/Diskette ID File Name/Header File Name/Header SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE SAMPLE BOTTLE NUMBE DATA F6 F6 F6 F6 F6 F7 Cleaned air bleed MAX. DEPTH = CALL F6 F6 F6 F6 F6 F6 F6 F6 F7 CD CD CD CD CD CD CD CD CD C
Diskettle ID Sallinity Sallinit
TLE SAMPLE BOTTLE NUMBE SAMPLE BOTTLE NUMBE SAMPLE BOTTLE NUMBE SAMPLE BOTTLE NUMBE F6 Cleaned air bleed F7 CH CO CH CH CH CH CH CH CH CH
WIND OUE WIND OUTOM SPD. CLIP BOTTOM DEPTH (m) Cleaned air bleed REMARKS REMARKS REMARKS REMARKS REMARKS REMARKS REMARKS REMARKS REMARKS REMARKS REMARKS REMARKS REMARKS
WARKS Ch O2 Ch O3 Ch O4

PG ___ OF ___

PG ___OF___

AS ST LATITUDE LATITUDE DEG MIN DEG MIN DATE JD= PRESS SN DEG MIN DEG MIN DAY MO YR JAC 1 S S I N 1 74 37 0 0 0 1 0 7 TIMES JD/TIME START DOWN TEMP SN AT DEPTH COND SN DEPTH PRESSURE PRI. TEMP. SEC. TEMP 30 10 10 10 10 10 10 10 10 10	12	11	10	9	_∞	7	0	5	4	ω	2			POS	SE	PR	SE	PR	PR	SB			S 2	₽ 6
ATTUDE LONGITUDE DATE JD TIME DRY WET STANDARY MO YR HR MMN CO CO GRO YE STANDARY MO YR HR MMN CO CO GRO YE STANDARY MO YR HR MMN CO CO GRO YE STANDARY MO YR HR MMN CO CO GRO YE STANDARY MO YR HR MMN CO CO GRO YE STANDARY MO YR HR MMN CO CO GRO YE STANDARY MO YR HR MMN CO CO GRO YE STANDARY MO YR HR MMN CO CO GRO YE STANDARY MO YR HR MMN YE YR HR MMN	2	_	0			H	 								C CO	?I CON	CTEN	N TEM	ESS S)Ë 9+	3 to 14	D	ONS C AST	RV TG TI
TINDE LONGITUDE DATE JD= CATILI CATILITY CA						0	C	20	30	5	50	24		HATH SAS	ND SN	D SN	PSN	PSN	ž 				_	nomps
TIMES JOTINE DATA ON AT DEPTH AT SURFACE AT SURFACE PRI TEMP. SEC. TEMP PRI TEMP. SEC. TEMP SALINITY SALIN													P								1-1-1	ĭ	ATITUI	S
LONGITUDE DATE JD= TIME DRY WEIT STATE													RESSI								15		Œ	
ONGSTILDE DATE LD= TIME DRY WET SO STATE BOTTON STA. ONGSTILDE DATE LD= (GMT) BULB BULB SO STA STA STA STA STA STA STA STA STA STA													JRE		Ž	ΑŢ	<u> </u>	LSTA	DAI	T M	_	D.	- :-	
TIME DRY WET					_	-								CTD C	AR S/	SURFA	DEPTH	RT DC	NO A	ES	143	G	LON	
TIME DRY WET SEATON (GMIT) BULB BULB RE SEA SISSION WIND DEEPTH NAME/ID HR MIN (*C) (*C) (mb) * (deg) (m/s) * * (m) OQ 0 3 44 8 1 21 303 1 9 1 2 2 1													P	ONVE	j Z	CE	_	Ň			7.	Z	GITUD	
TIME DRY WET SEATON STA. (GMT) BULB BULB RE SEA SIBLE SEA SIBLE RE SEA													RI. TEN	RTED						JD/			m	
TIME DRY WET SEATON STA. (GMT) BULB BULB RE SEA SIBLE SEA SIBLE RE SEA							L						P	MONI						TIME	V 03	DAY	DATI	
TIME DRY WET SEATON (GMIT) BULB BULB RE SEA SISSION WIND DEEPTH NAME/ID HR MIN (*C) (*C) (mb) * (deg) (m/s) * * (m) OQ 0 3 44 8 1 21 303 1 9 1 2 2 1													SE	「OR W	¥						ဂ	<u>₹</u>	E JD=	1 7
TIME DRY WET SEATON (GMIT) BULB BULB RE SEA SISSION WIND DEEPTH NAME/ID HR MIN (*C) (*C) (mb) * (deg) (m/s) * * (m) OQ 0 3 44 8 1 21 303 1 9 1 2 2 1													C. TEM	ALUES	LUOR						0	YR		= 5
DRY WET SO THE NUMBER AND LETTER NAME/ID (*C) (*C) (*C) (*C) (*C) (*C) (*C) (*C)					L		L	L					₽		S/N				Tape			퓠	TIN (GN	1. 6
RE HE S S S S S S S S S													SALIN						/Diske		20	<u>S</u>		-
WET SITE WIND WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PRISE A SIB WIND OF HEAD STA. BULB PTH NAME/ID OF													lΤΥ						tte ID	_	•	(ိုင်)	DRY BULB	2
TLE SAMPLE BOTTLE NUMBER Sal Nutr Chl 02 02-T														SAN)ATA L	X	(°)	B∟≪	USUB 1.D.
TLE SAMPLE BOTTLE NUMBER Sal Nutr Chl 02 02-T												:	Salinit	NPLE E	Oxyge				File	OCAT				
WIND OUTOM STA. SPD. CLEPTH ABOTTOM STA. SPD. CLEPTH NAME/ID (m/s) * * * (m) Cleaned air bleed valve MAX. DEPTH = 75 m MAX. DEPTH = 75 m SAMPLE BOTTLE NUMBER 83 63 63 64 65 65 65 66 67 67 67 67 67 67													<u> </u>	90TTL	"				Nam	Ŏ.	2 /	*	OEA OTATE]
WIND OUTOM STA. SPD. CLEPTH ABOTTOM STA. SPD. CLEPTH NAME/ID (m/s) * * * (m) Cleaned air bleed valve MAX. DEPTH = 75 m MAX. DEPTH = 75 m SAMPLE BOTTLE NUMBER 83 63 63 64 65 65 65 66 67 67 67 67 67 67													Sal	П					e/Hea		2	* (de	VISIBILITY ☐ ≦	1
REPTH STA. HEAT BOTTOM STA. HEAT BOTTOM STA. DEPTH NAME/ID HEAT BOTTOM STA. DEPTH NAME/ID HEAT BOTTOM STA. DEPTH NAME/ID HEAT BOTTOM NAME/ID HEAT BOTTOM NAME/ID The state of the stat						(-0)		1	, TK)	~1	11		_	S,			ļ		der			g) (m/	N. WII	9
REPTH STA. HEAT BOTTOM STA. HEAT BOTTOM STA. DEPTH NAME/ID HEAT BOTTOM STA. DEPTH NAME/ID HEAT BOTTOM STA. DEPTH NAME/ID HEAT BOTTOM NAME/ID HEAT BOTTOM NAME/ID The state of the stat						4	86	35	7	53	52		lutr	MPLE	Z.	M				R	2	(S)	D € CLOUD (amt)	
STA. NAME/ID O2-1 O2-1 O2-1 O2-1													Chl	вотт	TRANS	X. DEF	Cleane			MARK		*	WEATHER	- P
STA. NAME/ID O2-1 O2-1 O2-1 O2-1						\vdash						S	ု	LE NO	S/N		d air t			S	4	(E)	30ТТС DEPT	1,2
STA. STA. AME/ID		-				-			7	<u> </u>				MBER		1,4	pleed v					H		1
		_				$oxed{}$	_	L	1			8	<u> </u>				/alve				JA P		STA.	
<u> </u>									092				Oth			12							<u> </u>	\top
2, 2, 2, 2				<u> </u>		5	Ŷ.		<u> </u>	\ <u>\</u>		<u></u>									7			

PG ___OF___

02 = 091, 092 No - 54 55 56

PG __ OF __

PG

| 유 |

N2-60,61,62

12	11	10	9	∞	7	თ	ഗ	4	ω	2			POS.	SEC C	PRI C	SEC T	PRI TE	PRESS SN	SBE 9+	0.50	CONS C CAST	VESSEL RV TG T
					0	ō	20	30	E	0	45		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	-	DEG 62	_	VESSEL RV TG Thompson
												PRESSURE					:			MIN - 1	LATITUDE	
												RE	CTD (PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	たしい	LON	
		ł										PRI. TEMP	CTD CONVERTED MONITOR VALUES	Z 	CE	1	NWN	ı	J.		LONGITUDE	
												ľ	MONITOR						JD/TIME	N KVO SONS TO	DATE JD=	PR(
												SEC. TEMP	VALUES	FLUOR S/N	y 	[I -	1 1		YR F		PROJECT & LEG
					_							SALINITY		Ž				Tape/Diskette ID			TIME (GMT)	11
												YTI	S					tte ID	DAT,	7	DRY BULB	DSDB I.D.
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File N	DATA LOCATION	 	PRESSURE	
												Sal	TILLE					File Name/Header	Z	*	SEA STATE VISIBILITY DI SEN N. D	
												Nutr	SAMPLE		MA		']	er	R	(m/s) *	ΥΝΟ CLOUD (amt)	STATION
												СЫ	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned ai			REMARKS	1	TYPE WEATHER BOTTOM	STATION DESIGNATION
					120 7/		<u> </u>	115 0,2				O2 O2-T	NUMBER		1	Cleaned air bleed valve					NOTTOM STA. DEPTH NAME/ID	FION SZ-
					65			2 64			63				a	le le				4	e/ID	

PG ___ OF ___

4

PG

| 유

N2 = 66, 67, 68 02-136,142

TIME DRY WET STATE WIND WIND OF HE MARKS DATA LOCATION TAPE/DISKette ID PRI. TEMP. SEC. TEMP SALINITY Salinity	12	1	10	9	8	7	G	5	4 20	3 30	2 40	1 3	PRESSURE	POS. TRIP CTD CC	COND SN	PRI COND SN AT SURFACE	SEC TEMP SN AT DEPTH	PRI TEMP SN START DOWN	PRESS SN DATA ON	SBE 9+ TIMES	05262 (2.02N17242.5	LATITUDE	RV 1G Inompson
MME DRY WET BY AND WIND WIND OF HER BOTTOM BULB BULB BY ALE BOTTOM BULB BULB BY ALE BOTTOM BULB BOTTOM BULB BOTTOM BULB BOTTOM C'C) ("C) (mb) * ' (deg) (m/s) * ' ' ' (m) PATA LOCATION BATA LOCATION File Name/Header POXYGEN SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE NUMB A 1 1 A 12 A 14 A 15 A 15 A 14 A 15 A 15 A 14 A 15 A 15 A 14 A 15 A 15 A 16 A 17 A 16 A 17 A 16 A 17 A 18 A 18 A 19 A 19 A 19 A 19 A 19 A 19 A 19 A 19													·	INVERTED MONITOR VALUES		H	1	N		JD/TIME	lw 30ct07	DATE JD=	- 2
TLE SAMPLE BOTTLE NUMB SSI Nutr Ch O2 A 11 A 14 A 15 A 15 A 16 A 17 A 16 A 17 A 18 A 18 A 19 A						:								SAN					ape/Diskette ID	DATA L	4.0	DRY	-
WARKS WEATHER WEATHER WEATHER WEATHER WARKS WARKS WARKS WARKS WARKS WARKS							AI	2.5 子	Aiq	Ai	AU	A I	Sal						File Name/Header	OCATION	20 025	PRESSURE	
							14 P			1241			Chl 02	IPLE BOTTLE NUMBER	TRANS. S/N	:	Cleaned air bleed valve			REMARKS	75 45	* WEATHER DEPTH DEPTH	

10	<u> </u>	10	9	8	7	6	01 9	4 ي ن	3 30	2 40	1 50		POS. TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN _	SBE 9+	053 62 083	CONS C CAST	RV TG Thompson
												PRESSURE		N	_					20 MIZ	LATITUDE	son
													CTD CONVER	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG MIN	ONGI	
												PRI. TEMP. SEC.	CTD CONVERTED MONITOR VALUES]				JD/TIME	03W030c	DATE	T Q
												TEMP	ALUES	FLUOR S/N				Tape/Diskette ID		t 0 7 2 0 5 7		T N 2 1 1
											01	SALINITY S	SAMF					kette ID	DATA LOCATION	T 3	W \	00001.0.
											215 615	Salinity Sal	SAMPLE BOTTLE DATA	Oxygen				File Name/Header	CATION	<u>ک</u> 3	PRESSURE	
						316 -	1315	314	3 3	(d)	5 311 -	Nutr	SAMPLE BO	TRA	MAX. []	der	REMARKS	1.9 CE 0 C.		2
									. `		145 -0,3	Chl 02 02-T	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air bleed valve			₹KS	56 SL	воттом рертн	SIMILION DESIGNATION SS-
						4						Other			3	Ve				10	STA. NAME/ID	

PG_OF_

PG __OF __

DRY BULB	Tape/Disk	FLUOR S/N	CTD CONVERTED MONITOR VALUES	PRI. TEMP. SEC. TEMP SALIN			Water for WHY freezes									
WET SSTATY BULB PREADER (°C) (mb)* * (deg) (m/s) * * * (m) TALOCATION REMARKS REMARKS	Tape/Diskette ID File Name/Header Cleaned air bleed valve MAX. DEPTH = 7-0	. Noxygen			TEMP SALINITY Salinity Sal	TEMP SALINITY Salinity Sal Nutr	TEMP SALINITY Salinity Sal Nutr	TEMP SALINITY Salinity Sal Nutr	TEMP SALINITY Salinity Sal Nutr 205 205 13	TEMP SALINITY Salinity Sal Nutr 205 205 13 403 15	TEMP SALINITY Salinity Sal Nutr 205 205C11 13 14 15	TEMP SALINITY Salinity Sal Nutr 205 205C 11 13 14 15	TEMP SALINITY Salinity Sal Nutr 205 205C 11 13 14 15	TEMP SALINITY Salinity Sal Nutr 205 205 13 14 15	TEMP SALINITY Salinity Sal Nutr 205 205C 11 13 14 15 16	TEMP SALINITY Salinity Sal Nu

PG ___ OF ___

PG ___OF ___

PG

_ OF

0, 17/ 172

	TIME DRY WET WE SO SO SO WIND WIND OF WIND WIND OF WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND OF WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND OF WIND WIND OF WIND WIND OF WIND WIND OF WIND OF WIND WIND OF WIND OF WIND WIND OF WIND OF WIND WIND OF WIND OF WIND OF WIND OF WIND WIND OF WIND OF WIND OF WIND WIND OF WIND
TIME DRY WET WET WET WET WET WET WET WET WET WET	TIME DRY WET SS STALL (GMT) BULB BULB PR SS SIBIL HR MIN (°C) (°C) (mb) * (deg) (m/s) * DATA LOCATION Tape/Diskette ID File Name/Header SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE SAMPLE BOTTLE DATA SAMPLE BOTTLE SAMPLE
WET SSU TA BULB PRESSU TA LOCATION File Name Sample Bott Data Salinity Salinity	WET SS STAIL BULB PR SE SI DIRN, SPD. CL (°C) (mb)* * (deg) (m/s) * File Name/Header SAMPLE BOTTLE DATA Salinity Sal Nutr E3 E4 E7
	SAMPL SAMPL

Cirry

PG | 유

PG ___ OF __

12	=	10	9	œ	7	თ	თ	4	ω	2			POS.	SEC C	PRI C	SEC T	PRI TE	PRESS SN	SBE 9+	CONS C C CAST	VESSEL
					0	ő	8	30	07	60	65		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN 	+	DEG DEG	۳
												PRESSURE								LATITUDE MIN N	
												íñ	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	LONO DEG	
												PRI. TEMP	CTD CONVERTED MONITOR VALUES	Z I	\CE	<u> </u>	NW 		JD/	LONGITUDE MIN	
												ľ	MONITOR	8					JD/TIME	DATE JD=	ר ל ל
									:			SEC. TEMP	VALUES	FLUOR S/N		· 	<u>'</u>	<u>'</u>		† 0 7 R	PROJECT & LEG
												SALINITY		Z		!		Tape/Diskette ID		TIME (GMT)	G.
		-										Ţ	S					tte ID	DAT,	DRY BULB (°C)	טאטאו.ט.
												Salinity	SAMPLE BO' DATA					File N	DATA LOCATION	CC B WET PRESSURE PRESSURE SEA STATE	Ċ
											210	Sal 🐧	BOTTLE TA					File Name/Header	~	* SEA STATE * VISIBILITY OUT OF THE PROPERTY	
					67	66	68	64	м 0	ල ව	ි -	Nutr	SAMPLE	1 2	M/			<u> </u>	R	(m) SP ED (w) * CLOUD (amt) (v) * TYPE	OIAION
					7	7	2	ζ.	1	:	_	СЫ	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned a			REMARKS	* TYPE * WEATHER DECLORED	STATION DESIGNATION
											176	02 02-T	NUMBER	Ž	11	Cleaned air bleed valve				BOTTOM STA. DEPTH NAME/ID (m) 7170M1	
											179	Other	!	_	3	(D)	<u> </u>			7	
					21	7			7	L	L		1								

PG ___OF ___

PG ___OF_

PG ___OF__

12	<u> </u>	10	ဖ	8	7	о	5	4	ω	2	_		POS. TF	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	# DEG	CONS C CAST	VESSEL RV TG Thompson
					0	Ō	20	30	F	50	₹ 	PRESSURE	TRIP DEPTH	DSN	NS	PSN	SN			DEG MIN		ompson
	•											PRI. TEMP.	CTD CONVERTED MONITOR VALUES	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES JD/TIME	DEG MIN DAY N	7 2 4	PR
												SEC. TEMP SALINITY	₹ VALUES	FLUOR S/N				Tape/Diskette ID	DA:	7 2	TIME DRY	PROJECT & LEG DSDB I.D. T N 2 1 1
											*263	Salinity Sal	SAMPLE BOTTLE S DATA	Oxygen				File Name/Header	DATA LOCATION	7 (mb) P	PRESSURE EA STATE ISIBILITY ON WIND CLOUD (amt)	
					4		55	C4	(3	62	C1 202 0,0 207	Nutr Chi O2 O2-T Other	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH = m	Cleaned air bleed valve			REMARKS	(w)	VEATHER	STATION DESIGNATION

PG ___OF __

		12
		11
		10
		9
		8
		7 0
		6 10
		5 20
		4 30
		3 \$
		2 50
		1 70
MP. SEC. TEMP SALINITY	PRESSURE PRI. TEN	PR
MONITOR VALUES	CTD CONVERTED	POS. TRIP DEPTH
FLUOR S/N	PAR S/N_	SEC COND SN
	AT SURFACE	PRI COND SN
	AT DEPTH	SEC TEMP SN
	START DOWN	PRI TEMP SN
Tape/Diskette ID	DATA ON	PRESS SN
TIME DATA LOCATION	TIMES JD/	SBE 9+
001071245	26.	46.
JD= (GMT) E	LONGI	CONS C CCAST # LATITUDE
		RV TG Thompson
		V/E00EI
	TIME DRY (GMT) BULB HR MIN (°C) S/N P SALINITY P SALINITY	PROJECT & LEG DRY TIME DRY COMIT DEG MIN DAY MO YR HR MIN (°C) SN 1-7 2-6 MO YR HR MIN (°C) START DOWN AT SURFACE PRI. TEMP. SEC. TEMP SALINITY

PG ___OF___

9

5/2

				_	_	_				Π		ı	-	l co	TI	(0			ľ			77 /
12	11	10	မ	8	7	6	51	4.	ω	2			POS	ЖС С	RI CC	EC T	Ř	PRESS SN	SBE 9+	6 9	CONS C CAST	VESSEL RV TG T
					0	- 0	20	30	ŧ	S	66		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	+	さる で 0mg		VESSEL RV TG Thompson
		:		:								PRESSURE								2.91 _N	LATITUDE	
												ñ	CTD	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1 7 1 °	LO	
											,	PRI. TEMP	CTD CONVERTED MONITOR VALUES	 	ACE	I	OWN I	_ 	JI	MIN DAY	LONGITUDE	
						21						EMP.	D MONITO	•					JD/TIME	DAY 0 6 0		
		,										SEC. TEMP	R VALUES	FLUOR S/N						MO YR	ļ ["]	PROJECT & LEG
														S/N				Tape/Diskette ID		HR MIN	TIME (GMT)	LEG 1 1
												SALINITY	-					kette ID	DA:	4. c	DRY	DSDB I.D.
			Í									Salinity	SAMPLE BOTTLE DATA	Oxygen		 	 	File	DATA LOCATION	(°C)	WET]
					23		<u> </u> 						BOTTLE FA	l s				File Name/Header	NOI	40 (mb) * *	PRESSURE SEA STATE VISIBILITY	
					9	ণ	9	40	6-3	ج	5	Sal N	SA					leader		(deg) (m/s)	VISIBILITY DIRN. WIND CLOUD (amt)	STA
					4	6	N	t	2	0-2	10	Nutr	MPLE		MAX	<u>_</u>			REM	⊗ <u>°</u>	CLOUD (amt)	NOIL
												Chl	3017116	TRANS. S/N	MAX. DEPTH =	leaned			REMARKS	*	WEATHER	STATION DESIGNATION
	i										220	02 C	SAMPLE BOTTLE NUMBER	N/S	ゴ ゴ	Cleaned air bleed valve				(E) 44	BOTTOM DEPTH	- ()
				,			_				0.1 2	02-T	, zi		3	valve				0 m 2	STA. NAME/ID	71-1
											222	Other		,						N		

TIME	12	11	10	9	8	7	6	σ ₁	4	3	2	1		POS. TF	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	s0t	DEG	CONS C CAST	VESSEL RV TG Thompson
TIME DRY WET STANDED TOWN STAND						0	0	20	30	10	0.5	65	PRESS	TRIP DEPTH	DSN	NS (NS	NS			1 1	I I.	LATITUDE	ompson
TIME DRY WET STATE TIME DRY WET STATE TIME DRY WET STATE TIME DRY WET STATE TIME DRY WET STATE TIME DRY WET STATE TIME DRY WET STATE TOWN OF THE MININ CC) (CO) (mb) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (ms) (-1 (499) (ms) (ms) (-1 (499) (ms) (ms) (ms) (-1 (499) (ms) (ms) (ms) (ms) (ms) (ms) (ms) (ms	,												URE	CTD CON	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	011	DEG N	LONGITI	
TIME DRY WET SUSTAILE STALE COMMIND WIND DRY WET SUSTAILE STALE ST													PRI. TEMP.	VERTED MONITO						JD/TIME	.69 WO60	DAY		
WET SUBJECTION STA. BULB P. EASISIS WIND WIND CLY WIND CL	:			:									SEC. TEMP)R VALUES	FLUOR S/N			 	Tap		c t 0 7	Ϋ́R		T N 2 1 1
Sallinity Sallinity		:											SALINITY		•				e/Diskette ID	D,	4.	-		
WIND WIND DO CHARKS DIRN. SPD. CLYPE BOTTOM STA. (deg) (m/s) * * * (m) I (t) 8 DEPTH NAME/I (deg) (m/s) * * * (m) REMARKS //Header													Salinity	SAMPLE BOTT DATA	Oxygen				File Nar	ATA LOCATION		(mb)	PRESSURE	
MARKS STA. STA. STA. STA. STA. (m) T220 * (m) PEANIS. S/N BOTTLE NUMBER Chi O2 02-T Chi O2 02-T						07	<u> </u>	رمح	8/	Δ,	57	18/							ne/Header		141	4 1	ACIDILITY	
		R				4	6	<u>۷</u>	4	3	~	2	ChI	MPLE BOTTLE I	TRANS, S/	MAX. DEPTH	Cleaned ai			REMARKS		* \	WEATHER	
			,							<i>j</i>		\Box		NUMBER	Ž	= =	ir bleed valve				ナスナのかる			1-2-1

PG ___ OF ___

molky green?

POS. PRI COND SN SBE 9+ CONS C CAST VESSEL SEC COND SN SEC TEMP SN PRI TEMP SN RV TG Thompson PRESS SN 10 9 ω တ G 7 ယ N DEPTH 5926. 8 DEG 0 50 TRIP o G S $\overline{\circ}$ LATITUDE MN PRESSURE ر رب Z 17054.34WO60ct AT SURFACE AT DEPTH START DOWN TIMES DATA ON DEG PAR S/N CTD CONVERTED MONITOR VALUES LONGITUDE MIN PRI. TEMP **JD/TIME** DATE JD= PROJECT & LEG ⊣ z SEC. TEMP FLUOR S/N 072105 ¥ 2 11 HR MIN Tape/Diskette ID TIME (GMT) SALINITY DRY BULB S ි ෆ් DSDB I.D. DATA LOCATION SAMPLE BOTTLE WET BULB (ိ Oxygen Salinity DATA File Name/Header 1990 (mb) * PRESSURE SEA STATE
VISIBILITY
DIR W. D. W. D. D. D. D. CLOUD (amt)
TYPE
WEATHER 000 Sal 1202087 (deg) (m/s) STATION DESIGNATION C13 61 SAMPLE BOTTLE NUMBER 410 Nutr 7 MAX. DEPTH = REMARKS Cleaned air bleed valve TRANS. S/N 오 S Church BOTTOM DEPTH 3 2 STA. NAME/ID 02-T 2WOL 3 Other

0

PG 유

Milky scer water

VESSEL RV TG Thompson POS. SBE 9+ CONS C CAST SEC COND SN PRI COND SN SEC TEMP SN PRI TEMP SN PRESS SN 7 10 9 ∞ o, S ယ 735920 DEPTH DEG 0 07 OC 50 30 LATITUDE S PRESSURE s 57 AT SURFACE TIMES AT DEPTH START DOWN DATA ON DEG PAR S/N 7039.35W CTD CONVERTED MONITOR VALUES LONGITUDE PRI. TEMP **JD/TIME** DATE JD= 60 c t 0 7 PROJECT & LEG ⊣ Z SEC. TEMP FLUOR S/N 놨 2 2 3 3 3 Tape/Diskette ID HR MIN TIME (GMT) SALINITY DRY BULB <u>ී</u> DSDB I.D. DATA LOCATION SAMPLE BOTTLE
DATA WET BULB ු ල Salinity Oxygen File Name/Header 064 PRESSURE 27 Sal 9 1 080 (deg) STATION DESIGNATION (m/s) 15 E13 こう SAMPLE BOTTLE NUMBER F15 FH Nutr *₩* MAX. DEPTH = REMARKS Cleaned air bleed valve TRANS. S/N 웃 So rely BOTTOM DEPTH 235 3 2 65 70M2 STA. NAME/ID 02-T 3 01919 3 なま Other R

PG . 유

milky seen witer

DEG MIN DEG MIN DAY MO YR HR MIN (°C) TIMES JD/TIME DATA LOCATION REMARKS	SS SN TEMP SN TEMP SN COND SN COND SN TRIP DEPTH DEPTH 0 2 50 40	LONGITUDE DATE JD- DEG MIN DAY MO THO 24 . 7 8 W 7 0 c IMES JD/TIME TART DOWN TOEPTH CTD CONVERTED MONITOR V PRI. TEMP. SE PRI. TEMP. SE	TIME DRY (GMT) BULB HR MIN (°C) Ologo 3.2 Tape/Diskette ID P SALINITY	TE me/Header sal sal sal sal sal sal sal sal sal sal	REMARKS CLIEATH BOTTOM STA. CLIEATH BOTTOM STA. * * (m) * * (m) * * (m) * TRANS. S/N PLE BOTTLE NUMBER PLE BOTTLE NUMBER PLE BOTTLE NUMBER * Chi 02 02-T * O2 02-T *	
DATA ON Tape/Diskette ID		PRESS SN	DATA ON	Tape/Diskette ID	File Name/Header	
	DATA ON Tape/Diskette ID	PRI TEMP SN	START DOWN			
АТ DEPTH	DATA ON Tape/Diskette ID START DOWN	SEC TEMP SN	AT DEPTH			Cleaned air bleed va
AT SURFACE	DATA ON START DOWN AT DEPTH Tape/Diskette ID File Name/Header	PRI COND SN	AT SURFACE	1	J	MAX. DEPTH =
PAR S/N _ FLUOR S/N _ Oxygen	DATA ON START DOWN AT DEPTH AT SURFACE Tape/Diskette ID File Name/Header	SEC COND SN		LUOR S/N	Oxygen	TRANS. S/N
TRIP CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DEPTH DATA	DATA ON START DOWN AT DEPTH AT SURFACE PAR S/N _ FLUOR S/N . Tape/Diskette ID File Name/Header		CTD CONVERTED MONITOR VA	:		PLE BOTTLE NUMBER
PRI. TEMP. SEC. TEMP SALINITY Salinity Sal Nutr Chi O2	SS SN DATA ON Tape/Diskette ID File Name/Header TEMP SN START DOWN TEMP SN AT DEPTH COND SN AT SURFACE COND SN AT SURFACE TRIP DEPTH TRIP DEPTH TRIP DEPTH TRIP DEPTH TRIP DATA ON Trip START DOWN Trip START DOWN Trip Nowygen SAMPLE BOTTLE SAMPLE SAM	PRESSI	PRI. TEMP.		ک کر کر Sal	Chl O2
62 <> DII	SS SN DATA ON Tape/Diskette ID File Name/Header File Name/Header TEMP SN START DOWN AT DEPTH START DOWN START DOWN<			<i>t</i>		
0.5	Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Disket				ים	2
00	Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID File Name/Header Tape/Diskette ID Tape/Disket				0	\omega_{\omega}
30	Tape/Diskette ID				ي	
<u> </u>	SS SN	l			Ū	ν,
	SS SN				2	6
	SSSN				5,	
0 255 217	SSSN			1		
0 255 217	SSSN					
255 217	SSSN					
0	SSSN					
255 277	Tape/Diskette ID				_	

12	1	1 0	9	ω	7	တ	5	4	ω	2	_		POS,	SEC (PRI C	SEC 1	PRI T	PRESS SN	SBE 9+	7	CONS C CAST	RV TG T
	-				0	0	00	30	40	50	100		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	٦	745901	25	RV TG Thompson
					-							PRESSURE	/							6.45 N	LATITUDE	
			·									Æ	CTD (PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1701	LON	
												PRI. TEMP	CTD CONVERTED MONITOR VALUES	Ž 	ÅCE	<u> </u>	NW 	I	JD	4.85W	LONGITUDE	
												·	MONITOR						JD/TIME	W 70 c	DATE JD=	-
							-					SEC. TEMP	/ALUES	FLUOR S/N		· 	· 	· Ta		t 0 7	5	T N 2 11
												SALINITY			·			Tape/Diskette ID		01503		
]						∀ ≡	SA					e ID	DATA	ω ς	<u>ω</u> .	
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File Na	DATA LOCATION	05	PRESSURE	
											025	Sal	TLE					File Name/Header	-	940 (Gan)	* SEA STATE * VISIBILITY OF PRINCE * VISIBILITY OF PRINCE * VISIBILITY	
					413	から	53	F14	الم	10	וים	Nutr	SAMPLE		MA		']	<u> </u>	RE	20 (E)	SPD. WIND * CLOUD (ami	<u>)</u>
					L							СЫ	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned a			REMARKS	Ø	* TYPE * WEATHER PB 0	74
											003	O2 O2-T	NUMBER	Ž	II	Cleaned air bleed valve				6970	Ξ≅	1-6-1
											032	「 Other			3	lve				TO MOT	STA	<u> </u> -
			<u>. </u>		100	,			L	I	62	$\overline{}$		_	<u> </u>							



PG ___OF__

12	11	10	9	8	7 0	6 10	5 20	4 30	3 40	2 50	1 65		POS TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	388 5	# DEG LA	<u> </u>	RV TG Thompson
												PRESSURE								6.87 N	MIN	1 1 5 1	ă
													CTD CONVE	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	17019.	DEG MIN		
												PRI. TEMP. S	CTD CONVERTED MONITOR VALUES		i				JD/TIME	60 W 70 c	DAY MO		
												SEC. TEMP S	VALUES	FLUOR S/N				_ Tape/L		t 0 7 0 3 4 a	ÝR -	TIME	T N 2 11
												SALINITY	S					Tape/Diskette ID	DAT/	ล 3.9	(°C)	DRY	
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File Name/Header	DATA LOCATION	. 064	* 0	RESSURE	
					D	A	14	Æ	A	いた	246) A1	Sal Nutr						/Header		063 19	(deg) (m/s)	SIBILITY SIND SIND SIND SIND SIND SIND SIND SIND	
					7	6	7	A 1	7	w 7		ıtr Chl	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned			REMARKS	361	* V	VEATHER	77-
											37	O2 O2-T	NUMBER	S/N	65/	Cleaned air bleed valve				7270MB	(m)		77-1
					م						9	∂ુ Other			3					<i>ન</i> ી છે	[ē		

Jam /

SBE 9+ CONS C CAST SEC COND SN PRI COND SN SEC TEMP SN PRI TEMP SN PRESS SN RV TG Thompson VESSEL 12 0 တ 765846.43 NI 7017.58 W DEPTH 050 65 DEG O P 30 TRIP 040 0 LATITUDE S Z PRESSURE AT DEPTH START DOWN YPAR S/N DATA ON TIMES AT SURFACE DEG CTD CONVERTED MONITOR VALUES LONGITUDE MN PRI. TEMP JD/TIME DATE JD= 70 c t 0 70512 PROJECT & LEG FLUOR S/N SEC. TEMP HR MIN Tape/Diskette ID TIME (GMT) SALINITY T (i) BULB BULB ြိ DSDB I.D. DATA LOCATION SAMPLE BOTTLE Oxygen WET BULB ြင့ Salinity DATA File Name/Header 9 (mb) PRESSURE SEA STATE
VISIBILITY
DIR VIN
VIN
VIN
VIN
VIN
CLOUD (amt)
TYPE
WEATHER 442 00400 Sal (deg) (m/s) STATION DESIGNATION ળ પ્ર SAMPLE BOTTLE NUMBER ير س 36 なな 57 T Nutr H TRANS. S/N MAX. DEPTH = 65 REMARKS Cleaned air bleed valve 4 윤 BOTTOM DEPTH Q Q 3 **N** 2 イロス 02-T STA. NAME/ID other O 3 M 102 õ <u>ح</u> دو

pcland

PG ___OF_

multy sneen water

12	1	10	မှ	ω	7	6	თ	4	ω	2			POS.	SEC (PRI C	SEC 1	PRI TI	PRESS SN	SBE 9+	77	CONS C CAST	RV TG T
				0	0	10	20	30	40	20	67		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN 	+	5 8 3		RV TG Thompson
				1	\downarrow							PRESSURE				1				7.00 00	LATITUDE	ñ
		1			Â							URE	СТВ	O RAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	N 1 70		
				,								PRI.	CTD CONVERTED MONITOR VALUES	N/S	FACE	로	NWOC	Z		1 6 . S:	LONGITUDE	
												PRI. TEMP.	ED MONITO						JD/TIME	DAY 70	Im	-
												SEC. TEMP)R VALUES	FLUOR S/N						MO YR	JD.	T N 2 1
											,			N/S				Tape/Diskette ID		O TO WIN	TIME (GMT)	1 1
												SALINITY						kette ID	DA:	4 . 4 (°C)	DRY	
												Salinity	SAMPLE BO DATA	Oxygen				File	DATA LOCATI	(°C) (n	₩ ¬	
										25		, Sal	BOTTLE TA] -		į		File Name/Header	TION	(mb) * (d	SEA STATE	
				5	(F)	00	C 5	64	C	なり	6	ıl Nutr	SAMP					ader	_	(geg) (m/s)	WIND SPD.	
				K			- }	91				Chl	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned			REMARKS))	WEATHER	-1-4
											579	02 02-T	E NUMBER	S/N	H= 67	Cleaned air bleed valve				7370	±≅	19-1
											6		~~		# m	/alve	ļ,			<u>Ω</u>	STA. NAME/ID	
						æ					0	Other								-		

PG __OF __

12	11	10	9	 ∞	7	<u></u> б	ڻ ن	4	ω	2		1	POS	က္ဆ	무	SE	P	PF	က္ဆ			O Q	▷ 등
2		0		۳), 	ļ	-		-	<u> </u>			C CO	RI COI	EC TE	PRI TEMP SN	PRESS SN	SBE 9+	7958		CONS C CAST	VESSEL RV TG T
					0	õ	20	30	5	2	89		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	AP SN	SN I		W.	DEG	_	VESSEL RV TG Thompson
					1									_		-				17.	<u>M</u>	LATITUDE	son
												PRESSURE								OON		JDE	
					2 to 1 to 1 to 1 to 1 to 1 to 1 to 1 to							SURE		Ļ	>.	<u> </u>	S	0					
					A VALUE OF THE REAL PROPERTY.								CTD	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	170	DEG	5	
					B. N. St. Amount may by By Bray.								CTD CONVERTED MONITOR VALUES	S/N_	FACE	크	DOWN	Z		ß	2	LONGITUDE	
					A per perfection assumed that to the							PRI. TEMP	VERTE			1	_ 	ı	د	05.7:	<u>≼</u>	DE	
					and the second second							EMP.	OW G						JD/TIME	2w070	Ď	Q	
		_			1					\vdash			NITOR						""		DAY MO	DATE JD=	PR
												SEC. TEMP	: VALC		1	I		l		c t 0	Н		PROJECT T N
												EMP	, IES	FLUOR S/N	_		1	<u></u>		7	Ж		~ ₩
												S.		ļ ^z				Tape/Diskette ID		1037	HR MIN	TIME (GMT)	1 G -
					1							SALINITY						skette		44.		<u>в</u> в	
					ì							~						ö	DA	· γ	(°C)	DRY	DSDB I.D.
												S	SAME			l	l,		DATA LOC.		(°C)	WET	, E
												Salinity	SAMPLE BOTTLE DATA	Oxygen	\			File	CATION		(mb)	PRESSURE	
Щ		-)								OTTLE					Vame	ž	1	<u>ь</u> *	SEA STATE	
					252							Sal						File Name/Header		340	(deg	SEA STATE VISIBILITY DIRN. D. WIND CLOUD (amt)	
					87	BL	28	Bu	\(\infty\)	ω	W	Nutr	SAI			I	1	ег		ط را ک	(deg) (m/s)	I. SPD	STA
Н					47	6	d	4	63	N		utr	MPLE	1	MΑ	Ę			REN		*	CLOUD (amt) TYPE	NOIT
												CHI	вотп	TRANS. S/N	MAX. DEPTH =	leane			REMARKS		*	WEATHER	DESIG
											90	02	SAMPLE BOTTLE NUMBER	S/N	HT	Cleaned air bleed valve			0,	4	(m)	ВОТТОМ	STATION DESIGNATION
H	-										_	2 02-T	MBER			leed v				37			70.00
Щ										<u> </u>	4	H			3	alve				7370m3		STA. NAME/ID	1-13
											092	Other-			3			[77			\top
				L							~	<u> </u>											

green water

12	11	10	9	8	7	6 10	5 20	4 30	_ω	2 50	1 67		POS. TRIP DEPTH	1ဥ	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	S 45 88	CONS C CAST # DEG	VESSEL RV TG Thompson
												PRESSURE								1.47 N	LATITUDE	on
												E PRI. TEMP	CTD CONVERTE	PAR S/N_	AT SURFACE	AT DEPTH _	START DOWN _	DATA ON _	TIMES	\$52.6	LONGITUDE MIN	
												EMP. SEC. TEMP	CTD CONVERTED MONITOR VALUES	Z FLU					JD/TIME	0 c t	DATE JD=	PROJECT & LEG
								,				EMP SALINITY	JES	FLUOR S/N				Tape/Diskette ID	•	7 1 81 8	TIME C	7 & LEG 2 1 1
												Y Salinity	SAMPLE BC DATA	Oxygen				П	DATA LOCAT	8	DRY WET BULB BULB	DSDB I.D.
					269							y Sal	TLE	ä				ile Name/Header	NOIT	3 32	* SEA STATE * VISIBILITY DIRN. SPD. CLOUD (an	
					43	F6	F5	F4	F3	F2	E1	Nutr Chl	SAMPLE BOTTLE NUMBER	TRANS, S/N	MAX. DEPTH =	Cleaned			REMARKS	2	* TYPE * WEATHER	STATION DESIGNATION % 5-1
				_		_					136 142	02 02-₹.	NUMBER	S/N	43	Cleaned air bleed valve				72 M4	BOTTOM STA. DEPTH NAME/ID	IATION 85-
					ā						8	Other	>		3					 	ID.	

- green water

12	11	10	9	8	7 0	6	5 20	4 30	3 40	2 50	1 65		POS. TRIP DEPTH	1ဥ	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	Q	CONS C CAST LATITU	RV TG Thompson
												PRESSURE			AT	AT	ST/	DA:	TIMES	0 - N	DE -	
												PRI. TEMP	CTD CONVERTED	PAR S/N	AT SURFACE	АТ БЕРТН	START DOWN	DATA ON		843.8	LONGITUDE	
	÷			÷.								MP. SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N					JD/TIME	0 c t 0	DATE JD=	T N 2 1
				:								WP SALINITY	8	R S/N				Tape/Diskette ID		2200	TIME DRY (GMT) BULB	
												Salinity	SAMPLE BOTTLE DATA					File Name/Header	DATA LOCATION		PRESSURE * SEA STATE	
					ଚ	െ	6	େ	<u></u>	(253) 6	9	Sal						e/Header			* VISIBILITY Cloop Miles CLOUD (ami	-
					7 4	60 4	65 1	64 7	63 4	62 /	-	Nutr Chi	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleane	25	(ami	REMARKS	シ め つ	* WEATHER	
											143 144	02 02-Т	LE NUMBER	S/N	651	Cleaned air bleed valve		umululs		N W 1/2	BOTTOM STA. DEPTH NAME/ID	₹6-1
												Other			3						ĮD	

greeny

12	1	10	9	8	7	O	ζ1	4	ω	2	-1		POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	cons c c c c s	VESSEL RV TG T
			Ī		0	ō	0	0	0.7	20	65		TRIP DEPTH	ND SN	ND SN	MP SN	MP SN	SN		# DEG MII	VESSEL RV TG Thompson
												PRESSURE								MIN MIN NO 3 N	
												Ě	CTD C	K PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	LONG DEG	
·												PRI. TEMP	CTD CONVERTED MONITOR VALUES	-	e e	[\ <u>\{\}</u>		/ar	LONGITUDE D	
												ľ	MONITOR	Ž]				JD/TIME	DATE JD=	PRO T
					:							SEC. TEMP	VALUES	K FLUOR S/N		<u> </u>	Г	<u>'</u>		t 0 7	PROJECT & LEG
												SALINITY		Z				Tape/Diskette ID		TIME (GMT) E	<u>=</u> G 1 1
	Þ								10			7	SA	9				ਰ ਹ	DATA	DRY WBULB BULB	DSDB I.D.
										241		Salinity	MPLE BOTTLE DATA	₩ Oxygen				File Na	DATA LOCATION	CO BUENT PRESSURE SEA STATE	
	,					1				24		Sal	TLE					le Name/Header		* SEA STATE * VISIBILITY Output Out	-
			,		416	1716	AIS	1416	743	17/2	DE	Nutr	SAMPLE	<u> </u>	MAX	_	·]	-	REA	(m/s) WIND * CLOUD (amt	STATION
_				. \	<	5	•	•	,	<	_	СЫ	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	leaned air			REMARKS	* WEATHER BOT	STATION DESIGNATION
										_	145	O2 O2-T	UMBER		65	Cleaned air bleed valve				NAME ST	NOI
											146	Other			3		,	- Andrews			

Milly Seeen

12	=	10	ဖ	ω	7	6	5	4	ω	2			POS.	SEC (PRI C	SEC 1	PRI TI	PRESS SN	SBE 9+	<i>∞</i> 0 ≠	CONS C CAST	VESSEL RV TG T
					0	ō	ე გ	30	40	50	63		TRIP	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	+	DEG R 65 7 3	_	VESSEL RV TG Thompson
				i								PRESSURE								MIN N		
												Е	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG 0		
												PRI. TEMP	CTD CONVERTED MONITOR VALUES		e E	l		I	JD	901.16W	<u>1</u>	
													MONITOR	0					JD/TIME Oct	~ N	7	PRG
												SEC. TEMP	VALUES	MFLUOR S/N		ı 	ı 	1	Th.	0 YH		PROJECT & LEG
							_					SALINITY		Z				Tape/Diskette ID		O D S S		116
							İ					ΠΥ	S					tte ID	DAT/	7	DRY	DSDB (.D.
		:										Salinity	SAMPLE BO DATA					File	DATA LOCATION	101 L	RESSURE	, P
						24c						Sal	BOTTLE TA					ile Name/Header	Ž	W is	EA STATE ISIBILITY	
					1317	2 13/6	1315	B/4	8/3	Big	<u> </u>	Nutr	SAMPL	又 又	M.		 	er T	20	(m/s) *	EDUD (amt) YPE /EATHER	STATIO
					(7	5	C	٢	1		СЫ	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned a			REMARKS		YPE /EATHER	STATION DESIGNATION
											149	O2 O2-T	NUMBER	Ž	1= 63	Cleaned air bleed valve				(m) (m) (xwizi		NOILV
											147	Oa,			3	ÎV 0			<u> </u>	7 1 7 X	STA.	

Milley Spen

12	11	1 0	ဖ	8	7	တ	5	4	ω	N	_		POS.	SEC	PRIC	SEC	PRI 1	PRES	SBE 94	48		CONS C CAST	RV TG T
					0	70	Oe	S	0 1	50	29		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+	543	DEG		RV TG Thompson
												PRESSURE								4 . 28 N	MIN	LATITUDE	ä
												ñ	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	1690	DEG	LONG	
												PRI. TEMP	ONVERTED		CE		Ň	1	JD/	3.75w	NIM	LONGITUDE	
													CTD CONVERTED MONITOR VALUES						JD/TIME	00	DAY MO	DATE JD=	
												SEC. TEMP	VALUES	FLUOR S/N						公 包量070	YR		T N 2 1
												SALINITY		ļ. 4				Tape/Diskette ID		9 448 4	HR NIN (TIME D	-
					<u> </u> -								SAN					o ID	DATA LOCA	0	(°C) (°C)	DRY WET	
										Red		Salinity	SAMPLE BOTTLE DATA	Oxygen				File Nan	OCATION	a 1 3	(mb)*	PRESSURE	
										25E		Sal						ile Name/Header		281	* (deg) (m/s)	VISIBILITY DIRN. DWIND	
					410	016	CIS	CIY	C13	CIR	CH	Nutr	SAMPL		×		<u> </u>		22	073	m/s) *	SP N D CLOUD (amt)	
					9	0	,	~	V	1		Chi	E BOTTLE	TRANS. S/N	MAX. DEPTH =	Cleaned			REMARKS	9	*	TYPE WEATHER	
+											150	02 02-T	SAMPLE BOTTLE NUMBER	S/N	н= 63	Cleaned air bleed valve	•			707	(m)	BOTTOM NU	-699
-											种	\Box	:		3	alve				070M36		STA.	-

*

	_			_	_	Τ.			_				77	(0	- 53	. (0			Lo				1-7-
12	11	6	9	00	7	6	Ω	4	ω	2	, 		POS	SEC C	RI C	SEC T	PRI TE	PRESS SN	SBE 9+	8		CONS C CAST	VESSEL RV TG T
					0	10	00	30	017	50	6		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN		885750	DEG		VESSEL RV TG Thompson
				<u> </u>							N			SN	ž	<u>%</u>	Ž			5	1 1	A	nosqr
												PRE								9	ΜN	LATITUDE	
												PRESSURE								Z			
6												m	0	₽¢	AT SI	AT DI	STAF	DATA ON	TIMES	168	DEG		
				-	+								TD CC	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	NO NO	S	2	3	LONG	
									-			PR	CTD CONVERTED MONITOR VALUES	I	Ĭ H		Ž			6.0	<u>S</u>	LONGITUDE	
												PRI. TEMP	RTED I						JD/TIME	MOK		111	
				L	L							P	MONIT						Ξ	ಎ	DAY	DATE	
												SEC.	OR W							0 c	MO	DATE JD=	J
). TEMP	LUES	FLUOR S/N						t 0 7	ΥR		T N 2 1
												P		N/S				Tape		0/5/40	-	TIME (GMT)	1, 7, 1
					ł							SALINITY		5				e/Disk		d b	M N	<u> </u>	
												YTIN						Tape/Diskette ID		4	(°C)	DRY	- 5
				\vdash	<u> </u> 								ပ္					Ü	DATA	0			บรมช เ.ม.
												Salinity	SAMPLE DA	Oxygen		1	1	П	LOC/	•	(°C)	WET .	6
												nity	LE BOTTLE DATA	gen				ile Na	DATA LOCATION	なか	(mb)	PRESSURE	
						N					1	(0	ILLE					me/H		3	*	SEA STATE VISIBILITY	
						264						Sal						ile Name/Header		250	(deg) (m/s)	O'RN.	
					410	9:0	DIS	DIY	D 13	610	HO	Nutr	SAME								(m/s)	SEA STATE VISIBILITY DIRW. DIRW. DIW. OF WIND CLOUD (amt)	A
				-	7			_		_			LE BO	TR.	MAX. DEPTH =	Cie	1		REMARKS	281	*	CLOUD (amt) TYPE WEATHER	N D
						~	1		<	\		Chl		TRANS. S/N	DEPT	aned			RKS				OS OS S
											153	02	SAMPLE BOTTLE NUMBER	N/N		Cleaned air bleed valve				72	(m)	BOTTOM DEPTH	SIATION DESIGNATION
				Г								02-T	BER		65	ed va				-			
	_											<u> </u>	,		3	ve				70M3		STA.	
				,							5	Other								H			\top
				<u> </u>	112	0	<u></u>	L			7/	کی گئ				ų,							
					X							م											

PG ___OF__

									-	:					12
		L	_												1
															10
	L		_								:				9
															∞
				C7	x239							·		0	7
			1	6										ō	တ
				5										20	СI
			\	4つ										5	4
			\	52										Ê	ω
			\	C2			-							20	2
12.2	751	172		<u>C</u>										49	_
Other	02-Т	02	었	Nutr	Sal	Ϊ̈̈́Υ	Salinity	SALINITY	SALI	SEC. TEMP	PRI. TEMP.		PRESSURE		
	FR 	NUMBE	вотте	SAMPLE BOTTLE NUMBER		ВОТТЕ	SAMPLE BC DATA			OR VALUES	CTD CONVERTED MONITOR VALUES	CTD CON		TRIP DEPTH	POS.
		N	TRANS. S/N	<u> </u>		jen	Oxygen		٦	FLUOR S/N		PAR S/N_	=	SEC COND SN	SEC
3	+	H= 6	MAX. DEPTH =	MA			 					AT SURFACE	AT S	PRI COND SN	PRI (
	d valve	air bleed	Cleaned air bleed valve				ı 					AT DEPTH	ATI	SEC TEMP SN	SEC
]			 	ć		 		START DOWN	STA	PRI TEMP SN	PRI 7
					⁻ile Name/Header	le Name	<u>-</u> ::	Tape/Diskette ID	pe/Dist	 		DATA ON	DAT	PRESS SN	PRE
			REMARKS	REN		TION	DATA LOCATION	DA:			JD/TIME	ES	TIMES	9+	SBE 9+
등	ト い し た の た	\sim	* 1	t (s/m/s)	272 272			4.8 (°C)	HR MIN	MO YR	× -	DEG N	N 7	DEG DEG	100
0	STA.	BOTTOM DEPTH	WEATHER	CLOUD (amt)	VISIBILITY DR. WIND SPD. CLOUD (amt)	PRESSURE SEA STATE	WET	DRY	TIME GMT)		UDE DATE JD=	LONGITUDE	LATITUDE		CONS C CAST
lacksquare	1-57	ATION ,	DESIGN	STATION DESIGNATION 075			i.b.	DSDB I.D.		PROJECT & LEG	, I			VESSEL RV TG Thompson	VESSEL RV TG T

12	1	10	9	8	7	0	5	4	ω	2		48	POS.	SEC C	PRI C	SEC T	PRI TE	PRESS SN	SBE 9+	CONS CCAST #
					0	õ	20	30	F	05	49		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	-))EG
			:						:	:		PRESSURE								LATITUDE MIN
												Ē	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	LONG LONG
												PRI. TEMP	ONVERTE	Z 	CE	_ 	ž I	ı	٦	G. S.
												EMP.	D MONITC						JD/TIME	DATE JD=
			, :									SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N						T N 2 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
													, 	₹S/N				Tape/Diskette ID		TIME (GMT) HR MIN
						i						SALINITY						skette ID	D,	DRY W
					:							Salinity	SAMPLE BOTTLE DATA	Oxygen		 	 	Ξ	DATA LOCATION)LB
					**							İγ	BOTTLE TA	en				File Name/Header	NOIT	PRESSURE * SEA STATE * VISIBILITY
					*245 E	_		æ	Œ	T	Œ	Sal	ဟ					Header		* VISIBILITY 2 (deg) (m/s) * CLOUD (amt)
					43	E6	X	E4	E3	7	(T) -	Nutr	AMPLE BO	<u></u>	MAX.	င္			REMARKS	* CLOUD (amt)
											179	СЫ 02	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	aned air b			RKS	(m/s) * CLOUD (amt) * TYPE * WEATHER DEPTH (m) (m) (m)
			-								9 181	2 O2-T	MBER			Cleaned air bleed valve				TOM STA. TOM STA. TAZTONE
					= 000						4	Other Other		<u> </u>	3					۸ 4 <u>9</u>

Vonner a wa

VESSEL

CONS

CAST #

DEG

PG

| 유

RV TG Thompson LATITUDE MIN 2 PRESSURE اري اري 2 TIMES AT SURFACE AT DEPTH START DOWN 16600. 70W0 80 ct DATA ON DEG PAR S/N CTD CONVERTED MONITOR VALUES LONGITUDE ĭ PRI. TEMP JD/TIME DATE JD= PROJECT & LEG ⊣ Z SEC. TEMP FLUOR S/N 072090 ⋨ 2 1 1 HR MIN Tape/Diskette ID TIME (GMT) SALINITY BULB PRY W (°C) DSDB I.D. 9 DATA LOCATION SAMPLE BOTTLE WET BULB ြိ Salinity Oxygen DATA File Name/Header ड 0 ड (mb) * **PRESSURE** SEA STATE
VISIBILITY
DIRW.
VIND
CLOUD (amt)
TYPE
WEATHER ر ا ا Sal 23705 (deg) (m/s) STATION DESIGNATION Alf A16 AH SAMPLE BOTTLE NUMBER 411 Nutr (V) MAX. DEPTH = REMARKS exstratering Cleaned air bleed valve TRANS. S/N 6 오 7 T 7 7 BOTTOM DEPTH 000 3 0 02 8 02*J*W イマの七 STA. NAME/ID 3 124 てり 123 Other

POS.

DEPTH TRIP

10 9

12

თ

Ó

C) 0 0

ယ N

0 0

60

o w

ထ

SEC COND SN PRI COND SN SEC TEMP SN PRI TEMP SN PRESS SN SBE 9+

12	1	10	9	œ	7	6	5	4	ω	2			POS.	SEC C	PRI C	SEC 1	PRI TI	PRESS SN	SBE 9+	9	:	CAST	CONS	RV To
					0	10	00	30	40	60	49		TRIP	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	NS SN	<u> </u>	5	DEG		<u> </u>	RV TG Thompson
												PRESSURE								~ . S.S N	MIN	LATITUDE		ח
													CTD CONV	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	607	DEG MIN	LONGITUDE		
												PRI. TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	08 M 86		DE DATE JD=		
												SEC. TEMP	OR VALUES	FLUOR S/N		 	 	 		c t 0 7	ΥR			T N 2 1
				:								SALINITY		Z				Tape/Diskette ID		01413.		TIME DRY		1 1
												Salinity	SAMPLE BO DATA	Oxygen			 	Ξ.	DATA LOCATION	4	(°C)	BULB WET	IRF	
											266	Sal	BOTTLE TA					le Name/Header	TION	2	* (SEA ST. VISIBILI VISIBILI DIRN. WIND CLOUD	ΛTΕ	
					日ナレ	E16 "	E15 1	F14 V	E13 V	r D	Pu P	Nutr Chi	SAMPLE BO	TRA	MAX. C	Cles			REMARKS	6708761	"	SPOCLOUD TYPE WEATH		
						9				7	೩/೩	02	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH = 67	Cleaned air bleed valve			RKS	S4	(m)	BOTTOM DEPTH	<u>-1\</u>	100-1
-		3 ·									ಳಿ/3	O2-T Other	70		y m	valve				70M53		STA.		
	ż	متريع	No.		128	,					197	ک		<u> </u>							•			

" Novemal" color

alto cum ? Cire?

		_
<u></u>	(38) A7	
	A6	
	AS	1-
	AY	
	A3	-
	して	\vdash
	AI	
SALINITY Salinity	Sal Nutr	1
	SAMPL	I III
	X	TRANS. S/N
]	MAX. DEPTH =	' ≲ ¦
		Cleaned air bleed valve
	 	9
Tape/Diskette ID File Name/H		
DATA LOCATION	Z D	Ш
9 1.153	٥,	w
PRESSURE	VIND WIND (amt	* TYPE * WEATHER
	VIAIIO	4 7
	וסדיידוסו	2 I
	DB I.D. DB I.D. WET BULB PRESSURE (°C) (mb) * SEA STATE SAMPLE BOTT DATA Salinity Salinity	WET RE A BI WIND WIND BULB PR SSIDIEN SPD. (°C) (mb)* (deg) (m/s) File Name/Header SAMPLE BOTTLE DATA Salinity Sal Nutre A A A A A A A A A A A A A A A A A A A

1 1 1	10	9	8	7 0	6 10	5 20	4 30	3 40	2 50	1 68	PRESSURE PRI. TEMP	POS. TRIP CTD CONVERTED DEPTH	SEC COND SN PAR S/N	PRI COND SN AT SURFACE	SEC TEMP SN AT DEPTH	PRI TEMP SN START DOWN	PRESS SN DATA ON	SBE 9+ TIMES JD.	1005651.20N16434.36	DEG MIN DEG MIN	CONS C CAST # LATITUDE LONGITUDE	VESSEL RV TG Thompson
											MP. SEC. TEMP SALINITY	CTD CONVERTED MONITOR VALUES SA	FLUOR S/N				Tape/Diskette ID	JD/TIME DATA	W 90ct070435 3.5	DAY MO YR HR MIN (°C) (°	DATE JD= (GMT) BULB BU	PROJECT & LEG DSDB I.D.
				137	136	85	134	13.3	13 2	244 131	コートリー コートリー コートリー Salinity Sal Nutr	SAMPLE BOTTLE SAMPLE DATA	Oxygen	MA			File Name/Header	DATA LOCATION RE	. 143 112096	(°C) (mb)* * (deg) (m/s) *	PRESSURE SEA STATE VISIBILITY DIRN. SPD. CLOUD (amt)	
					7	7	7	7	7	000	Chl O2 O2-T Other	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH = 6分 m	Cleaned air bleed valve		bcron a	REMARKS	1 74 20 WS S	* * (m)	TYPE WEATHER BOTTOM STA. DEPTH NAME/ID	STATION DESIGNATION

12	11	10	9	8	7 0	6	5 20	4 3	3 4	2 50	1 9		POS. TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	1 0257	CONS C CAST	VESSEL RV TG Thompson
												PRESSURE		2		Z	_			N N	LATITUDE	oson
												RE PRI. TEMP. SEC. TEMP	CTD CONVERTED MONITOR VALUES	PAR S/N _ FLUOR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON Ta	TIMES JD/TIME	DEG MIN DAY MO YR	LONGITUDE DATE JD= (PROJECT & LEG
												SALINITY		z 				Tape/Diskette ID	DA	HR MIN (°C)	TIME DRY	1 1 DSDB I.D.
												Salinity	SAMPLE BOTTLE DATA	Oxygen		<u> </u>		File Name/Header	DATA LOCATION	*	PRESSURE SEA STATE	31.D.
					40 292x	90	20	7Q	23	0a	ומ	Sal Nutr					 	Header		(deg)	VISIBILITY DRVIND SPD CLOUD (amf)	STATIO
							\	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3 /	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	234 235	СЫ 02 02-Т	SAMPLE BOTTLE NUMBER	TRANS, S/N	MAX. DEPTH =	Cleaned air bleed valve			REMARKS	(m)	CLOUD (amt) TYPE WEATHER BOTTOM STA. NAME/ID	ISTATION DESIGNATION
												Other			3	O				\circ	e/ID	

					T .	T_		Ι.	Ī				Ď	<u>ত</u>	₽	<u>ত</u>	P	<u>P</u>	က္	NT.	0 0	고 ≤
12	11	10	9	8	7 0	6 [0	5 20	4 33	3 E	2 50	73 1		POS TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	104564	1	VESSEL RV TG Thompson
												PRESSURE								7.27 N	LATITUDE	ă
												Е	CTD CON	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16357	ONG!	
												PRI. TEMP.	IVERTED MOI				z 		JD/TIME	60W 09 0	-	
												SEC. TEMP	CTD CONVERTED MONITOR VALUES	→ FLUC]]				•••	c t o	Jp -	T N 2 1 1
												MP SALINITY	;;	FLUOR S/N				Tape/Diskette ID		7 1 2 2 8 N 1 2 2 8		& LEG
												ΝΤΥ	ပ္ပ					ette ID	DAT/	4.5	<u> </u>	יין.ו אטאטוויט.
												Salinity	ı ⊣	Oxygen]		File Na	DATA LOCATION		PRESSURE	
										,	1 237	Sal						File Name/Header		(deg)	SEA STATE VISIBILITY DR. U	
					F7	56	F5	17	F3	F2	12	Nutr Chl	SAMPLE BOTTLE NUMBER	TRAN	MAX. DEPTH =	Clear]		REMARKS		VISIBILITY VISIBILITY DIRN. OPD. * CLOUD (amt) TYPE * WEATHER	STATION DESIGNATION
					_	-					æ3 c	02	TLE NUMBE	TRANS. S/N	EPTH = 67	Cleaned air bleed valve			KS	t 7 t	ВОТТОМ	SNATION
					136						032 135	O2-T Other	, R		T m	valve				35W0t	STA.	1-90

12	11	10	9	ω	7	6	5	4	ω	2			POS	SEC C	PRI C	SEC T	PRI TE	PRESS SN	SBE 9+	108	CAST	CONS	RV TG T
					0	0	20	8	ঠ	89	70		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	S SN	+	264	<u> </u>		RV TG Thompson
					i							PRESSURE								0,2 _N	ATITUDE		
												m T	CTD C	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	_	LONG		
							,					PRI. TEMP	CTD CONVERTED MONITOR VALUES	*	CE		ž 	l	JD,	צי	LONGITUDE		:
												ľ	MONITOR		1				JD/TIME	$1 \cap 1$	DATE JD=		-
												SEC. TEMP	VALUES	FLUOR S/N	, \	 	T	<u>.</u>		t 0 7	YR .		T N 2 1
												SALINITY		N		,		Tape/Diskette ID			TIME (GMT) E		<u> </u> 1
												TY	S.A.		1			te ID	DATA LOC	\d	DRY V		-
]			•				Salinity	SAMPLE BOTTLE DATA	Oxygen				File Na	LOCATION		2)	SURE	
												Sal	TLE				! !	File Name/Header	-	850	* 1//010	STATE LITY	
					67	00	20	61	63	32	1	Nutr	SAMPLE	Ž	MA		† †		RE	2	SPD. CLOU	D (amt	Σ
	_				\	\	\	\	\	\	0	Chl C	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleaned air	ey sucka	S AGN.	REMARKS		* TYPE * WEAT DEPTH		2
											03×039	02 02-T	IUMBER		יי יי	Cleaned air bleed valve	key sucked up A	SONSONS LOOK		- 2× 4+	TOM STA.		107-1
											7	Other			m second) We	4 jouly	- X	-	<u>.</u>	JD .		

Camulas

PG ___ OF ___

		Z							-
		/				-			13
-	-				*				11
									10
									9
									8
									7
C16 V	249							0	6
CIS								10	21
CIH								g 0	4
C13 /								30	ω
C/20 /								CH	2
0. C= C								45	
Nutr Chl O2	Sal	Salinity	SALINITY	SEC. TEMP	PRI. TEMP.	RE	PRESSURE		
SAMPLE BOTTLE NUMBER	OTTLE	SAMPLE BOTTLE DATA		OR VALUES	CTD CONVERTED MONITOR VALUES	CTD(DEPTH	POS
TRANS. S/N		又 Oxygen		K FLUOR S/N		PAR S/N	_	၂၉	SEC
MAX. DEPTH =					ACE	AT SURFACE		PRI COND SN	PRI
Cleaned air bleed valve				 		AT DEPTH	_	SEC TEMP SN	SEC
$u = (h_1 h_2)^2 + u + (h_2 h_3)^2 + u + (h_3 h_4)^2 + h_4 h_5^2 + h_4 h_5^2 + h_4 h_5^2 + h_4 h_5^2 + h_5^2 $		1		<u> </u>	NWO	START DOWN		PRI TEMP SN	PRI
	File Name/Header	File	Tape/Diskette ID	Тар		DATA ON		PRESS SN _	PRE
REMARKS	N	DATA LOCATION	DA		JD/TIME	TIMES	1	9	SBE 9+
1932	7		-3-	c t 0 7	1.68W	1 1	22.99 N	57	000
SPD. CLY BOTTOM * * (m/s) * * (m)	* CEA 0	WET RES	(GMT) BULB	JD=	LONGITUDE DATE	DEG LON	LATITUDE	DEG	CAST #
JD (amt)	PTATE	SSURE		·				<u> </u>	CONS
STATION DESIGNATION		SI.D.	DSDB I.D.	PROJECT & LEG			son	VESSEL RV TG Thompson	VESSEL RV TG 1
CTATION DECIONA		; 			2			1	j

~ (1 & Z

	12	1	10	9	ω	7	<u>б</u>	თ	4	ω	2			POS	SEC	PRI C	SEC	PRI T	PRES	SBE 9+	10		CONS C CAST	RV TG T
	,		į			0	10	06	30	40	50	60		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN _	9	10957	DEG	·-	RV TG Thompson
				·	:								PRESSURE							:	07.84 N	MIN.	LATITUDE	son
													ñ	CTD CON	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16347	DEG	LONGITUDE	
													PRI. TEMP.	IVERTED MON				z 		JD/TIME	.87W1D0	Н		
			4										SEC. TEMP	CTD CONVERTED MONITOR VALUES	FLUOR S/N					,	c t 0	Y MO YR	DATE JD=	T N 2 1 1
					,								MP SALINITY	Ö	R S/N		**		Tape/Diskette ID		70104		TIME (GMT)	2 1 1
							-						ΥTIV	SA	-				ette ID	DATA	4.5	Н	DRY V	
	;							-					Salinity	SAMPLE BOTTLE DATA	Oxygen				File Nan	DATA LOCATION	. 064	(mb)*	B E E E E E E E E E E E E E E E E E E E	RE
23.8							(35/) ()	,) 	0		Sal						File Name/Header		978	* (deg) (m/s)	VISIBILITY DIRN. DIRN. WIND CLOUD (a	<u> </u>
Rose Graffines						カチレ	016 1)15	7 4/6	013	0/2 /	011	Nutr Chl	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleane			REMARKS	13761	* \	WEATHER	STATION DESIGNATION
Sprow G						-18							O2 O2-T	LE NUMBER	S/N	TH =	Cleaned air bleed valve	Branch and American		,	6756	\vdash	BOTTOM S	117 - 1
parker						92							T Other			13	live				813		STA.	
ξ '												739	ح											<u></u>

PG ___OF ___

Ray

5

PG | 유

PG __OF __

12	11	10	9	ω ()	7 (0	6 20	5 30	4 E	3 50	2 70	1 86		POS. TRIP DEPTH]၉	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	CONS C CAST # LA:	VESSEL RV TG Thompson
							!					PRESSURE					(0			MIN N	
			:						1				CTD CONVE	PAR S/N_	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	LONGITUDE MIN	
								J				PRI. TEMP.	CTD CONVERTED MONITOR VALUES						JD/TIME	DATE DAY	PF
												SEC. TEMP	R VALUES	FLUOR S/N		 		Tap		YR 0 7	PROJECT & LEG
									E			SALINITY		•				Tape/Diskette ID		TIME DRY (GMT) BULB (°C)	
					:							Salinity	SAMPLE BÖTTLE DATA	Oxygen				File	DATA LOCATION	CC) (mb) PRESSURE	DSDB I.D.
												Sal						ile Name/Header	Ż	* SEA STATE * VISIBILITY O (deg) N. D	S
				/ 0X	1 40	6 /	5	C4 /	1	S]	Nutr Chl	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	Cleane			REMARKS	* CLOUD (amt) * TYPE * WEATHER	TATION DESIG
												O2 O2-T	_E NUMBER	. S/N	98 = HT	Cleaned air bleed valve			V /	BOTTOM STA. DEPTH NAME/ID (m) 935630	STATION DESIGNATION
				145							十十二	√2 Other			3	è				BE/ID	

	12	11	10	9	œ	7	<i>/</i> 6	σı	4	ω	2			POS	SEC	PRI	SEC	PRI	PRE	SBE 9+		CONS C CAST	VESSEL RV TG T
						_	20	30	40	50	25	303		DEPTH	18	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+	1356	ST US	VESSEL RV TG Thompson
					0	0	0		0	0	V \	ΙΛ Γ		로 꼬	NS	NS NS	NS NS	^{gg}			\circ	1_	npson
!													PRES								7	MIN	
										·			PRESSURE		Ļ	 >:	<u> </u> >.	N.	<u>_</u>	Ļ	ν ν		
														СТВ	PAR S/N	AT SØRFACE	AT DEPTH	START DOWN	DATA ON	TIMES	10.	LOI	
													P	CONVE	Ž	ACE	I	NWO	_		06	LONGITUDE	
													PRI. TEMP	RTED						JD/I	20w1	<u> </u>	
]. ⁵	CTD CONVERTED MONITOR VALUES						JD/TIME	100	DATE JD=	
				,									SEC.	OR VAL	<u></u>						0 c +	JD D	PROJECT & LEG
							!						SEC. TEMP	.UES	FLUOR S/N	Ĺ	_				1	X	77 & LE
													S,A		Ž				Tape/Diskette ID		146	TIME (GMT)	1 1
													SALINITY						skette			DRY BULB	
														S					₽	DAT/	0		DSDB I.D.
	!	i									!		Salir	AMPLE DA	Oxy		l	i I	II.	\ LOCA		WET BULB	D.
0													iity	BOTTI	gen				ile Nan	MOIT	8	PRESSUR	Œ Œ
2/2					/ Sx	Inity NATION File NaTION PRES							* VISIBILITY										
Enly filtered				-	D	(7			∇		0	D/		SA					der		<u> </u>	ND WIND N. SPD.	STA
fare					20	40	06	8	D4	2	2		Nutr	MPLE I	<u> </u>	A X	ر ا			REV		* CLOUD (a * TYPE	mt) (TION E
6			MARKS WEATHER WEATHER WEATHER (m) (m) Chi 02 Chi 02								ARKS		* WEATHER	DESIGN									
9										STATION DESIGNATION													
Dm.						-							02-T	3ER			ed valv				SEBO	STA. NAME/ID	- 1 - 1
, ,			-		/ :							14	o 🚴		 	3	0		1		4	P. P.	
					4							146) Other								-	_	

PG ___OF ___

12	11	10	9	8	7	<u>ග</u>	5 (4	ω	2			POS.	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	SBE 9+	6 9 1 1	CONS C CAST	VESSEL RV TG T
			0-	ō	20	33	40	50	54	00	30		DEPTH	ND SN	NS GN	MP SN	/IP SN	SN		DEG MIN	LATITUDE	VESSEL RV TG Thompson
												PRESSURE				Ĺ	(0	L		. 9 Z	UDE	
													CTD CO	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	DEG	LONGITUDE	
			:									PRI. TEMP	CTD CONVERTED MONITOR VALUES		m		\\{\frac{2}{3}}		JD/TIME	MIN 8.26 W	TUDE	
												P. SEC.	MONITOR V						:ME	DAY MO	DATE JD=	PROJ
												C. TEMP	ALUES	FLUOR S/N	_		Ι	Та		YR H		PROJECT & LEG
												SALINITY		,- 				Tape/Diskette ID		2	TIME D	-
													SAN					Ď	DATA L	(°C) (°C)	DRY WET	DSDB I.D.
												Salinity	SAMPLE BOTTLE DATA	Oxygen				File Nan	DATA LOCATION	(mb)*	FRESSURE	
											*39	Sal	<u>—</u>					File Name/Header		* (deg) (m/s)	VISIBILITY DIRN. WIND SPD. CLOUD (amt)	
			55	85	40	96	55	4-2	G-3	72	6-1	Nutr	SAMPLE B		MAX	<u></u>			REM.	(m/s) * *	CLOUD (amt)	STATION D
						\						Chl 02	SAMPLE BOTTLE NUMBER	TRANS. S/N	MAX. DEPTH =	eaned air b			REMARKS	(m) *	WEATHER BOTTOM	STATION DESIGNATION
												2 O2-T	MBER			Cleaned air bleed valve				775E60	OM STA.	
			153								152	Other			3					+	ĪŌ	

12	1	10	မှ	ω	7	6	Ch	4	ω	2			POS	SEC	PRI	SEC	PRI	PRE	SBE 9+	1		CONS C CAST	RV TG T
-11-*-			0	10	20	30	0.11	0.5	75	100	130		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	PRESS SN	9+	117553	DEG		RV TG Thompson
												PRESSURE								3.36 N	MIN	LATITUDE	ן ז
												Ê	CTD CC	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	TIMES	16742.	DEG	LONG	
												PRI. TEMP	CTD CONVERTED MONITOR VALUES) 		\ <u>\{\}</u>		JD/TIME		MIN	LONGITUDE	
												ľ	MONITOR V.						IME	06 W 1 00 c	DAY MO	DATE JD=	
												SEC. TEMP	'ALUES	FLUOR S/N			•	Тар		t 0 7 20	ΥR		T N 2 1 1
												SALINITY		•				Tape/Diskette ID		2025 6	H	TIME DRY	_
				9.								G	SAME]			D	DATA LOC	<u>پر</u>	H	.B WET	
							Rome					Salinity	SAMPLE BOTTLE DATA	Oxygen				File Name/Header	CATION		(mb) *	PRESSURE	
							40					Sal						e/Header		149	* (deg) (VISIBILITY DIR.N. SPD. WIND CLOUD (amt	
			P19	AIR	AIX	A16	A15	AIY	A13	A12	AII	Nutr	SAMPLE BOTTLE NUMBER	T	MAX	<u></u>			REM	2286	(m/s) * *	CLOUD (amt	2
			7	<	(0		9				CM C	SOTTLE N	TRANS. S/N	MAX. DEPTH =	leaned air			REMARKS	62 1	*	WEATHER BOTTOM DEPTH	
												02 02-T	UMBER		: 130	Cleaned air bleed valve				32561	⊢⊣	OM STA.	-119-
			155						454)	Other			3	Ф				B 03		P. P.	
		,	S S	ĺ	•				15.7		X	کر											

cloudy steams

PG ___ OF ___

CAST VESSEL POS. SEC TEMP SN PRI COND SN PRI TEMP SN PRESS SN CONS RV TG Thompson SEC COND SN SBE 9+ 5 9 185525.96N DEPTH DEG 100 30 195 24 0.5 0 0 u O 0 LATITUDE MIN PRESSURE AT DEPTH START DOWN TIMES AT SURFACE DATA ON X PAR S/N DEG 8 CTD CONVERTED MONITOR VALUES LONGITUDE MIN Ś PRI. TEMP. 65W100ct072243 JD/TIME DATE JD= PROJECT & LEG FLUOR S/N ⊣ z SEC. TEMP Tape/Diskette ID HR MIN TIME (GMT) SALINITY BULB BULB 0 (°C) DSDB I.D. O DATA LOCATION SAMPLE BOTTLE
DATA Oxygen WET BULB <u>ိ</u>င္ပ Salinity File Name/Header (mb SEA STATE
VISIBILITY
DIRW.
VIND
CLOUD (amt)
TYPE
WEATHER ٦, Sal 15123872 (deg) (m/s) * / = 0-6 / NOITANĐISAD NOITATS SAMPLE BOTTLE NUMBER 7/6 50 13/7 216 1319 Nutr MAX. DEPTH = 195 REMARKS TRANS. S/N Sheet Cloudy Cleaned air bleed valve 읈 BOTTOM DEPTH ಭ 0 ಬ 2 STA. NAME/ID 02-T SF30 3 Other 156

PG ___OF_

ū	12	1	10	9	∞	7	o	თ	4	ω	2	_		POS.	SEC (PRI C	SEC .	PRIT	PRESS SN	SBE 9+	611	#	CONS C CAST	RV TG T
b	19	٥٥	30	0 4	50	2£	000	150	200	300.	400	500		TRIP DEPTH	SEC COND SN	PRI COND SN	SEC TEMP SN	PRI TEMP SN	NS SK	<u>پ</u>		DEG		RV TG Thompson
					2120			_					PRE								<u>သ</u> သ	MIN		on
								20				7	PRESSURE		<u>z</u>] A	AT	TST/	DA.	TIMES	(3) N			<u> </u>
								50						CTD COI	PAR S/N	AT SURFACE	AT DEPTH	START DOWN	DATA ON	ES	8 1 6	LONGITUDE MIN		
								ON V					PRI. TEMP	NVERTE	^	m	1	≥ 	1	JD	6	MIN		
								s Jahm		,			MP.	CTD CONVERTED MONITOR VALUES						JD/TIME	3 W 1 0,0	DAY MO	0	-
								enos					SEC. TEMP	R VALUE	N FLUOR S/N						c t	MO YR		T N 2 1 1
														S	R S/N				Tape/	1	-	ŦĹ.	23 45 TIME	2 1 1
		*											SALINITY						Tape/Diskette ID			(°C)		_
	-													SAN	×				D	DATAL	7	+	WET	00001.0.
													Salinity	SAMPLE BOTTLE DATA	Oxygen				File Na	DATA LOCATION	91	(a) PI	RESSURE	
	t			ĺ	14.)							Sal	THE					File Name/Header	_	4114	* SI DIRN.	A STATE SIBILITY ≦	
633	C C	(2)	E20	E19	2) =18	E17	E16	EIS	E14	€/3	ピヨ	m =	Nutr	SAMI			[l 	der		100	g) (m/s)	WIND WIND (amt	2
N	3)		0	9	5	7			1	03	<i>y</i> -		Chl	SAMPLE BOTTLE NUMBER	MTRANS. S/N	MAX. DEPTH =	Clean]].		REMARKS	875	* CL * T\ * W	EATHER	
			4									7	02	LE NUMI	S. S/N	PTH = 5	Cleaned air bleed valve			S	514	(m)	воттом	9/-/
							1						02-Т	BER		00	ed valve				SE31	NAME/ID		
					i i								Other								7	ļō		
651				00	158		Ø.	-3				-	2											

sheat days to

PG ___OF ___