MIN DEG MIN DAY	VESSEL R/V Kilo Moana				PROJECT	PROJECT & LEG		DSDB I.D.	Ď.		S	STATION DESIG	CH ST	, Š		
		ATITUDE	LONG	l and	DATE ID.	36	TIME (GMT)	M M	TEN A	3TAT2 A3	QNIM	(1ms) QUO	язнтаз/	ЗОТТОМ		
The State Converted Montror Name Tape/Diskette Data Location Data Lo	DEG .	MIN	DEG	NIN	DAY		HR	(C)	(C)	S ,	(deg)	3 ,	W *	E (E	N N	AME/ID
TIMES DOTAN	_	1	\neg	100	<u>₹</u>	λ 0	0	08	05.8	3	280		400	1 93	田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田	=
Tape/Diskette D File Name/Header Tape/Diskette D File Name/Header Tape/Diskette D File Name/Header Tape/Diskette D Tape/Di	SBE 9+		TIMES	AIT/OS	ñ				DATA LOCAT	NO		REM.	ARKS			
START DOWN	PRESS SN		DATA ON			•	Tape/Diskett	ē.	뿔	Name/He	ader					
AT DEFTH AT DEFTH AT SUBFACE MAX. DEFTH = 1 94 m	PRI TEMP SN		START DOWN			W			į							
PAR SAN FLUOR SAN SALIMITY SALIMITY	SEC TEMP SN		АТ DEРТН						 			Ľ	leaned at	ir bleed v	ayle.	
PAR S.N FLUOR S.N	PRI COND SN		AT SURFACE		į	. — І !] ₹	DEPTH	δ		
PRESSURE PRI, TEMP. SEC. TEMP SALINITY SALINITY SALINITY CHL. 25 2 <t< td=""><td>SEC COND SN</td><td></td><td>PAR S/N</td><td></td><td></td><td>FLUOR S/N</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	SEC COND SN		PAR S/N			FLUOR S/N										
PRESSURE PRILTEMP SALLMITY SALLMITY	PUS. TRIP DEPTH			CLD	CONVERTED A	MONITOR VAL	nes			¥\$	APLE BOTTLE D.	ATA	SAMP	LE BOTTL	E NUMBER	
150 257 1 2 2 2 2 2 2 2 2 2		PRESSI	FE.	PRI, TEM	a'	SEC. T	EMP	S	ALINITY		SALINITY	%	<u> </u>	E		WHIT'S
126 100 100 100 100 100 100 100 100 100 10												2	27	_		
130 100 100 100 100 100 100 100 100 100	+													2		
25 40 26 27 28 29 20 20 30 30 30 30 30 30 30 30 30 30 30 30 30	7					3								8		
26 28 29 20 10 0	_													4		
20 20 10 10 0	_							7.	£		4.4			74.		
40 20 20 10 0														1		
20 20 0	4													-		
20	1					17						_	-	- 00		
0	_			e: .							,			0		17.7
Q	81			•									-	- 7	-	
12		327				,								_		
	12						•									

CONST CONS	VESSEL R/V Kilo Moana				PROJECT KM0305b	PROJECT & LEG KM0305b		DSDB I.D.	G.			STATION DESIGN	SIGNATO	120		
Dec Mark Cr Co Mark Cr Co Cr Cr Cr Cr Cr Cr		ATITUDE		UDE	DATE JO-		TIME (GMT)	DRY BULB	WET BULB	SEA STATE	WIND DIRN.	CLOUD (amt	YPE WEATHER	BOTTOM	STA	STA, NAME/ID
Table Join 14 (M5 12 13 14 14 14 14 14 14 14	DEG / O O O		DEG	劉	DAY		Σ	<u></u>		П	\Box	ŝ		(m)		
Tabe Data Location Rei	<u> </u>	٠ ٧	1400	S	<u>=</u>	٥ ۲	1143	i	0.0	73	0	$\overline{}$	410	4111	I AT	TB7
START DOWN Tape/Diskette ID File Name/Header START DOWN Tape/Diskette ID File Name/Header START DOWN START	SBE 94		TIMES	iL/Qr	¥				DATA LOCATI	NO		REM	REMARKS	•		
START DOWN AT DEPTH AT DEPTH AT SURFACE MAN	PRESS SN		DATA ON				Tape/Diskett	eΩ	퍮	Name/He	ader					
AT SURFACE AT SURFACE AT SURFACE ANA SAN CTD CONVENTED MONTOR VALUES SAMPLE BOTTLE DATA	PRI TEMP SN		START DOWN				·					_				
AT SURFACE PAR S/N EDUOR S/N	SEC TEMP SN		AT DEPTH			I—,			 			Ė	Cleaned of blood who	r blood v	245	
PAR S/N FLUOR S/N FLUOR S/N	PRI COND SN	2.2	AT SURFACE			L			1		-]	MAX. DEPTH =		8	
PRESSURE PRI, TEMP, SEC. TEMP SALINITY SALINITY SALINIT	SEC COND SN		PAR S/N			FLUOR S/N										
Page Source PRIL TEMP SEC. TEMP SALINITY SALINITY LOCD 1000 <td< td=""><td>POS. TRIP DEPTH</td><td></td><td></td><td>GD CJ</td><td>CONVERTED A</td><td>MONITOR VALI</td><td>ues</td><td></td><td></td><td>SAI</td><td>WPLE BOTTLE (</td><td>DATA</td><td>SAMPI</td><td>SAMPLE BOTTLE NUMBER</td><td>E NUMBER</td><td>~</td></td<>	POS. TRIP DEPTH			GD CJ	CONVERTED A	MONITOR VALI	ues			SAI	WPLE BOTTLE (DATA	SAMPI	SAMPLE BOTTLE NUMBER	E NUMBER	~
100 100 100 100 40 40 40 10 10 10		PRESSL	JRE	PRI, TEM	a.	SEC. TE	EMP	S	4.LINITY		SALINITY	, s	SAL	E S	봉	WHITIS
100 100 100 100 100 100 100 100 100 100	\dashv		İ	,	10.							N	60	7		
-02420-	7												L	6		
420-	_					-								4		
480-	\dashv													5		
20-	4							-				_		2		
0										-				ブロロ	1	
	-													07	T	
				•		S 25	Ö							Ö	-	
11.									30			_	, ,	87		125
11.	10								200						-	
	11.	SV.				-										
23	12												_		-	

VESSEL R/V Kilo Moana CONSC CAST # DEG Z S Q\S S SBE 9+ PRESS SN	39.91 LATITUDE MIN MIN 3 3 9 . 9	DATA ON PEG NATA ON THES	MT/dr	PROJECT & L		V BULB	(°C)	THOSENT 9 4	WIND DIRN.	STATION DESIGNATION DESIGNATION DESIGNATION CAMES CLOUD (ame)	S S BOTTOM DEPTH		STA. NAME/ID
PRI TEMP SN SEC TEMP SN		START DOWN			Tape/Diskette ID	te 10		File Name/Header		Cleane	Cleaned air bleed valve	valve	
SEC COND SN	2	AT SURFACE PAR S/N		FLUO	FLUOR S/N	\$.i			!	MAX. DEPTH =	Ę	E	
FOS. INP DEPTH			Ē	CTD CONVERTED MONITOR VALUES	R VALUES	=	E:	SAMPLE	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NUMBE	1
		PRESSURE	PRI, TEMP.		SEC. TEMP	y s	SALINITY	√ 5	SALINITY	S.	NCT.	동	WHIT'S NUTR.
1	÷									259	2		
2 6	7 C C C C C C C C C C C C C C C C C C C					VA.			2		22	1	
, 4									7		27		
S	14					â	:		5		52	1	
9	4						2 =		9		72	1	
7	0								2		27		
8													
6					>		3-						100
2							î.						
11													
12		-											

					-											
R/V Kilo	VESSEL R/V Kilo Moana			i	<u>X</u>	PROJECT & LEG KM0305b		DSD8 1.D.	ď.			STAT	STATION DESIGNATION	ATION		
		99 An	S., .	12.83	· s		2323			3RUS 3TATE	, All		(amt) (.0	
CAST #	_	LATITUDE	[LONGITUDE	DATE JD-		TIME (GMT)	DRY BULB	WET BULB		8I\$IA	WIND WIND DIRN. SPD.		BOTTOM		STA. NAME/ID
ŀ			DEG	Z	DAY	MO YR	HR MIN	(2.)	(°C)	(mb) *	(deg)	(s/m) (ba	*	_	┢	
7	1 28 H	500 N	15222	63	¥ (₹	A Y 0 3	3236	8	5.5	233	825	816	- - -	112	255 €	40
SBE 9+	+		TIMES	JD/TIME	TIME		=	_	DATA LOCATION	NO			REMARKS			
PRESS SN	NS.	Е	DATA ON			į	Tape/Diskette ID	O a	Ē	File Name/Header	leader					
PRI TE	PRI TEMP SN		START DOWN			i 1										
SEC T.	SEC TEMP SN		AT DEPTH			} ;			 				Ces	Cleaned air bleed valve	valve	
PRI CC	PRI COND SN		AT SURFACE					121	 		×		MAX. DEPTH	Ę	E	
SEC C	SEC COND SN		PAR S/N			FLUOR S/N						ļ			- 1	
Š	TRIP DEPTH				CTD CONVERTED MONITOR VALUES	O MONITOR V	ALUES	:	E S	s	AMPLE 80"	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NUMBE	æ
	;	PRESSURE	RE	PRI, TEMP.	MP.	SEC	SEC. TEMP	Ŋ	SALINITY		SALINITY	Δ	SAL.	NCTR.	耔	WHIT'S NUTR.
-	potton	7		=										34		
2	144									1		2		38		
m	75	\				79						3		39		
4	50	2										7		Φ ħ		
S	36	,						8	45			5		14		
9	\$	/							2			9		42	100	
7	ф —	1							,			7		43		
80	θ	١										90		 ትከ		
6							·									
0		10														
11		73														
12																
										1						1

VECCEI				1000	1							\mathcal{A}	135		
R/V Kilo Moana				PROJECT & LEG	& LEG	ī	DSD8 1.D.	Ö.		Ž.	STATION DESIGNATION	DESIGNA'	NO.		
CONSC	66.34	7	ht:12		4	4418			SSURE		(3ms) QL		1		
CAST #	LATITUDE	LONGIT	-	흑			DRY BULB	WET BULB		DIRN.	SPD. CLO	J4YT	DEPTH		STA. NAME/ID
OF O	10	-	Ť	S.	٤_	HR Will	aГ	σĹ		(deg)	* (s/m)		ε	┝╅	
A 4 4 5 K	2 9	112241	. 65 w	Y M Y	80	4426	10 10	5.2	433	8262	<u>0</u>	<u>~</u>	13	385E2	7
SBE 9+	Ē	TIMES	JD/TIME				_	DATA LOCATION	8		끮	REMARKS			8
PRESS SN	VQ.	DATA ON				Tape/Diskette ID	<u>Q</u>	Ē	File Name/Header	ader					20
PRI TEMP SN	ST	START DOWN													
SEC TEMP SN	AT	AT DEPTH			<u> </u>			 				Cleaned	Cleaned air hleed valve	avies	
PRI COND SN	AT	AT SURFACE			<u>l</u> ,			}] 3	MAX DEPTH	<u>.</u>	8	
SEC COND SN		PAR S/N			FLUOR S/N										
POS. TRIP DEPTH			CTD	CTD CONVERTED MONITOR VALUES	TOR VALUE	2		ā	SA	SAMPLE BOTTLE DATA	ATA	S.	SAMPLE BOTTLE NUMBER	T.E. NUMBE	es.
		<u> </u>	:			•									
	PRESSURE		PRI. TEMP.		SEC. TEMP		73	SALINITY		SALINITY		Ī	a L	2	WHIT'S
1 bottom	23/									1	23		77		
8 -2	747										77		E		
3 75	4										-		5		
4 50	{	añ.						5			77		87	1	
s 20	47						=	2.		Ξį	ゴ		10	j	
9	12/							:			5		70)	
7 10	(3/							!			5	_	15	(
8	1.55				(*)						15		2	J	
6	[]):=			12				50
10	18	•									في				
11.	7.						20.		_			_			
12															
									-				1		

	STATION DESIGNATION	S OUO (amt) 3- 3- 7- 7- 8- 7- 8- 1- 8- 1- 8- 1- 8- 1- 8- 1- 8- 8- 8- 8- 8- 8- 8- 8- 8- 8- 8- 8- 8-	ME/	3 (() B () L L L E ()	KS.			Cleaned air bleed valve	,		TLE DATA SAMPLE BOTTLE NUMBER	TY CAI MITTE CHI MITTE	53	54		H SC		35	27	9	19			
	E U	BRU22:	, ∧i2 , ZEV	7 73 38 2 6	DATA LOCATION	File Name/Header					SAMPLE BOTTLE DATA	ZTINI AZ										20		
	DSDB I.D.	- 17	DRY BULB WE	4 9 3	DATA				ī		•	SALINITY				i	5				\$4			
	PROJECT & LEG KM030Sb	9\$! \$	MO VP LIP	A Y 0 3 C 1		Tape/Diskette ID	<u></u>			FLUOR S/N	CTD CONVERTED MONITOR VALUES	SEC, TEMP	110		100					χξ.				
	N	£S' 2	LONGITUDE DATE JD-	4 L W	JD/TIME		2				CTD CONVER	PRI. TEMP.					37							
			LATITUDE LC	751 N	TIMES	DATAON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N		PRESSURE	7	7.5	\	7	- 1 - 1	<u>ر</u>	7		0-		82	
	VESSEL R/V Kilo Moana	consc	DEG	2435849	+ 6	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	S. TRIP DEPTH		- ACHOO	22	146	75	50 13	30 14	20 IS	0	4	g),		
Į.	₩ &		ঠ	77	SBE 9+	PRE	<u>z</u>	SEC	PR.	SEC	<u> </u>	 		2	3	4	25	9	^	80	o	으	<u>:</u>	-



(3) L	STATION DESIGNATION	X S S OUD (smt)	DIRN. SPD. CLC	. 10	REMARKS	-		Cleaned air blead valve	MAX DEPTH =		SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER	SALINITY SAL. NUTR. CHL. NUTR.	62	63		4 65	79 (21	たり					
	DSDB I.D.	Banss	ILB WET BULB &	51 8 8 6 2 23	DATA LOCATION	Tape/Diskette ID File Name/Header						AP SALINITY						•		i i			
v	PROJECT & LEG KM0305b		DATE JO-	1 7 M A Y 0 3	IME	Ta				FLUOR S/N	CTD CONVERTED MONITOR VALUES	P. SEC. TEMP											
		86. <u>1.</u>	LONGITUDE	100	#IT/ar		NA		ابىر			PRI. TEMP.							•				
_		**	DEG	9 & N 15 2	TIMES	DATA ON	START DOWN	АТ БЕРТН	AT SURFACE	PAR S/N	,	PRESSURE				Q.							
	VESSEL R/V Kilo Moana	SNOO ONNOO	DEG MIN	\$5	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTH		1 both	2 50 T	3 36 3	4 20 1	5 16 13	H1 0	 89	6	10	11.	12

R/V Kilo Moana CONSC CAST # LATITUDE 2 4 5 5 9 1 . 2 4 N N N N N N N N N	DEG (52	14,34 LONGTUDE D MIN 1 4 3 4 1 1 14 . 3 2 w 1 LONGTINE	ATE JO-		DRY BULB (*C) (*C)	WET BULB (C) (C) (T) (T) (T) (T)	W SEA STATE	CO * VYSIBILITY CO	STATION SWIND SWIN	STATION DESIGNATION DE DESIGNATION DESIGNA	ON 3 STA. NA	STA. NAME/ID
	START DOWN			Tape/Diskette ID	و 0		File Name/Header	ader				5
	AT SURFACE					1			<u> </u>	Cleaned air bleed valve	bleed valve	ε
i	PAR S/N		FLUOR S/N	I S/N								
		CLD	CTD CONVERTED MONITOR VALUES	R VALUES	Œ.	S:	AS.	SAMPLE BOTTLE DATA	ATA	SAMPLE	SAMPLE BOTTLE NUMBER	MBER
PRESSURE	URE	PRI. TEMP.		SEC. TEMP	S	SALINITY		SALINITY	S	SAL. NUTR.	R. CH.	WHIT'S NUTR.
`-									-	9	89	
12						0			77 .	7	67	!
3 5			_						m =		\$	\downarrow
\ \ \ \									5-	7	31 -	-
(2)					ċ	£		訊	5	17	- 72	
7 2						4	2		<u>+</u>	17-	73	(fl)
15/									15.	14	カナー	
22				314-5					9	1	75	
						33						27
		•				26						-
rń.												_
			 		6							

CONC. CONC	VESSEL				PROJECT & LEG	r & LEG		GSDB (.D.	,			STATION DESIGNATION	ESIGNATIV			
Control Cont	R/V Kilo Moana				KM0305	ا م		_							ļ	
Continuo - Con	£ h' >0	*	ф9,6ф	7		4535			3TAT				. R			
Signature Colorest Colorest		LATITUDE	ı	NGITUDE	DATE JD=	<u>, , , , , , , , , , , , , , , , , , , </u>	TIME (GMT)	DRY BULB	WET BULB	SEA S	WIND DIRN.		TA3W	BOTTOM		NAMEZO
Public 15 10 15 200 16 3 w 1 7 w A v 0 3 6 9 4 4 7 5 6 9 2 3 9 10 11 1 1 1 1 1 1 1	DEG	Г	DEG	[₹		H	HR MIN	(0.)			(deg)		۸ .	E	╀	
The State Data Location Person	4 45 9 8	. 5 1		.63	<u>v</u> <u>v</u>	0 3	5544	•	9	233	-		- 8	1	了K尼	7
DATA ON Tape / Diskette D File Name/Header	‡.		TIMES	IT/at	ME				NATA LOCATI	NO.		8	MARKS	2		
START DOWN AT DEFTH AT SUBFACE AT SU	ESS SN		DATA ON			<u> </u>	ape/Diskette		<u> </u>	Name/Hea	-apr					
AT DEPTH AT SURFACE PARA SAN PRIJOR SAN AT SURFACE PARA TEMPOR VALUES	TEMP SN		START DOWN				•				i					
AT SURFACE PRIS TEMP FLUOR S/N	C TEMP SN		АТ БЕРТН			<u> </u>							Cleaned	air haad	ayaya	
PAR S.N PLOR S.N FILLOR S.N	COND SN		AT SURFACE			<u>L.</u>]] 3	DEDT.	7990		
TRIP DEPTH CTD CONVERTED MONTOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER	C COND SN		PAR S/N			LUOR S/N					0				E	
PRESSURE PRE, TEMP. SEC, TEMP SALIMITY SALIMI	S. TRIP DEPTH				CONVERTED MON	VITOR VALU	ES			SAM	PLE BOTTLE C	ATA.	SAM	PLE BOTT	LE NUMBE	æ
PRESSURE PRI, TEMP. SCC, TEMP SALINITY SAL NUTR. CH. 1262 & 44 126										~						, .
Loc 3			URE	PR!. TEN	<u></u>	SEC. TEI	<u>a</u>	3	XEN:	<u> </u>	CAFINITY			 [5	WHITS
20 37 100 37 75 137 30 147 10 157 10 167 10 17 10 18 10 18 10 18 10 18 11 19	bottom	, , , , , , , , , , , , , , , , , , ,									The state of the s	7		7	1	201
75 37 76 137 76 147 77 147 10 167 10 167 11 11 11 11 11 11 11 11 11 11 11 11 11	-	2.										-		200		
50 13 / 20 14	7	31			·							43	-	28		
50 13 / 10 14 / 10 15 / 10 16 / 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	7								- 1.3	==	3		450		
世 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日		_						à	1.		10	5		20		
10 15/ 15/ 15/ 15/ 15/ 15/ 15/ 15/ 15/ 15/		_										=	\vdash	8		
는 보이 이 기계 이 기계 이 기계		15/										7.		200		
ti O		/91		•								5	-	16		
		止										 <u> </u>	\vdash	32	T	100
								!						-		
		22												-		
	2															

			S.A. NAME/ID	13)						8		WHIT'S NUTR.									đị:			
		_	$^{+}$	IKE	-			valve	ε		LE NUMB		R						===						
(150)	NOT	153 BOTTOM	1	15				Cleaned air bleed valve	1		SAMPLE BOTTLE NUMBER		NUTR.	93	76	95	96	t6	98	96	44	141			
	STATION DESIGNATION	LOUD (smt) YPE YEATHER	1 . 3 .	3	REMARKS			Cleanec	MAX. DEPTH		SS.		SAL												
	STATIC	ONIW	(m/c)	\$ /		_			1		DATA				7	77	3	5	7	(5	9	건			
	2	ONW C	1			der			11		SAMPLE BOTTLE DATA		SALINITY		P.		45	.55							
		STATE A3:	s .	338		File Name/Header					SAMP														
		RESSURE	╁	523	ATION	ile Nan					100								,				÷		
	٥.	WETRIE	9	3	DATA LOCATION	_		 	ì		333		SALINITY					1	33			300	83		
	0.508 I.D.	DRY BILLS	9	7.5	_				77				33					ø							
			╄	27		kette II						ŀ						_							
	۶	\$62(£	1		Tape/Diskette ID					LUES	#	SEC. TEMP								20				
	PROJECT & LEG KM0305b		XX	Y 0 3						FLUOR S/N	CTD CONVERTED MONITOR VALUES		SEC.			93		İ							
73	PROJECT KM0305b	DATE .ID.	MO	₹ M A							ERTED MC	-	-	\dashv	-	-									
	-	DATE	DAY	- -	JD/TIME						D CONV		<u>8</u>												
		7) 1)	2	8	è						5		PRI, TEMP			!									
		49.65 Longitude	포	47 41			ž					L	_				4	_				_	<u>·</u>		
			DEG	15207.87	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N															
-			H	z	F	<u>8</u>	<u>र</u>	₹	<u> </u>				PRESSURE			ŀ					ĺ				
		46.38 Latitude	2	<u>.</u>									•	1	77	3 6	7	1	741	18	16 -	12-			
		\$ 5	ш	9 68							HT.			<u>-</u>	_	+	75 4	50 J	30 1	20 1	٥	9	\dashv		\dashv
	VESSEL R/V Kilo Moana	# <u>ن</u>	DEG	24859		SN	MP SN	MP SN	NS ON	NS ON	POS. TRIP DEPTH			Dattom	125	10	4	2	n	7			7		
	R/V Kile	CONSC CAST #		2 4	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	Š.			-	2	m	4	2	9	`	80	٥	2	្រា	12

VESSEL R/V Kilo Moana				PROJECT & LEG KM0305b	LEG	DSD8 1.0.			=	STATION DESIGNATION	SIGNATION			
ŀ	11,66	,	#4.51 LONGITUDE	DATE JD- 137	4748	DRY BULB	WET BULB	SEA STATE		CTOOD (smr)	YPE WEATHER R c	9,6 BOTTOM	CTA MAME (ID	979
2 4 O 5 0 1	NIW C	DEG 4 1.	를	₽ 1 ;	H T	9	1	1.	(deg	1.	1 1	1 1		
28E 9+	2 9	10 / Y	4 . 4 6 w !	Y M M Y 1	0 3 4 1 6	9	4.5	7	8 1 43	3160		166	KEZ	
PRESS SN		DATAON		ā	Tona (Dichatte O		DATA LOCATION	<u> </u>	;	<u> </u>	REMARKS			
PRI TEMP SN		START DOWN				<u> </u>								
SEC TEMP SN		АТ ДЕРТН			<u> </u>					Ľ	Cleaned air blood valve	heed vo	9	
PRI COND SN		AT SURFACE					1] ×	MAX. DEPTH =			
SEC COND SN		PAR S/N		T T	FLUOR S/N								=	
POS. TRIP DEPTH			מנס	CONVERTED MONITOR VALUES	OR VALUES			SAM	SAMPLE BOTTLE DATA	ATA	SAMPL	SAMPLE BOTTLE NUMBER	NUMBER	12
	PRESSURE	RE	PRI. TEMP.	<u> </u>	SEC. TEMP	VS	SALINITY	<u></u>	CAI INTO	3			1 5	WHIT'S
1 bottom	7									\ -	╫	+	+	2
2 75	2 /							<u> </u>		7	2	163	-	
3 50	32			***						3	14	144	<u> </u>	
4 30	4								72	7	b)	145		
5 20	13 /					â	71			13	14	701		
9	\ =						. 0		×	11	441	4	æ	
0	15			-						(5	801	90		
80					Ň		I				_			
6							<u>.</u>							
10							32	_			-	S		
11.	.3										_	_	┢	
12												\vdash	H	



	PROJECT & LEG KMO3O9 DSDB 1.D. STATION DESIGNATION	LONGTUDE DATE JD. 277 TIME (GMT) DRY BILLS WET BILLS AND COD OF STATE AND	MIN DAY NO YR HR MIN (°C) (°C) (mb) * (dec) (mc) * * (dec)	v 0 3 0 8 1 0 0 6 . 2 0 4 . 5 2 4 3 8 1 0 5 1 0 2 2 1 0	DATA LOCATION REMARKS	DATA ON File Name/Header	NW	AT DEPTH	MAX DEPTH - O	FLUOR S/N	CTD CONVERTED M	PRESSURE PRI TEMP SEC TEMP CALINITY	263 (09)	⊢	112	Z.			
i 2121(7)		LATTUDE	П	9 N 5 2 0	TIMES	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE	PAR S/N	23.5	PRESSURE							

15_	VESSEL				- Bad	PROTECT & LEG		or acou	,			CTATION	W	į		
	R/V Kilo Moana	gr.			**	KM0305b	KM0309		i			SI A ISA		5		
·	CONSC CAST #	LATITUDE	Ś	LONGITUDE	DATE JO- 13	13	TIME (GMT)	DRY BULB	WET BUT B	SEA STATE	S S S S S S S S S S S S S S S S S S S	S (3ms) GUOL:	ЭЧҮ ЯЭНТАЭV	BOTTOM	1 6	T NAME OF
	930	MIN	DEG	MIN	DΑΥ	MO YR	HR	(3.)	(2)	*	1		L *		2	
	2525905	905.96 N	150	59.39 W	w 1 7 w	A Y 0 3		0	041.15	273	7 1 30	107	620	P-	2	107
	SBE 9+		TIMES	#IL/ar	IIME				DATA LOCATION	NO.		E E	REMARKS			
	PRESS SN		DATA ON				Tape/Diskette ID	اد ق	Ě	File Name/Header	ader					3.
	PRI TEMP SN		START DOWN									<u> </u>				
<u> </u>	SEC TEMP SN		АТ ОЕРТН] 				Cleaned	Cleaned air bleed valve	valve	
	PRI COND SN		AT SURFACE			1		- 5] 	-] ≨	X DEPTH	MAX. DEPTH = 17.77	E	
	SEC COND SN		PAR S/N			FLUOR S/N								9		
M	POS. TRIP DE	ЕРТН		GLD	D CONVERTE	CONVERTED MONITOR VALUES	TUES			SAV	SAMPLE BOTTLE DATA	DATA	SAN	SAMPLE BOTTLE NUMBER	LE NUMBER	_
			1				1.								i	,
11	7	PRESSURE	URE	PRI. TEMP,	MP.	SEC.	SEC. TEMP	S	SALINITY		SALINITY		SAL	NCTR.	유 구	WHIT'S NUTR.
<u></u> L	1 Bottom	Œ.					<i>a</i> ,	,					_			
И,	2 \(\bar{G}\)		-											2		
3	3 125	10											_	3		
4 1	001 4	0												マ		
10	5 75	2						9						8		
۰	و 20	٥					100		-			2		ھ	14	
2	7 40	0				-								7		
₫,	8 30	0					ু							00		
<u>2</u>	6	20							39					0-	-	
≥_	10	0_	12						200					01		
	11.	0												=		
<u>~</u>	12															

≥	VESSEL				: BRO IE	PROTECT & LEG		01 8030					6			ſ
함	R/V Kilo Moana				KM0305b	3	17888		i.		,, <u>,</u>	SI A II UN DESIG				
	CONSC CAST #	LATITUDE	CONGITUDE	€	DATE JO=		TIME (GMT)	DRY BULB	WET BULB	SEA STATE	YTUBIEN/	S S S S S S S S S S S S S S S S S S S	ASHTASV REATHER	MOTTOM	, the state of the	e e
	8 X	1	DEG	N.	DAY	×	H.	0)	(2)		(deg)	1.	۸.	(m)	SIA. NAMC/IU	Z / Z
9 7	553	010 - 56 N	15051	· 70	1 7 M A	Y 0 3	4 55	00.4	03.7	2737	1001	04716	029	9	8	92
<u>v</u>	SBE 9+		TIMES	JD/TIME	¥			_	DATA LOCATION	NOL		REMARKS	ARKS		_	
<u>~</u>	PRESS SN		DATA ON			Ë	Tape/Diskette ID	Ωa	Ě	File Name/Header	ider					
<u>*</u>	PRI TEMP SN		START DOWN													
<u> </u>	SEC TEMP SN		АТ DEРТН						!				leaned air	Cleaned air bleed who		
<u>&.</u> _	PRI COND SN		AT SURFACE		;] ₹	MAX DEPTH = 160	3	E 8	
<u></u>	SEC COND SN		PAR S/N		FLUOR S/N	FLUOR S/N		,						Q	E	
<u> </u>	POS. TRIP DEPTH			5	CONVERTED M	ONITOR VALU	ES .	į		SAM	SAMPLE BOTTLE DATA	ATA	SAMPLI	SAMPLE BOTTLE NUMBER	UMBER	
			-							+				}		
		PRESSURE	IRE	PRI. TEMP.	<u>a</u>	SEC. TEMP	MP	Š	SALINITY		SALINITY	SAL		NUTR CHL.		WHIT'S
	1 Bottom											_	\vdash		H	
<i>U</i> (2 125					,							_	2	_	
γŋ .	3 100												- 2	4		
4	4										,		_	V	<u> </u>	
m .	5							-					_	ءِ		
	9	-											_	7		
<u></u>	2,													Œ	<u> </u>	
4,	8 20		-			900								0		
	0											 		201	_	
	10								200	- S ₂			14	214	-	
<u></u>	11.														_	
ණ	12															

				WHIT'S NUTR												
STA. NAME/ID	alve	€	E NUMBER	CHL.	 -	-							-			
BOTTOM DEPTH	Cleaned air bleed valve	051	SAMPLE BOTTLE NUMBER	NUTR.	H	23	77	25	26	77	32	29 F	各口	317	T	
S 17 WEATHER S	Cleaned	MAX DEPTH =	SAM	SAL	100			,								
STATION WIND STATION SIND CANNEL CLOUD (SINK)		Ì	DATA		'											
WIND DIRN. (deg)			SAMPLE BOTTLE DATA	SALINITY												
ATION STATE THE Name / Header			SAMP	-												
											,			i.		
	,			SALINITY					:11				9			
		^							,							
TIME (GMT) DR HR MIN 1 55901				Q								1				
			CONVERTED MONITOR VALUES	SEC. TEMP			4758					¥.			,	
PROJECT & LEG KANG305Sb JD. 37 MO			TED MON				NO SZ	_	-							
PRO-			CTD CONVE	ЕМР.											×	
				PRI. TEMP.			m bury									
2 W	DOWN	SURFACE PAR S/N			-	1		+	1	\dashv						
TIMES DATA ON	START DOWN AT DEPTH	AT SURFACE		PRESSURE			Stopper									
				PRE			1 ton									
LATITUDE NIN			E .		M	十	ta a	20	20				0	٥		_
CONSC CAST # DEG MIN SEE 9+	PRI TEMP SN SEC TEMP SN	SEC COND SN	POS. TRIP DEPTH		Botton	125	8	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1)	49	8	83	-	-	_	
CONSC CAST & SBE 9+	SEC 3	SEC	<u>§</u>		<u>-</u>	60 1	3	4 1	ري د	ا و	52	8	<u>و</u>	<u>의</u>	11	18 12

	ME/ID		4							WHIT'S	2								ō,			T
	STA. NA		<u> </u>			8A			NUMBER				\vdash	-	-	7.	-	-	\vdash			+
_	TTOM	Έ	09			bleed va	ر کا		E BOTTLE	\vdash		ار ا	1-4	1	-	77	α 7	7	7	7		\vdash
A.	, яэнтаэм	. 1	N 8	3		aned air	EPTH.		SAMPLI	<u> </u>	-	w	3	3	77	2	100	2,	4	4		-
TION DES	CLOUD (amt)		20 E			් 	¥			3												
STA		7	2				l		TLE DATA													
) (dec		ader					APLE BOT	SALM					88				<u> </u> 			
	3TAT2 A32	• (qu	202	iame/He					¥s	<u>,</u>		<u> </u>					<u> </u> 					
	BULB		LOCATION IN	File											6	6)				Sm		
Ġ.		<	() () () () () () () () () () () () () (ł		2			SALINITY									16			:
<u> </u>	ORY BULB	٦	7	۵	ı							1			**							
38	ļ	N I)iskette (•											,		
KMG	TIME	<u>څ</u> '	<u> </u>	Tape/[-			2	ALUES	TEMP								0(8)0				
CT & LEG 15b-	 - 	<u></u>	0				j	FLUOR S/	ONITOR V	SEC												
PROJE KMO3C	-or a	_[:							ЕКТЕР М		93											
	DAT	8 .	W W						TD CONV	TEMP.												
	JDE	_ <u></u>	기 라		1 1	İ				PRI.												
,	LONGITI	7	7)	_	OWN	, =	ğ	×.						_				\dashv				
	1		TIMES	DATA ON	START D	AT DEPT	AT SURF.	PAR S		RE			ŀ									
			Z							PRESSU							si.					
	ATTTUDE	<u>}</u>																				
ana	<u>-</u>	14			-	<u> </u>	 z	Z	P DEPTH		Thou	22	00	72	8	Q	ह	20	ō	0		
V Kilo Mo		N. I	7	ESS SN	I TEMP SA	C TEMP S	S COND S	CCONDS	₹ S		72	-	-	4	<u>.</u>	9		8	6	0		- 2
<u>₹</u> ≥	- 0 0	10	4 8	<u>£</u>	8	<u>R</u>	<u>æ</u>	<u> </u>	<u>. </u>	l	ی		-1	[_								24 12
	PROJECT & LEG PROJECT & LEG PROJECT & LEG RAND309 PSDB I.D. STATION DESIGNATION PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT PROJECT PROJECT & LONGITUDE PATE JD- 37 TIME (GMT) DRY BULB WET BULB WET BULB WIND SPD. CJ WIND CJ	NOSTITUDE LONGITUDE DATE JD. STATION DESCRIPTION SCRIPTION STATION DESCRIPTION STATION DESCRIPTION STATION DESCRIPTION DESCRIPTION STATION DESCRIPTION DESCRIP	Moana PROJECT & LEG PAD 3	Moana Moan	PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT & LEG PROJECT PROJ	PROJECT & LEG PROJECT & LE	PROIECT & LEG LONGITUDE CAMBROSED- LONGITUDE CONGITUDE PROJECT & LEG PROJECT & LEG PROB ID. STATION DESYMBOR PROJECT & LEG PROJECT & LEG LALO 2009 DSDB I.D. STATION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION LONGTUDE LONGTUDE DATE .D. 3 LALO 2009 LONGTUDE DATE .D. DATE .D	NOBELIA CANODINA PROJECT & LEG FLAND 2009 DESON IN PRESSURE PROJECT & LEG FLAND 2009 DESON IN PRESSURE PRESSURE	PROJECT & LEGY PROJ	PROBECT & LAND 2009 DOTE 10 PROBLEC & LEG PAND 2009 DOTE 10 PAND	CONST CONS	CONSC CONS	CONSC CONS	CONSC CAST # CONSC CAST # CONSC CAST # CAST CONSC CAST # CAST CA	STATION DESCRIPTION PASSAGE PARTITION PASSAGE CONSC	CONSC	STATION DESCRIPTION STATION DESCRIPTION DESCRIPTION STATION DESCRIPTION DESCRIPTION STATION DESCRIPTION DESCRIPT					

	CTA NAME ZID		SP5	,					1	WHIT'S									E 5			
	E	1 I				1	E .		E NUMBER	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	 					7						
Non	ВОТТОМ	ייי	0183			Cleaned air blood	120	1	SAMPLE BOTTLE NUMBER	NGT.	42	43	44	A	46	47	49	64	(S.	グ	52.7	
	TOUD (appt) VPE VEATHER	N .		KEMAKKS		Clean	MAX. DEPTH -		SA	- K												
STATION DESIGN	WIND	(m/s)	0	¥		<u>. </u>	<u> </u>		DATA					,								
	WIND		40	;	ឆ				SAMPLE BOTTLE DATA	SALINITY					400							
	SEA STATE YTLJIBIZIN		23 23 20 20 20 20 20 20 20 20 20 20 20 20 20	City Marro Alecdor	16/ U68U				SAMPL													
	BESSURE E	П.	278						糕											20		
ē.	WET BULB	1 1	26.50	3 5			1			SALINITY		i				-			3.			
DSDB 1.D.	DRY BULB	ᅜ	0 90	_										e [©]	5							
KM0309		H	540	Tane/Dickette ID	211045																	
3	TIME (GMT)	풀!		Tane/D				z	ALLIES	SEC. TEMP								1000				
PROJECT & LEG	137	٦	Υ 0 3					FLUOR S/N	CONVERTED MONITOR VALUES	SEC	İ											
PROJECT &	DATE JD-		W V						VERTED M				+		\dashv							
	<u> </u>	λwα .	N N						CTD CON	PRI. TEMP.								ं				
	100E	WW	<u> </u>		1	ļ	•						`									
	LONGITUDE	(2	8	START DOWN	Æ	RFACE	PAR S/N						_								
	*		N TIMES	DATAON	STAR	AT DEPTH	AT SURFACE	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		PRESSURE												
	JOE	2								PRE											ŧĞ.	
	LATTITUDE	₹ 0	<u> </u>					i	F F		ş					٥				0	<u>_</u>	
VESSEL R/V Kilo Moana		DEG F F O	以 で は	S	NS de	MP SN	NS Q	ND SN	POS.		Borton	덩)	125 66	3	75	8	₩	R	8	=		
VESSEL R/V Kilo	CONSC CAST #	2	46 38S	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	Ź		-	2	6	4	2	٥	7	8	6	2	=	12
										(6)	۰	- 0	ນເ	ກີ	<u>o</u> :	_ (<u></u>	9	7	3	E,	B

STATION DESIGNATION	TOUD (amt)	(a) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	5			Cleaned sir bland velve	MAX. DEPTH = 177 m		SAMPLE BOTTLE NUMBER	SAL. NUTR. CHL. NUTR.	 	95	55	570	22	28	28.77	60T	<u>U</u>	624	637	
STATIC	TTLIBIEN MINISTRE MIN	4 (deg)		File Name/Header					SAMPLE BOTTLE DATA	SALINITY					400				R			
DSDB LD.	DRY BUIR WETSCURE	(0)	DATA LOCATI						***	SALINITY										77		
PROJECT & LEG KMOZOSES (MOZOS)	DATE JD- 127 TIME (GWT)	TH C		Tape/Diskette ID				FLUOR S/N	CONVERTED MONITOR VALLIES	SEC. TEMP												
	LONGTUDE	MIN TO 0 1 W	JD/TIME	z	NMOC	E	ACE		CTD CONVER	PRI, TEMP.								-				
	LATITUDE	MIN DEG	F	DATA ON	START DOWN	AT DEPTH	AT SURFACE			PRESSURE												-
VESSEL R/V Kilo Moana		25776844	SBE 94	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTH		1 1/2	2	8	4	S	9	7	20 8 97 97	200	20 10	2 11 0	12 12

		WE/ID	PGa									WHIT'S									***			
		S.I.A. NAME/ID	Q				avie	2		: NUMBER		- -	┼-				-	-	1		1	1	[1
z	BOTTOM	E (E	1933				Cleaned air bleed valve			SAMPLE BOTTLE NUMBER			╁	8	٥	7	22	4	() ()	. 0	-	3	4	→ C
STATION DESIGNATION	мэнтхэ.	W .	Ω Ω	IRKS			eaned air	MAX. DEPTH		SAMPI			\vdash	3	99	67	123	124	125	126	127	8	8	133
ATION DE	VPE LOUD (smt)	5	9892	REMARKS				1 ×		<		Y S	و	t +	83	6	2		6	0	-	7	3	+
ST/	IM QNIM	\top	\$ + 6				1	ĺ		TTLE DAT		Ě		,	3	J	0	_	6	3	12	11	23	24
	VIJI8I2IV	۸ ,	98		eader					SAMPLE BOTTLE DATA		SALINITY					15	-						
	3AU223A 3TAT2 A3	1	293	×	File Name/Header					S												<u> </u> 		
	WET BILLS	$\overline{}$	<u> </u>	DATA LOCATION	File		,					, > -						5				3.5		
DSDB 1.D.		╁┷╏	P 0 3	DATA		ļ		2				SALINITY									28			
	DRY RUB	(<u>)</u>	35		⊡												Š.							
KM0309	TIME (GMT)	N N	SH		Tape/Diskette ID					22						+								
	I.	\vdash	3 1 9		Tape/		_	<u></u>		/ALUES	33	SEC. TEMP	,							S.				
PROJECT & LEG	127	YR	۸ ×						FLUOR S/N	CTD CONVERTED MONITOR VALUES		SE			-								.2	
PROJECT KM03056	DATE D. 137	DAY MO	<u>N</u>							IVERTED I	f			\dashv										
	&		<u>₹</u>	JD/TIME						CTO CD CD		PRI. TEMP.												
	302	П	0	•	,	,	1					PRI												
	LONGTUDE		0419		<u>z</u>	DOWN	₽	FACE	PAR S/N		}			+	+	\dashv		1	1					\dashv
		BE	2 2		DATA ON	START DOWN	AT DEPTH	AT SURFACE	PAR			SURE											ļ	
	u .		7									PRESSURE						S						
	LATITUDE	NEW .						•					1	1	\	1	Ś	1	1	¥	\	,	7	7
Aoana		DEG	1584	1	, _	ا چ	NS.	ا چ	SN	TRIP DEPTH			Battom	125	50	120	00	된	B	4	8	20	0	0
VESSEL R/V Kilo Moana	CONSC CAST #	1	258	28E 94	MESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS.			-	2	m	4	נט	9	-	8	6	2	=	12
<u></u>									<u>-:-1</u>				<u>5</u>	-	00 (ν,	<u>o'</u>	=	<u></u>	8	7	Z	B	

			₽	工			丁	Т	T	Τ	, i	نہ ما		Γ		_						Τ	Γ	Π
			SIA. NAME/ID	rt							EE.	WHIT'S NUTR.												
		2017	+	70 a c 1	5			Ash	2		SAMPLE BOTTLE NUMBER	목				154						ب.	Ę	
	NO	— 23 ВОТТОМ	DEP 1H					Cleaned air blood vahve			PLE BOT	NCTR.	131	132	251	134	135	135	135	1381	139			
İ	STATION DESIGNATION	зау Едінев		788	REMARKS			Cleaned	MAX. DEPTH		SAM	SAL												
	D NOIL	LOUD (amt)	-		2] }		∢	S	و	ηH	100	. 0	- 1		Δ		1	3	h	
:	STA	ONIM	+	A					ı		LE DAT	-		"	0	0	=	19	20	77	22	23	24	
		QNIM	1	-		ă	3				SAMPLE BOTTLE DATA	SALINITY				gw	- 20							
		STATE A3		3		/Head					SAMPI					þ	б,							
		RESSURE	a (a	29	ğ	File Name/Header										<u>ک</u> ا	Ý							
		WET BY II B	į	-	DATA LOCATION	ü	•	1				> -				0	7	-						
	<u>.</u>	, FEW	١	5	DATA]				SALINITY				Po年 中。中		,						
	DSOB 1.D.	a II a Aad	Ę	6												- po-	,							
		À	١	+		te ID				.		űc -				<u>ا</u> د					,			- 24
		25-41	¥	~ ,		Tape/Diskette ID	,				aă ·					7						,		
		7	뚣	12		Tabe	<u> </u>	L			4LUES	SEC. TEMP			į	3				ê				
	& LEG		×	\vdash						FLUOR S/N_	ITOR V	SEC.			,	4	,							
15	PROJECT & LEG KM0305b	· 	ş	MAY			İ			E	ED MON		\bot			3	,							
**	<u>r</u> z	DATE ID.	DAY	7 7							CTD CONVERTED MONITOR VALUES					5			,					
				3	JD/TIME						α <u>σ</u>	PRI. TEMP.			ļ	6							İ	
		<u>6</u>	MIN	6	7		! !	١.	J			PRI.			ľ	型								
		48.19	×	8	•		Z		10.1				_	_		4	4	\perp	\perp			_		
		7	DEG	15048	s	S	START DOWN	АТ БЕРТН	AT SURFACE	PAR S/N				İ										
-	_		٥	2 2	TIMES	DATA ON	STAF	ATD	AT S			SURE												
		<u>ر</u>	H	30								PRESSURE												
		35.39 LATITUDE	Z.										9	P	9	0) 6	_	5	201	7	727	13,	20	
		m S		931							 _			十	_		÷	50	-	+	8	<u>ي</u>	0	\dashv
	Moana		띪	151		7	NS c	P SN	NS C	NS Q	TRIP DEPTH		bottom	150	12-5	2	4	S	7	(C)	"4			
	VESSEL R/V Kilo Moana	CAST #		259583 <u>5</u>	SBE 9+	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN		-	+	2	m	4	ر د	9	^	8	6	2	1	12
Ŀ	- <u> </u>			***	<u>~</u>	<u> </u>		S	<u>a.</u>	νI					1						L	L		

32	PROJECT & LEG DSDB I.D. STATION DESIGNATION (KM0305b)	LAC.CC. LAC.CC. LONGTIUDE DATE JO- TIME (GMT) DRY BULB WET BULB PER SPECIAL SPD. 37 DIRN. SPD. 37	7 (deg) (m/s) + + (m) (m) (m) (m)	JO/TIME DATA I OCATION	Tape/Diskette ID File Name/Header		AT DEPTH	AT SURFACE	FLUOR S/N	CTD CONVERTED MONITOR VALUES SAMPLE BOTTLE DATA SAMPLE BOTTLE DATA SAMPLE BOTTLE NUMBER	E PRI, TEMP. SEC. TEMP SALINITY SAL. NUTR. CHL. NUTR.	142	hal. 8-	leabar 1 ve Smyle	541 01	741 11	\Box		*	72 150 5	
	PROJECT & LEG KM0305b	LYG, GG 2132_ LONGTUDE DATE JD- TIME (GMT)	46 S6 W 7 N A V 0 2 2 1	JD/JIME			PL.	IFACE.		CTD CONVERTED MONITOR VALUES				رامعاء							
	VESSEL R/V Kilo Moana	32,19 LATITUDE	2645832.174 N 15	<u>E</u>	PRESS SN DATA C	PRI TEMP SN START		PRI COND SN		POS. TRIP DEPTH	PRESSURE	1 hot 4	3 % 8	4 560 4	5 50 10	6 40 111	7 30 10	8 20 20	d,	10 0 22	11.0

128.97 HS 15 15 16 17 17 17 17 17 17 17		STATION DESIGNATION	WIND (smt) LOUD (smt) 1977 RATHER	M *	3000	REMARKS			Closed als blood	MAX DEPTH	111111111111111111111111111111111111111	DATA SAMPLE BOTTLE NUMBER	83	╁		153	h51 6	251 01	751	19 157	26 158			
HROJECT & LEG DSDB I.D.			STATE AS	۸. s.	338		ame/Header					SAMPLE BOTTLE DATA	VIII 182										!	
PROJECT & LEG KM030Sb 22.3 4		SDB I.D.	a ii a £3/w	5		DATA LOCATION	N elil		 				CAI INTY								0		-	
PROJECT & KM0305b KM				Ļ	2239		Tape/Diskette ID					LUES	TEMP						,		14006	P		
LONGTTUDE LONGTTUDE DEG MIN TIMES DATA ON START DOWN AT SURFACE PRESSURE PRESS		PROJECT & LEG KM0305b		MO	M Y O						FLUOR S/h	ONVERTED MONITOR VA									-4			
PRESS.			۰,۸	MIN	भेडा क्षेप	JD/TIME		NWO				стрα	PRI. TEMP.		,						Evelyn			
	**		-	DEG	r)	TIMES	DATAON	START DO	AT DEPTH	AT SURFAC	PAR S/I		PRESSURE						7	>	1			

correct ~ 1 kmt

					}	1	-1	112							
VESSEL R/V Kilo Moana				PROJECT & LEG KM0305b	& LEG		DSDB I.D.	6		eX.	STATION	STATION DESIGNATION	NOF		
CONSC CAST #	22.94 LATITUDE	PIONO TO TO TO TO TO TO TO TO TO TO TO TO TO	42, 24 LONGITUDE	-Or altwo		2342_	DRY BULB	WET BIRB	3RUS239RE 3TAT2 A3	ALURISITA SI S	ONE O	COUD (amt) 39Y ABHTA3V	BOTTOM MATERIAL		
DEG	MIN	DEG	₹	ğ	뜻	₩	0	(2)	-	L		1 .	(E)	N N	SIA. NAME/ID
2625827	27.88 v	15642	=	1 7 M A Y	0 3 2 3	9 4	& ∴	ф .	Ф283	121/		788	67	7908	3 b
+6 ago		TIMES	JD/TIME	발			_	DATA LOCATION	₹		~	REMARKS		>	1
PRESS SN	Ē	DATA ON			Tape	Tape/Diskette ID	۵	Ē	File Name/Header	ader	_				
PRI TEMP SN		START DOWN													
SEC TEMP SN		AT DEPTH						!			<u>. </u>	Cleaned	Cleaned air bleed valve	valve	
PRI COND SN		AT SURFACE						 		8	<u>]</u> =	MAX. DEPTH -	<u>.</u>	2	
SEC COND SN		PAR S/N			FLUOR S/N										
POS. TRIP DEPTH	-		db GB	CONVERTED MONITOR VALUES	TOR VALUES				NS.	SAMPLE BOTTLE DATA	DATA	Š	SAMPLE BOTTLE NUMBER	LE NUMBE	2
	20000	<u>u</u>	100								+				WHIT'S
1 bottom	,		TAL LEMIT.		SEC. IEMP	-	*	SALINIIY	1	SALINITY		SAL 2,2,4	NG 7.	룅	NGTR.
2 5 4	١				ļ				<u> </u> 		+		1/2		
3 1/4	7										•		19		
4 20)			25.						3	0		721		
5	\						ā	2		*	2		163		
₽)					S.		•			=		1791	191	
7													110 213	53	
8															
6															000
10													-		
11.	g si i a														
12															
											1		1	1]

VESSEL R/V Kilo Moana				PROJECT KM0305b	PROJECT & LEG KM0305b	1	DSD8 1.D.	D.			STATION DESIGNATION	DESIGNAT	NO		
-	28,47	LON	56,73	DATE JO-		OIO (DRY BULB	WET BULB	SEA STATE	YTU18121/	MS SOUD (smt)	39Y A3HTA3V	BOTTOM	· · · · · ·	
DEG	NΨ	DEG	MIN	DAY MO	¥	HR	0	П	۲			1 *	1	0	SIA. NAME/ID
263581	28.44N	15056	6 65 W	1 8 M	-	9010	9	3	283	60	157		346	APE	<u>n</u>
SBE 9+		TIMES	JD/TIME	ME				DATA LOCATION	NO		2	REMARKS			,
PRESS SN		DATA ON			<u> </u>	Tape/Diskette ID		Ē	File Name/Hoader	ader					
PR: TEMP SN		START DOWN					!	•		5					
SEC TEMP SN		AT DEPTH									L	Jean Park	Connect air black		
PRI COND SN		AT SURFACE			<u></u>			 			3	MAX DEPT			
SEC COND SN		PAR S/N			FLUOR S/N_					5 F.				E	
POS. TRIP DEPTH			6	CTD CONVERTED MONITOR VALUES	NITOR VALL	ES .		.T.	\$	SAMPLE BOTTLE DATA	DATA	SAM	SAMPLE BOTTLE NUMBER	E NUMBER	~
× 1	PRESSURE	<u> </u>	PRI TEMP	9	OF TEMP	9		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							WHIT'S
1 batton	9									- INTER			¥ V	3	ž X
2 50	コナ										77		79		
3	00										40		5		
4 264	9 7									100	σ		33		
5 10	2						24.0	10			2		67		
9	11							30 30			=		2	112	
7													-		
8			•			lie l						-		1	
ത				10				82	<u>10</u>			\vdash			
01								#	<u> </u> 						
11,	ä												1		
12			để									-			

Thousand 2.5 th to keep this straigh

		STA. NAME/ID	17 4					,		BER	WHIT'S												_
			 		í		d valve	E		TLE NUM	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \												
	VTION	44ф 80ТТОМ ВЕРТН	<u>E</u> 4				Cleaned air bleed valve	1 7		SAMPLE BOTTLE NUMBER	. E	t t	17	75	43	74	45	796					
	STATION DESIGNATION	CLOUD (amt) TYPE WEATHER	. 4 	REMARKS			Cleaner	MAX. DEPTH =		Ŝ	SAL				4								
	STATIC	WIND SPD.	(m/s)			# I		, 		E DATA		و	4	00	6	14	=	6					
		WIND DIRN.	(ged)		Jer			•		SAMPLE BOTTLE DATA	SALINITY				-								
		PRESSURE SEA STATE YTLIBISIV	. 80 . 80	5	File Name/Header					SAMP													
			2 <u>a</u>	DATA LOCATION	File Na					,							ž.						
	<u>.</u>	WET BULB	일도	DATA L		1		i			SALINITY					4	*			30			
	OS08 1.D.	DRY BULB	0 8		Q											1							
			N N		Tape/Diskette ID						,		1		224							_	
	(2)		3 E		_Tape/				N.	VALUES	SEC. TEMP								10				
	PROJECT & LEG KM0305b	. }	MO Y A		ı	1	1		FLUOR S/N	MONITOR	SE				į								
	PROJECT KM0305b	4	Σ							CTD CONVERTED MONITOR VALUES				\exists									
	et		Z w L S	JD/TIME						8	PRI, TEMP,												
		LONGTUDE	¥ ·			,	•		PAR S/N		<u>a</u>												
		희	EG 5 1 08	S	DATA ON	START DOWN	АТ ОЕРТН	AT SURFACE					1								_	^	
-			6 N 1 5	TIMES	PA	<u>¥</u>	ATC	AT S	-		PRESSURE												
		27.38	. 14								ď	1	*	7	7	10	-	9			.		
		I	827							<u> </u>		7	T	a	T	1		7	-				
ş	VESSEL R/V Kilo Moana	CONSC CAST #	26458	் த	PRESS SN	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN			100	75	20	30	20	9/	9				·	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2 ≥	83	7	SBE 9+	PRES	2 3	SEC	<u>R</u> _	SEC	ġ		-	~	m	4	ις	9	^	60	6	2	Ξ	

VESSEL	器				PROJEC	PROJECT & LEG		DS08 1.D.	6		STA	STATION DESIGNATION	NOTAL NOTAL		
<u>≩</u>	R/V Kilo Moana				KM0305b	q		333			40	ION DESIGN	N S		
8		26.58	~	19.92		•	4312		•	SURE STATE STATE	•	(smt) O	<u>5</u>		
গ্ৰ	CAST #	LATITUDE	- 1	LONGITUDE	鸟	-	TIME (GMT)	DRY BULB	WET BULB	¥3S	WIND WIND DIRN. SPD.	CLOU	WEAT DEPTH		STA. NAME/ID
ק	265 5 R	NIM 99 7	DEG 15124	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	~ ≥ 0 ≥ ~	٤ ر	ER AR	0)	<u> </u>	* L	/w) ~	* (-
8	┨			•	0	2	7	•		571	1	4 6		48 A P 3	3
200	, I		TIMES	JD/TIME	¥			_	DATA LOCATION	₹		REMARKS	S		
<u> </u>	PRESS SN	-	DATA ON			Ē	Tape/Diskette ID	٩	₩.	File Name/Header	k				
PR.	PRI TEMP SN		START DOWN												
SEC	SEC TEMP SN		АТ ОЕРТН			<u>L</u>]			٤	Cleanor of the bear	and and	
PRI	PRI COND SN	i	AT SURFACE						l						
SEC	COND SN		PAR S/N			E1100 C/N		1				MAX. DE	1 H	2	
ĮŠ	POS. TRIP DEPTH	-		E	TO CONVEDTED MONITOR VIEW	TOOK S/N		,							
				<u>.</u>	CONVEKIEU MU					SAMPL	SAMPLE BOTTLE DATA		SAMPLE BOTTLE NUMBER	TLE NUMBE	es
					-		-								
[_		PRESSURE	URE	PRI. TEMP.	ai	SEC, TEMP	<u>.</u>	Χ	SALINITY		SALINITY	SAL	N TJR	<u>ਤ</u>	WHIT'S
-	1000 Too	6	į								9	78	72		
2	100	7	i								7		78		
εn	75	00 /									• 00		61		
4	e	6									6		84		
S	30	10 /			-			3			0		σx		
٥	20	<u> </u>									11		8,		
^	01	6						,			63		83		
∞	0	57		-							2		ž		
6									k¥.						
2	~			•					Tá					1 4	
Ξ				ì										,	
12		*													
	•														$\left[\right]$

VESSEL				PROJECT & LEG	& LEG		DSDB L.D.	ö		9	STATION	STATION DESIGNATION	NOT NOT		
K/V Kilo Moana				KM0305b	-		_		-			-			
	25,76	31,72	12		-	4423			JATE JIAT			(amt)	197	nl.	
CAST #	LATITUDE	LONGITUDE		DATE JO.	F	TIME (GMT)	DRY BULB	WET BULB	SEA S		ONIW Ods	39Y TA3V	BOTTOM		CTA MANAGAR
DEC	MIN		12.74	DAY MO	Ϋ́	HR MIN	(2)	(2,)	Ĥ			L *	Œ	十	NAMEZIO
26658	8 45 . 5 9 N	15136	₹ 17- 00	1 8 M A Y	0 3	444	6 · t	5.9	283	8	7	186	9	6 7 A P	2
SBE 9+		TIMES	JD/TIME				1	DATA LOCATION	NO			REMARKS			
PRESS SN		DATA ON				Tape/Diskette ID	٥	Ē	File Name/Header	eader					
PRI TEMP SN		START DOWN								88					
SEC TEMP SN		АТ ДЕРТН		!	<u> </u>							Cleaner	Cleaned air bleed valve	avev ever	
PRI COND SN		AT SURFACE			<u></u>		- 57	1		r	<u>, 1, ≥</u>	MAX DEPTH -	-		
SEC COND SN		PAR S/N		2	FLUOR S/N						1			E	
POS. TRIP DEPTH	HLIdi		CID	CTD CONVERTED MONITOR VALUES	TOR VALUE	S		:	Ś	SAMPLE BOTTLE DATA	DATA	SS	SAMPLE BOTTLE NUMBER	TLE NUMBE	e -
						•		Đ.					ļ		
	PRESSURE	URE	PRI. TEMP.	_	SEC. TEMP	<u> </u>	ď	SALINITY	<u>-</u>	SALINITY		8	ê H	Ę	WHIT'S
1 bottom	tom C/										9		85		3
2 15	154 21				4						u		9 00		
3 17	125 81										00		82		
4	1649/									80	6		90		
R.	70124						13	=		7	97		03		
9	50 11 /							01			11		R	8	
7	7										દ		6		
88	79 70/		2.5		4						20	-	26		
6	12 21							0.0			4		93		V2
10	Ø 22										77		16		
11,		=27													
12															
													1	1	

(F)		MO MO	╁	68API				ed valve	E		SAMPLE BOTTLE NUMBER	CHL. NUTR.										-		
165	SIGNATION	мертнек ВОТТОМ	٨	7	REMARKS	754		Cleaned air bleed valve	MAX. DEPTH -		SAMPLE BO	L. NUTR.	269 95	<u>L.</u>	6	36	66	180	101	162	[63	101		-
	STATION DESIGNATION	S S S S S S S S S S S S S S S S S S S	٠,	1 4 8 8	REM				ĬŠ		ATA	SAL	26	+	· 00	5	0	11	6)	25	21	22		
		STAT2 A33	* (* (dea)	338497		File Name/Header	•				SAMPLE BOTTLE DATA	SALINITY					,							
	.O.	SESSURE	٤	H . 2	DATA LOCATION	File Nam			84			SALINITY					,	73			30	8		
	01 80SO	5.2 GMT) DRY BULB	₽	Ľ		Tape/Diskette ID											122				,			
, so	PROJECT & LEG KM0305b	6552 138 TIME (GMT)	AN YR	A Y 0 3 0 5		Tape/				FLUOR S/N	CONVERTED MONITOR VALUES	SEC. TEMP	,			3				20				
	PRC KM		12	.89 W 18 W	JD/TIME	İ					CTD CONVERTE	PRI. TEMP.												
		LONGITUDE		N 1 5 1 4 Z	TIMES	DATA ON	START DOWN	АТ БЕРТН	AT SURFACE	PAR S/N		PRESSURE										,		
		24.97 LATITUDE	MIN	8		Œ					-		, ,	th 7	00	26	10 /	11/	161	7.87	7-1-7	22		
	VESSEL R/V Kilo Moana		띯	2675824	ı ±	NS S	PRI TEMP SN	SEC TEMP SN	PRI COND SN	SEC COND SN	POS. TRIP DEPTH		b off and	150	125	100	75	50	20	20	0	0	2	
[;	VESSEL R/V Kilo	CONSC CAST #		2	SBE 9+	PRESS SN	PR 17	SEC T	장 장	SECC	 S S		-	~	က	4	v	9	^	œ	6	5	1	12