

蘇州大學

生物信息学系
Department of Bioinformatics

Lab 4 How to merge two dataframes

Xiaoqin Yang
yangxiaoqin@suda.edu.cn

Merging Data Frames by Common Column

- **Problem**


- You have two data frames that share a common column. You want to merge their rows into one data frame by matching on the common column.

- **Solution**

- Use the **merge** function to join the data frames into one new data frame based on the common column:

```
> born <- data.frame(name=c("Moe","Larry","Curly", "Harry"),  
+   year.born=c(1887,1902,1903, 1964))  
> died <- data.frame(name=c("Curly","Moe","Larry"),  
+   year.died=c(1952,1975,1975))  
> merge(born, died, by="name")  
  name year.born year.died  
1  Curly    1903    1952  
2  Larry    1902    1975  
3   Moe    1887    1975
```


Option “all” for merge function




<https://stackoverflow.com/questions/20374459/merge-two-dataframes-with-repeated-columns>

Individual plot for the difference


UPP1



ZSWIM 4



An example for Volcano plot



We have a problem

- A volcano plot is a type of scatterplot that shows statistical significance (P-value) versus magnitude of change (fold change).
- The dataset we have contains the P-values and fold changes, but with some missing values.
- The order in the two data.frames are also different.
- And we should set a significance cutoff ($P < 0.05$).

The task

- Load in the data, match according to the row names.
- Transform the values to fit the volcano plot.
- Annotate the difference by different colors.