Project Plan for Master Mind: Escape the Room

Jiaying Wu

How to play Master Mind: Escape the Room

	our text paragraph display below will separ	rate into tw	o parts:
--	---	--------------	----------

- 1. Title start with "~" and end with "~", display when calling the function displayTitle().
- 2. The rest is the body, it will store in different text file.

MasterMind :: Escape the Room

Mastermind :: Escape the Room

"You have been locked in an empty dark room, running out of food and water. In front of you, there is a gate with a giant lock. The times you can enter the numbers into the lock is limited! Once you ran out of the times, the gate will lock forever! Hurry up! Clock is ticking....."

If you enter all correct elements with correct position into the lock in the limited times, the gate will open. That you can escape the room. Otherwise, you will be lock in the room forever.....

- [S] to start a new game.
- [C] to continue the saved game.
- [H] for help, to display the game rule.
- [A] to view the achievements.
- [E] to end the game.

The above text is the main page of the game, it will stored in this text file masterMindMainPage.txt. It will load and display at the beginning of the game for player to read.

MasterMind :: Escape the Room

Three levels of this game:

- [1] wood gate = easy, 4 elements out of 6 with 10 times to try.
- [2] Rock gate = tricky: 5 elements out of 8 with 12 times to try.

[3] Iron gate = hard: 6 elements out of 10 with 14 times to try.

After you enter the elements into the lock, the lock will provide you some clues.

- One `#` will show up if you enter a correct element in correct position.
- One `*` will show up if you enter a correct element in wrong position.
- No symbol for a worng element
- The order of symbols to show up is random in each time.

The way to caculate the points for each game:

- 1. The points for wood gate start from 100, rock gate start from 180 and iron gate start from 280.
- 3. Each time will cost you 10 points in wood gate, 15 points in rock gate, 20 points in iron gate.
- 4. 2 points for one `#`, 1 point for one `*`.
- 5. Maximum points for opening wood gate is 98, that is four `#` in 1 time. Maximum 175 points for rock gate and maximum 272 points for iron gate.
- 6. The points you get from each game will add up to your total points.

The above text is the game rule, it will stored in this text file masterMindHelp.txt. It will load and display when user press [H] for help.

MasterMind :: Escape the Room

Three steps to start the game:

- 1. Enter your name.
- 2. Select the gate you want to open:
- [1] Wood gate = easy: 4 elements out of 6 with 10 times to try.
- [2] Rock gate = tricky: 5 elements out of 8 with 12 times to try.
- [3] Iron gate = hard: 6 elements out of 10 with 14 times to try.
- 3. Select the type of element for the lock:
 - [1] Number

- [2] Letter
- [3] Symbol
- [4] Word

Then you will face to the gate you have chosen.

The above text is the setup for the game, it will stored in this text file masterMindStart.txt. It will load and display when user press [S] to start a new game.

```
{\tt MasterMind} \ :: \ {\tt Escape} \ {\tt the} \ {\tt Room}
```

Player name:

Total points:

Highest points for wood gate is: 0 / 98 Highest points for rock gate is: 0 / 175 Highest points for iron gate is: 0 / 272

This is the initial version of player's achievement. It will stored all players' achievement, identify by player name. It will store in this text file masterMindAchievement.txt, it will load and display when player press [A]

Development outline of Master Mind: Escape the Room

Outline the functionality of all game classes

After reading the assignment brief, I decided to use 3 classes for this game.

1. Player class

Player class is

2. Board class

Board class is

3. Application file

Application file include

What we need to create

Five sections for game setup

Section 1: Variables and functions for setup

Variables:

- 1. *string* previousOption to stored player's previous option.
- 2. string currentOption to stored player's current option.

Functions:

- 1. *void* displayTitle() to display the title of the game.
- 2. void readTextFile(string fileName) to read the given text file and display into screen.
- 3. string askForString(string question) to ask user enter the option, return a string value. string question is a local variable in function askForString().
- 4. *int* askForInt(*string* question) to ask user enter the option, return a *int* value. *string* question is a local variable in function askForInt().

Section 2: Main page

The main page display everytime we start the game, or press [M] during the game.

- 1. Clear the screen.
- 2. Call the function displayTitle() to display the title.
- 3. Load and display the text file masterMindMainPage.txt using functionreadTextFile().
- 4. Replace previousOption = "m".
- 5. Call the function **askForString()** to ask player enter their option, and check the input. If not in {"s", "c", "h", "a", "e"}, return error message. Call the function again until player enter the correct option.
- 6. Store the string return from function askForString() as currentOption.
- 7. Then go the page currentOption match. Eg, "h" for help page.

Since the screen will pause until the player enter the option, it provide time for player to read the information.

What we need:

Variables:

- 1. string previousOption
- 2. string currentOption

Functions:

1. *void* displayTitle() to display the title.

- 2. void readTextFile(string fileName) to read masterMindMainPage.txt then display main page.
- 3. string askForString(string question) to ask a string from player.

Section 3: Help page

The help page display when player press [H].

- 1. Clear the screen.
- 2. Call the function displayTitle() to display the title.
- 3. Load and display the text file masterMindHelp.txt using function readTextFile().
- 4. Replace the previousOption = currentOption.
- 5. Replace currentOption = "h".
- 6. Include a "Press any key to continue", pause the screen to allow player to read the information.
- 7. Then go back to the page previousOption match. Eg, "m" for main page...

What we need:

Variables:

- 1. string currentOption
- 2. string previousOption

Functions:

- 1. void displayTitle() to display the title.
- 2. void readTextFile(string fileName) to read masterMindHelp.txt then display Help page.

Section 4: Achievement page

The achievement page display when player press [A].

- 1. Clear the screen.
- 2. Call the function **displayTitle()** to display the title.
- 3. Load and display the text file masterMindAchievement.txt using function readTextFile().
- 4. Replace the previousOption = currentOption.
- 5. Replace currentOption = "a".
- 6. Include a "Press any key to continue", pause the screen to allow player to read the information.
- 7. Then go back to the page previousOption match. Eg, "m" for main page...

What we need:

Variables:

- 1. string currentOption
- 2. string previousOption

Functions:

- 1. void displayTitle() to display the title.
- 2. void readTextFile(string fileName) to read masterMindAchievement.txt then display achievement page.

Section 5: Start game page

Four step for game setup:

- 1. Clear the screen.
- 2. Call the function displayTitle() to display the title.
- Ask the name of player, store as a *string* playerNmae.
- Ask the player to select the gate to open, that is the game difficulty level. Store as a *int* difficultyLevel, possible value is {1, 2, 3}.
- Create a *int* possibleElement = $3 + 2^*$ difficultyLevel to indicate the number of all possible elements, possible value is $\{6, 8, 10\}$.
- Create a *int* codeElement = 4 + difficultyLevel to indicate the number of elements in one row, that is the numbers of element in the secret code. Possible value is $\{4, 5, 6\}$.
- Create a *int* $codeRow = 8 + 2 * difficultyLevel to indicate the number of rows, that is the times players can try. Possible value is <math>\{10, 12, 14\}$.
- Ask the player what type of element they want to choose, store as a *int* elementType, possible value is {1, 2, 3, 4}
- 4. After player finish enter their name and game option, include a "Press any key to continue" in the end. To allow user final review the information before the screen be cleared.

What we need:

Functions:

- 1. displayTitle() to display the title of the game.
- 2. displayRule() to display masterMindRules.txt.
- 3. *int* askForNumber(string question) to display the question and ask user's choice, *string* question is the local variable within the function askForNumber().

Variables:

- 1. string playerNmae
- 2. int difficultyLevel
- $3.\ int$ possibleElement

- $4. \ int \ {\tt codeElement}$
- 5. int codeRow
- $6. \ int \ {\tt elementType}$

The player's turn

- 1. After the press a key to continue, clear the screen.
- 2. display the title of the game.
- 3.

Processing player input

Providing feedback to player

The end game conditions

Additional features included

UML class diagrams