

# Package ‘VEMIRT’

April 23, 2024

**Type** Package

**Title** Variational Expectation Maximization for High-dimensional IRT Models

**Version** 1.2

**Date** 2024-04-23

**Author** Jiaying Xiao [aut, cre], Gongjun Xu [aut], Chun Wang [aut]

**Maintainer** Jiaying Xiao <jxiao6@uw.edu>

**Description** VEMIRT is created to assist researchers to conduct exploratory and confirmatory multidimensional item response theory (MIRT) analysis.

The core computation engine of VEMIRT is a family of Gaussian Variational EM algorithms that are considerably more efficient than currently available algorithms in other software packages, especially when the number of latent factors exceeds 4.

**License** GPL-3

**Imports** GPArotation, Matrix, polycor, psych, Rcpp, testit, MASS, tibble

**LinkingTo** Rcpp, RcppArmadillo

**RoxygenNote** 7.3.1

**Encoding** UTF-8

**Depends** R (>= 3.10)

**LazyData** true

**NeedsCompilation** yes

## R topics documented:

VEMIRT-package . . . . .	2
bs_2PLCFA . . . . .	3
exampleData_2pl . . . . .	3
exampleData_3pl . . . . .	4
exampleIndic_cfa2pl . . . . .	4
exampleIndic_cfa3pl . . . . .	4
exampleIndic_efa2pl_c1 . . . . .	5
exampleIndic_efa2pl_c2 . . . . .	5
exampleIndic_efa3pl_c1 . . . . .	6
exampleIndic_efa3pl_c2 . . . . .	6
gvem_2PLCFA . . . . .	7
gvem_2PLEFA_adaptlasso . . . . .	8

gvem_2PLEFA_lasso . . . . .	10
gvem_2PLEFA_rot . . . . .	12
importanceSampling . . . . .	13
pa_poly . . . . .	14
sgvem_3PLCFA . . . . .	15
sgvem_3PLEFA_adaptlasso . . . . .	16
sgvem_3PLEFA_lasso . . . . .	19
sgvem_3PLEFA_rot . . . . .	21

<b>Index</b>	<b>23</b>
--------------	-----------

---

VEMIRT-package

VEMIRT: A package for high-dimensional IRT models

---

## Description

VEMIRT is created to assist researchers to conduct exploratory and confirmatory multidimensional item response theory (MIRT) analysis. The core computation engine of VEMIRT is a family of Gaussian Variational EM algorithms that are considerably more efficient than currently available algorithms in other software packages, especially when the number of latent factors exceeds 4.

## Identify the number of factors

[pa\\_poly](#) identifies the number of factors via parallel analysis.

## Exploratory factor analysis

- [gvem\\_2PLEFA\\_rot](#) conducts M2PL Analysis with post-hoc rotation (Promax & CF-Quartimax)
- [gvem\\_2PLEFA\\_lasso](#) conducts M2PL Analysis with Lasso penalty
- [gvem\\_2PLEFA\\_adaptlasso](#) conducts M2PL Analysis with adaptive Lasso penalty
- [sgvem\\_3PLEFA\\_rot](#) conducts stochastic GVEM to further improve the computational efficiency for exploratory M3PL analysis
- [sgvem\\_3PLEFA\\_lasso](#) conducts M3PL Analysis with Lasso penalty
- [sgvem\\_3PLEFA\\_adaptlasso](#) conducts M3PL Analysis with adaptive Lasso penalty

## Confirmatory factor analysis

- [gvem\\_2PLCFA](#) conducts GVEM for confirmatory M2PL analysis
- [sgvem\\_3PLCFA](#) conducts stochastic GVEM for confirmatory M3PL analysis
- [bs\\_2PLCFA](#) conducts bootstrap sampling to correct bias and produce standard errors for confirmatory M2PL analysis
- [importanceSampling](#) conducts importance sampling to correct bias for M2PL analysis

## Author(s)

**Maintainer:** Jiaying Xiao <jxiao6@uw.edu>

Authors:

- Gongjun Xu <gongjun@umich.edu>
- Chun Wang <wang4066@uw.edu>

bs\_2PLCFA

*Bootstrap Version of GVEM Confirmatory Analysis for M2PL***Description**

A bootstrap version of GVEM (i.e., GVEM-BS) can be implemented to correct the bias on item parameters and compute standard errors under M2PL models

**Usage**

```
bs_2PLCFA(gvem_result, boots = 5)
```

**Arguments**

gvem\_result      a list that includes exploratory or confirmatory GVEM results for M2PL models.  
boots              the number of bootstrap samples; default is 5

**Value**

a list containing the following objects:

boots\_a            item discrimination parameters corrected by bootstrap sampling, a  $J \times K$  matrix  
boots\_b            item difficulty parameters corrected by bootstrap sampling, a vector of length  $J$   
sd\_a                standard errors of item discrimination parameters, a  $J \times K$  matrix  
sd\_b                standard errors of item difficulty parameters, a vector of length  $J$

**See Also**

[gvem\\_2PLCFA](#), [importanceSampling](#)

**Examples**

```
## Not run:
gvem_result <- gvem_2PLCFA(exampleData_2pl, exampleIndic_cfa2pl)
bs_2PLCFA(gvem_result, boots=10)

## End(Not run)
```

exampleData\_2pl

*Response data set for M2PL***Description**

The response data set is simulated based on a between-item M2PL model with 5 factors. The true factor correlations are set as 0.1.

**Usage**

```
exampleData_2pl
```

**Format**

A data frame with 2000 respondents and 75 items

---

exampleData_3pl	<i>Response data set for M3PL</i>
-----------------	-----------------------------------

---

**Description**

The response data set is simulated based on a within-item M3PL model with 3 factors. The true factor correlations are set as 0.1.

**Usage**

```
exampleData_3pl
```

**Format**

A data frame with 2000 respondents and 45 items

---

exampleIndic_cfa2pl	<i>Factor-loading indicator matrix for M2PL-CFA</i>
---------------------	---

---

**Description**

The factor-loading indicator matrix can be used as an input for confirmatory factor analysis.

**Usage**

```
exampleIndic_cfa2pl
```

**Format**

A data frame with 75 items and 5 factors

---

exampleIndic_cfa3pl	<i>Factor-loading indicator matrix for M3PL-CFA</i>
---------------------	---

---

**Description**

The factor-loading indicator matrix can be used as an input for confirmatory factor analysis.

**Usage**

```
exampleIndic_cfa3pl
```

**Format**

A data frame with 45 items and 3 factors

---

`exampleIndic_efa2pl_c1`*Factor-loading indicator matrix for M2PL-EFA with lasso/ adaptive penalty under constraint 1*

---

**Description**

The factor-loading indicator matrix can be used as an input for exploratory factor analysis with lasso/ adaptive lasso penalty under constraint 1.

**Usage**`exampleIndic_efa2pl_c1`**Format**

A data frame with 75 items and 5 factors. Items 1, 16, 31, 46 and 61 can be combined as an identity matrix to satisfy constraint 1

---

`exampleIndic_efa2pl_c2`*Factor-loading indicator matrix for M2PL-EFA with lasso/ adaptive penalty under constraint 2*

---

**Description**

The factor-loading indicator matrix can be used as an input for exploratory factor analysis with lasso/ adaptive lasso penalty for constraint 1.

**Usage**`exampleIndic_efa2pl_c2`**Format**

A data frame with 75 items and 5 factors. Items 1, 16, 31, 46 and 61 can be combined as a triangular matrix to satisfy constraint 2

---

exampleIndic\_efa3pl\_c1

*Factor-loading indicator matrix for M3PL-EFA with lasso/ adaptive penalty under constraint 1*

---

### Description

The factor-loading indicator matrix can be used as an input for exploratory factor analysis with lasso/ adaptive lasso penalty under constraint 1.

### Usage

exampleIndic\_efa3pl\_c1

### Format

A data frame with 45 items and 3 factors. Items 1, 16, and 19 can be combined as an identity matrix to satisfy constraint 1

---

exampleIndic\_efa3pl\_c2

*Factor-loading indicator matrix for M3PL-EFA with lasso/ adaptive penalty under constraint 2*

---

### Description

The factor-loading indicator matrix can be used as an input for exploratory factor analysis with lasso/ adaptive lasso penalty for constraint 1.

### Usage

exampleIndic\_efa3pl\_c2

### Format

A data frame with 45 items and 3 factors. Items 1, 16, and 19 can be combined as a triangular matrix to satisfy constraint 2

gvem\_2PLCFA

*Confirmatory M2PL Analysis***Description**

Confirmatory M2PL Analysis

**Usage**`gvem_2PLCFA(u, indic, max.iter = 5000, SE.est = FALSE)`**Arguments**

<code>u</code>	a $N \times J$ matrix or a <code>data.frame</code> that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
<code>indic</code>	a $J \times K$ matrix or a <code>data.frame</code> that describes the factor loading structure of $J$ items to $K$ factors. It consists of binary values where 0 refers to the item is irrelevant with this factor, 1 otherwise
<code>max.iter</code>	the maximum number of iterations for the EM cycle; default is 5000
<code>SE.est</code>	whether to estimate SE for item parameters using the updated supplemented expectation maximization (USEM); default is FALSE

**Value**

a list containing the following objects:

<code>ra</code>	item discrimination parameters, a $J \times K$ matrix
<code>rb</code>	item difficulty parameters, vector of length $J$
<code>reta</code>	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
<code>reps</code>	variational parameters $\xi$ , a $N \times J$ matrix
<code>rsigma</code>	population variance-covariance matrix, a $K \times K$ matrix
<code>mu_i</code>	mean parameter for each person, a $K \times N$ matrix
<code>sig_i</code>	covariance matrix for each person, a $K \times K \times N$ array
<code>n</code>	the number of iterations for the EM cycle
<code>Q_mat</code>	factor loading structure, a $J \times K$ matrix
<code>GIC</code>	model fit index
<code>AIC</code>	model fit index
<code>BIC</code>	model fit index
<code>SE</code>	Standard errors of item parameters, a $J \times (K + 1)$ matrix where the last column includes SE estimates for item difficulty parameters

**See Also**[sgvem\\_3PLCFA](#), [importanceSampling](#), [bs\\_2PLCFA](#)

## Examples

```
## Not run:
gvem_2PLCFA(exampleData_2pl, exampleIndic_cfa2pl)

## End(Not run)
```

---

gvem\_2PLEFA\_adaptlasso

*Exploratory M2PL Analysis with Adaptive Lasso Penalty*

---

## Description

Exploratory M2PL Analysis with Adaptive Lasso Penalty

## Usage

```
gvem_2PLEFA_adaptlasso(
  u,
  indic,
  max.iter = 5000,
  constrain = "C1",
  non_pen = NULL,
  gamma = 2
)
```

## Arguments

u	a $N \times J$ matrix or a data.frame that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
indic	a $J \times K$ matrix or a data.frame that describes the factor loading structure of $J$ items to $K$ factors. It consists of binary values where 0 refers to the item is irrelevant with this factor, 1 otherwise. For exploratory factor analysis with adaptive lasso penalty, indic should be imposed certain constraints on the a $K \times K$ sub-matrix to ensure identifiability. The remaining parts do not assume any pre-specified zero structure but instead, the appropriate lasso penalty would recover the true zero structure. Also see constrain
max.iter	the maximum number of iterations for the EM cycle; default is 5000
constrain	the constraint setting: "C1" or "C2". To ensure identifiability, "C1" sets a $K \times K$ sub-matrix of indic to be an identity matrix. This constraint anchor $K$ factors by designating $K$ items that load solely on each factor respectively. Note that the $K \times K$ matrix does not have to appear at the top of the indic matrix. "C2" sets the $K \times K$ sub-matrix to be a lower triangular matrix with the diagonal being ones. That is, there are test items associated with each factor for sure and they may be associated with other factors as well. Nonzero entries (in the lower triangular part) except for the diagonal entries of the sub-matrix are penalized during the estimation procedure. For instance, assume $K = 3$ , then the "C2" constraint will imply the following submatrix: $C2 = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 1 & 1 & 1 \end{bmatrix}$ . As shown, item 1 is allowed to only load on the first factor, item 2 will for sure load on the



second factor but it may also load on the first factor (hence a penalty is added on the  $(2, 1)$  element of "C1", i.e.,  $C_{2,1}$ ). Item 3 will for sure load on the third factor but it may also load on the first two factors. However, note that for all remaining items their loading vector will all be  $(1, 1, 1)$  hence indistinguishable from the third anchor item. Therefore, we need to alert the algorithm that this third anchor item will for sure load on the third factor, and whether or not it loads on the first two factors depends on the regularization results. Therefore, we need to specify "non\_pen=" to identify the  $K$ th anchor item. Although, "C2" is much weaker than "C1", it still ensures empirical identifiability. Default is "C1". During estimation, under both the "C1" and "C1" constraints, the population means and variances are constrained to be 0 and 1, respectively.

non_pen	the index of an item which is associated with each factor to satisfy "C2". For C1, the input can be NULL
gamma	a numerical value of adaptive lasso parameter. Zou (2006) recommended three values, 0.5, 1, and 2. The default value is 2.

### Value

a list containing the following objects:

ra	item discrimination parameters, a $J \times K$ matrix
rb	item difficulty parameters, vector of length $J$
reta	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
reps	variational parameters $\xi$ , a $N \times J$ matrix
rsigma	population variance-covariance matrix, a $K \times K$ matrix
mu_i	mean parameter for each person, a $K \times N$ matrix
sig_i	covariance matrix for each person, a $K \times K \times N$ array
n	the number of iterations for the EM cycle
Q_mat	factor loading structure, a $J \times K$ matrix
GIC	model fit index
AIC	model fit index
BIC	model fit index
lbd	numerical value of lasso penalty parameter $\lambda$

### References

- Cho, A. E., Xiao, J., Wang, C., & Xu, G. (2022). Regularized Variational Estimation for Exploratory Item Factor Analysis. *Psychometrika*. <https://doi.org/10.1007/s11336-022-09874-6>
- Zou, H. (2006). The adaptive LASSO and its oracle properties. *Journal of the American Statistical Association*, 7, 1011418–1429.

### See Also

[gvem\\_2PLEFA\\_rot](#), [gvem\\_2PLEFA\\_lasso](#), [exampleIndic\\_efa2pl\\_c1](#), [exampleIndic\\_efa2pl\\_c2](#)

## Examples

```
## Not run:
gvem_2PLEFA_adaptlasso(exampleData_2pl, exampleIndic_efa2pl_c1, constrain="C1", non_pen=NULL, gamma=2)
gvem_2PLEFA_adaptlasso(exampleData_2pl, exampleIndic_efa2pl_c2, constrain="C2", non_pen=61, gamma=2)

## End(Not run)
```

---

gvem\_2PLEFA\_lasso

---

Exploratory M2PL Analysis with Lasso Penalty

---

## Description

Exploratory M2PL Analysis with Lasso Penalty

## Usage

```
gvem_2PLEFA_lasso(u, indic, max.iter = 5000, constrain = "C1", non_pen = NULL)
```

## Arguments

u	a $N \times J$ matrix or a data.frame that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
indic	a $J \times K$ matrix or a data.frame that describes the factor loading structure of $J$ items to $K$ factors. It consists of binary values where 0 refers to the item is irrelevant with this factor, 1 otherwise. For exploratory factor analysis with lasso penalty, indic should be imposed certain constraints on the a $K \times K$ sub-matrix to ensure identifiability. The remaining parts do not assume any pre-specified zero structure but instead, the appropriate lasso penalty would recover the true zero structure. Also see constrain
max.iter	the maximum number of iterations for the EM cycle; default is 5000
constrain	<p>the constraint setting: "C1" or "C2". To ensure identifiability, "C1" sets a <math>K \times K</math> sub-matrix of indic to be an identity matrix. This constraint anchor <math>K</math> factors by designating <math>K</math> items that load solely on each factor respectively. Note that the <math>K \times K</math> matrix does not have to appear at the top of the indic matrix. "C2" sets the <math>K \times K</math> sub-matrix to be a lower triangular matrix with the diagonal being ones. That is, there are test items associated with each factor for sure and they may be associated with other factors as well. Nonzero entries (in the lower triangular part) except for the diagonal entries of the sub-matrix are penalized during the estimation procedure. For instance, assume <math>K = 3</math>, then the "C2" constraint will imply the following submatrix: <math>C2 = \begin{bmatrix} 1 &amp; 0 &amp; 0 \\ 1 &amp; 1 &amp; 0 \\ 1 &amp; 1 &amp; 1 \end{bmatrix}</math>. As shown,</p> <p>item 1 is allowed to only load on the first factor, item 2 will for sure load on the second factor but it may also load on the first factor (hence a penalty is added on the <math>(2, 1)</math> element of "C1", i.e., <math>C2_{2,1}</math>). Item 3 will for sure load on the third factor but it may also load on the first two factors. However, note that for all remaining items their loading vector will all be <math>(1, 1, 1)</math> hence indistinguishable from the third anchor item. Therefore, we need to alert the algorithm that this third anchor item will for sure load on the third factor, and whether or not it loads on the first two factors depends on the regularization results. Therefore, we</p>

need to specify "non\_pen=" to identify the  $K$ th anchor item. Although, "C2" is much weaker than "C1", it still ensures empirical identifiability. Default is "C1". During estimation, under both the "C1" and "C2" constraints, the population means and variances are constrained to be 0 and 1, respectively.

non\_pen      the index of an item which is associated with each factor to satisfy "C2". For C1, the input can be NULL

## Value

a list containing the following objects:

ra	item discrimination parameters, a $J \times K$ matrix
rb	item difficulty parameters, vector of length $J$
reta	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
reps	variational parameters $\xi$ , a $N \times J$ matrix
rsigma	population variance-covariance matrix, a $K \times K$ matrix
mu_i	mean parameter for each person, a $K \times N$ matrix
sig_i	covariance matrix for each person, a $K \times K \times N$ array
n	the number of iterations for the EM cycle
Q_mat	factor loading structure, a $J \times K$ matrix
GIC	model fit index
AIC	model fit index
BIC	model fit index
lbd	numerical value of lasso penalty parameter $\lambda$

## References

Cho, A. E., Xiao, J., Wang, C., & Xu, G. (2022). Regularized Variational Estimation for Exploratory Item Factor Analysis. *Psychometrika*. <https://doi.org/10.1007/s11336-022-09874-6>

## See Also

[gvem\\_2PLEFA\\_rot](#), [gvem\\_2PLEFA\\_adaptlasso](#), [exampleIndic\\_efa2pl\\_c1](#), [exampleIndic\\_efa2pl\\_c2](#)

## Examples

```
## Not run:
gvem_2PLEFA_lasso(exampleData_2pl, exampleIndic_efa2pl_c1, constrain="C1")
gvem_2PLEFA_lasso(exampleData_2pl, exampleIndic_efa2pl_c2, constrain="C2", non_pen=61)

## End(Not run)
```

gvem\_2PLEFA\_rot

*Exploratory M2PL Analysis with Post-hoc Rotation***Description**

Exploratory M2PL Analysis with Post-hoc Rotation

**Usage**

```
gvem_2PLEFA_rot(u, domain, max.iter = 5000, rot = "Promax")
```

**Arguments**

<code>u</code>	a $N \times J$ matrix or a <code>data.frame</code> that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
<code>domain</code>	the number of factors
<code>max.iter</code>	the maximum number of iterations for the EM cycle; default is 5000
<code>rot</code>	the post-hoc rotation method: Promax or CF-Quartimax; default is "Promax", but may also be "cfQ" for conducting the CF-Quartimax rotation

**Value**

a list containing the following objects:

<code>ra</code>	item discrimination parameters, a $J \times K$ matrix
<code>rb</code>	item difficulty parameters, vector of length $J$
<code>reta</code>	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
<code>reps</code>	variational parameters $\xi$ , a $N \times J$ matrix
<code>rsigma</code>	population variance-covariance matrix, a $K \times K$ matrix
<code>mu_i</code>	mean parameter for each person, a $K \times N$ matrix
<code>sig_i</code>	covariance matrix for each person, a $K \times K \times N$ array
<code>n</code>	the number of iterations for the EM cycle
<code>rk</code>	factor loadings, a $J \times K$ matrix
<code>Q_mat</code>	factor loading structure, a $J \times K$ matrix
<code>GIC</code>	model fit index
<code>AIC</code>	model fit index
<code>BIC</code>	model fit index
<code>ur_a</code>	item discrimination parameters before conducting the rotation, a $J \times K$ matrix

**See Also**

[gvem\\_2PLEFA\\_lasso](#), [gvem\\_2PLEFA\\_adaptlasso](#)

**Examples**

```
## Not run:
gvem_2PLEFA_rot(exampleData_2pl, domain=5,max.iter=3000)
gvem_2PLEFA_rot(exampleData_2pl, domain=5,rot="cfQ")

## End(Not run)
```

---

importanceSampling      *Importance Weighted Version of GVEM Analysis for M2PL Models*

---

### Description

An importance weighted version of GVEM (i.e., IW-GVEM) can be implemented to correct the bias on item parameters under M2PL models

### Usage

```
importanceSampling(u, gvem_result, S = 10, M = 10, max.iter = 10)
```

### Arguments

u	a $N \times J$ matrix or a data.frame that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
gvem_result	a list that includes exploratory or confirmatory GVEM results for M2PL models.
S	the number of times to draw samples; default is 10
M	the number of samples drawn from the variational distributions; default is 10
max.iter	the maximum number of iterations for the EM cycle; default is 10

### Value

a list containing the following objects:

ra	item discrimination parameters estimated by GVEM, a $J \times K$ matrix
rb	item difficulty parameters estimated by GVEM, vector of length $J$
reta	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
reps	variational parameters $\xi$ , a $N \times J$ matrix
rsigma	population variance-covariance matrix estimated by GVEM, a $K \times K$ matrix
mu_i	mean parameter for each person, a $K \times N$ matrix
sig_i	covariance matrix for each person, a $K \times K \times N$ array
n	the number of iterations for the EM cycle
rk	factor loadings, a $J \times K$ matrix, for exploratory analysis only
Q_mat	factor loading structure, a $J \times K$ matrix
GIC	model fit index
AIC	model fit index
BIC	model fit index
SE	Standard errors of item parameters, a $J \times (K + 1)$ matrix where the last column includes SE estimates for item difficulty parameters, for confirmatory analysis only
ur_a	item discrimination parameters before conducting the rotation, a $J \times K$ matrix, for exploratory analysis only
new_a	item discrimination parameters estimated by IW-GVEM, a $J \times K$ matrix
new_b	item difficulty parameters estimated by IW-GVEM, vector of length $J$
new_Sigma_theta	population variance-covariance matrix estimated by IV-GVEM, a $K \times K$ matrix
best_lr	The learning rate used for importance sampling
best_lb	The lower bound value for importance sampling

**See Also**

[gvem\\_2PLCFA](#), [gvem\\_2PLEFA\\_rot](#), [bs\\_2PLCFA](#)

**Examples**

```
## Not run:
CFA_result <- gvem_2PLCFA(exampleData_2pl, exampleIndic_cfa2pl)
importanceSampling(exampleData_2pl, CFA_result)

## End(Not run)
```

---

pa\_poly

*Parallel analysis using polychoric correlation*

---

**Description**

Identify the number of factors

**Usage**

```
pa_poly(data, n.iter = 10, figure = TRUE)
```

**Arguments**

data	a $N \times J$ matrix or a data.frame that consists of the responses of $N$ individuals to $J$ items without any missing values. The responses are binary or polytomous.
n.iter	Number of simulated analyses to perform
figure	By default, pa_poly draws an eigenvalue plot. If FALSE, it suppresses the graphic output

**Value**

pa\_poly returns a data.frame with the eigenvalues for the real data and the simulated data.

**Examples**

```
## Not run:
pa_poly(exampleData_2pl, n.iter=20)

## End(Not run)
```

sgvem\_3PLCFA

*Stochastic GVEM for Confirmatory M3PL Analysis***Description**

Stochastic GVEM for Confirmatory M3PL Analysis

**Usage**

```
sgvem_3PLCFA(
  u,
  indic,
  samp = 50,
  forgetrate = 0.51,
  mu_b,
  sigma2_b,
  Alpha,
  Beta,
  max.iter = 5000
)
```

**Arguments**

<code>u</code>	a $N \times J$ matrix or a data.frame that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
<code>indic</code>	a $J \times K$ matrix or a data.frame that describes the factor loading structure of $J$ items to $K$ factors. It consists of binary values where 0 refers to the item is irrelevant with this factor, 1 otherwise
<code>samp</code>	a subsample for each iteration; default is 50
<code>forgetrate</code>	the forget rate for the stochastic algorithm. The value should be within the range from 0.5 to 1. Default is 0.51
<code>mu_b</code>	the mean parameter for the prior distribution of item difficulty parameters
<code>sigma2_b</code>	the variance parameter for the prior distribution of item difficulty parameters
<code>Alpha</code>	the $\alpha$ parameter for the prior distribution of guessing parameters
<code>Beta</code>	the $\beta$ parameter for the prior distribution of guessing parameters
<code>max.iter</code>	the maximum number of iterations for the EM cycle; default is 5000

**Value**

a list containing the following objects:

<code>ra</code>	item discrimination parameters, a $J \times K$ matrix
<code>rb</code>	item difficulty parameters, vector of length $J$
<code>rc</code>	item guessing parameters, vector of length $J$
<code>rs</code>	variational parameters $s$ , a $N \times J$ matrix
<code>reta</code>	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
<code>reps</code>	variational parameters $\xi$ , a $N \times J$ matrix

<code>rsigma</code>	population variance-covariance matrix, a $K \times K$ matrix
<code>mu_i</code>	mean parameter for each person, a $K \times N$ matrix
<code>sig_i</code>	covariance matrix for each person, a $K \times K \times N$ array
<code>n</code>	the number of iterations for the EM cycle
<code>Q_mat</code>	factor loading structure, a $J \times K$ matrix
<code>GIC</code>	model fit index
<code>AIC</code>	model fit index
<code>BIC</code>	model fit index

## References

- Cho, A. E., Wang, C., Zhang, X., & Xu, G. (2021). Gaussian variational estimation for multidimensional item response theory. *British Journal of Mathematical and Statistical Psychology*, 74, 52-85.
- Cho, A. E., Xiao, J., Wang, C., & Xu, G. (2022). Regularized Variational Estimation for Exploratory Item Factor Analysis. *Psychometrika*. <https://doi.org/10.1007/s11336-022-09874-6>

## See Also

[gvem\\_2PLCFA](#)

## Examples

```
## Not run:
sgvem_3PLCFA(exampleData_3pl, exampleIndic_cfa3pl, samp=50, forgetrate=0.51,
mu_b=0, sigma2_b=4, Alpha=10, Beta=40)

## End(Not run)
```

---

sgvem\_3PLEFA\_adaptlasso

*Stochastic GVEM with Adaptive Lasso Penalty for Exploratory M3PL Analysis*

---

## Description

Stochastic GVEM with Adaptive Lasso Penalty for Exploratory M3PL Analysis

## Usage

```
sgvem_3PLEFA_adaptlasso(
  u,
  indic,
  samp = 50,
  forgetrate = 0.51,
  mu_b,
  sigma2_b,
  Alpha,
  Beta,
```



```

    max.iter = 5000,
    constrain = "C1",
    non_pen = NULL,
    gamma = 2
)

```

## Arguments

u	a $N \times J$ matrix or a data.frame that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
indic	a $J \times K$ matrix or a data.frame that describes the factor loading structure of $J$ items to $K$ factors. It consists of binary values where 0 refers to the item is irrelevant with this factor, 1 otherwise. For exploratory factor analysis with lasso penalty, indic should be imposed certain constraints on the a $K \times K$ sub-matrix to ensure identifiability. The remaining parts do not assume any pre-specified zero structure but instead, the appropriate lasso penalty would recover the true zero structure. Also see constrain
samp	a subsample for each iteration; default is 50
forgetrate	the forget rate for the stochastic algorithm. The value should be within the range from 0.5 to 1. Default is 0.51
mu_b	the mean parameter for the prior distribution of item difficulty parameters
sigma2_b	the variance parameter for the prior distribution of item difficulty parameters
Alpha	the $\alpha$ parameter for the prior distribution of guessing parameters
Beta	the $\beta$ parameter for the prior distribution of guessing parameters
max.iter	the maximum number of iterations for the EM cycle; default is 5000
constrain	<p>the constraint setting: "C1" or "C2". To ensure identifiability, "C1" sets a <math>K \times K</math> sub-matrix of indic to be an identity matrix. This constraint anchor <math>K</math> factors by designating <math>K</math> items that load solely on each factor respectively. Note that the <math>K \times K</math> matrix does not have to appear at the top of the indic matrix. "C2" sets the <math>K \times K</math> sub-matrix to be a lower triangular matrix with the diagonal being ones. That is, there are test items associated with each factor for sure and they may be associated with other factors as well. Nonzero entries (in the lower triangular part) except for the diagonal entries of the sub-matrix are penalized during the estimation procedure. For instance, assume <math>K = 3</math>, then the "C2" constraint will imply the following submatrix: <math>C2 = \begin{bmatrix} 1 &amp; 0 &amp; 0 \\ 1 &amp; 1 &amp; 0 \\ 1 &amp; 1 &amp; 1 \end{bmatrix}</math>. As shown, item 1 is allowed to only load on the first factor, item 2 will for sure load on the second factor but it may also load on the first factor (hence a penalty is added on the (2, 1) element of "C1", i.e., <math>C2_{2,1}</math>). Item 3 will for sure load on the third factor but it may also load on the first two factors. However, note that for all remaining items their loading vector will all be (1, 1, 1) hence indistinguishable from the third anchor item. Therefore, we need to alert the algorithm that this third anchor item will for sure load on the third factor, and whether or not it loads on the first two factors depends on the regularization results. Therefore, we need to specify "non_pen=" to identify the <math>K</math>th anchor item. Although, "C2" is much weaker than "C1", it still ensures empirical identifiability. Default is "C1". During estimation, under both the "C1" and "C1" constraints, the population means and variances are constrained to be 0 and 1, respectively.</p>

non_pen	the index of an item which is associated with each factor to satisfy "C2". For C1, the input can be NULL
gamma	a numerical value of adaptive lasso parameter. Zou (2006) recommended three values, 0.5, 1, and 2. The default value is 2.

### Value

a list containing the following objects:

ra	item discrimination parameters, a $J \times K$ matrix
rb	item difficulty parameters, vector of length $J$
rc	item guessing parameters, vector of length $J$
rs	variational parameters $s$ , a $N \times J$ matrix
reta	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
reps	variational parameters $\xi$ , a $N \times J$ matrix
rsigma	population variance-covariance matrix, a $K \times K$ matrix
mu_i	mean parameter for each person, a $K \times N$ matrix
sig_i	covariance matrix for each person, a $K \times K \times N$ array
n	the number of iterations for the EM cycle
Q_mat	factor loading structure, a $J \times K$ matrix
GIC	model fit index
AIC	model fit index
BIC	model fit index
lbd	numerical value of lasso penalty parameter $\lambda$

### References

- Cho, A. E., Xiao, J., Wang, C., & Xu, G. (2022). Regularized Variational Estimation for Exploratory Item Factor Analysis. *Psychometrika*. <https://doi.org/10.1007/s11336-022-09874-6>
- Zou, H. (2006). The adaptive LASSO and its oracle properties. *Journal of the American Statistical Association*, 7, 1011418–1429.

### See Also

[sgvem\\_3PLEFA\\_rot](#), [sgvem\\_3PLEFA\\_lasso](#), [exampleIndic\\_efa3pl\\_c1](#), [exampleIndic\\_efa3pl\\_c2](#)

### Examples

```
sgvem_3PLEFA_adaptlasso(exampleData_3pl, exampleIndic_efa3pl_c1, samp=50,
  forgetrate=0.51, mu_b=0, sigma2_b=4, Alpha=10, Beta=40, max.iter=5000,
  constrain="C1", non_pen=NULL, gamma=2)
## Not run:
sgvem_3PLEFA_adaptlasso(exampleData_3pl, exampleIndic_efa3pl_c2, samp=50,
  forgetrate=0.51, mu_b=0, sigma2_b=4, Alpha=10, Beta=40, max.iter=5000,
  constrain="C2", non_pen=19, gamma=2)

## End(Not run)
```

---

sgvem\_3PLEFA\_lasso      *Stochastic GVEM with Lasso Penalty for Exploratory M3PL Analysis*


---

## Description

Stochastic GVEM with Lasso Penalty for Exploratory M3PL Analysis

## Usage

```
sgvem_3PLEFA_lasso(
  u,
  indic,
  samp = 50,
  forgetrate = 0.51,
  mu_b,
  sigma2_b,
  Alpha,
  Beta,
  max.iter = 5000,
  constrain = "C1",
  non_pen = NULL
)
```

## Arguments

u	a $N \times J$ matrix or a data.frame that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
indic	a $J \times K$ matrix or a data.frame that describes the factor loading structure of $J$ items to $K$ factors. It consists of binary values where 0 refers to the item is irrelevant with this factor, 1 otherwise. For exploratory factor analysis with lasso penalty, indic should be imposed certain constraints on the a $K \times K$ sub-matrix to ensure identifiability. The remaining parts do not assume any pre-specified zero structure but instead, the appropriate lasso penalty would recover the true zero structure. Also see constrain
samp	a subsample for each iteration; default is 50
forgetrate	the forget rate for the stochastic algorithm. The value should be within the range from 0.5 to 1. Default is 0.51
mu_b	the mean parameter for the prior distribution of item difficulty parameters
sigma2_b	the variance parameter for the prior distribution of item difficulty parameters
Alpha	the $\alpha$ parameter for the prior distribution of guessing parameters
Beta	the $\beta$ parameter for the prior distribution of guessing parameters
max.iter	the maximum number of iterations for the EM cycle; default is 5000
constrain	the constraint setting: "C1" or "C2". To ensure identifiability, "C1" sets a $K \times K$ sub-matrix of indic to be an identity matrix. This constraint anchor $K$ factors by designating $K$ items that load solely on each factor respectively. Note that the $K \times K$ matrix does not have to appear at the top of the indic matrix. "C2" sets the $K \times K$ sub-matrix to be a lower triangular matrix with the diagonal being ones. That is, there are test items associated with each factor for sure and

they may be associated with other factors as well. Nonzero entries (in the lower triangular part) except for the diagonal entries of the sub-matrix are penalized during the estimation procedure. For instance, assume  $K = 3$ , then the "C2"

constraint will imply the following submatrix:  $C'2 = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 1 & 1 & 1 \end{bmatrix}$ . As shown,

item 1 is allowed to only load on the first factor, item 2 will for sure load on the second factor but it may also load on the first factor (hence a penalty is added on the  $(2, 1)$  element of "C1", i.e.,  $C'2_{2,1}$ ). Item 3 will for sure load on the third factor but it may also load on the first two factors. However, note that for all remaining items their loading vector will all be  $(1, 1, 1)$  hence indistinguishable from the third anchor item. Therefore, we need to alert the algorithm that this third anchor item will for sure load on the third factor, and whether or not it loads on the first two factors depends on the regularization results. Therefore, we need to specify "non\_pen=" to identify the  $K$ th anchor item. Although, "C2" is much weaker than "C1", it still ensures empirical identifiability. Default is "C1". During estimation, under both the "C1" and "C1" constraints, the population means and variances are constrained to be 0 and 1, respectively.

non\_pen      the index of an item which is associated with each factor to satisfy "C2". For C1, the input can be NULL

### Value

a list containing the following objects:

ra	item discrimination parameters, a $J \times K$ matrix
rb	item difficulty parameters, vector of length $J$
rc	item guessing parameters, vector of length $J$
rs	variational parameters $s$ , a $N \times J$ matrix
reta	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
reps	variational parameters $\xi$ , a $N \times J$ matrix
rsigma	population variance-covariance matrix, a $K \times K$ matrix
mu_i	mean parameter for each person, a $K \times N$ matrix
sig_i	covariance matrix for each person, a $K \times K \times N$ array
n	the number of iterations for the EM cycle
Q_mat	factor loading structure, a $J \times K$ matrix
GIC	model fit index
AIC	model fit index
BIC	model fit index
lbd	numerical value of lasso penalty parameter $\lambda$

### References

Cho, A. E., Xiao, J., Wang, C., & Xu, G. (2022). Regularized Variational Estimation for Exploratory Item Factor Analysis. *Psychometrika*. <https://doi.org/10.1007/s11336-022-09874-6>

### See Also

[sgvem\\_3PLEFA\\_rot](#), [sgvem\\_3PLEFA\\_adaptlasso](#), [exampleIndic\\_efa3pl\\_c1](#), [exampleIndic\\_efa3pl\\_c2](#)

## Examples

```
## Not run:
sgvem_3PLEFA_lasso(exampleData_3pl, exampleIndic_efa3pl_c1,samp=50,
  forgetrate=0.51,mu_b=0,sigma2_b=4,Alpha=10,Beta=40,max.iter=5000,
  constrain="C1",non_pen=NULL)
sgvem_3PLEFA_lasso(exampleData_3pl, exampleIndic_efa3pl_c2,samp=50,
  forgetrate=0.51,mu_b=0,sigma2_b=4,Alpha=10,Beta=40,max.iter=5000,
  constrain="C2",non_pen=19)

## End(Not run)
```

sgvem\_3PLEFA\_rot

*Stochastic GVEM for Exploratory M3PL Analysis*

## Description

Stochastic GVEM for Exploratory M3PL Analysis

## Usage

```
sgvem_3PLEFA_rot(
  u,
  domain,
  samp = 50,
  forgetrate = 0.51,
  mu_b,
  sigma2_b,
  Alpha,
  Beta,
  max.iter = 5000,
  rot = "Promax"
)
```

## Arguments

<code>u</code>	a $N \times J$ matrix or a data.frame that consists of binary responses of $N$ individuals to $J$ items. The missing values are coded as NA
<code>domain</code>	the number of factors
<code>samp</code>	a subsample for each iteration; default is 50
<code>forgetrate</code>	the forget rate for the stochastic algorithm. The value should be within the range from 0.5 to 1. Default is 0.51
<code>mu_b</code>	the mean parameter for the prior distribution of item difficulty parameters
<code>sigma2_b</code>	the variance parameter for the prior distribution of item difficulty parameters
<code>Alpha</code>	the $\alpha$ parameter for the prior distribution of guessing parameters
<code>Beta</code>	the $\beta$ parameter for the prior distribution of guessing parameters
<code>max.iter</code>	the maximum number of iterations for the EM cycle; default is 5000
<code>rot</code>	the post-hoc rotation method: Promax or CF-Quartimax; default is "Promax", but may also be "cfQ" for conducting the CF-Quartimax rotation

**Value**

a list containing the following objects:

ra	item discrimination parameters, a $J \times K$ matrix
rb	item difficulty parameters, vector of length $J$
rc	item guessing parameters, vector of length $J$
rs	variational parameters $s$ , a $N \times J$ matrix
reta	variational parameters $\eta(\xi)$ , a $N \times J$ matrix
reps	variational parameters $\xi$ , a $N \times J$ matrix
rsigma	population variance-covariance matrix, a $K \times K$ matrix
mu_i	mean parameter for each person, a $K \times N$ matrix
sig_i	covariance matrix for each person, a $K \times K \times N$ array
n	the number of iterations for the EM cycle
Q_mat	factor loading structure, a $J \times K$ matrix
rk	factor loadings, a $J \times K$ matrix
GIC	model fit index
AIC	model fit index
BIC	model fit index
ur_a	item discrimination parameters before conducting the rotation, a $J \times K$ matrix

**See Also**

[sgvem\\_3PLEFA\\_lasso](#), [sgvem\\_3PLEFA\\_adaptlasso](#)

**Examples**

```
## Not run:
sgvem_3PLEFA_rot(exampleData_3pl, 3, samp=50, forgetrate=0.51,
mu_b=0, sigma2_b=4, Alpha=10, Beta=40, max.iter=5000, rot="Promax")

## End(Not run)
```

# Index

## \* datasets

- exampleData\_2pl, [3](#)
- exampleData\_3pl, [4](#)
- exampleIndic\_cfa2pl, [4](#)
- exampleIndic\_cfa3pl, [4](#)
- exampleIndic\_efa2pl\_c1, [5](#)
- exampleIndic\_efa2pl\_c2, [5](#)
- exampleIndic\_efa3pl\_c1, [6](#)
- exampleIndic\_efa3pl\_c2, [6](#)

bs\_2PLCFA, [2](#), [3](#), [7](#), [14](#)

exampleData\_2pl, [3](#)  
exampleData\_3pl, [4](#)  
exampleIndic\_cfa2pl, [4](#)  
exampleIndic\_cfa3pl, [4](#)  
exampleIndic\_efa2pl\_c1, [5](#), [9](#), [11](#)  
exampleIndic\_efa2pl\_c2, [5](#), [9](#), [11](#)  
exampleIndic\_efa3pl\_c1, [6](#), [18](#), [20](#)  
exampleIndic\_efa3pl\_c2, [6](#), [18](#), [20](#)

gvem\_2PLCFA, [2](#), [3](#), [7](#), [14](#), [16](#)  
gvem\_2PLEFA\_adaptlasso, [2](#), [8](#), [11](#), [12](#)  
gvem\_2PLEFA\_lasso, [2](#), [9](#), [10](#), [12](#)  
gvem\_2PLEFA\_rot, [2](#), [9](#), [11](#), [12](#), [14](#)

importanceSampling, [2](#), [3](#), [7](#), [13](#)

pa\_poly, [2](#), [14](#)

sgvem\_3PLCFA, [2](#), [7](#), [15](#)  
sgvem\_3PLEFA\_adaptlasso, [2](#), [16](#), [20](#), [22](#)  
sgvem\_3PLEFA\_lasso, [2](#), [18](#), [19](#), [22](#)  
sgvem\_3PLEFA\_rot, [2](#), [18](#), [20](#), [21](#)

VEMIRT (VEMIRT-package), [2](#)  
VEMIRT-package, [2](#)